

Index

Symbols

1,4-diaza[2.2.2]bicyclooctane 111

1-component

- epoxy adhesive 144, 159, 161
- heat curing PUR adhesive 112
- moisture curing PUR adhesive 112
- polysulfide 265
- polyurethane 261
- PUR adhesive 198
- system 102

2-component

- acrylic adhesive 166, 167
- epoxy adhesive 143, 156
- polysulfide 265
- polyurethane 262
- PUR adhesive 112, 124
- system 101, 241

A

absorption 224

accelerator 165, 169, 173

acetone process 68

acrylate 85, 98, 163, 217, 225

acrylic adhesive 163

acrylic latex 218, 219

acrylonitrile 51

activator 165, 169

additives 41, 52, 64, 72, 75, 78, 89, 111, 124

adhesion 15, 23, 27, 30, 32, 214, 225

adhesion promoter 31, 240, 268

adhesive 15, 17, 21

- bonding 15
- failure 27, 294
- joint 275
- layer 283
- , one component 41
- , sealant 17, 34, 230, 233, 236, 241, 243, 294
- , physically setting 37
- , solvent-based 37
- strength 23
- , water-based 58
- , 2-component 41

adsorption 32

aerosols 66

aerospace industry 171

A.F.E.R.A. 296

ageing 287

ageing tests 300

aircraft industry 195

aldimine 132

allophanate 108

allyl cyanoacrylate 183

allylic chlorene 48

aluminium 32

- surface 25

American Standard Testing Methods 296

amidoamine 141

amine 140

- blocked 136

- number 154

aminosilane 270

amorphous poly(alpha)olefines 90

anaerobic 103, 172

anaerobic acrylic adhesive 166, 172

anaerobic curing 174

anhydride

- curing agent 143

- curing reaction 147

anionic polymerisation 182

anisotropic effects 290

antifreeze 273

antioxidant 50, 221, 234, 263

APAO-Hotmelts 90

APP 85

aqueous system 216

aromatic polyisocyanate 249

Arrhenius-law 134

Association des Fabricants Européens de Rubans

Auto-adhésifs 296

ASTM 296

atactic polypropylene 222

autohesion 65

automotive 227

- coating 229

- industry 47, 51, 72, 83, 127, 133, 136, 158, 160, 171, 184, 206, 208, 211, 301, 302

- interior 71

azelaic acid 97

B

backfill material 258

BADGE 138

bead test 293

benzophenone 223

BHT 89

binder 194
bisphenol A 137
- diglycidyl ether 138, 153, 159, 210
bisphenol F 138
- diglycidyl ether 138, 153
biuret 108
block copolymer 76, 98, 220, 253, 254
body-in-white construction 230, 234
boiling water test 301
book-binding 89, 206, 208
- industry 83
Brownian molecular movement 58
bubbling 130, 201
buoyancy force 63
butadiene 51
butanediol adipate 44, 69
butt joint 290
butyl 84, 85
- rubber 248

C

caprolactam 98
caravan manufacturing 158
carbodiimide 45, 93
carbon black 233, 235, 240, 244, 266
carbon dioxide 261
casting molds 195
castor oil 111, 263
catalysts 111
cataplasma test 301
ceramic coating 244
ceramic tiles 74
chain extender 45, 111
chelate complex 29, 33
chemisorption 33
chinonmethide 191
chlorinated rubber 50
chloroprene-rubber 48
chlorosulphonated polyethylene 165, 168
churn 40
classification 34
climate change test 301
coagulation 58
coalescing agent 272
coefficient of expansion 287
cohesion 15, 24, 27, 214, 224, 225, 276
cohesive failure 27, 295
condensed water test 301
configuration 38
connecting joint 259
construction 21
- industry 72, 74, 75, 84, 133, 158
- of buildings 257
- sealant 257, 264, 267, 268
contact adhesive 50

contact angle 24, 25
contact bonding 42, 66, 72
conversion coating, organic 32
conveyor system 216
corner joint 291
cosmetics 184
coupling agent 32
covalent bond 29
creep resistance 298, 305
critical surface tension 25
crosslinker 164
crosslinking 18, 225, 243
crystalline melting point 77
crystalline prepolymer 199
crystallinity 44
crystallisation 48, 81
cumarone-inden-resin 49
cumene hydroperoxide 168, 173
curing agent 140, 157, 169, 251
curing hot-melt 82, 195
cyanoacetic ester 181
cyanoacrylate 180
- gel 183

D

DABCO 111
dashboard 47, 206
DBTL 45, 111, 203
DCD 142
dead load test 298
deblocking 136
degradation 287
desiccant 246
design 275
Desmodur DN 70, 75
diacrylate 164
diaminoethylcyclohexane 140
dibenzoylperoxide 167
dicyanodiamide 142, 160
- curing reaction 144
diethylenetriamine 140
Differential Scanning Calorimetry 280
diffuse ion cloud 58
dimer fatty acid 96
dimethacrylate 164, 172
dimethylol propionic acid 69
DIN 296
direct glazing 236
dispersion 58
- force 30
- medium 271
dispersive forces 38
diuron 143
DIY 51, 57, 84, 171, 184
DLVO theory 61

DMC-process 110
 DMPA 69
 door panel 47, 71, 206
 drum melter 80
 drums 79
 dry cleaning 94
 durability 300
 dynamic
 - loads 286
 - tests 299

E

elasticity 19, 256, 272
 elastic recovery 260, 267, 273
 elastomer 18
 electrical tests 306
 electron beam 177
 - curing 103
 electronic industry 162, 171, 180, 184
 Elvax 87
 emulsifier 61
 enaminate 132
 EN norm 296
 entropy elasticity 279
 epichlorohydrin 137
 epoxy 137
 - curing 143
 - equivalent weight 153
 - hot-melt 210
 - novolak 140, 154
 - resin 137, 153
 equivalent mass 242
 ESCA/XPS 25, 33
 ester pyrolysis 91
 ethylenediamine 96, 140, 241
 ethylene glycol 92
 ethylene vinyl acetate (EVA) 74, 84, 86, 222
 - copolymer 74
 evaporation 65
 - number 65
 evaporation rate 37, 39
 expansion joints 257

F

failure mode 294
 fatigue resistance test 300
 Fenuron 143
 filler 41, 50, 52, 64, 72, 73, 75, 78, 89, 124, 157, 160
 film former 274
 film forming 41, 65
 - agents 66
 fingertack 303
 fixing aid 82
 flammability 40

flocculation 58
 flocking adhesive 53
 Florida test 303
 Flory-Stockmayer equation 120
 fogging 303
 formaldehyde 186
 Fox-equation 52, 54
 free monomer 121
 free-radical polymerisation 218
 friction force 63
 friction lining 195
 fumed silica 50, 57, 89, 266, 273
 functionality 122
 fungicide 266
 furniture industry 48, 51, 55, 72, 75, 84, 133, 206

G

gap-filling 16, 17, 227, 248
 gas permeation 256
 gelling 232
 gel point 120
 general-purpose adhesive 57
 glass corrosion 247
 glass primer 244
 glass temperature
 glass transition temperature 52, 54, 73, 76, 98, 152,
 182, 200, 214, 221, 224, 254, 271, 279
 glue-gun 84
 glue-stick 84, 89
 graft polymerisation 170
 gravitational force 63
 grinding material 195

H

HALS 263, 268
 hand strength 293
 hard segment 254
 HDI 69
 headliner 47, 71, 206
 heat curing 102, 159
 - 1-component PUR adhesive 133
 - epoxy hot-melt 208
 heat reactivation 43
 heat resistance test 300
 hem-flange adhesive 160
 hexa 191
 hexamethylene diamine 95
 hexamine 191
 hexanediol adipate 44, 69
 Hildebrand 37
 HMTA 191
 hobbock 79
 Hock process 186
 Hock synthesis 137

Hook law 276
hot-applied sealant 249
hot-melt 76
 - adhesive 76
 - application 254
 - pressure sensitive adhesive 216, 221, 222
 - sealants 83
hot tack 88
humidity resistance 300
Hycar 96, 141
hydrocarbon resin 254
hydrogen bond 30, 38, 239
hydrolysis 289
hydroxyethylacrylate 54
hydroxyl-functionalised polybutadiene 110, 127, 249
hygiene industry 83
Hypalon 168

I

imidazole 143
 - curing reaction 147
impact 286
 - strength 294, 299
incompatibility 254
initiator 169
instant glue 184
insulating glass 246
 - industry 208
 - sealant 247, 256
interface 16, 23
interfacial tension 23
intersystem crossing (ISC) 224
ionic bond 28
ionomers 61
IPDI 69, 107
IPP 85
isocyanate 106, 237, 239, 241, 242, 243, 244, 262, 269
 - base value 264
 - blocked 135
 - manufacturing 106
 - reaction 108
 - stoichiometry 116
 - terminated prepolymer 128
isocyanurate 108
isoelectric point 33
isophoronediamine 140

J

Jeffamine 96, 141
jewellery 184

K

Kenics mixer 241
ketimine 132
Knoevenagel condensation 181

L

label 214, 222
laminating adhesive 55, 98
lasting cement 84, 93, 97
latent curing agent 102, 132, 142, 159, 241, 242
latex 216, 219, 271
latex-based sealant 272
LDPE 85
light degradation 302
load transfer 17
loop tack 304
loss factor 278, 286
loss modulus 278

M

magnesium oxide 50
mastication 40, 52
material fatigue 286
mattress manufacturing 72
MDI 44, 69, 106
mechanical
 - adhesion 28
 - engineering 171, 176
 - tests 296
medical applications 180
medicine 185
melt flow index 87
mercury vapour lamp 225
metal surface 25
methacrylate 163
methacrylic acid 53
MFI 87
MFFT 65
Michael addition 162
microcrystalline wax 88
middle block 254
minimum film formation temperature (MFFT) 65, 271
modes of stress 281
modulus of elasticity 276
moisture-curing 102, 239, 261, 267
 - 1-component PUR adhesive 128
molecular sieve 132, 241, 246
Monuron 143
mould-release agent 26
Mowilith 75
Mowiol 76
MS-polymer 204, 268

N

nanoparticle 273
nanoparticulate 20, 266
nanotechnology 162
natural rubber (NR) 216
NCO/OH ratio 45, 118
neopentyl glycol 93
Neoprene 48, 71
NEP 69
N-ethylpyrrolidone 66
nitrile rubber 51
N-methylpyrrolidone 66, 69
no-mix-process 168
non-destructive testing 305
non-sagging 273
novolak 186, 187
- curing 191
nuclear magnetic resonance spectroscopy 306
Nylon 95

O

one way 64
open time 79, 80, 101
ortho-reaction 188
overlap joint 290
oxazolidine 132
oxirane 137
oxygen curing 103
ozone 40

P

P 1200 test 301
packaging industry 48, 74, 75, 82
paint primer 244
paper industry 75
paraffinwax 88
particle board 194
PBO 109
peel
- angle 285
- deformation 284
- strength 297, 305
PEG 109
PEO 109
periodic loads 286
peroxide 165
phase transition 287
phenol 186
phenolic resin 29, 32, 185
photoinitiator 150, 178, 223
photooxidative polymer degradation 264
phr 41
piperazine 96, 140
plasticiser 64, 78, 124, 221, 232, 268, 271

plasticity 256, 272, 278
plastics 25
plastisol 231
polyacrylate 53, 73, 271
polyaddition adhesive 105
polyamide 84, 94
- curing agents 141
Polybd 110
polybutene 254
- oxide 109
polycaprolactone 44, 69
polycarbonate-polyester 263
polychloroprene 48, 71
polycondensation 90, 95
- adhesive 185
polycyanoacrylate 184
polyelectrolytes 61
polyester 84, 90
- polyol 110
polyether 127
- polyol 109, 237
polyethylene 85
- glycol 109
- oxide 109
- wax 88
polyisobutene 248
polyken probe tack 304
polymerisation adhesive 163
polyol 109, 243
- blocked 136
- stoichiometry 117
polyolefin 84
polypropylene 85
- glycol 109
- oxide 109, 201
polystyrene block 254
polystyrene-phase 220
polysulfide 247, 251, 264
polyterpene 254
poly THF 109
polythiol 142
polyurethane 44, 63, 67, 85, 105, 237, 240, 242,
247, 261, 268
- crystalline 114
- prepolymer 198
- segmented 115
- silane terminated 133
polyvinyl
- acetate 56, 74
- alcohol 63, 75
- butyral 84
- chloride (PVC) 31, 55, 231
- pyrrolidone 63
POR hot-melt 206
post-cure 218
pot life 101

PPG 109
 PPO 109
 precure 242
 pre-gelling 232
 preliminary test 293
 prepolymer process 68
 pressure sensitive adhesive (PSA) 18, 55, 74, 98,
 214, 225, 303
 pressure sensitive tape council 296
 pretreatment 27
 primary dispersion 271
 primary seal 246, 249
 primary valence bond 28
 primer 274
 processing time (pot life) 264
 protective colloid 62
 pseudoplasticity 39
 PSTC 296
 PU 105
 PUR 105
 - dispersions 67
 - hot-melt 197
 - prepolymer 68
 PVC-powder 261

Q

Quickstick 304

R

radiation curable acrylic adhesive 177
 radiation curing 103
 - acrylate 166
 - acrylic hot-melt 211
 radiation dose 225
 radical scavenger 263
 railway vehicle 227
 rate of deformation 286
 reactivation 43
 reactive
 - adhesive 100
 - diluent 139
 - liquid polymers 160
 rear parcel shelf 47, 71, 206
 reduction ratio 300
 reinforcing filler 20, 240, 266, 268
 repulpable adhesives 99
 resin 41, 52, 64, 71, 73, 75, 78, 88, 100
 resite 191
 resol 29, 32, 189
 - curing 191
 resorcinol 191
 rheological additive 50
 ricinoleic acid 111
 ring and ball method 87

ring opening polymerisation 148
 rolling ball tack 303
 rosin 49, 217, 219, 225
 round profile 291
 RTV-1 266
 RTV-2 267
 rubber 233
 rubber elastic interval 279
 rules for the design 289

S

saccharin 174
 safety glass 84
 S.A.F.T 305
 sag resistance 204
 salt formation 28
 salt spray test 302
 sandwich element 158
 SBS 84
 screw fastening 174
 sealant 16, 17, 21, 77, 252
 sebacic acid 93
 secondary dispersion 68
 secondary seal 246, 247, 250, 252
 secondary valence bond 19, 29, 240
 setting mechanism 18, 76, 81
 setting time 79
 Shear Adhesion Failure Temperature 305
 shear deformation 276, 282
 shear modulus 277
 shear strain 277
 shoe industry 47, 51, 71, 72, 84, 97, 206
 shoe manufacturing 93
 silane 31, 268
 -, -crosslinking 270
 -, -modified sealant 268
 silicon 266
 silicone 256
 SIS 84
 size-exclusion chromatography 40
 skin formation 266, 273
 slight cohesive failure 295
 sodium lauryl sulphonate 61
 softening point 87
 soft segment 254
 solidification 18
 solids content 38
 solubility 37
 - parameters 37, 52
 solvent 37
 -, -borne pressure sensitive adhesives 216
 - reactivation 43, 66
 spacer 246
 specific adhesion 28
 srew fastening 177

stabilisation
 - ionic 58
 - rheological 63
 - steric 62
 stabiliser 129, 165
 static loads 281
 static tests 296
 stoichiometry
 - epoxies 153
 - polyurethanes 116
 Stokes 63
 storage modulus 278
 steric hindered phenol 221
 stress
 - analysis 281
 - corrosion 302
 - peaks 282
 - strain 17, 278
 structural adhesive 34, 275
 - bonding 231
 structural bonding 100, 275
 structural glazing 256
 substrate failure 295
 sub-surface migration 289, 293
 sulfur 234
 super-glue 181, 184
 surface energy 23
 surface tension 23, 24, 62
 surfactants 61
 swelling 288

T

tack 88, 217, 221, 225, 254, 303
 tackifier 88
 tackifying resin 225
 tackyfyng agent 193
 Tag and Label Manufacturers Institute Inc. 296
 talc 273
 tape 214, 222
 TDI 44, 107
 TEA 70
 temperature/time-superposition 286
 tensile
 - deformation 276, 277
 - shear strength 296
 - strength 297
 terephthalic acid 92
 terpene-phenolic resin 49
 terpene resin 221
 testing 275, 292
 tetraethylenepentamine 140
 textile industry 83, 98, 206
 textile lamination 80, 94

thermal
 - ageing 287
 - length variation 258
 - reactivation 66, 80
 - tests 306
 thermoplastic elastomer 220, 255
 thermoset 18, 279
 thickener 183
 thickening agent 174
 thin adhesive polymer layers 32
 thin layer evaporation 204
 thiuramdisulfide 49
 tin oxide 50
 TLMI 296
 toughening 157, 160, 164, 183, 193
 - agent 152
 toxicology 104
 T-Peel test 298
 transesterification 90
 tri-block copolymer 220
 triethylamine 70
 triethylenetetramine 140
 truck 227
 two-phase system 254
 two way 64
 Tyndall effect 70

U

ultrasonic 305
 ultraviolet light (UV) 216
 unsaturated carbonyl compound 163, 182
 uretdione 108, 136
 urethaneacrylates 177
 urotropine 191
 utility vehicle 126, 206, 208
 UV
 - absorber 221, 263
 - acrylic 223, 224
 -, -C radiation 225
 - curing 103, 150, 161, 223, 225
 - curing adhesive 178

V

van der Waals-forces 63, 65
 VDA climate change test 301
 vinyl acetate 57
 vinyl alcohol 75
 vinyl chloride 55
 vinylogous nucleophilic addition 164
 viscoelasticity 276, 278
 viscosity 38
 volatile components 303

volume restriction 62
vulcanisation accelerator 234
vulcanising agent 234

W

water 271
- immersion test 300
- reactivatable adhesives 76
- resistance 294
- vapour permeation 256
water-based 216
- adhesive 58
wax 78, 88
weak boundary layer 295
Weather-O-meter test 303

Wedge test 299
wet bonding 42, 66
wetting 23, 24, 27, 28, 65
- agents 61
windscreen 236
wood glue 75
woodworking industry 48, 75, 84, 126, 133, 206

X

Xenotest 303
X-ray radiation 306

Y

Young-Modulus 278