

# Subject Index

## A

ABRASION RESISTANCE, 23  
 ACCELERATED AGEING, 122 221  
 ACETIC ACID, 175  
 ACOUSTIC EMISSION, 268  
 ACRYLAMIDE POLYMER, 70  
 ACRYLATE COPOLYMER, 140  
 ACRYLATE POLYMER, 77  
 ACRYLATE RUBBER, 77 220  
 ACRYLIC ACID COPOLYMER, 203  
 ACRYLIC ESTER COPOLYMER, 140  
 ACRYLIC ESTER POLYMER, 77  
 ACRYLIC POLYMER, 19 60 235  
 ACRYLIC RESIN, 60 235  
 ACRYLONITRILE COPOLYMER, 292  
 ACRYLONITRILE-BUTADIENE RUBBER, 11  
 ACRYLONITRILE-BUTADIENE-STYRENE TERPOLYMER, 2 17 19 62 72 76 77 171 196  
 ACRYLONITRILE-STYRENE COPOLYMER, 61  
 ACTIVATION ENERGY, 107 164  
 ACTUATOR, 22  
 ADHESION, 97 114 124 125 167 222 230 266 281 292 293 296  
 ADHESIVE, 22 124 167 186 230 266  
 ADVANCED COMPOSITE, 290  
 AEROPLANE, 204 222  
 AEROSPACE APPLICATION, 8 112 204 233 268  
 AGEING, 15 87 122 221  
 AGGLOMERATION, 62 77 100  
 AGGREGATION, 91  
 AGRICULTURAL APPLICATION, 62  
 AIR BARRIER, 244  
 AIR PERMEABILITY, 216  
 AIRCRAFT, 204 222 268 281  
 ALKALI TREATMENT, 84  
 ALKENE POLYMER, 19 22 34 42 49 51 62 73 100 102 136 146 165 166 176 179 191 195 201 210 246  
 ALKYLAMMONIUM ION, 130  
 ALUMINIUM, 151 181 185 235  
 ALUMINIUM HYDROXIDE, 9 10 49 52 53 82 97 121 129 137 185 194 235

ALUMINIUM OXIDE, 181 185 235  
 ALUMINIUM SILICATE, 62 201 207  
 ALUMINIUM TRIACETYLACETONATE, 31  
 ALUMINIUM TRIHYDRATE, 10 38 50 53 88 97 99 109 110 121 128 137 175 185 188 192 194  
 AMIDE, 180  
 AMIDE POLYMER, 19 22 49 89 91 100 111 116 136 158 162 166 175 185 191 195 201 207 219 223 244 248  
 AMINE, 56 142 152 168 180 230 287  
 AMINE COMPOUND, 42  
 AMINOPHENYLIMIDE, 173  
 AMMONIUM COMPOUND, 52 65 192  
 AMMONIUM ION, 189  
 AMMONIUM PHOSPHATE, 2 3 15 51 53 60 71 92 101 165 210  
 AMMONIUM POLYPHOSPHATE, 2 3 15 51 53 60 71 92 101 165 210  
 AMMONIUM SALT, 103  
 ANALYSIS, 3 7 13 16 24 36 40 48 60 62 75 79 80 83 92 113 114 141 145 153 155 158 160 161 164 165 170 188 211 216 217 235 249 251 258 262 268 275 276 280 291  
 ANISOTROPY, 22 229  
 ANTHRAQUINONE, 8  
 ANTHRAQUINONE CYANATE, 8  
 ANTI-SHRINK AGENT, 277  
 ANTIMONY OXIDE, 49  
 ANTIMONY TRIOXIDE, 9 110 128 175 185 189  
 ANTIOXIDANT, 162  
 ANTISTATIC AGENT, 162  
 APPEARANCE, 7  
 APPLICATION, 8 21 22 32 35 37 42 46 48 50 62 65 66 73 88 100 102 105 111 112 121 128 129 132 133 136 137 149 167 172 175 179 185 191 192 195 196 201 204 210 214 219 222 233 235 241 244  
 ARAMID FIBRE, 262 280  
 ARAMID FIBRE-REINFORCED PLASTIC, 87 250 263 285  
 ARMOUR, 209

ARTIFICIAL MUSCLE, 22  
 ASBESTOS FIBRE-REINFORCED PLASTIC, 293  
 ASPECT RATIO, 42 76 102 183 214 219 246  
 ATOMIC FORCE MICROSCOPY, 75 86 165 187 229  
 ATTAPULGITE, 22  
 AUTOMOTIVE APPLICATION, 21 22 35 42 46 62 100 102 132 136 149 167 185 191 195 196 201 204 214 219 222 244 277 288  
 AVRAMI EQUATION, 55

## B

BALL MILL, 140  
 BALLISTIC APPLICATION, 209  
 BALLISTIC PROPERTIES, 209 258  
 BALLISTIC RESISTANCE, 209  
 BALLOON, 37  
 BALSAM, 69  
 BARIUM TITANATE, 22  
 BARRIER FILM, 102 201  
 BARRIER PACKAGING, 21 201  
 BARRIER PROPERTIES, 21 56 62 100 102 183 201 214 219 236 244  
 BATCH POLYMERISATION, 21  
 BATTERY, 149  
 BEER BOTTLE, 100  
 BENTONITE, 224 229  
 BEVERAGE, 62  
 BINDER, 107  
 BINDING, 21  
 BIOCOMPOSITE, 75  
 BIODETERIORATION, 84 146  
 BIOPOLYMER, 102  
 BISDIETHYLOXYPHOSPHONYLHYDROXY PHENYLPROPANE, 94  
 BISETHYLHEXYL PHTHALATE, 62  
 BISMALIMIDE POLYMER, 274 280 290  
 BISPHENOL A, 39 272 287 293  
 BISPHENOL A DIGLYCIDYL ETHER, 94 130 203 276  
 BISPHENOL A EPOXY RESIN, 27 155  
 BISPHENOL C, 69

- BISPHENOL DIGLYCIDYL  
   ETHER, 94 130 203  
 BLEND, 9 11 13 20 30 31 35 54 61  
   62 68 72 77 84 97 100 107 110  
   115 125 128 136 154 162 168  
   173 196 200 210 216 223 230  
   253 256 264 266 271 273 274  
   277 278 282 284 289 302  
 BLENDING, 103 247  
 BLOCK COPOLYMER, 62 219  
 BLOW MOULDING, 21 100 149  
 BLOWING AGENT, 100  
 BLOWN FILM, 149  
 BODY PANELS, 191 214 277  
 BOEHMITE, 185  
 BOND STRENGTH, 18 227  
 BONDING, 21 22 124 167 186  
 BOTTLES, 100 191  
 BOUNDARY LAYER, 293  
 BRAGG SPACING, 227  
 BREAKDOWN STRENGTH, 287  
 BREAKING STRENGTH, 107  
 BRIDGE, 66  
 BRIDGE DECK, 255  
 BRITTLINESS, 34 291  
 BROMINATION, 79 175  
 BROMINE, 30 95 128 185 196 200  
   279  
 BROMINE COMPOUND, 106  
 BROMINE-CONTAINING  
   POLYMER, 119  
 BUILDING APPLICATION, 66  
   136 185 195 210 241  
 BUILDING PANEL, 241 269  
 BULK POLYMERISATION, 103  
   147 187 220  
 BURNING, 3 70 92 129 175  
 BURNING RATE, 6 33 104  
 BUSINESS MACHINE, 111 136  
   185  
 BUTADIENE POLYMER, 178 209  
 BUTADIENE-ACRYLONITRILE  
   COPOLYMER, 266 271 272  
   273 279 298  
 BUTADIENE-STYRENE  
   RUBBER, 23  
 BUTYL ACRYLATE  
   COPOLYMER, 140
- C**
- CABLE, 22 46 62 63 88 105 109  
   121 123 132 137 149 179 191  
   192 194 195 210  
 CABLE COVERING, 38 63 99 110  
 CABLE INSULATION, 50 120 185  
   196  
 CADMIUM OXIDE, 234
- CALCIUM CARBONATE, 3 9 23  
   33 51 277  
 CALORIMETRY, 9 13 17 29 30 45  
   53 61 65 67 73 119 122 147 158  
   169 170 174 250  
 CAMERA, 249  
 CAPROLACTAM, 62  
 CAPROLACTAM POLYMER, 19  
   21 28 30 45 49 62 67 89 102  
   110 111 118 127 193  
 CAR, 136 185 201 277  
 CARBON, 22 39 43 47 71 78 96  
   100 105 123 131 136 138 143  
   157  
 CARBON BLACK, 100  
 CARBON DIOXIDE, 100  
 CARBON FIBRE, 63 214 226 228  
   233 268  
 CARBON FIBRE-REINFORCED  
   PLASTIC, 1 18 32 114 115 131  
   142 145 153 181 186 205 208  
   218 221 226 228 232 233 239  
   242 248 250 252 263 267 268  
   275 280 285 290 291 292 296  
   297  
 CARBON MONOXIDE, 52 62 63  
   175 235  
 CARBON NANOTUBE, 50  
 CARBON-13, 24  
 CARBONACEOUS, 40  
 CARBONATE COPOLYMER, 64  
 CARBONATE POLYMER, 37 61  
   72 82 84 111 125 152 196 209  
 CARBONISATION, 30 210  
 CARBOXY GROUP, 145 203  
 CARBOXY-TERMINATED, 141  
   203 273 279  
 CARBOXYBENZIMIDAZOLE,  
   173  
 CARBOXYDODECYL  
   AMMONIUM, 9  
 CARBOXYL GROUP, 145 203  
 CARBOXYL-TERMINATED, 141  
   203 266 271  
 CARBOXYPHENYLMALEIMIDE  
   COPOLYMER, 275  
 CASTING, 8 70 115  
 CATALYST, 203  
 CATALYTIC ACTIVITY, 45  
 CATHETER, 22 37  
 CATION, 192  
 CATION EXCHANGE, 227  
 CAVITATION, 264  
 CELLULAR MATERIAL, 69 100  
   106 146 185 210 240 277  
 CELLULOSE, 148 160  
 CELLULOSE FIBRE, 160  
 CERAMER, 58
- CERAMIC, 22 45 62 201  
 CHAIN ENTANGLEMENT, 77  
 CHAIN EXTENSION, 235  
 CHAIN LENGTH, 81 95  
 CHAIN MOBILITY, 95  
 CHAIN STRIPPING, 9 63  
 CHAR, 3 18 40 50 53 62 85 88 91  
   92 99 101 121 126 137 148 160  
   161 171 175 179 180 182 236  
 CHAR FORMATION, 1 4 17 38 60  
   68 92 95 105 106 109 110 112  
   118 128 163 170 174 184 188  
   194 196 198 210 227 236  
 CHAR YIELD, 1 4 58 120 199  
 CHARACTERISATION, 1 4 8 14  
   16 17 24 29 38 41 43 48 53 57  
   58 61 63 75 76 77 85 89 98 103  
   113 122 126 130 138 146 159  
   182 187 189 199 203 224 227  
   251 262 287  
 CHARPY, 276  
 CHEMICAL INDUSTRY, 149  
 CHEMICAL MODIFICATION, 4  
   13 24 27 30 44 79 84 91 94 103  
   124 128 162 163 174 175 185  
   189 228 247 301  
 CHEMICAL PLANT, 246  
 CHEMICAL PROPERTIES, 129  
   179  
 CHEMICAL RESISTANCE, 22  
   129 179 255 287  
 CHEMICAL STRUCTURE, 4 17  
   21 22 45 57 58 60 62 77 83 99  
   110 124 126 128 133 144 146  
   152 202 203 206 207 221 227  
   240 245 302  
 CHEMICAL TREATMENT, 219  
   246  
 CHEMORHEOLOGICAL  
   PROPERTIES, 154  
 CHLORINE, 27 128 185  
 CHROMATOGRAPHY, 161 170  
   220  
 CHROMIUM OXIDE, 234  
 CIVIL ENGINEERING, 232  
 CLARITY, 62 100  
 CLASSIFICATION, 22  
 CLAY, 1 7 15 19 20 21 22 28 29 30  
   34 35 37 41 49 50 51 52 53 54  
   56 61 62 65 67 73 75 82 85 92  
   98 99 100 102 104 113 120 123  
   127 128 130 133 136 144 147  
   149 156 159 165 172 175 176  
   181 182 185 187 191 193 194  
   207 212 214 219 224 227 236  
   244 246 247  
 CO-ROTATING EXTRUDER, 34  
 COAL, 101

- COATED FABRIC, 172  
 COATED FIBRE, 275 285  
 COATED FILLER, 207 276  
 COATING, 15 42 45 60 62 71 82  
     186 259 292 295 296  
 COBALT OXIDE, 234  
 COEXTRUSION, 62  
 COEXTRUSION BLOW  
     MOULDING, 191  
 COKING, 200  
 COLD RESISTANCE, 173  
 COLOUR, 22 185  
 COLOUR CONCENTRATE, 111  
 COLOUR DEVELOPING, 42  
 COLOUR STABILITY, 185  
 COMBUSTIBILITY, 1 45 76 189  
 COMBUSTION, 7 36 44 63 76 94  
     97 108 121 126 140 158 161  
     163 171 182 185 189 255  
 COMBUSTION PRODUCT, 185  
     235  
 COMMERCIAL INFORMATION,  
     100 102 111 149 176 196  
 COMPATIBILISATION, 62 120  
     201  
 COMPATIBILISER, 6 29 34 35 61  
     77 90 120 196  
 COMPATIBILITY, 35 42 201 219  
 COMPOSITION, 1 54 80 81 91 93  
     94 95 96 112 122 130 152 159  
     178 187 206 222 224 228 245  
     254  
 COMPOUNDING, 42 46 79 93 111  
     132 175 201  
 COMPRESSION MODULUS, 276  
     286  
 COMPRESSION MOLDING, 7 28  
 COMPRESSION MOULDING, 7  
     28  
 COMPRESSION PROPERTIES,  
     70 177 208 239 268 281 297  
 COMPRESSION STRENGTH, 268  
 COMPRESSION STRESS, 268  
 COMPUTER SIMULATION, 215  
 CONCENTRATION  
     DEPENDENCE, 54  
 CONCRETE, 232  
 CONDENSATION POLYMER,  
     146  
 CONDENSED PHASE, 108 215  
 CONDUCTIVE FILLER, 214  
 CONDUCTIVE POLYMER, 111  
     162 214  
 CONE CALORIMETER, 6 9 12  
     13 17 18 29 38 40 44 45 49 52  
     53 63 65 67 68 71 72 73 76 85  
     88 89 90 92 94 98 103 104 109  
     110 113 118 119 122 138 140  
     147 148 150 156 157 158 160  
     163 169 170 172 182 184 188  
     189 192 193 198 199 200 211  
     235 236  
 CONTACT ANGLE, 114  
 CONTACT FORCE, 177  
 CONTINUOUS FIBRE, 280 289  
 COOLING RATE, 55  
 COPPER OXIDE, 234  
 CORE-SHELL, 145 278  
 CORROSION RESISTANCE, 32  
 COTTON, 172  
 COUPLING AGENT, 57 60 73 84  
     97 162 171 178 223 247 276  
     298 300  
 CRACK DENSITY, 145 169  
 CRACK GROWTH, 226  
 CRACK INITIATION, 226  
 CRACK LENGTH, 226 248 275  
 CRACK PROPAGATION, 197 218  
     226 253 276  
 CRACK RESISTANCE, 226  
 CRACK TIP, 253  
 CRACKING, 86 145 204 221 262  
 CRAZE RESISTANCE, 35  
 CRAZING, 35  
 CREEP, 300  
 CRITICAL STRESS INTENSITY  
     FACTOR, 271  
 CROSS-BREAKING STRENGTH,  
     107  
 CROSS-PLY, 267  
 CROSSLINK DENSITY, 5 75 143  
 CROSSLINKED COPOLYMER,  
     11  
 CROSSLINKED POLYMER, 5  
 CROSSLINKING, 5 27 37 122 130  
     175 212 216 235 284 302  
 CROSSLINKING PHENOMENA,  
     5  
 CRYSTAL STRUCTURE, 20  
 CRYSTALLINITY, 20 22 35 54  
     238  
 CRYSTALLISATION, 20 28 54  
     55 80  
 CRYSTALLISATION RATE, 20  
 CRYSTALLIZABILITY, 20  
 CURE RATE, 154 159  
 CURE TEMPERATURE, 8 142 203  
 CURE TIME, 235 266  
 CURING, 4 8 26 27 39 78 83 107  
     115 130 154 155 159 167 168  
     180 203 220 235 241 266 301  
     302  
 CURING AGENT, 8 18 39 75 81  
     94 107 112 130 142 154 168  
     180 203 220 230 234 235 243  
     245 254 272 276 287  
 CURING RATE, 154 159  
 CURING REACTION, 256  
 CURING TEMPERATURE, 107  
     159  
 CYANATE, 8  
 CYANATE ESTER RESIN, 47  
 CYCLE TIME, 62 186 277  
 CYCLIC LOADING, 197 205 253
- D**
- DAMPING, 16 81  
 DEBONDING, 35 285  
 DECABROMODIPHENYL  
     ETHER, 49  
 DECABROMODIPHENYL  
     OXIDE, 110 175 189  
 DECOMPOSITION, 1 3 4 30 38  
     45 54 68 128 130 175 180 198  
     201 235  
 DECOMPOSITION PRODUCT,  
     1 36  
 DECOMPOSITION RATE, 1  
 DECOMPOSITION  
     TEMPERATURE, 1 54 77 185  
 DEFORMATION, 20 268 272 273  
     276 286 298 299  
 DEFORMATION  
     TEMPERATURE, 55 102 130  
     146  
 DEGRADATION, 4 11 15 18 54 62  
     84 87 101 110 122 146 160 164  
     169 175 188 221  
 DEGRADATION PRODUCT, 1  
     18 96  
 DEGRADATION RATE, 1  
 DEGRADATION RESISTANCE, 4  
     11 54 194  
 DEGRADATION  
     TEMPERATURE, 1 4 11 26 54  
     67 92 110 122  
 DEGREE OF CONVERSION, 107  
 DEGREE OF CROSSLINKING, 5  
 DEGREE OF DISPERSION, 11 20  
     34 47 51 53 54 59 126 156  
 DEGREE OF POLYMERISATION,  
     107  
 DEGREE OF SWELLING, 75  
 DEHYDRATION, 185  
 DELAMINATION, 30 42 66 77  
     118 153 237 239 258 259 263  
     290 291  
 DELAMINATION RESISTANCE,  
     18  
 DENDRIMER, 202  
 DENTAL APPLICATION, 22  
 DERIVATIVE  
     THERMOGRAVIMETRY, 3

- DESIGN, 22 255  
DGEBA, 31  
DIAMINE, 286  
DIAMINE COMPOUND, 112  
DIAMINODIPHENYL  
METHANE, 8 155  
DIAMINODIPHENYL SULFONE,  
107 282  
DIAMINODIPHENYLMETHANE,  
8 155  
DIBROMOCYCLOHEXANE, 173  
DIBROMOSTYRENE, 103  
DIBROMOSTYRENE  
COPOLYMER, 119  
DICARBOXYLIC ACID, 27 173  
DICYANDIAMIDE, 272 276  
DIELECTRIC CONSTANT, 4 287  
DIELECTRIC LOSS, 287  
DIELECTRIC LOSS FACTOR, 4  
DIELECTRIC LOSS TANGENT,  
4 27  
DIELECTRIC PROPERTIES, 4 27  
129 287  
DIETHYL TOLUENE DIAMINE,  
168  
DIETHYLENE TRIAMINE, 287  
DIETHYLHEXYL PHTHALATE,  
62  
DIFFERENTIAL SCANNING  
CALORIMETRY, 8 13 14 16  
24 28 31 48 52 55 60 61 75 80  
83 92 151 161 203 227 230 256  
265 301  
DIFFERENTIAL THERMAL  
ANALYSIS, 8 13 14 15 16 24  
28 31 48 52 55 60 61 75 80 83  
92 151 161 203 227 230 235  
256 265 301  
DIFFERENTIAL  
THERMOGRAVIMETRIC  
ANALYSIS, 2 3  
DIFFRACTION PATTERN, 41 80  
98 122 130  
DIFFUSION, 16 191 210  
DIGLYCIDYL ETHER, 272 287  
DIGLYCIDYL ETHER  
BISPHENOL A, 31  
DIHYDROOXAPHOSPHAPHEN  
ANTHRENE OXIDE, 155  
DIISODECYL PHTHALATE, 9  
DIMENSIONAL STABILITY, 42  
62 100 201 224 244 277  
DIMETHYL  
BENZYLOCTADECYL  
AMMONIUM, 175  
DIMETHYL FORMAMIDE, 175  
DIMETHYL SILOXANE  
POLYMER, 110 118 175
- DIMETHYLDISTEARYLAMMO  
NIUM, 9  
DIMETHYLDISTEARYLAMMO  
NIUM CHLORIDE, 65  
DIMETHYLSILOXANE  
COPOLYMER, 64  
DIOXIN, 161 174  
DIPENTAERYTHRITOL, 60  
DIPHENYL ETHER, 161  
DIPHENYLMETHANE  
DIISOCYANATE, 75  
DIRECT COMPOUNDING, 17 42  
DISCOLORATION, 9  
DISPERSED PHASE, 178  
DISPERSIBILITY, 17 76 89 90 149  
246  
DISPERSING AGENT, 235  
DISPERSION, 11 12 20 22 28 34  
42 43 47 51 53 54 55 59 62 64  
75 77 78 79 80 85 91 94 95 96  
97 100 102 126 130 143 152  
156 158 170 175 191 196 241  
DODECYL METHACRYLATE  
COPOLYMER, 229  
DODECYLAMINE, 56  
DODECYLAMMONIUM, 9  
DOMESTIC APPLIANCE, 149  
DOMESTIC EQUIPMENT, 149  
DOOR PANEL, 196  
DOSE RATE, 42 196  
DOUBLE CANTILEVER BEAM  
TEST, 226 262  
DRAPEABILITY, 222  
DRIP INHIBITOR, 194  
DROP-WEIGHT, 260 261  
DRUG DELIVERY, 22  
DRUG RELEASE, 22  
DUCTILE FAILURE, 275  
DUCTILE-BRITTLE  
TRANSITION, 35  
DUCTILITY, 62 152 203 220 232  
DURABILITY, 87 197  
DYE, 22 62  
DYNAMIC MECHANICAL  
ANALYSIS, 12 13 16 31 56 61  
107 143 146 266 287 302  
DYNAMIC MECHANICAL  
PROPERTIES, 4 5 47 81 115  
130 228 296  
DYNAMIC MECHANICAL  
SPECTROSCOPY, 271 272  
DYNAMIC MECHANICAL  
THERMAL ANALYSIS, 230  
DYNAMIC PROPERTIES, 4 5 47  
81 115 130 228  
DYNAMIC TESTING, 26
- E**  
E-GLASS, 177  
E-MODULUS, 20 66 75 78 80 107  
159 229  
ECONOMIC INFORMATION, 62  
100 128 136 162 169 201 219  
ELASTIC DEFORMATION, 20  
ELASTIC MODULUS, 20 66 75 78  
80 107 159 229 249 251 276  
ELASTIC PROPERTIES, 17 20 81  
210 221 251 268  
ELASTICITY, 194 276  
ELASTOMER, 11 23 28 34 41 46  
57 64 65 77 102 107 128 132  
133 145 167 172 178 185 195  
203 210 214 215 216 220 223  
238 254 264 265 270  
ELECTRIC CABLE, 88 109 191  
194  
ELECTRICAL APPLICATION, 50  
62 73 88 105 121 137 149 179  
185 192 195 210  
ELECTRICAL CONDUCTIVITY,  
62 100 118  
ELECTRICAL EQUIPMENT, 195  
ELECTRICAL INSULATION, 32  
63 185  
ELECTRICAL PROPERTIES, 27  
32 63 175 185 287  
ELECTRICAL STRENGTH, 27  
ELECTROINITIATED  
POLYMERISATION, 275 292  
ELECTROMAGNETIC SHIELD,  
100  
ELECTRON BEAM, 10 23 34 67  
84 120 152 166 167 203 229  
235  
ELECTRON DIFFRACTION, 151  
ELECTRON MICROGRAPH, 94  
95 96 122 130 152 189 203  
ELECTRON MICROSCOPY, 39  
40 41 51 60 62 78 79 85 86 87  
89 90 94 95 96 97 98 103 113  
114 117 122 134 138 141 142  
145 156 237  
ELECTRON SCANNING  
MICROSCOPY, 39 40 41 60 78  
79 86 87 89 90 94 95 96 97 98  
103 113 114 117 122 134 138  
141 142 145 156 237  
ELECTRONIC APPLICATION,  
102 111 129 185  
ELECTRONIC EQUIPMENT, 17  
ELECTROPOLYMERISATION,  
275 292  
ELECTROSPINNING, 146  
ELECTROSTATIC DISSIPATION,  
100

- ELECTROSTATIC SPRAYING, 214
- ELEMENTAL ANALYSIS, 155
- ELONGATION, 28 37 183 246
- ELONGATION AT BREAK, 10 23  
34 67 84 120 152 166 203 229  
235
- EMBRITTEMENT, 34
- EMI SHIELDING, 100
- EMULSION POLYMERISATION, 213
- ENCAPSULATION, 10 22 234 245
- ENERGY ABSORPTION, 237 258  
261 273 280 299
- ENERGY BALANCE, 153 264
- ENERGY DISSIPATION, 258
- ENERGY RELEASE RATE, 1 7 9  
12 17 18 19 30 36 38 43 45 49  
50 51 53 63 65 67 68 69 73 76  
88 89 90 92 94 104 120 140 156  
157 158 189 236 246 247 275
- ENGINEERING APPLICATION, 8 100 111 162 185 195 201 280  
301
- ENGINEERING PLASTIC, 17 37  
76 100 111 128 162 185 201  
246 280
- ENGINEERING  
THERMOPLASTIC, 17 37 76  
100 128 246 301
- ENVIRONMENTAL IMPACT, 163  
174
- ENVIRONMENTAL  
LEGISLATION, 21 62 128
- ENVIRONMENTAL  
PROTECTION, 30 128 162 200
- ENVIRONMENTAL SCANNING  
ELECTRON MICROSCOPY,  
41
- EPICHLOROHYDRIN, 39
- EPM, 35 54
- EPOXIDE POLYMER, 1 4 5 8 13  
16 17 18 19 24 26 27 31 32 33  
35 37 39 49 52 62 66 68 70 74  
76 78 81 83 84 86 87 94 107  
112 114 115 130 131 141 142  
143 241
- EPOXIDISED SOYBEAN OIL,  
230
- EPOXY CYANATE RESIN, 221
- ETHENE, 210
- ETHENE COPOLYMER, 34 44 73  
151
- ETHERSULFONE COPOLYMER,  
274
- ETHYLENE, 210
- ETHYLENE COPOLYMER, 34 44  
73 151
- ETHYLENE OXIDE POLYMER,  
227 284
- ETHYLENE POLYMER, 6 21 37  
44 48 62 73 100 105 106 111  
123 139 191 297
- ETHYLENE-OCTENE  
COPOLYMER, 34
- ETHYLENE-PROPYLENE  
COPOLYMER, 35 54
- ETHYLENE-VINYL ACETATE  
COPOLYMER, 7 9 11 38 40 43  
49 50 54 61 62 63 73 82 88 91  
97 99 100 105 109 110 121 123  
126 134 137 139 156 157 169  
175 184 185 188 191 192 194  
217 231
- ETHYLENE-VINYL ALCOHOL  
COPOLYMER, 21 100 102
- ETHYLHEXYL ACRYLATE  
COPOLYMER, 203
- ETHYLHEXYL ACRYLATE  
POLYMER, 203
- EVAPORATION, 171
- EVOLVED GAS ANALYSIS, 18
- EXFOLIATION, 6 12 17 20 21 22  
33 35 38 42 44 54 62 63 67 76  
77 89 91 94 102 118 133 152  
159 191 207 214 224 247
- EXPLOSION RESISTANCE, 71
- EXTENDED X-RAY  
ABSORPTION  
FINE STRUCTURE  
SPECTROSCOPY, 12
- EXTRUDER, 6 7 34 62 95 100 152  
190 201
- EXTRUSION, 21 34 54 62 95 111  
122 149 175 185 190 194 201  
207 219 231
- EXTRUSION COMPOUNDING,  
54 201
- EXTRUSION MIXING, 54 190 207
- EXTRUSION RATE, 194
- F**
- FABRIC, 172 193 196 225
- FABRIC REINFORCED, 84 251
- FAILURE, 35 237 249 257 258 267  
268 275 280 289 291 298
- FAILURE ANALYSIS, 197
- FAILURE MECHANISM, 35 280
- FATIGUE, 22 86 205 253
- FATIGUE RESISTANCE, 255
- FATTY AMINE, 156
- FEEDSTOCK, 75
- FIBRE, 25 30 62 100 111 160 162  
214 226 228 233 248 258 294
- FIBRE ALIGNMENT, 268
- FIBRE BUNDLE, 249
- FIBRE CONTENT, 125 235 248  
251 275 277
- FIBRE DISTRIBUTION, 257
- FIBRE GLASS, 62 69 74 233
- FIBRE KINKING, 268
- FIBRE ORIENTATION, 84 248  
268 275 280
- FIBRE TREATMENT, 74
- FIBRE-REINFORCED PLASTIC,  
1 18 32 84 87 114 115 131 142  
145 153 162 181 205 208 218  
226 228 231 232 233 239 248  
250 255 294
- FILLER CONTENT, 5 20 26 35 38  
42 53 54 55 56 63 75 77 80 84  
110 185 191 194 198 201 219  
235 246
- FILLER DISTRIBUTION, 5 11 20  
75
- FILLING, 136
- FILMS, 21 100 102 111 149 201  
219 223 266
- FINITE ELEMENT ANALYSIS,  
153 249 268
- FINITE ELEMENT ITERATIVE  
METHOD, 153 249
- FIRE, 175 195 210
- FIRE HAZARDS, 46 132 175 195
- FIRE PROTECTION, 15 60
- FIRE RESISTANCE, 1 11 54 62 67  
69 98 112 195
- FIRE RETARDANT, 1 11 59 67 68  
106 122 189 199 200 216
- FLAME INSULATION, 236
- FLAME PROPAGATION, 185
- FLAME RESISTANCE, 1 11 29 30  
41 45 54 59 63 67 112 129 135  
158 164 169 184 187 188 193  
199 217 224 247
- FLAME SPREAD, 3 19 52 241
- FLAME SPREAD INDEX, 63
- FLASHOVER, 9 63
- FLAX, 100
- FLEXIBILITY, 16 22 62
- FLEXURAL MODULUS, 20 21 37  
42 67 75 166 183 207 218 235  
252 282
- FLEXURAL STRENGTH, 8 47 57  
166 218 225 235 252 279 287
- FLOOR COVERING, 185
- FLOORING, 136 210
- FLOW CHART, 251
- FLOW DIAGRAM, 80
- FLOWABILITY, 67
- FLUORESCENCE, 62
- FLUORESCENCE MICROSCOPY,  
86

- FLUORESCENCE SPECTRA, 74  
 FLUOROMICA, 77  
 FLUOROPOLYMER, 62 63 111  
 175 207  
 FOAM, 69 100 106 146 185 210  
 240 269 277  
 FOAMING AGENT, 100  
 FOOD PACKAGING, 22 62 219  
 FORMULATION, 27 71 93 105  
 149 210 213  
 FOURIER TRANSFORM  
 INFRARED SPECTROSCOPY,  
 3 8 14 18 24 31 48 58 75 114  
 117 126 138 147 151 155 217  
 227 296 301  
 FRACTOGRAPHY, 86 270  
 FRACTURE, 5 20 124 144 153 205  
 226 257 258 262 263 265 266  
 268 270 272 273 276 282 283  
 285 286 289 298 299 301 302  
 FRACTURE ENERGY, 271 272  
 276 298  
 FRACTURE MECHANICS, 276  
 FRACTURE MORPHOLOGY, 5 9  
 11 14 17 20 29 31 34 40 41 44  
 47 51 52 54 55 59 64 67 75 76  
 77 78 79 80 85 89 91 94 95 96  
 102 117 119 121 122 124 126  
 130 138 142 151 154 163 168  
 182 192 239  
 FRACTURE PROCESS  
 ANALYSIS, 20  
 FRACTURE RESISTANCE, 226  
 FRACTURE SURFACE, 5 39 40  
 78 141 145 249 258 271 273  
 276  
 FRACTURE TOUGHNESS, 5 8 13  
 20 86 145 226 248 259 262 273  
 282 285 289  
 FRAGMENTATION, 205  
 FRICTIONAL PROPERTIES, 257  
 FRIEDEL-CRAFTS REACTION,  
 212  
 FUEL TANK, 21 191  
 FULLERENE, 214 247  
 FUNCTIONAL GROUP, 53 145  
 203  
 FUNCTIONALISATION, 47 154  
 159 168  
 FUNCTIONALITY, 159 203 220  
 254  
 FURNITURE, 46 132 185
- G**  
 GAS BARRIER, 26 246  
 GAS CHROMATOGRAPHY, 161  
 GAS EMISSION, 235
- GAS PERMEABILITY, 133 207  
 GAS PHASE THERMOLYSIS, 12  
 GAS-PHASE, 108 185 210 215 235  
 GASES, 108 235  
 GASIFICATION, 96 217 227  
 GEARS, 111  
 GEL CHROMATOGRAPHY, 170  
 220  
 GEL PERMEATION  
 CHROMATOGRAPHY, 170  
 220 301  
 GEL TIME, 154 168 235  
 GELATION, 26  
 GELLING, 26 274  
 GELLING AGENT, 142  
 GELS, 215  
 GLASS, 149  
 GLASS BEAD, 271 272 273 276  
 286 298 300  
 GLASS CONTENT, 235 277  
 GLASS FABRIC, 249  
 GLASS FIBRE, 62 69 74 233  
 GLASS FIBRE-REINFORCED  
 PLASTICS, 62 66 70 74 86 87  
 100 114 115 125 129 131 141  
 142 148 160 178 185 186 207  
 225 232 233 235 237 243 249  
 250 252 262 277 280 287 303  
 GLASS MAT, 235 277  
 GLASS ROVING, 125  
 GLASS SPHERE, 253  
 GLASS TRANSITION  
 TEMPERATURE, 4 5 8 12 16  
 31 52 56 66 67 75 81 107 115  
 130 155 193 203 211 228 229  
 235 261 265 274 278 282 284  
 293  
 GLYCIDOXY ALKYL  
 ALKOXYSILANE, 57 155  
 GLYCIDOXYPROPYLTRIMETH  
 OXYSILANE, 57 155  
 GOLD OXIDE, 234  
 GRAFT COPOLYMER, 6 20 34  
 122 151 189  
 GRAFT POLYMERISATION, 151  
 GRANULATION, 269  
 GRAPHITE, 128 226  
 GRAPHITE FIBRE, 275 291  
 GRAPHITE FIBRE-  
 REINFORCED PLASTIC, 226  
 242 252 257 258 259 260 261  
 275 290 292 297 303  
 GRAPHITE OXIDE, 140  
 GRAVIMETRIC ANALYSIS, 2 3 8  
 9 13 15 16 18 24 26 28 29 31 34  
 38 40 41 44 45 48 50 51 52 53  
 56 58 63 64 65 68 75 77 79 85  
 88 92 94 95 96 97 103 109 110
- 113 117 119 122 134 135 138  
 143 147 156 164 184 187 221  
 GROWTH RATE, 128 162
- H**  
 HACKLEMARK, 258  
 HALIDE, 27  
 HALLOYSITE, 59  
 HALOGEN, 30 110 128 175 185  
 195  
 HALOGEN COMPOUND, 25 49  
 106 161 241  
 HALOGEN-FREE, 18 26 62 73 89  
 110 116 129 179 185 194 198  
 235 240  
 HARDENER, 39 180 203 234 243  
 245  
 HARDNESS, 23 80 287  
 HAZE, 64 246  
 HEALTH HAZARDS, 46 69 128  
 132 134 161 163 175 179 185  
 196 216 235  
 HEAT ABSORPTION, 128 235  
 HEAT AGEING, 277  
 HEAT CURING, 295  
 HEAT DEFLECTION  
 TEMPERATURE, 21 219 244  
 246  
 HEAT DEGRADATION, 1 4 18  
 44 54 55 59 64 66 67 77 92 117  
 121 122 151 156 160 161 164  
 170 184 193 198 211 216 217  
 221 252  
 HEAT DISTORTION, 55 102 130  
 146 196  
 HEAT DISTORTION  
 TEMPERATURE, 55 102 130  
 146 196 227  
 HEAT FLOW, 30 227  
 HEAT FLUX, 18 148 198  
 HEAT INSULATION, 32 185 198  
 236  
 HEAT OF COMBUSTION, 236  
 HEAT RELEASE, 1 67 109 110  
 137 148 156 169 174 184 188  
 193 215 216 227  
 HEAT RELEASE RATE, 1 7 9 12  
 17 18 19 30 36 38 43 45 49 50  
 51 53 63 65 67 68 69 73 76 88  
 89 90 92 94 104 120 140 156  
 157 158 189 236 246 247  
 HEAT STABILITY, 1 3 4 44 59 121  
 137 162 171 180 187 192 224  
 HEAT TRANSFER, 215 216  
 HEAT-RESISTANT, 1  
 HELIUM, 175  
 HEMP, 100

- HERBICIDE, 62  
 HEXADECYLTRIMETHYLAMMONIUM BROMIDE, 90 150  
 HIGH DENSITY POLYETHYLENE, 6 21 191  
 HIGH IMPACT PS, 36 72  
 HIGH-RESOLUTION ELECTRON MICROSCOPY, 90  
 HINDERED AMINE, 128  
 HOLLOW FIBRE, 214  
 HONEYCOMB STRUCTURE, 222  
 HOSE, 21  
 HOT WATER RESISTANCE, 222  
 HPLC, 301  
 HYBRID COMPOSITE, 57 58 77 155 186 297 298 303  
 HYBRID POLYMER, 35 236  
 HYDROBROMIC ACID, 185  
 HYDROCHLORIC ACID, 185  
 HYDROGEN BROMIDE, 185  
 HYDROGEN CHLORIDE, 185  
 HYDROLYSIS, 210  
 HYDROLYTIC STABILITY, 196  
 HYDROPHILICITY, 22 244  
 HYDROPHOBICITY, 22 30 62 133  
 HYDROTALCITE, 22 40 79 117  
 HYDROXY GROUP, 27  
 HYDROXYACETANILIDE, 287  
 HYDROXYL GROUP, 27
- I**
- IGNITION, 19 30 52 72 175 235  
 IGNITION TIME, 63 156  
 IMIDE POLYMER, 4  
 IMIDISATION, 4 24  
 IMPACT ENERGY, 177 261  
 IMPACT MODIFIER, 20 145 202 253 275 282 289 291 295  
 IMPACT RESISTANCE, 20 21 35 42 107 177 197 204 214 222 224 228 238 242 254 255 258 259 279 280 288 290 292 299 303  
 IMPACT STRENGTH, 10 20 22 34 47 55 56 57 67 75 77 100 107 130 143 152 166 168 201 219 220 224 228 229 230 235 264 275 276 277 287 297  
 IMPACT VELOCITY, 177  
 IN SITU POLYMERISATION, 4 92 94 110 118 182 296  
 IN-MOULD DECORATING, 100  
 IN-PLACE CURING, 155  
 IN-SITU HYBRID COMPOSITE, 155  
 INDUSTRIAL APPLICATION, 222
- INFRARED SPECTRA, 8 14 18 24 31 48 58 62 75 114 117 138 234 301  
 INFRARED SPECTROPHOTOMETRY, 8 14 18 24 31 48 58 62 75 114 117 126 138 147 151 155 217 296 301  
 INJECTION MOULD, 277  
 INJECTION MOULDING, 21 62 64 111 122 149 170 201 207  
 INJECTION MOULDING MACHINE, 62  
 INJECTION-COMPRESSION MOULD, 277  
 INORGANIC FILLER, 26 229  
 INSTRUMENT PANEL, 191  
 INSULATION, 32 50 120 185 196 198 236  
 INTERACTIONS, 3 7 39 60 77 102 146 253 299  
 INTERCALATION, 12 16 17 22 29 30 34 36 44 48 54 63 76 77 80 89 90 91 94 102 110 118 130 133 140 146 151 152 159 161 163 171 182 191 224 227 229 246 247  
 INTERFACIAL ADHESION, 35 84 125 131 231 274 292 293 296  
 INTERFACIAL DEBONDING, 35  
 INTERFACIAL ENERGY, 61 278  
 INTERFACIAL INTERACTION, 39 77 102 146  
 INTERFACIAL PHENOMENA, 74  
 INTERFACIAL PROPERTIES, 39 74 77 84 86 91 97 102 146 202 253 280  
 INTERFACIAL SHEAR STRESS, 205  
 INTERLAMINAR PROPERTIES, 18 115 125 141 145 153 221 248 259 262 275 292  
 INTERLAMINAR SHEAR STRENGTH, 115 125 141 145 221 275  
 INTERLAYERS, 30 276 281 292  
 INTERLAYER SPACING, 229  
 INTERNAL LUBRICANT, 111  
 INTERNAL STRESS, 107  
 INTRAMOLECULAR MOTION, 272  
 INTUMESCENCE, 49 51 60 63 90 101 106 128 148 150 160 161 163 165 174 175 185 210 216  
 INTUMESCENT COATING, 15  
 ION EXCHANGE, 30 133 152 227  
 IONIC CONDUCTIVITY, 118  
 IR REFLOW SOLDERING, 245
- IRON OXIDE, 234  
 IRRADIATION, 122  
 ISOCYANURATE POLYMER, 75  
 ISOPHTHALIC POLYESTER RESIN, 56  
 ISOTHERMAL CURING, 26  
 IZOD, 229 275
- K**
- KEVLAR, 248  
 KINETICS, 18 28 55 155 167  
 KINK BAND, 268  
 KINKING, 268  
 KNEADER, 207  
 KNITTED FABRIC, 193 225 251  
 KNITTED REINFORCEMENT, 251
- L**
- LACTONE POLYMER, 238  
 LAMELLAR, 102  
 LAMINATED PLATE THEORY, 251  
 LAMINATES, 1 8 141 225 226 235 239 258 259 267 280  
 LAMINATION, 226  
 LANGEVIN EQUATION, 86 134 143 164 197  
 LAP SHEAR STRENGTH, 114  
 LASER RAMAN MICROSCOPY, 205  
 LATEX, 278  
 LAUROLACTAM POLYMER, 224  
 LAUROYL PEROXIDE, 278  
 LAYER REARRANGEMENT, 207  
 LAYERED DOUBLE HYDROXIDE, 48  
 LAYERED STRUCTURE, 9 17 30 38 63 76 77 91 92 110 118 130 133 146 157 189 198 224 227  
 LEAD SUBSTITUTE, 162  
 LEGISLATION, 21 62 128 185 196  
 LIFETIME PREDICTION, 221  
 LIGHT AGEING, 122  
 LIGHT DEGRADATION, 22 122  
 LIGHT STABILISER, 162  
 LIGHT-EMITTING DIODE, 102  
 LIMITING OXYGEN INDEX, 2 4 6 10 18 19 40 41 43 52 57 60 68 73 79 101 104 122 126 128 155 160 164 171 180 235 294  
 LINEAR LOW DENSITY POLYETHYLENE, 48 62  
 LIQUID CHROMATOGRAPHY, 301  
 LIQUID POLYMER, 244

LIQUID RESIN, 76  
 LIQUID RUBBER, 107 178 203  
     208 220 230 266 286 295  
 LOAD BEARING, 32 66  
 LOAD DEFLECTION, 275  
 LOADING, 62 93 94 96 100 122  
     130 152 205 262 267 268 280  
 LOSS FACTOR, 5 56 81  
 LOSS MODULUS, 5 224  
 LOSS TANGENT, 5 56 81 224 287  
 LOW DENSITY  
     POLYETHYLENE, 100 105  
     123  
 LOW SMOKE, 73  
 LOW TEMPERATURE  
     PROPERTIES, 201 285  
 LUBRICANT, 22 111 162

## M

MACHINERY, 34 62 95 100 201  
     277  
 MACROCOMPOSITE, 247  
 MAGNESIA, 185  
 MAGNESIUM, 151  
 MAGNESIUM ALUMINIUM  
     HYDROXIDE, 48  
 MAGNESIUM HYDROXIDE, 7  
     11 26 40 41 49 62 80 89 93 110  
     120 126 128 175 185  
 MAGNESIUM HYDROXIDE  
     SULFATE HYDRATE, 44  
 MAGNESIUM OXIDE, 185  
 MAGNESIUM SILICATE, 22 63  
     123  
 MALEATION, 44  
 MALEIC ACID, 90  
 MALEIC ANHYDRIDE  
     COPOLYMER, 6 20 34 44 51  
     73 122 151 189  
 MALEIMIDE COPOLYMER, 275  
 MALEIMIDOPHENYL GROUP,  
     24  
 MANGANESE OXIDE, 234  
 MANUFACTURING, 100 179 204  
     222  
 MAR RESISTANCE, 191  
 MARKET GROWTH, 100 136  
 MARKET SHARE, 100  
 MARKET TREND, 128  
 MASS FRACTION, 96  
 MASS POLYMERISATION, 103  
     147 187 220  
 MASS SPECTROMETRY, 12 161  
     227  
 MASS TRANSPORT, 77 198 236  
 MASTERBATCH, 9 42 62 63 123  
     201

MATERIAL REPLACEMENT, 35  
     62 71 100 110 128 148 149 160  
     162 175 194 210  
 MATERIALS SUBSTITUTION, 35  
     62 71 100 110 128 148 149 160  
     162 175 194 210  
 MATRIX, 16 22 39 62 70 94 123  
     130 141 152 167 175 201 203  
     210 221 258 259 262 268 276  
     278 292 294 296  
 MATTRESS, 196  
 MECHANICAL STRENGTH, 246  
 MEDICAL APPLICATION, 22 37  
     149 167  
 MEDICAL EQUIPMENT, 22 37  
     149  
 MELAMINE, 15 60 116 128 195  
 MELAMINE COPOLYMER, 101  
 MELAMINE PHOSPHATE, 53  
 MELAMINE POLYPHOSPHATE,  
     71 140  
 MELT BLEND, 20 38 55 76 80 88  
     89 138 157 193 211  
 MELT COMPOUNDING, 20 42 59  
     77 102  
 MELT EXTRUSION, 80 244  
 MELT FLOW, 67  
 MELT FLOW INDEX, 42 185  
 MELT FLOW RATE, 42  
 MELT INDEX, 42 185  
 MELT MIXING, 20 152  
 MELT POLYMERISATION, 227  
 MELT PROCESSING, 20 45 59 76  
     152 219  
 MELT PROPERTIES, 224  
 MELT RHEOLOGY, 67 146 224  
 MELT SPINNING, 193  
 MELT STRENGTH, 21  
 MELT TEMPERATURE, 128  
 MELT VISCOSITY, 19 67 127  
 MELT VISCOSITY INDEX, 42  
     185  
 MELTING POINT, 54 163  
 MELTING TEMPERATURE, 54 80  
 MELTS, 3 34 36 44 48 62 79 103  
     133 166 182  
 MERCAPTO GROUP, 228 231  
 MERCURY OXIDE, 234  
 METAL, 62 100  
 METAL FIBRE-REINFORCED  
     PLASTIC, 289  
 METAL HYDRATE, 25 128  
 METAL HYDROXIDE, 71 137 185  
     200 234 245  
 METAL OXIDE, 25 30 234 245  
 METAL REPLACEMENT, 32 255  
 METHACRYLAMIDE  
     POLYMER, 69

METHACRYLATE POLYMER,  
     227  
 METHACRYLIC ESTER  
     POLYMER, 227  
 METHANOL, 75  
 METHYL ACRYLATE  
     COPOLYMER, 292  
 METHYL ALCOHOL, 75  
 METHYL DODECYL  
     AMMONIUM, 9  
 METHYL METHACRYLATE, 235  
 METHYL METHACRYLATE  
     COPOLYMER, 60 229  
 METHYL METHACRYLATE  
     POLYMER, 19 35 61 95 96 100  
     104 110 118 278  
 METHYL  
     TETRAHYDROPHTHALIC  
     ANHYDRIDE, 94  
 METHYLBENZENE, 175  
 METHYLENE CHLORIDE, 278  
 METHYLMETHACRYLATE, 235  
 METHYLMETHACRYLATE  
     COPOLYMER, 60 229  
 MICA, 77 171 201  
 MICROCOMPOSITE, 118  
 MICROCRACK, 145  
 MICROFIBRE, 262  
 MICROGRAPHY, 13 41 61 85 98  
     258  
 MICROMECHANICAL  
     PROPERTIES, 205  
 MICROMOULDING, 167  
 MICROPARTICLES, 33  
 MICROSCOPY, 13 14 41 51 61 62  
     85 86 87 90 98 114 138 205 260  
     285  
 MICROSPHERE, 70  
 MICROSTRUCTURE, 6 17 36 130  
     289  
 MIGRATION, 22 62 91 135 196  
     201 210  
 MILITARY APPLICATION, 204  
 MILLING, 62 140 241  
 MINERAL FIBRE-REINFORCED  
     PLASTIC, 142  
 MINERAL FILLER, 185 187 214  
 MISCIBILITY, 22 35 256 282 284  
 MIXING, 3 20 28 54 137 152 166  
     190 207 294  
 MODEL COMPOUND, 293 300  
 MODIFIER, 17 76 77 107 117 162  
     173 219 253 295  
 MODULUS, 12 23 35 42 115 146  
     152 268 273 292  
 MOISTURE, 303  
 MOISTURE ABSORPTION, 66  
 MOISTURE RESISTANCE, 252



255 260 261  
 MOISTURE VAPOUR  
 TRANSMISSION, 21  
 MOLECULAR BONDING, 246  
 MOLECULAR DYNAMICS, 95  
 MOLECULAR INTERACTION,  
 296  
 MOLECULAR MASS, 35 60 77  
 152 170 220  
 MOLECULAR MOBILITY, 35  
 MOLECULAR MOTION, 272  
 MOLECULAR STRUCTURE, 4 17  
 21 22 45 57 58 60 62 77 83 99  
 110 124 126 128 133 144 146  
 152 202 203 206 207 221 227  
 240 245 265 294 301 302  
 MOLECULAR WEIGHT, 35 60 77  
 152 170 220 274 282 284 292  
 301  
 MOLYBDATE, 128  
 MOLYBDENUM OXIDE, 234  
 MONOLAYER, 285  
 MONOMETHYL  
 METHACRYLATE, 235  
 MONTMORILLONITE, 2 6 9 16  
 17 20 22 30 36 38 41 42 43 44  
 49 51 52 54 55 56 62 65 73 75  
 76 82 83 85 89 90 91 92 94 100  
 101 103 104 109 120 121 122  
 135 150 156 158 159 166 172  
 184 188 192 193 207 211 224  
 227 244 246  
 MOULD, 277 294  
 MOULD CYCLE, 277  
 MOULDABILITY, 235  
 MOULDING, 7 21 28 62 64 111  
 122 167 186 218 225 235 294  
 MOULDING COMPOUND, 214  
 MULTILAYER, 22 100 175 191  
 MULTIWALL, 47 50 63 105 138  
 157

## N

NANOCLAY, 1 15 20 53 54 67 73  
 92 99 102 149 156 181 191 194  
 NANODISPERSION, 1  
 NANOFIBRE, 62 63 71  
 NANOFILLER, 1 3 4 10 11 16 17  
 20 26 35 38 40 42 44 45 47 54  
 59 63 67 71 77 82 88 99 102  
 109 110 121 123 137 146 176  
 183 185 191 192 194 196 198  
 199 201 207 209 214 219  
 NANOLAYER, 91  
 NANOPARTICLE, 1 4 7 11 14 21  
 30 33 37 43 47 54 59 60 67 69  
 75 80 82 126 128 136 183 199

207 209 214 229  
 NANOPHASE, 1 4 11 20 47 54 67  
 199 209  
 NANOPIGMENT, 22  
 NANOPOWDER, 59  
 NANOREINFORCEMENT, 16 201  
 NANOSTRUCTURE, 31 63 79 190  
 247  
 NANOTECHNOLOGY, 37 62 128  
 NANOTUBE, 22 39 43 47 59 62 63  
 78 96 100 105 131 136 138 143  
 146 157 169 214  
 NATURAL FIBRE, 100  
 NATURAL FIBRE-REINFORCED  
 PLASTIC, 6 84  
 NATURAL POLYMER, 230  
 NETWORK, 5 130 203 220 221  
 230 274  
 NETWORK DENSITY, 5  
 NETWORK STRUCTURE, 58 221  
 NICKEL OXIDE, 234  
 NIOBIUM OXIDE, 234  
 NITRILE RUBBER, 266 271 272  
 273 298  
 NITRILE-DIENE-ACRYLAMIDE  
 TERPOLYMER, 295  
 NITROGEN, 30 96 163 185 221  
 NITROGEN COMPOUND, 27  
 NOTCH, 275 283  
 NOVOLAC, 180 206  
 NOVOLAC POLYMER, 57  
 NOVOLAC RESIN, 57  
 NUCLEAR MAGNETIC  
 RESONANCE, 7 24 43 57 58  
 155 227 301  
 NUCLEAR MAGNETIC  
 RESONANCE SPECTRA, 7 24  
 43 57 58  
 NUCLEATING AGENT, 162  
 NUCLEATION, 80  
 NUMBER AVERAGE  
 MOLECULAR WEIGHT, 284  
 NUMERICAL ANALYSIS, 153  
 NYLON, 19 22 49 89 91 100 111  
 116 128 136 158 162 166 175  
 185 191 195 201 207 214 216  
 219 223 244 248  
 NYLON-12, 183 207 224 227  
 NYLON-6, 19 21 28 30 45 49 62  
 67 89 102 110 111 118 127 146  
 158 163 183 191 193 198 201  
 207 210 214 217 219 227 236  
 244 246 248  
 NYLON-6,6, 20 102 198 201 207  
 215 246

## O

OCTADECYL GROUP, 152  
 OCTENE COPOLYMER, 34  
 OFFSHORE APPLICATION, 32  
 OLEFIN POLYMER, 19 22 34 42  
 49 51 62 73 100 102 136 146  
 165 166 176 179 191 195 201  
 210 246  
 OLIGOMER, 103 107 240  
 OLIGOMERIC, 22 45  
 OLIGOURETHANE, 235  
 ONIUM ION, 133  
 OPTICAL MICROGRAPH, 96  
 OPTICAL MICROSCOPY, 14 86  
 138  
 OPTICAL PROPERTIES, 62 118  
 183 185 201 219 244  
 ORGANIC-INORGANIC  
 COMPOSITE, 4 7 11 45 155  
 227 236  
 ORGANOCCLAY, 6 9 12 20 35 42  
 50 54 61 63 65 75 77 85 89 92  
 94 105 110 118 119 120 122 130  
 139 152 156 157 175 189  
 ORGANOCCLAY COMPOUND,  
 152 187 224  
 ORGANOPHILIC, 42 91 146 219  
 ORGANOPHOSPHORUS, 163  
 ORGANOPOLYSILOXANE, 57  
 110 118  
 ORGANOSILICON POLYMER,  
 41 57 110 118 215 227  
 ORGANOSILICONE POLYMER,  
 41 57 110 118 215 227  
 ORGANOSILOXANE POLYMER,  
 41 57 110 118 215 227  
 OSMIUM OXIDE, 234  
 OSMOMETRY, 203 220  
 OXIDATION, 18 101 110 122  
 OXIDATIVE DEGRADATION, 18  
 101 110 122  
 OXIDATIVE STABILITY, 75  
 OXIDISATION, 18 101 110 122  
 OXIRANE POLYMER, 227  
 OXYGEN, 21 22 62 179 210  
 OXYGEN BARRIER, 244  
 OXYGEN CONSUMPTION, 189  
 OXYGEN INDEX, 2 4 6 10 18 19  
 40 41 43 52 57 60 64 68 73 79  
 101 104 122 126 128 155 160  
 163 164 171 180 235 294  
 OXYGEN PERMEABILITY, 111  
 OXYGEN SCAVENGER, 100 191  
 OXYGEN TRANSMISSION  
 RATE, 21 191 219  
 OZONE, 179

## P

- PACKAGING, 21 22 35 100 102  
111 167 191 201 207 244 246
- PACKAGING FILM, 111 201
- PAINTING, 62 214
- PAINTS, 240 244
- PALLADIUM OXIDE, 234
- PARTICLES, 33 91 152 241 254
- PARTICLE DENSITY, 75
- PARTICLE DISTRIBUTION, 75  
77 95
- PARTICLE SIZE, 4 22 42 62 64 67  
73 75 77 80 91 93 100 107 185  
201 204 235 241 246 264
- PARTICLE SIZE DISTRIBUTION,  
235
- PATENT, 22 37 62 100 191 194  
204 246
- PATTERN, 41 80 98 122
- PEEL STRENGTH, 222 296
- PENTAERYTHRITOL, 2 15 51  
101 210
- PERFLUOROALKYL  
COMPOUND, 247
- PERMEABILITY, 22 133 191 198  
207 216 246
- PERMEATION, 21
- PERMITTIVITY, 27
- PEROXIDE, 235
- PESTICIDE, 62
- PETP, 30 37 55 79 100 102 166 191  
201 219 244 246
- PETROLEUM, 62
- PHASE BEHAVIOUR, 14
- PHASE MORPHOLOGY, 203
- PHASE SEPARATION, 31 107 118  
124 154 168 202 230 266 282  
302
- PHENOL FORMALDEHYDE  
RESIN, 148 160
- PHENOLIC RESIN, 57 58 66 69  
235 240 250
- PHENYL GLYCIDYL ETHER,  
287
- PHENYLENE OXIDE POLYMER,  
62 68 100
- PHOSPHATE, 18 70 148 160 171  
185
- PHOSPHATE ESTER, 9
- PHOSPHINATE, 18 128
- PHOSPHINE OXIDE, 18 215
- PHOSPHINE OXIDE GROUP, 68
- PHOSPHONATE, 18 240
- PHOSPHONATION, 13
- PHOSPHONIUM COMPOUND,  
52
- PHOSPHORIC ACID, 128
- PHOSPHORUS, 10 30 41 49 89  
128 147 164 185
- PHOSPHORUS COMPOUND, 1  
18 25 27 51 52 94 98 106 113  
116 140 155 180 241
- PHOSPHORUS COPOLYMER,  
155
- PHOSPHORUS GROUP, 155
- PHOSPHORUS POLYMER, 4 112
- PHOSPHORUS-CONTAINING  
POLYMER, 4 112
- PHOTOCHEMICAL  
DEGRADATION, 122
- PHOTOCHEMICAL STABILITY,  
122
- PHOTODECOMPOSITION, 122
- PHOTODEGRADATION, 122
- PHOTOELECTRON  
SPECTROSCOPY, 18 60 135  
165
- PHOTOGRAPHY, 69
- PHOTOOXIDATION, 122
- PHYSICAL PROPERTIES, 33 42  
54 102 108 149 163 175 190
- PHYSICOMECHANICAL  
PROPERTIES, 27
- PIGMENT, 22
- PIPE, 62 149
- PLANT CONSTRUCTION, 162  
246
- PLANT EXPANSION, 111 162
- PLANT START-UP, 111
- PLASMA TREATMENT, 43
- PLASTICISER, 62 162
- PLASTICS INDUSTRY, 149
- PLATE, 258
- PLATELET, 21 42 62 77 152 191  
207 219 246
- PLATINUM OXIDE, 234
- PMR, 24
- POLY-EPSILON-  
CAPROLACTAM, 19 21 28 30  
45 49 62 67 89 102 110 111 118  
127 193
- POLYACETAL, 102 201
- POLYACRYLAMIDE, 70
- POLYACRYLATE, 77 220
- POLYALKENE, 19 22 34 42 49 51  
62 73 100 102 136 146 165 166  
176 179 191 195 201 210 246
- POLYAMIC ACID, 256
- POLYAMIDE, 19 22 49 89 91 100  
111 116 128 136 158 162 166  
175 185 191 195 201 207 214  
216 219 223 244 248 281 293
- POLYAMIDE-12, 183 207 224 227
- POLYAMIDE-6, 19 21 28 30 45 49  
62 67 89 102 110 111 118 127  
146 158 163 183 191 193 198  
201 207 210 214 219 227 236  
244 246 248
- POLYAMIDE-6,6, 20 102 246
- POLYBISMALEIMIDE, 274
- POLYBUTADIENE, 178 209
- POLYBUTYLENE  
TEREPHTHALATE, 10 29 37  
45 185 246
- POLYCAPROAMIDE, 19 21 28 30  
45 49 62 67 89 102 110 111 118  
127 193
- POLYCAPROLACTAM, 19 21 28  
30 45 49 62 67 89 102 110 111  
118 127 193
- POLYCARBONATE, 37 61 72 82  
84 111 125 152 196 209
- POLYDIMETHYL SILOXANE, 57  
110 118 175
- POLYESTER RESIN, 69 98 213
- POLYETHER, 266
- POLYETHER AMIDE, 43
- POLYETHER AMINE, 81
- POLYETHER SULFONE, 37 282  
302
- POLYETHER URETHANE, 9
- POLYETHER-AMIDE, 43
- POLYETHER-ETHERKETONE,  
37 62 259 280
- POLYETHER-URETHANE, 9
- POLYETHERAMINE, 81
- POLYETHERETHERKETONE,  
37 62
- POLYETHERIMIDE, 227
- POLYETHERSULFONE, 37
- POLYETHYL HEXYL  
ACRYLATE, 203 220
- POLYETHYLENE, 6 21 37 44 48  
62 73 100 105 106 111 123 139  
149 162 166 175 185 191 219  
242 297
- POLYETHYLENE ADIPATE, 141
- POLYETHYLENE GLYCOL  
ADIPATE, 141
- POLYETHYLENE OXIDE, 227  
284
- POLYETHYLENE  
TEREPHTHALATE, 30 37 55  
79 100 102 166 191 201 219  
244 246
- POLYETHYLHEXYL  
ACRYLATE, 203 220
- POLYHEDRAL OLIGOMERIC  
SILSESQUIOXANE, 24 43 45  
69 71 113 123 172
- POLYHEXAMETHYLENE  
ADIPAMIDE, 293
- POLYHYDROXYETHER, 266

- POLYIMIDE, 4 256 296  
POLYISOCYANURATE, 75  
POLYLACTONE, 238  
POLYLAUROLACTAM, 224  
POLYLAURYLLACTAM, 224  
POLYMERIC COMPATIBILISER, 120  
POLYMERIC CURING AGENT, 81 256  
POLYMERIC FLAME RETARDANT, 67 213 217 240  
POLYMERIC IMPACT MODIFIER, 145 253 275 289 295  
POLYMERIC MODIFIER, 17 76 77 107  
POLYMERIC PRECURSOR, 256  
POLYMERIC PROPERTY MODIFIER, 266 275 276  
POLYMERIC SHRINK RESISTANCE AGENT, 277  
POLYMERIC TOUGHENING AGENT, 34 125 238 256 274  
POLYMERISATION, 4 21 62 92 94 100 103 110 118 133 146 147 155 175 182 187 213 219 220 227 230 275  
POLYMERISATION INITIATOR, 278  
POLYMERISATION MECHANISM, 151 221  
POLYMERISATION RATE, 278  
POLYMERISATION TEMPERATURE, 278  
POLYMETHACRYLAMIDE, 69  
POLYMETHACRYLATE, 227  
POLYMETHYL METHACRYLATE, 12 19 35 61 95 96 100 104 110 118 166 215 219 278  
POLYOL, 75 210 235  
POLYOLEFIN, 19 22 34 42 49 51 62 73 100 102 136 146 165 166 176 179 191 195 201 210 246  
POLYOLEFIN ELASTOMER, 120  
POLYORGANOSILOXANE, 41 57 110 118 215 227  
POLYOXYDIPHENYLENE PYROMELLITIMIDE, 256  
POLYOXYETHYLENE, 227  
POLYOXYETHYLENE GROUP, 152  
POLYPHENYLENE ETHER, 62 68 100  
POLYPHENYLENE OXIDE, 62 68 100  
POLYPHENYLSILSESQUIOXANE, 31  
POLYPHOSPHINE OXIDE, 274  
POLYPHOSPHONATE, 240  
POLYPROPENE, 3 14 19 22 25 30 34 35 37 42 45 49 51 59 62 72 90 91 93 100 102 106 120 135 138 149 150 162 166 175 185 189 190 191 207 210 214 219 227 228 231 244 246  
POLYPROPYLENE, 3 14 19 22 25 30 34 35 37 42 45 49 51 59 62 72 90 91 93 100 102 106 120 135 138 149 150 162 166 175 185 189 190 191 207 210 214 219 227 228 231 244 246  
POLYSILICONE, 41 57 110 118 215 227  
POLYSILOXANE, 41 57 110 118 165 215 227  
POLYSILSESQUIOXANE, 45  
POLYSTYRENE, 19 30 43 46 49 61 62 72 79 95 100 103 104 106 110 128 132 161 162 166 170 185 187 212 219 227 244 278  
POLYSULFONE, 13 68 107 301  
POLYUREA, 71  
POLYURETHANE, 9 37 62 63 65 75 85 106 123 162 172 185 186 210 219 240 241 269 277  
POLYURETHANE-ACRYLATE, 235  
POLYURETHANE-METHACRYLATE, 235  
POLYVINYL ALCOHOL, 163 285  
POLYVINYL CHLORIDE, 9 37 62 63 69 117 128 162 175 185 194 213  
POLYVINYL ESTER, 62 70 113 167 294  
POLYVINYL HALIDE, 9 69 117  
POLYVINYLBENZENE, 30 43 46 61 95 100 103 104 106 110 128 132 187 244  
POLYVINYLIDENE FLUORIDE, 62  
POROSITY, 222  
POST CURING, 221  
POWDER, 100 148 213  
POWDER COATING, 186  
PPE, 100  
PPO, 62 68 100  
PRE-TREATMENT, 17  
PRECISION, 62  
PREFORM, 225 277  
PREFORMING, 145  
PREHEATING, 191  
PREPARATION, 92 126 130  
PREPOLYMER, 131 286  
PREPOLYMERISATION, 230  
PREPREG, 218 221 222 254 277 281  
PRESSURE, 100  
PRETREATMENT, 17 293  
PRINTED CIRCUIT, 129  
PRINTED CIRCUIT BOARD, 246  
PRINTED WIRING BOARD, 129  
PROCESSABILITY, 22 73 110 198  
PROCESSING, 17 18 21 22 37 62 63 82 146 149 172 184 201 210 239 243 294  
PROCESSING AID, 162 190  
PROCESSING CONDITIONS, 6 20 122  
PRODUCT DEVELOPMENT, 82 102 176 191 194 196 246  
PRODUCTION, 21 62  
PRODUCTION CAPACITY, 246  
PRODUCTION COST, 42 186  
PROPENE, 210  
PROPENE COPOLYMER, 6 34 51 122 189  
PROPENE POLYMER, 14 59 90 91 93 100 102 106 120 138 228  
PROPERTY MODIFIER, 275 276  
PROPYLENE, 210  
PROPYLENE COPOLYMER, 6 34 51 122 189  
PROPYLENE POLYMER, 14 59 90 91 93 100 102 106 120 138 228  
PROPYLENE-ETHYLENE COPOLYMER, 35 54  
PROTECTIVE COATING, 45  
PROTON MAGNETIC RESONANCE, 24  
PROTOTYPE, 255  
PULTRUSION, 66 252  
PULVERISATION, 129  
PUNCTURE RESISTANCE, 100  
PURIFICATION, 78  
PYROLYSIS, 13 18 30 68 128 163 221  
PYROLYSIS MASS SPECTROMETRY, 227
- ## Q
- QUALITY CONTROL, 62  
QUARTZ, 197  
QUATERNARY AMMONIUM COMPOUND, 9 30  
QUATERNARY AMMONIUM SALT, 42 119
- ## R
- R-CURVE, 226

- RADIANT PANEL TEST, 71  
 RADIOGRAPHY, 268  
 RAILWAY APPLICATION, 185  
   235  
 RAMAN SPECTROSCOPY, 40 91  
   135  
 RAW MATERIAL, 75  
 REACTION CONDITIONS, 92 94  
   130 203  
 REACTION INJECTION  
   MOULDING, 295  
 REACTION MECHANISM, 80  
   189 203 221  
 REACTION MOULD, 295  
 REACTION PRODUCT, 213  
 REACTION RATE, 159  
 REACTIVE EXTRUSION, 7  
 REACTIVE POLYMER, 274  
 RECORDING MEDIA, 249  
 RECYCLED CONTENT, 191  
 RECYCLING, 61 129 162 167 213  
   269  
 RED PHOSPHORUS, 10 41 89 185  
 REFRACTIVE INDEX, 282  
 REINFORCED CONCRETE, 232  
 REINFORCED  
   THERMOPLASTIC, 162  
 REINFORCED THERMOSET, 74  
   178 226  
 REINFORCEMENT, 5 16 39 78  
   100 186 201 205 224 225 228  
   232 248 257 267 268 287 300  
 REINFORCING FILLER, 224  
 RELAXATION TIME, 7 300  
 RELEASE AGENT, 300  
 RESIDUAL STRAIN, 268  
 RESIDUAL STRENGTH, 280  
 RESIDUAL STRESSES, 202  
 RESIN, 76 100 167  
 RESIN INJECTION, 186 235 277  
 RESIN TRANSFER MOULDING,  
   186 218 235 277 295  
 RESORCINOL, 171  
 RESTORATION, 232  
 REVIEW, 25 30 43 49 77 106 116  
   124 128 133 146 166 180 200  
   207 214 275 282  
 RHENIUM OXIDE, 234  
 RHEOLOGICAL PROPERTIES,  
   17 19 30 67 73 76 77 91 115  
   135 154 167 170 185 201 216  
   224 235  
 RHEOLOGY, 17 19 67 73 76 77 91  
   115 135 154 185 201 224 235  
 RHEOMETER, 17 210  
 RIGIDITY, 183  
 RING OPENING  
   POLYMERISATION, 227
- RISK ASSESSMENT, 46 128 132  
   196  
 RIVET BONDING, 186  
 ROBOT, 100  
 RUBBER, 11 23 28 34 41 46 57 64  
   65 77 102 107 128 132 133 145  
   167 172 178 185 195 203 210  
   214 215 216 220 223 238 254  
   264 265 270 271 272 273 276  
   279 286 295 298  
 RUTHENIUM OXIDE, 234
- S**
- SAFETY, 128 175 195 210 255  
 SANDWICH STRUCTURE, 69  
   222 235  
 SATURATED POLYESTER, 55  
   172  
 SCANNING ELECTRON  
   MICROGRAPH, 39 40 41 60  
   78 79 86 87 89 90 94 95 96 97  
   98 103 113 114 117 122 134 138  
   141 142 145 156 237  
 SCANNING ELECTRON  
   MICROSCOPY, 2 6 12 13 15 16  
   17 24 28 29 31 35 38 39 40 41  
   43 44 48 51 52 55 56 60 61 64  
   73 77 78 79 86 87 89 90 94 95  
   96 97 98 103 113 114 117 122  
   124 125 126 127 130 134 138  
   140 141 142 144 145 150 155  
   156 170 181 187 203 227 236  
   237 239 248 249 258 262 263  
   265 270 271 274 275 276 282  
   301 302  
 SCRAP POLYMER, 213  
 SCRATCH RESISTANCE, 62 191  
 SCREW DESIGN, 35  
 SCREW EXTRUDER, 95  
 SEA WATER, 260 261  
 SECONDARY ION MASS  
   SPECTROMETRY, 12  
 SEEDED POLYMERISATION,  
   278  
 SEISMIC REPAIR, 232  
 SEMICONDUCTOR, 234 245  
 SEPIOLITE, 22 63 123  
 SERVICE LIFE, 234 245 255  
 SHAPE-MEMORY, 242  
 SHEAR, 115  
 SHEAR FLOW, 146  
 SHEAR FORCE, 77  
 SHEAR MODULUS, 66 224 271  
 SHEAR PROPERTIES, 77 114 152  
   181 265 292 297  
 SHEAR STRENGTH, 114 275 292  
 SHEAR STRESS, 152
- SHEAR VISCOSITY, 67 77  
 SHEATHING, 38 121  
 SHEET MOULDING  
   COMPOUND, 185  
 SHEETING, 219  
 SHORT FIBRE, 248 289  
 SHRINKAGE, 32 201  
 SHUTTLE PRESS, 186  
 SILANE, 60 84 171 223 276 298  
   300  
 SILANE COMPOUND, 74 247  
 SILICA, 4 5 22 57 58 60 64 95 104  
   155 190 197 204 223  
 SILICATE, 9 34 38 42 44 46 49 52  
   53 62 63 77 88 91 92 94 100  
   109 110 118 132 133 137 139  
   146 157 166 170 171 175 182  
   184 185 188 189 192 198 199  
   201 214 224 227 236 247  
 SILICON, 45 62 164  
 SILICON COMPOUND, 25 172  
 SILICON COPOLYMER, 155  
 SILICON DIOXIDE, 4 5 22 57 58  
   60 64 95 104 155 190 204 223  
 SILICON ELASTOMER, 41 57 67  
 SILICON POLYMER, 41 57 110  
   118 215 227  
 SILICON RUBBER, 41 57 67  
 SILICON-29, 24  
 SILICON-CONTAINING  
   COPOLYMER, 155  
 SILICON-CONTAINING  
   POLYMER, 41 57 110 118 215  
   227  
 SILICONE, 300  
 SILICONE COPOLYMER, 155  
 SILICONE ELASTOMER, 41 57  
   67  
 SILICONE POLYMER, 41 57 110  
   118 165 215 227  
 SILICONE RUBBER, 41 57 67  
 SILOXANE, 175  
 SILOXANE ELASTOMER, 67  
 SILOXANE POLYMER, 41 110  
   118 165  
 SILOXANE RUBBER, 67  
 SILSESQUIOXANE, 22 172  
 SILVER OXIDE, 234  
 SINGLE LAP BOND, 114  
 SINGLE SCREW EXTRUDER, 95  
 SIZING AGENT, 131  
 SKATES, 21  
 SKI BOOTS, 21  
 SKI SHOES, 21  
 SMALL ANGLE X-RAY  
   SCATTERING, 156 165  
 SMART MATERIAL, 22  
 SMECTITE, 22 133 214

- SMOKE, 46 128 132 148 175 179  
185 216 235
- SMOKE EMISSION, 36 63 69 185  
235
- SMOKE GENERATION, 52 53 73  
236 241
- SMOKE SUPPRESSANT, 128 185  
235
- SMOKE SUPPRESSION, 118
- SMOKE TOXICITY, 69
- SNOWBOARD, 21
- SODIUM MONTMORILLONITE,  
36 152 175
- SOFTENING TEMPERATURE, 66
- SOL-GEL, 82 155
- SOL-GEL FORMATION, 155
- SOL-GEL POLYMERISATION,  
155
- SOL-GEL REACTION, 57 58 155
- SOLDER RESISTANCE, 129
- SOLUTION POLYMERISATION,  
220
- SOLVENT, 16 75 110 175 182
- SOLVENT ACTIVITY, 118
- SOLVENT EVAPORATION, 79
- SOLVENT RESISTANCE, 22
- SONICATION, 143
- SOYBEAN OIL, 75 142
- SPECIFIC GRAVITY, 14 23 62 176
- SPECIFIC HEAT, 66
- SPECTROSCOPY, 3 8 12 14 18  
24 31 40 48 58 60 62 75 91 114  
117 135 138 165 216 227 302
- SPIN-SPIN RELAXATION, 7
- SPINNING, 193 231
- SPORTS APPLICATION, 21
- SPORTS EQUIPMENT, 21 102
- SPORTS GOODS, 21 102
- SPRAY DRYING, 52
- SPRAYING, 131 214
- STABILISERS, 117 162 171
- STABILITY, 1 2 4 8 9 11 17 22 26  
28 29 30 31 34 38 45 47 51 54  
55 56 59 63 65 67 75 76 88 92  
95 96 104 107 109 110 111 118  
122 127 130 133 146 147 152  
156 160 164 171 175 182 184  
185 187 188 193 196 198 210  
211 216 219 221 224 227 229  
236
- STACKING SEQUENCE, 258
- STANDARD, 69 128 137 235 241
- STARVE FEEDING, 278
- STATIC DISSIPATION, 100
- STATIC ELECTRICITY, 136
- STATISTICS, 100 128 136 162 169  
195 201 219
- STIFFNESS, 21 35 39 42 47 62 66  
100 142 149 152 183 191 196  
201 214 219 232 276 297 303
- STIFFNESS MODULUS, 232
- STORAGE CONTAINER, 32
- STORAGE MODULUS, 4 5 17 31  
76 130 224 271
- STRAIN, 205 262 268
- STRAIN ENERGY, 264 275
- STRAIN ENERGY RELEASE  
RATE, 275
- STRAIN RATE, 237
- STRENGTH, 32 37 75 142 146 176  
197 207 219 232 267 288 303
- STRESS CONCENTRATION, 268
- STRESS INTENSITY FACTOR,  
276 286 298
- STRESS TRANSFER, 205
- STRESS WHITENING, 20
- STRESS-STRAIN PROPERTIES,  
5 8 152 197 223 257 268
- STRESSES, 202 268 299
- STRUCTURAL ANALYSIS, 75
- STRUCTURE-PROPERTY  
RELATIONSHIP, 20
- STYRENE, 103
- STYRENE COPOLYMER, 49 60  
106 119 140 166 275
- STYRENE POLYMER, 30 43 46  
61 95 100 103 104 106 110 128  
132 187 244 278
- STYRENE-ACRYLONITRILE  
COPOLYMER, 61
- STYRENE-BUTADIENE  
RUBBER, 23
- STYRENE-ETHYLENE  
BUTYLENE-STYRENE  
BLOCK COPOLYMER, 20
- STYRENE-  
ETHYLENEBUTYLENE-  
STYRENE BLOCK  
COPOLYMER, 20
- SULFONE COPOLYMER, 274
- SULFONE POLYMER, 13 68 107
- SULFUR, 30
- SUPERCritical FLUID, 191
- SURFACE ACTIVE AGENT, 51 52  
62 90 91 100 102 152 235
- SURFACE ANALYSIS, 114
- SURFACE AREA, 73
- SURFACE ATTACHMENT, 47
- SURFACE CHEMISTRY, 47
- SURFACE ENERGY, 264
- SURFACE FINISH, 42 201 277
- SURFACE MODIFICATION, 5 21  
47 74 91 244 300
- SURFACE MORPHOLOGY, 155
- SURFACE PREPARATION, 5 74
- SURFACE PROPERTIES, 42 47  
114 144 151 155
- SURFACE REACTION, 5
- SURFACE STRUCTURE, 47
- SURFACE TENSION, 247
- SURFACE TREATMENT, 5 21 42  
47 74 91 102 114 172 178 207  
244 276 296 300
- SURFACTANT, 51 52 62 90 91  
100 102 152
- SWELLING, 16 75 166 214 278
- SWELLING AGENT, 214
- SWELLING INDEX, 23
- SYNTHESIS, 4 8 9 24 27 38 48 53  
58 60 63 75 80 110 118 133 140  
166 173 182 194 200
- SYNTHETIC FIBRE-  
REINFORCED PLASTIC, 87  
231 248 250 263 285 297
- SYNTHETIC RUBBER, 102 107  
133
- T**
- TACKINESS, 222
- TACTOID, 152
- TALC, 42 46 62 100 132
- TALLOW AMINE, 156
- TANTALUM OXIDE, 234
- TECHNETIUM OXIDE, 234
- TELECOMMUNICATION  
APPLICATION, 179
- TELEVISION, 185
- TEMPERATURE, 21 22 62 81 100  
171 203 204 235 260 261 276
- TEMPERATURE DEPENDENCE,  
4 66 67 107 159
- TEMPERATURE MODULATED  
DIFFERENTIAL SCANNING  
CALORIMETRY, 13
- TENSILE MODULUS, 56 84 152  
235
- TENSILE PROPERTIES, 4 5 8 10  
16 22 23 28 33 34 39 40 41 55  
56 67 70 73 75 78 80 84 85 97  
120 130 133 146 148 152 159  
203 208 223 225 235 237 246  
249 251 257 267 296 297
- TENSILE STRENGTH, 5 10 22 23  
75 78 80 120 130 203 223 225  
235
- TERNARY BLEND, 11 20
- TERNARY SYSTEM, 11
- TERPOLYMER, 62
- TEST EQUIPMENT, 110 134 235  
280
- TEST METHOD, 9 17 26 27 35 38  
42 57 58 62 75 76 84 95 96 110  
128 134 149 175 197 198 200

- 204 210 221 232 250  
 TEST SPECIMEN, 268  
 TESTING, 9 17 26 27 35 38 42 57  
 58 62 75 76 84 95 96 110 128  
 134 149 175 197 198 200 204  
 210 221 232 235 250 255 258  
 259 277 278 280 283 286 292  
 296 297 300 301 302  
 TETRAETHOXYSILANE, 58  
 TETRAMETHYLOL  
 CYCLOHEXANOL, 287  
 TEXTILE, 193 216 240  
 THERMAL AGEING, 221  
 THERMAL ANALYSIS, 13 16 24  
 48 60 75 80 83 92 151 158 160  
 164 165 170 188 211 217 235  
 THERMAL CONDUCTIVITY, 66  
 100 138  
 THERMAL CYCLING, 145  
 THERMAL DECOMPOSITION, 1  
 4 38 45 54 68 128 130 180 201  
 278  
 THERMAL DEGRADATION, 1 4  
 18 44 54 55 59 64 66 67 77 92  
 101 110 117 121 122 151 155  
 156 160 161 164 170 184 193  
 198 211 216 217 221 252 277  
 278  
 THERMAL EXPANSION, 22 62  
 293 297  
 THERMAL FLUCTUATION, 197  
 THERMAL INSULATION, 32 185  
 198 236  
 THERMAL PROPERTIES, 1 4 5  
 8 14 18 19 23 26 29 31 34 41  
 42 45 48 49 50 51 52 53 55 56  
 57 58 59 64 65 66 67 73 77 80  
 83 88 100 108 115 120 126 130  
 138 140 143 148 154 155 156  
 160 165 168 175 181 182 187  
 188 221 228 230 235 236 244  
 265 293 301  
 THERMAL RESISTANCE, 1 2 4  
 11 54 59 67 100 187 204 224  
 228  
 THERMAL STABILITY, 1 2 4 8 9  
 11 17 22 26 28 29 30 31 34 38  
 45 47 51 54 55 56 59 63 65 67  
 75 76 88 92 95 96 104 107 109  
 110 111 118 122 127 129 130  
 133 146 147 152 156 160 164  
 166 171 175 182 184 185 187  
 188 193 198 201 210 211 216  
 219 221 224 227 229 234 236  
 245 246 254 256 277  
 THERMAL TRANSITION, 8 221  
 THERMALLY STIMULATED  
 CREEP, 300  
 THERMO-OXIDATIVE  
 DEGRADATION, 101 110 155  
 164  
 THERMOGRAM, 80  
 THERMOGRAVIMETRIC  
 ANALYSIS, 2 3 8 9 13 15 16 18  
 24 26 28 29 31 34 38 40 41 44  
 45 48 50 51 52 53 56 58 60 63  
 64 65 68 75 77 79 85 88 92 94  
 95 96 97 103 109 110 113 117  
 119 122 134 135 138 143 147  
 151 156 164 172 184 187 192  
 193 221 227 229 256  
 THERMOLYSIS, 12  
 THERMOMECHANICAL  
 PROPERTIES, 31  
 THERMOOXIDATIVE  
 DEGRADATION, 101 110 155  
 164  
 THERMOOXIDATIVE  
 STABILITY, 1 2 9 65  
 THERMOPLASTIC  
 ELASTOMER, 65 102 185 214  
 215  
 THERMOPLASTIC RUBBER, 65  
 102 185 214 215  
 TISSUE, 22  
 TITANIUM OXIDE, 234  
 TOLUENE, 175  
 TORQUE, 93  
 TORSION, 298  
 TORSION PENDULUM, 52  
 TORSIONAL PENDULUM, 52  
 TORSIONAL VIBRATION, 26  
 TOUGHENED, 20 47 203  
 TOUGHENING AGENT, 8 20 28  
 34 35 47 57 125 130 141 145  
 154 168 203 208 220 230 238  
 253 256 259 262 264 266 271  
 272 282  
 TOUGHNESS, 8 20 21 35 47 52 57  
 71 86 159 202 203 204 208 223  
 235 265 266 270 273 274 275  
 276 279 281 282 283 286 291  
 295 298  
 TOXICITY, 46 69 128 132 134 161  
 163 175 179 185 196 216 235  
 255  
 TRANSFER MOULDING, 186  
 218 225  
 TRANSITION PHENOMENA, 224  
 TRANSMISSION ELECTRON  
 MICROSCOPY, 6 12 15 16 17  
 24 28 29 31 35 38 39 40 41 43  
 44 48 51 52 55 56 60 61 73 77  
 78 79 86 87 89 90 94 95 96 97  
 98 103 113 114 117 122 126 127  
 130 134 138 140 141 142 144  
 145 151 152 156 170 187 189  
 192 227 229 236 237 278  
 TRANSPARENCY, 183 201 219  
 244  
 TRANSPORT PROPERTIES, 77  
 TRICHLOROMETHYLOLIMIDE,  
 27  
 TRIETHYLENE TETRAMINE,  
 39 203  
 TRIGLYCIDYL AMINOPHENOL,  
 154  
 TRIMETHOXYSILANE, 155  
 TRIPHENYL PHOSPHATE, 171  
 TRIPHENYLPHOSPHINE, 161  
 203  
 TRISDIMETHYLAMINO  
 METHYLPHENOL, 203 230  
 TUBING, 22  
 TUNGSTEN OXIDE, 234  
 TWIN-SCREW EXTRUDER, 6 7  
 34 152 190 201
- ## U
- ULTRA HIGH MOLECULAR  
 WEIGHT POLYETHYLENE,  
 111  
 ULTRASONIC TEST, 260  
 ULTRAVIOLET IRRADIATION,  
 122  
 ULTRAVIOLET LIGHT, 122  
 UNDER THE BONNET  
 APPLICATION, 136 219  
 UNSATURATED POLYESTER,  
 53 56 69 92 98 185 207 213 241  
 277 280 294  
 UPHOLSTERY, 196  
 URETHANE POLYMER, 9 85 106  
 123  
 UV DEGRADATION, 122  
 UV RADIATION, 122  
 UV RESISTANCE, 179  
 UV STABILITY, 22 122
- ## V
- VANADIUM OXIDE, 234  
 VAPOUR, 21  
 VAPOUR PHASE, 108 185 210  
 215  
 VAPOUR PRESSURE  
 OSMOMETRY, 203  
 VARNISH, 240  
 VEHICLE CAB, 186  
 VEHICLE DOOR, 277  
 VEHICLE EXTERIOR, 42 136 201  
 VEHICLE INTERIOR, 62  
 VEHICLE SEAT, 235

VEHICLE SHELL, 277  
VEHICLE SPOILER, 277  
VERTICAL BURNING TEST, 12  
VERTICAL MACHINE, 277  
VIBRATION, 26  
VIBRATION DAMPING, 16 81  
VIBRATIONAL  
    SPECTROSCOPY, 8 14 18 24  
    31 40 48 58 62 75 91 114 117  
    135 138  
VIDEO CAMERA, 249  
VINYL ACETATE-ETHYLENE  
    COPOLYMER, 9 11 43 54 61  
    82 88 91 97 99 100 105 109 110  
    121 123 139 156  
VINYL ALCOHOL POLYMER,  
    163 285  
VINYL CHLORIDE POLYMER,  
    9 69 117  
VINYL ESTER POLYMER, 62 70  
    113  
VINYL ESTER RESIN, 167  
VINYL HALIDE POLYMER, 9 69  
    117  
VINYL POLYMER, 146  
VINYL BENZYL CHLORIDE, 103  
VIRGIN POLYMER, 175  
VISCOELASTIC, 17 81 210 221  
VISCOELASTIC PROPERTIES,  
    17 81 154 168 210 221 271 272  
    296  
VISCOELASTICITY, 17 81 154  
    168 210 221 271 272 296  
VISCOSITY, 17 30 67 73 77 91 115  
    170 216 235 265  
VISCOSITY MODIFIER, 287  
VOLUME FRACTION, 3 10 125  
    225 237 243 251 253 272 275  
    276 286 289  
VULCANISATION TIME, 235

**W**

WALL THICKNESS, 62  
WARPAGE, 201  
WASTE DISPOSAL, 128 129  
WASTE MANAGEMENT, 195  
WATER, 22 44 56 235 278  
WATER ABSORPTION, 56 74 87  
WATER REPELLENT, 30  
WATER RESISTANCE, 56 87 222  
WATER SORPTION, 74  
WATER UPTAKE, 74  
WATER VAPOUR, 185 235  
WEAR RESISTANCE, 23  
WEATHER RESISTANCE, 32 75  
WEATHERING RESISTANCE,  
    32 75

WEAVE STRUCTURE, 267  
WEAVING, 267  
WEFT KNITTING, 249 251  
WEIGHT LOSS, 8 12 18 26 36 52  
    57 110 122 156 221 227  
WEIGHT REDUCTION, 102 149  
    186 207  
WETTING, 131  
WETTING AGENT, 162 235  
WHISKER, 44  
WICKING, 19  
WIDE ANGLE X-RAY  
    SCATTERING, 6 152 229  
WIRE, 46 62 132 149 210  
WOOD, 136  
WOOD FIBRE, 100  
WOOD FIBRE-REINFORCED  
    PLASTIC, 6 162  
WOUND HEALING, 22  
WOVEN FABRIC, 186 262  
WOVEN FIBRE, 186

**X**

X-RAY DIFFRACTION, 2 3 6 9  
    15 16 17 23 28 29 33 34 38 41  
    44 48 51 53 55 56 62 77 79 80  
    85 89 90 91 98 103 113 119 122  
    126 127 130 134 140 144 147  
    150 151 152 158 170 181 187  
    189 192 212 227  
X-RAY MICROSCOPY, 61  
X-RAY PHOTOELECTRON  
    SPECTROSCOPY, 18 60 135  
    165  
X-RAY SCATTERING, 2 3 6 9 15  
    16 17 23 28 29 33 34 38 41 44  
    48 51 53 55 56 62 77 79 80 85  
    89 90 91 98 103 113 119 122  
    126 127 130 134 140 144 147  
    150 151 152 156 158 165 170  
    181 187 189 192 212 227 229  
X-RAY SPECTRA, 12 18 60 135  
X-RAY SPECTROSCOPY, 12 18  
    60 135 165  
XYLENE, 151

**Y**

YARN, 251  
YIELD, 268 276  
YIELD STRENGTH, 152  
YIELD STRESS, 272 273 276  
YOUNG'S MODULUS, 20 66 75  
    78 80 107 159 229 249 251 257  
    271 272 276

**Z**

ZINC BORATE, 9 99 128 185  
ZINC OXIDE, 22 234  
ZINC PHOSPHATE, 128  
ZINC STANNATE, 128 185  
ZIRCONIA, 234  
ZIRCONIUM OXIDE, 234