

# Index

## A

- Aclar films 247
- Additive dissolution 122, 123, 126
  - kinetics of 114
- Additive solubility 115
  - additive loss 125
  - crystallinity 118
  - factors 118
  - high molecular weight additives 122
  - polymer orientation 119
  - polymer oxidation 124
  - polymer polar groups 120
  - quantitative data 114
  - sorption 110-112
  - supermolecular structure 118
- Additives
  - antioxidants 14
  - lubricants 14
  - slip agents 14
  - solubility of 109
  - tackifiers 14
  - ultraviolet stabilisers 14
- Adhesive strength
  - adsorption theory 316
  - diffusion theory 316
  - electrical theory 316
  - mechanical theory 316
  - molecular-kinetic theory 316
  - theory 316
- Agricultural films 263
  - blown film extrusion 264
  - characteristics of plastic films 264
  - greenhouses 263
  - light transmittance 264
  - polyethylene films
    - stabilisers* 267
- Albemarle 166
- Algipor 290, 301, 302
- Aliphatic chain scission 124
- Allied Signal Corporation 247
- Amoco 82
- Amoco process 84
- Antiblocking agents 22, 85
  - mineral particles 23
- Antioxidants
  - dissolution 122
  - hindered amines 89
  - hindered phenols 24, 89
  - phosphites 90
  - polyolefins 112
  - solubility 122
  - thio compounds 90
  - triphenyl phosphite 24
- Antistatic agents
  - polyoxyethylenes 24
- Ammonium polyphosphate/  
pentaerythritol mixtures
  - intumescent behaviour 172
- Applications
  - agriculture 38, 263
  - coextruded films 37
  - heat sealing 38
  - laminated films 36
  - packaging 35
- Aqua-penetrability 305
- Artificial weathering devices 271
- Atactic polypropylene 13, 79
- Atochem 166

**B**

Biaxial

Biaxially oriented film 18, 213

drawing 10

polypropylene 351

*properties of* 244

Biobrant 314, 324

burn dressing 323

Biodegradable polymers 374

Blending

agricultural plastic film waste 279

Blow-up ratio 59, 61

Blown film

air ring cooling 53

blow ratio 56

die 52

extrusion process 14

extrusion (tubular film) 50

process 50

*cooling the film* 51

*extruder size* 54

*extrusion equipment* 55

*horsepower* 55

*Tenter frame* 19

production 13

Branched polyethylenes 7

molecular structures 7

Burn dressings 285-286

adhesion of 296, 315

adhesive properties 292

adhesive strength 317-318

air penetrability 291, 295, 308, 315, 323

air permeability 310

aqua-penetrability coefficients 308

cellulose 303

characteristics 322

collagen 303

compositional 290

cotton balling 290

degree of filling 298

efficiency of 322

evaporation of water from 318

hydrophilic 303

kinetics of sorption 304

materials

*free volume of* 303

material porosity 292

mechanical properties 292

microorganism penetrability 292

model of action 318

nitrogen penetrability 309

number of pores 293

oxygen penetrability 309

physicochemical properties 292

pore size distribution 293

properties of 290

size of pores 293

solubility of water in polymers 298

sorption ability 297-298, 322

sorption of fluid 320

sorption of liquid media 303

sorption of plasma 303

sorption of water 299-300

sorption-diffusion properties 291

sorptional ability 285

sorptional ability of materials 294

structure of 303

vapour penetrability 291-292, 296, 305

water absorption 291

Butyl rubber

effect of nitrogen oxides on 191

**C**

Carbonium ion mechanism 172

Carbonylallyl groups

identification of 136

Cast film

biaxial orientation 19

calendering 16

extrusion 57

packaging 75

- polypropylene films
    - applications* 76
  - process
    - chilled roll* 57
  - production
    - calendering finishing* 17
    - extrusion coating* 17
    - extrusion conditions* 16
  - tenter frame 16
  - Char formation
    - acid-catalysed 175
    - free-radical 174
  - Characterisation
    - dielectric relaxation 226
    - electron spectroscopy for chemical analysis 228
    - gravimetric method 224
    - molecular weight 226
    - molecular weight distribution 226
    - scanning electron microscopy 225
    - spectroscopic analysis
      - Auger electron spectroscopy* 227
      - infrared spectroscopy* 227
      - x-ray fluorescence spectroscopy* 227
    - surface properties 227
    - swelling measurements 226
    - thermal analyses 225
    - x-ray photoelectron spectroscopy 228
  - Charpy tests 29, 336
  - Chemical modification 215
    - bromination 217, 218
    - chemical etching 218
    - chlorination 217
    - fluorination 215
      - bulk* 216
      - direct* 215
      - indirect* 216
      - surface* 216
    - grafting 220
      - high-energy radiation* 220
      - radiation-induced* 221
    - photografting 222
      - bulk surface* 222
      - sulfonation* 218
  - Chemical recycling 359
    - depolymerisation 360
  - Chimassorb 280
  - Chromatographic techniques 46
  - Coextrusion 16, 17, 22
    - agricultural plastic film waste 279
  - Collagens 301
    - maximum sorption of water 301
  - Corona discharge
    - surface treatment system 22
  - Creep
    - mechanism of 26
  - Crosslinkable ethylene plastics
    - standard specifications 351
  - Cultivated cutis 286
  - Cyasorb 1084 280
- ## D
- Dacron 290
  - Dehydrochlorination 134
    - rate constant 135
  - Density
    - gradient column 44
  - Die capacity 57
  - Die size 55-56
  - Die swell percentage
    - polymer melt 50
  - Dielectric properties 30
  - Differential thermal analysis 119
  - Dimensional stability 35
  - Dioxin
    - structure of 163
  - Dow Chemicals 277
  - Dressings
    - adhesion of 324
    - air penetrability 313
    - animal origin 286
    - characteristics of 287-289
    - multilayer 305
    - penetrability 309

- polyurethane 304
- synthetic materials 286
- vegetable origin 290
- DuPont Company 131
- Dynamic mechanical analysis 339
- Dynamic mechanical properties 29, 339

## **E**

- Elmendorf tear strength test 28
- Energy recovery 361
- Erucamide
  - structure of 23
- Ester pyrolysis mechanism 173
- Ethylene copolymers
  - dielectric analysis 30
- Ethylene-vinyl alcohol films
  - oxygen barrier properties 248
  - typical properties 249
- Extruder
  - blow ratio 15
  - characteristics 14
  - compression zone 15
  - dispersive mixing 14
  - distributive mixing 14
  - feed zone 15
  - frost-line 15, 16
  - metering zone 15
  - screw 15
    - design* 15
  - size 55
  - twin-screw 14
- Extrusion 10
  - cast film 19
  - process
    - calendering* 17
    - extrusion coating* 17
  - tubular extrusion 13
    - film* 51, 59
- Exxon 82
  - process 83

## **F**

- Feedstock recycling 359
- Film 5
  - brittleness 60
  - drawing 18-19
  - extrusion blow moulded 18
  - extrusion coating 22
  - extrusion of the melt 5
  - film lamination 22
  - gloss 5
  - lamination 37
  - manufacture 5
  - melt adhesion 21
  - pigmented 38
  - printing 5, 22
  - slip agents 23, 342
  - surface properties 5
  - tensile strength 60
  - toughness 60
- Film application
  - linear low-density polyethylene 41
- Film blowing 48
- Film characteristics
  - blocking 61
  - bubble stability 61
  - extrusion variables 58
  - gloss 59
  - haze 59
  - impact strength 60-61
  - optical 58
  - puckering 62
- Film extrusion
  - blown film 50
  - slot cast extrusion 50
- Film orientation
  - shrink-wrapping 214
- Film packaging 75
- Film properties
  - blow ratio 61
  - gloss 61
  - haze 61

- optical 61
  - Film samples
    - impact test methods 337
  - Film shrinkage 69
  - Fire retardants
    - ammonium pentaborate 169
    - ammonium polyphosphate 168-169
    - brominated 166
    - brominated diphenyl oxide 161
    - char-formers 167
    - chlorinated 161
    - chlorinated dibenzo-p-dioxins 162
    - diagram of 167
    - dimelamine phosphate 170
    - environmental impact 168
    - guanidine sulfamate 168
    - halogen-containing 159-161
    - halogen-free 170
    - halogenated diphenyl ethers - dioxins 162
    - inorganic 159
    - intumescent systems 167-168
    - low-melting glasses 167
    - mechanism of action 160
      - condensed-phase* 169
    - melamine pyrophosphate 170
    - nitrogen-based organic 159
    - organophosphorus 159
    - phosphorus 160
    - polybrominated biphenyls 162, 165
    - polybrominated diphenyl ethers 162
    - polymer morphology modification 167
    - polymer nanocomposites 167
    - polymer organic char-former 175
    - preceramic additives 167
  - Flat film
    - dies 57
    - packaging bags 58
  - Flexible packaging
    - bags, sacks and pouches 238
    - dispensing 239
    - forms 236
    - heat-sealing 240
    - pouch production 239
    - reclosure 239
    - wraps
      - shrink-wrap* 237
      - stretch-wrap* 237
  - Fluidised bed pyrolysis 359
  - Fluoropolymer
    - sodium etching 219
  - Free-falling dart method 336
  - Free-radical processes 41
- ## G
- Gas permeation 35
  - General grade polyethylene films
    - standard specifications 350
  - General Electric 166
  - Greenhouse films
    - additive 268
    - ageing factors 275
    - ageing resistance 275
    - changes in chemical structure 276
    - compatibility 269
    - effects of pesticides 274
    - environmental pollution 274
    - excited-state quenchers
      - nickel dibutylthiocarbamate* 267
    - fog formation 273
    - hindered-amine light stabilisers 267, 275
    - humidity 273
    - light stabilisers 269
    - recycling 278
    - solar irradiation 265
    - solar radiation 265
    - stabilisation 265, 268-269, 272
    - temperature 272
    - ultraviolet screening
      - carbon black* 266
      - chalk* 266
      - short glass fibres* 266

*stabilisation* 265-266  
*talc* 266  
*TiO<sub>2</sub>* 266  
wind 273

## H

Hall Woodroof Co. 290  
Heat stabilisers  
  structures of 25  
High-density polyethylene 10  
  melt strength 11  
  recycled 373  
  applications 373  
    *detergent bottles* 373  
    *grocery sacks* 373  
    *large mouldings* 373  
  viscosity 11  
Hindered amine light stabilisers  
  hydroxybenzophenones 25  
  hydroxybenzotriazoles 25  
  tetramethylpiperidines 25  
Hydron 290, 298  
Hydroperoxide decomposition 208

## I

Impact properties  
  dart-puncture resistance 28  
  tensile impact 28  
  tensile-tear strength resistance 28  
Infrared spectroscopy  
  characterisation 32  
  composition analysis of blends and laminates 33  
  surface analysis 33  
Inorganic barrier coatings  
  aluminium oxide 255  
  clay nanocomposites 255  
Internal additives  
  antioxidants 24  
  ultraviolet absorbers 24

Intrinsic viscosity  
  polyethylene resin 46  
Isotactic polypropylene 9, 12, 79-80  
Izod tests 29, 366

## L

Light stabilisers  
  structures of 25  
Linear low-density polyethylene 11  
  differential scanning calorimetry curves 33  
  film  
    *atomic force microscopy of* 32  
    stress-strain curve 27  
Linear polyethylene 7  
  molecular structures 7  
Linear low density polyethylene 8  
  composition  
    by <sup>13</sup>C nuclear magnetic resonance 346  
  properties 8  
  shrink films 14  
Low-density polyethylene 7, 11  
  continuous shear rheology curve 12  
  covering films  
    *hindered-amine light stabilising* 272  
  differential scanning calorimetry curves 33  
  films  
    *standard specifications* 350  
  high-pressure radical process 7  
  mulch film  
    *recycling* 278  
  long branches 11  
  resistance to tear propagation 338  
  shrink properties 68  
Lubricants  
  chlorinated paraffins 24  
  paraffin wax 24  
  stearate salts 24  
  stearic acid 24

- M**
- Mechanical properties  
 abrasion resistance 26  
 adhesion tests 26  
 impact tests 26  
 polyolefin films 25  
 modification of 213  
 tear testing 26  
 tensile 26
- Mechanical tests  
 bending stiffness (flexural modulus)  
 339  
 free-falling dart method 336  
 hail resistance 337  
 impact resistance 336  
 impact test methods 337  
 package yield of a plastic film 334  
 pendulum impact resistance 337  
 pendulum method 338  
 percent elongation at break 334  
 percent elongation at yield 334  
 propagation tear resistance 338  
 puncture-propagation tear resistance  
 339  
 tear resistance 337  
 tensile modulus of elasticity 334  
 tensile strength 333  
 tensile strength at break 334  
 tensile testing (static) 333  
 yield strength 333
- Medium-density polyethylene films  
 standard specifications 350
- Melt elasticity 50
- Microporous material  
 typical sorption isotherm 294
- Microscopic examination  
 atomic force microscopy 31  
 optical-polarised light effect with  
 strain 31  
 scanning electron microscopy-etching  
 31
- Mitsui Hypol 82-83
- Mixed plastic waste  
 chemical recycling 369  
 conversion process 369  
 feedstock recycling process 369  
 gasification 369  
 identification of  
*electromagnetic scanning* 363  
*optical systems* 363  
*X-ray fluorescence* 363  
 polymer cracking process 369
- Modulus 331
- Moisture resistance 34
- Mulch film 277  
 recycling 278
- Multilayer plastic films 16  
 coating 252  
 coextrusion 253  
 greenhouses 279  
 lamination 253  
 metallisation 253  
 silicon oxide coating 254
- N**
- Nitroxyl radicals 194  
 Electron spin resonance spectrum 194  
 structure of 203
- Noryl 166
- Nylon-6  
 thermal decomposition 171
- O**
- Orientation 35  
 biaxial 18  
 by drawing 18  
 during blowing 18  
 machine direction 60  
 of film 18  
 transverse direction 60
- Oriented polypropylene 351

standard specifications 351  
Oxygen indices 170

**P**

Polyamide-6,6

cone calorimeter data 179-180  
nanocomposite  
*carbon residue* 183

Polyamide-6,6/Polyvinyl alcohol

cone calorimeter data 178

Packaging 235

Packaging films

acid copolymer films 250  
biaxially oriented film 244  
cellophane 247  
ethylene-vinyl acetate 250  
ethylene-vinyl alcohol 248  
high-density polyethylene 243  
linear low-density polyethylene 242  
low-density polyethylene 242  
polyamide (Nylon) 249  
polychlorotrifluoroethylene 247  
polyethylene terephthalate 245  
polypropylene 244  
polyvinyl alcohol 248  
polyvinyl chloride 245  
polyvinylidene chloride 246  
uses of 241

Packaging materials

barrier 257  
cellulose 252  
environmental issues 261  
high-impact polystyrene 252  
ionomers 251  
permeation 257  
plastics 251  
polystyrene 251  
printing  
*flexography* 256  
*ink-jet printing* 257  
*lithography* 257

*rotogravure* 257  
*screen printing* 257  
static discharge 256  
surface treatment  
*corona discharge* 255

Polyethylene

chlorination of 217  
films  
*wetting tension* 344  
interaction of nitrogen dioxide with  
189

long-chain branching 45

melt flow properties 45

melts

*shear viscosity* 48

oxidation of 219

processing

*troubleshooting* 63-65

resin

*basic properties* 42

*chain branching* 45

*density* 44, 45

*dispersity index* 42

*elasticity* 49

*elongational viscosity* 49

*heat of fusion* 47

*intrinsic viscosity* 46

*melt flow blend relationship* 43

*melt index* 42

*melt properties* 48

*melting point* 47

*molecular weight* 42

*rheology* 48

*viscosity/shear rheology* 48

short-chain branching 44-45

waste

*contamination by additives* 372

*contamination by reprocessing* 372

Perfluoronitroxyl radicals

electron spin resonance spectra of 203

Physical property modification

corona treatment 223

plasma treatment 222

- Physicochemical tests
- abrasion resistance 347
  - blocking load
    - parallel-plate method* 346
  - creep 346
  - creep rupture 346
  - density of plastics 340
  - environmental stress cracking 348
  - haze transmittance 341
  - ignition 342
  - indices of refraction 340
  - kinetic coefficients of friction 342
  - luminous transmittance 341
  - mar resistance 348
  - orientation release stress 345
  - outdoor weathering 347
  - oxygen gas transmission 349
  - oxygen index 342
  - rate of burning characteristics 342
  - resistance to chemicals 341
  - rigidity 345
  - shrink tension 345
  - specular gloss 343
  - static coefficients of friction 342
  - transparency 341
  - water vapour permeability 348
  - weatherability 347
  - yellowness 340
- Piping material
- polypropylene 74
- Plastic films
- abrasive damage 347
  - applications 228
  - artificial ageing tests 276
  - contamination by the environment 277
  - crosslinking 213-214
  - crystallisation 213-214
  - dimensions 332
  - gloss 343
  - grafting 228
  - greenhouses 263-264
  - in packaging 235
  - mechanical properties 213
    - modification of* 213
  - orientation 213-214
  - photooxidation 271, 277
  - physical properties 213
  - premature failure 272
  - production of 263
  - properties of 332
  - recycling in agriculture 277
  - removal of contaminants 213
  - resistance to tearing 338
  - slip properties 343
  - specular gloss 343
  - stability 263, 347
  - standard specifications 349
  - tear resistance 338
  - testing of 329-356
  - thicknesses 332
  - unrestrained linear thermal shrinkage 345
- Plastic materials
- fire retardation 168
  - photodegradation 265
  - recycling 279
- Plastic production 76
- growth rate 77
- Plastic recycling
- collection 362
  - mechanical recycling 358
  - primary recycling 358, 362
  - quaternary recycling 360
  - secondary recycling 358, 362
  - sorting 362
  - tertiary recycling 359, 362
- Plastic surfaces
- fluorinated 216
- Plastic waste
- films
    - recycling* 278
    - reuse* 278
    - management* 278

- recycling 357
- resin identification 362
- Plastics
  - separation of 359
- Polymethyl methacrylate
  - exposure to nitrogen dioxide 193
- Polluted atmospheres 187
- Polyamide films
  - typical properties 250
- Polyamides
  - interaction of nitrogen dioxide with 196
- Polyamidoimide film
  - influence of nitrogen dioxide on 200
- Polydimethylsiloxane
  - diffusion of gases 310
  - penetrability of gases 310
  - solubility of gases 310
- Polyethylene 7, 8
  - decreasing-pitch screw 51
  - density 60
  - high-density 8
  - high-pressure technology 45
  - linear low-density 8
  - low-density 7
  - low-pressure technology 45
  - self-adhesion 21
  - solubility of phenyl benzoate in 120
  - solubility of phenyl-b-naphthylamine in 122
  - surface treatment of 217
  - ultra-low-density 8
  - very-low-density 8
- Polyethylene films
  - crosslinked 214
  - irradiated 215
  - photo(bio)degradable 271
  - processing 41
  - properties of 243
  - shrink-wrapping 35
- Polyethylene resin
  - intrinsic viscosity 46
- Polyethylene terephthalate films
  - properties of 246
  - standard specifications 350
  - waste
    - chemical recycling process* 368
    - depolymerised* 367
    - glycolysis* 367-368
    - recycling of* 367
- Polyisoprene
  - interaction with nitrogen dioxide 192
- Polymer films
  - gloss 20
  - haze 20
  - surface analysis 34
- Polymer mixtures
  - selective dissolution 366
- Polymer nanocomposites
  - combustibility 181
  - disordered 180
  - intercalated 180
- Polymer structure
  - morphological irregularity 109
  - nonuniform 109
- Polymeric materials
  - graft copolymerisation 220
- Polymers
  - barrier characteristics 215
  - diffusion of water vapour 306
  - flame retardancy 159-160
  - interaction of nitrogen dioxides with 188
  - interaction of nitrogen oxides with 187-188
  - nitric oxide 188
  - nitrogen oxide 188
  - non-saturated 191
  - penetrability 306, 310
  - penetrability of gases 309
  - photochemical oxidation 187
  - reaction of nitric oxide with 202
  - rheology 15
  - separation coefficients of gases 309

- solubility of stabilisers 116-117
- solubility of water in 299
- thermal oxidation 187
- Polyolefin elastomers 8
- Polyolefin films 9
  - crystallisation 9
  - morphology of 9
  - packaging applications 36
  - production 5
- Polyolefins 6-7, 10
  - corona discharge treatment 21
  - dielectric properties 30
  - orientation drawing 119
  - properties 6
  - rheological characterisation 10
  - structure of 6-7
  - virgin
    - recycling behaviour of* 271
- Polypropylene 9, 12
  - additives 88
  - balanced oriented 351
  - barrier properties 214
  - branching 78
  - calcium carbonate pigment 101
  - chain scission 87-88
  - chirality 79
  - degradation 86
  - durability-additive property 97
  - durability-processing condition 94
  - dynamic mechanical analysis curve 29
  - films
    - durability* 73
    - processing conditions* 73
  - hydroperoxide decomposition 207
  - interaction of nitrogen dioxide with 189
  - metallocene-catalysed 13
  - micrograph 82
  - microstructure 96
  - morphology 81
  - regiospecificity 78
  - rods 74
  - stress-strain behaviour 94-95, 98-99
  - stretched tape materials 100
  - structures 80
  - properties of 244
  - two-step tubular orientation 13
  - ultraviolet degradation 86
  - uniaxially oriented 351
  - wire coating 75
  - worldwide capacity 77
- Poly-*tert*-butyl methacrylate film
  - degradation 190
- Polytetrafluoroethylene
  - processing of 215
- Polyurethane
  - cellular 286
  - films
    - exposure to nitrogen dioxide* 200
  - interaction of nitrogen dioxide with 196
  - sponges
    - pore size* 286
- Polyvinyl chloride
  - properties of 244
- Polyvinylidene chloride films
  - typical properties 247
- Porous materials
  - determining absorption ability 295
  - determining air penetrability of 296
  - penetrability 310
- Post-consumer films
  - recycling 277
- Polypropylene degradation 87
- Polypropylene fabric
  - scanning electron microscope
    - morphology 93
    - of ultraviolet light degraded* 93
  - stress-strain behaviour 92
- Polypropylene films 75
  - additives 85
  - chill roll cast method 85
  - durability-microstructure
    - relationship 91

- film processing 85
  - microscopic examination 91
  - oriented 75
  - opaque 75
  - static tensile tests 91
  - structures 78
  - surface morphology 100
  - synthesis 78
  - ultraviolet degradation behaviour 90
  - ultraviolet exposure 91
  - wetting tension 344
  - Polypropylene granules
    - Scanning electron micrograph 80
  - Polypropylene woven fabrics
    - stress-strain behaviour 91
  - Polypropylene-polyethylene-co-polypropylene 10
    - micrograph 10
  - Processing
    - troubleshooting 62
  - Polystyrene
    - degradation 191
    - film
      - degradation* 190
  - Polyvinyl chloride 134
    - degradation
      - effect of plasticisers* 145
      - rate* 148
    - dehydrochlorination 135, 137, 145, 147-148
      - kinetic curves for* 134
      - rate constants* 138
      - thermal* 150
    - disintegration 132, 134, 136
      - thermal* 151
    - 'echo' stabilisation 151-152, 153
    - global production 131
    - light stabilisation 144
    - low stability 132
    - stabilisation 138, 140-141
    - thermodegradation rate 150
    - thermoformed packaging 245
  - Polyvinyl chloride films
    - plasticisers 245
    - properties 245
  - Polyvinyl chloride waste
    - chemical recycling 368, 370
    - incineration 368, 370
      - rotary kiln* 370
    - mechanical recycling 368
    - pyrolysis process
      - chemical* 371
      - thermal degradation* 371
    - recycling 368
  - Polyvinyl alcohol
    - hospital laundry bags* 248
    - water-solubility* 248
  - Polyvinylpyrrolidone
    - interaction of nitrogen dioxide with 197
- ## R
- Recycling
    - dioxins 361
    - energy recovery 360
    - furans 361
    - incineration 360
    - incinerator 361
    - radiation technology 373
  - Regenerated cellulose
    - diffusion coefficient 306
  - Resin separation
    - air separation 363
    - colour 365
    - density 364
    - electrification 365
    - float-sink operations 364
    - flotation tanks 363
    - fluidisation 365
    - Fourier transform IR 366
    - high-voltage drums 365
    - hydrocyclone 364
    - magnetic separation 363

- photoelectric sensors 365
  - physicochemical properties 365
  - spectroscopy 366
  - supercritical fluid 364
  - X-ray fluorescence analyser 366
  - Rheology 5
  - Rubber-modified products 373
- S**
- Saytex 8010 166
  - Separated PE waste
    - recycling 371
  - Shock-cooling 58
  - Short-term tests
    - dart test 28
    - impact test 28
  - Shrink film 18, 62, 65
    - bi-oriented 65
    - blow-up ratio 67
    - bubble shape 69
    - frost-line 67, 69
    - manufacture 67
    - mono-oriented 65
    - ovens 70
    - properties 66
    - resin melt index 69
    - shrinkage 66
    - shrink-wrapping 62
    - tunnels 70
  - Slip agents
    - erucamide 23, 85
    - ethylene bis-stearamide 23
    - oleamide 23, 85
    - stearamide 23
  - Slot casting 59
    - process
      - melt temperature* 60
  - Sorption isotherm 110
  - Spheripol 82
    - process 82-83
  - Stabilisation agents
    - phenolic antioxidants 85
    - phosphite antioxidants 85
  - Stress relaxation
    - mechanism of 26
  - Surface additives
    - corona treatments 33
    - glyceryl monooleate 33
    - polyisobutylene 33
    - slip agents 33
  - Surface modification
    - antiblocking 22
    - antistatic agents 24
    - chemical treatments 213
    - chlorinated paraffins 24
    - corona discharge 21, 213
    - hydrophilic 223
    - lubricants 24
    - paraffin wax 24
    - physical methods 222
    - plasma 213
    - slip additives 23
    - stearate salts 24
    - stearic acid 24
  - Surface properties
    - blocking 21
    - gloss 19
    - haze 20
    - slip 21
    - surface energy 20
  - Syndiotactic polypropylene 79
- T**
- Tensile properties
    - burst strength 28
    - creep 27, 28
    - strain hardening 26
    - strain rate 26
    - stress relaxation 26
  - Testing
    - ASTM D882 335
    - methods

- requirements* 330
- sample conditioning* 332
- results
  - interpretation of* 330
  - thin films 335
- Tetrafluoroethylene-hexafluoropropylene
  - gamma-irradiated
    - action of nitric oxide on* 205
- Thermal analysis
  - differential scanning calorimetry 31
  - temperature-modulated* 32
- Thermal dehydrochlorination 146
- Thickness 34
- Thin films
  - 'neck-in' 58
- Tinuvin 622 LD 280
- Toxicity equivalence factors 162-164
  - CDD 164
  - CDF 164

## **U**

- Ultra-low-density polyethylene 11
- Ultraviolet stabilisation 25
- Unipol 82
- Unipol process 84
- Ultraviolet degradation 87
- Ultraviolet stabilisers 70

## **V**

- Very-low-density polyethylene 11
- Vinyl polymers
  - interaction of nitrogen dioxide with 188
- Viscoelasticity 331

## **W**

- Wound exudate
  - sorption of by dressings 298

## **Z**

- Ziegler-Natta processes 41