

Index

- ABS (acrylonitrile butadiene styrene), 13, 116, 122, 139, 260, 265, 336, 351, 395
- Acceptable quality level, 15, 133, 379
- Acceptable quality limits (AQL), 134, 379
- Achieving TQPC, 7
- Acrylic, 48, 214, 451, 528
- Adhesive/solvent bonding, 538
- Aesthetic checks, 36, 320, 452, 470
- Agency and code organization, 595
- Agreements, customer/supplier, 35, 36, 82
- American Society for Testing and Materials (ASTM), 140
- Amorphous, 46, 198, 259, 350, 436
- Application development/flow chart, 90
- Assembly of parts
 - automated, 500
 - techniques, 501
- ASTM, 140
- Audits
 - compliance, 3, 29, 34, 86, 91, 104, 142
 - quality, 103
- Automatic systems, 328
- Auxiliary equipment, 18, 174, 327, 382–386
- Back pressure, 156, 249, 405, 432
- Ball drop (Gardner) impact test, 449
- Bar coding, 51, 52, 164, 392
- Blending, 135, 160, 166, 332, 431
- Bosses, 116, 203, 470, 480, 484, 485
- Business process improvement, 6, 11
- CAD, 51, 70, 170, 179, 191
- CAE, 170
- Calculation of product manufacturing cost, 122, 126, 564, 574, 601, 655
- CAM, 170, 179, 191
- Capability index, 21, 23, 97
 - CP, 10, 19, 20, -23, 39, 97
 - CPk, Ppk, 10, 21, 23, 56
- Capillary rheometer, 156
- Captive part quality, 36
- Cavity melt pressure, 366, 437
- Central systems, 329, 346, 349, 443
- Certification, 57

- Checklists, 5, 20, 38, 41, 45, 67, 84, 107, 345
 - contract, 84, 602
 - design, 48, 113, 171
 - dryer maintenance, 336
 - mold design, 41, 172
 - pre-mold design, 172
- Chillers, 346, 348, 351, 353, 355
 - leaving water temperature (LWT), 348, 352, 353
 - preventive maintenance, 145, 278, 284, 321, 353, 435, 440
 - troubleshooting, 326
 - water treatment, 288, 349, 354
- Chrysler, score, supplier cost reduction effort, 142
- CIM, 49–51, 53, 170, 171, 355, 396, 444
- Closed loop, 257, 598
- Color, 36, 91, 132, 322, 342, 454, 547
- Color pigments, 136, 455, 549
 - concentrates, 333–335
 - heavy metal, 160, 454, 549
 - organic, 136, 146, 169, 455, 549
- Computer-aided design (CAD), 51, 70, 170, 179, 191
- Computer-aided engineering (CAE), 170
- Computer-aided manufacture (CAM), 170, 179, 191
- Computer integrated manufacture (CIM), 49–51, 53, 170, 171, 355, 396, 444
- Control, of documents, 3, 86, 576
- Control charting, 8, 23, 54, 410, 422, 428
- Commodity resin, 114
- Company, department organization, 43, 88
- Communicating quality, 58, 60, 64
- Compliance audits, 91
- Configuration management system (CMS), 3, 5, 49, 59, 89, 91, 99, 101, 102
- Consigned material, 100
- Contamination, 26, 165, 340, 400, 454, 510
- Contracts, 27, 40, 80, 97, 130, 142, 192
 - checklist, 84, 602
- Control, by part weight, 41, 114, 215, 287, 406
- Control charts, 54, 57, 141, 396, 410–412
 - percent/fraction control charting, 422
- Control limits, 105
- Conveyor systems, 362
- Cooling channels, 41
- Cooling system, of mold, 346
- Copolymers, 136
- Cores, 234
- Corrective action information list, 102
- Cost
 - of part, 46, 115, 126, 183, 370, 601, 622
 - product manufacturing, calculation, 122, 126, 564, 574, 601, 655
- Critical to quality (CTQ), 66
- Crystalline, 47
- Customer
 - involvement, 1, 2
 - satisfaction, 1, 25
- Data
 - periodic lot, 140
 - specific, lot, 138
- Decorating techniques, 544
- Desiccant bed analysis, 343
- Design of experiments (DOE), 33, 108
- Design parameters, 467
- Destructive tests, 448
- Dew point, 335
- Differential scanning calorimeter (DSC), 146, 151
- DMAIC (define, measure, analyze, improve, control), 93
- Documentation and records, 5, 101
- Draft, 177
- Dryer analysis, 337
- Dryer bed analysis, 340
- Dryer problem checklist, 345
- Drying system, 335
 - material drying, 334
- EDI (electronic data interchange), 52
- EDM (electric discharge machining), 199
- Ejection, of the part, 235
- Electroplating, 568
- End use design factors, 469
- Establishing total quality process
 - control, 132
 - responsibility, 42
- Extrusion plastometer, 154
- FEA, 7, 17, 32, 70, 71, 103
- Feeders, 327
- Filler/reinforcement, 38, 80

- Finite element analysis (FEA), 7, 17, 32, 70, 71, 103
- First article, inspection, 100
- Fishbone (Ishikawa) analysis, 7, 18, 69
- Fisher Johns, (melt/softening point), 158
- Ford quality system, Q1, 142
- Form, fit, and function, 39
- Fusion deposition model 110

- Gating, 215
- Gel chromatography (GC), 143, 144, 150
- General Motors (GM), targets for excellence, 142
- Granulator/grinder, 355
 - problem solving, 359
- Graphics, 557

- Heading (cold and hot), 531
- Heat transfer, 175
 - conductivity, 176
 - expansion, 176
- Heater bands, 130
- Heaters, mold, 352
- Hinge types (living), 497
- Homopolymers, 136
- Hot plate welding, 529
- Hot runner molds and systems, 271
- House of quality, 62
- Housekeeping, 402
- Humidity, problems, 165, 400

- Induction bonding, 525
- Infrared fusion, 529
- Injection molding machine, 297
 - ball check, 306
 - barrel and screw, 122, 292, 298, 322
 - cold start-up, 433
 - cycle, 290, 295
 - data record sheet, 399
 - electric machines, 287
 - heater bands, 311
 - hydraulic machines, 314
 - injection rate, 293
 - maintenance of machinery, 321
 - melt generation, 300
 - melt shot capacity, 291
 - metal magnet, 323
 - mold clamp, 119, 209, 313
 - mold height (daylight), 174, 210
 - non-return valve, 305
 - nozzle, 309
 - plunger machines, 272, 288
 - pressure, pack/back, 294
 - pyrometer/thermocouple, 312, 403
 - ram, 289
 - reciprocating screw machines, 289
 - regrind, 300
 - screw tip, 307
 - screw types, 303
 - size, selection, 119
 - sliding check ring, 305
 - smear tip, 307
 - temperature profile, 154, 198, 293, 311, 404, 432
 - thermocouples, 310, 312
 - toggle clamp, 315
 - torpedo/spreader, 289
 - vented barrel machines, 317
- Injection molding process
 - set-up, 180, 385
 - shutdown procedure, 397
 - startup procedure, 389
- In-mold decorating, 564
- In-process inspection, 131
- Inserts, 493, 537
- Integral hinges, 497
- Ishikawa (fishbone), 7, 18, 69
- ISO triangle of elements, 2
- ISO9000:2000, 1, 57
- ISO/TS16949:2009, 1, 57
- ISO9001: 2000, 86

- Just-in-time (JIT), 53, 143, 441

- Kaizen, 32

- L/D ratio (screw), 292, 301, 311, 320
- Limits
 - manufacturing, 98, 129, 411
 - mold, 111
 - supplier, 129
- Living hinge, 497
- Lower specification limit (LSL), 19

- Maintenance
 - checklist for IJ machine, 324
 - of equipment, 99

- injection molding machine, 321
 - process control, 424
- Managing objectives, 28
- Management quality audit, 103
- Management responsibility, 3, 43
- Manufacturing
 - capability, 48, 468
 - cycle, 13, 47, 116, 381, 396, 410, 585
 - limits, 98, 129, 411
 - methods, 53, 141, 369
 - planning, 97, 459
- Manufacturing operation sheets (MOS), 96
- Master sampling table, 16, 33, 379
- Material (resins)
 - certification, 138, 384
 - inspection, 144
 - testing incoming, 143
 - variability, 135, 143, 156, 408
- Material feeders, 106, 129, 327
- Material handling, 165, 328
 - blending at hopper, 332
- Material safety data sheets (MSDS), 163
- Material selection, 114, 468
- Material shrinkage, 107, 216
- Measure and test equipment, 98
- Measurements, 428
- Melt generation, 121
- Melt index, 154
- Melt point tests, 146, 507
- Melt temperature, 156, 259, 312
- Microprocessor, 326, 322, 346, 396, 459
- Microwave dryers, 346
- Missing molding variable(s), 408
- Modern Plastics Encyclopedia*, 138
- Moisture
 - analysis, 153
 - level, 97, 153, 318, 335, 346
- Mold and/or tool, 169
- Mold cool, 251, 257
- Mold data record sheet, 3, 50, 129
- Mold design and building path, 112
- Mold inspection and maintenance, 281
 - work order, 281
- Mold installation, 385, 388
 - cavity dimensions, 267
 - hot-runner processing, 134, 176, 271
 - mold problem solutions, 429
 - procedure, 386
 - shrinkage, estimating, 259
- Mold limits, 111
- Mold materials, 194, 196, 234, 271
 - cavity form and finish, 198
 - cavity layout in mold, 210
 - clamp capacity, 209
 - corrosion/abrasion, 195
 - EDM (electric discharge machining), 199
 - family mold, 207
 - melt capacity, 208
 - multi-cavity, 207
 - polishing, 203
 - runner system, 212
 - single cavity, 206
 - texturing, 203
 - thermal conductivity, 196
- Mold temperature controller, 246, 350
- Molding cycle, machine selection, 41, 47, 134, 198, 248, 258, 290, 295, 386
- Molding machine (injection), systems and operation
 - cavity finish, 180, 543
 - ejector return, early, 237
 - ejector system, 177
 - estimating machine cycle time, 116, 122
 - estimating number of mold cavities, 118
 - estimating mold clamp requirements, 120
 - gates, 215
 - heat transfer, 94, 175
 - hot-runner mold, 189
 - maintenance, 278
 - material selection, 194
 - nozzle, 226, 309
 - overflow tab, 223
 - passive vents, 243
 - polishing, 203
 - porous metal vents, 244
 - pressure gradient, 180
 - prototype tooling, 183
 - quick disconnect fittings, 180, 252, 370
 - resin flow, 215, 218, 275, 281
 - scheduling, 193
 - screw types, 122
 - screw tips, 307

- Molding machine (injection), systems
 - and operation (*cont'd*)
 - set-up charges, 125
 - single cavity, 439, 564
 - spread sheet (mold build), 193
 - sprue bushing, 227
 - stripper mold, 189
 - temperature control, 245
 - texturing, 111, 205, 484, 549
 - three-plate mold, 184
 - toggle clamp action, 124
 - two-plate mold, 184
 - venting, 175
 - weld lines, 223
- Molding problems, 110, 293, 321, 401, 429, 675
- Molding start-up operations, 113
- Molds
 - blowback, 245
 - burn marks (dieseling), 240, 440
 - cavity layouts, 137
 - cavity optimization/selection, 183
 - checklist, 107
 - cold slug wells (traps), 213, 299
 - complex parting lines, 228
 - cooling system, 346
 - core venting, 244
 - cost estimating, 126
 - deposits, 240, 244, 452, 567
 - draft and shut-off, 111, 177–179, 199, 204–206, 242, 315
 - edge gate mold, 220, 240, 269
 - electric discharge machining (EDM), 199
 - gating, 215
 - venting, 237, 241
- Molecular weight, distribution, 100, 136, 151
- Nonconformance, 101
- Non-destructive tests, 450
- Non-uniform part thickness, 474
- Nozzle, 226
- Optical comparator, 450
- Organization, quality, 34, 666
- Painting, parts, 553
- Pareto analysis and charting, 24, 70, 381
- Part removal, 360, 461
 - conveyors, 129, 359, 363
 - ejection, 235
 - robots, 465
 - weight, 41, 47, 107, 114, 215, 297
- Parting lines, 228
- Parts
 - color matching evaluation, 131
 - cost, 46, 115, 126, 183, 370, 601, 622
 - handling, 460
 - painting, 553
 - piece part pricing, 46, 47
 - purchased, 100, 130
- Parts to print, 36
- Piece part, pricing, 46, 47
- Physical property testing/analyzing, 144–145
- “Plan, do, study, act,” 92
- Plant environment, 400
- Polarized light, 451
- Polymers
 - additives, 136, 149
 - copolymers, 136
 - homopolymers, 136
- Porous metal vents, 244, 457
- Postmold shrinkage, 261
- Pre-mold design checklist, 172
- Preproduction process, 42
- Press fit, 502
- Preventative action, 103
- Price of quality, 102
- Pricing the tool, 190
- Process aids, 168
- Process line
 - integration, 440
 - scheduling, 443
- Process ownership, 6
- Product cost and cavity optimization, 183
- Production startup, 378, 384
- Problems (molding solutions), 429
- Process control, 54, 98, 286
 - charts, 23, 143, 396, 410
 - establishing total quality, 42, 132
 - flow diagrams, 89
- Production tooling, 184
 - two- and three-plate types, 184–190
- Production start-up procedures, 378, 384, 385

- Product liability, 84
- Product control, 99, 500
- Prototyping, 109
 - modeling, 109, 110, 170
 - tooling, 183
- Pyrometer, 312
- Quality
 - agreements, 35, 36
 - audit, 103
 - circles, 10, 24, 30, 69
 - improvement methods, 101
 - problems, 94
- Quality charter, objectives, 25
- Quality control
 - manual, 2, 3, 86
 - principles, 8
- Quality function development (QFD), 17, 25, 61
- Quality improvement methods, 9, 55
- Quality inspection equipment, 366
- Quality supplier program, 126
- Quality vendors audit, 597
- Quick mold change (QMC), 33, 369
- Radii, 470
- Radio frequency identification (RFID), 52
- Range, 23, 34, 98
- Records, 3–5
- Regrind, , 151, 163, 165, 300, 434
- Request for quote (RFQ), 87
- Resin
 - analysis, 144
 - inspection, 144
- Responsibility, establishing, 42
- RFID, 52
- Ribs, 478
- Robots, 365
- Sales department, 34, 190
- Salt-and-pepper blends, 160, 534, 548
- Screw types, 303
- Selective laser sintering (SLS), 603
- Setup operator, 385
- Shear heat, 122, 157, 209, 217, 288, 301, 389
- Shipping, 51, 73, 100, 163
- Shrinkage, 38, 47, 107, 139, 261
- Shut-down procedures, 397, 400
- Six Sigma, 8, 11, 92, 93
 - DMAIC, 11
- SLA (stereolithography), 110
- Snap fits, 503
- Society of the Plastics Industry (SPI), standards and practices, 13
- Solid modeling, 170
- SPC, 10, 13, 14, 19
- Specific gravity, 114, 153, 158
- Specifications, 105
- SPI, 13
- Spin welding, 510
- Spiral flow, 153, 156, 212
- Sprue, 226
- Standard deviation, 21, 415, 422, 588
- Standard selection, 7
- Statistical process control (SPC), 10, 13, 14, 19
- Statistics, 19, 21, 33, 379
- Supplier
 - certification, 57, 101, 142
 - limits, 129
 - responsibility, 25
- Taguchi methods, 108, 409–410
- Temperature control balance, 245, 404
- TG (thermogravimetric), 139, 146, 149
- Thermal analysis (TA), 143
- Thermosets, 136
- Threads, 229, 234, 487
- Time, cycle, 47, 116
- Tool and/or mold, 169
- Tooling build schedule, 192
 - management operations, 17, 96
- Training, 101
- Troubleshooting, 33, 68, 354, 385, 409
- Two-shot molding, 562
- Ultrasonic closures, 524
- Ultrasonic welding, 515
- Undercuts, 491
- Upper specification limit (USL), 19
- Vacuum metalizing, 565
- Variables of manufacture, 106
- Vendor clinics, 83

Vendor selection and survey,
 80, 81

Venting, 237, 241, 436

Vibration welding, 501, 520

Vicat test (softening), 158

Viscosity, 39, 80, 106, 129, 151, 154

Weigh scale, 364

Weld lines, 480

Welding techniques, 506

Worker involvement, 10

Zero defects, 132, 143, 559, 621