

## A

- aerosol products, 101
- allergic reactions, hypoallergenic skincare products, 4
- animal testing, The Body Shop, 98
- anionic o/w (oil/water) emulsions, 136–137, 143
- antimicrobial preservatives, 5

## B

- batch processing, 36–38
  - LEE (Low-Energy Emulsification), 64, 117–119, 122
  - pilot batches, 60–62
    - laboratory experiments, 62–64
  - sizes, problem increases, 2–3
  - two-kettle, 120
- Becher, Paul, 54
- Blink, the Power of Thinking Without Thinking*, 72
- The Body Shop, 98, 110
- Boots Drugs, 102–103, 175
- Botanics brand, 102
- Brady, Diane, 174

## C

- California Certified Organic Farmers, 97
- carbon footprints, 102–103, 110, 175
- Carbon Trust, United Kingdom, 175
- cationic o/w (oil/water) emulsions, 133–134, 138–139
- CFCs (chlorofluorocarbons), 101, 168
- Charlie, Revlon, 97, 168
- The Chemistry and Manufacture of Cosmetics*, 28
- chlorofluorocarbons (CFCs), 101
- Clinique, Estee Lauder, 76
- color additives, FDA (Food and Drug Administration), 4
- colorant free products, 4
- composition variables. *See* cVs
- continuous processing, 36–38, 117–119
- cosmeceuticals, 76

- active ingredients, 77
- cosmetics, 76
- Cosmetic, Toiletry & Fragrance Association (CTFA). *See* PCPC
- cosmetic emulsions. *See also* emulsion manufacturing; emulsion stability
  - definition, 9
  - history factor, 73, 99–102
  - moderation principles, 105–110
  - physical properties, 11, 18–19
  - subjective qualities, 11
- Cosmetic Ingredient Dictionary*, 76, 169
- Cosmetics: Trick or Treat?*, 3
- costs of cosmetics manufacturing
  - controlling, 75–76
  - problem increases, 2–3
- CTFA (Cosmetic, Toiletry & Fragrance Association). *See* PCPC
- cVs (composition variables)
  - departmental cooperation, 90–92
  - LEE (Low-Energy Emulsification), 131–132
  - politically correct solutions, 65–66
  - pVs (process variables), 58–60
- D**
- deNavarre, Maison “Ed” G., 28
- Draize testing, 98, 173
- Dry Look hairspray, Gillette, 167
- E**
- Earth Institute of Columbia University, 103
- Elgin, Ben, 174
- Elizabeth Arden’s Visible Difference, 76
- emulsion manufacturing. *See also* cosmetic emulsions; emulsion stability; LEE
  - arts and science, 21–22
  - batch processing, 36–38, 64, 117–119, 122
    - pilot batches, 60–64
  - continuous processing, 36–38, 117–119
  - departmental communication
    - breakdowns, 89–90
    - cooperation, 90–92

- labor costs, 18
- moderation principles, 105–110
- semi-continuous processing, 36–37, 117–119
- Emulsion Science*, 54
- emulsion stability. *See also* cosmetic emulsions; emulsion manufacturing
  - chemical stability, 43–46, 100
  - droplet sizes, 33–34
  - HLB (Hydrophile-Lipophile Balance) method, 154–155
  - microbial stability, 43–46, 100
  - physical stability, 43–46, 100
  - quality
    - controlling, 18–20
    - improving, 17
  - synthetic preservatives, 5
  - three-year testing, 11–12, 54
- Emulsions Theory and Practice*, 54
- environmental concerns. *See also* natural/organic products
  - carbon footprints, 102–103, 110
  - corporations
    - green concerns, 174
    - green credit, 174–175
  - global warming, 110–111
  - green chemistry, 175
  - ozone destruction, 101
  - VOC (volatile organic compounds), 9, 102
- equilibrium systems, 12
  - thermodynamics, 31–33
  - time bomb effect, 52–53
- Estee Lauder's Clinique, 76
- expenses of cosmetics manufacturing. *See* costs of cosmetics manufacturing

## F

- FDA (Food and Drug Administration)
  - color additives, regulations, 4
  - definition, 16
  - labeling ingredients, 3–4, 11, 98, 169
  - SPF (sun protection factor) ratings, 111
- flow properties of matter. *See* rheology

- Food and Drug Administration. *See* FDA (Food and Drug Administration)
- formulations for cosmetics, 11
- from concepts to marketing, 84–85
  - equipment flexibility, 92–94
  - FDA labeling rules, effects of, 3–4
  - history factor, 73
  - moderation principles, 105–110
  - natural/organic
    - challenges for chemists, 5–6
    - industry growth, 77
  - relationship with manufacturing, 1–2
  - rule changes
    - government-imposed, 3–4
    - industry-imposed, 4–5
  - waterproof products, 10
- fragrance free products, 4
- Freon substitutes, 101

## G

- Gillette's Dry Look hairspray, 167
- Gladwell, Malcolm, 72
- globalization, cosmetics manufacturing, problem increases, 2
- Glycel antiaging cream, 76
- green cosmetics. *See* environmental concerns
- Griffin, W.C., 35, 152–153, 159, 161

## H

- HLB (Hydrophile-Lipophile Balance) method, 35, 152–155, 159, 161
- initial surfactant location, altering, 155–158
- hydrophilic surfactants, 14, 19. *See also* HLB method; surfactants
- hypoallergenic skincare products, 4

## I

- IFSCC (International Federation of the Societies of Cosmetic Chemists), 28
- INCI (International Nomenclature Cosmetic Ingredient) names, 4, 168–169
- consumer perception, 99–100
  - subtracting INCI names, 77, 171
- input *versus* output, 106–110

*International Cosmetic Ingredient Dictionary and Handbook*, 77, 169  
International Federation of the Societies of Cosmetic Chemists (IFSCC), 28  
International Nomenclature Cosmetic Ingredient names. *See* INCI names

## J

JIT (just-in-time) production, 2

## L

labeling cosmetics ingredients. *See also* packaging

FDA (Food and Drug Administration), 3–4, 11, 98, 169

ingredients

inventories, 2, 4, 173

names, impressions of, 4

names, INCI, 4, 169

number of, after FDA 2973 ruling, 11

natural/organic cosmetics, subtracting INCI names, 77, 99–100, 171

packaging importance, 42–43

Laffer, Arthur, 110

Laffer curve, 110

latex paints, emulsion-based, 9

LEE (Low-Energy Emulsification), 6, 121–125. *See also* emulsion manufacturing

advantages, 116–117

cVs (composition variables), 131–132

limitations, 131–132

preparation importance, 144–147

principles, 115–116

production efficiency, 32, 103

pVs (process variables), 131–132

phase inversion controls, 141–144

phases, alpha combined with emulsion concentrate, 125–128

phases, high internal, 141–144

quality improvement, 151–152

and surfactants, 132–138

Z point expansion, 138–141

Less Is More principle, 84, 90, 109–114, 146, 150, 170, 175–176

linear thinking, 111–113

lipophilic surfactants, 14, 19. *See also* HLB method; surfactants

liquefied petroleum gas (LPG), 101

Low-Energy Emulsification. *See* LEE

LPG (liquefied petroleum gas), 101

## M

macroemulsions, 12, 17

manufacturing. *See* emulsion manufacturing

market competition, cosmetics, 2

Max Factor, 97, 167

metastable emulsion state, 33, 43–46

microemulsions, 12, 17

## N

Nader, Ralph, 3

natural/organic products. *See also* environmental concerns, 171–172

California Certified Organic Farmers, 97

definition, 172–173

formulation

rules, 5–6

subtracting ingredients, 77

industry growth, 77, 168

paraben free products, 4, 46

natural/organic trend, 46, 100

unsustainable claims, 171

USDA (US Department of Agriculture)

NOP (National Organic Program), 98

organic certification, 102, 173

Newtonian fluids, 24–28

nonequilibrium systems, 13, 33

nonionic surfactants, 101

o/w (oil/water) emulsions, 140

paraben preservatives, 45–46

w/o (water/oil) emulsions, 135–136

non-Newtonian fluids, 24–28

NOP (National Organic Program), 98

## O

Organic Foods Production Act, 98

“The Organic Myth,” 102, 174

organic products. *See* natural/organic products  
o/w (oil/water) emulsions, 10  
    anionic, 136–137, 143  
    cationic, 133–134, 138–139  
    nonionic, 140  
ozone destruction, 101

## P

packaging. *See* labeling cosmetics ingredients  
paints, emulsion- and solvent-based, 9  
paraben preservatives

    nonionic surfactants, 45–46  
    paraben free products, 4  
        natural/organic trend, 46, 100  
    unsustainable claims, 171

PCPC (Personal Care Products Council)

*Cosmetic Ingredient Dictionary*, 76, 169

*International Cosmetic Ingredient Dictionary and Handbook*, 77, 169

Personal Care Products Council. *See* PCPC

PIT (phase inversion temperature) method, 54, 62, 141, 152

preservatives

    antimicrobial, 5  
    paraben  
        natural/organic trend, 46  
        nonionic surfactants, 45–46  
    preservative free products, 4, 99–100  
    synthetic, 5

product recalls, 2, 18

pVs (process variables), 1, 13

    controlling, 85–87  
    cVs (composition variables), 58–60  
    departmental cooperation, 90–92  
    emulsion quality improvements, 151–152  
    equipment flexibility, 92–94  
    human variables, 78–80  
    investigating, 60–62  
    LEE (Low-Energy Emulsification), 131–132  
        phase inversion controls, 141–144

- phases, alpha combined with emulsion concentrate, 125–128
- phases, high internal, 141–144
- quality improvement, 151–152
- surfactants, 132–138
- Z point expansion, 138–141
- pilot batches, 60–62
  - laboratory experiments, 62–64
- solutions
  - politically correct, 65–66
  - strategies, 80–82
  - sustainable, 95–96

## Q

- QC (quality control), emulsions, 18–20, 75–76
  - camouflaging imperfections, 41–42
  - cost, controlling, 75–76
  - defining and measuring, 11–12, 71–72
  - energy use, withholding, 113–114
  - hiring practices, 87–88
  - improving, 17–18
    - surfactant reduction, 150
  - NIH (not invented here) complex, 67–69
  - NMF (not my fault) complex, 66–67
  - NMI (not my idea) complex, 67–69
  - politically correct solutions, 65–66
  - pVs (process variables), optimizing, 151–152
  - rheology, 29–31
    - cosmetic formulations, 28–29
    - cosmetics/emulsions production, 29–31
  - speed or quality, 15–16
  - training side effect, 71–72
  - variables, 57–58

## R

- REC (Renewable Energy Credit), 174–175
- recalls. *See* product recalls
- regulations for cosmetics manufacturing. *See* FDA; USDA
- Renewable Energy Credit (REC), 174–175



Revlon's Charlie, 97, 168

Revson, Charles, 168

rheology

cosmetic formulations, 23–27

QC (quality control), 28–29

definition, 23

manufacturing problems, solving, 29–31

Rowland-Molina theory, 101

## S

Sachs, Jeffrey, 103

SCC (Society of Cosmetic Chemists), 28, 103

semi-continuous processing, 36–37, 117–119

shear rates, 23–27

shear thickening/thinning, 23–27

shelf life, 5

emulsion stability, categories, 43–46

thermodynamics, second law of, 12

Sherman, Philip, 54

Shinoda, Kozo, 54

skincare products, hypoallergenic, 4

SLS (sodium lauryl sulfate), 101

Society of Cosmetic Chemists (SCC), 28, 103

sodium lauryl sulfate (SLS), 101

solubilization method, surfactants, 158–161

solvent-based paints, 9

SPF (sun protection factor) ratings, 111

Stabile, Toni, 3

stability. *See* emulsion stability

Stoke's law, 34

surfactants, 13–14. *See also* hydrophilic surfactants; lipophilic surfactants

HLB (Hydrophile-Lipophile Balance) method, 35, 152–155, 159

initial surfactant location, altering, 155–158

pVs (process variables), 132–138

reducing for quality/energy savings, 150, 161–165

solubilization method, 158–161

sweating, 10

synthetic preservatives, 5, 78

## T

“10 Ideas That Are Changing the World Right Now,” 103

terminal velocity. *See* V

thermodynamics, 12

emulsion manufacturing, 31–33

microemulsions, thermodynamically stable, 17

time bomb effect, 18, 19, 39

equilibrium, 52–53

finding problems

difficulty, 50–53

identifying and defusing, 54–55

time-dependent problems. *see* time bomb effect

## U

United Kingdom’s Carbon Trust, 175

*Unsafe at Any Speed*, 3

USDA (US Department of Agriculture)

NOP (National Organic Program), 98

organic certification, 98, 102–103, 173

US Food and Drug Administration. *See* FDA (Food and Drug Administration)

## V

V (velocity) and viscosity, 34

viscosity

definition, 23

production speed or quality, 15–16

shear rates, 23–27

variations in readings, 28–29

sweating, 10

V (velocity), 34

viscometers, 23

variations in results, 28–29

Visible Difference, Elizabeth Arden, 76

VOCs (volatile organic compounds), 9, 102

## W

Walkers, 175

Wal-Mart, 102

waterproof products, 10  
w/o (water/oil) emulsions, 10  
    nonionic, 135–136  
w/o/w (water/oil/water) multiple emulsions, 10

## Z

### Z point

emulsion manufacturing, 119–120, 170  
LEE (Low-Energy Emulsification)  
    effects of surfactants and pVs (process variables), 135–136  
    expanding Z point, 138–141