

Adhesives*Pressure sensitive*

Heat-resistant poly(silsesquioxane-g-methyl methacrylate)s, 59

Poly(acrylate-co-2-ethylhexyl acrylate) for bonding to low-energy surfaces, 64

Surface adhesives

Plasma treatment of polyimides to improve surface adhesion, 75

Sulfur-modified Novolak resins exhibiting strong adhesion to gold surfaces, 67

Thermally stable

Polyvinyl alcohol crosslinked with bis(allyloxy)methane, 77

Catalysts*Decyclization of cyclic poly(diethylene glycol terephthalate)*

1,3-di-1-adamantyl-imidazole-2-ylidene, 56

*Oligomeric uretonimine modified**polyisocyanates*

3-Methyl-1-phenyl-3-phospholene-1-oxide, 281

Organometallic catalysts

Aluminum phosphate/Group VI metal amide catalysts for oligomerization of ethylene, 288

Epoxidation of propylene using palladium/titanium zeolite-1, 285

Cosmetics*Topical*

Poly(isobornyl methacrylate-co-isobornyl acrylate)-*b*-methacryloxypropyl-tris(trimethylsiloxy)silane, 81

Crystalline polymers*Liquid Crystal Displays*

Polymethacrylate-*g*-cholesterol which reflect light of various wavelengths, 85

t-Isosorbide ester diacrylates exhibiting fixed cholesteric optical properties, 91

Polyacetylene derivatives having a helical rigid-rod shape which exhibit cholesteric or nematic crystal phase behavior, 96

Poly(trans-di-hexyl-1,4-phenylene) exhibiting optical anisotropic behavior, 100

Thieno[3,2-*b*]thiophene monomers, 105

Dyes*Jet-printer ink*

Maleimide polymethacrylates containing grafted *N*-(2,4-dinitrophenyl)-1,4-phenylenediamine, 111

Oxime ester photopolymerization initiators that do not cause film discoloration, 95

Electrically active polymers*Conducting polymers*

Poly(1H-thieno[3,4-*d*]imidazol-2(3H)-one), 126

Electrodes

Chiral polymers consisting of helical polyaniline prepared using chiral dopant acids, 139

Hydroxycarboxylation of nanotubes using ozone, 129

Oligomeric *N*-vinylpyrrolidinone-co-vinylferrocenes crosslinked with polymethylmethacrylate, 132

C₆₀ fullerene perfluoro sulfonic acids as a Nafion[®] replacement, 136

Poly(1,4-pyridinium) bromide soluble in DMSO, 142

Photovoltaic cells

Copolymers containing cyclopentadithiazole and dithiophene derivatives, 155

Crosslinked poly(porphyrin-co-thiophene)s, 159

Liquid crystalline IPN's using photocross-linkable mesogenic monomers, 145

Xanthone copolymers for use as electroactive components in thin films, 149

Electrically active polymers (*continued*)*Secondary battery*

Poly(piperidine-4-vinyloxy-1-oxyl ethers polyradicals, 121

Semi-conductors

Highly processable poly(thiazole-thiophenes), 179

Polybenzoxazole amide dimethylhexafluoride derivatives, 171

Poly(dithienylbenzo[1,2-b:4,5-b'] dithiophenes with enhancing transistor performance, 176

Semiconductors containing adamantane cores with imidazole thermal barriers, 163

Terpolymers containing an acetal adamantoxy methacrylate, 167

Transistors

Polysuccinimides containing grafted hydroxycoumarin, 185

Energetic polymers*Explosive binder*

Shock insensitive polyphosphazene nitrates and azides, 191

Engineered plastics*Blends*

Poly(4-phenylene sulfide)/nylon-66 blends, 197

Composites

Poly(fluorene-*co*-triaryl amines) for use in advanced composites for space exploration, 200

Crosslinking agents

7-Methylene-1,5-dithaoctan methacrylate for use in dental compositions, 205

Poly(4-glycidylstyrene), 211

High performance polymers

Amine terminated poly(styrene-*co*-butadiene) to lower tire hysteresis, 218

Co-polycarbonates containing 3,3-bis(4-hydroxyphenyl)-1-phenyl-1H-indol-2-one and bisphenol A biphenols, 221

Crosslinkable poly(dicyclopentadienes) containing low residual monomer, 225

Curable poly(ethylene-*co*-5-ethylidene-2-norbornene), 232

High char polyesters containing 5-sodiosulfisophthalic acid as a comonomer, 229

High purity polyphenylenesulfide, 248

Linear multifunctional unsaturated polyimides, 236

Novolak resins containing low tetramer content, 215

Poly(ethylene-*co*-carbon monoxide), 240

Poly(styrene-*co*-pyrrolidinium chloride) to enhance wettability, 244

Fabrics*Antistatic*

Polypropylene oxide bis(perfluorobutylsulfonyl)imide, 17

Coatings

Norrish type I or II type inactive, 21

Hydrolysis stabilizers

Macroscopic acylureas, 25

Stain repellants

Hydrophobic *N*-perfluoroalkylated-poly(4-vinylpyridine), 29

Wetting agents

Polyacrylamide ionic solvents, 33

Fibers*High strength*

Poly(*n*-hexylisocyanate) prepared using sodium benzyl phenyl ketone as the initiator, 252

Poly(*p*-phenylene benzobisoxazole-*co*-nanotube), 255

Fuel cells*Fuel cell membranes*

Poly(1,2,4-triazole)-*co*-oxadiazole containing 85% 1,2,4-triazole content, 259

Proton conducting

Polyamidic acid sulfamic acid derivatives, 262

Polyaromatic sulfonic acids containing hydrophilic and hydrophobic segments, 266

Polyaromatic perfluorosulfonic acids, 271

Polyaromatic ether perfluorosulfonic acids, 277

Improved synthetic methods

Epoxidation of propylene using palladium/titanium zeolite-1 as catalyst, 285

Ethylene polymerization using (2-methyl-3-phenyl-1-(8-quinolyl)cyclopentadienyl)chromium dichloride, 296

Ethylene polymerization using Ziegler-Natta catalysts composed of a transition metal and a unique ratio of magnesium and titanium, 291

Olefin metathesis catalysts prepared using selected schiff bases, 301

Oligomeric uretonimine modified polyisocyanates using 3-methyl-1-phenyl-3-phospholene-1-oxide as catalyst, 281

5-Norbornen-2-ol polymerization using *N*-(2,6-diisopropylphenyl)-2-(2,6-diisopropyl-phenylimino)propanamide benzyltrimethyl-phosphine nickel and bis(1,5-cyclooctadiene)nickel, 309

Preparation of poly(propene-1-butene-1-hexene) using silyl-zirconium-based Ziegler-Natta catalysts with triisobutylaluminum and methylalumoxane in the absence solvent, 313

Ring opening metathesis catalysts using ruthenium *N*-heterocyclic carbene ligands, 304

Storage stable polymerstyrene for use in seed polymerization, 468

Trimer and tetramer ethylene oligomers, 288

Initiators/modifiers

Free radical initiators

Acyloxime esters, 317

Free radical modifiers

N-Alkoxy-4,4-dioxy-piperidine and *N*-oxide derivatives, 322

Photoinitiators

2-Benzyl-1-[4-(2-hydroxyethylamino)phenyl]-2-dimethylamino-1-butanone, 326

N-Ethylcarbazole oxime esters, 329

Photoinitiators consisting of benzoyltrimethylgermanium and bisbenzoyl diethyl-germanium derivatives, 421

Ink

Dispersants

Hyperbranched esters, 1

4-Methylbenzothiazole polyalkoxyethers, 5

Light emitting polymers

Diodes

Carbazole poly(terephthate ester-*co*-carbonate) derivatives, 358

Conjugated aromatic dendrimers, 335

Conjugated aromatic polyazomethine thiophene polymers, 404

π -Conjugated organic polyfluorenes, 339

Conjugated polymers containing spirobifluorene, 398

Dibenzosilole copolymers having enhanced oxidative resistance, 363

Polybiphenylheterocyclics, 352

Polyconjugated phenoxazines, 376

Poly(fluorene-*co*-triphenylamine) derivatives, 369

Poly(2,6-naphthalenes), 383

Polymeric naphthylanthracenes, 387

Poly(norbornene-*co*-fluorene), 393

Solvent soluble styryl and methacrylate (tris[2-(2-pyridyl)phenyl]iridium) polymers, 345

Macrocyclic carbodiimides

Polymerization, 25

Preparation using 1,3-dimethyl-3-phospholene oxide, 25

Medical polymers

Biodegradable

Block copolyesters of polycaprolactone and poly(propylene fumarate), 414

Polyesters composed of 5-methylene-2-phenyl-1,3-dioxolan-4-one derivatives and methylmethacrylate or styrene, 409

Poly(ester-urethanes) of polypropylene glycol, 417

Biomaterials for dental applications

Acylgermane-containing polymers, 421

Carbosilane methacrylate oligomers having low shrinkage upon crosslinking, 426

Ether linked gemini aromatic epoxides having good mechanical strength and low shrinkage, 436

Hardenable and inert dental compositions using crosslinked polysilicones, 432

7-Methylene-1,5-dithaoctan methacrylates for use in dental compositions, 205

Biomaterials for diagnostics

Polymers containing acylsulfonamide amine-reactive groups for isolating recombinant protein P, 447

The use of poly lactides containing chelated ¹⁸⁸Re metal ions for enhancing magnetic resonance imaging, 451

Biomaterials for drug delivery devices

Amphiphilic terpolymers containing ethylene oxide and (R)-3-hydroxybutyrate, 455

Dithiocarbonate and thioether macromers and polymers to deliver reactants to a body cavity in a fluid form, 459

Hydrogels that selectively crosslink in the presence of base, 463

Poly(ester-amides) containing linear α -amino acid amides, 471

Poly(α -glutamic acid) polypeptide drug delivery devices containing pendant carboxylic acids, 476

Medical polymers (*continued*)

Polyhydroxyalkanoic acids modified with aminoaromatics, 480

Replacement of polyethylene oxide with poly(*N*-vinyl-2-pyrrolidone) derivatives for use in drug delivery devices, 485

Biomaterials for gene therapy

Amidoamine dendrimeric transfection agents, 489

Biomaterials for membranes

Cell occlusive membranes prepared from aliphatic thiols and polyethylene glycol polyacrylate crosslinkers, 494

Glycoengineered polymers for trapping monosaccharides, 625

Biomaterials for implants

Polyvinyl(2-hydroxyl-pyrrolidine)-carbazoles for use in contact lenses and in biocompatible implants, 530

Nitric oxide releasing polymeric agents*Diazoniumdiolation agents*

Diazoniumdiolation of polymeric isocyanides, 499

Diazoniumdiolation of polymeric hindered amines, 502

Oil drilling*Dispersants*

Low polluting polymethacrylate betaines, 12

Optical*Intraocular lenses*

High refractive index poly(dimethacrylate thiophene disulfide-*co*-2-hydroxyethyl methacrylate), 512

Polymeric siloxanes having high oxygen permeability, high water and ion transport rates, and a low modulus, 522

Polymerizable light absorbing azo dyes, 507

Poly(methylmethacrylate-*g*-*exo*-methylene lactone) having a low refractive index and high Abbe number, 517

Poly(thiocarbonate-*co*-thiourethane) derivatives having a high refractive index and Abbe number, 526

Polyvinyl(2-hydroxyl pyrrolidine) carbazoles for use in contact lenses and in biocompatible implants, 530

Optical fibers

Heat and water resistant non-crystalline perfluorocopolymers containing 1,4-dioxane in the polymer backbone, 533

Optical waveguides

Perdeuterated polyaromatic polyimides prepared using *o*-tolidine and deuterated water, 536

Paint*Hydrolytic stable*

Poly(*N*-(2-(methacryloyloxy)ethyl)-*N*-methyl-pyrvamide) as a replacement paint additive for acetoacetoxy derivatives, 37

Poly(4-methyl-pentene) aldehyde, 42

Stabilizers

Oligomeric polyaromatic esters to oxidatively stabilize paint, 46

Paper*Stabilizers*

Glyoxalated poly(vinylamide-*co*-diallyldimethyl-ammonium chloride), 50

Polymer*Anti-craze agent*

Craze reduction in extrudes polypropylene using 1, 2, 4, 5-benzenetetra-carboxylic anhydride amic acid, 52

Dispersants

Poly(nylon-6-block-diethyleneglycol terephthalate), 57

Polymer synthesis

Chemical and electrochemical synthesis of poly(1*H*-thieno[3,4-*d*]imidazol-2(3*H*)-one), 126

Cyclic poly(diethyleneglycol terephthalate), 56

Hydroformylation of poly(4-methyl-1-pentene) terminus, 42

Poly(ethylene-*co*-carbon monoxide), 240

Pharmaceuticals*Polypeptides*

Improved method for preparing Glatiramer acetate using *N*-carboxyanhydride, 541

Radiopharmaceuticals

Preparation of 3-¹³¹Iodobenzylguanidinium derivatives using polymer-bound intermediates, 547

Photoresists*Antireflective agents*

Antireflective copolymer coatings consisting of poly(4-hydroxylstyrene) and polymethacrylate-9-anthracene ester, 554

Latent acids

- High photoacid yielding poly(4-oxatricyclo [5.2.1.0.^{2,6}]) methacrylates, 571
- p*-Terphenyl-based oximes for use as latent acids activated by irradiation with actinic electromagnetic, 588

Positive resists

- Photosensitive poly(3-methylthiomethoxy-1-adamantyl methacrylate) resins, 551
- Poly(hexafluoro-oxacyclopentane norbornane methacrylate) resins, 559
- Poly(lactones copolymer compositions which are transparent to ArF excimer laser light, 565
- Poly(methacrylate norbornane photoresists containing a 1,1,1,3,3,3-hexafluoro propyl substituent effective in the 157-nm range, 581
- Polyperfluoroalcohols methacrylates, 576
- Poly(ureylene methacrylates) curable by irradiation from infrared light, 594

Phototherapy*Oxygen generators*

- Method of preparing superoxide anions using water soluble fullerenes by irradiating with UV-Vis light, 599

Free Radical Traps

- Oligomeric porphyrins for use as free radical traps for humans exposed to O₃, HO₂, and radiation-induced injury, 603

Recording materials*Anisotropic films*

- Photopolymerizable tri-acrylate aromatic esters having improved heat resistance, shrinkage, adhesive property, and mechanical strength, 607

Stents*Cardiovascular*

- Phase-separated poly(L-lactide-co-glycolides), 613

Sutures*Adsorbable*

- The use of dihydroxyacetone in preparing poly(spiroacetals), 617

Tissue replacement*Tissue engineering*

- N*-Ethyl tyrosine amide polycarbonates with diminished hydrogen bonding, 621
- Glycoengineered polymers for trapping monosaccharides, 625
- Polymerization of (1,3-dioxolane-2,4-diones) using 4-diaminomethylpyridine for use as a temporary skin substitute, 628
- Preparation of degradable hydrogels by thiol-ene photopolymerization, 632

Viscoelastic polymers*High viscoelastic materials*

- Polyrotaxane inclusion complexes consisting of PEG-carboxylic acid and α -cyclodextrin, 635

Viscosity index improvers

- Polyacrylate-*g*-*N*-phenyl-*p*-phenylenediamine, 8