

# Index

- A**
- Acrolein, 105–106, 109, 124, 165, 172  
 acrolein copolymers, 125, 169, 171, 180–181, 208, 241, 246  
 polyacrolein, 71, 127, 165, 208
- Acrylamide copolymerization, 101, 114, 251
- Acrylamide copolymers, 31, 64, 68, 101, 106–107, 125, 169, 173, 198, 223, 247, 254, 363, 387, 391
- amphoteric polyacrylamide, 255, 280, 374
- anionic polyacrylamide, 29, 31, 34, 80, 82, 118, 198–200, 244, 246–248, 258, 275, 277, 280, 287, 333, 351, 373, 391, 393, 397
- cationic polyacrylamide, 31, 33–34, 76, 80, 113–121, 127, 224, 249, 276, 285–286, 301, 379  
 as dry strength resins, 241, 251–252, 254  
 in paper surface treatment, 387  
 in retention process, 56, 58–59, 67, 73, 76, 78, 82–84, 280  
 as stabilizer for AKD, 379  
 as wet strength resins, 130, 144, 168–172, 188, 196–199
- Acrylamide, N-(2,2 dimethoxyethyl), 106, 110
- Acrylamide, N-(3-dimethylaminopropyl), 78, 250, 288
- Acrylamide, N-Methylol, 144, 171, 177, 252, 345, 387
- Acrylamide, N,N-dimethyl, 106, 108, 119, 127
- Acrylamide, N,N'-Methylene bis-, 20, 77, 101, 149, 151, 246, 315
- Acrylamide polymerization, 28, 120  
 inverse emulsion polymerization, 117–118, 122, 166
- Acrylamide reactions, 20, 28, 106, 112–114, 124, 127, 144
- Acrylic esters, 102  
 copolymers, 118–119, 160, 366  
 anionic, 32, 55, 246, 281, 333, 372, 391  
 cationic, 76, 82, 106–108, 114, 116, 118, 168–169, 171, 173, 288, 301, 308, 312, 367, 374, 377  
 grafted copolymers, 25, 200, 249, 352  
 latexes, 76, 80, 176–177, 200, 331, 360–364, 367, 376–379, 392, 397  
 homopolymers, 164–165, 352  
 reactions, 144, 148, 151, 170, 174, 177, 312
- Adsorption,  
 equilibrium, 58, 204, 283  
 mechanism, 67, 205
- Alginate, 71, 385, 388
- Alkenyl succinic anhydride (ASA), 7, 13, 35, 128, 268, 282, 297  
 ASA hydrolysis, 302–304  
 emulsification, 300–302  
 in paper surface treatment, 378–381  
 reactions, 175, 286, 298, 313  
 retention at wet end, 61, 297, 300–305  
 sizing mechanism, 304–307  
 synthesis, 298–300
- Alkyl ketene dimer (AKD), 7, 35, 218, 268, 275, 282, 310  
 deactivated AKD, 345  
 emulsification, 283–287  
 liquid AKD, 283, 287, 295, 307  
 in paper surface treatment, 378–381  
 reactions, 175, 286, 296–297, 331, 381, 383  
 retention at wet end, 13, 61, 287–289  
 sizing mechanism, 289–297  
 synthesis, 282–283
- Aluminum compounds, 53, 55–57, 65–66, 196  
 alum, 6–7, 37–38, 53, 62, 65–66, 298  
 aluminum ion structures, 268–271  
 as crosslinkers, 162, 395  
 precipitation inhibitor, 270  
 reactions, 74, 221, 274, 277–278, 287, 299, 310  
 as retention aid, 52, 70–73, 79, 82  
 for DSR, 247–248, 258–259  
 for internal size, 267, 271, 273, 275–276, 280–282, 287, 301, 305, 309, 312–313  
 for WSR, 106, 153, 163, 176, 178–179, 198, 208  
 in sizing mechanism, 278–279, 289, 293–294, 304–306, 316  
 as stabilizer for WSR, 191  
 as stabilizers for AKD, 284–285, 287  
 in surface treatment, 353–354, 362, 372, 374, 379, 382–383, 385, 389, 396
- Amidine, 182, 364
- Amidol bond, 112–113, 121–122, 124–125, 127, 129–130
- Amphoteric compounds, 34, 269, 340, 353, 358  
 dry strength resins, 255–256, 258–259  
 in paper surface treatment, 364, 374, 387, 394, 397  
 retention aids, 68, 78–83  
 stabilizers for internal sizing dispersions, 275–276, 280, 289, 300  
 starch, 18–19, 34, 79, 394–395  
 wet strength resins, 106, 118, 126, 154, 163, 169, 199–200, 207
- Amphoteric starch, 18, 34, 78–79, 255, 387, 394–395
- Amylopectin, 57, 74, 258, 355, 391
- Anionic rosin size, 274–276
- Anionic starch, 71, 81–84, 245–258, 284, 354, 381, 394
- Anionic trash, 13, 34, 51–53, 55, 57, 64–65, 68–69, 71, 74, 77, 206, 214, 270–271, 285, 288
- Anionic trash catcher, 13, 74
- Azetidinium functionality, 75  
 crosslinking mechanism, 190, 210, 212–214, 219  
 in dry strength resins, 252–253  
 identification by NMR, 182  
 in monomers, 164, 170  
 on polyamidoamine, 177, 183–186, 188–192, 194, 196, 199–200  
 on pendant group, 171, 222  
 on polyethers, 163

**B**

- Binder for coatings, 29, 222, 390–398
- Binder migration, 393–394
- Block copolymers, 163, 275, 331, 353, 366, 374
- Bridging flocculation, 67, 70, 77
- Butadiene copolymers, 61
  - as binder in coatings, 391–392, 394, 396–397
  - as dry strength resins, 254
  - as internal sizing agent, 275, 281, 312
  - in paper surface treatment, 362
  - as wet strength resins, 160, 176–178, 345

**C**

- Campbell effect, 241
- Canadian standard freeness, 72–73
- Casein, 6–7, 276, 280, 313, 353, 390–391, 395
- Cationic cellulose, 19
  - fibers, 63, 155
- Cationic demand, 8, 53, 62–63, 65, 67, 288
- Cationic rosin size, 61, 276, 288
- Cationic starch, 34
  - adhesive and binder, 331, 335–336, 394
  - adsorption, 56–57, 60, 63
  - dispersion stabilizer, 276, 280, 283, 285–288, 300, 303–305, 309–311, 314, 358, 397
  - improving recycled fibers, 224
  - porosity builder, 388
  - reactions, 78, 111–112, 200, 255, 381
  - retention aid, 73–74, 78, 81–84, 165, 281, 284, 286–287, 301
  - size-press solution, 224, 354, 367, 376, 381
  - strengthening resin, 64, 130, 155, 213, 244–245, 248–249, 252, 257–258
  - surface strength agent, 386–387
  - synthesis, 18–19, 26, 119
- Cellulose depolymerization (peeling), 11, 22
- Cellulose pulp, 19, 51, 254–255, 268, 281, 294
  - bleaching process, 8, 11–12, 14, 285
  - Kraft pulp, 6, 8, 11, 37–39, 146, 205–206, 248
  - reactions, 24
  - refining, 11, 52, 61, 204, 356
  - sulfite pulping, 6, 8–11
  - thermo-mechanical pulp, 7–8
- Cellulose structure, 19, 52, 54, 57, 242
- Charge neutralization, 66–67, 218, 259
- Charge titration, 55, 62
- Chelating agents, 277, 280
- Chitosan, 17–18, 22, 201, 288, 374, 389–390
- Chloracetamide, N-(2,2-dimethoxyethyl)-N-methyl-2-, 20, 109
- 3-Chloropropane-1,2-diol (CPD), 170, 193–196, 332
- Coagulation, 70–71, 83, 274, 297, 358, 373
  - hetero-coagulation, 51, 53, 61, 78, 176, 257, 277, 393
  - homo-coagulation, 176, 358, 393
- Consistency, 35, 58, 61, 63–64, 327, 340, 345, 388
- Contact angle, 36–37, 267, 289, 295, 353, 372–373
- Copolymerization, 28–29
  - binary copolymerization, 80–81, 116, 119, 171, 246, 360
  - in emulsion, 29, 160, 177–178, 246, 254, 359–365, 367, 374, 376–378
  - seeded emulsion copolymerization, 177, 362, 364, 367, 391

- grafting copolymerization, 26, 70, 249, 301
- reactivity ratios in copolymerization, 116–117, 173, 246, 360, 369
- ternary copolymerization, 80, 119, 171, 370, 377
- Creping process, 327–330, 333, 336, 339, 341
  - creping adhesives, 325
    - external crosslinkers for, 333
    - nonreactive, 330–332
    - reactive, 332–333
  - synergetic effect, 330, 333–336, 338
- Crosslinked starch, 395
- Cyclo-polymerization, 165–166

**D**

- Debonders, 138, 207, 327, 342, 345
- Detrimental substances, 13
- Dextran, 59, 110, 130, 154–155, 218, 243
- Di-aldehyde cellulose, 155
- Di-aldehyde starch, 23, 37, 39, 130, 152–154, 200, 258, 395
- 1,3-Dichloro-2-propanol, 170, 184, 193–196, 332
- Dispersions, 7, 11
  - emulsions of synthetic polymers, 28–29, 33, 38, 80, 139
  - of paper chemicals, 51, 53, 55
  - pulp at wet end, 12, 64–67, 78, 82
- Dry strength resins, 28, 35, 53, 85, 241–260, 340–341, 386–387
  - amphoteric, 255–260
  - anionic, 65, 245–248
  - cationic, 144, 248–254
  - dry strength mechanism, 241–245
  - dual systems, 256–260
  - latexes, 254–255
- Dust reduction, 385–387

**E**

- Emulsification, 311–312, 359, 381
  - for AKD, 282–287, 289
  - for ASA, 300, 302–303
  - for rosin derivatives, 275, 358
- Emulsion copolymerization, 29, 160, 177–178, 246, 254, 359–365, 367, 374, 376–378, 391
- Emulsion stability
  - AKD emulsion, 283–285, 287, 289
  - ASA emulsion, 300, 303
  - rosin dispersion, 275
- Environmental issues, 1, 8, 185, 194, 221, 251, 332, 351
- Enzyme as catalyst, 20, 23, 67, 107, 195–196, 222, 355
- Epichlorohydrin
  - reaction with cellulose, 19, 241
  - reaction with polyamine, 74–75, 80, 119, 121, 163, 165, 168, 174, 180
  - reaction with starch, 23, 25, 74
  - in wet strength resins, 99, 138, 142–146, 149, 151, 170–171, 175, 182–198
- Esterification, 21–22, 24, 78–79, 161–162, 175, 268, 298, 300–301, 313–314, 389
- Etherification, 18–20, 24–25, 52, 78
- Ethylene–acrylic acid copolymers, 276, 281, 372, 379
- Experimental errors, 36–38, 214, 302, 353

## F

- Fatty acids, 13, 22, 52, 274, 281, 283, 286, 298, 301, 314, 342, 346, 379–380, 394, 396  
 fatty acid anhydride, 7, 282, 284  
 fatty acid chloride, 145, 151, 284  
 polymeric fatty acids, 146  
 as sizing agents, 281
- Fillers, 1, 6, 13, 15, 17, 53, 282, 328, 345, 354, 379, 387  
 in coatings, 388, 390–394  
 in dry strength mechanism, 242, 245  
 effect on internal size, 287, 290–291, 302  
 effect on rosin size, 280  
 in paper testing, 35  
 polyelectrolyte adsorption on, 56, 58  
 in repulpable paper, 224  
 retention, 61, 63–68, 71–72, 74, 78, 82–84
- First pass retention, 63–65, 302–303
- Flocculation, 12, 35, 51, 63–65, 244  
 with aluminum compounds, 70–71  
 with amphoteric compounds, 82–83  
 with anionic compounds, 71–72  
 with cationic compounds, 72–76  
 co-flocculation, 63, 66–67  
 flocculation mechanism, 65–70  
 homo-flocculation, 63
- Formaldehyde, 104, 121, 137, 139  
 as crosslinker, 25, 151–152, 178, 208, 210, 212, 241, 373, 387–388, 394–395  
 formaldehyde based resins  
 AKD stabilizer and promoter, 284–285, 289  
 as dry strength resins, 249, 251, 258, 345  
 reactive sizing agents, 368  
 resin retention, 33, 66, 248  
 as retention aids, 74, 78, 284  
 retention enhancer, 68–69  
 synthesis, 139–142, 144–146  
 as wet strength resin, 7, 98, 201  
 formaldehyde emission, 241  
 reactions, 8, 10, 31, 79, 122–123, 127, 180, 217, 243, 251–254, 272–273, 280
- Fortified rosin, 272–276, 278, 280, 358

## G

- Gemini surfactants, 284
- Glass transition temperature, 32–33, 176, 208, 216, 360, 391
- Glycosidic bond, 11, 20, 22
- Glyoxal as crosslinker, 104, 111, 121–125, 151, 332–333, 395
- Glyoxalated hydroxyethyl cellulose, 152
- Glyoxalated polyacrylamide, 7, 25, 75, 117–131, 154, 198, 200, 223, 252, 260, 334, 373
- Glyoxalated poly  $\beta$ -alanine, 119
- Glyoxalated polyvinyl amine, 252
- Glyoxalated starch, 112
- Glyoxalation reaction, 112, 117–125, 127, 252, 301
- Grafted copolymers, 25–26, 68, 70, 77, 80, 119, 121, 200, 243, 253, 329  
 grafted starch, 22, 25–27, 107, 153, 173, 198, 200, 246, 249–251, 300–301, 367, 376, 394
- Greaseproof, 367, 397

## H

- Hemiacetal, 5, 102–107, 109, 111–112, 121, 127–130, 155, 210, 223, 249, 395
- Hemicellulose, 6–9, 11–15, 17, 33, 52, 56, 62, 64, 97, 209  
 in creping process, 327–329  
 hemicellulose reactivity, 11, 22  
 hemicellulose structure, 243  
 in strengthening mechanism, 217, 243–244, 248, 258
- Hofmann degradation, 31–32, 171, 211, 252, 255
- Hydrocarbon resins, 38, 275–276, 281, 286, 313, 358–359, 379
- Hydrogen bonding, 1, 5, 9, 21, 26–27, 33, 35, 53, 60, 291, 306, 355, 393  
 in adhesives for Yankee dryer, 329, 340–342, 345  
 in paper dry strength mechanism, 13, 37, 241–244, 246, 248–249, 252, 254–255, 259, 387–388  
 in paper structure, 7, 14–17  
 in paper wet strength mechanism, 38, 97, 100, 104, 106, 113, 121, 127, 137, 200–204, 207–210, 214–220, 222  
 in retention mechanism, 67–70, 357

## I

- Ionic liquids, 8, 337
- Imidization, 175, 268, 312, 371–373, 375, 382–383
- Ink-jet technology, 352–353, 362, 367, 371, 373–374
- Internal size, 38, 56, 268, 271, 353, 370–371, 378  
 AKD, 282–297  
 ASA, 297–307  
 reactive internal size, 282–311  
 rosin, 271–282
- Intrinsic viscosity, 33–35, 68, 120, 188
- Itaconic acid, 147  
 copolymers, 80, 116, 176–177, 246, 255, 363, 389, 391  
 polyamide, 146

## L

- Latent aldehyde group, 107
- Lignin, 6–9, 12–13, 15, 17, 52, 56, 64, 76, 209, 246, 258, 312  
 associations with PEO, 70  
 Kraft lignin, 11, 63, 69, 82  
 lignin reactions, 8, 11–12, 79–80  
 lignin sulfonic acid, 198  
 lignosulfonate, 10, 179, 258, 283–285, 288, 310, 331, 356, 358, 387  
 structure, 9–10

## M

- Macro-monomer, 77, 178
- Maleated hydrocarbon resins, 281, 373, 383
- Mannich reaction, 8, 76, 79, 181, 252–255, 280
- Melamine  
 di-allyl-melamine, 251  
 melamine–formaldehyde resins, 7, 33, 66, 74, 141–142, 179, 248, 285, 373, 387  
 reactions, 141, 153, 368
- Michael addition, 20, 31, 75, 102, 109, 112–114, 144, 146, 148–152, 170, 174, 177, 211, 255, 309, 312, 314–315, 344, 358
- Multilayer polyelectrolyte structure, 61, 82, 199, 257

- N**
- Nonionic emulsifier, 284, 301, 309–310, 365, 367
- Nonionic stabilizer, 61, 276, 284–285, 287, 301, 366, 392
- O**
- Olefins, 281, 286, 298–299, 308, 312, 372, 376, 379
- One-shot rosin emulsion, 279
- 2-Oxetanone multimer, 379
- Oxidized starch, 19, 23, 57, 81, 153, 200, 224, 352–354, 379, 384, 387, 389–390
- P**
- Paper impregnation, 100, 152, 217, 243, 271
- Paper porosity, 351–352, 386–389
- Paper strength, 7, 12, 15, 32, 37, 39, 61, 63, 85, 111, 129, 141, 160, 221
- crosslinkers effect on, 162–163
  - decay, 111, 118, 130, 157, 202
  - effect of internal size on, 38
  - latexes effect on, 254
  - softeners effect on, 345
  - strengthening mechanism, 15–17, 209–219, 241, 244, 329
  - water effect on, 97–98, 104, 137, 202–203
- Paper structure, 2, 14–17, 35, 96–97, 136, 202, 206, 209, 217, 220, 387, 394
- Paper surface strength, 386–387
- Paper testing, 35–39, 120
- Papyrus, 5
- Paraffin wax, 6, 176, 242, 286, 313, 328, 358, 379, 396–397
- Pectin, 20
- Performance chemicals, 13
- Permanent wet strength, 98–99, 128, 137, 152, 197, 219–220
- Pitch, 12–13, 224
- Polyacrylamide, 31–34, 68, 113, 119, 171, 181, 254
- Polyacrylic acid, 31, 35, 55, 62, 72, 81–83, 118, 164, 200, 206, 224, 257–258, 331, 341, 375, 388
- Polyalkylene polyamine, 113, 185, 274, 290, 313–314
- Polyaluminium chloride (PAC), 277
- Polyamide, 30, 68, 76, 113, 122, 146, 184, 190, 274, 330–331, 333, 358
- Polyamidoamine, 7
- in creping adhesives, 329, 331–333, 335–336
  - as retention aids, 68, 74–75, 77, 80
  - in wet strength resin synthesis, 7, 99, 113, 138, 146–152, 182–184
- Polycondensation reaction, 30–31, 139, 142, 147
- Polyelectrolyte
- adsorption, 53, 57–58, 62
  - complex, 53, 55–56, 61–63, 82–83, 199, 218, 258–259, 276, 383, 387
  - precipitation, 35, 55, 62, 82, 258–259
- Polyester resins, 281, 358, 391, 396
- Polyethylene glycol, 82, 129, 146, 162, 173, 217, 273, 301, 333, 353
- Polyethyleneimine (PEI), 52, 55, 60–61, 63, 181, 254, 285
- branched PEI, 57, 206
  - PEI-epichlorohydrin resin, 216, 331, 395
  - PEI retention, 60, 66, 73, 204–207, 218
  - in polyelectrolyte complex, 258, 387, 394, 397
  - reactions, 145, 154, 171, 199, 221, 312, 333, 335
  - as retention aid, 64–67, 77–78, 309, 313
    - dual retention system, 83–84  - synthesis, 145
  - as trash catcher, 74
  - as wet strength resin, 146, 154, 214–215, 217
  - as Yankee adhesive, 331
- Polyionene, 58, 63, 75, 254, 329
- Polyisocyanates, 25–26, 150, 155–161
- blocking agents for polyisocyanates, 159, 161
- Polymer analogous reactions, 28, 31–32, 78, 164, 177, 210, 258
- on acrylamide (co)polymers, 80, 118, 251–252, 255
  - on cellulose, 107
  - on maleic anhydride copolymers, 308, 372, 376–377
  - on polyvinyl alcohol, 250
  - on secondary amine, 144, 150, 163, 307, 312
  - on starch, 74, 112
  - on *N*-vinyl formamide copolymers, 76, 171, 173–174
- Polymerization process, 25, 28–29, 31
- Polysaccharide, 8, 14, 70, 121
- chemistry of, 17–27, 145
  - depolymerization, 11, 23–24
  - as prepolymer for WSR, 152–155
- Polyurea, 70, 145
- Polyurethanes, 315, 353, 375, 383
- Polyvinyl alcohol, 31, 77, 100, 103, 122, 152, 173, 175, 199, 243, 304, 329, 353
- Polyvinyl amine, 113, 172, 174, 181, 197, 199–201, 215, 249, 252, 258, 280, 285, 329, 333, 387
- Porosity builders, 388–390
- Process chemicals, 1, 13
- Pulping yield, 8–9
- Pulp oxidation, 23, 204
- Q**
- Quaternization, 77, 151, 166, 183, 191, 330, 342
- R**
- Recycled fibers, 9, 220, 224, 241, 256
- Recycled paper, 9, 121, 219, 222–224
- Repulpability index, 223
- Repulping yield, 221
- Retention aid
- amphoteric, 78–79, 199
  - anionic, 71
  - cationic, 72–78
  - dual retention systems, 78, 81–84, 281, 285, 288
  - nonionic, 67–70
  - retention enhancers, 64, 68–70, 83
- Retention mechanism, 61, 65–66, 70, 77, 206–207, 245
- Reverse sizing, 279
- Ring opening polymerization, 26, 296
- Rosin, 11
- reactions, 272–274
  - rosin adsorption, 277, 279–280
  - rosin esters, 273, 275, 277–278, 358, 394
  - rosin sizing mechanism, 276–279
  - in surface treatment, 358, 362, 374, 378–379, 381, 394

## S

- Selective adsorption, 53, 196
- Semi-continuous process, 117–118, 360, 362
- Size-press solution, 351–352
  - defoamer effect, 386
  - ionic strength, 356
  - starches for, 354–356
- Sizing enhancers, 284, 288
- Sizing mechanism, 276–282, 289–295, 304–307, 311–312
  - surface sizing mechanism, 352, 381–385
- Sodium aluminate, 270, 273–274
- Softeners, 25, 328, 330, 339–346
- Solvent for cellulose, 7–8
- Starch oxidation, 23, 107
- Starch retrogradation, 27, 111, 249, 355
- Starch xanthate, 154, 200, 207, 223, 246, 258, 260
- Styrene-Maleic Anhydride copolymers (SMA), 29, 33, 198, 246
  - as binder in coatings, 391–392, 394, 396
  - in blends with cationic resins, 218, 223, 256, 258, 282, 386–388
  - cationic SMA, 375, 377
  - in creping adhesives, 331
  - as internal size, 281–282, 312
  - as porosity builder, 388–389
  - reactions, 312, 371–372, 376
  - sizing mechanism, 382–385
  - as stabilizer for dispersions, 177, 286, 375
  - as surface size, 354, 358, 370–373
    - blends with synergetic effect, 373–374
  - synthesis, 370
- Sulfamic acid, 21, 274, 280
- Surface sizing agents, 352
  - nonreactive, 356–368
  - reactive, 368–381
  - surface enhancer, 352
- Surface tension, 5, 13, 17, 167, 176, 241, 245, 267, 339, 354, 365, 386, 396

## T

- Temporary wet strength resins, 97–131
- Thickeners, 393
- Thinned starch, 22, 355, 368
- Trans-amidation reaction, 30, 76, 118, 149, 171, 174
- Tub-size, 5, 178

## U

- Unsaturated fatty acids, 22, 283
- Urea
  - cyclic urea, 111
  - dimethylol, 140, 178, 241
  - mono-methylol, 140
  - sulfate, 13
  - in trans-amidation, 30, 141, 145
- Uronic acid, 23, 243

## V

- Vinyl acetate copolymers, 25, 34, 55, 78, 116, 171, 173–174, 176, 200, 247, 250, 331, 370, 374, 389, 391, 394, 396
- Vinylidene chloride copolymers, 312, 364, 391
- Virgin fibers, 1, 224

## W

- Washburn equation, 267
- Waste water, 345
- Water adsorption, 85, 204, 218–219, 267, 294
- Wax emulsion, 176, 313, 368, 394
- Weak chemical bonds, 100, 105, 111–112, 297, 306
- Wet end chemistry, 6, 51–53, 55, 58, 63, 68, 222, 270, 289, 345
  - cellulose fibers
    - carboxylic groups on fibers, 52, 56, 58
    - external surface, 15, 52, 204
    - fiber size distribution, 51, 209
    - fiber swelling in water, 9, 11–12, 37–38, 51
    - internal surface, 14, 51–52, 204
    - specific surface area, 52, 67
  - electrophoretic mobility, 52, 61, 65–67, 207, 256, 270, 277
  - ionic strength, 55–56, 62, 65–67, 71, 187, 207, 209
  - paper chemicals adsorption,
    - electrolyte effect, 52–54, 56, 58, 61, 64, 67, 70–71, 73, 76, 82
    - fiber saturation point, 52, 73, 205, 207, 256
    - hydrophobic interactions, 51, 53, 59, 62
    - ionic interactions, 53–54, 60, 178
    - pseudo-irreversible adsorption, 54–55, 60, 66–67, 206–207, 215, 293
  - pH, 7, 13, 52, 54–57, 61, 65–67, 71–72
- Wet strength decay, 98–99, 104–106, 111, 118–120, 128, 130, 137, 252
- Wet strengthening mechanism, 201, 203, 209, 211, 214, 219
- Wet strength resins, 7, 17, 29, 53, 137–224
  - in alkaline pH, 142, 144, 146, 169, 181, 206, 214
  - curing reaction of, 146, 210
  - dual system, 7, 198–199, 218, 224
  - formaldehyde based resins, 139–142
  - polyisocyanates, 155–160
  - polysaccharides, 152–155
  - reactive methylol in, 140
  - in repulpable paper, 219–221, 223
  - as retention aids, 64, 85
  - temporary, 7, 17, 53, 97–131, 223
- Wood preservation, 1

## Z

- Zipper effect, 202–203, 209, 216–217, 219
- Zirconium salts, 52, 70, 102, 153, 162, 201, 332, 353, 373–374, 383–384, 387, 395–396
- Zwitterion, 78, 215, 255, 343