

Subject Index

- abaca (leaf fibre) 58
 'Acrilan' (acrylic fibre) 166
 acrylic fibres
 chemistry
 acids/alkalis 173
 heat 174
 oxidation 173
 solvents 173
 coloration 172
 comonomers 167–8
 crystallisation 11
 extrusion 171–3
 Federal Trade Commission 168
 'gelation' 172
 hot-wet conditions 174–6
 introduction 165–8
 physical properties 174–5
 production 167
 properties
 physical 175
 undesirable 167
 sportswear 176
 uses 175–6
 wet spinning 172
 wicking 176
 acrylonitrile
 ammoxidation 168
 BP Sohio process 169
 Distillers process 169
 dyes 12
 manufacture 168–9
 polymerisation 169–71
 Sohio process 169
 Acrylonitrile–butadiene 165
 adipic acid *see* 1,6-hexanoic acid
 AIBN *see* azobisisobutyronitrile
 Akzo Nobel 115
 Akzo process, cellulose 121
 alginate fibres 58–9
 'alloy' rayons 112
 Allworden reaction (chlorination of wool) 82
 alpaca fibres 91
 alumina (aluminium oxide) fibres 230–1
 American Cyanamid 166
 'American Upland' cotton 23
 amino acids in wool 67–70
 ammoxidation and
 acrylonitrile 168
 amphoteric softeners 313
 anionic softeners 312–13
Antheraea mylitta (silk) 93
Antheraea pernyi (silk) 93
 anti-static finishes for
 textiles 322–4
 apparel market and polyamide fibres 150
 appearance of textiles and light 16

- aramid fibres
 chemistry
 hydrolysis 208
 introduction 208
 photodegradation 208–9
 dry-jet wet spinning 134–5
m-fibres 202–3, 210, 228
p-fibres 203–6, 210
 physical structure 206–8
 production 202–6
 properties 210
- aromatic polyester fibres
 chemistry 214
 extrusion 212
 introduction 210–11
 production 211–13
 properties 214
- Asahi Glass 263
- atomic force microscopy
 (AFM) 303
- ATR *see* total internal
 reflectance
- Audemars of Lausanne 100
- Austria environmental
 standards 101
- aziridine (dyeing of wool) 84
- 'Azlon' (regenerated protein
 fibre) 126
- azobisisobutyronitrile
 (AIBN) 170
- baize for snooker tables 64, 91
- bamboo
 cellulose 55
 'hydrolysis-alkalization' 55
 lignins 55
 properties 55–6
 UV protection 56
 viscose 55–6
- 'bamboo linen' 55
- 'bamboo-kun' 56
- 'band gap' 270
- bast (stem) fibres
 bamboo 55–6
 biodegradability 57
 flax 45–50
 hemp 51–2
 jute 51–3
 nettles 56–7
 ramie 53–5
 uses 57–8
- 'Bemberg silk' 113
- Berchet, Gerard 137
- BF *see* breaking force
- bio-finishing and enzyme
 treatments 310–11
- biodegradable fibres
 introduction 276–7
 poly-3-hydroxybutyrate 285
 polycaprolactone 283–4
 polyesters 153
 polyglycolide 284–5
 polylactic acid 277–83
 sutures 284–5
- Biological Oxygen Demand 106
- biological properties of
 fibres 19–21
- BISFA (la Bureau International
 pour la Standardisation des
 Fibres Artificielles)
 elastomeric fibres 188
 fibre names 4
 generic names 2
 Lyocell name
 modacrylic fibres 168
 modal rayon 111
 'rayon' 102
- bleaching
 silk 96
 viscose 103
 wool 73–4, 86–7
- Boehmeria nivea* (ramie) 53
- Boehmeria tenacissima* (ramie) 53
- Bolton, Elmer 137

- Bombyx mori* (silkworm) 61, 94, 96, 98–9
- BP Sohio process for
 acrylonitrile 169
- Bragg fibres 270–1
- breaking force (BF) 111
- ‘bright fibres’ (viscose) 104–5
- British Cellulose Ltd,
 Spondon 123
- British Nylon Spinners 137
- British Standard BS 4554:1990
 (wetting of textile fibres) 294
- α -bromoacrylamido dyes and
 wool 84
- butane-1, 4-diol 154
- Calico Printers Association,
 Accrington, UK 151
- camel fibres 91
- caoutchoc (latex of rubber
 trees) 100
- caprolactam
 polymerisation 137
 synthesis 140–1
- carbamate process for viscose 122
- carbon fibres 201
 fullerenes 224–5
 introduction 220–1
 from mesophase pitch 221–2
 nanotube 224–7
 from PAN fibres 221
 pitch 220
 properties 224
 structure 222–5
- carbon nanotubes (CNTs) 256
- carboxyl-based polymers 320
- carboxymethyl cellulose
 (CMC) 238
- S-carboxymethylkeratin
 (SCMK) 71
- Carothers, Wallace Hume 136,
 151, 278–9
- casein fibres 126
- cashmere (goat) fibres 91
- catalysts
 enzymes 309–10
 polyesters 158
 propanol 1, 3-diol 154–5
 Ziegler–Natta process 179–81
- cationic softeners 312–13
- ‘Celanese’ fibres 123
- cell membrane (wool) 66
- cellobiose 27
- cellulose
 acid 33–4
 Akzo process 121
 bamboo 55
 carbamate process 122
 ‘chair structure’ 28
 chemistry
 acid 33–4
 alkali 34–5
 heat 37–8
 oxidation 35–7
 ‘reactive’ dyes 38–40
 cotton 26–9, 29–32, 50
 crystalline structure of
 cotton 29–32
 degree of polymerisation 48
 dyes 38–9
 hemp 50
 hydrogen bonding 30–1
 jute 52
 solvent systems 121–2
 structure 28
 viscose 106–7
- cellulose acetate fibres
 dichloromethane toxicity 126
 ‘disperse dyes’ 125
 manufacture 123–4
 properties 125
 wings of aircraft in 1918
 war 122–3
- ‘wrinkle-free’ clothes 125

- cellulose triacetate fibres 124–6
- cellulosic fibres
- flame retardants 325–6
 - introduction 22
 - Lewis acids 325–6
 - micro-organisms 19
 - near-UV radiation 17
 - plants 2
 - regenerated
 - acetate 122–6
 - introduction 100–2
 - rayon variants 108–13
 - viscose 102–8
 - seed fibres, cotton 23–44
 - Tencel[®] 121
- ceramic fibres
- classification 2
 - high temperature
 - applications 232
 - introduction 230
 - properties 231–2
 - silicon carbide 230–1
- 'chair structure' of cellulose 28
- chemical finishing of textiles
- amphoteric softeners 313
 - anionic softeners 312–13
 - anti-static finishes 322–4
 - carboxyl-based polymers 320
 - cationic softeners 312–13
 - chemical repellents 315–18
 - chemical softeners 312
 - ethoxy-based polymers 320–1
 - flame retardants 324–5
 - fluorocarbons 317–18
 - hybrid-fluorocarbon
 - polymers 321
 - hydroxy-based polymers 320
 - introduction 311–12
 - non-ionic softeners 314–15
 - polydimethylsiloxane 316–17
 - soil-release/anti-soiling
 - agents 318–20
 - synthetic fibres 327–8
 - water repellents 315–18
 - wool 327
- chemical groups and fibres 2–4
- Chemical Oxygen Demand 106
- chemical repellents 315–18
- chemical retting (flax) 47
- chemical softeners 312
- Chemstrand company 166
- chitin fibres 59–60
- chitosan fibres 59–60, 309
- chlorination of wool 82–3, 88–9
- classification of textile fibres
- cellulosics 2
 - chemical groups 2–4
 - generic names 4
 - inorganic fibres 2
 - man-made fibres 2
 - mineral (asbestos) 2
 - proteins (keratin) fibres 2
 - 'regenerated fibres' 2
- CMC *see* carboxymethyl cellulose
- CNTs *see* carbon nanotubes
- 'co-axial' electrospinning 239
- coconut (coir) 22
- Coffman, D. D. 136
- coir (coconut) 22
- conductivities of materials 245–6
- Conex[®] fibres 203
- contact angles of water on textile fibres 301
- Corchorus capsularis* (white jute) 52
- Corchorus olitorius* (Tossa jute) 52
- 'core-shell' electrospinning 239
- corona discharge pressure
 - plasmas 300
- cortex (wool) 65–66
- cotton
- 'American Upland' 23
 - bolts 23
 - cellulose 27–9, 50

- chemical composition 26–9
 - chemical processing 32
 - chemical reactions
 - (cellulose) 33–40
 - crease resistance 40
 - cross-linking 40
 - crystalline structure 29–32
 - cuticle 23–4
 - ‘dead cotton’ 25
 - degree of polymerisation 28
 - ‘desizing’ 32
 - ‘easy care’ 40
 - fibre properties 41
 - genetically modified
 - organism 43–5
 - ‘green cotton’ 42–4
 - growth and morphology 22–4
 - heat 37–8
 - ‘linters’ 25
 - natural fibres 1
 - ‘non-iron’ 40
 - organic 43, 43–4
 - perspiration 208
 - pests/diseases 25
 - plasma treatment 307–8
 - reactive ‘dyes’ 38
 - regenerated cellulosic fibres
 - comparison 42
 - ‘scouring’ 32
 - seed fibres 22
 - water 42–3
 - X-ray studies 32
- Courtaulds and Lyocell fibres 115
- ‘Creslan’ 166
- cross-linking
 - aramid fibres 209
 - carbon fibres from PAN
 - fibres 221
 - cotton 40
 - keratins 70
 - Lyocell fibres 120
 - silk 97–8
 - wool 83–4
- crystallisation of polymers 10–11
- cuprammonium rayon
 - ‘Bemberg silk’ 113
 - fibre properties 114–15
 - Schweizer’s reagent 113–14
- cuticle (wool) 63–5
- cysteic acid in mammalian fibres 91
- cystine
 - mammalian fibres 91
 - wool 64, 69–72
- CYTOP *see*
 - poly(perfluorobutenylvinyl ether)
- cyclohexanedimethanol 155
- D-glass (high dielectric constant) 261
- da Vinci, Leonardo 45
- ‘Dacron’ 152
- dam retting (flax) 47
- DBD *see* dielectric barrier discharge
- de Chardonnet, Hilaire 100–1
- degree of polymerisation (DP)
 - cellulose acetate fibres 124
 - cotton 28
 - hemicelluloses 48
 - Lyocell fibres 117
 - polymers 8
 - polynosic rayon 109–10
 - radiation 17
 - viscose 102
- deposition and plasma treatment 302
- ‘desizing’ of cotton 32
- dew retting (flax) 47
- 1,3-diaminobenzene 202
- 1,6-diaminohexane (hexamethylene diamine) 139

- dichloroisocyanuric acid 88
 Dickson, J.T. 151
 dielectric barrier discharge (DBD)
 pressure plasmas 300
 dimethyl naphthalene 2, 6-
 dicarboxylate 157
 dimethyl terephthalate 153
 dimethyloldihydroxyethylene urea
 (DMDHEU) 40, 320
 4,4'-diphenylmethane-
 diisocyanate (MDI) 192-3
 'disperse dyes' and cellulose
 acetate/triacetate 125
 Distillers process for
 acrylonitrile 169
 disulphide bridges in wool 70, 72,
 75
 DMDHEU *see*
 dimethyloldihydroxyethylene
 urea
 Dolan GmbH 167
 Donaldson (American
 company) 235
 Dorlastan (elastomeric fibre) 188
 double face knitted fabrics 336-7
 Dow Chemical Company 199
 DOW XLA™ fibres 199
 DP *see* degree of polymerisation
 drawing of synthetic fibres 128-9,
 135-6
 Dreyfus, Camille 122-3
 Dreyfus, Henri 122-3
 dry spinning of synthetic
 fibres 132-3
 dry-jet wet spinning of synthetic
 fibres 134-5
 'dull fibres' (viscose) 105
 DuPont
 acrylic fibres 166
 p-aramid fibres 203-6
 nanofibres 243
 polyamide fibres 136-7
 polyester fibres 151
 poly(*p*-phenylene
 terephthalamide)
 (PPTA) 205-6
 'dye-swell' and synthetic
 fibres 130
 dyes
 acrylonitrile 10
 cellulose 38-9
 photodegradation 18-19
 'reactive' 38-40
 silk 98
 wool 84-5
 Dylan GRC (shrinkproofing) 89
 E-CR glass (corrosion resistant)
 261
 E-glass (electrical resistant) 261
 ECHA *see* European Chemicals
 Agency
 ECTFE fibres 218-19
 EDFAs *see* erbium doped fibre
 amplifiers
 Edison, Thomas 220
 Ekonol fibres 211-12
 elastane (polyurethane)
 apparel market 150
 extrusion 194
 name 4
 strength 194
 'stress-softening' 194
 stretch 188, 196
 Elasterel-p and FTC 198
 elastodiene fibres 196-8
 elastolefin fibres 199
 elastomeric fibres
 classification 188-90
 elastodiene 196-8
 elastane 188-96
 elastolefin fibres 199
 elastomultiester 198-9
 introduction 188-99

- elastomultiester fibres 198–9
- electrical conductivity of fibres
 - 16
- electrical properties of textile fibres 14–16
- electrically conducting fibres
 - introduction 244–5
 - manufacture
 - coating textile fibres 253–5
 - conductive particles 255–6
 - inherently conductive polymers 247–52
 - metal wires (very fine) 245–7
 - polymer blending 256–7
 - summary 245
- electroluminescent fibres 274–6
- electrospinning of nanofibres
 - ‘core-shell’ 239
 - Debye length 235
 - ‘islands-in-the-sea’
 - method 241–2
 - melt blown 241
 - polymer-solvent systems 238
 - ‘Taylor Cone’ 235
- Elmarco, Liberec, Czech Republic 238
- elongation to break (fibres) 13
- emeraldine (polyaniline) 249–51
- enzyme treatments for textiles
 - bio-finishing 310–11
 - pH 310
 - reactions 309–10
 - temperature 310
- erbium doped fibre amplifiers (EDFAs) 262
- ETFE fibres 218–19
- ethane-1-2-diol 153–4
- ethoxy-based polymers and synthetic fibres 320–1
- EU *see* European Union
- European Chemicals Agency (ECHA) 345
- European Union (EU)
 - environmental standards 101
 - names of fibres 4
 - organic cotton 43
 - textile products 4
- fabric conditioners 15–16
- ‘Father of Rayon’ (de Chardonnet) 101
- Federal Trade Commission (FTC), USA
 - acrylic fibres 168
 - ‘Azlon’ 126
 - Elasterel-p 198
 - generic names 4, 126
 - ‘Lastol’ name 199
 - rayon 101
- felting of wool 63–4, 88, 91
- ‘Fiber V’ 151
- ‘Fibre B’ 203
- fibre blends in textile fabrics
 - blended yarns
 - intimate 331–4
 - non-intimate 334–5
 - plied 335
 - double face knitted fabrics 336–7
 - introduction 330–1
 - nylon microfibre 334
 - physical properties 330
 - ‘pilling’ 334
 - polyester microfibre 334
 - price 331
 - resilience/durability 330–1
 - synthetic 334
 - union fabrics 335
 - uses 337

- fibre performance
 (surface modification)
 introduction 287
 plasma treatments 299–303
 summary 298–9
 surface treatments 298–309
 wetting 287–94
 wicking 294–8
- ‘Fibre Processing Aid Scheme’ 50
- fibrillation of Lyocell
 fibres 119–20
- fibroin *see* silk
- flame resistance
 limiting oxygen index 14
 modacrylic fibres 168
 rayon 111
 United Kingdom 176
- flame retardants
 cellulosic fibres 325–6
 limiting oxygen index 324
 polypropylene fibres 328
 synthetic fibres 327–8
 textiles 324–5
 wool fibres 327
- flammability of fibres 14
- flax
 biodegradable fibres 276–7
 chemical retting 47
 dam retting 47
 dew retting 47
 hemicelluloses 47–8
 lignins 47–8
 ‘linen’ 45
Linum usitatissimum 45–50
 properties 49–50
 ‘retting’ 45–7
 ‘scutching’ 47
 ‘shives’ 47
 tensile strength 57
- fleece processing (wool) 72–4
- fluorocarbons and water
 repellents 317–18
- fluoropolymer fibres 218–19
- Formhals (American chemist) 235
- Fourier transform infrared
 spectroscopy 304
- FR (flame retardant) viscose 111
- friction charging
 (triboelectrification) 322
- FTC *see* Federal Trade
 Commission
- fullerenes and carbon nanotube
 fibres 224–5
- gas plasma treatment (wool) 89
- ‘gelation’ and acrylic fibres 172
- generic names for textile fibres 4,
 126
- genetically modified organism
 (GMO) 43–5
- GI *see* graded-index (GI)
- glass fibres
 applications 261–2
 manufacture 260–1
 structure 259–60
 textiles classification 2
 types 261
- glass transition temperature
 acrylic fibres 167
 synthetic fibres 14
- Global Organic Textile Standard
 (GOTS) 43–4
- glossary
 textiles manufacturing
 terms 341–6
 units of measurement 338–9
- glow discharge pressure
 plasmas 300
- glutaraldehyde and cross linking
 in wool 83
- GMO *see* genetically modified
 organism
- ‘Godet’ rollers (viscose) 105
- Gossypium* (cotton) 23

- GOTS *see* Global Organic Textile Standard
- graded-index (GI) 264
- graphite structure 220
- 'green cotton' 42–4
- guanaco fibres 91
- hair fibres 61
- HALS *see* hindered amine light stabilisers
- HBA *see* *p*-hydroxybenzoic acid
- hemicelluloses
- degree of polymerisation 48
 - flax 47–8
 - hemp 50
 - jute 52
 - nettles 56
 - ramie 54
 - viscose 102–3
 - D-xylose 48
- hemp
- cellulose 50
 - composition 51
 - 'Fibre Processing Aid Scheme' 50
 - hemicelluloses 50
 - lignins 51
 - properties 51
 - retting 50
 - tensile strength 57
 - Δ^9 -tetrahydrocannabinol 50
- henequen (leaf fibre) 58
- HEPA *see* high efficiency particulate air
- Hercosett 57 (shrinkproofing) 89
- hessian *see* jute
- hexamethylene diamine *see* 1,6-diaminohexane
- hexamethylphosphoramide (HMPA) 205
- 1,6-hexandioic acid (adipic acid) 138
- high efficiency particulate air (HEPA) 243
- 'high heat/quick cool' strategy for glass fibres 260
- high tenacity rayon 108–9, 111
- high wet modulus (HWM)
- rayon 110–11
- high-performance fibres
- aramid fibres 202–10
 - aromatic polyester fibres 210–14
 - carbon 220–7
 - carbon fibres 201
 - ceramic fibres 230
 - fluoropolymers 218–19
 - introduction 200–2
 - mechanical properties 201
 - polybenzimidazole 214–18
 - thermoset polymer 227–30
 - 'thermoset resins' 201
- hindered amine light stabilisers (HALS) 149–50
- HMPA *see* hexamethylphosphoramide
- HNA *see* 6-hydroxy-2-naphthoic acid
- hot-wet conditions and acrylic fibres 174–6
- HWM *see* high wet modulus
- hybrid-fluorocarbon polymers and textiles 321
- hydrogen peroxide
- silk 97
 - wool 73, 82, 86
- 'hydrolysis-alkalization' (bamboo) 55
- 6-hydroxy-2-naphthoic acid (HNA) 212–14
- hydroxy-based polymers and textiles 320
- p*-hydroxybenzoic acid (HBA) 211–14

- ICI *see* Imperial Chemical Industries
- ICPs *see* inherently conductive polymers
- I.G. Farbenindustrie 165
- Iijama, Sumio 224
- Imperial Chemical Industries (ICI) 151
- Ingeo™ (Polylactic acid) 280
- inherently conductive nanofibres 257
- inherently conductive polymers (ICPs) 247–9, 254, 257
- initial modulus (fibres) 13
- inorganic fibres (ceramic/glass) 2
- International Wool Secretariat 327
- ‘intersystem crossing’ (photoluminescent fibres) 273
- intimate yarns and fibre blends 331–4
- intrinsic viscosity of polyester 8
- Invista (company) 198
- islands-in-the-sea melt spinning of nanofibres 241–2
PLA and manufacture of micro/nano fibres 283
- jute
bast fibres 58
hessian 52
polypropylene 53
properties 52
tensile strength 57
Tossa (*Corchorus olitorius*) 52
white (*Corchorus capsularis*) 52
- kapok (seed fibre) 22
- kenaf fibres 58
- keratins
acids 77–8
cross-linking 70
cystine content 61
hydrolysis 67–8, 77–8
isolation/location 70–72
protein fibres 61
wool 66–70, 70–2
- Kevlar (PPTA) 205
- Kevlar 49 (PPTA) 206–8
- la Bureau International pour la Standardisation des Fibres Artificielles
see BISFA
- ‘lactides’ 280
- Lactobacillus* 279
- LAD *see* ‘laundry-air-dry’
- lanthionine 74–5, 85
- ‘Lastol’ (elastolefin) and FTC 199
- ‘laundry-air-dry’ (LAD)
fluorocarbons 318
- leaf fibres 58
- LEDs (light emitting diodes) 269
- Lenzing AG, Austria
fluoropolymer fibres 219
viscose manufacture 101, 103, 111, 115, 120
- leucomeraldine (polyaniline) 249, 251–2
- Lewis acids and cellulosic fibres 325–6
- light
silk 98
textiles’ appearance 16
wool 86–7
wool keratin 17
- lignins
bamboo 55
chemical composition 48
flax 47–8
hemp 51

- nettle 56
- ramie 54
- limiting oxygen index (LOI) 14, 200–1, 324
- Lincoln wool 65
- 'linen' (flax) 45
- 'lines' *see* 'scutching' (flax)
- Linum usitatissimum* (flax) 45–50
- llama fibres
- loft insulation (wool) 91
- LOI *see* limiting oxygen index
- luminescent fibres
 - electroluminescent 274–6
 - introduction 272
 - photoluminescent 272–4
- lustre of textiles 17
- Lycra[®] 188, 195
- Lyocell fibres
 - bamboo 55
 - cotton comparison 44
 - dry-jet wet spinning 135
 - fibrillation 119–20
 - 'green cotton' 42
 - manufacture 116–18
 - name 102
 - 'open width' dyeing 119
 - 'peach-skin' 118
 - perspiration 208
 - rayon 112
 - Tencel[®] 166
 - viscose 115–21
- lysinoalanine 74–5, 85
- mammalian fibres 91–3
- 'man-made' (manufactured) fibres 1, 2
- MC *see* methyl cellulose
- MDI *see* 4,4'-diphenylmethane-diisocyanate
- MEAS *see* monoethanolamine sequisulfite
- mechanical properties of textile fibres 11–13
- medical applications of viscose 112
- medicine/healthcare applications of textile fibres 20–1
- melamine–formaldehyde fibres 227–8
- melt blown nanofibres 241
- melt flow index (MFI) for polyethylene 8–9
- melt spinning of synthetic fibres 130–1
- Merino wool 65
- mesophase pitch (MP) 221–2, 227
- metallocenes 179–81
- methanal (formaldehyde) 83, 315
- methyl cellulose (MC) 238
- N*-methylmorpholine-*N*-oxide (NMMO) 116–17, 238
- MFI *see* melt flow index
- mineral (asbestos) fibres 2
- Mitsui Toatsu, Japan 279
- modacrylic fibres
 - definition 168
 - flame resistance 168
- modal rayon
 - high wet modulus 111
 - name 102
- mohair (Angora goat) fibres 91
- moisture in textiles fibres 15, 322–3
- molar mass
 - polymer chains 8–9
 - PPTA 205
- monoethanolamine sequisulfite (MEAS) 88
- Moreau (French chemist) 165
- MP *see* mesophase pitch
- MPIA *see* poly(*m*-phenylene isophthalamide)

- multiwalled nanotubes
 (MWNTs) 225–6
 MWNTs *see* multiwalled nanotubes
 NA *see* numerical aperture
 nanofibres
 applications 233
 inherently conducting 257
 introduction 233–2
 manufacture
 electrospinning 235–40
 islands-in-the-sea 241–2
 melt blown 241
 polymer blending 256–7
 summary 234–5
 properties 232
 uses 243–4
 Nanofront™ fibres 244
 Nanospider™ electrospinning technology 238–9
 nanotube carbon fibres 224–7
 naphthalene 2, 6-dicarboxylic acid 156–7
 Natta, Giulio 177–8
 natural fibres
 heat decomposition 14
 moisture regain 16
 staple fibres 6
 textile industry 1
 NatureWorks LLC 280
 Neochrome process 166
 nettles
 hemicelluloses 56
 lignins 56
 properties 57
 NMMO *see* *N*-methylmorpholine-*N*-oxide
 non-intimate (core-spun) yarns and fibre blends 334–5
 non-ionic softeners 314–15
 numerical aperture (NA) 259
 nylon
 6 4, 137–8, 142–5, 204, 307
 6,6 4, 137–8, 141–2, 144–6, 158, 307
 6T 200–1
 9 136–7
 11 4
 46 4
 hydrogen bonding 7–8
 intermolecular attractions 7–8
 microfibres 176, 334
 name 4
 photodegradation 17–18
 socks 176
 stress 13
 wool blend 333
 optical fibres
 attenuation 257–8
 glass fibres 259–62
 introduction 257–9
 luminescent 272–4
 numerical aperture 259
 photonic crystal 269–72
 polymer optical fibres 262–6
 Rayleigh scattering 258
 textiles 266–9
 optical properties of textile fibres 16–19
 organic cotton 43–4
 Orlon 166
 Orlon 42 174
 overcoats (wool) 64, 91
 PA *see* polyacetylene
 PAN *see* polyacrylonitrile
 PANI *see* polyaniline
 Panion™ fibre (SFIT) 252
 PBG *see* photonic band gap
 PBI *see* polybenzimidazole
 PBT *see* polybutylene terephthalate

- PC *see* polycarbonate
PCFs *see* photonic crystal fibres
PCL *see* polycaprolactone
PCT *see*
 polycyclohexanedimethylene
 terephthalate
PE *see* polyethylene
'peach-skin' in Lyocell fibres
 118
pectins
 chemical composition 29
 cotton 29, 32
 flax 47
 jute 52
 ramie 54
PEDOT *see* poly(3,4-
 ethylenedioxythiophene)
PEN *see* polyethylene naphthalate
PEO *see* polyethylene oxide
'performance' apparel market 1
'Perlon' (nylon 6) 137
pernigraniline (polyaniline) 249,
 251–2
perspiration and textiles 208
PET *see* polyester
pH and enzyme treatments 310
phenol–formaldehyde
 fibres 228–30
photodegradation
 aramid fibres 208–9
 dyes 18–19
 nylon 17–18
 polyamide fibres 148
 polyester 18
 polyester fibres 18, 163–4
 polyolefin fibres 186
photoluminescent fibres 272–4
photonic band gap (PBG) 270
photonic crystal fibres
 (PCFs) 269–72
photostability of fibres 17
'pilling' and blended fibres 334
pitch and carbon fibres 220
'pixels' and optical fibres in
 textiles 267–9
PLA *see* polylactic acid
planar wicking 297
plasma treatments
 atomic force microscopy 303
 cotton 307–8
 deposition 302
 effects 300–1
 fibre/fabric treatments 305
 Fourier transform infrared
 spectroscopy 304–5
 generation 299–300
 introduction 299
 nylon 6, 6, 6 307
 polyester 307–8
 polypropylene 308
 scanning electron
 microscopy 303
 silk 306
 textile surfaces 303–4
 total internal reflectance 305
 uses 308–9
 wool 305–6
 X-ray photoelectron
 microscopy 303–4
plied yarns and fibre blends
 335
PMMA *see*
 Polymethylmethacrylate
POFs *see* polymer optical fibres
poly (3,4-ethylenedioxythiophene)
 (PEDOT) 253, 255
poly-3-hydroxybutyrate 285
polyacetylene (PA) 248–50
polyacrylonitrile (PAN) fibres
 acrylic 165
 carbon fibres 221–4
 hydrogen bonding 166
 solvents 167
 thermoset polymer fibres 227

- polyamide fibres
 biodegradability 277
 chemistry
 hydrolysis 145
 introduction 145
 photodegradation 148
 pyrolysis 145-6
 stabilisation 148-50
 thermal oxidation 146-7
 extrusion 143-4
 introduction 136-8
 monomers manufacture 138-41
 name 4
 'nylon' 130
 physical structure 144-5
 properties 150
- polyaniline (PANI) 16, 248-52, 256-7, 301
- poly(*p*-benzamide) 203-5
- polybenzimidazole (PBI) fibres
 introduction 214-15
 production 215-16
 properties 216-18
 thermal resistance 214-15
- polybutylene terephthalate (PBT) 151-3, 159-61, 163, 165
- polycaprolactone (PCL) fibres 283-4
- polycarbonate (PC) 262, 272
- polycyclohexanedimethylene terephthalate (PCT) 151-2, 160-1, 165
- polydimethylsiloxane and water repellents 316-17
- polyester fibres (PET)
 antibacterial properties 309
 aromatic fibres 211-12
 biodegradation 277
 blended yarns 332-3
 chemistry
 ester groups 161
 hydrolysis 161-2
 photodegradation 163-4
 thermal degradation 162-3
 commercial production 177
 contact angle of water 301
 intrinsic viscosity 8
 introduction 151-3
 microfibres 176, 334
 monomers manufacture 153-6
 photodegradation 18
 physical structure 160-1
 plasma treatments 302, 307-8
 polylactic acid 282-3
 processing 160
 properties 161, 164-5
 spinning 130
 X-ray photoelectron spectroscopy 304
- polyesters production
 PBT 159-60
 PCT 160
 PEN 159
 PET 157-9
 PTT 160
- polyethylene (PE) fibres
 contact angle of water 301
 melt flow index 8-9
 processing 181-2
 synthesis 177-8
 zig-zag form 177-8
- polyethylene naphthalate (PEN) fibres 151-2, 159, 161, 163, 165
- polyethylene oxide (PEO) fibres and ICPs 257
- polyethylene terephthalate (PET)
see polyester fibres
- polyglycolide 284-5
- polylactic acid (PLA) fibres
 introduction 277-8
 islands-in-the-sea 283
 manufacture 278-82
 plasma treatment 302
 P(L)LA isomer 281-2

- P(LD)LA isomer 281–2
- polycaprolactone 284
- properties 282–3
- uses 283
- polymer blending of ICPs 256–7
- polymer optical fibres (POFs) 258, 262–6, 266–7
- polymers for fibres
 - chain movement 10
 - crystallisation 9–10
 - degree of polymerisation 8
 - flexibility of linear chain 7
 - intermolecular attractions 7
 - length 8
 - length/cross section ratio 7
 - molar mass 8–9
 - orientation 9
 - shrinkproofing 89–90
 - transmission of data 17
- polymethylmethacrylate (PMMA)
 - optical fibres 258–9
 - photonic crystal fibres 271–2
 - polymer optical fibres 262–3, 265
 - textiles 267–8
- polyolefin fibres
 - chemistry
 - introduction 184
 - photodegradation 186
 - pyrolysis 184
 - thermal oxidation 185–6
 - introduction 176–8
 - manufacture 178–9
 - monomers manufacture 178
 - physical structures 183–4
 - processing 181–3
 - properties 187
- stabilisation 186
- poly(perfluorobutenylvinyl ether) (CYTOP) 263
- poly(*m*-phenylene isophthalamide) (MPIA) 203
- polypropylene (PP) fibres
 - configuration 178–80
 - contact angle of water 301
 - flame retardants 328
 - jute 53
 - melt spinning 130
 - molar masses 8
 - plasma treatment 308
 - processing 183–4
 - synthesis 177–81
- polypyrrole (PPy) 16, 248–50, 252–5
- polysaccharide fibres 58–60
- polystyrene (PS) 262
- poly(styrene sulfonate) (PSS) 253, 257
- poly(*p*-terephthalamide) (PPTA) 205–8
 - see also* Kevlar
- polytetrafluoroethylene (PTFE) 218–19, 301
- polythiopenes (PT) 16, 248, 253
- polytrimethylene terephthalate (PTT) 151–2, 160–1, 165
- polyurethanes *see* elastane
- polyvinylene difluoride (PVDF) 218–19, 272
- Polyvinylene fluoride (PVF)
 - fibres 218–19
- potassium hexafluorotitanate 327
- potassium
 - hexafluorozirconate 327
- PP *see* polypropylene
- PPTA *see* poly(*p*-terephthalamide)
- PPy *see* polypyrrole
- propane-1, 3-diol 154–5
- protein fibres
 - introduction 61
 - keratin 2
 - regenerated 126
 - wool 61–91, 71–2
- PS *see* polystyrene

- PSS *see* poly(styrene sulfonate)
 PTFE *see* polytetrafluoroethylene
 PTT *see* polytrimethylene terephthalate
 PVDF *see* polyvinylene difluoride
 PVF *see* polyvinylene fluoride
- quaternised chitosan 309
- R-glass (high strength) 261
- ramie
Boehmeria nivea 53
Boehmeria tenacissima 53
 'decortification' 54
 elasticity 54–5
 extraction from stem 53–4
 properties 54–5
- Rayleigh scattering 258
- rayon
 'alloy' 112
 'core character' 108
 cuprammonium 113–15
 Federal Trade Commission 101
 flame retardant 111
 high tenacity 108–9, 111
 high wet modulus 110–11
 modal 111
 name 4
 polynosic 109–10
 'skin core' structure 108
see also viscose
- REACH (Registration, Evaluation, Authorisation and restriction of Chemicals) legislation 325, 345–6
- 'reactive' dyes 38–40
- refractive index (RI)
 polymer optical fibres 266
 textile fibres 16–17
- regenerated fibres
 cellulosic 100–26
 description 2
 protein 126
- resorbable fibres 20–1
- retting
 bamboo 55
 flax 45–8
 hemp 50
 lignins 48
- RI *see* refractive index
- Rodrun fibres 211
- Roica (elastomeric fibre) 188
- rustling effect in silk ('scroop') 97
- 'sand-washed' silk 99
- Sateri fibres (viscose) 111
- scanning electron microscopy (SEM) 303
- Schlack, Paul 137
- Schönbein (Swiss chemist) 100
- Schutzenbeger, Paul 122
- Schweizer's reagent 113–14
- SCMK *see* S-carboxy methylkeratin
- 'scouring' (cotton) 32
- 'scroop' (rustling effect in silk) 97
- 'scutching' (flax) 47
- Seacell™ fibres 121
- seaweed (brown) 58
- seed fibres
 bast 44–58
 leaf 58
 polysaccharide 58–60
- SEM *see* scanning electron microscopy
- setting of wool 87–8
- SFIT *see* smart fabrics and interactive fibres
- sheep breeds 63
- shirts
 'easy care' 40
 'non-iron' 40

- 'shish-kebab' structure of
 - polyethylene fibres 184
- 'shives' (flax) 47
- SI *see* step-index
- silicon carbide fibres 230–1
- silk (fibroin)
 - amino acids 95
 - Antheraea mylitta* 93
 - Antheraea pernyi* 93
 - bleaching 96
 - Bombyx mori* 94, 96, 98–9
 - chemical composition 94–6
 - chemical reactions
 - acid/alkali 96–7
 - cross-linking 97–8
 - cystine content 96
 - dyes 98
 - light 98
 - oxidation 97
 - peptide linkages 96
 - cocoons 94
 - fineness/handing 100
 - haute couture 99
 - hydrogen peroxide 97
 - introduction 93–4
 - plasma treatment 306
 - 'sand-washed' 99
 - 'scoop' 97
 - Soysilk[®] 126
 - spiders 61
 - textile industry 1
 - weighting 98
- single walled nanotubes (SWNTs) 225–6
- sisal (leaf fibre) 58
- 'skin-core' effect 19
- smart fabrics and interactive fibres (SFIT) 244–5, 251
- 'smart textiles' 266
- Smartcell[™] fibres 121
- Smartfibre AG 121
- socks for trekking 176
- sodium cellulose xanthate 104, 106
- sodium dithionite (bleaching of wool) 73
- sodium
 - hydroxymethanesulfinate 73
- Sohio process for acrylonitrile 169
- Soil Association, UK 44
- soil release/anti soiling-agents for textiles 318–20
- solution spinning of synthetic fibres 131–5
- Soysilk[®] 126
- spandex 4, 188
- spider silk 61
- 'spin-finishes' and static electricity 323
- spinnerets for processing of synthetic fibres 128–31, 133
- 'spreading coefficient' 293–4
- starch 27, 278–9, 320
- static electricity
 - fibre processing 14–15
 - textiles 322–3
- step-index (SI) 264
- 'stress-softening' of elastane 194
- stress–strain curves for fibres 11–13
- sulfinic acid (bleaching agent) 73–4
- sulfitolysis of wool 80–1
- Sulfosorbon process (viscose) 106
- surface properties of textile fibres 19
- surface tension and wetting of textiles 292
- surface treatments
 - chemical finishing of textiles 311–28
 - enzymes 309–11
 - plasma 299–309
 - summary 298–9

- sutures and biodegradable fibres 284–5
 Swan, Joseph 100, 220
 SWNTs *see* single walled nanotubes
 Synthappret BAP (shrinkproofing) 89–90
 Synthappret LKF (shrinkproofing) 89–90
 synthetic fibres
 acrylic 165–99
 cellulose acetate/triacetate 125–6
 continuous filament yarns 6
 countries producing 5
 elastomeric 188–99
 fibre blends 334
 flame retardants 327–8
 flexibility 8
 glass transition temperature 14
 heat degradation 14
 intermolecular attractions 8
 micro-organisms 19–20
 modacrylic 165–99
 non-renewable resources 2
 photodegradation 17–18
 polyamide 136–52, 277
 polyester 151–64, 277
 polyolefin 176–87
 post war market 137
 processing
 drawing 128–9, 135–6
 dry spinning 132–3
 dry-jet wet spinning 134–5
 ‘dye-swell’ 130
 extrusion 128
 melt spinning 130–1
 solution spinning 131–5
 spinnerets 128–31, 133
 texturising 129
 wet spinning 132–4
 T-400[®] elastomultiester fibre 198–9
 TAHT *see* trisacrylohexahydrotriazine
 tampons/hygiene and viscose 112
 TDI *see* 2,4-toluene-diisocyanate
 ‘technical textiles’ 1
 Teijin Fibres Ltd 244
 temperature and enzyme treatments for textiles 310
 Tencel[®] 115–16, 119–21, 166
 Tencel A100[®] 120–1
 Tencel LF[®] 121
 terephthalic acid 153
 ‘Terylene’ 51
 Δ^9 -tetrahydrocannabinol (THC) and hemp 50
 tetrakis(hydroxymethyl) phosphonium chloride (THPC) 80, 326
 textile fibres
 biological properties 19–21
 countries producing 5
 electrical properties 14–15
 fineness 5–6
 geometry/morphology 6–7, 16
 manufacturing terms 341–6
 mechanical properties 11–13
 medical applications 20–1
 moisture 15
 optical properties 16–19
 production 4–5
 summary 10–11
 surface properties 19
 thermal properties 13–14
 Textile Products (Indication of Content) Regulations 4
 texturising of synthetic fibres 129
 THC *see* Δ^9 -tetrahydrocannabinol
 thermal properties of textile fibres 13–14
 thermally resistant fibres 215

- thermoset polymer fibres
 introduction 227
 melamine–formaldehyde
 227–8
 phenol–formaldehyde 228–30
 properties 229
'thermoset resins' 201
thermotropic liquid crystalline
 polymers (TLCPs) 211
thioglycolic acid 79
thiorea dioxide 73
THPC *see*
 tetrakis(hydroxymethyl)
 phosphonium chloride
TLCPs *see* thermotropic liquid
 crystalline polymers
2,4-toluene-diisocyanate
 (TDI) 192–3
Toray Industries inc., Japan 238
Tossa jute 52
total internal reflectance
 (ATR) 305
trademarks ([®] symbol) 4
transmission of data by optical
 fibres 17
transverse wicking 297
tri-*n*-butylphosphine 79
triboelectric series of fibres 322
triboelectrification (friction
 charging) 322
trisacrylohexahydrotriazine
 (TAHT) 120
tryptophan in wool 67–8
Twaron[®] and HMPA 205
union fabrics and fibre blends 335
United Kingdom (UK)
 flame resistance 176
 hemp 50
 Soil Association 44
 textile industry 1
 Textile Products Regulations 4
United States of America (USA)
 'Azlon' 126
 Celanese fibres 123
 hemp 50
 names of fibres 4
 see also Federal Trade
 Commission
units of measurement 338–9
Vectra 211
Vectran[®] 211, 213
Vicryl (biodegradable fibre) 285
vicuña fibres 91
Viloft (viscose) 107–8
vinyl sulfone system (dye) 38–9
viscose
 bamboo 55
 beech wood 102
 bisulfite process 02
 bleaching 103
 'bright fibres' 104–5
 carbamate process 122
 cotton comparison 44
 'dull fibres' 105
 EU name 4
 fibre properties 107
 flushability 112–13
 FR viscose 111
 'Godet' rollers 105
 'green cotton' 42
 hemicelluloses 102–3
 Lenzing AG, Austria 101, 103,
 111
 Lyocell fibres 115–21
 manufacture 116–18
 medical applications 112
 molecular mass 107
 morphology of fibres 106–7
 name 4, 102
 perspiration 208
 regenerated 102–8
 'ripening index' 104

- viscose (*continued*)
 Sateri fibres 111
 sodium cellulose xanthate 104, 106
 Sulfosorbon process 106
 tampons/hygiene 112
 Viloft 107–8
 water retention/holding capacity 112–13
 zinc sulphate 104, 108
see also rayon
 Vyrene 188
- Washburn–Lucas equation 296
 water repellents
 fluorocarbons 317–18
 polydimethylsiloxane 315–16
 wax 315
 water retention/holding capacity of viscose 112–13
 wax and water repellents 315
 weighting of silk 98
 wet spinning
 acrylic fibres 172
 synthetic fibres 132–4
 wetting of textile fibres
 British Standard 294
 introduction 287–8, 289–94
 ‘spreading coefficient’ 293–4
 summary 298
 surface tension 292
 Wilhelmy method for contact angles 290–1
 ‘Zisman plot’ 291
 wicking of textile fibres
 acrylic 176
 introduction 287–8, 294–8
 planar 297
 summary 298
 transverse 297
 Washburn–Lucas equation 296
 Young–Laplace equation 295
- Wilhelmy method for contact angles (wetting) 290–1
 Winfield, J.R. 151
 wool
 amino acids 67–70
 baize for snooker tables 64, 91
 bleaching 73–4, 86–7
 α -bromoacrylamido dyes 84
 cell membrane 66
 chemical composition 66–70
 chemical reactions
 acid 77–81
 alkali 74–7
 chlorination 82–3
 cross-linking 83–4
 heat 85–6
 introduction 74
 light 86–7
 oxidation 81–2
 reactive dyes 84–5
 reduction 78–81
 chlorination 82–3, 88–9
 cortex 65–6
 cuticle 63–5
 cystine 64, 69–72
 disulphide bridges 70, 72, 75
 felting 63–4, 88
 fibre properties 90–1
 flame retardants 327
 fleece processing 72–4
 gas plasma treatment 89
 growth and morphology 61–3
 hydrogen peroxide 73, 82, 86
 keratins 66–70, 71–2
 length and diameter 62–3
 light stability 17
 Lincoln 65
 loft insulation 91
 Merino 65
 nylon blend 333

- overcoats, 64, 91
- plasma treatment 305–6
- proteins 71–2
- setting 87–8
- shrinkproofing 88–90
- sulfitolysis 80–1
- textile industry 1
- tryptophan 67–8
- types 63
- yellowness 73, 86
- wool keratin and light 17
- work to rupture (fibres) 13
- ‘worn look’ (fashion) 310–11
- ‘wrinkle-free’ clothes 125
- X-ray photoelectron microscopy
 (XPS) 303–4
- D-xylose in hemicelluloses 48
- yellowness in wool 73, 86
- Young–Laplace equation,
 (wicking) 195
- Ziegler, Karl 177–8
- Ziegler–Natta process 178–80
- zinc hydroxymethanesulfinate 73
- Zirpo process for wool and flame
 retardants 327
- ‘Zisman plot’ and wetting 291