

-
- 1,4-butanediol (BDO) 13, 40
1,6-diphenyldiisocyanate (PDI) 236
3D crease retention 286
3D networks 252
4,4'-diphenylmethane diisocyanate (MDI)
13
4,4'-bis(2-hydroxyethoxy)biphenyl
(BEBP) 235
4,4'-diphenylmethane diisocyanate 40
- AA 260
absolute temperature 186
acrylic acid 260
activation energies 186
aerogel 252
amino group 266
ammonium cerium nitrate 262
ammonium persulfate 259
amorphous 321
antibacterial 266
antibacterial activity 124, 266
antifungal 266
APS 259
Arrhenius equation 128, 184
asymmetrical extender 146
Avrami equation 125
Avrami parameters 128
- bacteria 266
BDO 42
bending test 204
benzene rings 91
benzene-like vibrational mode 89
bfungi 266
biodegradable 21
- birefringence 95
block copolymer 29
boundary air layers 186
bragg equation 70
breaking strength 283
breathability 159
breathable fabrics 32
- C=O stretching 85
CAN 262
carbon nanotube 40
carbonyl groups 53
carboxymethyl cellulose 260
cationomer 155
CD-NMA 271
CH₂ bending 85
CH₂ stretching 85
chain extender 45
charged ionic groups 147
chemical cross-link 224
chitin 266
chitopoly 268
chitosan 266
chlorinated polyethylenes 119
CMC 260
co irradiation method 260
coefficient of thermal expansion 244
compatibility 29
concentration gradient 34
cooling-induced crystallization 50
cotton 261
Coulombic forces 116
counter-ion 40
covalent netpoints 29
CPE 119

- CR-CMC 260
 crease 280
 crease retention 280
 critical degree 254
 critical nucleus 132
 cross-link 5
 cross-linked carboxymethyl cellulose 260
 cross-linked PE/poly(vinyl acetate)
 copolymer 224
 cross-linked poly(vinyl chloride) 224
 cross-linked polyethylene 224
 cross-sectional area 324
 crystal 29
 crystal melting point 169
 crystal-growth geometry 127
 crystalline 321
 crystallization 29
 crystallization mechanism 128
 cumulative Vc release 276
 cyclic tensile test 319
- dashpot 239
 DBTDI 45
 deformation 209
 deformation rate 210
 deformation recovery speed 200
 deformation temperature 209
 degree of phase separation 30
 degree of polymerization 30
 depolarization 30
 depolarization ratio 87
 desorption 165
 dibutyl tin dilaurate 45
 dicumyl peroxide 49
 differential scanning calorimetry 30
 diffusion coefficient 33, 258
 diffusion resistance 186
 dimensional memory 270
 dimethyl propionic acid 40
 DMA 29, 77
 DMF 43, 272
 DMPA 40
 DNA 266
 double logarithmic 127
 DSC 30, 231, 260
 dual-sensitive hydrogel 272
 dynamic mechanical analysis 29, 207,
 311
- E' 77
 elastic deformation 247
 elastic modulus 17, 28, 310
 elasticity 8, 310
 electro-activation 42
 electrostatic force 254
 elongation ratio 310
 energy dissipation 77
 entangled structure 29
 entanglement 37
 enthalpy of crystallization 119
 entropy 255
 entropy elasticity 13, 48
 environmentally sensitive gel 252
 EOVE200 274
 EOVE200-HOVE400 274
 equilibrium melting temperature 132
 ethylene oxide-ethylene terephthalate
 segmented copolymer 37
 ethylene-vinyl acetate copolymer 29
 evaluation methods for shape memory
 fabrics 281
 external stimulus 36
 E'_β 82
 E'_γ 82
 E'_α 82
- fiber reinforced plastics 11
 Fick's law 34
 fixed phase 219
 fixing rate 211
 fixing temperature 211
 fixity ration 320
 flat appearance 19
 flatness appearance 285
 flexibility of chain 29, 219
 Flory-Huggins osmotic formula 253
 Fourier transform infrared spectroscopy
 62
 fractional free volume 33, 167
 free carbonyl groups 140
 free volume 32, 106
 free volume radius 191
 free water 255
 friction slider (friction unit) 244
 frozen phase 6, 115, 219
 FTIR 62
 Fujita's theory 33
- gas constant 186, 254

- gel 252
- gel permeation chromatography 62
- gel radius 258
- glass transition temperature 6, 28, 321
- glassy state 8
- glucosamine 266
- glycerin 43
- GPC 62, 93
- graft copolymer 223
- graft density 259

- hard domains 101
- hard micro-phase domain 28
- hard segment 16, 221
- hard segment congregation 48
- hard segment content (HSC) 68, 229, 321
- HD 42
- HDI 42
- heat capacity 117
- heat shrinkage 206
- heat-shrinking 206
- heat-shrinking polymers 206
- hexane-diol 42
- high tenacity 308
- hot-stage 95
- hot-stage microscope 205
- HOVE400 274
- HSC 68
- hydrogel 252
- hydrogen bonding 5, 42, 140, 254
- hydrophilic block length 175
- hydrophilic segment 45, 159
- hydrophilic segment content 177
- hydrophilic/hydrophobic balance 255
- hydrophilicity 169
- hydroxyl group 266
- hysteresis effect 149

- infrared irradiation 42
- intelligent gel 252
- intrinsic symmetry 87
- ionic conductivity 124
- ionic groups 114
- ionomer 114
- IPDI 42
- IR dichroism measurement 92
- irreversible deformation 244
- isophorone diisocyanate 42
- isothermal crystallization 123

- kinetics 123

- LCs 88
- LCST 255
- LED 89
- light diffusion intensity 258
- light-emitting diodes 89
- linear density 310
- linear segmented PU system 38
- liquid crystals 88
- long-range ordering 30
- loss modulus 77
- lower critical solution temperature 255

- MAH 272
- maleic anhydride 49, 272
- maximum strain 210
- Maxwell model 239
- MBAAm 259
- MDI 40
- mechanical properties 322
- melting point 6
- melting temperature 321
- mesogenic moiety 235
- MIC 267
- micro-Brownian motion 220
- micro-Brownian movement 48
- micro-domain 231
- micro-encapsulation 56
- minimally invasive surgery 53
- minimum growth inhibitory concentration 267
- Mn 93
- model nutrient 265
- modeling of SMPs 238
- modulus 322
- molecular switch 219
- molecular weight 32
- monomer feeding ratio 263
- morphology of crystalline soft segment 114
- multi-phase system 173
- multi-walled carbon nano-tube 159
- Mw/Mn 93
- MWNT-SMPU 173

- N,N,N',N'*-tetra-methylethylenediamine 259
- N,N'*-methylene-bisacrylamide 259

- N,N-dimethylformamide 45, 272
- N*-acetylglucosamine 266
- nano-Csi 40
- NaOH 262
- natural gel 252
- n*-Butyl acrylate 56
- N*-deacetylation 266
- netpoints 220
- network chains 220
- neutralization reaction 43
- N*-H stretching 85
- NMA 271
- NMDA 40
- N*-methyldiethanolamine 40
- N*-methylol-acrylamide 271
- non-Fickian sorption 177
- non-ionomer 114
- non-isothermal crystallization 117
- non-linear standard linear viscoelastic 245
- non-porous 165
- nonwoven* 259
- nuclei grow 29
- number-average molecular weight 93

- objective evaluation 285
- oligomer 48
- one way shape memory effect 6
- one-step 260
- o*-Ps 105
- organic gel 252
- orientation function 92
- orientation of chain molecules 30
- original shape 6, 280
- ortho state 105
- ortho-positronium 189
- osmium tetroxide 101
- osmotic pressure 254
- OsO₄ 101
- Ozawa equation 125

- package density 30
- PALS 62, 192
- para state 105
- para-positronium 189
- PATFIT 106
- PBA-2000 43
- PCL 42
- PCL-2000 43
- PEA 42
- PEA-2200 43
- PEG-200 43
- penetrant gas molecules 188
- performance of shape memory fabrics 281
- permanent shape 29
- permeability 259
- permeance 259
- PES-PU 43
- PET 259
- PET-PU 43
- PGA 55
- pH 265
- PHA-2000 43
- PHA-2500 43
- phase mixing 29, 231
- phase separation 29, 231
- phase transition temperature 261
- pH-controlled release 265
- phenoxy 119
- photoinitiator 260
- physical cross-links 10, 28, 221
- pick-off 105
- PLA 55
- plastic deformation 247
- plasticization effect 178
- plasticizer 67
- PLGA 55
- PNIPAAm 255
- PNIPAAm/PU hydrogel 263
- polarization direction 87
- polarized scattering 87
- polarizers 95
- polarizing microscopy 31, 93
- poly(2-ethoxyethyl vinyl ether) 274
- poly(2-ethylene-co-vinyl acetate) 51
- poly(2-methyl-2-oxazoline) 53
- poly(ethylene adipate) 42
- poly(ethylene adipate) diol (PEA) 238
- poly(ethylene glycol) 45, 252
- poly(ethyleneterephthalate) 55
- poly(glycolic acid) 55
- poly(hydroxyethyl methacrylate), 252
- poly(hydroxyethyl vinyl ether) 274
- poly(ketone-co-alcohol)s 53
- poly(lactic acid)s 55
- poly(*N*-isopropylacrylamide) 255
- poly(*N*-isoproterenol) 252
- poly(*N*-vinyl-2-pyrrolidone) 252
- poly(octadecyl vinyl ether)diacrylates 53

- poly(propylene glycol) 42, 252
- poly(tetrafluoroethylene) 55
- poly(tetramethylene glycol) (PTMG) 42, 230
- poly(vinyl acetate) 51
- poly(vinyl chloride) 51
- polyacrylamide 252
- polycaprolactone (PCL) 13
- polycaprolactonediol 40
- polycyclooctene 53
- polydispersity 93
- polyester-based polyurethane 43
- polyether-based polyurethane 43
- polyethylene 29, 49
- polyethylene oxide (PEO) 49, 222
- polyethylene terephthalate (PET) 222, 259
- polyethylene/nylon6-graft copolymer 37
- polyethylene-graft-nylon 6 copolymers 16
- polymeric network 219
- polynorbornene 16, 29
- polypropylene 259
- polystyrene and poly(1,4-butadiene) block copolymers 222
- polyurethane 29
- polyurethane-urea block copolymer 40
- polyvinyl alcohol 56
- POM 31
- positron annihilation lifetime spectroscopy 62, 104
- PP 259
- PPG 42
- p-Ps 105
- predetermined shape 6
- pre-polymer 46
- prepolymerization 32
- primary shape 6
- PS 50
- PTFE 55
- PTMG 42
- PTMG-2000 43
- PVA 56
- pyridine ring 155
- quaternization 155
- R 186
- Raman intensity 88
- Raman spectroscopy 30
- recoverable strain 4
- recovery angle 280
- recovery process 292
- recovery stress 199
- recovery temperature 212
- recovery time 213
- recrystallization 118
- refractive index 17
- relaxation time 8
- residual wrinkles 280
- response temperature 205
- reversible phase 6, 115, 219, 321
- Rf 145
- Ri 186
- RNA 266
- Rr 145
- rubber-elastic 29
- rubbery state 8
- RuO₄ 99
- Ruthenium tetroxide 99
- SAN 119
- SAXS 92, 231
- segmented polyurethane 16
- self-annihilation 189
- SEM 104
- semi-crystalline 28
- shake flask method 268
- shape deformation 291
- shape fixing 209
- shape fixity 197
- shape fixity ratio 145
- shape memory alloy 3
- shape memory coefficient 296
- shape memory cotton 289
- shape memory effect 1
- shape memory fabrics 285
- shape memory fibers 305
- shape memory materials 1, 305
- shape memory networks 29
- shape memory polymer network 12
- shape memory polymers 1, 28
- shape memory polyurethane (SMPU) fiber 305
- shape memory properties 197
- shape memory recovery ration 324
- shape memory temperature 321
- shape memory transition temperature 5
- shape recoverability 198
- shape recovery 198, 209

- shape recovery ratio 145
- shape recovery speed 200
- shape recovery temperature 219
- shape retention 28, 198
- shape transition area 313
- short-range 30
- singlet 105
- small angle X-ray scattering 92
- smart clothing 11
- smart fiber 20
- smart gel 252
- smart material 1
- SmartSkin™ 270
- smoothness appearance 280, 286
- SMPs 28
- SMPU 113
- SMPU fiber 318
- SMPU film 321
- soft segment 16, 221, 321
- soft segment content (SSC) 73, 229
- soft segment-rich micro-phase 28
- sol-gel transition 274
- solubility coefficients 184
- solution polymerization 40
- speed of recovery process 200
- spherulites 96
- spinning machine 307
- spinning orientation 322
- spring 239
- SSC 73
- stability parameter 132
- stained specimens 99
- standard linear viscoelastic (SLV) 244
- stimuli-responsive materials 3
- storage modulus 77
- strain fixity 198
- strain recovery 198
- strain-induced 29
- stress-strain-temperature relationship 201
- structure-condition-property relationship 218
- structured water 255
- styrene-butadiene copolymer 29
- subjective evaluation 280
- sulfuric acid 260
- surface defects 88
- switching segment 29, 219
- switching temperature 219
- synthesis 307
- synthesized gel 252
- synthetic fiber 310
- tan γ 80
- tan δ 79
- TDA 55
- TDI 42
- TEM 31, 99
- TEMED 259
- temperature response 280
- temperature shape 201
- temperature-controlled release 265
- temperature-sensitive 3
- temperature-sensitive polyurethane 35
- temperature-sensitive SMP 12
- temporary shape 29
- tensile cycle 146
- the recovery stress 324
- the shape memory effect 280
- the stress-strain behavior 318
- the stress-strain curve 320
- the switching temperature 311
- the tensile module 320
- the transition point 313
- thermal cyclic tensile testing 42
- thermal energy triggering 280
- thermal expansion coefficients 167
- thermal memory 269
- thermal properties 308
- thermal responsive recovery 320
- thermal setting temperature 320
- thermal shrinkage 318
- thermal shrinkage ratio 316
- thermal transition 29, 322
- thermally induced shape memory effect 219
- thermally induced SMPs 219
- thermal-responsive 115
- thermo-elastic behavior 28
- thermo-mechanical cycle 6
- thermomechanical cyclic condition 208
- thermomechanical cyclic tensile test 201
- thermomechanical cyclic tests 323
- thermomechanical properties 32
- thermo-responsive 3
- thermosetting shape memory polymers 207
- THF/MeOH 53
- TMA 231
- toluene diamine 55

- toluene diisocyanate 42
- TPB 50
- transmission electron microscopy 31
- transmission rate 259
- trans-polybutadiene 50
- trans-polyisoprene 29
- triethylamine 43
- triplet 105
- TS-PU 35
- two-step 260

- ultraviolet light activation 42

- Van de Waals force 254
- vinyl-capped polyurethane
 - anionomer 262
- viscoelastic deformation 247
- viscoelasticity 238
- viscose rayon 266
- viscosity 307
- viscous state 29
- vitamin C 265
- Voigt–Kelvin model 241
- volume expansivity 17
- volume phase transition 254
- volume swelling degree 256
- VPUA 262

- water absorbency 266
- water cup method 181
- water sorption 161, 172
- water vapor permeability 17, 107
- water vapor pressure 181
- water vapor transmission rate 34
- water-acetone solvent 254
- waterproofing 159
- WAXD 30
- wetting spinning 307
- wide angle X-ray diffraction 30, 69
- Williams–Landels–Ferry (WLF)
 - equation 242
- windproofing 159
- wrinkle free 19
- wrinkle recovery 283
- WVT 108

- xerogel 252

- ZnCl₂ 262

- β -CD 271
- β -cyclodextrin 271
- ΔC_p 117
- Φ 132