

Index

a

- acids and lyes, safety cabinets
 - collection trays 289–290
 - definition 289
 - marking and operating instructions 291
 - ventilation 290–291
- active storage 292, 293
- adiabatic cooling system
 - direct system 370
 - indirect system 371, 372
- air cleanliness 178, 246
- air conditioning technology. *See* ventilation
- air exchange rate 96, 234, 389, 390, 392, 393, 394
- air stream 256–257, 267
- air ventilation units 69
- animal housing
 - barrier supply 166, 167
 - experimental animal facility 168
 - extract air 165–166
 - facility planning
 - – air filtration 158, 159, 161
 - – logistics 158, 159
 - – rodents structure 158, 160
 - – ventilation connection 159, 161
 - hygiene levels 158
 - quarantine 167
 - SPF management
 - – air showers 161, 163, 164
 - – area-specific wear 160, 162
 - – implementation 164, 165
 - – PAA 160
 - – putting on zone-wear area 163
 - – undressing area 163
 - sustainability 168–169
 - without hygiene requirements 167
- Arizona State University's Biodesign Institute 357

ASHRAE Standard, fume cupboard

- flow visualization 424
- measurements
 - – air velocity 425
 - – test gas 425
 - – VAV systems 425
- Atomic Energy Act (AtG) 185
- automatic transportation system 147, 148
- auxiliary air fume cupboards 420

b

- bacilli 248
- backing pumps 121
- bacterial spores 247
- basin in a safety level 3 (BSL3) 183
- bench fume cupboards 417
- bench-mounted service duct 221–222
- benches. *See also* clean benches
 - C-frame 203
 - cantilever-frame 203
 - filling by funnel 214, 208
 - frames 203–204
 - H-frame 203
 - laboratory work material 204
 - mechanical gauge 214
 - racks 204
 - surfaces 204
 - units 208–211
- biological safety laboratories 182–184, 185, 189, 191
- biological sciences 157, 251
- biosafety cabinets 267, 366
- body shower 333, 334
- bottle gas station, corrosive gases 332
- brass
 - laboratory fittings 299, 301
 - and plastics 299
- Building Act 183

- building technology
 - air ventilation system 91, 92
 - central duct development 81, 83, 85, 86
 - electrical installation 88, 89
 - energy-optimized duct system 92, 93
 - field of research 82, 83, 84
 - flexibility 83, 84, 85
 - parameters 81
 - plumbing services 86, 87, 88
 - single duct development 81, 82, 85
 - ventilation 89, 90
 - zoning laboratory landscape 90, 91
- bypass fume cupboard 415

- c**
- carbon nanotubes 355
- CBS. *See* central building supply (CBS)
- Center for Free-Electron Laser Science (CFEL)
 - architects 47, 48
 - atrium 49
 - building view 50
 - communication 48, 49
 - laser measuring 47, 48,
 - principal 47
 - top floor plan 50
- central building control system
 - air volumes 130
 - central control 129
 - GMP and GLP 130–131
 - nodal points 129
 - operating modes 130
 - single room control 129
- central building supply (CBS) 323
- ceramic disc cartridges 303, 304
- certification systems, sustainability 341–342, 345
 - benchmarking 346–347
 - consumables 349
 - cooling concept 347–348
 - DGNB system 343–345
 - LEED 342–343
 - measuring and control 347
 - planning, design and simulations 345–346
 - ventilation concept 347–348
 - working conditions 348–349
- CFD. *See* computational fluid dynamics (CFD)
- CFEL. *See* Center for Free-Electron Laser Science (CFEL)
- clean benches 255
 - design principles 259–261
 - functional principles 259, 260, 261
 - MSCs (*see* microbiological safety cabinets (MSCs))
 - purchase priority 260–261
- clean rooms
 - air flow 177
 - building materials of 178
 - cabinets, flammable liquids 294–296, 295
 - categories 177
 - ceilings 179
 - contamination 177
 - definition 177
 - fixtures and fittings 179–180
 - flooring 179
 - in laboratories 176
 - louvered strip waffle ceiling 178
 - low pressure 176
 - metal-free 176–177
 - particle concentration 176
 - requirements 175
 - wall materials 178–179
- coccoid bacteria 248
- collection trays 289–290
- combustible liquids
 - disposal of 213, 215
 - supply system for 211
- communication
 - definition 55–56
 - historical development 56, 57
 - laboratory building
 - – knowledge and innovation 60
 - – space for 61
 - – work safety 61
 - modern age development 57, 58, 59
- computational fluid dynamics (CFD) 371, 372
 - ceiling sail/textile diffuser 104, 105, 106
 - FEM and FVM 103
 - flow simulation in buildings 103
 - Fritz-Haber-Institute in Berlin 108, 109, 114, 115
 - Navier–Stokes-equation 102–103
 - semi-cylindrical textile diffusers 104, 106
 - supply-air systems 104, 105, 106, 108 109
 - swirl diffuser 104
 - ventilation optimization
 - – advantages 108
 - – extensive air diffuser 105, 107, 111, 112
 - – lab room model 105, 110
 - – tracer gas source 108, 113
- Congrès Internationaux d'Architecture (CIAM) 57, 58
- construction law 64
- construction phase 504
- consumables
 - semi-automatic consignment automat 148
 - sustainability certification systems 349
- containment factor 365

- continuous supply 212, 213
- control systems
 - central building control system
 - air volumes 130
 - central control 129
 - GMP and GLP 130–131
 - nodal points 129
 - operating modes 130
 - single room control 129
 - fume cupboards
 - actual user behavior 422
 - air reduction 423
 - control electronics 423
 - display/operating unit 422
 - draw-wire sensor 422
 - operating costs 422
 - throttling devices 422
 - VAV 421, 422
 - laboratory 235–238
- cooled storage 292–293, 294
- cooling water 305, 306
- copper pipe 322
- corporate architecture
 - excellence 37, 40–41
 - image 37, 38, 39
 - innovation 37, 39–40
- corrosive gases, bottle gas station 332
- cyclic supply 212
- cytotoxic cabinet 270

- d**
- data
 - conditions 540–541
 - content and classification 540
 - data privacy and security 542–543
 - data systems 536
 - emergency plan 547
 - function 541
 - LIMS
 - definition 537
 - fundamental aspects 537
 - selection and procurement 537–540
 - risk assessment 543
 - safety management 544–546
 - suitable suppliers 541–542
 - system documentation 546–547
- DBC. *See* demand-based control (DBC)
- deconstructing phase 507
- demand-based control (DBC) 351, 353
 - ACH rate 353
 - Arizona State University's Biodesign Institute 357
 - beam use 355–356
 - capital cost reduction impacts 361–362
- carbon nanotubes 355
- Masdar Institute of Science and Technology 358, 359
- MIST energy savings analysis 359–361, 360
- multiplexed sensing 354
- real-time sensing of contaminants 357
- reducing fume cupboard flows 351–352
- sensing approach 354–355
- sensor suite 354
- thermal load flow drivers 352–353
- demand-based energy certificates 381–382, 383
- design phase 503–504
- determination of requirements
 - area consumption
 - biomolecular laboratory 17
 - flexible laboratory space 20
 - laboratory workplaces 16–17
 - space requirements 14, 19, 18
 - storage space for equipment 18
 - central area specifications 13, 14
 - definition 13
 - GFA 13
 - laboratory space 15, 16
 - load-bearing grid 15
 - quasi-arbitrary determination 14
 - types of areas 13, 14
- diaphragm headwork 303
- disinfectants 244
 - effectiveness 245
 - temperature 244
- disposal system 211
 - combustible liquids 213, 215
 - and storage 216
 - in under-bench unit 216
- diversity factor 366
- dosing task 298, 302

- e**
- electrical installations
 - central building control system (*see* central building control system)
 - data networks
 - access control 128
 - data systems technology 127–128
 - fire alarm system 128
 - telephone system 128
 - user-dependent systems 128
 - lightings
 - emergency 127
 - illuminance level 126
 - lighting control 126
 - regulation 126–127

- electrical installations (*contd.*)
 - surface-mounted luminaires 126
 - suspension luminaires 126
 - power supply (*see* power supply)
- electricity consumption 384, 387
- electronic level indicators 214
- emergency shower 336, 337
 - combinations 334, 339
 - complementary products 335
 - funnel for monthly check 338
 - hygiene 335
 - location 334, 337
 - special fittings 333
 - testing and maintenance 335
- emergency shutdown 120
- energy consumption
 - aspects of 364
 - average air exchange rate 393
 - characteristic value
 - electricity 384
 - energy consumption index 384
 - heat 384
 - exhaust system (*see* exhaust system)
 - reference values 386–387, 389
 - values for 387
 - and ventilation system (*see* ventilation)
- energy demand 112, 363, 364, 378, 381–382
- energy-efficient systems
 - adiabatic cooling system 370–371, 372
 - energy recovery 369
 - extract systems 371, 372, 373, 374
 - fans 110, 111
 - heat recovery 111, 112
 - humidity treatment 113
 - plate heat exchangers 370
 - rotary wheel heat exchangers 369
 - twin coil heat exchangers 370, 371
- Energy Performance of Buildings Directive (EPBD) 401, 403–404
- execution quality 43
- exhaust system
 - CFD study 371, 372
 - characteristic values 386
 - stack height, influence of 373
 - wind tunnel analysis 373
- experimental chamber (ECh) 255
 - air quality 257–258
 - LAFs 256
- eyewash 333, 334, 338
- f**
- facility management (FM)
 - benefits 507
 - concept finding 502
 - construction phase 504
 - deconstructing phase 507
 - design phase 503–504
 - evaluation 503
 - laboratory building, life cycle of
 - communication 501
 - flow-sheet concept phase 502
 - tasks of 501
 - process optimization 500
 - project preparation 503
 - revitalization phase 505–507
 - rough building concept 502
 - self-understanding and background 499
 - use phase 504–505
- Federal Immission Control Act 171
- Federal Republic of Germany 441
- finite element method (FEM) 103
- finite volume method (FVM) 103
- fire alarm systems 68–69, 128
- fire dampers 69
- fire precautions
 - laboratory buildings
 - classic laboratory 70, 71
 - existing buildings 74
 - open architecture 72, 73
 - rooms 73
 - units 71, 72
 - wall thicknesses 69
 - preventive fire protection (*see* preventive fire protection)
- fire protection
 - preventive fire protection (*see* preventive fire protection)
 - safety cabinets
 - flammable liquids 275–276
 - pressurized gas cylinders 285–287, 286
 - and ventilation 323
 - Fire Protection Act 183
 - fire resistance, safety cabinets
 - flammable liquids 275–276
 - pressurized gas cylinders 285–287, 286
 - flammable liquids
 - filling/open handling 98
 - safety cabinets for 274
 - active storage 292, 293
 - bottom tray 280–281
 - clean room cabinets 294–296, 295
 - cooled storage 292–293, 294
 - definition 274–275
 - door technology 276–278, 277
 - earthing to equipotential bonding 283–284
 - fire protection 275–276
 - fire resistance 275–276

- – interior fittings 278–280
 - – marking and operating instructions 284–285
 - – objectives for storage 274–275
 - – pipe penetration 276,
 - – pull-out trays 279, 280
 - – ventilation 281–283
 - FM.** *See* facility management (FM)
 - Fritz-Haber-Institute in Berlin 108, 109, 114, 115
 - fume cupboards
 - aerodynamic reflectors 227
 - American Standard
 - – air velocity measurements 425
 - – flow visualization 424
 - – test gas 425
 - – VAV systems 425
 - Australian/New Zealand Standard 427
 - bench fume cupboards 417
 - bulky structures 230
 - by-pass 225, 415
 - central duct with control elements 228
 - central unit AC 229
 - changes to 433–434
 - and components 233
 - constant extract air volume 235
 - containment factor 365
 - diversity factor 366
 - entrance velocity 365–366
 - European Standard 413, 425–426
 - flow-related measures 227–228
 - flows, DBC 351–352
 - French experimental standard 427
 - function display 226
 - Germany, standard 427
 - glass cross slides 225
 - horizontal air roll 414, 415
 - laboratory, examination in 430
 - – commissioning testing 431
 - – periodic inspection and testing 431–432
 - lower interior height 417
 - maximum sash opening 226
 - monitoring 464
 - motion sensor 226
 - on-site testing 430
 - operating unit 227
 - radio-nuclide 230
 - safety and ergonomic aspects 228–229
 - safety criterion 427–429
 - sash controller 226
 - sensor system 228
 - simultaneity 234
 - special application 230
 - special constructions
 - – auxiliary air 420
 - – control systems 421–423
 - – hand over fume cupboards 418–419
 - – individual constructions 420
 - – pharmacy 419
 - – radioactive substances 419
 - – safety benches, air recirculation 419–420
 - – window closing system 423–424
 - standard 417
 - supportive air 416
 - and sustainability 230
 - table fume cupboards 417
 - thermal loads 418
 - type test
 - – containment 429–430
 - – properties of 430
 - types and requirements 232
 - user behavior 435–436
 - variable air volume 235
 - ventilation system 434–435
 - walk-in 418
 - fungi 248–249
- g**
- Genetic Engineering Act (GenTG) 182, 183
 - Genetic Engineering Safety Ordinance (GenTSV) 183
 - genetically modified organisms (GMO) 183
 - German Accident Insurance and Prevention Institution for Raw Materials and the Chemical Industry (BG RCI) 443, 447, 448
 - German Basic Law 441
 - 2009 German Energy Saving Ordinance (EnEV)
 - consumption-based energy certificates 394–396
 - – energy consumption characteristics 382
 - – energy consumption index 384
 - – reference values 382, 384
 - demand-based energy certificates 383
 - planning process 381
 - – usage profiles 382
 - energy consumption values 387
 - homogeneous characteristics 391–392
 - laboratory buildings
 - – recirculation systems 386
 - – reference values 386–387
 - – special energy characteristics 385–386
 - reference quantities 387–390
 - task force 379–380
 - German Federal Ministry for Transportation, Construction, and Regional Development (BMVBS) 382, 384, 388

- G**
- German Quality Certificate for Sustainable Construction (DGNB) 343–345, 405
 - German Social Accident Insurance (DGUV) 439, 441, 443, 447
 - German Sustainable Building Council 38
 - good laboratory practice (GLP) 130–131
 - good manufacturing practice (GMP) 130–131, 245, 530
 - gross floor area (GFA) 13
- h**
- health and safety
 - accidents and illnesses, occurrence of 448
 - biological agents 446–447
 - hazardous substances 446
 - integration of computers 448
 - laboratory guidelines 443–445, 452, 453
 - legal foundations 441–442
 - European guidelines 441–442
 - Federal Republic of Germany 441
 - German Basic Law 441
 - laws and regulations 442
 - REACH regulation 442
 - organizational measures 439, 440, 453
 - personal measures 440, 453
 - risk assessment and measures 450–451
 - building operator and planner 452
 - checklists in laboratories 449
 - compressed-gas cylinders 450
 - laboratory staff, level of training 452
 - organizational blindness 449
 - planning phase 454
 - requirements 449
 - technical measures 439, 440, 453
 - heat energy consumption 384
 - heat-pump 376, 377
 - high efficiency particulate air (HEPA) 243, 255, 269, 366
 - high vacuum pumps 121
 - hospital hygiene 250–251
 - hydraulic balance 93
 - hygiene
 - barriers 158
 - emergency shower 335
 - hospital 250–251
 - requirements of surfaces 242–243
- i**
- individually ventilated cages (IVCs)
 - central connection 165
 - decentralized connection 165
 - rack 164, 165
 - innovation 37, 39–40
- l**
- lab ventilation. *See* ventilation
 - laboratory buildings 402–403
 - air exchange rate 389, 390
 - air supply 96
 - biological/medical research 21
 - certification systems 341
 - chemical-pharmaceutical industry 385
 - chemistry building 21, 22
 - communication
 - knowledge and innovation 60
 - space for 61
 - work safety 61
 - consumption-based energy certificates
 - consumption levels 395
 - consumption value 395
 - energy consumption characteristics 382
 - energy consumption index 384
 - reference values 382, 384, 395
 - demand-based energy certificates 381–382, 383
 - documentation zone
 - internal corridor 28, 29
 - open office 28, 29
 - energy consumption (*see* energy consumption)
 - energy efficiency, regulations for
 - legislative requirements 403–404
 - voluntary certification 404–406
 - energy profile 375, 376, 377
 - fire precautions
 - classic laboratory 70, 71
 - existing buildings 74
 - open architecture 72, 73
 - rooms 73
 - units 71, 72
 - wall thicknesses 69
 - HVAC ring design 369
 - laboratory landscapes 23
 - depth 23, 24
 - floor plan lab module 23, 26
 - internal laboratory corridor 23, 25
 - isometry of 23, 25
 - mechanical equipment control room 386
 - safety areas 21
 - ventilation in (*see* ventilation)
 - zoning 23
- laboratory casework
 - design
 - C-frame 199
 - H-frame 198
 - hanging under-bench-units 199
 - height adjustable units 200
 - requirements 197

- functionality and flexibility 200–201
- sustainability requirements 202
- trends 201–202
- laboratory control system**
 - air balance 235
 - components 238
 - day/night mode implementation 237–238
 - extract air volume 236–237
 - room-extract-air 236, 237
- laboratory fittings** 297
 - burning gas 307–310
 - circuits 305
 - cooling water 305
 - dosing task 298
 - ease of installation 298
 - headwork 300
 - lift-turn type 310
 - materials
 - brass 299
 - plastics 299
 - stainless steel 299
 - matrix for 314
 - parts 297
 - place of installation 298
 - pressure 306
 - quick connects 306
 - quick couplings 310, 311, 312
 - safety 298
 - seals 300
 - technical gases 310, 313
 - temperatures 297–298, 306
 - treated waters 306
 - vacuum 313
 - vapor 306–307
 - volume flow 306
 - water 300
 - backflow preventer 305
 - brass 301,
 - ceramic disc cartridges 303, 304
 - diaphragm headwork 303
 - free draining 304
 - lubricated headwork 303
 - pipe interrupter 304–305
 - plastic headwork with overwind protection 303
 - plastics 302
 - potable water 304
 - shut-off and dosing 302
 - stainless steel 302
- laboratory information management system (LIMS)**
 - definition 537
 - fundamental aspects 537
 - selection and procurement 537–540
- laboratory landscape**
 - central duct development ventilation 83, 85, 86
 - flexibility of 83, 84
 - zoning 90, 91
- laboratory logistics**
 - automatic transportation system 147, 148
 - centralization 146
 - chemicals supply and disposal 153, 154
 - classic systems 145–146
 - consignment and automatic storage facilities 148, 149, 150
 - laboratory work 152–153
 - local transport systems 153, 154, 155
 - material flow systems 154
 - delivery-detail 148, 150
 - goods delivery 147, 149
 - logistics scheme 147, 149
 - solvents disposal systems 150, 151, 152
 - workspace 153
- laboratory optimization**
 - actual recording 511–512
 - customer satisfaction and customer loyalty 520–521
 - definition 509
 - economic efficiency 516
 - employee retention 518
 - equipment utilization 517
 - laboratory indicators 521–522
 - logistic processes 519–520
 - optimization needs 514–515
 - optimization potential 512–513
 - optimization project 510
 - planning and implementation 513–514
 - quality 520
 - staff cost 518–519
 - staff utilization 516–517
- laboratory typologies**
 - building purpose 4
 - fields of activities 6, 7–8
 - laboratory, definition 3
 - microscope room 4, 6
 - physical structure
 - allocation structure 8, 9
 - double laboratory 8
 - fire and explosion protection 11
 - independent building/components 10
 - inorganic synthesis lab 8, 10
 - lab equipment 11
 - laboratory building 11–12
 - laboratory/laboratory landscape combination 8
 - locks and access area 10–11
 - mass spectrometer 11

- laboratory typologies (*contd.*)
 - open-plan laboratory 8
 - project-specific standard lab areas 11
 - restricted areas 10
 - single laboratory 8
 - special buildings/components 9
 - synthesis isolators 8, 10
 - practical training labs
 - anatomy 4, 7
 - chemistry 4, 5
 - geological sciences 4, 6
 - physics 4, 5
 - science direction 5, 6, 7
 - working methods 8
 - laminar air flow (LAF) 256–257
 - Leadership in Energy and Environmental Design (LEED) 342–343, 404–405
 - legislation and standards
 - ASHRAE Standard, fume cupboard
 - air velocity 425
 - flow visualization 424
 - test gas 425
 - VAV systems 425
 - Australian/New Zealand Standard 427
 - BREEAM 405
 - CEN/TC 404
 - CEN/TR 404
 - DGNB 405,
 - EN standards 404, 409, 410
 - EPBD 401, 403–404
 - French experimental standard 427
 - Germany, standard 427
 - government regulations 402
 - labor safety and occupational health
 - biological agents and safety 410
 - chemicals and hazardous substances regulations 409–410
 - European Union directive 406, 407
 - minimum safety and health requirements 407–408
 - laboratory planning and building 402–403
 - legislative requirements 403–404
 - voluntary certification 404–406
 - LEED 404–405
 - REACH regulation 410
 - state regulations 402
 - lightings
 - electrical installations
 - emergency 127
 - illuminance level 126
 - lighting control 126
 - regulation 126–127
 - surface-mounted luminaires 126
 - suspension luminaires 126
 - service ceiling systems 140, 141
 - liquid chromatograph 214
 - lubricated headwork 303, 309
- m**
- manufacture-driven technical research 171
 - Masdar Institute of Science and Technology (MIST), DBC 358, 359, 361, 360
 - Massachusetts Institute of Technology (M.I.T.) 39
 - Max Planck Institute (MPI) for Biology of Ageing
 - architects 50, 51
 - building view 53
 - Cologne 51, 52
 - principal 50
 - top floor plan 53
 - mechanical level indicators 214
 - metal-free clean rooms 176–177
 - metal oxide semiconductor (MOS) 355
 - microbial decontamination 247
 - microbiological safety cabinets (MSCs) 255
 - classes 262
 - class 263–265
 - class 2 design 265–266
 - class 271
 - enhanced safety 266–271
 - glove boxes 271
 - clean benches (*see* clean benches)
 - cross-contamination protection 263
 - inactivation 271–272
 - personal protection 262–263
 - product protection 262
 - protection tool 255
 - protective-functions definition 262
 - safety/risk classification 263
 - thimble duct connector 268
 - microorganisms, stainless steel 246, 253
 - bacilli 248
 - bacterial spores 247
 - biological sciences 251
 - coccoid bacteria 248
 - fungi 248–249
 - hospital hygiene 250–251
 - microbial decontamination 247
 - protozoans 249
 - relevance 251
 - surface configuration 250
 - viruses 249
 - waterborne pathogenic germs 249
 - MSCs. *See* microbiological safety cabinets (MSCs)
 - multiple-media bench-mounted fitting 301

n

- Navier–Stokes-equation 102–103
- necessary corridor 66
- net floor space (NFS) 384, 388, 390, 391
- Novartis 40–41

o

- Occupational Health and Safety Act 443, 449, 456
- open architecture laboratories 72, 73
- operational safety
 - cleanliness and hygiene
 - disinfection measures and hygiene plan 469–471
 - hygiene requirements 468–469
 - microbiological requirements 469
 - personal protective measures 471–472
 - pollution and uncontrolled contamination 467–468
 - employment restrictions 465–466
 - functional efficiency and safety equipment 462
 - identification and access control 466–467
 - laboratory rules and regulations
 - chemicals and hazardous substances 482
 - collection/disposal container 483
 - hazardous situations 482
 - hazardous work 482
 - hygiene plan 490–491
 - maintaining safety systems 481–482
 - microbiological technique 490
 - outside company coordination 461–462
 - screening examinations 488–489
 - skin protection plan 492
 - storage equipment, handling of 483
 - testing equipment registry 486–487
 - work and operating instructions 460–461
 - work and protective clothes 481
 - working hours 480–481
 - working substance registry 461
 - workplace, order at 481
 - occupational medical care
 - health monitoring 464–465
 - optional and mandatory medical care 463–464
 - vaccination 464
 - principles 455
 - protection against burglary and theft 467
 - safety management
 - and audits 456–458
 - hazard assessment 458–459
 - Occupational Safety and Health Act 456
 - skilled trained personnel 459–460

p

- storage and disposal systems
 - biological liquid and solid waste 479
 - hazardous substance waste 479
 - solvent waste 478
- structural barriers
 - containment 472–473
 - hygiene barriers 473
 - inactivated lock systems 473–474
- technical barriers
 - aerosol-preventing systems 477
 - extraction equipment 474
 - fume hoods 475–476
 - insulators 477
 - local extraction devices 476
 - microbiological safety cabinets 477
 - retaining basins 478
- Ordinance on Biological Agents 447
- Ordinance on Biological Working Agents (BioStoffV) 182, 188
- Ordinance on Hazardous Substances 446
- p**
 - pharmacy fume cupboards 419
 - phase change materials (PCMs) 377–378
 - phenotypic adaptations 243
 - photo-ionization detector (PID) 355
 - plastics
 - materials, laboratory fittings 299
 - temperature and pressure limits 302
 - plumbing services 86, 87, 88
 - power supply
 - cable routes 122–124
 - consumers
 - frequency converter 121
 - motors 121
 - plug connections 120
 - pumps 121
 - switches and sockets 120–121
 - vacuum pumps 121–122
 - emergency shutdown 120
 - hazard analysis
 - danger symbols and sources of danger 124
 - EMC 124
 - explosion dangers 124
 - high-voltage laboratories 124
 - mechanical devices/electrical equipment 124
 - noise protection 125
 - trained electrician 125
 - instruction
 - electrical accidents cases 125–126
 - electrotechnically instructed person 125
 - laboratory 88, 89

- power supply (*contd.*)
 - laboratory distribution system 119–120
 - lighting 119
- pressurized gas cylinders, safety cabinets
 - definition 285
 - fire protection 285–287, 286
 - fire resistance 285–287, 286
 - insertion and restraint 287, 288
 - installing pipes and electrical cables 287–288
 - marking and operating instructions 289
 - ventilation 287
- preventive fire protection
 - construction law 64
 - model building code
 - ceilings and roofs 65
 - escape routes 66–67
 - regular buildings 64–65
 - special building codes 65, 67
 - walls 65
 - rules and regulations
 - air ventilation units 69
 - doors 68
 - escape and rescue routes 68
 - fire alarm systems 68–69
 - shut-off valves 68
 - TRGS 526/BGR 120/BGI 67–68
 - scope 63–64
- production-driven technical research centers 171
- Protection against Infection Act (IfSG) 182
- protozoans 249

- q**
- Qiagen research building 38–39
- quality management
 - accreditation project, expiration of 532–533
 - certification/accreditation 526–527
 - continuous improvement process 524
 - creation and maintenance 524
 - documents 530–531
 - implementation 529–530
 - integrated management systems 525–526
 - ISO 528
 - quality assurance 523
 - quality control 523
 - quality manager 528–529
 - systematic quality management 525
- quarantine 167

- r**
- radio-nuclide fume cupboards 230
- reference values

- annual exhaust volume 389
- average annual air exchange rate 394
- electricity 395
- energy consumption 386–387, 389
- heating 395
- NFS 388, 390, 392
- revitalization phase 505–507

- s**
- safety cabinets
 - acids and lyes
 - collection trays 289–290
 - definition 289
 - marking and operating instructions 291
 - ventilation 290–291
 - development 273
 - for flammable liquids 274
 - active storage 292, 293
 - bottom tray 280–281
 - clean room cabinets 294–296, 295
 - cooled storage 292–293, 294
 - definition 274–275
 - door technology 276–278, 277
 - earthing to equipotential bonding 283–284
 - fire protection 275–276
 - fire resistance 275–276
 - interior fittings 278–280
 - marking and operating instructions 284–285
 - objectives for storage 274–275
 - pipe penetration 276
 - pull-out trays 279, 280
 - ventilation 281–283, 282
- pressurized gas cylinders
 - definition 285
 - fire protection 285–287, 286
 - fire resistance 285–287, 286
 - insertion and restraint 287, 288
 - installing pipes and electrical cables 287–288
 - marking and operating instructions 289
 - ventilation 287
- test markings 291–292
- safety laboratories
 - active and highly active substances 187–190
 - autoclave 185, 192, 193
 - biological 182–184
 - building structures 190–192
 - contamination-free filter exchange 193
 - fittings 193–194
 - GenTG 182, 183
 - glove box 182

- handling 181
- hazardous substances workplace 187
- IfSG 182
- isolator 188, 190
- isotope laboratory 185–187, 186, 191, 192, 194
- radioactive substances 185–187
- technical equipment 192–193
- wash hand basin 184
- weighing 189
- safety management
 - and audits 456–458
 - data 544–546
 - hazard assessment 458–459
 - Occupational Safety and Health Act 456
- safety showers, emergency 336, 337
 - combinations 334, 339
 - complementary products 335
 - funnel for monthly check 338
 - hygiene 335,
 - location 334, 337
 - special fittings 333
 - testing and maintenance 335
- safety staircase 67
- Sample and Assay Technology 38–39
- sash controller 238
 - extract-air-controller 240
 - robustness test 239
 - test chart 239
- scheduler tasks
 - CFEL (*see* Center for Free-Electron Laser Science (CFEL))
 - commissioning 46–47
 - execution phase 46
 - integral planning 44–45
 - MPI (*see* Max Planck Institute (MPI) for Biology of Ageing)
 - planning process 45–46
 - project preparation 44
 - user participation 45
- service boom 217, 219
- service carrying frames 215–216
- service ceiling systems 222–224
 - air ventilation 139, 140
 - 3D CAD design vs. 2D planning 142, 143–144
- flexible laboratory room sizes/configuration
 - analytic/composition areas 136
 - building grid 137
 - depth 136
 - height 135
 - planning 134–135
 - restructuring and reconfiguring lab space 138, 139
- rooms 137
- width 135 136
- lighting 140, 141
- open architecture laboratory 120, 133
- prefabrication and installation 141, 142
- water, electric, data, communication, and gases 141
- service columns 218, 220
- service spine 217
- service wing 218–219
 - configurations of 219–221
 - laboratory 222
- shutdowns 120
- sinks
 - ceramic sink 207
 - cup sink 208
 - materials for 209
 - selection criteria 205–206
 - stainless steel sink 207
 - tasks 204
 - types 207
- space for communication 61
- specific pathogen free (SPF) management
 - air showers 161, 163, 164
 - area-specific wear 160, 162
 - implementation 164, 165
 - PAA 160
 - undressing area 163
 - zone-wear area 163
- stainless steel
 - laboratory fittings 299, 302
 - pipeline material for 321
- stainless steel laboratory furniture
 - clean and disinfect surfaces 243–245
 - cleanliness classes for sterile areas 245
 - equipment, areas for 241–242
 - hygienic requirements of surfaces 242–243
 - microorganisms, stainless steel 246, 253
 - - bacilli 248
 - - bacterial spores 247
 - - biological sciences 251
 - - coccoid bacteria 248
 - - fungi 248–249
 - - hospital hygiene 250–251
 - - microbial decontamination 247
 - - protozoans 249
 - - relevance 251
 - - surface configuration 250
 - - viruses 249
 - - waterborne pathogenic germs 249
 - particle emission 246
 - phenotypic adaptations 243
- standard fume cupboards 417

- storage cabinets 208–211
- supply systems 211
- sustainability certification systems 341–342,
 - 345
 - benchmarking 346–347
 - consumables 349
 - cooling concept 347–348
 - DGNB system 343–345
 - LEED 342–343
 - measuring and control 347
 - planning, design, and simulations 345–346
 - ventilation concept 347–348
 - working conditions 348–349
- sustainable building
 - communication 32
 - constructional concepts 31
 - definition 31
 - functional requirements 32
 - planning process 32, 33
 - room groups 34, 35, 36
 - space optimization 31
 - work areas 33–34
 - work flows 34, 36
- system documentation 546–547

- t**
- table fume cupboards 417
- technical gases, laboratory fittings 310
- technical research centers
 - characterization 173
 - development/extension capacity 173
 - flexible areas 171
 - GMP production 172
 - layout of 173
 - maintenance 173
 - manufacture-driven 171
 - planning of 171
 - production-driven 171
 - usage 172
- Technical Rules for Biological Agents (TRBA) 442, 447
- technical rules for hazardous substances (TRGS) 442, 443, 445
- Technical University of Denmark 404
- Technischen Regeln
 - Betriebssicherheitsverordnung (TRBS) 284
- thermal load flow drivers, DBC 352–353
- thimble duct connector 268
- total volatile organic compounds (TVOCs)
 - sensor 355
- trapped spaces
 - classical laboratory 70
 - dead-end corridor 75
 - fire alarm system 68
 - open area laboratories 72
- Triple Filter cabinet 270

- u**
- ultra-high vacuum pumps 121
- ultra-pure gases
 - bottle gas station for corrosive gases 332
 - central building supply 323
 - connection points 319
 - extensively equipped medium columns 331
 - fitting supports 325–326
 - gas bottle stations 330
 - gas purity 317
 - gases and status types
 - basic principles 318–319
 - examples 318
 - system explanation 318
 - impurities 319–320
 - inspections 328
 - joint-less built-in panel 327, 328
 - local laboratory gas supply 327
 - material compatibility 319
 - operating staff instruction 328–329
 - operation start-up 328–329
 - particle filter 320
 - pipe networks 324–325
 - properties 317
 - purity matrix 318
 - small bottle gas station, cabinet 330
 - supply systems 320–323
 - tapping spots 325–326
 - zone shut-off valves with filter 324–325
- US Green Building Council (USGBC) 405
- usable floor area (UFA) 13

- v**
- vacuum pumps 121–122
- variable air flow (VAV) 421, 422, 425
- ventilation
 - air-flow routing
 - displacement ventilation 101–102
 - mixed ventilation 101
 - planning and designing 100–101
 - requirements for 100
 - air supply
 - air exchange rate 96
 - compressed gas cylinders 98
 - DIN 96–97
 - external air 96
 - fume cupboards 97–98
 - protection of occupants 97

- – room cooling load removal 98–99
 - – solvents cabinets 98
 - – supply air system 99
 - alternative energy sources
 - – energy modeling 375–376
 - – heat-pump 376, 377
 - – PCMs 377–378
 - antenna system 367–368
 - biosafety cabinets 366
 - boundary conditions 95–96
 - central units 116
 - central ventilation unit 114–116, 115
 - characteristic values 386
 - chemical-pharmaceutical laboratories 385
 - control and monitoring
 - fume cupboards and controls 233
 - laboratory control 231
 - operating costs 231
 - cross-contamination 363
 - ductwork installation 367–369
 - energy-efficient systems engineering (*see* energy-efficient systems)
 - fume cupboard control 365–366
 - horizontal access 117
 - maintenance and monitoring of installation 374
 - minimum air changes 367
 - numerical flow simulation (*see* computational fluid dynamics (CFD))
 - proper installation and commissioning 374
 - safety cabinets
 - acids and lyes 290–291
 - flammable liquids 281–283, 282
 - – pressurized gas cylinders 287
 - – significance of 363
 - – sustainability certification systems 347–348
 - – temperature control 367
 - – thermal loads, removal of 385
 - – vertical access 116
 - venting system 213, 290
 - viruses 249
 - voluntary certification 404–406
- W**
- walk-in fume cupboards 418
 - wall-mounted fitting for water 307
 - wall-mounted service channel 218 220
 - wall-mounted service spine 218
 - water, laboratory fittings 300
 - backflow preventer 305
 - brass 301
 - ceramic disc cartridges 303, 304
 - diaphragm headwork 303
 - free draining 304
 - lubricated headwork 303
 - pipe interrupter 304–305
 - plastic headwork with overwind protection 303
 - plastics 302
 - potable water 304
 - shut-off and dosing 302
 - stainless steel 302
 - waterborne pathogenic germs 249
 - Work Protection Act 183
 - workplace ordinance 68–69