

# Index

## A

- AAS, *see* Atomic absorption spectroscopy
- Aberration, microscope, 158
- Acceptability, risk, 576–577
- N*-Acetylglucosamine
  - cell envelope, 14
  - fungus cell wall, 22
- N*-Acetylmuramic acid, cell envelope, 14
- Acidithiobacillus ferrooxidans*
  - acid mine drainage, 324
  - metal recovery, 325
- Acidithiobacillus thiooxidans*, concrete
  - corrosion, 322
- Acid mine drainage
  - acid formation mechanisms, 324
  - environmental impact, 323–324
  - microorganisms, 132–133, 324
  - prevention, 324–325
- Acinetobacter*, opportunistic infection, 455
- Actinomycetes, soil, 71, 73
- Activated sludge process
  - nitrogen removal, 510
  - overview, 508–509
  - phosphorous removal, 510–511
- N*-Acyl homoserine lactones
  - cross-talk, 339–340
  - quorum sensing, 336–337
- Acylotoma duodenale*, features and disease, 466
- Adenosine 5'-phosphosulfate, metabolism, 311
- Adenovirus, pathogen features and disease, 470–471
- Adenylate energy charge, measurement, 211
- Adhesion, microbial transport effects, 367–370
- Advection–dispersion models, microbial
  - transport, 380–381
- AEC, *see* Adenylate energy charge
- Aeration tank digestion, *see* Activated sludge
  - process
- Aeromicrobiology
  - aeromicrobiological pathway
  - deposition
  - downward molecular motion, 90
  - gravitational settling, 90
  - rain and electrostatic deposition, 91
  - surface impaction, 90
  - launching, 88
  - transport, 88–89
- aerosols
  - bioaerosol features, 87
  - classification, 85
  - Stoke's law, 86–87
- bioaerosol control
  - biocidal control, 97–98
  - filtration, 97
  - isolation, 98
  - ventilation, 97
- biosafety
  - biological safety cabinet, 98–100
  - laboratories, 100–101
  - risk classification, 99
- bioterrorism, 571–574
- extramural aeromicrobiology
  - agriculture, 92–94
  - waste disposal, 94–95
- history of study, 83
- intramural aeromicrobiology
  - buildings, 95–96
  - hospitals and laboratories, 96–97
  - public health, 96
- pathogens, 83–84, 360
- sampling devices
  - overview, 149–150
  - inpingers, 150
  - impaction, 150
  - centrifugation, 152
  - filtration and deposition, 152–153
- toxins, 84–85
- viability
  - inactivation equation, 91
  - ion formation, 92
  - open air factors, 92
  - oxygen toxicity, 92
  - radiation damage, 92
  - relative humidity effects, 91–92
  - temperature effects, 92
- Aeromonas*
  - indicator organisms, 494
  - opportunistic infection, 455
- AFLP, *see* Amplified fragment length
  - polymorphisms
- AFM, *see* Atomic force microscopy
- Agency for Toxic Substances Disease Registry,
  - top pollutants, 399
- Aggregation, soils, 60
- Agrobacterium tumefaciens*
  - host communication, 345
  - quorum sensing, 337, 339
- AHLs, *see* *N*-Acyl homoserine lactones
- AIP, *see* Autoinducing peptide
- Algae
  - classification, 27
  - culture, 185–186
  - ecological considerations, 27–28
  - habitats, 26
  - metabolism, 27–28
  - soil, 74
  - structure, 27
- Alicyclic hydrocarbons, biodegradation
  - aerobic conditions, 407
  - anaerobic conditions, 407–408
- Alkanes, biodegradation
  - aerobic conditions, 402–404
  - anaerobic conditions, 404–405
- AMD, *see* Acid mine drainage
- Ammonia
  - ammonification, 304–305
  - assimilation, 303
- Amplified fragment length polymorphisms,
  - analysis, 272–273
- Amylase, assays, 213
- Anaerobic respiration, assays, 209
- Anthrax
  - bioterrorism, 566, 568
  - transmission, 360
- Antibiotics
  - resistance
    - biosolid concerns in wastewater
      - treatment, 525
    - mechanisms, 353–354
  - selective media, 179–180
- Antibody, *see also* Immunoassay
  - affinity, 227–228
  - antiglobulins, 228–229
  - classes, 226
  - diversity, 227
  - monoclonal versus polyclonal, 228
  - specificity, 227
  - structure, 226–227
- AOC, *see* Assimilable organic carbon
- Appendages, bacteria, 16
- APS, *see* Adenosine 5'-phosphosulfate
- Aquatic environment
  - benthic habitat, 105–107
  - biofilms, 107–111
  - brackish water, 115
  - food production, 119
  - freshwater environments
  - lakes
    - microbial characteristics, 113–115
    - physical and chemical
      - characteristics, 112–113
    - rivers and streams, 111–112
    - springs, 110
  - marine water
    - microbial characteristics, 116–117
    - physical and chemical characteristics,
      - 115–116
  - microbial mats, 107–108

- Aquatic environment (*continued*)  
 planktonic environment  
 overview, 103–104  
 primary production, 104–105  
 secondary production, 105  
 Sargasso Sea studies, 117–119  
 subterranean water, 117  
 Aquatic environment, source tracking of  
 microbes, 496–498  
 Aquifer, types, 58–59  
 Archaea  
 functions, 21–22  
 habitats, 21  
 structural comparison with bacteria, 21  
 Aromatic hydrocarbons, biodegradation  
 anaerobic conditions, 410  
 heterocyclic compounds, 413  
 overview, 408–410  
 pesticides, 413–414  
 substituted aromatics, 410–411  
 Arsenic, *see also* Metal remediation  
 methylation reactions, 435  
 oxidation–reduction reactions, 434–435  
 water levels and toxicity, 425  
*Ascaris lumbricoides*, features and disease,  
 465–466  
 Assimilable organic carbon, water distribution  
 systems, 536–537  
 Astroviruses, pathogen features and disease,  
 469–470  
 Atacama Desert, 128–130  
 Atomic absorption spectroscopy, metal  
 quantification, 433  
 Atomic force microscopy, principles, 171  
 ATP  
 adenylate energy charge, 211  
 metabolism, 211  
 ATSDR, *see* Agency for Toxic Substances  
 Disease Registry  
 Autoinducers, signaling, 342  
 Autoinducing peptide, signaling in gram-  
 positive bacteria, 341, 343  
 Autoradiography, principles, 248  
 Avian bird flu, 89
- B**  
 Bacterial communities  
 antibiotic resistance mechanisms, 353–354  
 diversity  
 natural products, 353–354  
 ocean, 349–350  
 soil, 348–349  
 ecosystem impact, 347–348  
 functional diversity  
 soil, 350–351  
 soil–plant–microbe interactions,  
 351–353  
 species characterization, 348  
 Bacteriophage  
 ecology, 30–32  
 indicator organisms, 492–493  
 structure and life cycle, 30  
 Bacteriostat, definition, 540  
*Bacteroides fragilis*, bacteriophage as indicator  
 organism, 493  
 Bardenpho process, wastewater treatment,  
 510–511  
 BATH test, hydrophobicity evaluation, 369  
 BDOC, *see* Biodegradable dissolved organic  
 carbon  
 Benthic habitat, features, 105–107  
 Bioaerosol, features, 87  
 Bioavailability, organic compounds, 394–396  
 Biochemical oxygen demand, sewage  
 characterization, 503–505, 509  
 Biodegradable dissolved organic carbon, water  
 distribution systems, 537–538  
 Biodegradation, *see also* Bioremediation  
 factors affecting  
 bioavailability, 394–396  
 environmental factors  
 nitrogen, 398  
 organic matter content, 398  
 overview, 397  
 pH, 399  
 redox conditions, 397–398  
 salinity, 399  
 temperature, 398–399  
 water activity, 399  
 genetics, 393–394  
 structure  
 electronic effects, 397  
 steric effects, 396–397  
 toxicity, 394  
 organic pollutants, *see* Organic pollutants  
 processes, 390–393  
 Biofilm  
 depth-dependent processes, 206–207  
 features, 107–111  
 water distribution systems, 535–536  
 Biogeochemical cycles  
 carbon, *see* Carbon cycle  
 Gaia hypothesis, 287–289  
 human activity impact, 319–320  
 iron, *see* Iron cycle  
 nitrogen, *see* Nitrogen cycle  
 overview, 287  
 sulfur, *see* Sulfur cycle  
 Biological oxygen demand, 205–206  
 Biological safety cabinet, classes, 98–100  
 Biomass, determination, 204–205  
 Bioremediation, *see also* Biodegradation  
 addition  
 gases, 416  
 microorganisms or DNA, 418–419  
 nutrients, 417–418  
 surfactants, 418  
*Exxon Valdez* spill, 5–6, 415  
 metals, *see* Metal remediation  
 organic pollutant types, *see* Organic  
 pollutants  
 prevalence, 416  
 sequential anaerobic–aerobic degradation,  
 418  
 sewage treatment, 415  
 types, 414–415  
 white-rot fungi, 24, 409  
 Bioterrorism  
 airborne agents, 571–574  
 classification of agents, 566–568  
 fomite transmission, 574  
 foot-and-mouth disease, 573–574  
 historical perspective of biological warfare,  
 565  
 water  
 contaminant transport mechanisms  
 and water quality modeling,  
 569–571  
 intrusion events, 568  
 real-time monitoring, 568–569  
 Blue-green algae, *see* Cyanobacteria  
 BOD, *see* Biochemical oxygen demand;  
 Biological oxygen demand  
 Bog, 59  
 Bovine spongiform encephalopathy, 33–34  
 Bright-field microscopy, principles, 159  
 Bromine, disinfection, 546  
 BSC, *see* Biological safety cabinet  
 BSE, *see* Bovine spongiform encephalopathy  
 g-Butyrolactones, signaling in gram-positive  
 bacteria, 340–341
- C**  
*Campylobacter jejuni*  
 diseases, 450  
 history of study, 449–450  
 Carbohydrate, metabolism, 292, 294  
 Carbon cycle  
 fixation and energy flow, 290  
 reservoirs of carbon, 289–290  
 respiration  
 carbon monoxide, 298–299  
 humus, 295  
 methane  
 methanogenesis, 295–298  
 oxidation, 298  
 organic polymers  
 carbohydrates, 292, 294  
 lignin, 294–295  
 structures, 293  
 products, 290–292  
 Carbon dioxide  
 atmospheric levels, 319  
 carbon respiration assays  
 aquatic environments, 202  
 overview, 198–199, 201  
 terrestrial environments, 201–202  
 trapping, 197  
 Carbon:nitrogen:phosphorous ratio,  
 optimization for biodegradation, 398  
 Cation-exchange capacity  
 metal bioavailability effects, 427  
 soil, 62, 64  
 CEC, *see* Cation-exchange capacity  
 Cell envelope, bacteria, 11, 13–14  
 Cell mass assays  
 protein assays, 197  
 turbidity, 196–197  
 Cell wall  
 algae, 27  
 fungi, 22–23  
 CERCLA, *see* Comprehensive Environmental  
 Response, Compensation, and Liability  
 Act  
 CFCs, *see* Chlorofluoro hydrocarbons  
 CGR, *see* Coliform growth response

- Chemical oxygen demand, sewage
    - characterization, 503, 505
  - Chemoautotroph
    - deep-sea hydrothermal vents, 130–132
    - iron oxidation, 316
    - metabolism, 18–19
    - sulfur oxidation, 312–313
  - Chemocline, low temperature environments, 124–125
  - Chemoheterotroph, metabolism, 18–19
  - Chemolithotroph, metabolism, 18–19
  - Chemostat, steady-state relationships, 45
  - Chitinase, assays, 213
  - Chlorination
    - disinfection
      - chloramines, 545–546
      - chlorine, 545
      - chlorine dioxide, 546
      - kinetics, 541–543
    - drinking water treatment, 531, 533
  - Chlorofluoro hydrocarbons, atmospheric levels, 319
  - Chloroplast, algae, 27
  - Cholera, *see* *Vibrio cholerae*
  - Chromosome, size and environmental niche, 14
  - Climate change, *see* Global climate change
  - Cloning, DNA, 266–268
  - Clostridium perfringens*, indicator organism
    - use, 491
  - CLSM, *see* Confocal laser scanning microscopy
  - Coagulation, drinking water treatment, 531–532
  - Coal, desulfurization, 326
  - Coccidioides immitis*, disease features, 359
  - COD, *see* Chemical oxygen demand
  - Coliform bacteria, *see* Indicator organisms
  - Coliform growth response, water distribution
    - system testing, 537
  - Colony hybridization, principles, 248
  - Communities, *see* Bacterial communities
  - Comparative genomics, principles, 270–271
  - Composting
    - substrates, 330–331
    - microorganisms, 331
    - optimization, 331
    - temperature, 332
    - sludge processing, 522–523
  - Comprehensive Environmental Response,
    - Compensation, and Liability Act, 389
  - Concrete corrosion, microbial mechanisms, 322–323
  - Confocal laser scanning microscopy, principles, 167
  - Conjugation, bacteria, 17
  - Continuous culture, bacteria, 44–45
  - Copper, disinfection, 547
  - CPE, *see* Cytopathogenic effect
  - Crown gall disease, features, 337, 339
  - Cryptosporidium parvum*
    - disease, 461–462
    - history of study, 460
    - life cycle, 460–461
  - Cryptosporidium*, Milwaukee outbreak, 4
  - Culture
    - algae, 185–186
    - bacteria
      - concentration from water, 174
      - continuous culture, 44–45
      - fecal coliforms and membrane filtration, 180–181
      - growth phases, *see* Growth curve, bacteria
      - heterotrophic plate counts, 179
      - media, 176–178
      - most probable number technique, 175–176, 181–182
      - plating, 174–175, 177
      - selective plating and antibiotics, 179–180
      - soil bacteria
        - 2,4-dichlorophenoxyacetic acid
          - degraders, 182–183
        - dilution, 174
        - enhanced cultivation, 183–184
        - extraction, 173
        - nitrifying organisms, 182
        - pseudomonads, 182
      - cyanobacteria, 185–186
      - fungi, 184–185
      - metal–microbial interaction analysis, 432–433
      - virus detection, 186–188
  - Cyanobacteria
    - blooms and health impact, 456–457
    - culture, 185–186
    - functions, 455–456
    - toxins, 456–457
  - Cyclospora*
    - disease features, 462–463
    - outbreaks, 5
  - Cysts, protozoa, 26
  - Cytopathogenic effect, virus detection, 187–188
  - Cytoplasm
    - bacteria, 14–15
    - fungi, 22
    - protozoa, 25
- ## D
- 2,4-D, *see* 2,4-Dichlorophenoxyacetic acid
  - Darcy's law, 373–374
  - Dark-field microscopy, principles, 159–160
  - Death phase, bacteria growth
    - culture, 41–42
    - natural environment, 48–49
  - Dehydrogenases, assays, 212–214
  - Denaturing gradient gel electrophoresis
    - advantages and limitations, 276–277
    - principles, 275–276
  - Denitrification
    - assays, 196
    - overview, 307–310
    - sludge, 510
  - Dessication, extreme environments, 128–130
  - DGGE, *see* Denaturing gradient gel electrophoresis
  - DIC microscopy, *see* Differential interference contrast microscopy
  - 2,4-Dichlorophenoxyacetic acid
    - culture of degraders, 182–183
    - biodegradation, 413–414
  - Differential interference contrast microscopy,
    - principles, 161
  - Dioxins, biodegradation, 411
  - Disinfection
    - disinfectants
      - bromine, 546
      - chloramines, 545–546
      - chlorine, 545
      - chlorine dioxide, 546
      - factors affecting, 542–544
      - iodine, 546–547
      - ionizing radiation, 550–551
      - metals, 547–548
      - ozone, 547
      - photodynamic inactivation, 550
      - ultraviolet radiation, 548–550
    - kinetics, 541–542
    - mechanisms, 539
    - terminology, 539–540
    - thermal destruction, 540–541
  - DNA
    - addition in bioremediation, 419
    - amplification, *see* Polymerase chain reaction
    - cloning, 266–268
    - extraction from environmental samples, 245–246
    - gene probing, *see* Gene probing
    - hybridization and denaturation, 245
    - sequence analysis, 270
    - structure and complementarity, 243–245
    - transport, factors affecting, 375
  - DNA microarray
    - cadmium effects on gene expression, 216
    - principles, 251–254
  - Dose–response assessment, risk assessment, 576, 579–580
  - Drinking water treatment
    - chlorination, 531, 533
    - coagulation, 531–532
    - distribution systems, 534–538
    - filtration, 531, 533
    - flocculation, 532
    - historical perspective, 531
    - requirements, 533–534
    - sedimentation, 532–533
    - standards, 586
- ## E
- Ecosystem services, 123
  - EDCs, *see* Endocrine disrupting compounds
  - Edophyte natural products, 354
  - EDS, *see* Energy-dispersive spectrometer
  - EIS, *see* Environmental impact statement
  - Electron microscopy
    - elemental analysis, 170–171
    - scanning electron microscopy, 167–169
    - transmission electron microscopy, 169–170
  - Electrostatic deposition, bioaerosols, 91
  - Electrostatic interactions, microbial adhesion
    - and transport, 368–369
  - ELISA, *see* Enzyme-linked immunosorbent assay
  - El Niño, 362
  - Endocrine disrupting compounds, removal, 415
  - Endospores, bacteria, 16–17
  - Endotoxin, *see* Lipopolysaccharide
  - Energy-dispersive spectrometer, principles, 170

- Entamoeba histolytica*, disease, 462
- Enteric pathogen *see also specific pathogens*  
fecal concentration, 446  
incubation time, 445–446  
risk assessment, 581–586
- Enterovirus*, pathogen features and disease, 471–473
- Environmental impact statement, requirements, 388–389
- Environmental law, history and overview, 388–390
- Enzyme assays  
dehydrogenases, 212–214  
overview, 212–213
- Enzyme-linked immunosorbent assay  
advantages and disadvantages, 234  
applications, 233–234  
competitive ELISA, 234–235  
technique, 233
- Escherichia coli*  
chemical composition, 288  
fecal coliforms, 490  
gastroenteritis and diseases, 448–449  
macromolecular composition, 11
- Eubacteria  
appendages, 16  
cell envelope, 11, 13–14  
cytoplasm, 14–15  
endospores, 16–17  
glycocalyx, 16  
information transfer, 17–18  
metabolism, 18–20  
overview of features, 10–11  
structural comparison with Archaea, 21
- Exponential phase, bacteria growth  
culture, 38–40  
natural environment, 47
- Exposure assessment, risk assessment, 576, 578–579
- Extramural aeromicrobiology, *see* Aeromicrobiology
- Exxon Valdez* spill, 5–6, 415
- F**
- Fermentation, bacteria, 18–20
- Filtration  
drinking water treatment, 531, 533  
microbial transport  
effects, 366  
models, 380
- Fingerprinting, polymerase chain reaction techniques, 263
- FISH, *see* Fluorescence in situ hybridization
- Flocculation, drinking water treatment, 532
- Flow cytometry, principles, 167
- Fluorescence *in situ* hybridization, principles, 165–167, 251
- Fluorescence microscopy  
biomass estimation, 165  
confocal laser scanning microscopy, 167  
direct counts, 164–165  
flow cytometry, 167  
fluorescence *in situ* hybridization, 165–167  
immunolabeling, 165
- FMD, *see* Foot-and-mouth disease
- Fomite  
bioterrorism, 574  
classification, 560  
disease spread role  
overview, 558–559  
pathogens, 559  
sample collection and processing, 153–154
- Food chain, virus-mediated carbon flow, 32
- Food recalls, historical perspective, 5
- Foot-and-mouth disease, bioterrorism, 573–574
- Functional genomics, principles, 215–217
- Fungi  
classification and diversity, 22–24  
culture, 184–185  
ecological considerations, 24–25  
environmental functions, 22  
identification, 22  
rhizosphere, 352–353  
sample collection and processing, 144  
soil, 73–74  
structure, 22–23
- G**
- Gaia hypothesis, 287–289
- Gas chromatography, substrate utilization assays, 193–194
- GC, *see* Gas chromatography
- Gel electrophoresis  
agarose gel electrophoresis, 251  
denaturing gradient gel electrophoresis, 275–277  
proteomics, 217–218  
pulsed field gel electrophoresis, 274–275  
temperature gradient gel electrophoresis, 275–277
- Gene probing  
agarose gel electrophoresis, 251  
autoradiography, 248  
colony hybridization and lifts, 248  
databases, 247  
DNA microarray, 251–254  
fluorescent *in situ* hybridization, 251  
Northern blot, 249, 251  
overview, 246–248  
phyloarray, 254  
Southern blot, 248–249
- Generation time, calculation, 40
- Geometric average, bacteria numbers in water, 495
- Geosmin, cyanobacteria production, 456
- GFP, *see* Green fluorescent protein
- Giardia lamblia*  
cysts, 459–460  
epidemiology, 458–459  
history of study, 458  
transmission, 459–460
- Global climate change  
greenhouse gases, 319, 328  
microbial infectious disease impact, 362–363
- b-Glucuronidase, reporter gene, 278
- Glycocalyx, bacteria, 16
- Green fluorescent protein, reporter gene, 279–280
- Growth curve, bacteria  
culture  
continuous culture, 44–45  
death phase, 41–42  
exponential phase, 38–40  
lag phase, 38–39  
Monod equation, 42–43  
stationary phase, 40–41  
substrate concentration effects, 42–44  
division time, 37  
mass balance of growth  
aerobic conditions, 50–52  
anaerobic conditions, 53–54  
calculations  
bioremediation, 51–52  
carbon, 50  
overview, 49–50  
natural environments  
death phase, 48  
exponential phase, 47  
lag phase, 47  
overview, 38, 46–47  
stationary phase, 47
- H**
- Halogenated aliphatic hydrocarbons, biodegradation  
aerobic conditions, 405  
anaerobic conditions, 405–406
- HAV, *see* Hepatitis A virus
- Hazard identification, risk assessment, 575, 577–578
- Helicobacter pylori*  
diseases, 452  
history of study, 452  
transmission, 453
- Hemolytic-uremic syndrome, 449
- HEPA filter, *see* High-efficiency particulate air filter
- Hepatitis A virus, pathogen features and disease, 473–474
- Hepatitis E virus, pathogen features and disease, 474
- Heterotroph  
substrate utilization assays, 192–194  
tracer studies to determine heterotrophic potential, 207–209
- Heterotrophic plate count, indicator organisms, 491–492
- HEV, *see* Hepatitis E virus
- High-efficiency particulate air filter, bioaerosol control, 97–98
- High-performance liquid chromatography  
proteomics, 217–218  
substrate utilization assays, 193–194
- High temperature environments, 126–128
- Histidine kinase, signaling in gram-positive bacteria, 341
- Histoplasmosis, features, 359–360
- Historical perspective, environmental microbiology, 3–6
- Homologous recombination, bacteria, 17
- Hot springs, microorganisms, 126–128
- HPC, *see* Heterotrophic plate count
- HPLC, *see* High-performance liquid chromatography
- HSK, *see* Histidine kinase
- Humus, metabolism, 295

HUS, *see* Hemolytic-uremic syndrome  
 Hydrophobic interactions, microbial adhesion  
 and transport, 369–370  
 Hydrothermal vent, chemoautotrophs, 130–132  
 Hyperthermophiles, survival

## I

ICC-PCR, *see* Integrated cell culture-polymerase chain reaction  
 ICPAES, *see* Inductively coupled plasma atomic emission spectroscopy  
 ICPMS, *see* Inductively coupled plasma mass spectroscopy  
 Imaging, microscopy, 171  
 Immunoaffinity chromatography  
 advantages and disadvantages, 238  
 applications, 238  
 technique, 237–238  
 Immunoassays  
 antibodies  
 affinity, 227–228  
 antiglobulins, 228–229  
 classes, 226  
 diversity, 227  
 monoclonal versus polyclonal, 228  
 specificity, 227  
 structure, 226–227  
 enzyme-linked immunosorbent assay  
 advantages and disadvantages, 234  
 applications, 233–234  
 competitive ELISA, 234–235  
 technique, 233  
 fluorescent immunolabeling, 232  
 immunoaffinity chromatography, 237–238  
 immunocytochemistry, 238–239  
 immunomagnetic separation, 235–236  
 immunoprecipitation, 239–240  
 signal molecules, 230–231  
 Western immunoblot  
 advantages and disadvantages, 237  
 applications, 237  
 technique, 236  
 Immunocytochemistry  
 advantages and disadvantages, 239  
 applications, 238–239  
 technique, 238  
 Immunolabeling, fluorescence microscopy, 165, 232  
 Immunomagnetic separation  
 advantages and disadvantages, 236  
 applications, 235–236  
 technique, 235  
 Immunoprecipitation  
 advantages and disadvantages, 240  
 applications, 239  
 technique, 239  
 Indicator organisms  
 bacteriophage, 492–493  
*Clostridium perfringens*, 491  
 deal criteria, 485  
 definition and examples, 486  
 fecal coliforms, 490  
 fecal streptococci, 490–491  
 heterotrophic plate count, 491–492  
 principles, 485–486  
 prospects, 493–494

source tracking, 496–498  
 standards and criteria, 494–495  
 total coliform testing  
 limitations, 487  
 membrane filter test, 487, 489  
 most probable number test, 487–488  
 overview, 486–487  
 presence-absence test, 487–489  
 Inductively coupled plasma atomic emission spectroscopy, metal quantification, 433  
 Inductively coupled plasma mass spectroscopy, metal quantification, 433  
 Influenza viruses, pathogen features and disease, 478  
 Integrated cell culture-polymerase chain reaction, principles, 260–261  
 Intramural aeromicrobiology, *see* Aeromicrobiology  
 Iodine, disinfection, 546–547  
 Ion-selective electrode, metal quantification, 433  
 Ionic strength, microbial transport effects, 371–372  
 Ionizing radiation, disinfection, 550–551  
 Iron  
 fertilization of oceans, 315  
 siderophore structure and function, 314–315  
 Iron cycle  
 marine environments, 315  
 oxidation  
 chemoautotrophs, 316  
 photoautotrophs, 316–317  
 reduction, 317  
 reservoirs, 314  
 soils and sediments, 314–315  
 ISE, *see* Ion-selective electrode

## L

*lacZ*, reporter gene, 278  
 Lag phase, bacteria growth  
 culture, 38–39  
 natural environment, 47  
 Lake  
 microbial characteristics, 113–115)  
 physical and chemical characteristics, 112–113  
 Land application  
 biosolids and animal wastes, 523–524  
 wastewater, 516–518  
 Lead, *see also* Metal remediation  
 methylation reactions, 435  
 poisoning, 422  
*Legionella*, features and disease, 95–96,  
 238–239, 359, 453–454  
 Legionnaires' disease, 95, 359, 453–454  
 Leucine, radiolabel incorporation into protein, 210–211  
 Lignin, metabolism, 294–295  
 Lime, sludge processing, 523  
 Lindow man, 59  
 Lipopolysaccharide  
 airborne, 85  
 biosolid concerns in wastewater treatment, 525–526  
 cell envelope, 14  
 Low temperature environments, 124–125  
 LPS, *see* Lipopolysaccharide  
 Luciferase, reporter gene, 278–279

## M

MAC, *see* *Mycobacterium avium* complex  
 Marine water  
 microbial characteristics, 116–117  
 physical and chemical characteristics, 115–116  
 Mass balance, bacterial growth  
 aerobic conditions, 50–52  
 anaerobic conditions, 53–54  
 calculations  
 bioremediation, 51–52  
 carbon, 50  
 overview, 49–50  
 Mass spectrometry  
 proteomics, 217–218  
 substrate utilization assays, 195  
 McMurdo Dry Valleys, 124–125  
 Membrane filter test, coliforms, 487, 489  
 Membrane filtration, fecal coliforms, 180–181  
 Mercury, *see also* Metal remediation  
 biosensors, 433–434  
 methylation reactions, 326–327, 435  
 poisoning in Minamata Bay, Japan, 328  
 Metagenomics, analysis, 268–270  
 Metal corrosion  
 economic impact, 320–321  
 microbial mechanisms, 321–322  
 Metal recovery, principles, 325–326  
 Metal remediation *see also specific metals*  
 bioavailability, 425–427  
 classification of metals  
 essential metals, 423  
 nontoxic nonessential metals, 423–424  
 toxic metals, 423  
 environmental dangers, 421–422  
 factors affecting  
 cation-exchange capacity, 427  
 chemistry, 426–427  
 pH, 427  
 redox potential, 427  
 Metal resistance  
 evolution, 429  
 mechanisms  
 general mechanisms, 430  
 metal-dependent mechanisms, 430–432  
 overview, 429  
 methylation reactions, 435  
 microbial approaches  
 soils and sediments, 437–438  
 water, 438–439  
 oxidation-reduction reactions, 434–435  
 physicochemical approaches, 435–437  
 solubility, 425  
 sources of metals, 424–425  
 speciation, 425–426  
 studies of metal-microbial interactions  
 culture medium, 432–433  
 metal quantification, 433–434  
 total versus soluble metal, 422  
 toxicity effects on microbes, 427–428



- Methane  
addition in bioremediation, 416  
atmospheric levels, 319  
methanogenesis, 295–298  
oxidation, 298
- MF test, *see* Membrane filter test
- Michaelis–Menten kinetics, heterotrophic  
potential studies, 208
- Microbial mat, features, 107–108
- Microbial transport  
aeromicrobiological pathway, 88–89  
DNA transport, factors affecting, 375  
facilitation  
gene transfer, 377  
surfactants, 376  
ultramicrobacteria, 376  
factors affecting  
adhesion, 367–370  
cellular appendages, 372–373  
filtration, 366  
hydrogeological factors, 373–375  
ionic strength, 371–372  
persistence and activity of microbes, 375  
pH, 371  
physiological state, 366–367  
models  
advection–dispersion models, 380–381  
filtration models, 381  
studies  
column studies, 377–378  
field studies, 378–379  
tracers, 379–380
- Microscopy  
atomic force microscopy, 171  
electron microscopy  
elemental analysis, 170–171  
scanning electron microscopy, 167–169  
transmission electron microscopy, 169–170  
fluorescence microscopy  
biomass estimation, 165  
confocal laser scanning microscopy, 167  
direct counts, 164–165  
flow cytometry, 167  
fluorescence *in situ* hybridization, 165–167  
immunolabeling, 165  
historical perspective, 157  
imaging, 171  
light microscopy  
bright-field microscopy, 159  
dark-field microscopy, 159–160  
differential interference contrast microscopy, 161  
phase-contrast microscopy, 160  
polarization microscopy, 161–162  
sample preparation  
liquid culture samples, 162–163  
soil samples, 163  
theory, 157–159
- Microsporidia, diseases and transmission, 463
- Mineralization, process, 391
- Monod equation, 42–43
- Mortality  
causes, 357–358  
developed versus developing countries, 357–358
- Most probable number test  
arithmetic average, 495  
coliforms, 487–488  
technique, 175–176
- MPN test, *see* Most probable number test
- Multiplex polymerase chain reaction, principles, 262–263
- Mycobacterium avium* complex, diseases, 455
- N**
- Naegleria fowleri*, disease features, 359–360, 362, 462
- NAG, *see* N-Acetylglucosamine
- NAM, *see* N-Acetylmuramic acid
- National Contingency Plan, Superfund sites, 389
- National Environment Policy Act, 388–389
- National Priority List  
Superfund sites, 389  
top pollutants, 399
- NCP, *see* National Contingency Plan
- Necator americanus*, features and disease, 466
- Nematodes  
*Acylostoma duodenale*, 466  
*Ascaris lumbricoides*, 465–466  
*Necator americanus*, 466  
overview of parasites, 457–458  
*Schistosoma mansoni*, 467–469  
*Taenia saginata*, 467  
*Trichuris trichiura*, 466
- NEPA, *see* National Environment Policy Act
- Nested polymerase chain reaction, principles, 261–262
- Nitrate, water contamination, 329–330
- Nitrate reduction  
assimilatory reduction, 306  
dissimilatory reduction  
ammonia as product, 306–307  
denitrification, 307–309  
nitrate reductase assays, 213
- Nitrification  
culture of nitrifying organisms, 182  
overview, 305–306  
sludge, 510  
substrate utilization assays, 194–195
- Nitrogen cycle  
ammonia  
assimilation, 303  
ammonification, 304–305  
fixation, *see* Nitrogen fixation  
nitrate reduction, *see* Nitrate reduction  
nitrification, 305–306  
overview, 299–300  
reservoirs of nitrogen, 300
- Nitrogen fixation  
enzymes, 303  
legume–rhizobi symbiosis, 302, 345  
overview, 300–301  
rates, 301  
species, 301
- Nitrogenase, assays, 213
- Nitrous oxide  
atmospheric levels, 319, 328  
prevention approaches, 328–329  
problems of pollutants, 328  
sources, 327–328
- Norovirus, pathogen features and disease, 475
- Northern blot, principles, 249, 251
- NPL, *see* National Priority List
- Nucleic acids, *see* DNA; RNA
- O**
- OAFs, *see* Open air factors
- Open air factors, microbial viability, 92
- Operational taxonomic unit, soil bacteria, 71
- Opportunistic pathogens, bacteria, 454–455
- Organic pollutants *see also specific pollutants*  
biodegradation  
alicyclic hydrocarbons  
aerobic conditions, 407  
anaerobic conditions, 407–408  
alkanes  
aerobic conditions, 402–404  
anaerobic conditions, 404–405  
aromatic hydrocarbons  
anaerobic conditions, 410  
heterocyclic compounds, 413  
overview, 408–410  
pesticides, 413–414  
substituted aromatics, 410–411  
halogenated aliphatic hydrocarbons  
aerobic conditions, 405  
anaerobic conditions, 405–406  
overview, 399, 402  
table, 400–401
- OTU, *see* Operational taxonomic unit
- Oxidation pond, wastewater treatment, 513–515
- Oxygen, addition in bioremediation, 416
- Ozone, disinfection, 547
- P**
- Paraechovirus*, pathogen features and disease, 471–473
- Parainfluenza viruses, pathogen features and disease, 477
- Paramyxovirus, pathogen features and disease, 477
- Parasites, *see* Nematodes; Protozoa
- P–A test, *see* Presence–absence test
- Pathogens *see also specific pathogens*  
bacteria, 447–457  
environmental change effects  
global climate change, 362–363  
urbanization and deforestation, 363  
environmental fate and transport, 479–480  
exposure  
imbibing, 361  
ingestion, 360–361  
inhalation, 360  
households  
fomites and disease spread, 558–560  
sources  
air, 555–556  
food, 556  
water, 556–558  
transfer, 559, 562  
incubation time, 445–446  
mortality burden, 357–359

- overview, 445–447
  - overview of environmentally-transmitted pathogens, 445–446
  - parasitology, 457–469
  - risk assessment, *see* Risk assessment
  - soilborne pathogens, 359–360
  - viruses, 469–479
  - water-based and airborne pathogens, 360, 446–447
  - wastewater treatment
    - animal manure, 528
    - Class B biosolids, 524–528
    - removal, 511–513
  - PCBs, *see* Polychlorinated biphenyls
  - PCE, *see* Perchloroethylene
  - PCP, *see* Pentachlorophenol
  - PCR, *see* Polymerase chain reaction
  - Pentachlorophenol, biodegradation, 411
  - Perchloroethylene, biodegradation, 405–406
  - Pesticides, biodegradation, 413–414
  - PFGE, *see* Pulsed field gel electrophoresis
  - PFU, *see* Plaque-forming unit
  - pH
    - biodegradation effects, 399
    - metal solubility effects, 427
    - microbial transport effects, 371
    - soil, 65–66
  - Phage, *see* Bacteriophage; Virus
  - Phase-contrast microscopy, principles, 160
  - Phosphatases, assays, 213
  - 3'-Phosphoadenosine-5'-phosphosulfate, metabolism, 311
  - Photoautotroph
    - iron oxidation, 316–317
    - sulfur oxidation, 313
  - Photodynamic inactivation, disinfection, 550
  - Photoheterotroph, metabolism, 19
  - Photosynthesis, bacteria, 20
  - Phyloarray, principles, 254
  - Phylogenetic analysis, ribosomal RNA genes, 258
  - PICT, *see* Pollution-induced community tolerance
  - Planktonic environment
    - overview, 103–104
    - primary production, 104–105
    - secondary production, 105
  - Plaque-forming unit, virus detection, 187–188
  - Plasmid
    - analysis
      - advantages and limitations, 277
      - principles, 277
    - aromatic degradation capacity, 409–410
    - functions, 15
    - types, 15
  - Polarization microscopy, principles, 161–162
  - Pollution-induced community tolerance, antibiotic resistance, 354
  - Polychlorinated biphenyls, biodegradation, 412–413
  - Polymerase chain reaction
    - advantages and limitations, 266
    - fingerprinting techniques, 263
    - gene detection, 258–259
    - integrated cell culture-polymerase chain reaction, 260–261
    - multiplex polymerase chain reaction, 262–263
    - nested polymerase chain reaction, 261–262
    - overview, 254
    - primer design, 258
    - real-time polymerase chain reaction, 263–264, 266
    - restriction fragment length polymorphism analysis, 272
    - reverse transcriptase-polymerase chain reaction, 259–260
    - steps, 254–257
  - Polyvinyl chloride, degradation by fungi, 24
  - Pontiac fever, 95
  - Pore water velocity, equation, 375
  - Presence-absence test, coliforms, 487–489
  - Prion
    - biosolid concerns in wastewater treatment, 526–527
    - overview of features, 33–34
  - Probiotics, signaling in gram-positive bacteria, 341–342
  - Propanil, biodegradation, 393
  - Proteases, assays, 213
  - Protein, cell mass assays, 197
  - Proteomics, principles, 217–218
  - Protozoa
    - classification, 25
    - ecological considerations, 26
    - metabolism, 26
    - parasites
      - Cryptosporidium parvum*, 460–462
      - Cyclospora*, 462–463
      - Entamoeba histolytica*, 462
      - Giardia lamblia*, 458–460
      - microsporidia, 463
      - Naegleria fowleri*, 462
      - overview, 457–458
      - Toxoplasma gondii*, 463–464
    - sample collection and processing, 148–149, 151
    - soil, 74–75
    - structure and function, 25–26
  - Pseudomonas aeruginosa*
    - communication with other cells, 343
    - indicator organisms, 493
    - opportunistic infection, 343, 454
  - Pulsed field gel electrophoresis
    - advantages and disadvantages, 275
    - principles, 274–275
  - PVC, *see* Polyvinyl chloride
  - Pyrite, oxidation-reduction reactions, 435
- ## Q
- QAPP, *see* Quality assurance project plan
  - QSAR, *see* Quantitative structure-activity relationship
  - Quality assurance project plan, development, 137
  - Quantitative structure-activity relationship, biodegradability of compounds, 394
  - Quorum sensing
    - N*-acyl homoserine lactones, 336–337
    - Agrobacterium tumefaciens*, 337, 339
    - cross-talk, 339–340
  - gram-positive bacteria variations, 340–342
  - light emission, 337
  - squid, 338
- ## R
- Radiolabeled tracers
    - carbon dioxide trapping, 197
    - incorporation into macromolecules
      - leucine into protein, 210–211
    - overview, 209–210
    - thymidine into DNA, 210
  - Real-time polymerase chain reaction, principles, 263–264, 266
  - Remediation, *see* Bioremediation
  - Reporter gene
    - advantages and disadvantages, 280–281
    - colorimetric reporters, 278
    - fluorescent reporters, 279–280
    - luminescent reporters, 278–279
    - theory, 277–278
  - Resolving power, microscope, 157–158
  - Respiration
    - assays
      - anaerobic respiration, 209
      - basal rate in soil samples, 202–203
      - biological oxygen demand, 205–206
      - biomass determination, 204–205
      - carbon respiration
        - aquatic environments, 202
        - overview, 198–199, 201
        - terrestrial environments, 201–202
      - depth-dependent processes in biofilms, 206–207
      - oxygen uptake, 195
      - substrate-induced microbial activity, 203–204
    - bacteria, 18–20
    - carbon
      - C1 carbon compounds, 298–299
      - humus, 295
      - methane
        - methanogenesis, 295–298
        - oxidation, 298
      - organic polymers
        - carbohydrates, 292, 294
        - lignin, 294–295
        - structures, 293
      - products, 290–292
      - soil and subsurface, 69–70
  - Respiratory syncytial virus, pathogen features and disease, 478
  - Response-regulator protein, signaling in gram-positive bacteria, 341
  - Restriction endonucleases, target sites, 271
  - Restriction fragment length polymorphism
    - advantages and disadvantages, 275
    - fluorescence techniques
      - amplified fragment length
        - polymorphisms, 272–273
      - terminal-restriction fragment length
        - polymorphisms, 274
    - polymerase chain reaction sequence
      - analysis, 272
    - theory, 271
    - whole genome analysis, 271–272

- Reverse transcriptase-polymerase chain reaction, principles, 259–260
  - Reynolds number, 89
  - RFLP, *see* Restriction fragment length polymorphism
  - Rhinovirus, pathogen features and disease, 476–477
  - Rhizobium*–legume symbiosis
    - communications, 345
    - nitrogen fixation, 302
  - Rhizosphere
    - definition, 351
    - microorganisms, 352–353
    - R/S ratio, 351–352
  - Ribosomal RNA genes
    - algae classification, 27
    - bacteria classification, 10, 16, 348
    - fungi classification, 22
    - phylogenetic analysis, 258
    - protozoa classification, 25
  - Risk assessment
    - acceptability of risk, 576–577
    - dose–response assessment, 576, 579–580
    - enteric pathogens, 581–586
    - exposure assessment, 576, 578–579
    - factors affecting, 577
    - hazard identification, 575, 577–578
    - lifetime risks of mortality, 576
    - overview, 575–577
    - regulatory agencies, 576
    - risk characterization
      - definition, 576
      - risk projection and management, 581
      - uncertainty analysis, 580–581
  - RNA
    - gene probing, *see* Gene probing
    - Northern blot principles, 249, 251
    - reverse transcriptase-polymerase chain reaction, 259–260
    - structure and complementarity, 243–245
    - transcription and translation, 245
  - Rotavirus
    - pathogen features and disease, 474–475
    - risk assessment, 585
  - RP, *see* Resolving power
  - RR, *see* Response-regulator protein
  - rRNA genes, *see* Ribosomal RNA genes
  - RSV, *see* Respiratory syncytial virus
  - RT-PCR, *see* Reverse transcriptase-polymerase chain reaction
- S**
- Safe Water Drinking Act, 586
  - Salinity, biodegradation effects, 399
  - Salmonella*
    - diseases, 447–448
    - most probable number technique, 181–182
    - typhoid fever, 447–448
  - Sample collection and processing
    - air sampling devices
      - centrifugation, 152
      - filtration and deposition, 152–153
      - impaction, 150
    - inpingers, 150
    - overview, 149–150
    - fomites, 153–154
    - microscopy, *see* Microscopy
    - quality assurance project plan, 137
    - soil
      - microscopy sample preparation, 163
      - processing and storage
        - bacteria community DNA analysis, 142–144
        - bacteria culture-based analysis, 141
        - fungi hyphae and spores, 144
        - viruses, 144
      - sampling, 138–139
    - subsurface
      - processing and storage
        - bacteria community DNA analysis, 142–144
        - bacteria culture-based analysis, 141
        - viruses, 144
      - sampling, 139–140
    - water
      - bacteria processing, 147
      - protozoa detection, 148–149, 151
      - sampling, 144–145
      - viruses
        - detection, 147
        - elution and reconcentration, 147
        - sample collection, 145–147
  - Sanitizer, definition, 539
  - SARA, *see* Superfund Amendments and Reauthorization Act
  - SARS, *see* Severe acute respiratory syndrome
  - Saturated zone
    - aquifers, 58–59
    - microorganisms in deep zone, 80–81
    - wetlands, 59
  - Scanning electron microscopy, principles, 167–169
  - Schistosoma mansoni*, features and disease, 467–469
  - Sedimentation, drinking water treatment, 532–533
  - Selenium, *see also* Metal remediation
    - bioremediation in San Joaquin Valley, 436
    - methylation reactions, 435
  - SEM, *see* Scanning electron microscopy
  - Septic tank, wastewater treatment, 515–516
  - Severe acute respiratory syndrome, pathogen features and disease, 479
  - Sewage, *see* Wastewater treatment
  - Shigella*, diseases, 449
  - Siderophore, structure and function, 314–315
  - Silver, disinfection, 548
  - SIP, *see* Stable isotope probing
  - Slime mold, overview of features, 25
  - Sludge, *see* Wastewater treatment
  - Sludge volume index, calculation, 509
  - Smallpox, bioterrorism, 566, 568
  - Soil
    - aggregation, 60
    - architecture, 60–62
    - atmosphere
      - constituents, 69
      - oxygen and respiration, 69
    - bacterial composition and growth, 46–49, 348–349
    - cation-exchange capacity, 62, 64
    - complexity, 57
    - culture of bacteria
      - 2,4-dichlorophenoxyacetic acid
        - degraders, 182–183
      - dilution, 174
      - enhanced cultivation, 183–184
      - extraction, 173
      - nitrifying organisms, 182
      - pseudomonads, 182
    - formation, 58
    - functional diversity of bacterial communities
      - overview, 350–351
      - soil–plant–microbe interactions, 351–353
    - gene transfer, 48
    - hydrogeological factors and microbial transport, 373–375
    - metal remediation, 437–438
    - microorganisms
      - actinomycetes, 71, 73
      - algae, 74
      - bacteria, 71–73
      - distribution, 75–76
      - fungi, 73–74
      - protozoa, 74–75
    - natural products from microorganisms, 353–354
    - organic matter, 66–67
    - pathogens, 359–360
    - pH, 65–66
    - primary particles and texture, 59
    - profiles, 62–63
    - sample collection and processing
      - microscopy sample preparation, 163
      - processing and storage
        - bacteria community DNA analysis, 142–144
        - bacteria culture-based analysis, 141
        - fungi hyphae and spores, 144
        - viruses, 144
      - sampling, 138–139
    - solution chemistry, 67–68
    - stresses
      - abiotic, 70–71
      - biotic, 70
      - surface area of particles, 61
      - water potential, 68–69
  - Source tracking, microbes in aquatic environments, 496–498
  - Southern blot, principles, 248–249
  - Speciation, metals, 425–426
  - Species, bacteria characterization, 348
  - Spirulina*, food production, 119
  - Springs
    - freshwater environments, 110
    - hot springs, 126–128
  - SRB, *see* Sulfate-reducing bacteria
  - Stable isotope probing, principles, 215
  - Staphylococcus aureus*, indicator organisms, 494



- Stationary phase, bacteria growth  
culture, 40–41  
natural environment, 47
- Stenotrophomonas maltophilia*, opportunistic infection, 455
- Steric effects, biodegradation, 396–397
- Sterilization, definition, 539
- Stoke's law, 86–87
- Subspecialties, environmental microbiology, 1–2, 6
- Substrate utilization assays  
chemoautotrophic substrates  
nitrification, 194–195  
sulfur oxidation, 195  
heterotrophic substrates, 192–194
- Subsurface  
characteristics, 57–59  
microorganisms  
deep environments, 77–81  
overview, 76–77  
shallow environments, 77  
respiration, 69–70  
sample collection and processing  
processing and storage  
bacteria community DNA analysis, 142–144  
bacteria culture-based analysis, 141  
viruses, 144  
sampling, 139–140
- Sulfate-reducing bacteria, metal corrosion, 321, 435
- Sulfur cycle  
assimilatory reduction, 311  
mineralization, 311  
overview, 309–310  
oxidation  
chemoautotrophs, 312–313  
photoautotrophs, 313  
reduction, 313–314  
reservoirs of sulfur, 310–311
- Sulfur hexafluoride, atmospheric levels, 319
- Sulfur oxidation, substrate utilization assays, 195
- Superfund Amendments and Reauthorization Act, 389
- Surfactants  
addition in bioremediation, 418  
microbial transport enhancement, 376
- SVI, *see* Sludge volume index
- T**  
2,4,5-T, *see* 2,4,5-Trichlorophenoxy acetic acid  
*Taenia saginata*, features and disease, 467  
Tapeworm, *see* *Taenia saginata*  
TCDD, *see* 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin  
TCE, *see* Trichloroethylene  
TEAs, *see* Terminal electron acceptors  
TEM, *see* Transmission electron microscopy  
Temperature  
biodegradation effects, 398–399  
high temperature environments, 126–128  
low temperature environments, 124–125  
thermal destruction, 540–541  
viability effects in air, 92  
Temperature gradient gel electrophoresis  
advantages and limitations, 276–277  
principles, 275–276  
Terminal electron acceptors  
assays  
alternative acceptors, 196  
oxygen uptake, 195  
respiration, 18  
Terminal-restriction fragment length  
polymorphisms, analysis, 274  
Terrorism, *see* Bioterrorism  
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin, biodegradation, 411–412  
TGGE, *see* Temperature gradient gel electrophoresis  
Thrombocytopenic purpura, hemolytic-uremic syndrome, 449  
Thymidine, radiolabel incorporation into DNA, 210  
TOC, *see* Total organic carbon  
Total organic carbon, sewage characterization, 503, 505  
*Toxoplasma gondii*  
epidemiology, 463  
life cycle, 463–464  
outbreaks and control, 464  
Tracers, microbial transport studies, 379–380  
Transconjugates, microbial transport  
enhancement, 377  
Transduction, bacteria, 17–18  
Transformation, bacteria, 17–18  
Transmissible spongiform encephalopathy, prion diseases, 33  
Transmission electron microscopy  
metal quantification, 434  
principles, 169–170  
Transport, *see* Microbial transport  
Tree of life, microorganisms, 9–10  
T-RFLP, *see* Terminal-restriction fragment length polymorphisms  
Trichloroethylene, biodegradation, 392, 405–406  
2,4,5-Trichlorophenoxy acetic acid, biodegradation, 413–414  
*Trichuris trichiura*, features and disease, 466  
Trickling filter, wastewater treatment, 506–507  
TSE, *see* Transmissible spongiform encephalopathy  
TTP, *see* Thrombocytopenic purpura  
Turbidity, assay, 196–197  
Typhoid fever, *see* *Salmonella*
- U**  
Ultramicrobacteria, applications, 376  
Ultraviolet radiation  
disinfection, 548–550  
stress  
extreme environments, 128–130  
microbial inactivation, 92  
Ultraviolet spectrometry, substrate utilization  
assays, 192–193  
UMB, *see* Ultramicrobacteria
- Uncertainty analysis, risk characterization, 580–581  
Underground storage tank, leakage, 387  
Urbanization, microbial infectious disease impact, 363  
UST, *see* Underground storage tank
- V**  
Vadose zone  
features, 58  
microorganisms, 78–80  
van der Waals forces, microbial adhesion and transport, 369  
VBDC, *see* Viable but difficult to culture  
VBNC, *see* Viable but nonculturable  
Viable but difficult to culture  
definition, 46  
subsurface microorganisms, 76  
Viable but nonculturable  
definition, 46  
subsurface microorganisms, 76  
*Vibrio cholerae*  
cholera historical perspective, 451–452  
serogroups, 451  
*Vibrio fischeri*, quorum sensing, 337  
*Vibrio harveyi*, bioluminescence, 344  
*Vibrio parahaemolyticus*, diseases, 452  
Viroid, overview of features, 33  
Virus  
detection by cell culture, 186–188  
enteric viruses  
adenovirus, 470–471  
astroviruses, 469–470  
*Enterovirus*, 471–473  
hepatitis A virus, 473–474  
hepatitis E virus, 474  
norovirus, 475  
overview, 469  
*Paraechovirus*, 471–473  
rotavirus, 474–475  
eucaryotic viruses, 32–33  
growth cycle, 29  
infective nature, 29–30  
morphology, 28–29  
procaryotic viruses  
ecology, 30–32  
structure and life cycle, 30  
replication, 29–30  
respiratory viruses  
influenza viruses, 478  
overview, 475–476  
parainfluenza viruses, 477  
paramyxovirus, 477  
respiratory syncytial virus, 478  
rhinovirus, 476–477  
severe acute respiratory syndrome, 479  
sample collection and processing  
soil and sediment, 144  
water  
detection, 147  
elution and reconcentration, 147  
sample collection, 145–147  
size distribution, 28  
transport study in unconfined aquifer, 378

## W

## Wastewater treatment

- bioremediation, 415
- land application
  - biosolids and animal wastes, 523–524
  - wastewater, 516–518
- organics/inorganics removal, 513
- oxidation ponds, 513–515
- pathogens
  - animal manure, 528
  - Class B biosolids, 524–528
  - removal, 511–513
- primary treatment, 506
- secondary treatment
  - activated sludge process
    - nitrogen removal, 510
    - overview, 508–509
    - phosphorous removal, 510–511
  - trickling filters, 506–507
- septic tanks, 515–516
- sewage properties and characterization, 503–506
- sludge processing
  - Class A biosolid production

- composting, 522–523
  - heat treatment, 523
  - lime treatment, 523
- overview, 521
- stabilization technologies
  - aerobic digestion, 521
  - anaerobic digestion, 521
- tertiary treatment, 511
- wetland systems, 518–521
- Water, *see also* Aquatic environment; Drinking water treatment; Wastewater treatment
- bioterrorism
  - contaminant transport mechanisms and water quality modeling, 569–571
  - intrusion events, 568
  - real-time monitoring, 568–569
- groundwater contamination, 387–388
- metal remediation, 438–439
- nitrate contamination, 329–330
- pathogens, 360, 447
- sample collection and processing
  - bacteria processing, 147
  - protozoa detection, 148–149, 151

sampling, 144–145

## viruses

- detection, 147
- elution and reconcentration, 147
- sample collection, 145–147

Water activity, biodegradation effects, 399

## Western immunoblot

- advantages and disadvantages, 237
- applications, 237
- technique, 236

## Wetland

- features, 59
- systems for wastewater treatment, 518–521

White-rot fungi, bioremediation, 24, 409

## X

*xylE*, reporter gene, 278

## Z

*Yersinia*

- bioterrorism, 567
- diseases, 450–451