

## INDEX

- Abiotic stress, 71  
 Abiotic transformation reactions, 101–104  
 ABS. *See* Akybenzylsulfonates  
 Absorption  
     coefficients of, 33  
     dose, 185  
     routes of, 194  
     of toxicity, 193–194  
 Abyssal ocean, 281  
 Acclimation, 111  
 Accumulation, 332  
 Acetone  
     risks for, 222  
 Acid-base reactions  
     inorganic contaminants and, 91–93  
 Acid-mine drainage  
     in groundwater, 277  
 Acid rain, 48  
 Acid Rain Program, 31  
*Acinetobacter*, 153  
 Actinomycetes  
     characteristics of, 64  
     defined, 60–61  
     in soil, 67  
 Activities  
     defined, 90  
 Activity coefficients, 90  
     ionic strength influencing, 91  
 Acts  
     defined, 234  
 Adaptation, 111  
 Adenosine triphosphate (ATP)  
     energy storage and, 69  
 Adsorbates, 97  
 Adsorbents, 97  
 Adsorption, 90, 97  
     of inorganic contaminants, 98  
     vapor, 100  
 Advection, 79, 81–82  
 AEC. *See* Anion exchange capacity  
 Aerated ponds, 441  
 Aerated static pile, 448  
 Aerobic digestion, 447  
 Aerobic microorganisms, 20  
 Aerobic mineralization, 106  
 Aerobic ponds, 440  
*Aeromonas*, 153  
 Aerosolization, 73  
     endotoxins, 128  
 Aerosols, 125–128  
     biological, 460  
     of concern, 126–128  
     human-made, 127–128  
     plumes generated, 461  
     visibility and, 382  
 Aflatoxins, 374  
 Agency for Toxic Substances and Disease Registry (ATSDR), 112  
 Agricultural activities  
     chemical contaminants and, 133–138  
     fertilizers, 249  
     groundwater pollution and, 261  
     particulate matter and, 382  
     pesticides, 250–253  
     plant genetic engineering, 494–495  
 Agrochemical pollution  
     of subsurface, 272–274  
 Air. *See also* Atmosphere; Indoor air  
     deforestation and, 246  
     environmental characterization of, 9–10  
     federal regulations regarding, 235  
     filters, 373  
     flow, 389  
     gray, 384  
     microorganisms in, 73–75  
     mixing, 389  
     neutral stability, 53  
     particles in, 125–128  
     pathogen exposure via, 460  
     quality regions, 238  
     sampling, 9  
     stable, 53, 388  
     temperature conversion, 53  
     temperature variations, 54  
     unstable, 53  
     velocity, 389  
 Air emissions  
     from surface mining, 245  
 Air Pollution Control Act, 179  
 Air sparging, 324–325  
     of saturated zone, 325  
 Airborne pathogens, 74  
 Akybenzylsulfonates (ABS), 112  
 Albedo  
     defined, 352  
     of soil canopies, 353  
     of vegetable canopies, 353  
*Alcaligenes eutrophus*, 504  
 Aldicarb, 252  
     structure of, 208  
*Alexandrium tamarense*, 291  
 Algae  
     blue-green, 63  
     defined, 62  
     harmful blooms, 290–294  
     in soil, 68  
     structure of, 63  
 Alkylation  
     of metals, 118  
 Alkylphenolic chemicals, 512  
 Allergens  
     animal, 370  
     arthropod, 370–371  
     plant, 371  
 Allochthonous, 35  
 Alpha particles, 103  
*Alternaria*, 128  
*Alyssum lesbiacum*, 496  
 American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE), 374  
 Ames test, 192  
     diagram of, 193  
 Ammonia  
     atmospheric concentrations of, 47  
     fluxes, 360  
     in water, 288  
 Amoeba, 68  
*Anabaena*, 163, 293  
 Anaerobes  
     facultative, 20  
 Anaerobic digestion, 447, 448, 457  
 Anaerobic/oxic process, 436  
     microbiology of, 438  
 Anaerobic ponds, 440–441  
 Anaerobiosis, 115  
 Analytical detection technology  
     advances in, 10  
 Anatoxins, 293  
     structure of, 294  
 Anderson six-stage impaction air sampler, 10  
 Animal allergens  
     indoor air and, 370  
 Animal wastes, 138, 253–254  
     hazards of application of, 466  
     historical perspective on, 452  
     land application benefits, 465–466  
     nonpoint-source pollution from, 465  
     nonpoint sources of, 253–254  
     point-source pollution from, 465  
     point sources of, 253–254  
     sediment in water from, 282  
     sources of, 464–465  
     specific pollutants in, 254  
     wastewaters and, 452–453  
 Anion exchange capacity (AEC), 98  
 Annealing, 493  
 Antarctic ozone hole, 387, 405  
 Anthropogenic emissions, 399  
 Anti-cyclonic flow, 51  
 Antibiotics, 500  
     bacteria resistant to, in food, 502, 503  
     bacteria resistant to, in hospitals, 502–503  
     classification and function of, 500  
     development of bacterial resistance to, 501  
     isolation and detection of bacteria resistant to, 502  
     mode of action of, 501

522 Index

- AOGCMs. *See* Atmosphere-Ocean General Circulation Models
- Aphanizomenon*, 163, 293
- Aquaculture, 408  
wastewaters and, 445–446
- Aqueous-phase complexes, 93  
precipitation-dissolution reactions and, 93
- Aqueous solubilities  
of organic contaminants, 95–96
- Aquifers  
DRASTIC and, 267
- Arithmetic averages, 168
- Arizona Mined Land Reclamation Act, 342
- Arrhenius, Svante, 398
- Arsenic, 143  
concentrations of, 205  
in surface water, 286  
toxicity, 205
- Arthrobacter  
defined, 65
- Arthropod allergens  
indoor air and, 370–371
- Artificial night sky brightness, 355
- Asbestos, 126  
case study on exposure to, 127
- Ascaris*, 162–163, 464  
eggs of, 162
- ASHRAE. *See* American Society of Heating, Refrigerating, and Air-Conditioning Engineers
- Asthma and Allergy Foundation of America, 374
- Aspergillus*, 67, 128
- Assimilatory nitrate reduction  
in water, 289
- Asthma  
air pollution and, 378
- Asymptomatic, 163
- Atmosphere. *See also* Air; Atmosphere pollution  
carbon monoxide in, 246  
chemical composition of, 47  
circulation of, 51  
constant components of, 47  
density, 50–51  
gas concentrations in, 47  
lower, 56–57  
physical properties of, 49–57  
precipitation in, 55  
pressure, 50–51  
radiative transfer in, 55–56  
sampling, 179–181  
structure of, 57  
temperature, 51–54  
upper, 57  
variable components of, 47  
water vapor in, 55  
wind in, 50–51
- Atmosphere-Ocean General Circulation Models (AOGCMs), 402
- Atmosphere pollution  
asthma and, 378  
carbon monoxide and, 381  
in China, 379–380  
concepts, 378–379  
condensation of, 391  
dry deposition of, 391  
effects of, 379  
gravitational settling of, 391  
hydrocarbons and, 381  
lead and, 383  
natural sources of, 380  
nitrogen oxides and, 383  
particulate matter and, 381–382  
primary, 380–383  
radiative, 385–388  
removal, 391–392  
secondary, 383–384  
sources of, 379–380  
stratospheric, 386–387  
sulfur dioxide and, 382–383  
toxic, 385  
transformation, 391–392  
turbulence and, 388–391  
types of, 379–388  
in United States, 392–393  
weather and, 388–392  
wind and, 388–391
- Atmospheric boundary layer, 56
- Atomic absorption (AA) spectroscopy, 10
- ATP. *See* Adenosine triphosphate
- Atrazine, 251, 252
- ATSDR. *See* Agency for Toxic Substances and Disease Registry
- Attainment Areas, 238
- Autochthonous, 35
- Automobile exhaust, 127
- Autotrophic mode, 64
- Avogadro's number, 33
- Bacillariophyta, 68
- Bacillus  
defined, 65  
*Bacillus thuringiensis*, 494
- Bacteria  
aerobic, 65  
anaerobic, 65  
autotrophic mode of, 64, 65  
bacteriophage, 158–159  
coliform, 153  
conjugation of, 63  
defined, 60–61  
development of antibiotic resistance, 501  
distribution and function of, 65–66  
ecological classification of, 65  
electron acceptors of, 65  
enteric, 147, 149–151  
enumeration of, 73  
facultative anaerobic, 65  
fecal streptococci, 157–158  
gene transfer between, 504–505  
growth curves of, 7  
heterotrophic mode of, 64, 66  
indicator, 153, 157  
indoor air and, 370  
isolation and detection of antibiotic resistant, 502  
MF test for, 154–155  
MPN test for, 153–154  
nutrition of, 64–65  
opportunistic, 153  
P-A test for, 155–157  
plant resistance to, 495  
quantitative assays for, 150  
schematic representation of, 61  
shapes of, 64  
sizes of, 60  
in soil, 63–66, 67  
transduction of, 63  
transformation of, 63
- Bacteriophage, 158–159
- Bacteriophage assay, 150
- Balanced chemical reaction, 90
- Balancing criteria, 314  
for evaluating remedial action alternatives, 317
- BamHI*, 491
- Bardenpho process, 436
- Base-substitution, 200
- BCF, Bioconcentration factor
- Benthic organisms, 407
- Benzene, 519
- Benzoate, 117
- Best Available Control Technology, 254
- Best Management Practices (BMPs), 235, 254
- Beta particles, 103
- Bifurcation ratio, 38
- Bioaccumulation  
of mercury, 284
- Bioactivation, 195
- Bioaerosols, 9, 73–74, 128  
air samplers used to estimate, 74  
fate and transport of, 74–75  
land application of biosolids and, 461–464  
sample sites, 461
- Bioaugmentation, 71, 328, 497  
cell, 497  
gene, 497  
soil, 497
- Bioavailability, 106
- Biochemical oxygen demand (BOD), 430  
calculation of, 431  
carbonaceous, 431  
determining, 304, 430  
impact of, 305  
nitrogenous, 431  
in sewage, 304
- Bioconcentration factor (BCF), 216  
for organic and inorganic compounds, 217
- Biodegradation  
aerobic, 112–115  
of alicyclic hydrocarbons, 114–115  
of aliphatic hydrocarbons, 112–113, 115–116  
anaerobic, 115–117  
of aromatic hydrocarbons, 113–114, 116–117  
cometabolic, 327  
environmental effects on, 108–109  
genetic engineering for pathways of, 497  
of metal pollutants, 117–118  
microbial activity and, 108–112  
nitrogen in, 111  
oxidation and, 110  
oxygen in, 327  
pathways, 112–117  
pollutant structure and, 111–112  
process of, 106–108
- Biodiversity, 396
- Biofilters  
of wastewaters, 434
- Biological analysis  
advances in, 10
- Biological oxygen demand (BOD), 30, 129
- Biomagnification  
of mercury, 284
- Bioremediation, 326–328  
*ex situ*, 326  
feasibility of, 328  
*in situ*, 326
- Biosolid amendment, 342–343  
mine tailings and, 344–345  
physical stabilization in, 342–343  
site study in, 342  
soil microbial response in, 342  
soil nitrate and metal concentrations in, 343
- Biosolids, 164, 339  
bioaerosols and, 461–464  
class A, 447, 453  
class B, 447, 453, 458  
community risk in land application of, 462  
dioxin-like chemicals and, 459–460  
flame retardants in, 460  
historical perspective on, 452  
land application injection method, 453  
land application of, via manure spreader, 455  
land application of, via spray applicator, 455  
land application of, via sprinkler system, 455  
occupational risk in land application of, 463  
pathogenic species in, 164  
pathogens in, 460–464  
pharmaceuticals in, 460  
as plant nutrient source, 456  
pollution reduction and, 457  
production scheme of, 458  
soil properties and, 456–457  
surface application of, 453  
wastewaters and, 452–453
- Biotic stress, 70–71
- Biotransformation  
phase I, 195, 197  
phase II, 195  
steps of, 196  
of toxic substances, 195
- Bioventing, 328
- Blue-baby syndrome. *See* Methemoglobinemia
- Blue-green algae, 63, 147, 163
- BMPs. *See* Best Management Practices
- BOD. *See* Biochemical oxygen demand
- Breakthrough curves  
fate processes and, 85
- Brevetoxins  
structure, 292
- Broken-edge bonds, 18
- Brookhaven National Laboratory, 390
- Brown cloud, 384
- BTEX, 519
- Building design, 373
- Building maintenance, 372–373
- Bulk density  
of soil, 21
- By-catch, 407

- Cadmium, 204–205  
 metabolism of, 204–205  
 toxicity, 204
- CAFOs. *See* Concentrated animal feedlot operations
- CAIR. *See* Clean Air Interstate Rule
- Calcium carbonate, 31
- Campylobacter*, 150, 503
- Cancer. *See also* Carcinogens  
 deaths from, 197  
 development of, 198  
 incidence rates of, 198  
 lifetime risks for, 218  
 linear multistage model, 218  
 multihit model, 218  
 multistage model, 218  
 one-hit model for, 218  
 probit model, 218  
 risk characterization, 220–221
- Capillary fringe, 39
- Capsids, 147
- Carbon  
 missing, 401  
 in soil, 71  
 in water, 288
- Carbon credits, 410
- Carbon dioxide  
 atmospheric concentrations of, 47  
 concentrations of, 398, 399  
 fossil fuels and, 402  
 historic trends in levels of, 399  
 national inventories of, 400  
 in water, 30–31
- Carbon monoxide, 48  
 air pollution and, 381  
 atmospheric, 246  
 emissions of, 381  
 indoor air quality and, 368
- Carbon offsets, 410
- Carbon tax, 410
- Carbon tetrachloride, 209
- Carcinogenesis bioassay, 189
- Carcinogens, 197–199. *See also* Cancer  
 classes of, 199  
 EPA categories for, 215  
 initiation of, 197–198  
 invasion and, 199  
 metastasis and, 199  
 progression and, 199  
 promoters, 199  
 RfDs for, 219  
 tests for, 189–190  
 toxicity data for, 220
- Carlson's TSI, 36
- Carson, Rachel, 250, 296, 507
- Case-control studies, 190–191  
 design of, 190
- Case-fatality  
 for enteric viruses, 227
- Catecholamines, 209
- Cation-exchange capacity  
 of soil, 18
- Cave formation, 31
- CCA, 251
- CEC. *See* Cation exchange capacity
- Cell-proliferation assays, 514
- Centerline concentration, 310
- Central Arizona Project, 277–278
- Central nervous system  
 in toxicity distribution, 194
- Ceriodaphnia dubia*, 188
- Cestoda, 161
- CFCs. *See* Chlorofluorocarbons
- Chemical analysis  
 advances in, 10
- Chemical contaminants  
 agricultural activities and, 133–138  
 industrial and manufacturing sources, 138  
 municipal waste sources, 138–140  
 natural sources of, 143  
 radioactive sources, 141–142  
 resource extraction/production sources, 141  
 service-related sources, 140–141  
 types of, 133
- Chemical of concern, 341
- Chemical oxygen demand (COD), 30, 430  
 calculation of, 431  
 in sewage, 304
- Chemical precipitation, 419–420
- Chemical toxicity, 201–202  
 halogenated hydrocarbon, 209  
 heavy metals, 202–206  
 herbicide, 208–209  
 insecticide, 207–208  
 radionucleotides, 206–207  
 structures of, 201  
 target organ, 202
- Chemisorption, 98
- Chick-Watson model, 471
- China  
 air pollution in, 379
- Chloramine  
 microorganism inactivation by, 473  
 in water treatment, 474–475
- Chlorine, 50, 469  
 combined, 474  
 free available, 474  
 in groundwater, 270  
 microorganism inactivation by, 472  
 storage tanks, 474  
 in water treatment, 473–474
- Chlorine dioxide  
 in water, 473, 475
- Chlorine monoxide, 388
- Chlorobium*, 70
- Chlorofluorocarbons (CFCs), 385, 386, 391, 404  
 ozone and, 388
- Chloroform  
 risks for, 222
- Chlorophyta, 68
- Chloropicrin, 251
- Chromatium*, 70
- Chromium, 331  
 immobilization of, 321  
 in surface water, 286
- Chronic daily intake, 221  
 estimation of, 221
- Chrysophyta, 68
- Ciguatoxin  
 structure of, 291
- Ciliates, 68
- Citrobacter*, 153
- Clarifiers, 435
- Clay lenses, 17
- Clean Air Act, 31, 360, 392  
 passing of, 238
- Clean Air Interstate Rule (CAIR), 255
- Clean Air Mercury Rule, 255
- Clean Water Act, 234, 237, 297  
 goals of, 237  
 passing of, 234
- Cloaca maxima*, 430
- Clostridium*, 157
- Closure plans, 335
- Co-precipitation, 94
- Coagulation, 469  
 of industrial waste, 420
- Coal-burning electric power plants  
 wastes from, 254–255
- Coastal zone, 280  
 degradation of, 408–409  
 pollution regulations in, 281
- Coccidioides immitis*, 68
- Coccidioidomycose, 128
- Cockroaches, 371
- COD. *See* Chemical oxygen demand
- Cod fishing, 408
- Code of Federal Regulations (CFR), 234
- Cohort studies, 191  
 design, 191
- Colborn, Theodora, 296, 507
- ColE1, 505
- Coliphage  
 F-specific RNA, 158  
 somatic, 158
- Colloids, 129
- Colony forming units, 73
- Combined sewer overflows, 297
- Combustible wastes, 417
- Combustion products, 368
- Cometabolism, 107
- Community risk  
 in land application of biosolids, 462
- Competitive assays, 512–513
- Completed test, 153
- Complexation  
 of metals, 118
- Compliance monitoring  
 of surface water, 310–311
- Composting  
 aerated static pile method of, 448  
 efficient, 448  
 enclosed system, 449  
 windrow process of, 448–449
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 177, 223, 224, 314. *See also* Superfund  
 authority of, 239  
 passing of, 237–238
- Concentrated animal feedlot operations (CAFOs), 7, 253, 464  
 manure in, 465
- Conceptual plan  
 in site characterization, 335–336
- Condensation  
 of air pollution, 391
- Conditioning  
 sludge, 449
- Conduction, 52
- Confirmation test, 153
- Conidia, 66
- Coning, 390
- Conjugation  
 of bacteria, 63
- Consensus, 341
- Construction materials  
 indoor air and, 367–368
- Containment technologies, 319–322  
 hydraulic barriers, 320–321  
 physical barriers, 320
- Contaminant loads  
 in groundwater pollution, 265
- Contaminant plumes. *See* Plumes
- Contaminants. *See also* Chemical contaminants; Inorganic contaminants; Physical contaminants; Pollutants  
 exposure standards for airborne, 374  
 inorganic, 5  
 organic, 5  
 phase distributions of, 85–86  
 properties of, 80–81  
 quantifying transport and fate of, 86–87  
 radioactive, 133, 141–142  
 resulting in pollutants, 5  
 source zone, 322  
 spatial and temporal distributions of, 83–85  
 transport and attenuation properties of subsurface, 266  
 transport of, 79–80
- Continuum, 6
- Convection, 52
- Convective cells, 51
- Cool pavements, 353
- Coral bleaching, 409
- Coral polyps, 409
- Coriolis effect, 405
- Coxsackie virus  
 community risk of, 462
- Creosote, 251
- Critical flocculation concentration of, 130
- Cryptosporidium*, 6, 59, 62, 145, 160–161, 432, 446, 464, 470, 477  
 life cycle of, 161  
 in Milwaukee, 162  
 outbreaks of, 160–161  
 in water, 230
- Currents  
 in oceans, 34
- Cyanobacteria*, 63, 68, 337
- Cyclonic flow, 51
- Cyclospora*, 6, 62
- Cylindrospermopsis raciborskii*, 294
- Cylindrospermum*, 293
- Cymodon dactylon*, 343
- Cysticercus, 163
- Darcy's Law, 40–41  
 experimental apparatus and, 41  
 for groundwater velocity estimation, 81

524 Index

- Data acquisition systems  
 basic components of, 274
- Davies equation, 91
- DDT, 194, 250, 273, 392  
 biomagnification of, in food chain, 207  
 metabolism of, 208  
 in water, 295
- Death phase  
 in population growth, 7
- Deep-well injection  
 design, 422  
 industrial waste from, 421
- Deforestation, 245–246  
 air quality impacted by, 246  
 examples of, 245  
 global change and, 405–406  
 local land pollution impacts of, 246  
 in Russia, 406  
 sediment in water from, 282
- Dehalogenase, 115
- Deinococcus radiodurans*, 497
- Deionization, 341
- Denaturation, 493
- Denitrification systems, 437
- Dense nonaqueous phase liquids (DNAPLs), 268
- Density  
 in lentic systems, 36–37
- Deoxyribose nucleic acid (DNA), 490
- Desertification, 335  
 global changes and, 406–407
- Desorption, 97
- Desulfobacter*, 284
- Desulfovibrio*, 284
- Dew point temperature, 55
- Dewatering and drying  
 of industrial waste, 420  
 sludge, 449
- Diatoms, 68
- 2,4-dichlorophenoxyacetic acid, 250
- 1,3-dichloropropene, 251
- Die-off, 300–301
- Diel pattern  
 of dissolved oxygen, 30
- Diethylstilbestrol, 201
- Diffuse double layers, 129
- Diffuse-source contamination, 272–275
- Dilution, 74  
 of effluents, 306–308  
 enumeration of soil bacteria via, 73  
 initial, 307  
 in large water bodies, 307  
 measurement of, 307–308  
 in streams and rivers, 306  
 transport factor, 308
- Dimethyl sulfoxide, 194
- 1,4-dioxane  
 in groundwater, 276
- Dioxin  
 chemical structure of, 209  
 toxicity of, 208–209
- Dioxin-like chemicals  
 in land application of biosolids, 459–460
- Dioxygenase, 114
- Disease  
 classes of, 145–146  
 waterborne, 145
- Disinfection  
 by-products, 477–478  
 factors affecting, 472–473  
 methods of, 471  
 in water treatment, 471–472
- Dispersion, 79, 82–83  
 freshwater and saltwater mix in, 274  
 processes causing, 82
- Dissimilatory nitrate reduction  
 in water, 289
- Dissociation constants, 18
- Dissolution  
 defined, 83
- Dissolution-equilibrium constant, 94
- Distillation, 341
- Distribution  
 of toxicity, 194–195
- DNA. *See* Deoxyribose nucleic acid  
 altering, 192
- DNA sequencing, 493
- DNA synthesis, 492–493
- DNAPLs. *See* Dense nonaqueous phase liquids
- Dose  
 absorbed, 185  
 systemic, 185  
 threshold, 192–193  
 total, 185  
 toxicity and, 184–186
- Dose-response assessment, 12, 167, 213  
 for enteric pathogen ingestion, 229  
 extrapolation of, 218  
 in risk assessment, 217
- Drain systems, 320
- Drainage density, 38
- DRASTIC, 267  
 vulnerability assessment of, 268
- Dry deposition  
 of air pollution, 391
- Drylands, 406
- Dust Bowl, 406
- Dust mites, 370
- Dust storms, 51, 52
- Dye tracing  
 of plumes, 308–309
- Dysentery, 145
- Ecological risks, 213
- Ecological succession, 337
- EcoRI*, 491
- Ecosystem goods and services, 411
- Ecosystem restoration  
 active, 338  
 defined, 335  
 invasive species and, 339  
 natural, 337  
 passive, 337–338  
 site characterization in, 335–336  
 site monitoring in, 336  
 site restoration in, 336  
 using organic amendment, 338–339
- Ecosystems  
 contamination in, 109  
 restoration of, 12
- EDCs. *See* Endocrine disrupting compounds
- Effluents, 408  
 dilution of, 306–308  
 outfall, 47
- El Niño-Southern Oscillation, 397
- Electrical double layer  
 thickness of, 130
- Electricity  
 magnetism and, 361
- Electrokinetic methods, 326
- Electromagnetic fields (EMF), 360–362  
 diagram depicting, 361  
 effects of, 361–362  
 guidelines for exposure to, 363  
 levels of, 361–362
- Electron acceptors  
 of bacteria, 65
- Electron donors, 109
- Electromagnetic spectrum, 363
- Elements  
 of economic importance, 418  
 major, 94  
 trace, 94
- Eluviation, 14
- Embeddedness, 283
- EMF. *See* Electromagnetic fields
- Endocrine disrupting compounds (EDCs), 507  
 adverse effects of, on wildlife, 509  
 characteristics of, 507  
 priority research for, 515  
 risks of, 514–515  
 in water, 507–511
- Endocrine system, 507
- Endotoxins, 369  
 in aerosols, 128  
 indoor air and, 369
- Endpoints, 224  
 assessment, 224  
 measurement, 224
- Energy  
 balance, 398  
 biological generation of, 69–70  
 recovery of industrial waste, 423
- Enhanced flushing, 323–324
- Enterobacter*, 153
- Enterococcus*, 157–158
- Enterohemorrhagic (EHEC), 151
- Enteropathogenic (EPEC), 151
- Enterotoxigenic (ETEC), 151
- Enteroviruses, 148
- Environment  
 global perspective on, 5–6
- Environmental characterization, 6–9  
 of air, 8–9  
 of soil, 8  
 of subsurface, 8  
 of water, 8
- Environmental Monitoring for Public Access and Community Tracking (EMPACT), 485
- Environmental offsets, 335
- Environmental Protection Agency (EPA), 49, 340  
 pollutants regulated by, 459  
 on primary pollutants, 380–381  
 TLVs of, 375
- Environmental tobacco smoke, 368
- Enzymes, 106
- EPA. *See* Environmental Protection Agency
- Epidemiological studies, 190–192
- Epilimnion, 37
- Equilibrium constant, 92
- Eragrostis lehmanniana*, 343
- Erosion, soil  
 control of, 249  
 sheet, 247  
 water, 247–249
- Escherichia coli*, 6, 151, 156, 496  
 in GI tract, 194
- Essential elements, 249
- Estrogen, 507
- Estrogenic compounds  
 measuring, water, 512–514  
 physical, chemical, and biochemical properties  
 of, 512  
 transport of, 511–512
- Estuaries, 280
- Ethidium bromide, 11
- Ethinyl estradiol, 510
- Ethyl benzene, 519
- Eukaryotes, 69  
 gene expression in, 493
- European Economic Community (EEC)  
 environmental standards of, 240
- European Union  
 water standards in, 167
- Eutrophication, 408  
 of surface water, 286–294
- Evaporation, 341  
 defined, 83  
 of organic contaminants, 96  
 water, 27–28
- Excavation, 322
- Exchangeability, 98
- Exchangeable sodium percent, 246, 247
- Excretion  
 of toxicity, 195
- Exited states, 102
- Exoenzymes, 106
- Exons, 490
- Exponential models, 228
- Exponential phase, 7  
 in population growth, 7
- Exposure  
 to airborne contaminants, 374  
 concentration, 184  
 duration of, 189  
 EPA default factors, 216  
 pathway, 215, 216  
 route, 215  
 toxicity and, 184–186
- Exposure assessment, 12, 213  
 in risk assessment, 215–216
- Extension, 493
- Extirpation, 407
- Extrapolation, 185
- Facultative anaerobes, 20
- Facultative ponds, 441
- Fanning, 390

- FAO. *See* United Nations Food and Agriculture Office
- Fate processes  
contaminant plumes affected by, 85
- Fecal coliforms, 156  
TMDL for, 302
- Fecal streptococci, 157–158
- Feces  
enteric viruses in, 432  
protozoa in, 432
- Federal Food, Drug, and Cosmetic Act (FFDCS), 251
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 224  
passing of, 238  
on pesticides, 250
- Federal Solid Waste Disposal Act, 239
- Feedback effects, 396
- Feedlots  
antibiotic-resistant bacteria in, 504  
runoff from, 138
- Fertilization effect, 396
- Fertilizers, 136  
groundwater pollution and, 261  
historical trends for, 250  
land pollution from, 249  
nitrogen, 273
- Fetch, 34
- FFDCS. *See* Federal Food, Drug, and Cosmetic Act
- Field capacity, 21
- FIFRA. *See* Federal Insecticide, Fungicide, and Rodenticide Act
- Filtration  
direct, 469  
in-line, 469  
rapid, 469  
slow sand, 469
- Fish  
depletion of, 407–408
- Flagellates, 68–69
- Flavobacterium*, 153
- Flocculation, 469  
of common cations, 130  
of industrial waste, 420  
of soil particles, 129–130
- Flooding, 283
- Flue gas desulfurization wastes, 254, 420
- Fly ash, 254
- Food chain  
aerobic, 117  
DDT in, 207  
mercury in, 206  
oceanic, 407
- Food-to-microorganism ratio, 435
- Forcing agents, 396
- Formaldehyde, 198  
indoor air and, 367
- Fossil fuel  
carbon dioxide levels and, 402
- Frankia*, 66
- Free water surface, 445
- Frequency distribution, 172
- Freshwater  
resources, 280
- Freundlich Isotherm, 100
- Full-cut-off (FCO) lamps, 355
- Fumigation, 390
- Fungi  
characteristics of, 64  
defined, 62  
plant resistance to, 495  
in soil, 66–68, 67  
structure of, 63
- Furnishings  
indoor air and, 367–368
- Fusarium*, 68, 128
- Fusion  
latent heat of, 26
- Gabions, 248
- Gadus morhua*, 408
- Gaia hypothesis, 397
- $\beta$ -galactosidase, 513
- Gambierdiscus toxicus*, 291
- Gamma radiation, 103
- Gaseous phase  
of soil, 20–21  
of vadose zone, 21
- Gene cloning, 490  
steps of, 492
- Gene expression  
heterologous, 493
- Gene transfer  
in bacteria, 504–505  
mechanisms of, 501  
in soil, 504
- Genetic threats, 4
- Genetically modified organisms (GMOs)  
potential problems due to, 497–498
- Geographic information system (GIS), 175  
data layers in, 175
- Geographic positioning system (GPS), 173–175
- Geometric averages, 168
- Geosmin, 61  
soil odor and, 66
- Geostatistics, 172–173
- Germicidal ultraviolet (GUV) light, 372
- Giardia*, 62, 159–160, 432, 446, 464, 470  
in drinking water, 234  
life cycle of, 159  
throphozoites of, 160
- GIS. *See* Geographic information system
- Global biogeochemical cycle, 396
- Global change, 396  
acid rain, 403–404  
in atmospheric ozone, 404–405  
coastal degradation, 408–409  
deforestation and, 405–406  
desertification and, 406–407  
fish stock depletion, 407–408  
human welfare and, 396  
sea level, 404  
temperature, 402–403
- Global warming  
from greenhouse gases, 401
- Glyphosate, 251, 252
- GMOs. *See* Genetically modified organisms
- Government  
in pollution control, 517
- GPS. *See* Geographic positioning system
- Grand Canyon, 28
- Grasshopper effect, 392
- Gravitational settling  
of air pollution, 391
- Gray air, 384
- Graywater, 430
- Great Salt Lake, 28
- Green architecture, 373
- Green roofs  
benefits of, 353
- Greenhouse effect, 55, 385, 397–401
- Greenhouse gases, 397  
global climate and, 401–403  
global warming from, 401  
levels of, 400
- Groundwater  
arsenic in, 277  
contaminant plume, 84, 268  
contour map, 81  
diffuse-source contamination of, 272–275  
extraction balanced by recharge, 274  
for irrigation, 263  
landfill pollution in, 270–272  
monitoring, 177–178  
pathogen contamination of, 275  
pathogen exposure via, 460  
percent of population relying on, 262  
potable water obtained from, 261  
pump-and-treat process for, 323  
as resource, 260–261  
resources of, 264  
sampling, 177–178, 316–317  
site characterization, 315–318  
*in situ* treatment of, 329  
sources of contamination of, 263, 264  
sustainability of, 277–278  
use of, in U.S., 262  
velocity of, 81  
viruses in, 276  
vulnerability map of, 267  
vulnerability to pollution of, 265  
withdrawals, 261
- Groundwater pollution, 261–265  
1,4-dioxane, 276  
acid-mine drainage, 277  
chlorinated-solvent, 270  
MTBE, 276  
nitrate, 268  
organic chemical, 268–270  
perchlorate, 276–277  
pesticide, 273  
risk assessment, 265–267  
salt water intrusion, 274–275
- Groundwater Protection List, 251
- Grout curtains, 320
- Growth curves  
of bacteria, 7
- Gymnodinium breve*, 291, 292
- Hadley cells, 50
- Half-lives  
for organic compounds, 103
- Haloacetic acids, 478  
produced during disinfection, 479
- Halogens  
in water treatment, 473–477
- Halophytes, 335
- Halorespiration, 116
- Hand auger, 8
- Hand-dug wells, 260
- Hardin, Garrett, 410
- Harmful algal blooms, 290–294  
in freshwater systems, 293–294  
in marine systems, 290–293
- Hazard identification, 12, 213  
in risk assessment, 215
- Hazard index  
chemical exposure and, 221
- Hazardous air pollutants (HAPs), 385
- Hazardous waste  
disposal of, 417  
federal regulations regarding, 235  
risk characterization, 223
- Hazen approximation, 42
- Health-based risks, 213
- Heat, 352–354  
controlling, islands, 353  
effects of, islands, 352–353  
islands, 401  
latent, 397  
sludge treatment, 449  
sources of, islands, 352  
urban, 352
- Heating, ventilation, and air conditioning (HVAC), 372
- Hedonic tone, 359
- Helicobacter pylori*, 6
- Helminths, 147, 161–163
- Henderson-Hasselbalch Equation, 93
- Henry's coefficients  
for organic compounds, 95
- Henry's constant, 96, 97
- Henry's law, 96
- Hepatitis A virus (HAV), 148
- Hepatitis E virus (HEV), 6, 148
- Herbicides, 208–209  
plant resistance to, 495
- Heterologous gene expression  
in eukaryotes, 493  
in prokaryotes, 493
- Heterotrophic mode, 64
- Heterotrophic plate count (HPC), 73, 158
- High-pressure sodium (HPS) lamps, 355
- Hollow stem auger, 9
- Hoover Dam, 482
- Horizontal gene transfer, 501  
environments favoring, 501–502
- Hormone mimics  
in U.S. streams, 509  
in U.S. surface waters, 510
- Hormones, 507  
in U.S. streams, 509  
in U.S. surface waters, 510
- Hospital-acquired infections (HAI), 503
- Hospitals  
antibiotic-resistant bacteria in, 502–503

526 Index

- Hubbard Brook Experimental Forest, 246  
 Human species  
   health of, 517  
   population growth of, 7  
 Humidity  
   relative, 55  
 HVAC. *See* Heating, ventilation, and air conditioning  
 Hybrid cars, 410  
 Hydraulic barriers, 320–321  
 Hydraulics  
   conductivity, 42–44  
   Darcy's Law and, 41–42  
   head, 40  
   hypothetical situations for, 41  
   permeability of saturation and, 42  
   soil-water potential head, 40  
   of streams, 38  
 Hydrocarbons  
   air pollution and, 381  
   alicyclic, 110, 114–115  
   aliphatic, 110, 112–113, 115–116  
   aromatic, 110, 113–114, 116–117  
   halogenated, 209  
   health effects of, 209  
   nitrogen oxides interacting with, 383  
   nonmethane, 381  
   polyaromatic, 113, 459  
 Hydrogen sulfide, 50  
 Hydrologic cycle, 25–26  
 Hydrolysis, 101  
   ion-dipole attraction and, 92  
   products of, 92  
 Hydroseeding, 341  
 Hydroxides  
   insoluble, 92  
 Hyperaccumulation, 496  
 Hyperaccumulators, 332  
 Hypolimnion, 37  
 Hypophalous acids, 478  
 Hypoxia, 129  
  
 Illuviation, 14  
 Immobilization, 321  
 Impaction, 9  
 Impingement, 9  
*In situ* chemical oxidation (ISCO), 329  
   at Superfund sites, 330  
*In situ* chemical treatment, 329–331  
*In vitro* bioassays, 513, 514  
*In vivo* bioassays, 513, 514  
*In vivo* tests, 514  
 Incineration, 426  
   industrial waste from, 421–422  
 Indicators  
   die-off of, 300–301  
   standards and criteria for, 166–168  
 Indoor air. *See also* Air; Atmosphere  
   animal allergens and, 370  
   arthropod allergens and, 370–371  
   biological pollutants and, 369–371  
   building design and, 373  
   building maintenance and, 372–373  
   combustion products and, 368  
   construction materials and, 367  
   endotoxin and, 369  
   exposure to, 371–374  
   filtration units, 373  
   formaldehyde and, 367  
   fundamentals of, quality, 366  
   furnishings and, 367–368  
   lead and radon and, 368  
   LPS and, 369  
   mold and, 369  
   monitoring, 374–375  
   pesticides and, 367  
   sensitive populations and, 373–374  
   source prevalence of, pollutants, 371–372  
   sources of, pollutants, 366–371  
   VOCs and, 367–368  
 Inductively coupled plasma (ICP), 10  
 Industrial Revolution, 416–417  
 Industrial waste, 138–140  
   chemical precipitation, 419–420  
   coagulation of, 420  
   from coal burning electric power plants, 254–255  
   deep-well injection, 421  
   disposal of, 419–423  
   energy recovery from, 423  
   flocculation of, 420  
   forms of, 417–418  
   gas, 419  
   from incineration, 421–422  
   from landfills, 421  
   metal reuse, 423  
   mineral solubilities of, 421  
   muds and, 423  
   from oil drilling, 254  
   from oilfield waste, 421  
   organic chemicals in, 255  
   oxidation of, 420–421  
   particulate emissions, 419  
   prevention of, 426–427  
   from refinery sludges, 421  
   regulations for, 417  
   reuse of, 423  
   solidification of, 420  
   solvents of, 423  
   stabilization of, 420  
   stockpiling and, 423  
   tailings and, 423  
   treatment of, 419–423  
 Industrialization, 416–417  
 Infection  
   clinical, 226  
   outcomes of, 226–227  
   risk of, 225  
   subclinical, 226  
 Infiltration  
   water, 27–28  
 Infrared radiation, 55, 362  
 Initiators, 197  
 Inorganic contaminants, 5  
   acid-base reactions and, 91–93  
   adsorption of, 98  
   aqueous phase activities and concentrations of, 90–91  
   basic properties of, 90–94  
   classification of, 91  
   disposition of, 90  
   ion hydration and, 91–93  
   ion hydrolysis and, 91–93  
   precipitation-dissolution reactions and, 93–94  
   sorption of, 97–98  
   speciation of, 90  
 Insect resistance, 494–495  
 Insecticides  
   *Bt*, 494  
   carbamate, 208  
   organochlorine, 207  
   organophosphorous, 207–208  
 Integrated Risk Information Systems (IRIS), 220  
   defined, 221  
 Interaggregate pores, 17  
 Interception  
   water, 27–28  
 Intergovernmental Panel on Climate Change (IPCC), 402  
 International Dark-Sky Association (IDA), 354  
 Interspecies inferences, 186  
 Intertropical convergence zone (ITCZ), 50  
 Intraggregate pores, 17  
 Introns, 490  
 Invasion, 199  
 Invasive species  
   adaptive traits of, 255  
   ecosystem restoration and, 339  
   pollution from, 255–257  
 Inversion height, 53  
 Ion activity product (IAP), 94  
 Ion-dipole bonds, 92  
 Ion hydration  
   inorganic contaminants and, 91–93  
 Ion hydrolysis  
   inorganic contaminants and, 91–93  
 Ionic strength, 91  
   activity coefficients influenced by, 91  
 Ionization, 18  
 Irrigation  
   groundwater used for, 263  
   low-rate, 443  
  
 ISCO. *See In situ* chemical oxidation  
 Isomorphic substitution, 18, 97  
  
 K-selection, 65  
 Keeling, Charles, 398  
*Klebsiella*, 153, 157  
 Koch, Robert, 469  
 Kudzu, 256  
 Kyoto Treaty, 419  
  
 Lag period  
   defined, 6  
 Lakes, 35–37  
   reservoirs compared to, 35  
   stratification of, 36  
   thermal stratification of, 37  
   trophic categories for, 36  
 Laminar flow, 38  
 Land application  
   benefits of, 456–457, 465–466  
   bioaerosols and, 461–464  
   of cake biosolids, 455  
   community risk, 462  
   dioxin-like chemicals and, 459–460  
   hazards of, 457–464, 466  
   injection methods, 453  
   loading rates for, 459  
   manure spreader, 455  
   metals in, 457–459  
   nitrates and, 457  
   occupational risk, 463  
   phosphates and, 457  
   public perceptions of, 466  
   of sewage effluent, 443  
   site restrictions of, 457  
   slinger application, 455  
   spray applicator, 455  
   sprinkler system, 455  
   surface application methods, 453  
 Land-based pollution  
   animal wastes and, 253–254  
   from deforestation, 246  
   from fertilizers, 249  
   from industrial wastes, 254–255  
   from invasive species, 255–257  
   from pesticides, 250–253  
   soil acidity-salinity, 246–247  
   from surface mining, 244–245  
 Land reclamation, 339–348  
   Mission copper mine, 342–343  
 Land surveys, 174  
 Landfarming  
   of oilfield wastes, 421  
   of refinery sludges, 421  
 Landfills, 140  
   common contaminants in, 271  
   industrial waste from, 421  
   leachate plumes, 272  
   modern sanitary, 425–426  
   numbers of, 424  
   old-style, 425  
   subsurface pollution from, 270–272  
 Lapse rate, 53  
 Law of Basin Areas, 38  
 Law of Stream Numbers, 38  
 Law of the Minimum, 286  
 Laws of Stream Lengths, 38  
 LD<sub>50</sub>, 186, 187  
 Le Chatellier's Principle of Equilibrium Chemistry, 98  
 Leachate, 270, 425  
 Lead  
   air pollution and, 383  
   indoor air and, 368  
   responses to, 204  
   sources of, 203  
   toxicity of, 203  
*Legionella*, 6, 146, 151–153  
   sources of, 152  
 Legionnaires' disease, 146  
 Lentic systems, 35–37  
   density and layering in, 36–37  
   trophic state of, 35–36  
   trophogenic area of, 36  
   typology of, 35

- Liebig, Justus Von, 286
- Light
- abiotic stress and, 71
  - in aquatic environments, 33–34
  - below waters surface, 33–34
  - controlling, 355–356
  - effects of, pollution, 354–355
  - glare, 354
  - sources of, pollution, 354
  - trespass, 354
- Lignin, 19
- Lignin-modifying enzymes (LMES), 496
- Lime stabilization, 449
- Limestone, 48
- calcitic, 347
  - dolomitic, 347
- Line intercept method, 336
- Linear effects, 396
- Linear Isotherm, 100
- Linear multistage model
- for carcinogenesis, 218
- Lipopolysaccharides, 128, 369
- indoor air and, 369
- Liquid phase
- of soil, 21
- Lloyd, William, 410
- LMES. *See* Lignin-modifying enzymes
- LOAEL. *See* Lowest observed adverse effect level
- Lofting, 391
- Logging
- conceptual model for, 226
  - sediment in water from, 282
- Los Angeles
- photochemical smog in, 383
- Lotic system, 37–38
- Low-pressure sodium (HPS) lamps, 355
- Lowest observed adverse effect level (LOAEL), 219
- Luciferase, 513
- Lux (lx), 354
- Macronutrients, 249
- Magnetism
- electricity and, 361
- Management goals, 225
- Manufacturing activities, 138
- Manure
- decay of, 466
  - mounding of, 465
- Maps, 173–175
- planimetric, 174
  - soil survey, 175
  - thermatic, 174
  - topographic, 174
- Marine water
- resources, 280
- Mass balance equation, 106
- Mass burning, 426
- Mass transfer, 79, 83
- Mathematical modeling
- approaches to, 319
  - in site characterization, 318–319
- Mauna Loa, 398–399
- Maximum contaminant level goals (MCLG)
- for drinking water, 234
- Maximum contaminant levels (MCL), 478
- in drinking water, 234
- Maximum tolerated dose (MTD), 189
- MCL. *See* Maximum contaminant levels
- MCLG. *See* Maximum contaminant level goals
- Membrane filter (MF) test, 154–155
- method for, 156
- Mercury
- biomagnification of, in food web, 206
  - common transformations of, 285
  - in food, 385
  - methylation of, 32, 285
  - in surface water, 284–285
  - toxicity, 205
- Mesophilic, 447
- Mesosphere, 57
- Metabolism
- DDT, 208
  - of toxic substances, 195
- Metal-cyanide complexes, 245
- Metal-ligand complexes, 93
- Metallimnion, 37
- Metals, 4
- alkylation of, 118
  - biodegradation of, 117–118
  - chemical toxicity from, 202–206
  - complexation of, 118
  - concentrations of, in reclamation projects, 343
  - in land application, 457–459
  - oxidation/reduction of, 118
  - precious, 418
  - reuse of, 423
  - as surface water contaminants, 284–286
- Metam-sodium, 251
- Metastasis, 199
- Methane
- atmospheric concentrations of, 47
  - oxidation of, 107
- Methane monooxygenase, 107
- Methanotrophic bacteria, 107
- Methemoglobin, 136
- Methemoglobinemia, 194
- Methicillin-resistant *Staphylococcus aureus* (MRSA), 503
- Methyl-tertiary-butyl ether (MTBE), 140
- in groundwater, 276
- Methylation
- of mercury, 32
- 4-methylumbelliferyl- $\beta$ -d-glucuronide (MUG), 157
- Microbes
- activity of, in soil, 72–73
  - in air, 73–75
  - biodegradation and, 108–112
  - chlorine inactivation of, 472
  - comparative sizes of, 60
  - impacting human health, 6
  - major groups of, 59–63
  - metals and, 118
  - scope and diversity of, 59
  - soil, 63, 70–71
  - in subsurface, 69
  - in surface water, 76–77
  - in wastewaters, 431
- Microbial consortium, 114
- Microbial pathogens, 5
- Microbial properties
- monitoring, 11
- Microbial source tracking (MST), 300
- Microcosms
- laboratory, 189
- Microcystin
- structure, 294
- Microcystis*, 163, 293
- Microsporidia*, 62
- Mine spoils, 244
- Mine tailings, 244–245
- biosolid amendment and, 344–345
- Mineralization, 106
- Minimal Tillage systems, 248
- Minimum infectious dose, 228
- Mining. *See* Surface mining
- Missense, 200
- Mission Mine Project site
- experimental reclamation plan, 342–343
  - nitrate concentrations at, 345
  - TOC at, 346
  - vegetation transects at, 344
- Mitigation strategies, 409
- Mixed-liquor suspended solids (MLSS), 435
- Mixed-liquor volatile suspended solids (MLVSS), 435
- Mixing depth, 56
- Mixing zones
- of surface water, 310
- MLSS. *See* Mixed-liquor suspended solids
- MLVSS. *See* Mixed-liquor volatile suspended solids
- MNA. *See* Monitored natural attenuation
- mob* genes, 505
- Modifying criteria, 314
- for evaluating remedial action alternatives, 317
- Moisture problems, 372
- Mold
- exposure to, 372
  - indoor air and, 369
- Molecular diffusion, 82
- Monitor well design, 179
- Monitored natural attenuation (MNA), 331–332
- Monitoring
- atmosphere, 179–181
  - basics of, 171–172
  - groundwater, 177–178
  - indoor air, 374–375
  - site, 336–337
  - soil, 176–177
  - tools for, 173–176
  - vadose zone, 176–177
  - water, 179, 482–483
- Monochloramine, 478
- Monooxygenase, 114
- Monte Carlo simulation, 222
- Montreal Protocol on Substances that Deplete the Ozone Layer, 385–386
- Most probable number (MPN) test, 153–154
- evaluation table, 155
  - procedure for, 154
- Motorcycles, 358
- MPN test. *See* Most probable number test
- MRSA. *See* Methicillin-resistant *Staphylococcus aureus*
- MST. *See* Microbial source tracking
- MSW. *See* Municipal solid waste
- MTBE. *See* Methyl-tertiary-butyl ether
- Muds
- industrial waste and, 423
- MUG. *See* 4-methylumbelliferyl- $\beta$ -d-glucuronide
- Multihit model
- for carcinogenesis, 218
- Multiple-component organic phase, 96–97
- Multistage model, 218
- Municipal solid waste (MSW), 417
- composition of, 424
  - disposal of, 424–426
  - recycling rates of, 424
  - reduction of, 426
  - treatment of, 424–426
- Municipal waste, 138–140
- regulations for, 417
- Mutagens, 199–200
- chemical, 200
  - physical, 200
- Mutations, 199
- base, 200
  - frameshift, 200
  - point, 200
- Mycotoxins, 128, 374
- NAAQS. *See* National Ambient Air Quality Standard
- Nanoparticles, 125
- NAPL. *See* Nonaqueous phase liquids
- National Ambient Air Quality Standard (NAAQS), 125, 238
- National Pollution Discharge and Elimination Standards (NPDES), 237
- National Primary Drinking Water Standards, 315–316
- National primary drinking water standards, 134–135
- National Priorities List (NPL), 314
- National Research Council (NRC), 461
- National Water-Quality Assessment, 261
- Natural Resources Defense Council (NRDC), 405
- Navajo Indian Reservations, 340–341
- Navicula*
- Near infrared, 55
- Nematoda, 161
- Nephelometric turbidity units (NTU), 284
- Neurotoxic shellfish poisoning (NSP), 291
- Neutral stability, 53
- Nitrates
- assimilatory reduction of, 289
  - dissimilatory reduction of, 289
  - groundwater contamination with, 268
  - in land application, 457
  - mobility of, 273
  - soil, 343
- Nitrification, 70
- in water, 288
- Nitrobacter*, 70
- Nitrogen
- in aquatic systems, 287
  - in biodegradation, 111

528 Index

- Nitrogen, (*continued*)  
 fertilizer use, 273  
 removal of, from sludge, 436  
 in soil, 71  
 soil transformations, 137  
 in water, 288
- Nitrogen dioxide, 48  
 indoor air quality and, 368
- Nitrogen oxide  
 sources of, 49
- Nitrogen oxides  
 air pollution and, 383  
 emissions of, 381  
 hydrocarbons and, 383  
 ozone destruction and, 387–388
- Nitrosomonas*, 70
- Nitrous oxide  
 atmospheric concentrations of, 47, 386
- No-observed-adverse-effect level (NOAEL), 188  
 for dose-responses, 219  
 threshold dose approximated by, 192
- NOAEL. *See* No-observed-adverse-effect level
- Nodularia*, 293
- Noise, 356–358  
 effects of, 358  
 hearing, 356–357  
 physics of, 356  
 sources of, 358
- Noise Control Act, 356
- Nonaqueous phase liquids (NAPL), 80, 269, 330
- Nonattainment Areas, 238
- Nonlinear effects, 396
- Nonpoint-source pollution, 124  
 animal waste, 465  
 of animal wastes, 253–254
- Nonsense, 200
- Nonthreshold response  
 assessment of, 218  
 threshold response v., 217
- Normal distributions, 173
- Norovirus, 149
- Nostoc*, 68, 293
- Nowalk virus, 149
- NPDES. *See* National Pollution Discharge and Elimination Standards
- NRC. *See* National Research Council
- NRDC. *See* Natural Resources Defense Council
- NSP. *See* Neurotoxic shellfish poisoning
- NTU. *See* Nephelometric turbidity units
- Nucleic acids, 490  
 sizes of, 60  
 transfer of sequences of, 490–492
- Nursing homes  
 case fatality rates in, 227
- Nutrients  
 in surface water, 286–294
- Occupational risk  
 in land application of biosolids, 463
- Occupational Safety and Health Administration (OSHA), 356, 359
- Oceans  
 pollutant transport in, 34  
 salts in, 34  
 water morphology and currents in, 34
- Ochratoxins, 374
- Odor, 359–360  
 common, 359  
 perceptions, 359  
 regulations on, 360  
 response, 359  
 sources of, 359–360
- Oil drilling  
 wastes from, 254
- Oilfield waste  
 landfarming of, 421
- Oligotrophic conditions, 20
- Oncogenes, 197
- One-hit model, 218
- Open ocean waters, 280–281
- Organic amendment  
 ecosystem restoration using, 338–339
- Organic contaminants, 4  
 aqueous solubilities of, 95–96  
 basic properties of, 94–97  
 dissolution of, 95–96  
 evaporation of, 96  
 in groundwater, 268–270  
 half-lives for, 103  
 Henry's coefficients for, 95  
 multiple-component organic phase of, 96–97  
 phases of, 94–95  
 sorption of, 98–101  
 vapor pressures of, 95
- Organic matter  
 in soil, 19–20
- Organic wastewater contaminants (OWCs), 509
- Oscillatoria*, 293
- OSHA. *See* Occupational Safety and Health Administration
- Our Stolen Future* (Colborn), 296, 507
- Outfall, 280
- Overburdening, 244
- Overland flow, 443
- OWCs. *See* Organic wastewater contaminants
- Oxidation  
 biodegradability and, 110  
 of industrial waste, 420–421  
 of metals, 118  
 sulfur, 70
- Oxidation ponds, 439–440  
 aerated, 441  
 aerobic, 440  
 anaerobic, 440–441  
 facultative, 441  
 profiles of, 440
- Oxidation-reduction reactions, 101–102  
 full, 101  
 in water, 32
- Oxides  
 insoluble, 92
- Oxyanions  
 soluble, 92
- Oxygen  
 in biodegradation, 327  
 dissolved, in water, 303–304, 305  
 sag curve, 305  
 soil respiration and, 20–21  
 in water, 29–30
- Oxyhemoglobin, 136
- Ozone, 49, 384  
 bad v. good, 404  
 CFCs and, 388  
 chemicals species catalyzing, 387  
 climate and, 405  
 global change in, 404–405  
 hole in Antarctic, 387, 405  
 holes, 404  
 layer, 404  
 microorganism inactivation by, 473  
 nitrogen oxide destruction and, 387–388  
 regional transport, 384  
 Southern Hemisphere map of, 386  
 stratospheric, 386  
 temperature and, 405  
 water and, 388  
 in water treatment, 475
- Ozone holes, 49
- P-A test. *See* Presence-Absence test
- PAH. *See* Polycyclic aromatic hydrocarbons
- PAN. *See* Peroxyacetyl nitrate
- Particulate matter, 380  
 agriculture and, 382  
 air pollution and, 381–382
- Pasteur, Louis, 469
- Pathogenesis-related proteins, 495
- Pathogens, 4  
 air exposure to, 460  
 density limits, 453  
 enteric, as water contaminants, 296–297  
 in environment, 162  
 fate of, 165–166  
 in groundwater, 275  
 groundwater exposure to, 460  
 removal of, from wastewater, 437–438  
 in seawater, 166  
 soil exposure to, 460–464  
 sources of, 163–165  
 survival times of, 165  
 transport of, 165–166  
 types of, 147
- PCBs. *See* Polychlorinated biphenyls
- PCR. *See* Polymerase chain reaction
- Pedosphere, 396
- Peds, 16
- Pelagic species, 396
- PELs. *See* Permissible exposure limits
- Penicillium*, 67, 128, 500
- Pennisetum ciliare*, 343
- Pentachlorophenol, 251
- Performance bond, 336
- Permeability of saturation  
 hydraulic conductivity and, 42
- Permissible exposure limits (PELs)  
 for airborne contaminant exposure, 374
- Peroxyacetyl nitrate (PAN), 383
- Persistent, bioaccumulative, and toxic (PBT) chemicals, 133, 136  
 in water, 294–295
- Persistent organic pollutants (POPs), 133, 392
- Pesticides, 136  
 classes of, 137  
 extent of use of, 251  
 fates of, 252–253  
 groundwater pollution and, 261, 273  
 indoor air and, 367  
 land pollution from, 250–253  
 persistence of, in soil, 253  
 types of, 250–251  
 use of, by type, 251
- pH-dependent charge, 18
- pH-dependent ionization reactions, 97
- Phage  
 defined, 59–60  
*Phanerochaete chrysosporium*, 68
- Pharmaceuticals  
 in biosolids, 460
- Pharmaceuticals and personal care products (PPCPs), 507
- Pharmacokinetics, 187
- Phase distributions  
 of contaminants, 85–86
- Phase I transformations, 195–196
- Phase II transformations, 196–197
- Phase transfer  
 of pure pollutants, 95
- Phosphates, 138  
 in land application, 457
- Phosphorus  
 cycle in aquatic systems, 290  
 removal of, from sludge, 436  
 in water, 289–290
- Photoc zone, 34
- Photobacterium phosphoreum*, 192
- Photochemical reactions, 102–103
- Photolysis  
 direct, 102  
 indirect, 102, 103
- Photon, 33
- Photosynthesis  
 of soil organisms, 70
- Phylogenic extrapolation, 225
- Physical barriers, 320
- Physical contaminants  
 aerosols, 125–128  
 nanoparticles, 125  
 particle origins, 124  
 particle size, 124–125  
 in water, 128–130
- Physisorption, 98
- Phytoextraction, 495
- Phytoremediation, 332, 341, 496  
 types of, 333
- Planck's equation, 33
- Plant allergens  
 indoor air and, 371
- Plant associations, 336
- Plant residues  
 constituents of, 19
- Plant surveys, 336
- Plants, genetic engineering of, 494–495  
 for bacterial resistance, 495  
 for fungus resistance, 495  
 for herbicide resistance, 495



- for insect resistance, 494
- metal remediation via, 495–496
- organic remediation via, 496
- for virus resistance, 494, 495
- Plasmid addiction, 502
- Plastics, 416–417
- Plating, 74
  - enumeration of soil bacteria via, 73
- Platyhelminthes, 161
- Plumes
  - aerosol, 461
  - cone-shaped, 389
  - coning, 390
  - defined, 378
  - dye tracing, 308–309
  - fanning, 390
  - fumigation, 390
  - groundwater, 85, 268
  - landfill leachate, 272
  - lofting, 391
  - looping, 390
  - patterns, 389
  - spatial and temporal variation, 309–310
  - spatial distributions of, 85
- PM<sub>2.5</sub>, 125
- PM<sub>10</sub>, 125
- Point-mutations, 200
- Point-of-use (POU) purification systems, 479, 480, 481–482
  - common, 482
- Point-source pollution, 124
  - animal waste, 465
  - of animal wastes, 253–254
  - of subsurface, 267–272
- Poisson distributions, 229
- Polar amplification, 402
- Pollen, 371
- Pollutants, 5. *See also* Contaminants
  - biodegradation and, 111–112
  - biological effects on, 106
  - contaminants resulting in, 5
  - metal, 117–118
  - modes of release of, 416
  - in oceans, 34
  - sources of, 416
  - at Superfund sites, 135
- Pollution
  - biosolid use and, 457
  - defined, 4
  - future of, 518–522
  - government control of, 517
  - population pressures and, 6–7
  - prevention, 426–427, 517–518
  - science and, 4
- Pollution potential, 79
- Pollution Prevention Act
  - passing of, 239
- Pollution science
  - risk based approach to, 10–11
  - scientific disciplines and, 7
- Polychlorinated biphenyls (PCBs), 194, 284
  - in water, 295
- Polycyclic aromatic hydrocarbons (PAH), 284
- Polymerase chain reaction (PCR), 490
  - amplification, 493
  - automated, 11
  - in biological analysis, 10
  - steps in, cycles, 493
- Polymerization, 108
- POPs. *See* Persistent organic pollutants
- Population growth
  - death phase in, 7
  - exponential phase in, 7
  - human species and, 7
  - lag period in, 4
  - stationary phase in, 7
- Population pressures
  - pollution and, 6–7
- Populations, 172
- Pore space, 17, 18
- Postsegregational killing, 502
- Potassium permanganate, 331
- Potency factor, 219
- POU purification systems. *See* Point-of-use purification systems
- Powell, John Wesley, 44
- PPCPs. *See* Pharmaceuticals and personal care products
- Precipitation, 90
  - in atmosphere, 55
- Precipitation-dissolution reactions
  - inorganic contaminants and, 93–94
- Preferential flow
  - of water through soil, 18
- Presence-Absence (P-A) test, 155–157
- Pressure
  - atmospheric, 50
  - defined, 50
- Pressure-vacuum lysimeter, 178
- Presumptive test, 153
- Primary particles, 127
  - massive, 17
  - soil texture and, 16
- Primary production, 35, 79
- Probit model
  - for carcinogenesis, 218
- Procentrum*, 291
- Produced water, 141
- Progression, 199
- Prokaryotes
  - gene expression in, 493
- Promoters, 199
- Prophyridium*, 68
- Protein formation
  - steps of, 490
- Proteus*, 153
- Proton dissociation, 92
- Protozoa, 147, 159–161
  - defined, 62
  - in feces, 432
  - incidence of, 163
  - in soil, 68–69
- Providencia*, 153
- Pseudomonas*, 153, 496
  - defined, 65
- Pseudomonas dentrificans*, 70
- Public Land Survey System, 174
- Pump-and-treat process, 322
  - groundwater remediation with, 322
- Purine bases, 491
- Pyrimidine bases, 491
- Pythium*, 68
- QAPP. *See* Quality Assurance Project Plan
- Quality Assurance Project Plan (QAPP), 8
- Quanta, 33
- R-selection, 65
- Radiant flux of light, 33
- Radiative transfer
  - in atmosphere, 55–56
- Radioactive decay, 103
  - of uranium, 206
- Radioactive material
- Radiofrequency (RF) radiation, 360–361
  - effects of, 362
  - levels of, 362
  - from wireless telephones, 363
- Radioisotopes
  - anthropogenic, 142
- Radionucleotides, 206
  - inorganic, 206–207
- Radon, 142, 207
  - indoor air and, 368
- Ragweed, 371
- Rain, 48
  - acidity of, 31, 48, 403–404
- Ralstonia eutropha*, 496, 504
- Raoult's Law, 96
- Rapid Infiltration-extraction projects, 447
- Rapid infiltration extraction (RIX), 443
- RCRA. *See* Resource Conservation and Recovery Act
- Recharge
  - groundwater extraction balanced by, 274
- Reclamation
  - defined, 335
  - land, 339–348
- Recombinant DNA technology, 490
- Record of decision (ROD), 223
- Recycling
  - growth rate of, 426
  - of MSW, 424
- Red tide formation, 292
- Redox potential
  - soil, 71
  - at which soil substrates are reduced, 72
- Redox reactions, 32
- Reduced Tillage, 248
- Reductive dehalogenation, 116
- Reference dose (RfD), 219
  - chemical, for carcinogens, 219
- Reforestation, 348
- Refuse-derived fuel, 426
- Regulations, environmental, 234
  - development of, 236
  - for industrial waste, 417
  - for municipal waste, 417
  - scope of, 235
- Regulatory use
  - of surface water, 310
- Rehabilitation
  - defined, 335
- Relative saturation, 94
- Remedial investigation/feasibility study, 314, 316
  - criteria for, 317
- Remediation, 12
  - air sparging, 324–325
  - bioremediation, 326–328
  - containment technologies, 319–322
  - electrokinetic methods, 326
  - excavation, 322
  - genetically engineered plants for, 495–496
  - microbial-assisted, 496–497
  - MNA, 331–332
  - modifying criteria for, 317
  - overhead view of, 321
  - phytoremediation, 332
  - pump and treat process, 322–324
  - removal, 322–326
  - In situ* chemical treatment, 329–331
  - in situ* treatment, 326
  - soil vapor extraction, 324
  - thermal methods, 325–326
  - threshold criteria for, 317
- Remote sensing, 175–176
- Removal, 322–326
- Replication, 492
  - in protein formation, 490
- Reporter-gene assays, 513
- Research priorities, 517, 518
- Reservoirs, 35–37
  - lakes compared to, 35
  - stratification of, 36
  - trophic categories for, 36
- Residential water
  - contamination of, 479–480
- Resource Conservation and Recovery Act (RCRA), 140, 177
  - passing of, 239
- Resource extraction/production, 141
- Respiration, 102
  - aerobic autotrophic, 70
  - aerobic heterotrophic, 70
  - defined, 30
  - of soil organisms, 70
- Respirators, 373
- Restoration. *See also* Ecosystem restoration
  - flow chart of, 335
  - natural, 337
  - site, 336
- Restriction endonucleases, 490
- Restriction enzymes, 490
- Revegetation
  - defined, 335
- RF radiation. *See* Radiofrequency radiation
- RfD. *See* Reference dose
- Rhinovirus, 370
- Rhizoctonia*, 68
- Rhizopods, 68
- Rhizosphere, 65
- Rhodamine WT, 308, 309
- Rhodophyta, 68
- Rhodospirillum*, 70
- Ribonucleic acid (RNA), 490

## 530 Index

- Risk analysis, 214  
 Risk assessment, 10–11  
   applications of, 214  
   for common risks, 214  
   comparative, 213  
   defined, 213  
   dose-response assessment in, 217  
   ecological, 213, 223–225  
   exposure assessment in, 215–216  
   factors affecting, 214  
   for groundwater pollution, 265–267  
   hazard identification in, 215  
   health-based, 213  
   microbial, 225–230  
   process, 11  
   risk characterization in, 220–223  
   for shellfish consumption, 229  
 Risk characterization, 11, 213  
   cancer, 220–221  
   hazardous waste, 223  
   noncancer, 222  
   risk projections and management, 223  
   uncertainty analysis in, 222–223  
 Risk perception, 214  
 Rivers, 37–38  
   dilution in, 306  
 RIX. *See* Rapid infiltration extraction  
 RNA. *See* Ribonucleic acid  
 ROD. *See* Record of decision  
 Rotary mud drilling, 8  
 Rotaviruses, 6, 148–149, 227  
   dose-response for, 228  
   in drinking water, 229  
   mortality from, 230  
 Runoff  
   water, 27–28  
 Russia  
   deforestation in, 406  
 Russian thistle, 339  
 Safe Drinking Water Act (SDWA), 177  
   development processes under, 237  
   guidance manuals under, 237  
   passing of, 230, 234  
 Safe yield, 278  
 Safety factors, 219  
 Salmonella, 149–150, 464  
   dose-response for, 228  
   risk exposure to, 230  
*Salmonella*, 503  
*Salmonella typhimurium*, 192  
*Salsola tragus*, 343  
 Salt cedar, 256–257  
 Saltation, 248  
 Salts  
   in oceans, 34  
 Saltwater intrusion  
   in groundwater, 274–275  
 Sampling  
   atmosphere, 179–181  
   basics of, 171–172  
   data quality objectives of, 171  
   groundwater, 177–178  
   random, 171  
   soil, 176–177, 177  
   of surface water, 310  
   systematic, 171  
   tools for, 173–176  
   vadose zone, 176–177  
   water, 179  
 Santa Ana Watershed Project Authority (SAWPA), 447  
 SARA. *See* Superfund Amendments and Reauthorization Act  
 SAT. *See* Soil aquifer treatment  
 SAWPA. *See* Santa Ana Watershed Project Authority  
*Schistosoma*, 146  
 Schmutzdecke, 470  
 Science  
   pollution and, 4  
 Screening  
   sludge, 449  
 SDWA. *See* Safe Drinking Water Act  
 Sea level  
   rise in, 404  
 Seagrass meadows, 409  
 Secchi disk, 34  
   transparency, 34  
 Secondary attack rate, 227  
 Secondary particles, 127  
 Security  
   water, 482–483  
 Sediment oxygen demand (SOD), 30  
 Sedimentation, 469  
 Sediments  
   bed load, 282–284  
   solute load, 282–283  
   in surface water, 282–283  
   suspended load, 282  
   traction load, 283  
 Selenium  
   in surface water, 286  
   toxicity, 287  
 Self-purification capacity, 305  
 Selfish DNA theory, 505  
 Semi-cut-off (SCO) lamps, 355  
 Sensitive populations, 373–374  
 Sensitivity analysis, 222  
 Sensory pollutants  
   EMFs, 360–362  
   heat, 352–354  
   light, 354–356  
   noise, 356–358  
   odor, 359–360  
 Septage  
   characteristics of, 442  
 Septic systems, 139, 297, 441–443  
   damage to, 140  
   in United States, 442  
 Sequestering, 410  
*Serratia*, 153  
 Service-related activities, 140–141  
 Sewage. *See* Wastewaters  
 Sewage lagoons, 439  
 Sex hormone binding-globulins, 507  
 Sex hormones  
   cellular response to, 508  
 SFS. *See* Subsurface flow systems  
 Sheet piling, 320  
 Shellfish  
   risks of consuming, 229  
*Shigella*, 146, 150  
 Short-term exposure limits (STELs)  
   for airborne contaminant exposure, 374  
 Sick building syndrome (SBS), 366  
*Silent Spring* (Carson), 250, 296, 507  
 Silica, 126–127  
 Sinks, 406  
 Site characterization, 315–318  
   approaches to, 318  
   conceptual plan and site assessment in, 335–336  
   contaminant identification in, 315  
   in ecosystem restoration, 335–336  
   mathematical modeling in, 318–319  
   overhead view of, 321  
   surveying in, 315–316  
 Site monitoring  
   ecosystem, 336–337  
 Site remediation, 12  
 Site restoration  
   ecosystem, 336  
 Size fractionization  
   soil constituents and, 16  
 SKC biosamplers, 9, 10  
 Sludge, 164, 417, 452–453  
   aerobic digestion of, 447  
   anaerobic digestion of, 447–448, 457  
   composting and, 448–449  
   conventional activated, 435  
   defined, 453  
   digesters, 435  
   heat treatment of, 449  
   landfarming of, 421  
   lime stabilization of, 449  
   microbial pathogens in, 164  
   nitrogen removal from, 436  
   phosphorous removal from, 436  
   primary, 164  
   processing, 449  
   secondary, 164  
 Sludge volume index (SVI), 436  
 Slurry walls, 320  
 Slurry waste, 417  
 SMCRA. *See* Surface Mining Control and Reclamation Act  
 Smog, 50  
   in Los Angeles, 383  
   photochemical, 383  
 Sneezes, 367  
 Soil, 14  
   abiotic stress in, 71  
   acidity, 246, 347  
   actinomycetes in, 67  
   air erosion, 248–249  
   albedo and, 353  
   algae in, 68  
   auger, 177  
   bacteria in, 63–66, 67  
   biosolids and, 456–457  
   bulk density of, 21  
   cation-exchange capacity of, 18  
   constituents of, atmosphere, 20  
   cores, 519  
   enumeration of bacteria, 73  
   environmental characterization of, 8  
   erosion, 247–249  
   fate of pesticides in, 252  
   fungi in, 66–68  
   gene transfer in, 504  
   liquid phase of, 21  
   microbe activity in, 72–73  
   as microbe environment, 70–71  
   microbes, 63  
   monitoring, 176–177  
   nitrogen transformations, 137  
   organic matter in, 19–20  
   particle flocculation, 129–130  
   particles, 129  
   pathogen exposure via, 460–464  
   persistence of pesticides in, 253  
   porosity, 21–22  
   protozoa in, 68–69  
   saline-alkalal, 348  
   salinity, 246–247, 347  
   sampling, 8, 176–177, 177  
   site characterization, 315–318  
   size fractionization of, 16  
   sodic, 347–348  
   solid phase of, 14–16  
   temperature, 22  
   vapor extraction, 324  
   venting, 324  
   washing, 322  
   water erosion, 247–248  
   water potential head, 40  
 Soil aggregates, 18  
 Soil amendments, 136  
 Soil aquifer treatment (SAT), 443  
 Soil-forming factors, 14  
   soil horizon development and, 15  
 Soil horizons, 14  
   illustrations of, 15  
 Soil pH, 18–19  
   regimes, 19  
 Soil structure, 16–18  
 Soil texture  
   primary particles and, 16  
   triangle, 17  
 Soil-water content, 22  
 Solar constant, 33  
 Solar radiation, 398  
 Solid phase  
   soil profiles, 14–16  
   of vadose zone, 20  
 Solid waste, 164–165, 417  
 Solidification  
   of industrial waste, 420  
 Solubility product constant, 94  
 Soluble complexes, 90  
 Somatic coliphage, 158  
 Sorption  
   defined, 83  
   of inorganics, 97–98  
   magnitude and rate of, 100–101  
   of organic contaminants, 98–101  
 Sound  
   intensity factors, 357

- physics of, 356
- pressures, 357
- Source reduction, 426
- Source zone, 267
- Spatial distributions
  - of contaminant plumes, 85
- Speciation
  - of inorganic pollutants, 90
- Specificity
  - between absorbates and adsorbents, 97
- Spectrophotometer
  - calibration of, 173
- SRB. *See* Sulfate-reducing bacteria
- Stabilization, 332
  - sludge, 449
- Stable air, 53
- Stachybotrys chartarum*, 372
- Staphylococcus aureus*
  - methicillin-resistant, 503
- Stationary phase
  - in population growth, 7
- Statistics, 172–173
  - descriptive, 172
  - symbols, 172
- Stepwise degradation, 107
- Stockpiling
  - industrial waste and, 423
- Stokes' Law, 126, 128
- Stormwater runoff, 139
  - TARP control of, 298–299
- Stratospheric pollution, 386–388
- Stream capacity, 283
- Stream competence, 283
- Streams, 37–38
  - channels, 39
  - dilution in, 306
  - hydraulics of, 38
  - morphometry of, 37–38
  - ordering of, 37
  - properties of, 3
- Streptococcus*, 157–158
- Streptomyces
  - defined, 65
- Streptomyces griseus*, 500
- Streptomyces scabies*, 66
- Streptomycin, 61
- Stressors, 223
  - response profile, 225
- Subclinical infection, 226
- Substrates, 106
- Subsurface, 14
  - agrochemical pollution of, 272–274
  - cross-section of, 14
  - diffuse-source contamination of, 272–275
  - environmental characterization of, 8
  - landfill pollution in, 270–272
  - microbes in, 69
  - organic liquid spilled into, 79
  - point-source pollution of, 267–272
  - sampling, 8
  - transport and attenuation properties of, contaminants, 266
  - water in, 40–41
- Subsurface flow systems (SFS), 445
- Sulfate-reducing bacteria (SRB), 32, 284
- Sulfur dioxide, 254
  - air pollution and, 382–383
  - sources of, 49
- Sulfur oxidation, 70
- Superfund
  - ISCO at, 330
  - process, 314–315
- Superfund Amendments and Reauthorization Act (SARA), 314
- Superfund sites
  - common pollutants found at, 135
- Suppressor genes, 199
- Surface complex, 97
- Surface layer, 56
- Surface mining, 244–246
  - acid drainage, 244
  - air emissions from, 245
  - sediment in water from, 282
- Surface Mining Control and Reclamation Act (SM-CRA), 177
- Surface Treatment Rule, 234
- Surfactant, 323–324
- Surrogate measurements, 401
- Suspended solids, 283–284
- Sustainable building, 373
- Sweetwater sites, 446
- Synthetic estrogens, 511
- Systemic acquired resistance, 495
- Taenia saginata*, 163
- Taenia solium*, 163
- Tailings
  - industrial waste and, 423
- TARP. *See* Tunnel and Reservoir Plan
- TCA. *See* Trichloroethane
- TDS. *See* Total dissolved solids
- Teleconnections, 397
- Temperature
  - atmospheric, 51–54
  - of earth's surface, 403
  - global, 402–403
  - inversion, 53, 388
  - of soil, 22
- Tension-saturated zone, 39
- Teratogens, 200–201
- Terminal electron acceptor (TEA), 109
- Terrorism, 482
- Testosterone, 507
- Thermal methods, 325–326
- Thermal properties
  - of water, 26–27
- Thermocline, 37
- Thermodynamic stability constant, 93
- Thermodynamics
  - second law of, 69
- Thermosphere, 57
- Thickening
  - sludge, 449
- Thiobacillus thiooxidans*, 71, 348
- Thlaspi caerulescens*, 496
- THM. *See* Trihalomethanes
- Threshold criteria, 314
  - for airborne contaminants, 374
  - for evaluating remedial action alternatives, 317
- Threshold effects, 192–193
- Threshold Limit Values (TLVs)
  - EPA, 375
- Threshold response
  - nonthreshold response v., 217
- Thymine dimers, 477
- Tillage, 248
- Time-weighted averages (TWAs)
  - for airborne contaminant exposure, 374
- TLVs. *See* Threshold Limit Values
- TMDL. *See* Total maximum daily loads
- Tobacco, 368
- TOC. *See* Total organic carbon
- Toluene, 519
- Total coefficient of absorption, 34
- Total dissolved solids (TDS), 271
- Total maximum daily loads (TMDL)
  - development and implementation of, 301
  - for fecal coliform bacteria, 302
  - of surface water pollution, 300
- Total organic carbon (TOC), 343, 430
  - at Mission Mine, 346
- Total suspended solids (TSS), 283
- Tox Tracer System, 193
- Toxicity. *See also* Chemical toxicity
  - absorption of, 193–194
  - acute, 186
  - arsenic, 205
  - biotransformation and, 195
  - cadmium, 204–205
  - carcinogenicity tests, 189–190
  - carcinogens and, 197–199
  - data for carcinogens, 220
  - dioxin, 208–209
  - distribution, 194–195
  - dose and, 184–186
  - epidemiological studies, 190–192
  - evaluation of, 186–193
  - excretion of, 195
  - exposure to, 184–186
  - of lead, 203
  - manifestations of, 187–188
  - mercury, 205
  - metabolism and, 195
  - mutagens and, 199–200
  - nontoxicity and, 184
  - organisms used in testing, 188
  - responses to, 193–196
  - routes of, 194
  - short-term tests for, 192
  - subchronic, 186
  - target organ, 202
  - teratogens and, 200–201
  - testing, 188–189
  - threshold effects, 192–193
  - in U.S., 184
  - of various compounds, 210
- Toxicity Characteristic Leaching Procedure, 495
- tra* genes, 505
- Trace organic measurements
  - in U.S. surface waters, 510
- Trade winds, 51
- Tragedy of the commons, 410
- Transcription, 492
  - in protein formation, 490
- Transduction
  - of bacteria, 63
- Transformation
  - of bacteria, 63
  - quantifying rates of, 103–104
- Transformation reactions, 79, 83
- Translation, 492
  - in protein formation, 490
- Trematoda, 161
- 2,4,5-trichlorophenoxyacetic acid, 250
- Trichloroethane (TCA), 330
- Trichloroethene (TCE), 107, 330
- Trichothecenes, 374
- Trickling filters, 435
  - of wastewaters, 432–433
- Trihalomethanes (THM), 478
  - produced during disinfection, 479
- Triple point
  - of water, 27
- Trophic state
  - of lentic systems, 35–36
- Trophogenic area
  - of lentic systems, 36
- Tropopause, 56
- Troposphere, 56
- TSS. *See* Total suspended solids
- Tunnel and Reservoir Plan (TARP)
  - for stormwater control, 298–299
- Turbidity, 283–284
- Turbulence
  - atmosphere pollution and, 388–391
- Turbulent flow, 38
- TWAs. *See* Time-weighted averages
- Typhoid fever
  - death rates from, 145
- UATs. *See* Urban air toxics
- Ultraviolet light, 476
  - in water treatment, 475–477
- Ultraviolet radiation, 55
- Ultraviolet sunlight, 49
- Umezakia natans*, 294
- UMTRA. *See* Uranium Mill Tailings Remedial Action
- Uncertainty factors, 219
  - analysis, 222–223
- Unclassifiable Areas, 238
- Underground storage tanks (USTs), 140
  - leaking, 519
  - releases, 270
- United Nations Environment Program, 407
- United Nations Food and Agriculture Office (FAO), 407
- United States
  - pollution trends in, 392–393
  - toxicity in, 184
- United States Department of Agriculture (USDA), 247
- United States Geological Survey (USGS), 508
- Universal Soil Loss Equation (USLE), 247
- Universal solvent
  - water as, 28–32
- Unstable air, 53
- Uranium
  - decay of, 206

532 Index

- Uranium Mill Tailings Remedial Action (UM-TRA), 340–341  
restoration plan for, 340
- Urban air toxics (UATs), 385
- Urban forestry, 353
- Urbanization  
sediment in water from, 282
- U.S. Public Land Survey, 174
- USDA. *See* United States Department of Agriculture
- USGS. *See* United States Geological Survey
- USLE. *See* Universal Soil Loss Equation
- USTs. *See* Underground storage tanks
- Vadose zone  
air extraction from, 325  
defined, 14  
gaseous phase of, 21  
monitoring in, 176–177  
sampling in, 176–177  
solid phase, 20
- Valley Fever, 128
- Value engineering, 341
- Vapor adsorption, 100
- Vapor pressures  
for organic compounds, 95
- Variovorax paradoxus*, 504
- Vectors, 147
- Vegetation mapping, 336
- Vegetation transects, 343
- Verification sampling  
of surface water, 310–311
- Vertical absorption coefficient, 33
- Vibrio*, 151
- Virus resistance, 495
- Viruses, 147–149  
case-fatality rates for enteric, 227  
defined, 59–60  
enteric, in feces, 432  
exposure to enteric, 226  
in groundwater, 276  
indoor air and, 370  
quantitative assays for, 150  
repair of, 477  
simple forms of, 61  
sizes of, 60  
subclinical infections with enteric, 226
- Visibility  
aerosols and, 382
- Visible radiation, 55
- Vitrification, 320–321
- VOCs. *See* Volatile organic compounds
- Volatile organic compounds (VOCs), 367–368
- Volatilization  
defined, 83
- Volcanic explosions, 56
- Vulnerability maps  
groundwater, 267
- Walker's law, 354
- Waste management, 12
- Wastewaters, 417. *See also* Sludge; Water  
animal waste and, 452–453  
in aquaculture, 445–446  
average microorganism removal from, 439  
biofilters of, 434  
biosolids and, 452–453  
blending, 297  
BOD in, 304  
COD in, 304  
composition of, 430  
conventional activated sludge, 435–436  
enteric organisms in, 164  
estrogenic compounds in, 512–512  
land application of, 443–445  
large debris removal from, 434  
microorganisms in, 431  
nature of, 430–432  
nitrogen in, 436  
oxidation ponds and, 439–440  
pathogen removal, 437–438  
phosphorous in, 436  
primary treatment of, 432, 434  
removal of inorganics from, 439  
removal of organics from, 439  
secondary treatment of, 432, 435  
in septic systems, 441–443  
small debris removal from, 434  
tertiary treatment of, 437  
treatment process for, 433  
trickling filters of, 432–433  
in wetlands, 445–446
- Water. *See also* Wastewaters; Water treatment  
ammonification of, 288  
arsenic in, 286  
assimilatory nitrate reduction in, 289  
BOD and, 305  
carbon dioxide in, 30–31  
carbon in, 288  
charge distribution of, 26  
chlorine dioxide in, 473  
chromium in, 286  
compliance monitoring, 310–311  
concentration terminology, 28–29  
*Cryptosporidium* in, 230  
Darcy's Law and, 41–42  
DDT in, 295  
denitrification of, 289  
density of, 26  
dilution in, 306–307  
dipole structure of, 92  
dissimilatory nitrate reduction in, 289  
dissolved oxygen in, 303–304  
distribution of, 25, 480–481  
drinking, 134–135, 229, 230  
EDCs in, 507–511  
enteric pathogens in, 296–297  
environmental characterization of, 8  
eutrophication of, 286–294  
evaporation, 27–28  
federal regulations regarding, 235  
flushing, 322  
freshwater resources, 280  
global use of, 260  
hydraulic conductivity and, 42–44  
hydrologic cycle of, 25–26  
infiltration, 27–28  
interception, 27–28  
light below, surface, 33–34  
light energy in, 33  
marine resources, 280  
measuring estrogenic compounds in, 512–514  
mercury in, 284–285  
metals as contaminants, 284–286  
microbes in, 76–77  
mixing zones of, 310  
monitoring, 179  
nitrification in, 288  
nitrogen in, 288  
nutrients in, 286–294  
open ocean, 280–281  
organic matter in, 303–304  
oxidation-reduction reactions in, 32  
oxygen in, 29–30  
ozone and, 388  
PBT compounds in, 294–295  
PCBs in, 295  
phase changes of, 27  
phosphorous in, 289–290  
physical contaminants in, 128–130  
polarity of, 26  
pollution sources, 281–282, 301  
portable, 483  
preferential flow of, through soil, 18  
produced, 141  
properties of, 180  
quality meter, 181  
quantification of, pollution, 300–304  
real-time monitoring of, 482–483  
regulatory use of, 310  
runoff, 27–28  
sampling, 8, 179  
security, 482–483  
sediment contamination, 282–284  
selenium in, 286  
structure of, 26  
in subsurface, 40–41  
supply deficiencies, 481  
tap, 216  
thermal properties of, 26–27  
TMDLs of, 300  
triple point of, 27  
as universal solvent, 28–32  
untreated, 480  
UV disinfection of, 476, 478  
verification sampling of, 310–311
- Water-based disease, 146–147  
characteristics of, 148
- Water Intrusion Events, 482
- Water Intrusion Laboratory, 484
- Water Pollution Control Act, 314
- Water Quality Center (WQC), 461, 484
- Water quality standards, 166  
ih European Union, 167  
recreational, 167
- Water-related diseases, 147
- Water treatment  
chlorination in, 469  
chlorine dioxide in, 475  
chlorine in, 473–474  
coagulation in, 470  
deficiencies, 480–481  
disinfection in, 471–472  
filtration in, 469, 470  
flocculation in, 470  
halogens in, 473–477  
ozone in, 475  
point-of-use, 481–482  
processes of, 469–471  
residential, 479–482  
sedimentation, 470  
ultraviolet light in, 475–477
- Water vapor  
in atmosphere, 55
- Water Village, 484  
research areas within, 484
- Water-washed disease, 146
- Waterborne disease, 145  
causes of outbreaks of, 481  
characteristics of, 148  
outbreaks of, 146
- Watershed, 44
- Weather  
atmosphere pollution and, 388–392
- Wed deposition  
of air pollution, 391
- Well-field systems, 320
- Westerlies, 51
- Western Regional Air Partnership, 382
- Wet deposition, 55
- Wetlands  
aquatic plants used in, 446  
wastewaters and, 445–446
- Wildfire  
sediment in water from, 282
- Windrow process, 448–449
- Winds  
atmosphere pollution and, 388–391  
cyclonic flow of, 51  
trade, 51
- Wireless telephones, 363
- World Health Organization, 239, 359  
on China, 379
- X-ray radiation, 103
- Xenobiotic waste  
defined, 4
- Xylene, 519
- Yeast-based reporters gene assay, 513
- Yersinia*, 150
- Zebra mussel, 339
- Zooanthellae, 409