

JOURNAL
OF THE
OIL AND COLOUR CHEMISTS'
ASSOCIATION



CONSOLIDATED INDEX
OF
TRANSACTIONS
AND
COMMUNICATIONS

VOLUMES 39 - 48

1956 - 1965

Price 15s.

OIL & COLOUR CHEMISTS' ASSOCIATION
WAX CHANDLERS' HALL,
GRESHAM STREET, LONDON, E.C.2

JOURNAL
OF THE
OIL AND COLOUR CHEMISTS'
ASSOCIATION

CONSOLIDATED INDEX
OF
TRANSACTIONS
AND
COMMUNICATIONS

VOLUMES 39 - 48

1956 - 1965

AUTHOR INDEX

Key: (T) = Transactions and Communications; (C) = Correspondence

A

| | |
|--|--------------------|
| ADAMS, J. M. Some Results obtained with the I.—S.C.C. Colour-Aptitude Test (T) | 1958, 41, 807 |
| ADAMS, P. I. A Method of Hiding Power Determination and its Application as an Aid to Paint Formulation (T) | 1961, 44, 295 |
| ADOMENAS, A. Epoxy Anticorrosive Priming Systems (T) | 1965, 48, 423 |
| AGGARWAL, J. S. Bhela Oil (C) | 1958, 41, 684 |
| AGGER, R. T. <i>see</i> POXON, D. W. <i>et al</i> (T) | 1963, 46, 339 |
| AKROYD, P. T. W. Iodine as a Catalyst (T) | 1957, 40, 845 |
| ALEXANDER, A. E. Some Aspects of Emulsion Polymerisation (T) | 1962, 45, 12 |
| ALLEN, G. L. A Study of the Ransburg No. 2 Electrostatic Coating Process (T) | 1963, 46, 301 |
| AMIES, E. J. <i>see</i> HESS, M. (C) | 1958, 41, 182 |
| ANDREWS, G. M. An Inexpensive Spectrograph (T) | 1959, 42, 261 |
| APPLETON, W. G. J. <i>see</i> STORDY, J. J. (T) | 1956, 39, 565 |
| APPS, E. A. Ink Technology for Printers & Students (T) | 1964, 47, 899 |
| ARMITAGE, F. and TRACE, L. G. Water-Dispersible Alkyds (T) | 1957, 40, 849 |
| ARNOLD, M. H. M. A General Note on Ultrasonics (T) | 1956, 39, 764 |
| _____ An Interpretation of Craft Attitudes (T) | 1958, 41, 833 |
| _____ Liability for Harm and Damage Caused by Paint (T) | 1957, 40, 290 |
| _____ Technical Education in the Paint Industry (C) | 1961, 44, 809 |
| _____ Passage of Water Through a Paint Film (C) | 1956, 39, 360, 721 |
| _____ and CLARKE, H. J. The Evaluation of Some Fungistats for Paint (T) | 1956, 39, 900 |
| _____ OCCA Technical Exhibition (C) | 1961, 44, 67 |
| _____ <i>see</i> MORLEY, C. O. <i>et al</i> (T) | 1958, 41, 445 |
| ASTBURY, J. H. <i>see</i> CARR, W. (T) | 1958, 41, 629 |
| ATHERTON, E. and TOUGH, D. Aspects of Colorimetry Applied to the Colour Gamut of Pigments (T) | 1957, 40, 115 |
| AULT, W. C. Plasticisers and Polymers Derived from Fats (T) | 1960, 43, 631 |

B

| | |
|---|----------------|
| BANKS, R. E. and HASZELDINE, R. N. Polymers Containing Fluorine (T) | 1959, 42, 591 |
| BARANYAI, L. J. Calculation of Viscosities of Alkyd Solutions, The (T) | 1960, 43, 214 |
| _____ Calculation of Viscosities of Binary Systems, The (T) | 1960, 43, 787 |
| BARRACLOUGH, J. and HARRISON, J. B. New Leadless Anti-Corrosive Primers (T) | 1965, 48, 341 |
| BASEDEN, G. A. The Influence of Some Thickeners on the Rheology of Polyvinyl Acetate Emulsion Paints (T) | 1957, 40, 37 |
| BASSETT SMITH, N. G. Technical Exhibition (C) | 1960, 43, 431 |
| _____ Technical Exhibition (C) | 1961, 44, 212 |
| BATTLE, J. F. Water Thinned Full Gloss Paint (C) | 1960, 43, 874 |
| BAWN, C. E. H. The Role of Peroxidic Catalysts in Coating Compositions (T) | 1957, 40, 1027 |
| BEAUMONT, D. E. <i>see</i> POXON, D. W. <i>et al</i> (T) | 1963, 46, 339 |
| BELL, S. H. Electron Microscopy and Paint Technology: A Survey (T) | 1960, 43, 466 |
| BEIKMANIS, J., KOVACS, L., and RUSSELL, R. H. Coconut Oil-Isophthalic Alkyds for Stoving Enamels (T) | 1961, 44, 150 |
| BERESFORD, J., CARR, W. and LOMBARD, G. A. Surface Area of Pigments (T) | 1965, 48, 293 |
| BERNSTEIN, I. M. Passage of Water Through a Paint Film (C) | 1956, 39, 358 |
| BERRY, J. R. <i>see</i> TAWN, A. R. H. (T) | 1965, 48, 790 |
| BERRYMAN, D. W. Technical Status of the Paint Industry in Australia (T) | 1959, 42, 833 |
| _____ The Relation Between Degree of Esterification and the Properties of Alkyd Resins (T) | 1959, 42, 393 |
| _____ The Technical Status of the Paint Industry in Australia (C) | 1960, 43, 360 |
| BESSEY, G. E. and LAMMIMAN, K. A. Oil Absorption: A New Assessment, Part II (C) | 1959, 42, 361 |
| BEVAN, E. A., HEAVERS, M. J. and MOON, W. R. The Oxidation and Drying Properties of Styrenated Alkyds (T) | 1957, 40, 745 |
| BIEWS, I. C. R. A Trade-Journal Editor (C) | 1956, 39, 483 |
| BHARUCHA, N. R. Pigments in Corrosion Protection (T) | 1961, 44, 515 |

ห้องสมุด กรมวิทยาศาสตร์
18 พ.ย. 2509

| | |
|--|--------------------|
| BIRRELL, P. Modern Aqueous Organic Pigment Dispersions (T) | 1964, 47, 878 |
| BLACKMORE, P. O. Film Formation, Film Properties and Film Deterioration (T) | 1956, 39, 9 |
| BLACKSHAW, H. Second Edition of the Colour Index (C) | 1956, 39, 77 |
| BLECHTA, V. and LAVICKA, M. The Influence of Additives and Calcination on the Pigment Properties of Titanium Dioxide, Part I (T) | 1965, 48, 455 |
| BLEVIN, W. R. The Opacity of Paint (T) | 1958, 41, 850 |
| BOND, G. C. The Reactions of Hydrocarbon Radicles on Metal Surfaces (T) .. | 1957, 40, 895 |
| ——— Photochemical Changes on Pigment Surfaces (T) | 1957, 40, 949 |
| ——— A Distinction Without a Difference (C) | 1958, 41, 751 |
| BOULTON, A. G. <i>see</i> COPE, G. (T) | 1964, 47, 704 |
| BOWEN, H. J. M., <i>see</i> MORLEY, C. O. <i>et al</i> (T) | 1958, 41, 445 |
| BOWLES, R. F. Sandwiches and Philately (C) | 1957, 40, 64 |
| ——— Radiculous (C) | 1957, 40, 711 |
| BOYLE, D. A., <i>see</i> SIMPSON, W. (T) | 1963, 46, 331 |
| BRETT, R. A. Alkyd Architecture (T) | 1958, 41, 428 |
| ——— Water Thinnable Alkyd Media (T) | 1964, 47, 767 |
| ——— <i>see</i> O'NEILL, L. A. (T) | 1965, 48, 1025 |
| BRINK, A. Volumetric Determination of Phthalic Anhydride in Alkyd Resins (T) | 1957, 40, 361 |
| BROWNIE, G. Performance of Titanium Dioxide Pigments in a Sand Grinder (T) | 1960, 43, 737 |
| BRUNT, N. A. Blistering of Paint Layers as an Effect of Swelling by Water (T) .. | 1964, 47, 31 |
| BUCHANAN, W. D. Toxic Hazards in the Paint Industry (T) | 1957, 40, 337 |
| BULLETT, T. R. Adhesion of Paint Films (T) | 1963, 46, 441 |
| ——— and FREDMAN, H. P. Gloss and Surface Roughness (C) | 1956, 39, 434 |
| ——— and HOLBROW, G. L. On the Wet and Dry Opacity of Paints (C) | 1957, 40, 991 |
| ——— and RUDRAM, A. T. S. Polymer Structure and Film Formation (T) | 1959, 42, 778 |
| ——— and RUDRAM, A. T. S. The Coating and the Substrate (T) | 1961, 44, 787 |
| ——— <i>see</i> PROSSER, J. L. (C) | 1962, 45, 836 |
| BUNKER, E. B. <i>see</i> FRY, E. S. J. (T) | 1960, 43, 640 |
| BURGE, H. J. The Other Half of the Process (C) | 1959, 42, 183, 305 |
| ——— <i>see</i> HOFFMANN E. (T) | 1963, 46, 470 |
| BURSZTYN, B. <i>see</i> HOFFMAN, E. (T) | 1964, 47, 871 |
| BUSSELL, K. R. The Painting of Wood (T) | 1962, 45, 115 |
| ——— <i>see</i> RISCHBIETH, J. R. (T) | 1957, 40, 306 |
| ——— <i>see</i> RISCHBIETH, J. R. (T) | 1958, 41, 862 |
| ——— <i>see</i> RISCHBIETH, J. R. (T) | 1961, 44, 351 |
| ——— <i>see</i> RISCHBIETH, J. R. (T) | 1961, 44, 367 |

C

| | |
|---|---------------|
| CALDWELL, G. S., FLETCHER, J. R., POLGAR, L. and SOLOMON, D. H. Cost Reductions in Alkyds for Stoving Enamels (T) | 1962, 45, 827 |
| CALLAHAN, W. B. and MANZ, W. The Sand Grinding Process (T) | 1964, 47, 737 |
| CAMPBELL, G. A. Light-Fastness Testing (C) | 1956, 39, 796 |
| ——— Discussion on Light Fastness in Paints (T) | 1963, 46, 904 |
| ——— Lithopone in Emulsion Paints (C) | 1956, 39, 212 |
| CAMPBELL, J. G. Water Vapour Permeability of Surface Coatings—A Useful Accelerated Test Procedure (T) | 1962, 45, 441 |
| ——— and HUGHES, W. Rutile-Type Titanium Dioxide as a Protective Pigment (T) | 1956, 39, 481 |
| CARR, W. The Role of Surfactants in the Paint and Printing Ink Industries (T) .. | 1962, 45, 28 |
| ——— and ASTBURY, J. H. Pigment Dispersion (T) | 1958, 41, 629 |
| ——— <i>see</i> BERESFORD J. <i>et al</i> | 1965, 48, 293 |
| ——— and FISHPOOL, J. K. Practical Difficulties Experienced in the Use of BS 1006 for Assessing Light Fastness and a Suggested Method for Overcoming These (C) | 1962, 45, 666 |
| ——— and MUSGRAVE, C. Behaviour of Organic Pigments in High-Temperature Systems (T) | 1957, 40, 51 |
| CHAMPION, F. A. The Painting of Aluminium and its Alloys (T) | 1958, 41, 730 |
| CHAPLIN, C. A. Approval and Testing of Paint for the London County Council (T) | 1959, 42, 414 |
| CHARLESWORTH, D. <i>see</i> KOVACS, L. (T) | 1963, 46, 47 |
| CHATFIELD, H. W. Epoxidised Oils as Polyhydric Alcohols for Alkyd Manufacture (T) | 1958, 41, 301 |
| ——— Institute for Surface Coatings (C) | 1963, 46, 361 |
| "CHEMIST" Sandwiches and Philately (C) | 1957, 40, 160 |

| | |
|--|--------------------|
| CHESSICK, J. J. Selective Polar Adsorption and Some Rheological Phenomena in Paint Systems (C) | 1962, 45, 135 |
| CHILDS, A. F. and COATES, H. Organophosphorus Polymers (T) | 1959, 42, 612 |
| CHILVER, J. W. The Blistering of Paint Work on Telescopic Gasholders (T) | 1956, 39, 912 |
| CLARKE, H. J. <i>see</i> ARNOLD, M. H. M. (T) | 1956, 39, 900 |
| ————— <i>see</i> MORLEY, C. O. <i>et al</i> (T) | 1958, 41, 445 |
| CLAY, H. F. Photochemical Changes on Pigment Surfaces (T) | 1957, 40, 935 |
| ————— Polarisation Techniques for the Study of Corrosion Inhibition and their Application to Painted Specimens (T) | 1965, 48, 356 |
| ————— Some Aspects of the Physical Chemistry of Titanium Dioxide Pigment Surfaces (C) | 1962, 45, 221 |
| CLEERDIN, K. The Sorption to Paper of Cobalt Driers Dissolved in Linseed Oil and the Significance of this Process for the Drying of Printing Ink (T) | 1959, 42, 408 |
| COATES, H. <i>see</i> CHILDS, A. F. (T) | 1959, 42, 612 |
| COCKCROFT, R. Wood Preservation (T) | 1962, 45, 476 |
| COLE, R. J. Flotation (T) | 1957, 40, 741 |
| ————— Determination of Critical Pigment Volume Concentration in Dry Surface Coating Films (T) | 1962, 45, 776 |
| COLEMAN, L. J. and WELLS, H. The Investigation of Some Painting Complaints (T) | 1957, 40, 365 |
| ————— The Film Structure of Etching Primers (T) | 1957, 40, 1051 |
| COLEMAN, L. J. The Uses, Chemistry and Practical Performances of Etching Primers (T) | 1959, 42, 10 |
| COOK, H. G. The Laboratory Evaluation of the Behaviour of Coloured Pigments on Ball-Milling (T) | 1965, 48, 17 |
| CONSTANIDES, A. G. The Electrodeposition of paint (C) | 1965, 48, 207 |
| COPE, G. and BOULTON, A. J. Some Rheological Phenomena in Mill Bases (T) | 1964, 47, 704 |
| ————— <i>see</i> SHEPPARD, I. R. (T) | 1963, 46, 220 |
| COPPING, G. A.I.P.T. (C) | 1962, 45, 56 |
| ————— The Story of O.C.C.A. (T) | 1963, 48, 659 |
| COUPE, R. R. and SMITH, A. H. Penetration of Ink into Paper and its Relevance to Print Quality (T) | 1956, 39, 579 |
| ————— Influence of Salts and Acids on the Metal-Soap-Catalysed Drying of Lithographic Varnishes and Inks (T) | 1957, 40, 1013 |
| ————— and HSU, B. Penetration of Varnishes and Inks into Paper Under Pressure (T) | 1960, 43, 720 |
| COX, P. D. and WILLIAMS, G. T. An Investigation into Drying Phenomena experienced with Alkyd Resins based on Soya Bean Oil (T) | 1961, 44, 851 |
| CREASY, J. Reassessment of the Concept of Latent Solvency (C) | 1958, 41, 817 |
| ————— A Reassessment of the Concept of Latent Solvency (C) | 1959, 42, 427 |
| CROWL, V. T. The Interaction of the Pigment with the Medium (T) | 1963, 46, 169, 362 |
| ————— The Interaction of the Pigment with the Medium (C) | 1963, 46, 362 |
| CURTIS, W. B. <i>see</i> FRY, P. J. (C) | 1965, 48, 883 |
| CUTFORTH, R. E. The Behaviour of Titanium Dioxide Pigments in High Speed Impeller Dispersion Mills (C) | 1961, 44, 547 |

D

| | |
|---|----------------|
| DAGGETT, W. F. The Gas-Checking of Air-Drying Finishes (C) | 1957, 40, 503 |
| ————— A Reassessment of the Concept of Latent Solvency (C).. .. . | 1957, 40, 503 |
| DAINTON, F. S. Ionising Radiations and Polymer Chemistry (T) | 1957, 40, 830 |
| DANIEL, F. K. Chemical Reactions in Ball Mills (C) | 1963, 46, 55 |
| DAVIDSOHN, A. Determination of Phthalic Anhydride (C) | 1957, 40, 512 |
| DAVIDSON, R. R. Whiting Dispersions, Particle Packing and Surface Adsorption (T) | 1960, 43, 307 |
| ————— <i>see</i> SOUL, D. C. (C) | 1959, 42, 360 |
| DAVISON, E. W. and JOHNSTON, R. Influence of Isocyanate on Polyurethane Film Performance (C) | 1963, 46, 1037 |
| DAY, M. R. Pvc Metal Coatings (T) | 1964, 47, 417 |
| DELFOSE, P. The Effects of Mineral Extenders on Anti-Corrosive Primers Based on Zinc Chromate (T) | 1964, 47, 799 |
| DIAMOND, S. The Disc Method for the Determination of the Melting Point of Solid Resins (T) | 1956, 39, 472 |

| | |
|--|----------------|
| DINTENFASS, L. The Effect of Driers on Drying Times of Clear and Pigmented Alkyd Resins (T) | 1960, 43, 709 |
| — On the Wet and Dry Opacity of Paints (C) | 1957, 40, 1078 |
| — Selective Polar Adsorption and Some Rheological Phenomena in Paint Systems (T) | 1958, 41, 125 |
| — A Study in Paint Vehicles Part I (T) | 1957, 40, 761 |
| — A Study in Paint Vehicles, Part II (T) | 1958, 41, 333 |
| — A Study in Paint Vehicles, Part II (C) | 1959, 42, 97 |
| — A Study in Paint Vehicles, Part III (T) | 1959, 42, 849 |
| — A Study in Paint Vehicles, Part IV (T) | 1960, 43, 46 |
| — Selective Polar Adsorption and Some Rheological Phenomena in Paint Systems (C) | 1962, 45, 135 |
| DODGSON, D. P. The Stability of Polyvinyl-chloride (T) | 1960, 43, 576 |
| DOHERTY, D. J. and HURD, R. The Preparation, Properties and Rheological Investigation of Thixotropic Paint Systems (T) | 1958, 41, 42 |
| — Thixotropic Paint Systems (C) | 1958, 41, 453 |
| DOWLING, D. G. The Behaviour of Titanium Dioxide Pigments in High Speed Impeller Dispersion Mills (T) | 1961, 44, 188 |
| — The Behaviour of Titanium Dioxide Pigments in High Speed Impeller Dispersion Mills (C) | 1961, 44, 547 |
| DUNCAN, D. R. The Identification and Estimation of Pigments in Pigmented Compositions by Reflectance Spectrophotometry (T) | 1962, 45, 300 |
| DUNKLEY, F. G. and EARP, D. P. The Correlation of Service Behaviour of Paint with Observed Physical Characteristics in Air Drying Paint for Structures (T) | 1961, 44, 649 |
| DUNLOP, W. <i>see</i> GOURLEY, S. (T) | 1957, 40, 247 |
| DUNN, P. F. <i>see</i> PARTINGTON, A. (T) | 1961, 44, 869 |
| DUNNING, W. J. Theoretical Aspects of Adhesion (T) | 1965, 48, 509 |

E

| | |
|--|---------------|
| EARP, D. P. <i>see</i> DUNKLEY, F. G. (T) | 1961, 44, 649 |
| EDBROOKE, P. C., GRIMSHAW, F. P. and PATEMAN, R. A. W. The Measurement of the Flexibility of Polyvinyl Emulsion Films (T) | 1959, 42, 543 |
| EDWARDS, G. W. Mixtures and Mixing (T) | 1957, 40, 200 |
| EDWARDS, W. A. Extra Durable Body (C) | 1960, 43, 153 |
| — Grist for the Mill (C) | 1962, 45, 668 |
| EIJNSBERGEN, Van, J. F. H. Book of the F.A.T.I.P.E.C. Congress (C) | 1958, 41, 314 |
| ELEY, D. D. Cationic Polymerisation of the Vinyl Ethers (T) | 1957, 40, 810 |
| ELM, A. C. Film Formation, Film Properties and Film Deterioration (C) | 1956, 39, 212 |
| EVANS, J. I. The Plasticisation of Polystyrene Emulsion Paints (T) | 1956, 39, 553 |
| EVELEIGH, D. <i>Phoma Pigmentivora</i> (C) | 1958, 41, 751 |
| EVESON, G. F. A Rheological Approach to Certain Features of Dense-Medium Coal-Cleaning Plant Operation (T) | 1959, 42, 146 |
| — The Rheological Properties of Stable Suspensions of very small Spheres at Low Rates of Shear (T) | 1957, 40, 456 |
| — Stable Suspension of Spherical Particles: The Influence of the Size Ratio of the Dispersed Phase upon Relative Viscosity (T) | 1958, 41, 150 |

F

| | |
|---|--------------------|
| FERGUSON, I. Flotation in Paints—A Suggested Mechanism (T) | 1959, 42, 529 |
| FILSON, A. C. and JONES, P. H. Performance of Paint Films as a Function of Application Method (T) | 1963, 46, 809 |
| — and JOLLY, A. C. Unreacted Isocyanate Groups in Cured Polyurethane Lacquer (C) | 1965, 48, 882 |
| FINN, S. R. and HASNIP, J. A. Electrodeposition, a Current Time Relationship (T) | 1965, 48, 1121 |
| — and MELL, C. C. The Electrodeposition of Paint (T) | 1964, 47, 219 |
| FISHPOOL, J. K. <i>see</i> CARR, W. (C) | 1962, 45, 666 |
| FISHWICK, E. A. <i>see</i> PASS, A. (T) | 1958, 41, 653 |
| FISK, N. R. Even Homer Nodded (C) | 1956, 39, 277 |
| — O.C.C.A. Technical Exhibition (C) | 1960, 43, 766 |
| — Sandwiches and Philately (C) | 1956, 39, 870 |
| — Sandwiches and Philately (C) | 1957, 40, 325, 406 |
| — The Other Half of the Process (C) | 1959, 42, 305 |

| | |
|---|---------------|
| FISK, N. R. Titania (C) | 1956, 39, 796 |
| — Conference Attendance List (C) | 1962, 45, 57 |
| — A.I.P.T.? (C) | 1962, 45, 141 |
| FLETCHER, A. C. and MAYNE, J. E. O. Development of Emulsion Gloss Paints (T) and WILSON, P. J. A Comparison of Vinyl Acetate Homopolymers and Copolymers in Emulsion Paints (T) | 1956, 39, 923 |
| FLETCHER, J. R. <i>see</i> CALDWELL, G. S. (T) | 1957, 40, 693 |
| — , KELLY, D. P. and SOLOMON, D. H. Vinyl and Acrylic Modified Alkyds: Part II (T) | 1962, 45, 827 |
| FOLEY, E. W. The Factory Application of Dip Coatings (T) | 1963, 46, 127 |
| FOLEY, E. W. The Factory Application of Dip Coatings (T) | 1964, 47, 427 |
| FRANK, D. Anti-Corrosive Water-Emulsion Paint for Metal Surfaces Especially New Galvanised Steel (T) | 1960, 43, 140 |
| FREEBORN, A. S. Unreacted Isocyanate Groups in Cured Polyurethane Lacquers (T) | 1965, 48, 539 |
| — Unreacted Isocyanate Groups in Cured Polyurethane Lacquer (C) | 1965, 48, 882 |
| FREEDMAN, H. P. <i>see</i> BULLETT, T. R. (C) | 1956, 39, 434 |
| FRIEND, J. Newton. À la Recherche du Temps Perdu (C) | 1956, 39, 76 |
| FRY, E. S. J. and BUNKER, E. B. Wetting, Film Formation and Other Problems in Water-Based Industrial Stoving Paints (T) | 1960, 43, 640 |
| FRY, P. J. and CURTIS, W. B. Pigmentation of Finishes for Electrodeposition—Information at Low PVC's (C) | 1965, 48, 883 |
| FUCHS, G. L. Highspeed Photogravure Printing Inks (T) | 1964, 47, 114 |
| FULLER, H. A Simple Brush-Drying Apparatus (T) | 1957, 40, 704 |
| FUNKE, W. Water Uptake of Free and Supported Paint and Varnish Films (C).. .. . | 1963, 46, 975 |

G

| | |
|---|----------------|
| GABRIEL, M. H. Queensland Health Law in Relation to Paint and Related Products (T) | 1964, 47, 824 |
| GAERTNER, H. Modern Chemistry of Organic Pigments (T) | 1963, 46, 13 |
| GAY, P. J. Catalytic Processes Relating to the Surface-Coatings Industries, Foreword to Conference on (T) | 1957, 40, 809 |
| GENTLES, J. K. The Use of the Capacitance Cell in the Prediction of Paint Performance (T) | 1963, 46, 850 |
| GEORGOUSSIS, O. <i>see</i> HOFFMANN, E. (T) | 1959, 42, 267 |
| — <i>see</i> HOFFMANN, E. (T) | 1960, 43, 779 |
| GERRARD, W. Experimental Approach to the Production of Applicable Boron Polymers (T) | 1959, 42, 625 |
| GILLAM, N. W. Tests for the Evaluation of Solvents and Diluents (T) | 1958, 41, 587 |
| GILLAM, J. G. Assessment of Lightfastness (T) | 1957, 40, 129 |
| GLOSSOP, J. Preparation of Some Metals for Painting (T) | 1961, 44, 269 |
| GOODIER, F. A Visual Method of Gloss Estimation (T) | 1964, 47, 867 |
| GOUGH, L. J. and SMITH, I. T. Accelerated Amine Curing of Epoxy Resins (T) | 1960, 43, 409 |
| GOURLAY, S. and DUNLOP, W. Technical Pentaerythritols and their Impurities (T) | 1957, 40, 247 |
| GRAHAM, C. D. Craft Attitudes (C) | 1959, 42, 183 |
| GRASSIE, N. The Chemistry of the Deterioration of Synthetic Polymers (T) | 1959, 42, 706 |
| GRAY, V. R. The Durability of Exterior Clear Finishes for Timber (T) | 1960, 43, 10 |
| — The Wetting, Adhesion and Penetration of Surface Coatings on Wood (T) | 1961, 44, 756 |
| GREAVES, J. H. Properties of Films from Cyclopentadiene-Treated Linseed Oil (T) | 1956, 39, 775 |
| — Notes on Non-Yellowing Oils, Especially Tobaccoseed Oil (T) | 1956, 39, 934 |
| — Use of Gas-Liquid Chromatography in the Field of Drying Oils and Oleoresinous Media (T) | 1964, 47, 499 |
| GRIMSHAW, F. P. Melamine and Guanamine Resins in Surface Coatings (T) | 1957, 40, 1060 |
| — <i>see</i> EDBROOKE, P. C. <i>et al</i> (T) | 1959, 42, 543 |
| — and PATEMAN, R. A. W. The Flow Properties of Emulsion Paints (T) | 1960, 43, 34 |
| GRUBER, H. Polyurethane Systems for Solventless Finishes (T) | 1965, 48, 1069 |
| GUDGEON, H. and REYNOLDS, R. J. W. Some Aspects of Polyurethane Chemistry (T) | 1959, 42, 677 |
| GUMINSKI, R. D. and MEREDITH, F. M. P. Lacquer Coating of Aluminium/Magnesium Alloys (T) | 1961, 44, 93 |
| — <i>see</i> MEREDITH, F. M. P. (T) | 1961, 44, 111 |
| GUNNING, R. and SOLOMON, D. H. Vinyl and Acrylic Modified Alkyds: Part IV (T) | 1964, 47, 319 |

| | |
|---|----------------|
| HOFFMANN, E. An Apparatus for Measuring the Adhesion of Paint Films to Permeable Materials (T) | 1958, 41, 847 |
| — Efflorescence Phenomena on Plaster (T) | 1961, 44, 32 |
| — Measurement of Adhesion of Paint Films by the Schmidt Test (T) | 1960, 43, 583 |
| — Sealers for Insulating Paint Films with a High Content of Lead (T) | 1961, 44, 509 |
| — Sealers for Insulating Paint Films with a High Content of Lead (C) | 1962, 45, 140 |
| — Sulphide Staining of Alkyd Paints (T) | 1959, 42, 452 |
| — Sulphide Staining Caused by Phenylmercury Compounds in | |
| Paints (T) | 1964, 47, 581 |
| — The Painting of Damp Gypsum Plaster (T) | 1962, 45, 266 |
| — and BURSZTYN, B. Phenylmercury Compounds as Fungicides | |
| Part II (T) | 1963, 46, 470 |
| — and BURSZTYN, B. Phenylmercury Compounds as Fungicides | |
| Part III (T) | 1964, 47, 871 |
| — and GEORGOUSSIS, O. Measurement of Adhesion of Paint Films (T) | 1959, 42, 267 |
| — and GEORGOUSSIS, O. Phenylmercury Compounds as Fungicides (T) | 1960, 43, 779 |
| — and RIDGE, M. J. Effect of Release Agents and Additives on the Adhesion of Latex and alkyd paints to plaster | 1959, 42, 844 |
| — and SARACZ, A. The Painting of Faulty Gypsum Walls (T) | 1963, 46, 1027 |
| HOLBROW, G. L. Atmospheric Pollution: Its Measurement and Some Effects on Paint (T) | 1962, 45, 701 |
| — see BULLETT, T. R. (C) | 1957, 40, 991 |
| HOLLOWAY, M. W. and WALKER, P. A. A Method for the Measurement of the Adhesion of Surface Coatings Under Service Conditions (T) | 1964, 47, 812 |
| HOLNESS, R. F. G. Ink Technology for Printers and Students (C) | 1964, 47, 899 |
| HOPWOOD, J. J. Water Soluble Thermosetting Organic Polymers (T) | 1965, 48, 157 |
| —, PALLAGHY, C. and SOLOMON, D. H. Vinyl and Acrylic Modified | |
| Alkyds: Part III (T) | 1964, 47, 289 |
| HORTON, E. Coatings (C) | 1956, 39, 942 |
| Hsu, Baysung Physical Surface Properties of Paper and their Relevance to Printability (T) | 1963, 46, 263 |
| — see COUPE, R. R. (T) | 1960, 43, 720 |
| HUGHES, W. see CAMPBELL, J. G. (C) | 1956, 39, 212 |
| — see CAMPBELL, J. G. (T) | 1956, 39, 481 |
| HUDSON, J. C. Prefabrication Primers (C) | 1963, 46, 528 |
| HUMMEL, C. Mathematical Considerations of Roll-Mill Operation (T) | 1956, 39, 777 |
| HURD, R. see DOHERTY, D. J. (T) | 1958, 41, 42 |
| — see DOHERTY, D. J. (C) | 1958, 41, 453 |
| — see HAMPTON, H. A. (T) | 1956, 39, 609 |
| — see HAMPTON, H. A. (T) | 1960, 43, 96 |
| HUTCHINSON, G. H. Some Recent Advances in the Chemistry and Technology of Drying Oils (T) | 1958, 41, 474 |
| — Some Applications of Viscometry to Drying Oil Research (T) | 1959, 42, 283 |
| HUTT, H. H. Lecithin and its Use in the Paint Industry (T) | 1956, 39, 399 |

I

| | |
|---|---------------|
| INMAN, E. R. Getting to the Root of the Matter (C) | 1957, 40, 504 |
| IVANUSKI, V. R. and TOMPKINS, E. H. Spectral Reflectivities of White Paints (T) | 1960, 43, 833 |

J

| | |
|---|--------------------------|
| JABLONSKI, H. T., see HIPPE, Z. S. <i>et al</i> (T) | 1965, 48, 447, 613, 1117 |
| JACOB, T. M. see SQUIRRELL, A. V. (T) | 1958, 41, 409 |
| JAMES, D. M. Experiments on Paint Adhesion Under Moist Conditions (T) | 1956, 39, 39 |
| — Passage of Water Through a Paint Film (C) | 1956, 39, 359 |
| — On the Wet and Dry Opacity of Paints (T) | 1957, 40, 786 |
| — On the Wet and Dry Opacity of Paints (C) | 1957, 40, 884, 791 |
| — The Moisture-Resistance of Cold-Cured Epoxide Resin Paints, Part | |
| I. The Influence of Curing Agents (T) | 1960, 43, 391 |
| — The Moisture-Resistance of Cold-Cured Epoxide Resin Paints, | |
| Part II: The Influence of Solvent (T) | 1960, 43, 653 |

| | |
|---|----------------|
| JEDLINSKI, Z., HIPPE, Z., KOKOT, I. and UTLACZ, K. A preliminary Appraisal of an extension to the Glycine tests for Anti-Fouling paints | 1962, 45, 653 |
| JEFFERIES, H. D. Chemical Reactions in Ball Mills (reply) (C) | 1963, 46, 57 |
| ——— The Behaviour of Titanium Dioxide Pigments in Alkyd/Amino Resin Systems: Part I (T) | 1959, 42, 201 |
| ——— The Dispersion of Titanium Dioxide Pigment and the Influence of the Degree of Dispersion on Some Paint Film Properties (T) | 1962, 45, 681 |
| ——— The Dispersion of Titanium Dioxide Pigment and the Influence of the Degree of Dispersion on Some Paint Film Properties (C) | 1963, 46, 54 |
| JEFFS, A. R. <i>see</i> HASLAM, J. <i>et al</i> (T) | 1962, 45, 325 |
| JELLIS, G. W. and WILLIAMSON, L. The Detection and Permanent Recording of Surface Defects (T) | 1957, 40, 684 |
| JENKINS, V. F., MOTT, A. and WICKER, R. J. The Design of Unsaturated Polyester Resins for Surface Coatings (T) | 1961, 44, 42 |
| JOHNSON, T. E. Sandwiches and Philately (C) | 1957, 40, 64 |
| JOHNSTON, R. <i>see</i> DAVISON, E. W. (C) | 1963, 46, 1037 |
| JOINT SERVICES COMMITTEE ON PAINTS AND VARNISHES. An investigation into a method of test for Assessing the Adhesion of Paint Coatings (T) | 1963, 46, 276 |
| ——— Accelerated Weathering of Paint Films (T) | 1964, 47, 73 |
| JOLLY, A. C. Variations on Urethane Oils (T) | 1964, 47, 919 |
| ——— <i>see</i> FILSON, A. C. (T) | 1965, 48, 882 |
| JOLLY, V. G. The Assessment of Light Fastness (C) | 1960, 43, 766 |
| JONES, K. L. The Controlled Condensation Technique for Evaluating the Resistance of Paint Films to Humidity (T) | 1959, 42, 838 |
| JONES, P. H. <i>see</i> FILSON, A. C. (T) | 1963, 46, 809 |
| JORDAN, L. A. Bad Manners (C) | 1958, 41, 312 |
| ——— Carwood Memorial Lecture (T) | 1963, 46, 413 |
| ——— Changing Patterns (T) | 1958, 41, 273 |

K

| | |
|--|---------------------|
| KANE, J. R. Notes on the Use of Optical Brightness agents in Emulsion Paints containing Ti oxide Titanium Oxide Pigments (C) | 1965, 48, 1092 |
| KEENAN, H. W. The Use of Polyamide Resins in Surface Coatings (T) | 1956, 39, 299 |
| ——— Polyester Resins for Surface Coatings: The Use of Additives for Protection against Air Inhibition (T) | 1958, 41, 563 |
| KELLY, D. P. <i>see</i> FLETCHER, J. R. <i>et al</i> (T) | 1963, 46, 127 |
| KEMP, S. G. <i>see</i> TURNER, J. H. W. <i>et al</i> (T) | 1958, 41, 769 |
| KEW, C. E. Kinetic Dispersion (T) | 1957, 40, 661 |
| KINGCOME, J. C. Ships' Paints (T) | 1961, 44, 237 |
| KIPLING, J. J. Some Recent Advances in Surface Chemistry (T) | 1956, 39, 641 |
| KISHORE, V. <i>see</i> POTNIS, S. P. (T) | 1964, 47, 855 |
| KLENS, P. F. and LANG, J. F. Microbiological Factors in Paint Preservation (T) | 1956, 39, 887 |
| KNOWLES, E. and WHITE, T. The Protection of Metals with Tannins (T) | 1958, 41, 10 |
| KNUDSEND, K. E. The Mechanism of the Specific Rust—Inhibitive Action of Plum-bates in Linseed Oil (T) | 1956, 39, 909 |
| KOKOT, I. <i>see</i> JEDLINSKI, Z. <i>et al</i> (T) | 1962, 45, 653 |
| KORNERUP, A. The Colour System in the Methuen Handbook of Colour | 1963, 47, 955 |
| KOSITZKE, G. G. Problems in the Use of Organic Pigments for Stoving Lacquers (T) | 1962, 45, 161 |
| KOVACS, L. Styrenated and Methylmethacrylated Epoxy Ethers—Comparative Tests (T) | 1959, 42, 277 |
| ——— <i>see</i> BEIKMANIS, J. <i>et al</i> (T) | 1961, 44, 150 |
| ——— and CHARLESWORTH, D. Grafted Alkyds for Stoving Media (T) | 1963, 46, 47 |
| ——— and ZARB, J. Styrenated-Acrylated Epoxy-DCO Resins for Industrial Coatings (T) | 1960, 43, 350 |
| KRZYANOWSKA, T. B. <i>see</i> HIPPE, Z. S. (T) | 1965, 48, 447, 1117 |
| KURKJY, R. P. <i>see</i> WYNSTRA, J. <i>et al</i> (T) | 1960, 43, 419 |

L

| | |
|--|---------------|
| LAIN, A. E. Wood Finishes and Wood Finishing (T) | 1956, 39, 670 |
| LAMMIMAN, K. A. <i>see</i> BESSEY, G. E. (C) | 1959, 42, 361 |

| | |
|--|---------------|
| LONDON, G. The Use of X-Radiation in the Study of Paint Settlement (T) .. | 1963, 46, 555 |
| The use of X-Radiation for the Study of Sedimentation in Paints containing two Pigments (C) | 1964, 47, 44 |
| LANG, J. F. <i>see</i> KLENS, P. F. (T) | 1956, 39, 887 |
| LANGDON THOMAS, G. J. Fire-Retardant Coatings and Treatments (T) | 1963, 46, 352 |
| LAVICKA, M. <i>see</i> BLECHTA, V. (T) | 1965, 48, 455 |
| LESTER, G. R. High-Speed Mixing Equipment (T) | 1964, 47, 719 |
| LEUGERING, H. J. Some Investigations on the Compatability of Inorganic Pigments with Polyvinyl Acetate Dispersions (T) | 1964, 47, 208 |
| LIFF, D., RUDD, H. W. and TYSALL, L. A. A Reassessment of the Concept of Latent Solvency (T) | 1958, 41, 644 |
| LIGHT FASTNESS COMMITTEE The Use of B.S. 1006 Standard in the Paint Industry Recommended Method for the Assessment of Light Fastness | 1957, 40, 544 |
| Fastness | 1960, 43, 586 |
| LINDQUIST, J. A. and WIRKUS, W. J. Microscopical Studies of Paint Film Defects (T) | 1963, 46, 915 |
| LOYD, D. H. Car-Body Painting (T) | 1957, 40, 433 |
| LOCK, A. B. Some Observations on Flotation and Flooding In Paints (T) .. | 1960, 43, 859 |
| LOGAN, R. M. C. Paint-Testing Anomalies (T) | 1956, 39, 478 |
| LONDEN, van, A. M. <i>see</i> TALEN, H. W. (T) | 1962, 45, 416 |
| LONG, J. S. Predetermined Designs of Resins (T) | 1959, 42, 737 |
| LOWE, A. The Influence of Isocyanate and Ancillary Raw Material Compositions on Polyurethane Film Performance (T) | 1963, 46, 820 |
| LUNDQUIST, A. Identification of Tall Oil Fatty Acids (C) | 1964, 47, 834 |
| M | |
| MACK, G. W. Absorption of Paint Media into Porous Substrates (T) | 1961, 44, 737 |
| MANCHESTER SECTION CO-OPERATIVE INVESTIGATION. The Difficulties Inherent in the Hardness Grading of Surface Coatings (T) | 1959, 42, 270 |
| MANCHESTER SECTION CO-OPERATIVE RESEARCH SUB-COMMITTEE. Opacity Mea- surement of Paint Films by Contrast Ratio (T) | 1964, 47, 19 |
| MANZ, W. <i>see</i> CALLAHAN, W. B. (T) | 1964, 47, 737 |
| MARRIOTT, J. The Electron Microscope in the Surface-Coating Industry (T) .. | 1958, 41, 363 |
| MARSDEN, E. Oil-Absorption: A New Assessment, Part II (T) | 1959, 42, 119 |
| Oil-Absorption: A New Assessment, Part II (C) | 1959, 42, 507 |
| MARSH, J. S. and PLANT, D. A. Instrumental Colour Match Prediction Using Organic Pigments (T) | 1964, 47, 554 |
| MARSON, F. Leaching of Toxic Pigments from Contact Leaching Anti-Fouling Paints (C) | 1964, 47, 831 |
| An Accelerated Leaching Rate Technique for Cuprous Oxide Based Anti-Fouling Paints (T) | 1964, 47, 323 |
| <i>see</i> RISCHBIETH, J. R. | 1963, 46, 499 |
| MARTIN, R. L. and STRANKS, D. R. The Colour of Inorganic Materials: The Ligand Field Theory and its Implications (T) | 1964, 47, 141 |
| MATHEWS, A. C. B. The Use of Heat to Accelerate Drying (T) | 1963, 46, 207 |
| MAY, G. J. <i>see</i> TAWN, A. R. H. (T) | 1957, 40, 528 |
| MAYNE, J. E. O. Current Views on How Paint Films Prevent Corrosion (T) .. | 1957, 40, 183 |
| The Corrosion of Iron and Steel (T) | 1962, 45, 243 |
| <i>see</i> FLETCHER, A. C. (T) | 1956, 39, 923 |
| MEASON, M. J. F. <i>see</i> PASS, A. (T) | 1961, 44, 417 |
| <i>see</i> PASS, A. (T) | 1965, 48, 897 |
| MELL, C. C. A Wide Range Thin-Film Recording Viscometer (T) | 1956, 39, 832 |
| <i>see</i> FINN, S. R. (T) | 1964, 47, 219 |
| MEREDITH, F. M. P. and GUMINSKI, R. D. Methods of Testing Certain Mechanical Properties of Lacquer Films (T) | 1961, 44, 111 |
| <i>see</i> GUMINSKI, R. D. (T) | 1961, 44, 93 |
| METCALFE, K. A. and WRIGHT, R. J. Xerography (T) | 1956, 39, 845 |
| MILL, C. C. Some Observations on the Rheology of Carbon Black Suspensions (T) | 1960, 43, 77 |
| The Behaviour of Printing Ink on Rollers (T) | 1961, 44, 596 |
| <i>see</i> SOUTH, G. R. (T) | 1963, 46, 487 |
| MILLAR, N. S. C. Finishes for Heating Appliances: Epoxide Paint and Vitreous Enamel Compared (T) | 1957, 40, 478 |

| | |
|---|--------------------|
| MILLS, M. R. A New Class of Paint Media Derived from Fatty Acids (T) .. | 1958, 41, 165 |
| — Scientific Evaluation of Unfamiliar Vegetable Oils (T) | 1964, 47, 187 |
| — The Selective Hydrogenation of Tung Oil (T) | 1957, 40, 10 |
| — and HAMMOND, W. T. C. Recent Advances in the Chemistry and Technology of Fatty Acid Condensation Productions (T) | 1960, 43, 565 |
| MOILLIET, J. L. Surface Activity: The General Concept and Some Consequences (T) | 1959, 42, 557 |
| — A Mechanical Paint Film Applicator (T) | 1963, 46, 519 |
| MONK, C. J. H. A Rotational Viscometer for Thinning Paint Samples (T) .. | 1958, 41, 599 |
| — A Drying Time Recorder for Paint and Varnish (T) | 1964, 47, 13 |
| — A Pressure Cup for the Determination of the Weight per Gallon of Aerated Products (T) | 1964, 47, 576 |
| — Measurement of Viscosity at High Rates of Shear: A Cone and Plate Attachment for the "I.C.I. Rotothinner" (T) | 1965, 48, 150 |
| — and WRIGHT, T. A. A Pneumatic Micro-Indentation Apparatus for Measuring the Hardness of Paint Coatings (T) | 1965, 48, 520 |
| MOON, W. R. <i>see</i> BEVAN, E. A. <i>et al</i> (T) | 1957, 40, 745 |
| MOORE, D. E. <i>see</i> PARTS, A. G. (T) | 1962, 45, 648 |
| MOORE, L. A Specific Gravity Tube for Highly Viscous Liquids (C) | 1960, 43, 608 |
| — The Determination of the Thickness of Thin Films of Viscous Liquids on Matt Solid Surfaces (T) | 1962, 45, 637 |
| MORAN, E. E. Sealers for Insulating Paint Films with a High Content of Lead (C) | 1962, 45, 140 |
| MORLEY, C. O., CLARKE, H. J., BOWEN, H. J. M. and ARNOLD, M. H. M. Use of Radioactivity Against Marine Fouling (T) | 1958, 41, 445 |
| MORLEY-SMITH, C. T. Metal-Drier Catalysis (T) | 1957, 40, 1035 |
| — Zinc Oxide—A Reactive Pigment (T) | 1958, 41, 85 |
| MORT, F. The Alcoholysis of Fatty Oils (T) | 1956, 39, 253, 265 |
| — Speculations Concerning Organo-Silanes and Surface Coatings (T) .. | 1959, 42, 798 |
| — Polyurethane Coatings and Their Basic Chemistry (T) | 1962, 45, 95 |
| — and RAISON, J. Effect of Wax in Refined Linseed Oil on High-Gloss Enamels (T) | 1957, 40, 24 |
| MOTT, A. <i>see</i> JENKINS, V. F. (T) | 1961, 44, 42 |
| MURLEY, R. D. Some Aspects of the Physical Chemistry of Titanium Pigment Surfaces (T) | 1962, 45, 16 |
| — Some Aspects of the Physical Chemistry of Titanium Dioxide Surfaces (C) | 1962, 45, 221 |
| MURRAY, J. R. Paint Chemists in S. Africa in the 1930's (C) | 1959, 42, 810 |
| MUSGRAVE, C. <i>see</i> CARR, W. (T) | 1957, 40, 51 |

Mc

| | |
|---|---------------|
| MCCARTHY, A. J. The Factories (Cleanliness of Walls and Ceilings) Order, 1958 (C) | 1959, 42, 648 |
| MCGREGOR, I. A. The Factor of Colour In Plastic Surgery (T) | 1958, 41, 288 |
| MCKAY, T. R. <i>see</i> HAKEN, J. K. (T) | 1964, 47, 517 |
| MCKEE, R. S. and STADDON, A. W. E. The Alcoholysis and Acidolysis of Trigly- ceride Oils (T) | 1961, 44, 497 |
| MCLAREN. Extensions of B.S. 1006 for Assessing Lightfastness (C) | 1962, 45, 726 |

N

| | |
|--|---------------|
| NEVILLE, G. H. J. Some Observations on the Weathering of Titanium Dioxide Pigmented Paint Films (T) | 1963, 46, 753 |
| NEWNHAM, H. A. The Next Generation (T) | 1956, 39, 381 |
| — Technical Education (C) | 1964, 47, 246 |
| NEWTON, D. S. A Simple and Inexpensive Glossmeter (T) | 1960, 43, 44 |
| NEWTON, D. S. Inhibition of Mould Growth by Zinc Oxide (C) | 1959, 42, 242 |
| — Pigment Volume Concentration (T) | 1962, 45, 180 |
| — The Interior Gloss Retention of White Enamels (T) | 1965, 48, 52 |
| — Zinc Dust Primers (T) | 1962, 45, 657 |
| — and GUEST, B. M. The Natural and Accelerated Weathering of Zinc Dust Primers (T) | 1964, 47, 942 |
| — and RIGG, J. G. The Exterior Durability of Paints Based on Lithopone and Zinc Sulphide (T) | 1961, 44, 835 |
| — and SAMPSON, F. G. The Protection of Ferrous Metal by Zinc Primers (T) | 1965, 48, 382 |

| | |
|---|----------------|
| NIJVELD, W. J. Organic Pigments (C) | 1960, 43, 609 |
| NORGARD, W. G. Electrophotography in Medicine (T) | 1956, 39, 857 |
| NORTH, A. G. Epoxide Esters (T) | 1956, 39, 318 |
| ——— Thixotropic Alkyds (T) | 1956, 39, 695 |
| ——— Water-Dilutable Stoving Finishes (T) | 1961, 44, 119 |
| ——— Influence of Isocyanate on Polyurethane Film Performance (C) .. | 1963, 46, 1037 |

O

| | |
|--|----------------|
| OAKLEY, E. The Effect of Weather Conditions on the Gloss Retention of an Alkyd Paint Pigmented with R-Titania (T) | 1960, 43, 201 |
| OBIAKOR, E. K. and WHITMORE, R. L. The Effect of Stepwise Flocculation on the Rheology of a Kaolin Clay Suspension (T) | 1964, 47, 334 |
| OESTERLE, K. M. and SZASZ, I. Characteristics of Electro-Static Powder Spraying (T) | 1965, 48, 956 |
| O'NEILL, L. A. Polyvinyl Acetate Emulsion Paints—Solved and Unsolved Problems (T) | 1958, 41, 780 |
| ——— Microbiological Problems of Paint: The Present Position (T) .. | 1963, 46, 425 |
| ——— and BRETT, R. A. Alkyl Ethers in Solventless and Water-Based Coatings (T) | 1965, 48, 1025 |
| OOSTERHOF, H. A. Inherent Properties of Paint Latex Films in Relation to Their Performance (T) | 1965, 48, 256 |
| ORCHARD, S. E. <i>see</i> SMITH, N. D. P. <i>et al</i> (T) | 1961, 44, 618 |
| ORMAN, S. and WALKER, P. The Corrosion of Uranium and its Prevention by Organic Coatings (T) | 1965, 48, 233 |
| OTT, G. H. and ZUMSTEIN, H. Epoxide Resins and Their Use in Cold-Setting Coating Systems (T) | 1956, 39, 331 |

P

| | |
|---|----------------|
| PALLAGHY, C. <i>see</i> HOPWOOD, J. J. (T) | 1964, 47, 289 |
| PARTINGTON, A. and DUNN, P. F. The Limitations of Leaching Rate Determinations of Anti-Fouling Compositions (T) | 1961, 44, 869 |
| PARTS, A. G. and MOORE, D. E. Emulsion Polymerisation—Some Theoretical and Experimental Aspects (T) | 1962, 45, 648 |
| PASS, A. and FISHWICK, E. A. Zinc Oxide in Ships' Paints: Three Year Marine Exposure Tests (T) | 1958, 41, 653 |
| ——— and MEASON, M. J. F. Alkali Silicates in Surface Coatings (T) | 1965, 48, 897 |
| ——— and MEASON, M. J. F. Zinc Dust as a Protective Pigment: Part III (T) .. | 1961, 44, 417 |
| PATEMAN, R. A. W. <i>see</i> EDBROOKE, P. C. <i>et al</i> (T) | 1959, 42, 543 |
| ——— <i>see</i> GRIMSHAW, F. P. (T) | 1960, 43, 34 |
| PAULSON, R. Determination of the Oil Content of Putty (T) | 1956, 39, 469 |
| PFEIFFER, W. J. <i>see</i> TALEN, H. W. (T) | 1962, 45, 416 |
| PHILLIPS, G. The Physical Behaviour of Paint Films (T) | 1961, 44, 575 |
| PHILLIPS, I. H. The Gas-Checking of Air-Drying Finishes (T) | 1957, 40, 271 |
| ——— The Gas-Checking of Air-Drying Finishes (C) | 1957, 40, 710 |
| PIGGOT, K. Thermosetting Acrylic Resins (T) | 1963, 46, 1009 |
| PIPER, R. Toxicity of Solvents (T) | 1958, 41, 569 |
| ——— Toxicity and the Paint User (T) | 1962, 45, 598 |
| PLANT, D. A. <i>see</i> MARSH, J. A. (T) | 1964, 47, 554 |
| POLGAR, L. <i>see</i> CALDWELL, G. S. <i>et al</i> (T) | 1962, 45, 827 |
| POTNIS, S. P. and KISHORE, U. Metallised Alkyd Resins (T) | 1964, 47, 855 |
| POXON, D. W. An Examination of Fatty Acid—Oil Mixtures by Outline/Area Index Chromatography (T) | 1960, 43, 245 |
| ——— The Chromatographic Examination of Oils with Dyed Filter Paper (T) | 1958, 41, 291 |
| ———, AGGER, R. T., BEAUMONT, D. E. and PUGH, J. A. Outline/Area Index Chromatography of Oils, Effects Due to Temperature, Structure and Composition (T) | 1963, 46, 339 |
| PRITCHARD, E. J. The Printability of Paper and Board (T) | 1965, 48, 529 |
| PROSSER, J. L. and BULLETT, T. R. Swelling and Blistering in Paint Films (C) .. | 1962, 45, 836 |
| PUGH, J. A. <i>see</i> POXON, D. W. <i>et al</i> (T) | 1963, 46, 339 |
| PYE, C. R. A.I.P.T. (C) | 1962, 45, 56 |

R

| | |
|---|---------------|
| RAISON, J. <i>see</i> MORT, F. (T) | 1957, 40, 24 |
| READ, N. J. Calcium Plumbate in Priming Paints (T) | 1958, 41, 352 |
| RECHMANN, H. On the Influence of the Surface Treatment of Titanium Dioxide Pigments on Electro-Coating (T) | 1965, 48, 837 |
| REDKNAP, E. F. The Reactions of Drying Oils with Hydrocarbons (T) | 1960, 43, 260 |
| REINKING, N. H. <i>see</i> WYNSTRA, J. (T) | 1960, 43, 419 |
| REYNOLDS, R. J. W. <i>see</i> GUDGEON, H. (T) | 1959, 42, 677 |
| RHIND-TUTT, A. J. <i>see</i> SMITH, N. D. P. <i>et al</i> (T) | 1961, 44, 618 |
| RIDGE, M. J. Gypsum Plaster as a Substrate for Paint Films (T) | 1961, 44, 11 |
| RIGG, J. G. Zinc Sulphide Pigments in Emulsion Paints (C) | 1956, 39, 356 |
| — The History, Manufacture and Uses of Lithopone (T) | 1956, 39, 809 |
| — <i>see</i> NEWTON, D. S. (T) | 1961, 44, 835 |
| RISCHBIETH, J. R. Weathering Characteristics of Zinc Oxide Pigments (T) | 1957, 40, 212 |
| — and BUSSELL, K. R. The Paint-Holding Properties of Australian Woods (T) | 1957, 40, 306 |
| — and BUSSELL, K. R. Weathering Properties of White Lead and Zinc Oxide Paints (T) | 1958, 41, 862 |
| — "Soluble Lead" Content of Lead Chromes (T) | 1960, 43, 594 |
| — and BUSSELL, K. R. Climatic Effects on the Rusting of Painted Steel (T) | 1961, 44, 351 |
| — and BUSSELL, K. R. The Evaluation of Priming Paints by Corrosion Tests (T) | 1961, 44, 367 |
| — The Paint Approvals Scheme (T) | 1962, 45, 745 |
| — and MARSON, L. Ship Bottom Paints Based on Sodium Silicate (T) | 1963, 46, 999 |
| RITCHIE, P. D. Notes on the Thermal Decomposition of Esters and Polyesters (T) | 1962, 45, 659 |
| RODGERS, W. Work Simplification (T) | 1958, 41, 403 |
| ROSE, S. P. The Selection of Research and Development Projects | 1965, 48, 620 |
| ROUTLEY, A. F. An Improved Method for the Assessment of Priming Paints on Steel Under Marine Conditions (T) | 1961, 44, 258 |
| RUDD, H. W. <i>see</i> LIFF, D. <i>et al</i> | 1958, 41, 644 |
| — A Reassessment of the Concept of Latent Solvency (C) | 1959, 42, 96 |
| — and ZONVELD, J. J. Identification Tests for Epoxide Resins (T) | 1956, 39, 314 |
| — <i>see</i> LIFF, D. (T) | 1958, 41, 644 |
| RUDRAM, A. T. S. <i>see</i> BULLETT, T. R. (T) | 1959, 42, 778 |
| — <i>see</i> BULLETT, T. R. (T) | 1961, 44, 787 |
| RUSHMAN, D. F. Passage of Water Through a Paint Film (C) | 1956, 39, 720 |
| — Reaction Rates in Varnish Technology (T) | 1957, 40, 814 |
| RUSSELL, R. H. <i>see</i> BEIKMANIS, J. <i>et al</i> (T) | 1961, 44, 150 |
| RYBICKA, S. M., Mrs. Versatility of Chromatographic Techniques in Their Application to Paint Research (T) | 1964, 47, 475 |

S

| | |
|--|--------------------|
| SAMPSON, F. G. <i>see</i> NEWTON, D. S. (T) | 1965, 48, 382 |
| SARACZ, A. <i>see</i> HOFFMANN, E. (T) | 1963, 46, 1027 |
| SAUNDERS, S. L. M. The Hiding Power of Pigments and Mixtures of Pigments (T) | 1957, 40, 643 |
| SCHOLLIK, F. Some Aspects of Amino Coating Resins (T) | 1960, 43, 181 |
| S.D.C./O.C.C.A. JOINT LIGHT FASTNESS EXTENSION COMMITTEE. The Determination of the Light Fastness of Coloured Materials Faster than Standard 8 (T) | 1964, 47, 301 |
| SEABORNE, L. R. The Alcoholysis of Fatty Oils: Comment (T) | 1956, 39, 262 |
| SEAVELL, A. J. Colorimetry in the Paint Industry (T) | 1957, 40, 87 |
| — Colorimetry in the Paint Industry (C) | 1957, 40, 325, 405 |
| — Co-Operative Research Project by the Newcastle Section (C) | 1960, 43, 810 |
| — Low Temperature Phase Separation of Alkyds (T) | 1959, 42, 319 |
| — Unsaturated Esters of Polyvinyl Alcohol (T) | 1956, 39, 99 |
| — The Durability of Paint Systems: Standard Laboratory Testing Compared with Painting Time-Schedules on the Building Site (T) | 1963, 46, 719 |
| SHEARING, H. J. <i>see</i> HAMPTON, H. A. <i>et al</i> (T) | 1960, 43, 96 |
| SHELLARD, H. C. Can The Climatologist Help You? (T) | 1962, 45, 200 |
| SHEPPARD, I. R. A Comprehensive Study of Optimum Milling Conditions in Conventional and Planetary Ball Milling Equipment (T) | 1964, 47, 669 |

| | |
|--|--------------------|
| SHEPPARD, I. R. A Machine Dependent Method of Calculating Optimum Milling Conditions for Ball Milling (T) | 1964, 47, 691 |
| ——— and COPE, G. Methods Available for Dispersion Testing (T) | 1963, 46, 220 |
| SIDLOW, R. Esters of Titanium (T) | 1956, 39, 415 |
| ——— Recent Developments in Organic Derivatives Titanium (T) | 1958, 41, 577 |
| SIMPSON, A. Paints and Lacquers in Pressurised Dispensers (T) | 1958, 41, 156 |
| SIMPSON, W. and BOYLE, D. A. The Observation of Stress Development in Supported Films (T) | 1963, 46, 331 |
| SINCLAIR, R. M. A Comparison of the Effect of Wood Preservative Treatments on Paint Durability (T) | 1962, 45, 491 |
| SKELLON, J. H. The Mechanism of Oxidative Polymerisation (T) | 1963, 46, 000 |
| SMITH, A. H. <i>see</i> COUPE, R. R. (T) | 1956, 39, 579 |
| SMITH, I. T. <i>see</i> GOUGH, L. J. (T) | 1960, 43, 409 |
| SMITH, N. D. P., ORCHARD, S. E. and RHIND-TUTT, A. J. The Physics of Brush-marks (T) | 1961, 44, 618 |
| SMITH, R. A Practical System of Instrumental Colour Measurement (T) | 1962, 45, 767 |
| SOANE, O. V. Craft and Science in Linoleum Manufacture (T) | 1956, 39, 733 |
| SOLOMON, D. H. The Influence of Molecular Weight Distribution on the Properties of Acrylic and Alkyd Polymers (T) | 1965, 48, 282 |
| ——— Vinyl and Acrylic Modified Alkyds (T) | 1962, 45, 88 |
| ——— Vinyl and Acrylic Modified Alkyds: Part V (T) | 1965, 48, 440 |
| ——— <i>see</i> CALDWELL, G. S. <i>et al</i> (T) | 1962, 45, 827 |
| ——— <i>see</i> FLETCHER, J. R. <i>et al</i> (T) | 1963, 46, 127 |
| ——— <i>see</i> GUNNING, R. (T) | 1964, 47, 319 |
| ——— <i>see</i> HOPWOOD, J. J. (T) | 1964, 47, 289 |
| SOUL, D. C. and DAVIDSON, R. R. Oil Absorption—a New Assessment, Part II (C) | 1959, 42, 360 |
| SOUTH, G. R. and MILL, C. C. Measurement of Ink Film Thickness on Cylindrical Surfaces | 1963, 46, 487 |
| SQUIRRELL, A. V. and JACOB, T. M. Labour Utilisation in a Resin Plant: A Case Study of a Paint Factory (T) | 1958, 41, 409 |
| STADDON, A. W. E. <i>see</i> McKEE, R. S. (T) | 1961, 44, 497 |
| STEAD, D. M. Trends in Organic Pigments (T) | 1960, 43, 124 |
| ——— Organic Pigments (C) | 1960, 43, 610 |
| ——— Organic Pigments (C) | 1960, 43, 678 |
| STERN, H. J. No Names, No Pack Drill (C) | 1958, 41, 313 |
| ——— Differential Thermal Analysis (C) | 1958, 41, 752 |
| STEVENS, W. H. Polysulphide Coatings and Sealants (T) | 1959, 42, 663 |
| STEWART, J. S. Industrial Dermatitis (T) | 1956, 39, 756 |
| STIEG, F. B. On the Wet and Dry Opacity of Paints (C) | 1957, 40, 794, 990 |
| STOLEW, N. The Action of Solvents on Drying-Oil Films Part I (T) | 1957, 40, 377 |
| ——— The Action of Solvents on Drying-Oil Films Part II (T) | 1957, 40, 488 |
| STORDY, J. J. and APPLETON, W. G. J. Paint Application and Drying (T) | 1956, 39, 565 |
| STRAIN, R. N. C. Solar Reflectivity of Paints (T) | 1961, 44, 689 |
| STRANKS, D. R. <i>see</i> MARTIN, R. L. (T) | 1964, 47, 141 |
| STREET, N. The Rheology of Paint Systems (T) | 1956, 39, 391 |
| STRONG, A. G. Butyl Rubber and Polyisobutylene in Sealants (T) | 1960, 43, 801 |
| STUBBINGS, H. G. The Anti-fouling Influence of Toxic Paints over Adjacent Non-Toxic Areas (T) | 1957, 40, 350 |
| SUNDERLAND, E. Editorial Standards (C) | 1962, 45, 725 |
| ——— The Dispersion of Titanium Dioxide Pigment and the Influence of the Degree of Dispersion on Some Paint Film Properties (C) | 1963, 46, 54 |
| ——— Unreacted Isocyanate Groups in Cured Polyurethane Lacquers (C) | 1965, 48, 1140 |
| SUSSEX, A. G. The Nature of Metal Surfaces and Metal/Paint Interfaces (T) | 1962, 45, 108 |
| SZASZ, I. <i>see</i> OESTERLE, K. M. (T) | 1965, 48, 956 |

T

| | |
|--|---------------|
| TALEN, H. W. Some Considerations on the Formation of Films (T) | 1962, 45, 387 |
| ——— The Requirements for the Prediction of Paint Performance (T) | 1963, 46, 940 |
| ———, PFEIFFER, W. J. and VAN LONDEN, A. M. An Investigation into the Properties of Some Anti-Corrosive Paints for Ships' Hulls (T) | 1962, 45, 416 |
| TASKER, L. and TAYLOR, J. R. Pigmentation of Finishes for Electrodeposition (T) | 1965, 48, 462 |

| | |
|---|-------------------------|
| TASKER, L. and TAYLOR, J. R. Correspondence—Pigmentation of Finishes for Electrodeposition—Further Information (C) | 1965, 48, 550 |
| and TAYLOR, J. R. Progress of Water Soluble Resins in Industrial Finishes (T) | 1965, 48, 121 |
| TAWN, A. R. H. Some Problems in the Fundamental Study of Alkyd Resins (T) | 1956, 39, 223 |
| and BERRY, J. R. The Electrodeposition of Paint—Some Basic Studies (T) | 1965, 48, 790 |
| and MAY, G. J. Paper Chromatography of Polyols and Dibasic Acids, and its Application to the Analysis of Alkyd Resins (T) | 1957, 40, 528 |
| TAYLOR, D. Optical Properties of Pigments in the Near Infra-Red (T) | 1958, 41, 707 |
| TAYLOR, J. Organic Titanium Compounds (T) | 1960, 43, 555 |
| TAYLOR, J. R. <i>see</i> TASKER, L. (T) | 1965, 48, 121, 462, 550 |
| TEBBLE, R. S. Applications of Microwave Spectroscopy (T) | 1962, 45, 269 |
| THOMAS, A. W. R. À la Recherche du Temps Perdu (C) | 1956, 39, 276 |
| THOMSON, R. H. Naturally Occurring Quinones (C) | 1958, 41, 383 |
| TICKLE, T. C. K. <i>see</i> HARRISON, J. B. (T) | 1962, 45, 571 |
| TILLEARD, D. L. Colorimetry in the Paint Industry (C) | 1957, 40, 325 |
| Tolerances in Colour-Matching (T) | 1957, 40, 952 |
| Colour-Aptitude Test: Analysis of Scores (T) | 1958, 41, 797 |
| TOMPKINS, E. H. <i>see</i> IVANUSKI, V. R. (T) | 1960, 43, 833 |
| <i>see</i> TOMPKINS, L. M. (T) | 1958, 41, 98 |
| TOMPKINS, L. M. and TOMPKINS, E. H. The Design of Heat Reflective Paints (T) | 1958, 41, 98 |
| TOPPING, J. Sandwiches and Philately (C) | 1956, 39, 941 |
| Sandwich Courses (T) | 1957, 40, 221 |
| TOUCHIN, H. R. The Curing of Butylated Amino Resins (T) | 1956, 39, 653 |
| Lactic Acid Modified Alkyd Resins (T) | 1963, 46, 118 |
| Short Oil Pentaerythritol Alkyds Achieved by Lactic Acid Modification (T) | 1964, 47, 297 |
| Further Investigation of Short Oil Lactic Pentaerythritol Alkyds (T) | 1965, 48, 587 |
| TOUGH, D. The Use of Contrast Ratio in the Measurement of Hiding Power (T) | 1956, 39, 169 |
| <i>see</i> ATHERTON, E. (T) | 1957, 40, 115 |
| TRACE, L. G. <i>see</i> ARMITAGE, F. (T) | 1957, 40, 849 |
| TREMAIN, A. Odourless Alkyds (T) | 1957, 40, 737 |
| Water-Soluble Stoving Resins (C) | 1959, 42, 648 |
| TURNER, J. H. W. and HODGSON, S. Composition-Property Relationships in High-Polymer Emulsions (T) | 1956, 39, 114 |
| KEMP, S. G. and HARSON, S. E. The Function of Aluminium Complexes as Structure Modifiers for Paint (T) | 1958, 41, 769 |
| TYSALL, L. A. and WEBER, J. R. Powder Coatings Adhesion and Permeability Studies (T) | 1965, 48, 1007 |
| <i>see</i> LIFF, D. <i>et al</i> (T) | 1958, 41, 644 |

U

| | |
|---|---------------|
| UHACZ, K. <i>see</i> JEDLINSKI, Z. <i>et al</i> | 1962, 45, 653 |
|---|---------------|

V

| | |
|--|---------------|
| VALENTINE, L. Limitations of Paint Testing (T) | 1963, 46, 674 |
| Crosslinks between Plastics Paint and Textile Polymers (T) | 1964, 47, 971 |
| VENUTO, L. J. The Dispersion of Carbon Black (T) | 1957, 40, 725 |
| VOGELZANG, E. J. W. Some Industrial Uses of New Non-Drying Alkyd Resins (T) | 1963, 46, 89 |
| VOLLMANN, H. Identification of Shellac (T) | 1957, 40, 175 |
| Detection of Nitrocellulose (T) | 1961, 44, 308 |
| VOOGEL, Pit Corrosion in Internally Painted Cargo and Cargo Ballast Tanks of Ocean going Crude Oil Tankers (T) | 1965, 48, 597 |

W

| | |
|--|---------------|
| WADDINGTON, F. B. The Irradiation Resistance of Varnishes (T) | 1961, 44, 179 |
| WADE, W. G. More About Particle Size and Paint Manufacture (T) | 1959, 42, 548 |
| WADHAM, H. The Szegvari Attritor (C) | 1964, 47, 728 |
| WAELE, A. DE. Determination of Thixotropic Coefficient (T) | 1961, 44, 377 |
| WALGREN, P. A. Why not μm . (C) | 1962, 45, 785 |

| | |
|--|--------------------|
| WALKER, B. G. Management in Industry (T) | 1957, 40, 30 |
| WALKER, P. <i>see</i> HOLLOWAY, M. A. (T) | 1964, 47, 812 |
| ——— <i>see</i> ORMAN, S. (T) | 1965, 48, 233 |
| WALPOLE, A. L. and WILLIAMS, M. H. C. Toxicity of Some Cross-Linking Agents (T) | 1959, 42, 694 |
| WARNER, F. E. Chemical Engineering Problems in the Paint Industry (T) | 1960, 43, 279 |
| WEBER, J. R. <i>see</i> TYSALL, L. A. (T) | 1965, 48, 1007 |
| WEISS, J. Organic Aluminium Compounds in Drying Oils (T) | 1957, 40, 863, 976 |
| WELLS, C. D. Extrusion Coating and Polyolefines (T) | 1964, 47, 408 |
| WELLS, H. Surface Coatings in Atomic Energy Installations (T) | 1965, 48, 76 |
| ——— <i>see</i> COLEMAN, L. J. (T) | 1957, 40, 365 |
| ——— <i>see</i> COLEMAN, L. J. (T) | 1957, 40, 1051 |
| WERNER, R. L. <i>see</i> HAKEN, J. K. (T) | 1964, 47, 499 |
| WHALLEY, C. Changing Frontiers in the Analytical Chemistry of Paint Materials (T) | 1956, 39, 193 |
| ——— Some Problems in the Analysis of Surface Coatings (T) | 1962, 45, 293 |
| WHEELER, R. N. Recent Developments in the Epoxide Resin Field (T) | 1956, 39, 346 |
| WHITE, T. <i>see</i> KNOWLES, E. (T) | 1958, 41, 10 |
| WHITELEY, P. Behaviour of Alkyd Gloss Paints in Tropical Exposure Tests (T) | 1962, 45, 803 |
| ——— Microbiological Attack on Paint Films in the Tropics (T) | 1960, 43, 842 |
| ——— Mould Resistant Decorative Paints for the Tropics (T) | 1965, 48, 172 |
| WHITMORE, R. L. The Thickness and Conductivity of Liquid Films on the Surface of Polymethyl Methacrylate Spheres Suspended in Aqueous Solutions (T) | 1958, 41, 699 |
| ——— <i>see</i> OBIAKOR, E. K. (T) | 1964, 47, 334 |
| WHORLOW, R. W. Thixotropic Paint Systems (C) | 1958, 41, 383 |
| WICKER, R. J. <i>see</i> JENKINS, V. F. (T) | 1961, 44, 42 |
| WIGNEY, P. J. <i>see</i> SOLOMON, D. | 1965, 48, 740 |
| WILD, G. L. E. Metallic Lead Pigment for Anti-Corrosive Protection (T) | 1965, 48, 43 |
| WILLIAMS, G. T. <i>see</i> COX, P. D. (T) | 1961, 44, 851 |
| WILLIAMS, H. Some Aspects of the Physical Assessment of Emulsion Polymer Films (T) | 1961, 44, 713 |
| WILLIAMS, M. H. C. <i>see</i> WALPOLE, A. L. (T) | 1959, 42, 694 |
| WILLIAMS, T. Surface Coating of Metals in a Glow Discharge (T) | 1965, 48, 936 |
| WILLIAMSON, L. <i>see</i> JELLIS, G. W. (T) | 1957, 40, 684 |
| WILLIAMSON, L. J. and WILSON, E. D. The Technical Status of the Paint Industry in Australia (C) | 1960, 43, 360 |
| WILLIS, H. A. <i>see</i> HASLAM, J. <i>et al</i> (T) | 1962, 45, 325 |
| WILSON, E. D. <i>see</i> WILLIAMSON, L. J. (C) | 1960, 43, 360 |
| WILSON, P. J. <i>see</i> FLETCHER, A. C. (T) | 1957, 40, 693 |
| WIRKUS, W. J. <i>see</i> LINDQUIST, J. A. (T) | 1963, 46, 915 |
| WITCOFF, H. Polyamide Epoxy Blends: A Corrosion Inhibiting Vehicle for Paints (T) | 1964, 47, 273 |
| WITHERS, M. <i>see</i> HAKEN, J. K. (T) | 1964, 47, 499 |
| WOJNARSKI, C. H. Z. Thoughts on the Education and Administration of Technical Staff (T) | 1961, 44, 264 |
| WRIGHT, J. The Use of Mechanical Tests in Predicting Surface Coating Performance (T) | 1965, 48, 670 |
| WRIGHT, P. D. The Evaporation of Binary and Ternary Solvent Mixtures and their Release from Lacquer and Resin Films (T) | 1956, 39, 129 |
| WRIGHT, R. J. <i>see</i> METCALFE, K. A. (T) | 1956, 39, 845 |
| WRIGHT, T. A. <i>see</i> MONK, C. J. H. (T) | 1965, 48, 520 |
| WYATT, W. F. Some Modified Testing Procedures (T) | 1959, 42, 136 |
| WYNSTRA, J., KURKJY, R. P. and REINKING, N. H. Epoxy Resin Varnishes Based on Liquid Epoxy Resins: An Application of Glycidyl Ether Reactivities (T) | 1960, 43, 419 |
| Z | |
| ZARB, J. <i>see</i> KOVACS, L. (T) | 1960, 43, 350 |
| ZONVELD, J. J. <i>see</i> RUDD, H. W. (T) | 1956, 39, 314 |
| ZUMSTEIN, H. <i>see</i> OTT, G. H. (T) | 1956, 39, 331 |

SUBJECT INDEX

Key: (T) = Transactions and Communications; (C) = Correspondence

A

- ABSORPTION** of Paint Media into Porous Substrates (T) 1961, 44, 737
ACCELERATED Amine Curing of Epoxy Resins (T) 1960, 43, 409
 Leaching Rate Technique for Cuprous Oxide Based Anti-Fouling
 Paints, An (T) 1964, 47, 323
 Weathering of Paint Films (T) 1964, 47, 73
ACETALS, Vinyl Cyclic, and Their Air Drying Reactions, The Chemistry of the (T) 1965, 48, 1043
ACIDOLYSIS, The Alcoholysis and, of Triglyceride Oils (T) 1961, 44, 497
ACIDS and Salts, Influence of, on the Metal-Soap-Catalysed Drying of Litho-
 graphic Varnishes and Inks (T) 1957, 40, 1013
ACRYLIC and Alkyd Polymers, The Influence of Molecular Weight Distribution
 on the Properties of (T) 1965, 48, 282
 Modified Alkyds, Vinyl and (T) 1962, 45, 88
 Modified Alkyds, Vinyl and, Part II (T) 1963, 46, 127
 Modified Alkyds, Vinyl and, Part III (T) 1964, 47, 289
 Modified Alkyds, Vinyl and, Part IV (T) 1964, 47, 319
 Modified Alkyds, Vinyl and, Part V (T) 1965, 48, 440
 Resins, Thermosetting (T) 1963, 46, 1009
ADDITIVES and Calcination on the Pigment Properties of Titanium Dioxide, The
 Influence of, Part I (T) 1965, 48, 455
 for Protection Against Air Inhibition: The Use of Polyester Resins for
 Surface Coatings (T) 1958, 41, 563
ADHESION and Penetration, The Wetting of Surface Coatings on Wood (T) .. 1961, 44, 756
 and Permeability Studies—Powder Coatings (T) 1965, 48, 1007
 of Latex Paints to Plaster Under Humid Conditions (T) 1960, 43, 196
 of Paint Coatings, An Investigation into a Method of Test for Assessing
 the (T) 1963, 46, 276
 of Paint Films (T) 1963, 46, 441
 of Paint Films by the Schmidt Test, Measurement of (T) 1960, 43, 583
 of Paint Films, Measurement of (T) 1959, 42, 267
 of Paint Films to Permeable Material, An Apparatus for Measuring
 the (T) 1958, 41, 847
 of Surface Coatings Under Service Conditions, A Method for the
 Measurement of the (T) 1964, 47, 812
 , Paint, Experiments on, Under Moist Conditions (T) 1956, 39, 39
 Tests, (C) 1965, 48, 308
 Theoretical Aspects of (T) 1965, 48, 509
ADMINISTRATION of Technical Staff, Thoughts on the Education and (T) 1961, 44, 264
ADVANCES in Petroleum Chemistry and Refining (T) 1958, 41, 871
AERATED Products, A Pressure Cup for the Determination of the Weight Per
 Gallon of a (T) 1964, 47, 576
A.I.P.T. (C) 1962, 45, 56, 141
AIR-DRYING Finishes, The Gas-Checking of (T) 1957, 40, 271
 Finishes, the Gas-Checking of (C) 1957, 40, 710
 Reactions, the Chemistry of the Vinyl Cyclic Acetals and Their (T) 1965, 48, 1043
AIR Inhibition, The Use of Additives for Protection Against: Polyester Resins for
 Surface Coatings (T) 1958, 41, 563
À la Recherche du Temps Perdu (C) 1956, 39, 76, 276
ALCOHOLYSIS and Acidolysis of Triglyceride Oils, The (T) 1961, 44, 497
 of Fatty Oils, The (T) 1956, 39, 253
ALKALI Silicates in Surface Coatings (T) 1965, 48, 897
ALKYD/AMINO Resin Systems, The Behaviour of Titanium Dioxide Pigments:
 Part I (T) 1959, 42, 201
ALKYD Architecture (T) 1958, 41, 428
 Gloss Paints in Tropical Exposure Tests, The Behaviour of (T) 1962, 45, 803
 Manufacture, Epoxidised Oils as Polyhydric Alcohols for (T) 1958, 41, 301
 Media, Water Thinnable (T) 1964, 47, 767

| | |
|--|--------------------|
| ALKYD Paint Pigmented with R-Titanium, The Effect of Weather Conditions on the Gloss Retention of an (T) | 1960, 43, 201 |
| Paints, Sulphide Staining of (T) | 1959, 42, 452 |
| Resin Manufacture, Drying Oils for (C) | 1959, 42, 653 |
| Resins Based on Soya Bean Oil, An Investigation into Drying Phenomena Experienced with (T) | 1961, 44, 851 |
| Resins, Lactic Acid Modified (T) | 1963, 46, 118 |
| Resins, Metallised (T) | 1964, 47, 855 |
| Resins, Non-Drying, Some Industrial Uses of New (T) | 1963, 46, 89 |
| Resins, Paper Chromatography of Polyols and Dibasic Acids, and its Application to the Analysis of (T) | 1957, 40, 528 |
| Resins, Some Problems in the Fundamental Study of (T) | 1956, 39, 223 |
| Resins, The Effect of Driers on Drying Times of Clear and Pigmented (T) | 1960, 43, 709 |
| Resins, The Relation Between Degree of Esterification and the Properties of (T) | 1959, 42, 393 |
| Resins, Volumetric Determination of Phthalic Anhydride in (T) | 1957, 40, 361 |
| Solutions, The Calculation of Viscosities of (T) | 1960, 43, 214 |
| ALKYDS for Stoving Enamels, Cost Reductions in (T) | 1962, 45, 827 |
| , Low Temperature Phase Separation of (T) | 1959, 42, 319 |
| , Odourless (T) | 1957, 40, 737 |
| , Styrenated, The Oxidation and Drying Properties of (T) | 1957, 40, 745 |
| Thixotropic (T) | 1956, 39, 695 |
| Vinyl and Acrylic Modified (T) | 1962, 45, 88 |
| Vinyl and Acrylic Modified: Part II (T) | 1963, 46, 127 |
| Vinyl and Acrylic Modified: Part III (T) | 1964, 47, 289 |
| Vinyl and Acrylic Modified: Part IV (T) | 1964, 47, 319 |
| Vinyl and Acrylic Modified: Part V (T) | 1965, 48, 440 |
| Water-Dispersible (T) | 1957, 40, 849 |
| ALLYL Ethers in Solventless and Water-Based Coatings (T) | 1965, 48, 1025 |
| ALUMINIUM and Its Alloys, The Painting of (T) | 1958, 41, 730 |
| Complexes, The Function of, as Structure Modifiers in Paint (T) | 1958, 41, 769 |
| Compounds, Organic, in Drying Oils (T) | 1957, 40, 863, 976 |
| /Magnesium Alloys, Lacquer Coating of (T) | 1961, 44, 93 |
| AMINO Coating Resins, Some Aspects of (T) | 1960, 43, 181 |
| ANALYSIS of Paints, Lacquers and Varnishes, The (T) | 1958, 41, 203 |
| of Surface Coatings, Some Problems in the (T) | 1962, 45, 293 |
| ANALYTICAL Chemistry of Paint Materials, Changing Frontiers in the (T) | 1956, 39, 193 |
| ANTI-CONDENSATION Paints, a Tropical Testing Cabinet for Fungicidal (T) | 1965, 48, 1111 |
| ANTI-CORROSIVE Paints for Ships' Hulls, An Investigation into the Properties of Some (T) | 1962, 45, 416 |
| Primers Based on Zinc Chromate, The Effects of Mineral Extenders on (T) | 1964, 47, 799 |
| Priming Systems, Epoxy (T) | 1965, 48, 423 |
| Protection, Metallic Lead Pigment for (T) | 1965, 48, 43 |
| Water Emulsion Paint for Metal Surfaces Especially New Galvanised Steel (T) | 1960, 43, 140 |
| ANTI-FOULING Compositions, The Limitations of Leaching Rate Determinations of (T) | 1961, 44, 869 |
| Influence of Toxic Paints over Adjacent Non-Toxic Areas, The (T) | 1957, 40, 340 |
| Paints, An Accelerated Leaching Rate Technique for Cuprous Oxide Based (T) | 1964, 47, 323 |
| Paints, A Preliminary Appraisal of an extension to the Glycine tests for (T) | 1962, 45, 653 |
| APPARATUS for Measuring the Adhesion of Paint Films to Permeable Materials, An (T) | 1958, 41, 847 |
| APPLICATION of Dip Coatings, The Factory (T) | 1964, 47, 427 |
| APPLICATIONS of Microwave Spectroscopy (T) | 1962, 45, 269 |
| of Viscometry to Drying Oil Research, Some (T) | 1959, 42, 283 |
| APPLICATOR, A Mechanical Paint Film (T) | 1963, 46, 519 |
| AQUEOUS Organic Pigment Dispersions, Modern (T) | 1964, 47, 878 |
| Solutions, The Thickness and Conductivity of Liquid Films on the Surface of Polymethyl Methacrylate Spheres Suspended in (T) | 1958, 41, 699 |

| | |
|---|---------------|
| AREA, Outline/, Index Chromatography of Oils, Effects Due to Temperature, Structure and Composition (T) | 1963, 46, 339 |
| ASPECTS of Amino Coating Resins, Some (T) | 1960, 43, 181 |
| of Emulsion Polymerisation, Some (T) | 1962, 45, 12 |
| of The Physical Chemistry of Titanium Pigment Surfaces, Some (T) | 1962, 45, 16 |
| of the Physical Chemistry of Titanium Dioxide Pigment Surfaces, Some (C) | 1962, 45, 221 |
| ASSESSMENT of Light Fastness, Recommended Method for the (T) | 1960, 43, 586 |
| of Light Fastness, The (C) | 1960, 43, 766 |
| ATMOSPHERIC Corrosion, New Aspects of the, of Steel and Their Implications (T) | 1962, 45, 571 |
| Pollution: Its Measurement and Some Effects on Paint (T) | 1962, 45, 701 |
| ATOMIC Energy Installations, Surface Coatings in (T) | 1965, 48, 76 |
| ATTRITOR, The Szegvari (T) | 1964, 47, 728 |
| AUSTRALIAN Perspective (C) | 1958, 41, 751 |
| Woods, The Paint-Holding Properties of (T) | 1957, 40, 306 |

B

| | |
|--|---------------|
| BAD Manners (C) | 1958, 41, 312 |
| BALL Milling, the Laboratory Evaluation of the Behaviour of Coloured Pigments on (T) | 1965, 48, 17 |
| Milling Equipment, A Comprehensive Study of Optimum Milling Conditions in Conventional and Planetary (T) | 1964, 47, 669 |
| BEHAVIOUR of Alkyd Gloss Paints in Tropical Exposure Tests (T) | 1962, 45, 803 |
| of Printing Ink on Rollers, The (T) | 1961, 44, 596 |
| of Titanium Dioxide Pigments in High Speed Impeller Dispersion Mills, The (T) | 1961, 44, 188 |
| of Titanium Dioxide Pigments in High Speed Impeller Dispersion Mills, The (C) | 1961, 44, 547 |
| BHELA Oil (C) | 1958, 41, 684 |
| BINARY Systems, The Calculation of Viscosities of (T) | 1960, 43, 787 |
| BLISTERING of Paint Films, Swelling and (C) | 1962, 45, 836 |
| of Paint Layers as an Effect of Swelling by Water (T) | 1964, 47, 31 |
| of Paintwork on Telescopic Gasholders, The (T) | 1956, 39, 912 |
| BOARD and Paper—The Printability of (T) | 1965, 48, 529 |
| BOOK of the F.A.T.I.P.E.C. Congress (C) | 1958, 41, 314 |
| BORON POLYMERS, Experimental Approach Applicable to the Production of (T) | 1959, 42, 625 |
| BRITISH Standards 1006, The Use of, in the Paint Industry (T) | 1957, 40, 544 |
| BRUSH-DRYING Apparatus, A Simple (T) | 1957, 40, 704 |
| BRUSHMARKS, The Physics of (T) | 1961, 44, 618 |
| BUTYLATED Amino Resins, The Curing of (T) | 1956, 39, 653 |
| BUTYL Rubber and Polyisobutylene in Sealants (T) | 1960, 43, 801 |

C

| | |
|--|---------------|
| CALCIUM Plumbate in Priming Paints (T) | 1958, 41, 352 |
| CALCULATION of Viscosities of Alkyd Solutions, The (T) | 1960, 43, 214 |
| of Viscosities of Binary Systems, The ((T) | 1960, 43, 787 |
| CAN The Climatologist Help You? (T) | 1962, 45, 200 |
| CAPACITANCE Cell in the Prediction of Paint Performance, The Use of the (T) | 1963, 46, 850 |
| CAR-BODY Painting (T) | 1957, 40, 433 |
| CARBON Black Suspensions, Some Observations on the Rheology of (T) | 1960, 43, 77 |
| Black, The Dispersion of (T) | 1957, 40, 725 |
| CARWOOD Memorial Lecture (T) | 1963, 46, 413 |
| CASE Study in a Paint Factory, A: Labour Utilisation in A Resin Plant (T) | 1958, 41, 409 |
| CATALYTIC Processes Relating to the Surface-Coatings Industries: Foreword to Proceedings of Conference (T) | 1957, 40, 809 |
| CATHODIC Protection in Relation to Ships' Bottom Paints (T) | 1957, 40, 667 |
| CATIONIC Polymerisation of the Vinyl Ethers (T) | 1957, 40, 810 |
| CHANGING Patterns (T) | 1958, 41, 273 |
| CHARACTERISTICS of Electrostatic Powder Spraying (T) | 1965, 48, 956 |
| CHEMICAL Engineering Problems in the Paint Industry (T) | 1960, 43, 279 |
| Reactions in Ball Mills (C) | 1963, 46, 57 |
| CHEMIE und Technologie Ausgewählter Synthetischer Lackbindemittel (C) | 1958, 41, 182 |

| | |
|--|--------------------|
| CHEMISTRY and Technology of Drying Oils, Some Recent Advances in the (T) .. | 1958, 41, 474 |
| of the Deterioration of Synthetic Polymers, The (T) | 1959, 42, 706 |
| of the Vinyl Cyclic Acetals and Their Air-drying Reactions (T) .. | 1965, 48, 1043 |
| Surface, Some Recent Advances in (T) | 1956, 39, 641 |
| CHROMATOGRAPHIC Examination of Oils with Dyed Filter Paper, The (T) .. | 1958, 41, 291 |
| Techniques in Their Application to Paint Research, Ver- | |
| satility of (T) | 1964, 47, 475 |
| CHROMATOGRAPHY, An Examination of Fatty Acid-Oil Mixtures by Outline/Area | |
| Index (T) | 1960, 43, 245 |
| Gas-Liquid and its Application to Paint and Allied In- | |
| dustries (T) | 1958, 41, 24 |
| in the Field of Drying Oils and Oleoresinous Media, Use of | |
| Gas-Liquid (T) | 1964, 47, 499 |
| Paper, of Polyols and Dibasic Acids, and its Application to the | |
| Analysis of Alkyd Resins (T) | 1957, 40, 528, 790 |
| CLIMATIC Effects on the Rusting of Painted Steel (T) | 1961, 44, 351 |
| CLIMATOLOGIST help you, Can the? (T) | 1962, 45, 200 |
| COAL Cleaning Plant Operation, A Rheological Approach to Certain Features of | |
| Dense-Medium (T) | 1959, 42, 146 |
| COATING and the Substrate, The (T) | 1961, 44, 787 |
| Compositions, The Role of Peroxidic Catalysts in (T) | 1957, 40, 1027 |
| COATINGS (C) | 1956, 39, 942 |
| Extrusion, and Polyolefines (T) | 1964, 47, 408 |
| Fire-Retardant, and Treatments (T) | 1963, 46, 352 |
| Polysulphide, and Sealants (T) | 1959, 42, 663 |
| COATING Systems, Cold-Setting Epoxide Resins and Their Use in (T) | 1956, 39, 331 |
| COBALT Driers Dissolved in Linseed Oil and the Significance of This Process for | |
| the Drying of Printing Ink, The Sorption to Paper of (T) | 1959, 42, 408 |
| COCONUT Oil—Isophthalic Alkyds for Stoving Enamels (T) | 1961, 44, 150 |
| COLD-CURED Epoxide Resin Paints, The Moisture Resistance of, Part I (T) .. | 1960, 43, 391 |
| COLORIMETRY, Aspects of, Applied to the Colour Gamut of Pigments (T) .. | 1957, 40, 115 |
| in the Paint Industry (T) | 1957, 40, 87 |
| in the Paint Industry (C) | 1957, 40, 325, 405 |
| COLOUR-APTITUDE Test: Analysis of Scores (T) | 1958, 41, 797 |
| Test, I.-S.C.C., Some Results Obtained with the (T) | 1958, 41, 807 |
| Test, The I.-S.C.C., Personal Experience with (T) | 1957, 40, 136 |
| COLOUR Index, Second Edition of the (C) | 1956, 39, 77 |
| in Plastic Surgery, The Factor of (T) | 1958, 41, 288 |
| Match Prediction Using Organic Pigments, Instrumental (T) | 1964, 47, 554 |
| COLOUR-MATCHING, System in the Methuen Handbook of Colour (T) | 1964, 47, 955 |
| Tolerances in (T) | 1957, 40, 952 |
| COLOUR Measurement and Control, A Practical System of Instrumental (T) .. | 1962, 45, 767 |
| of Inorganic Materials: The Ligand Field Theory and its Implications, | |
| The (T) | 1964, 47, 141 |
| COMPARISON of the Effect of Wood Preservative Treatments on Paint Durability, | |
| A (T) | 1962, 45, 491 |
| COMPOSITION-PROPERTY Relationships in High-Polymer Emulsions (T) | 1956, 39, 114 |
| COMPOUNDS in Paints, Sulphide Staining Caused by Phenyl-Mercury (T) .. | 1964, 47, 581 |
| COMPREHENSIVE, Study of Optimum Milling Conditions in Conventional and | |
| Planetary Ball Milling Equipment, A (T) | 1964, 47, 669 |
| CONFERENCE Attendance List (C) | 1962, 45, 57 |
| CONSIDERATIONS on the Formation of Films, Some (T) | 1962, 45, 387 |
| CONTRAST Ratio in the Measurement of Hiding Power, the Use of (T) | 1956, 39, 169 |
| Ratio, Opacity Measurement of Paint Films by (T) | 1964, 47, 19 |
| CONTROLLED Condensation Technique for Evaluating the Resistance of Paint | |
| Films to Humidity, The (T) | 1959, 42, 838 |
| CO-OPERATIVE Research Project by the Newcastle Section (C) | 1960, 43, 810 |
| COPOLYMERS in Emulsion Paints, A Comparison of Vinyl Acetate Homopolymers | |
| and (T) | 1957, 40, 693 |
| CORRELATION of Service Behaviour of Paint with Observed Physical Characteristics | |
| in Air Drying Paint for Structures, The (T) | 1961, 44, 694 |
| CORROSION, Current Views on How Paint Films Prevent (T) | 1957, 40, 183 |
| Inhibiting Vehicle for Paints, Polyamide Epoxy Blends (T) | 1964, 47, 273 |

| | |
|---|---------------|
| CORROSION, Inhibitions and Their Application to Painted Specimens, Polarisation Techniques for the Study of (T) | 1965, 48, 356 |
| of Iron and Steel, The (T) | 1962, 45, 243 |
| of Uranium and its Prevention by Organic Coatings, The (T) | 1965, 48, 233 |
| Protection, Pigments in (T) | 1961, 44, 515 |
| Tests, The Evaluation of Priming Paints by (T) | 1961, 44, 367 |
| COST Reductions in Alkyds for Stoving Enamels (T) | 1962, 45, 827 |
| CRAFT and Science in Linoleum Manufacture (T) | 1956, 39, 733 |
| Attitudes, An Interpretation of (T) | 1958, 41, 833 |
| Attitudes (C) | 1959, 42, 183 |
| Attitudes, An Interpretation of (C) | 1959, 42, 243 |
| CRITICAL Pigment Volume Concentration, Determination of, in Dry Surface Coating Films (T) | 1962, 45, 776 |
| CROSS-LINKING Agents, Toxicity of Some (T) | 1959, 42, 694 |
| CROSS-LINKS between Plastics, paint and Textile Polymers (T) | 1964, 47, 971 |
| C.S.I.R.O. Viscosity Ratiometer with Resinous Materials, The Use of (T) | 1965, 48, 663 |
| CUP for the Determination of the Weight per Gallon of Aerated Products, A Pressure (T) | 1964, 47, 576 |
| CUPROUS Oxide Based Anti-Fouling Paints, An Accelerated Leaching Rate Technique for (T) | 1964, 47, 323 |
| CURRENT Developments in Dispersion (C) | 1965, 48, 317 |

D

| | |
|--|--------------------|
| DAMAGE Caused by paint, Liability for Harm and (T) | 1957, 40, 290 |
| DECORATIVE Paints for the Tropics, Mould Resistant (T) | 1965, 48, 172 |
| DERMATITIS, Industrial (T) | 1956, 39, 756 |
| DESIGN of Heat-Reflective Paints, The (T) | 1958, 41, 98 |
| of Unsaturated Polyester Resins for Surface Coatings, The (T) | 1961, 44, 42 |
| DETECTION of Nitrocellulose (T) | 1961, 44, 308 |
| DETERMINATION of Critical Pigment Volume Concentration in Dry Surface Coating Films (T) | 1962, 45, 776 |
| of the Light Fastness of Coloured Materials Faster than Standard 8, The (T) | 1964, 47, 301 |
| of the Thickness of Thin Films of Viscous Liquids on Matt Solid Surfaces, The (T) | 1962, 45, 637 |
| of Thixotropic Coefficient (T) | 1961, 44, 377 |
| DIFFERENTIAL Thermal Analysis (C) | 1958, 41, 752 |
| DIFFICULTIES in the Hardness Grading of Surface Coatings (T) | 1959, 42, 270 |
| DILUENTS and Solvents, Tests for the Evaluation of (T) | 1958, 41, 587 |
| DIP Coatings, The Factory Application of (T) | 1964, 47, 427 |
| DISC Method for the Determination of the Melting Point of Solid Resins, The (T) | 1956, 39, 472 |
| DISPERSION Equipment, Modern (T) | 1964, 47, 717 |
| of Carbon Black, The (T) | 1957, 40, 725 |
| of Titanium Dioxide Pigment and the Influence of the Degree of Dispersion on Some Paint Film Properties, The (T) | 1962, 45, 681 |
| of Titanium Dioxide Pigment and the Influence of the Degree of Dispersion on Some Paint Film Properties, The (C) | 1963, 46, 54 |
| Pigment (T) | 1958, 41, 629 |
| Testing, Methods Available for (T) | 1963, 46, 220 |
| DISPERSIONS, Some Investigations on the Compatibility of Inorganic Pigments with Polyvinyl Acetate (T) | 1964, 47, 208 |
| DISTINCTION, A, Without a Difference (C) | 1958, 41, 751 |
| DRIERS on Drying Times of Clear and Pigmented Alkyd Resins, The Effect of (T) | 1960, 43, 709 |
| DRY Surface Coating Films, Determination of Critical Pigment Volume Concentration in (T) | 1962, 45, 776 |
| DRYING, Paint Application and (T) | 1956, 39, 565 |
| The Use of heat to accelerate (T) | 1963, 46, 207 |
| DRYING-OIL Films, The Action of Solvents on, Part I (T) | 1957, 40, 377 |
| Films, The Action of Solvents on, Part II (T) | 1957, 40, 488 |
| Research, Some Applications of Viscometry to (T) | 1959, 42, 283 |
| DRYING OILS and Oleoresinous Media, Use of Gas-Liquid Chromatography in the Field of (T) | 1964, 47, 499 |
| Organic Aluminium Compounds in (T) | 1957, 40, 863, 976 |

| | |
|--|---------------|
| DRYING OILS, Some Recent Advances in the Chemistry and Technology of (T) .. | 1958, 41, 474 |
| with Hydrocarbons, The Reactions of (T) | 1960, 43, 260 |
| DRYING Phenomena, An Investigation into, Experienced with Alkyd Resins Based on Soya Bean Oil (T) | 1961, 44, 851 |
| Time Recorder for Paint and Varnish, A (T) | 1964, 47, 13 |
| DURABILITY of Exterior Clear Finishes for Timber, The (T) | 1960, 43, 10 |
| of Paint Systems; Standard Laboratory Testing Compared with Painting Time-Schedules on the Building Site, The (T) | 1963, 46, 719 |

E

| | |
|---|----------------|
| EDITORIAL Standards (C) | 1963, 46, 236 |
| EDUCATION and Administration of Technical Staff, Thoughts on (T) | 1961, 44, 264 |
| in the Paint Industry, Technical (C) | 1961, 44, 809 |
| Technical (C) | 1964, 47, 246 |
| EFFECT of Driers on Drying Times of Clear and Pigmented Alkyd Resins, The (T) of Stepwise Flocculation on the Rheology of a Kaolin Clay Suspension, The (T) | 1960, 43, 709 |
| of Weather Conditions on the Gloss Retention of and Alkyd Paint Pig- mented with R-Titania, The (T) | 1964, 47, 334 |
| of Weather Conditions on the Gloss Retention of and Alkyd Paint Pig- mented with R-Titania, The (T) | 1960, 43, 201 |
| EFFECTS of Mineral Extenders on Anti-Corrosive Primers Based on Zinc Chro- mate, The (T) | 1964, 47, 799 |
| EFFLORESCENCE Phenomena on Plaster (T) | 1961, 44, 32 |
| ELECTROCOATING, The Influence of the Surface Treatment of Titanium Dioxide Pigments on (T) | 1965, 48, 837 |
| ELECTRODEPOSITION—A Current/Time Relationship (T) | 1965, 48, 1121 |
| of Paint, The (T) | 1964, 47, 219 |
| of Paint, The: Some Basic Studies (T) | 1965, 48, 790 |
| Pigmentation of Finishes for (T) | 1965, 48, 462 |
| Pigmentation of Finishes for—Further Information (C) | 1965, 48, 550 |
| Pigmentation of Finishes for, Information at Low PVC's (C) | 1965, 48, 883 |
| ELECTROLYTIC Tinplate, The Gas Chromatographic Analysis of Residual Oil on (T) | 1964, 47, 512 |
| ELECTRON Microscope in the Surface-Coating Industry (T) | 1958, 41, 363 |
| Microscopy and Paint Technology: A Survey (T) | 1960, 43, 466 |
| ELECTROPHOTOGRAPHY in Medicine (T) | 1956, 39, 857 |
| EMULSION Gloss Paints, Development of (T) | 1956, 39, 923 |
| Paint, Polystyrene, The Plasticisation of (T) | 1956, 39, 553 |
| Paint, Zinc Sulphide Pigments in (C) | 1956, 39, 356 |
| Paints, Lithopone in (C) | 1956, 39, 212 |
| Paints, Polyvinyl Acetate: Solved and Unsolved Problems (T) | 1958, 41, 780 |
| Paints, The Flow Properties of (T) | 1960, 43, 34 |
| Polymer Films, Some Aspects of the Physical Assessment of (T) | 1961, 44, 713 |
| Polymerisation, Some Aspects of (T) | 1962, 45, 12 |
| Polymerisation—Some Theoretical and Experimental Aspects (T) | 1962, 45, 648 |
| EMULSIONS, Composition—Property Relationships in High Polymer (T) | 1956, 39, 114 |
| ENAMELS, High-Gloss, The Effect of Wax in Refined Linseed Oil on (T) | 1957, 40, 24 |
| EPOXIDE Esters, (T) | 1956, 39, 318 |
| Resin Field, Recent Developments in the (T) | 1956, 39, 346 |
| Resins and Their Use in Cold-Setting Coating Systems (T) | 1956, 39, 331 |
| Resins, Identification Tests for (T) | 1956, 39, 314 |
| EPOXIDISED Oils as Polyhydric Alcohols for Alkyd Manufacture (T) | 1958, 41, 301 |
| EPOXY Anticorrosive Priming Systems (T) | 1965, 48, 423 |
| —DCO Resins, Styrenated-Acrylated, for Industrial Coatings (T) | 1960, 43, 350 |
| Ethers, Styrenated and Methylmethacrylated—Comparative Tests (T) | 1959, 42, 277 |
| Powders, The Versatility of Techniques Available for Applying (T) | 1964, 47, 434 |
| Resin Varnishes Based on Liquid Epoxy Resins: An Application of Glycidyl Ether Reactivities (T) | 1960, 43, 419 |
| Resins, Accelerated Amine Curing of (T) | 1960, 43, 409 |
| EQUIPMENT, A Conventional Study of Optimum Milling Conditions in Conven- tional and Planetary Ball Milling (T) | 1964, 47, 669 |
| ESTERIFICATION and the Properties of Alkyd Resins, The Relation between Degree of (T) | 1959, 42, 393 |

| | |
|--|----------------|
| ESTERS, Notes on the Thermal Decomposition of, and Polyesters (T) | 1962, 45, 659 |
| of Titanium (T) | 1956, 39, 415 |
| Unsaturated, of Polyvinyl Alcohol (T) | 1956, 39, 99 |
| ETCHING Primers, The Film Structure of (T) | 1957, 40, 1051 |
| ETHERS, Alkyl, in Solventless and Waterbased Coatings (T) | 1965, 48, 1025 |
| EVALUATION of Priming Paints by Corrosion Tests, The (T) | 1961, 44, 367 |
| of Solvents and Diluents, Tests for the (T) | 1958, 41, 587 |
| of Unfamiliar Vegetable Oils, The Scientific (T) | 1964, 47, 187 |
| EVEN Homer Nodded (C) | 1956, 39, 277 |
| EXAMINATION of Fatty Acid—Oil Mixtures by Outline/Area Index Chromato- graphy (T) | 1960, 43, 245 |
| of Mixed Solvents Obtained from Plastic Adhesives, Lacquers and Surface Coating Preparations, The (T) | 1962, 45, 325 |
| EXPERIMENTAL Approach to the Production of Applicable Boron Polymers (T) .. | 1959, 42, 625 |
| EXPOSURE Test, Marine, Three Year: Zinc Oxide in Ships' Paints (T) | 1958, 41, 653 |
| EXTENSION of BS 1006 for Assessing Light Fastness (C) | 1962, 45, 64 |
| EXTERIOR Clear Finishes for Timber, The Durability of (T) | 1960, 43, 10 |
| Durability of Paints Based on Lithopone and Zinc Sulphide, The (T) .. | 1961, 44, 835 |
| EXTRA Durable Body (C) | 1960, 43, 153 |
| EXTRUSION Coatings and Polyolefines (T) | 1964, 47, 408 |

F

| | |
|--|--------------------|
| FACTORIES (Cleanliness of Walls and Ceilings) Order, 1958, The (C) | 1959, 42, 648 |
| FACTOR of Colour in Plastic Surgery, The (T) | 1958, 41, 288 |
| FACTORY Application of Dip Coatings, The (T) | 1964, 47, 427 |
| F.A.T.I.P.E.C. Congress, Book of the (C) | 1958, 41, 314 |
| FATS, Plasticisers and Polymers Derived from (T) | 1960, 43, 631 |
| FATTY Acid Condensation Products, Recent Advances in the Chemistry and Technology of (T) | 1960, 43, 565 |
| Acid—Oil Mixtures by Outline/Area Index Chromatography, An Exami- nation of (T) | 1960, 43, 245 |
| Acids, A New Class of Paint Media Derived from (T) | 1958, 41, 165 |
| Oils, The Alcoholysis of (T) | 1956, 39, 253 |
| FERROUS Metal by Zinc Dust Primers, The Protection of (T) | 1965, 48, 382 |
| FILM Defects, Microscopical studies of paint (T) | 1963, 46, 915 |
| Formation, Film Properties and Film Deterioration (T) | 1956, 39, 9 |
| Formation, Film Properties and Film Deterioration (C) | 1956, 39, 212 |
| Formation, Polymer Structure and (T) | 1959, 42, 778 |
| Paint, Passage of Water Through A (C) | 1956, 39, 720 |
| Structure of Etching Primers, The (T) | 1957, 40, 1051 |
| FILMS, Drying-Oil, The Action of Solvents on (T) Part I | 1957, 40, 377 |
| Part II | 1957, 40, 488 |
| from Cyclopentadiene-Treated Linseed Oil, Properties of (T) | 1956, 39, 775 |
| Lacquer and Resin, The Evaporation of Binary and Ternary Solvent Mix- tures and Their Release from (T) | 1956, 39, 129 |
| Liquid, The Thickness and Conductivity of, on the Surface of Polymethyl Methacrylate Spheres Suspended in Aqueous Solutions (T) | 1958, 41, 699 |
| Paint, Adhesion of (T) | 1963, 46, 441 |
| Some Considerations on the Formation of (T) | 1962, 45, 387 |
| FINISHES, Air-Drying, The Gas-Checking of (T) | 1957, 40, 271 |
| Air-Drying, The Gas-Checking of (C) | 1957, 40, 503, 710 |
| FINISHES for Heating Appliances: Epoxide Paint and Vitreous Enamel Compared (T) | 1957, 40, 478 |
| Pigmentation of, for Electrodeposition—Further Information. Corres- pondence (C) | 1965, 48, 550 |
| Wood, and Wood Finishing (T) | 1956, 39, 670 |
| FIRE-RETARDANT Coatings and Treatments (T) | 1963, 46, 352 |
| FLEXIBILITY of Polyvinyl Acetate Emulsion Films, The Measurement of (T) .. | 1959, 42, 543 |
| FLOTATION (T) | 1957, 40, 741 |
| and Flooding in Paints, Some Observations on (T) | 1960, 43, 859 |
| in Paints—A Suggested Mechanism (T) | 1959, 42, 529 |
| FLOW Properties of Emulsion Paints, The (T) | 1960, 43, 34 |

| | |
|--|---------------|
| FLUORINE, Polymers Containing (T) | 1959, 42, 591 |
| FOULING, Marine, Use of Radioactivity Against (T) | 1958, 41, 445 |
| FUNGICIDAL Anti-Condensation Paints, a Tropical Testing Cabinet for (T) .. | 1965, 48, 111 |
| FUNGICIDES, Phenylmercury Compounds as (T) | 1960, 43, 779 |
| Phenylmercury Compounds as: Part II (T) | 1963, 46, 460 |
| Phenylmercury Compounds as : Part III (T) | 1964, 47, 871 |
| FUNGISTATS for Paints, The Evaluation of Some (T) | 1956, 39, 900 |

G

| | |
|---|--------------------|
| GALVANISED Steel, Anti-Corrosive Emulsion Paint for Metal Surfaces, Especially New (T) | 1960, 43, 140 |
| GAS-CHECKING of Air-Drying Finishes, The (T) | 1957, 40, 271 |
| of Air-Drying Finishes (C) | 1957, 40, 503, 710 |
| GAS Chromatographic Analysis of Residual Oil on Electrolytic Tinplate, The (T) | 1964, 47, 512 |
| Chromatographic Analysis of Solvent Mixtures Using Sequential Application of Solubility and Functional Group Tests (T) | 1964, 47, 517 |
| GASHOLDERS, Telescopic, The Blistering of Paintwork on (T) | 1956, 39, 912 |
| GAS-LIQUID Chromatography and its Application to Paint and Allied Industries (T) | 1958, 41, 24 |
| Chromatography in the Field of Drying Oils and Oleoresinous Media, Use of (T) | 1964, 47, 499 |
| GELATION Timing (T) | 1962, 45, 251 |
| GETTING to the Root of the Matter (C) | 1957, 40, 504 |
| GLOSS and Surface Roughness of Paint Films, The Relationship Between (T) .. | 1956, 39, 185 |
| and Surface Roughness (C) | 1956, 39, 434 |
| Estimation, A Visual Method of (T) | 1964, 47, 867 |
| Retention of an Alkyd Paint Pigmented with R-Titania, The Effect of Weather Conditions on the ((T) | 1960, 43, 201 |
| GLOSSMETER, A Simple and Inexpensive (T) | 1960, 43, 44 |
| GLOW Discharge, Surface Coating of Metals in (T) | 1965, 48, 936 |
| GLYCIDYL Ether Reactivities, Application of, Epoxy Resin Varnishes Based on Liquid Epoxy Resins (T) | 1960, 43, 419 |
| GRAFTED Alkyds for Stoving Enamels (T) | 1963, 46, 47 |
| GRIST for the Mill (C) | 1962, 45, 668 |
| GROUP Tests, Gas Chromatographic Analysis of Solvent Mixtures Using Sequential Application of Solubility and Functional (T) | 1964, 47, 517 |
| GUANAMINE Resins, Melamine and, in Surface Coatings (T) | 1957, 40, 1060 |
| GYPSUM Plaster as a Substrate for Paint Films (T) | 1961, 44, 11 |
| Plaster, Damp, The Painting of (T) | 1962, 45, 266 |
| Walls, The painting of Faulty (T) | 1963, 46, 1027 |

H

| | |
|--|---------------|
| HARDNESS Grading of Surface Coatings, The Difficulties inherent in the (T) .. | 1959, 42, 702 |
| Of Paint Coatings—A Pneumatic Micro-Indentation Apparatus for Measuring the (T) | 1965, 48, 520 |
| HEAT, The Use of, to Accelerate Drying (T) | 1963, 46, 207 |
| HEATING Appliances, Finishes for: Epoxide Paint and Vitreous Enamel Compared (T) | 1957, 40, 478 |
| HEAT-REFLECTIVE Paints, The Design of (T) | 1958, 41, 98 |
| HIDING Power Determination and its Application as an Aid to Paint Formulation, A Method of (T) | 1961, 44, 295 |
| Power of Pigments and Mixtures of Pigments, The (T) | 1957, 40, 643 |
| Power, The Measurement of, The Use of Contrast Ratio in (T) | 1956, 39, 169 |
| HIGH Gloss Enamels, The Effect of Wax in Refined Linseed Oil on (T) | 1957, 40, 24 |
| HIGHSPEED Mixing Equipment (T) | 1964, 47, 719 |
| Photogravure Printing Inks (T) | 1964, 47, 114 |
| HIGH-TEMPERATURE Systems, Behaviour of Organic Pigments in (T) | 1957, 40, 51 |
| HYDROCARBON Radicals on Metal Surfaces, The Reactions of (T) | 1957, 40, 895 |
| HYDROCARBONS, The Reactions of Drying Oils with (T) | 1960, 43, 260 |
| HYDROGENATION of Tung Oil, The Selective (T) | 1957, 40, 10 |

I

| | |
|--|----------------|
| "I.C.I. Rot thinner", Measurement of Viscosity at High Rates of Shear: A Cone and Plate Attachment for the (T) | 1965, 48, 150 |
| IDENTIFICATION and Estimation of Pigments in Pigmented Compositions by Reflectance Spectrophotometry, The (T) | 1962, 45, 300 |
| of Tall Oil Fatty Acids (C) | 1964, 47, 834 |
| Tests for Epoxide Resins (T) | 1956, 39, 314 |
| IMPELLER Dispersion Mills, The Behaviour of Titanium Dioxide Pigments, High Speed (T) | 1961, 44, 188 |
| IMPROVED Method for the Assessment of Priming Paints on Steel Under Marine Conditions, An (T) | 1961, 44, 258 |
| INDUSTRIAL Dermatitis (T) | 1956, 39, 756 |
| Finishes, Progress of Water Soluble Resins in (T) | 1965, 48, 121 |
| Uses of New, Non-Drying Alkyd Resins, Some (T) | 1963, 46, 89 |
| INFLUENCE of Additives and Calcination on the Pigment Properties of Titanium Dioxide, Part I (T) | 1965, 48, 455 |
| of Molecular Weight Distribution on the Properties of Acrylic and Alkyd Polymers, The (T) | 1965, 48, 282 |
| INHERENT Properties of Paint Latex Films in Relation to Their Performance (T) | 1965, 48, 256 |
| INK, Film Thickness on Cylindrical Surfaces, Measurement of (T) | 1963, 46, 487 |
| Penetration of, into Paper and its Relevance to Print Quality (T) | 1956, 39, 579 |
| Technology for Printers and Students (C) | 1964, 47, 899 |
| INKS and Varnishes, Lithographic, Influence of Salts and Acids on the Metal-Soap-Catalysed Drying of (T) | 1957, 40, 1013 |
| INORGANIC Materials: The Ligand Field Theory and its Implications, the Colour of (T) | 1964, 47, 141 |
| INORGANIC Pigments, with Polyvinyl Acetate Dispersions, Some Investigations on the Compatibility of (T) | 1964, 47, 208 |
| INSTITUTE of Surface Coatings (C) | 1963, 46, 361 |
| INSTRUMENTAL Colour Match Prediction Using Organic Pigments (T) | 1964, 47, 554 |
| Colour Measurement and Control, A Practical System of (T) | 1962, 45, 767 |
| INTERACTION of the Pigment with the Medium, The (T) | 1963, 46, 169 |
| INTERIOR Gloss Retention of White Enamels, The (T) | 1965, 48, 52 |
| INVESTIGATION into a Method of Test for Assessing the Adhesion of Paint Coatings, An (T) | 1963, 46, 276 |
| into Drying Phenomena Experienced with Alkyd Resins Based on Soya Bean Oil, An (T) | 1961, 44, 851 |
| IODINE as a Catalyst (T) | 1957, 40, 845 |
| IONISING Radiations and Polymer Chemistry (T) | 1957, 40, 830 |
| IRON and Steel, The Corrosion of (T) | 1962, 45, 243 |
| IRRADIATION Resistance of Varnishes, The (T) | 1961, 44, 179 |
| I.-S.C.C. Colour Aptitude Test, Some Results Obtained with the (T) | 1958, 41, 807 |
| ISOCYANATE and Ancillary Raw Material Compositions on Polyurethane Film Performance, The Influence on (T) | 1963, 46, 820 |
| Groups—Unreacted, in Cured Polyurethane Lacquers (T) | 1965, 48, 539 |
| Groups—Unreacted, in Cured Polyurethane Lacquers (C) | 1965, 48, 882 |

K

| | |
|--|---------------|
| KAOLIN Clay Suspension, The Effect of Stepwise Flocculation on the Rheology of a (T) | 1964, 47, 334 |
| KINETIC Dispersion (T) | 1957, 40, 661 |

L

| | |
|--|---------------|
| LABOUR Utilisation in a Resin Plant: A Case Study in a Paint Factory (T) | 1958, 41, 409 |
| LACQUER Coating of Aluminium/Magnesium Alloys (T) | 1961, 44, 93 |
| Films, Method of Testing Certain Mechanical Properties of (T) | 1961, 44, 111 |
| LACQUERS and Paints in Pressurised Dispensers (T) | 1958, 41, 156 |
| and Surface Coating Preparations, Plastic Adhesives, The Examination of Mixed Solvents Obtained from (T) | 1962, 45, 325 |
| Paints and Varnishes, The Analysis of (T) | 1958, 41, 203 |

| | |
|---|------------------------|
| LACTIC Acid Modification, Short Oil Pentaerythritol Alkyds Achieved by (T) .. | 1964, 47, 297 |
| Acid Modified Alkyd Resins (T) | 1963, 46, 118 |
| LATENT Solvency, a Reassessment of the Concept of (T) | 1958, 41, 644 |
| Solvency, a Reassessment of the Concept of (C) | 1958, 41, 817 |
| Solvency, a Reassessment of the Concept of (C) | 1959, 42, 96, 244, 427 |
| LATEX and Alkyd Paints to Plaster. The Effect of Release Agents and Additives on the Adhesion of (T) | 1959, 42, 844 |
| Paints, Adhesion of, to Plaster Under Humid Conditions (T) | 1960, 43, 196 |
| LEACHING of Toxic Pigment from Contact Leaching Anti-Fouling Paints (C) .. | 1964, 47, 831 |
| Rate Determinations of Anti-Fouling Compositions, The Limitations of (T) | 1961, 44, 869 |
| Rate Technique for Cuprous Oxide Based Anti-fouling Paints, An Accelerated (T) | 1964, 47, 323 |
| LEAD Chromes, "Soluble Lead" Content of (T) | 1960, 43, 594 |
| Sealers for Insulating Paint Films with a High Content of (T) | 1961, 44, 509 |
| LEADLESS Anti-Corrosion primers, New | 1965, 48, 341 |
| LECITHIN and its Use in the Paint Industry (T) | 1956, 39, 399 |
| LIABILITY for Harm and Damage Caused by Paint (T) | 1957, 40, 290 |
| LIGAND Field Theory and its Implications, The Colour of Inorganic Materials, The (T) | 1964, 47, 141 |
| LIGHT-FASTNESS, Assessment of (T) | 1957, 40, 129 |
| Committee's Report, 1957, Use of B.S. 1006 Standards in the Paint Industry (T) | 1957, 40, 544 |
| in Paints, Discussion on (T) | 1963, 46, 904 |
| of Coloured Materials Faster than Standard 8, The Determination of the (T) | 1964, 47, 301 |
| Recommended Method for the Assessment of (T) | 1960, 43, 586 |
| Testing (C) | 1956, 39, 796 |
| LIMITATIONS of Leaching Rate Determinations of Anti-Fouling Compositions, The (T) | 1961, 44, 869 |
| of Paint Testing (T) | 1963, 46, 674 |
| LINOLEUM Manufacture, Craft and Science in (T) | 1956, 39, 733 |
| LINSEED Oil, Properties of Films from Cyclopentadiene-Treated (T) | 1956, 39, 775 |
| Oil, Refined, on High-Gloss Enamels, The Effect of Wax in (T) | 1957, 40, 24 |
| Oil, The Mechanism of the Specific—Rust Inhibitive Action of Plumbates in (T) | 1956, 39, 909 |
| LITHOGRAPHIC Varnishes and Inks, Influence of Salts and Acids on the Metal-Soap-Catalysed Drying of (T) | 1957, 40, 1013 |
| LITHOPONE and Zinc Sulphide, The Exterior Durability of Paints Based on (T) .. | 1961, 44, 835 |
| in Emulsion Paints (C) | 1956, 39, 212 |
| The History, Manufacture and Uses of (T) | 1956, 39, 809 |
| Low Temperature Phase Separation of Alkyds (T) | 1959, 42, 319 |

M

| | |
|---|---------------|
| MACHINE Dependent Method of Calculating Optimum Milling Conditions for Ball Milling, A (T) | 1964, 47, 691 |
| MAGNETIC Stirring Device (T) | 1959, 42, 727 |
| MANAGEMENT in Industry (T) | 1957, 40, 30 |
| MARINE Conditions, An Improved Method for the Assessment of Priming Paints on Steel under (T) | 1961, 44, 258 |
| Exposure Tests, Three Year: Zinc Oxide in Ships' Paints (T) | 1958, 41, 653 |
| Fouling, Use of Radioactivity Against (T) | 1958, 41, 445 |
| MATERIALS: The Ligand Field Theory and its Implications, The Colour of Inorganic (T) | 1964, 47, 141 |
| MATHEMATICAL Considerations of Roll-Mill Operation (T) | 1956, 39, 777 |
| MEASUREMENT of Adhesion of Paint Films (T) | 1959, 42, 267 |
| of Adhesion of Paint Films by the Schmidt Test (T) | 1960, 43, 583 |
| of the Flexibility of Polyvinyl Acetate Emulsion Films, The (T) | 1959, 42, 543 |
| of Viscosity at High Rates of Shear: A Cone and Plate Attachment for the "I.C.I. Rotothinner" (T) | 1965, 48, 150 |
| MEASURING the Adhesion of Paint Films to Permeable Materials, An Apparatus for (T) | 1958, 41, 847 |

| | |
|--|--------------------|
| MECHANICAL Tests, The Use of, in Predicting Surface Coating Performance (T) .. | 1965, 48, 670 |
| MEDIUM, The Interaction of the Pigment with the (T) | 1963, 46, 169, 362 |
| MELAMINE and Guanamine Resins in Surface Coatings (T) | 1957, 40, 499 |
| MELTING point of Solid Resins, The Dis method for the Determination of (T) .. | 1956, 39, 472 |
| METAL Coatings, PVC (T) | 1964, 47, 417 |
| -Drier Catalysis (T) | 1957, 40, 1035 |
| -Soap-Catalysed Drying of Lithographic Varnishes and Inks, Influence of Salts and Acids on the (T) | 1957, 40, 1013 |
| Surfaces and Metal/Paint Interfaces, The Nature of (T) | 1962, 45, 108 |
| Surfaces, Anti-Corrosive Water Emulsion Paint for, Especially New Galvanised Steel (T) | 1960, 43, 140 |
| Surfaces, The Reactions of Hydrocarbon Radicles (T) | 1957, 40, 895 |
| METALLIC Lead Pigment for Anti-Corrosive Protection (T) | 1965, 48, 43 |
| METALLISED Alkyd Resins (T) | 1964, 47, 855 |
| METALS for Painting, Preparation of Some (T) | 1961, 44, 269 |
| Surface Coating of, in a Glow Discharge (T) | 1965, 48, 936 |
| The Protection of, With Tannins (T) | 1958, 41, 10 |
| METHOD for the Measurement of the Adhesion of Surface Coatings Under Service Conditions, A (T) | 1964, 47, 812 |
| of Hiding Power Determination and its Application as an Aid to Paint Formulation, A (T) | 1961, 44, 295 |
| METHODS Available for Dispersion Testing (T) | 1963, 46, 220 |
| of Testing Certain Mechanical Properties of Lacquer Films (T) | 1961, 44, 111 |
| MICROBIOLOGICAL Attack on Paint Films in the Tropics (T) | 1960, 43, 842 |
| Factors in Paint Preservation (T) | 1956, 39, 887 |
| Problems of Paint: The Present Position (T) | 1963, 46, 425 |
| MICRO-INDENTATION Hardness Testing (T) | 1956, 39, 624 |
| MICRORHEOLOGY, Theory, Classifications, Calculations, Study in Paint Vehicles, Part IV (T) | 1960, 43, 46 |
| MICROWAVE Spectroscopy, Applications of (T) | 1962, 45, 269 |
| MILL Bases, Some Rheological Phenomena in (T) | 1964, 47, 704 |
| MINERAL Extenders on Anti-Corrosive Primers Based on Zinc Chromate, The Effects of (T) | 1964, 47, 799 |
| MIXING Equipment, High-Speed (T) | 1964, 47, 719 |
| MIXTURES and Mixing (T) | 1957, 40, 200 |
| MODERN Aqueous Organic Pigment Dispersions (T) | 1964, 47, 878 |
| Chemistry of Organic Pigments (T) | 1963, 46, 13 |
| Dispersion Equipment (T) | 1964, 47, 717 |
| Dispersion Methods (C) | 1964, 47, 247 |
| MODIFIED Alkyds, Vinyl and Acrylic (T) | 1962, 45, 88 |
| Alkyds, Vinyl and Acrylic, Part II (T) | 1963, 46, 127 |
| Alkyds, Vinyl and Acrylic, Part III (T) | 1964, 47, 289 |
| Alkyds, Vinyl and Acrylic, Part IV (T) | 1964, 47, 319 |
| Alkyds, Vinyl and Acrylic, Part V (T) | 1965, 48, 440 |
| Testing Procedures, Some (T) | 1959, 42, 136 |
| MOISTURE-RESISTANCE of Cold-Cured Epoxide Resin Paints, Part I: The Influence of Curing Agents (T) | 1960, 43, 391 |
| Part II: The Influence of Solvents (T) | 1960, 43, 653 |
| MOLECULAR Weight Distribution on the Properties of Acrylic and Alkyd Polymers, The Influence of (T) | 1965, 48, 2 |
| MOULD Growth by Zinc Oxide, Inhibition of (C) | 1959, 42, 242 |
| Resistant Decorative Paints for the Tropics (T) | 1965, 48, 172 |

N

| | |
|---|---------------|
| NATURALLY Occurring Quinones (C) | 1958, 41, 383 |
| NATURE of Metal Surfaces and Metal/Paint Interfaces, The (T) | 1962, 45, 108 |
| NEW Aspects of the Atmospheric Corrosion of Steel and their Implications (T) .. | 1962, 45, 571 |
| Class of Paint Media Derived from Fatty Acids, A (T) | 1958, 41, 165 |
| NEWCASTLE Section, Co-operative Research Project by (C) | 1960, 43, 810 |
| NEXT Generation, The (T) | 1956, 39, 381 |
| NITROCELLULOSE, Detection of (T) | 1961, 44, 308 |
| Solutions, Viscosity of, Method for Determination of (T) | 1958, 41, 657 |

| | |
|--|---------------|
| No Names, No Pack Drill (C) | 1958, 41, 313 |
| NOTES on the Thermal Decomposition of Esters and Polyesters (T) | 1962, 45, 659 |
| on the Use of Optical Brightening Agents in Emulsion Paints containing Tioxide Pigments (C) | 1965, 48, 000 |

O

| | |
|--|--------------------------|
| OBSERVATION of Stress Development in Supported Films, The (T).. .. . | 1963, 46, 331 |
| OBSERVATIONS on Flotation and Flooding in Paints, Some (T) | 1960, 43, 859 |
| on the Rheology of Carbon Black Suspension, Some (T) | 1960, 43, 77 |
| O.C.C.A., The Story of (T) | 1965, 48, 659 |
| Technical Exhibition (C) | 1960, 43, 766 |
| Technical Exhibition (C) | 1961, 44, 67 |
| Technical Exhibition (C) | 1961, 44, 212 |
| ODOURLESS Alkyds (T) | 1957, 40, 737 |
| OIL Absorption: A New Assessment, Part II (T) | 1959, 42, 119 |
| Absorption: A New Assessment, Part II (C) | 1959, 42, 360, 361, 507 |
| Content of Putty, Determination of the (T) | 1956, 39, 469 |
| -Fatty Acid Mixtures, An Examination by Outline/Area Index Chromato- graphy (T) | 1960, 43, 245 |
| OILS, The Chromatographic Examination of, With Dyed Filter Paper (T) | 1958, 41, 291 |
| Yellowing, Notes on, Especially Tobaccoseed Oil (T) | 1956, 39, 934 |
| OLEORESINOUS Media, Use of Gas-Liquid Chromatography in the Field of Drying Oils and (T) | 1964, 47, 499 |
| ON The Influence of the Surface Treatment of Titanium Dioxide Pigments on Electrocoating (T) | 1965, 48, 837 |
| OPACITY Measurement of Paint Films by Contrast Ratio (T) | 1964, 47, 19 |
| of Paint, The (T) | 1958, 41, 850 |
| of Paints, On the Wet and Dry (T) | 1957, 40, 786 |
| of Paints, On the Wet and Dry (C) | 1957, 40, 794, 990, 1078 |
| OPTICAL Brightening Agents in Emulsion Paints Containing Tioxide Pigments, Notes on the Use of (C) | 1965, 48, |
| Properties of Pigments in the Near Infra-Red (T) | 1958, 41, 707 |
| OPTIMUM Milling Conditions for Ball Milling, A Machine Dependent Method of Calculating (T) | 1964, 47, 691 |
| Milling Conditions in Conventional and Planetary Ball Milling Equip- ment, A Comprehensive Study of (T) | 1964, 47, 669 |
| ORGANIC Coatings, The Corrosion of Uranium and its Prevention by (T) | 1965, 48, 233 |
| Pigment Dispersions, Modern Aqueous (T) | 1964, 47, 878 |
| Pigments (C) | 1960, 43, 609, 610, 678 |
| Pigments, Behaviour of, in High-Temperature Systems (T) | 1957, 40, 51 |
| Pigments for Stoving Lacquers, Problems in the Use of (T) | 1963, 46, 161 |
| Pigments, Instrumental Colour Match Prediction Using (T) | 1964, 47, 554 |
| Pigments, Modern Chemistry of (T) | 1963, 46, 13 |
| Pigments, Trends in (T) | 1960, 43, 124 |
| Polyisocyanates—Their Use in the Surface-Coatings Industry (T) | 1956, 39, 609 |
| Polymers, Water Soluble Thermosetting (T) | 1965, 48, 157 |
| Titanium Compounds (T) | 1960, 43, 555 |
| ORGANOPHOSPHORUS Polymers (T) | 1959, 42, 612 |
| ORGANO-SILANES and Surface Coatings, Speculations Concerning (T) | 1959, 42, 798 |
| OTHER Half of the Process, The (C) | 1958, 41, 313, 873 |
| Half of the Process, The (C) | 1959, 42, 183, 305 |
| OUTLINE/AREA Index Chromatography of Oils, Effects Due to Temperature, Struc- ture and Composition (T) | 1963, 46, 339 |

P

| | |
|--|---------------|
| PAINT Adhesion Under Moist Conditions, Experiments on (T) | 1956, 39, 39 |
| and Allied Industries, Gas-Liquid Chromatography and its Application to (T) | 1958, 41, 24 |
| and Lacquer Solvents from Petroleum, Manufacture of (T) | 1957, 40, 914 |
| and Related Products, Queensland Health Law in Relation to (T) | 1964, 47, 824 |
| and Varnish, A Drying Time Recorder for (T) | 1964, 47, 13 |

| | |
|--|--------------------|
| PAINT Application and Drying (T) | 1956, 39, 565 |
| Approvals Scheme (T) | 1962, 45, 745 |
| Chemists and South Africa in the 1930's (C) | 1959, 42, 810 |
| Coatings, Hardness of, A Pneumatic Micro-Indentation Apparatus for Measuring the (T) | 1965, 48, 520 |
| Film, Passage of Water Through a (C) | 1956, 39, 358, 720 |
| Films, Accelerated Weathering of (T) | 1964, 47, 73 |
| Films, Adhesion of (T) | 1963, 46, 441 |
| Films, Gypsum Plaster as a Substrate for (T) | 1961, 44, 11 |
| Films, Measurement of Adhesion of, by Schmidt Test (T) | 1960, 43, 583 |
| Films, Measurement of the Adhesion of (T) | 1959, 42, 267 |
| Films, Opacity Measurement of, by Contrast Ratio (T) | 1964, 47, 19 |
| Films Resistance to Humidity, the Controlled Condensation for Evaluating the (T) | 1959, 42, 838 |
| Films, Some Observations on the Weathering of Titanium Dioxide Pigmented (T) | 1963, 46, 753 |
| Films, The Physical Behaviour of (T) | 1961, 44, 575 |
| Films, The Relationship Between Gloss and Surface Roughness of (T) | 1956, 39, 185 |
| Formulation, A Method of Hiding Power Determination and its Application as an Aid to (T) | 1961, 44, 295 |
| for the London County Council, Approval and Testing of (T) | 1959, 42, 414 |
| Fungistats for, The Evaluation of Some (T) | 1956, 39, 900 |
| Harm and Damage Caused by, Liability for (T) | 1957, 40, 290 |
| -Holding Properties of Australian Woods, The (T) | 1957, 40, 306 |
| Industry, Chemical Engineering Problems in the (T) | 1960, 43, 279 |
| Industry, Colorimetry in the (T) | 1957, 40, 87 |
| Industry in Australia, Progressive Development of the (T) | 1959, 42, 831 |
| Industry, Lecithin and its Use in the (T) | 1956, 39, 399 |
| Industry, Plastic Coatings: A Challenge to the (T) | 1964, 47, 407 |
| Industry, Toxic Hazards in the (T) | 1957, 40, 337 |
| Industry, Use of B.S. 1006 Standards in the (T) | 1957, 40, 544 |
| Latex Films in Relation to Their Performance, Inherent Properties of (T) | 1965, 48, 256 |
| Layers, Blistering of, as an Effect of Swelling by Water (T) | 1964, 47, 31 |
| Manufacture, More About Particle Size and (T) | 1959, 42, 548 |
| Materials, Changing Frontiers in the Analytical Chemistry of (T) | 1956, 39, 193 |
| Media, A New Class of, Derived from Fatty Acids (T) | 1958, 41, 165 |
| Performance, The Use of the Capacitance Cell in the Prediction of (T) | 1963, 46, 850 |
| Performance, (Foreword) The Prediction Assessment of (T) | 1963, 46, 673 |
| Performance, The Requirements for the Production of (T) | 1963, 46, 940 |
| Preservation, Microbiological Factors in (T) | 1956, 39, 887 |
| Research, Versatility of Chromatographic Techniques in Their Application to (T) | 1964, 47, 475 |
| Settlement, The Use of X-Radiation in the Study of (T) | 1963, 46, 555 |
| Systems, Selective Polar Adsorption and Some Rheological Phenomena in (T) | 1958, 41, 125 |
| Systems; Standard Laboratory Testing Compared with Painting Time-Schedules on the Building Site, The Durability of (T) | 1963, 46, 719 |
| Systems, The Preparation, Properties and Rheological Investigation of Thixotropic (T) | 1958, 41, 42 |
| Systems, The Preparation, Properties and Rheological Investigation of Thixotropic (C) | 1958, 41, 383, 453 |
| Systems, The Rheology of (T) | 1956, 39, 391 |
| Technology: Electron Microscopy and, A Survey (T) | 1960, 43, 466 |
| -Testing Anomalies (T) | 1956, 39, 478 |
| Testing, Limitations of (T) | 1963, 46, 674 |
| The Electrodeposition of (T) | 1964, 47, 219 |
| The Electrodeposition of; Some Basic Studies (T) | 1965, 48, 790 |
| The Opacity of (T) | 1958, 41, 850 |
| Vehicles, A Study in (T) | 1957, 40, 761 |
| Vehicles, A Study in, Part II (C) | 1959, 42, 97 |
| Vehicles, A Study in, Part III. Solubility, EDM, Aniline Points and Dilution Rates (T) | 1959, 42, 849 |

| | |
|--|--------------------|
| PAINTED Specimens, Polarisation for the Study of Corrosion Inhibitions and Their Application to (T) | 1965, 48, 356 |
| PAINING, Car-Body (T) | 1957, 40, 433 |
| Complaints, The Investigation of Some (T) | 1957, 40, 365 |
| of Aluminium and its Alloys, The (T) | 1958, 41, 730 |
| PAINTS and Lacquers in Pressurised Dispensers (T) | 1958, 41, 156 |
| Containing Two Pigments, The Use of X-Radiation for the Study of Sedimentation in (C) | 1964, 47, 44 |
| Flotation in, A Suggested Mechanism (T) | 1959, 42, 529 |
| Heat-Reflective, The Design of (T) | 1958, 41, 98 |
| Lacquers and Varnishes, The Analysis of (T) | 1958, 41, 203 |
| Priming, Calcium Plumbate in (T) | 1958, 41, 352 |
| Ships', Zinc Oxide in: Three Year Marine Exposure Tests (T) | 1958, 41, 653 |
| Sulphide Staining Caused by Phenylmercury Compounds in (T) | 1964, 47, 581 |
| The Plasticisation of Polystyrene Emulsions (T) | 1956, 39, 553 |
| PAPER and Board, The Printability of (T) | 1965, 48, 529 |
| Physical Surface Properties of, and Their Relevance to Printability (T) | 1963, 46, 263 |
| PARTICLE Size and Paint Manufacture, More About (T) | 1959, 42, 548 |
| PENETRATION of Ink into Paper and its Relevance to Print Quality (T) | 1956, 39, 579 |
| of Varnishes and Inks into Paper under Pressure (T) | 1960, 43, 720 |
| The Wetting, Adhesion and, of Surface Coatings on Wood (T) | 1961, 44, 756 |
| PENTAERYTHRITOLS, Technical and Their Impurities (T) | 1957, 40, 247 |
| PERFORMANCE of Paint Films as a Function of Application Method (T) | 1963, 46, 809 |
| of Titanium Dioxide Pigments in a Sand Grinder (T) | 1960, 43, 737 |
| PERMEABLE Materials, An Apparatus for Measuring the Adhesion of Paint Films to (T) | 1958, 41, 847 |
| PERMEABILITY Studies, Adhesion and, Powder Coatings (T) | 1965, 48, 1007 |
| PEROXIDIC Catalysts in Coating Compositions, The Role of (T) | 1957, 40, 1027 |
| PETROLEUM Manufacture of Paint and Lacquer Solvents from (T) | 1957, 40, 914 |
| PHENYLMERCURY Compounds as Fungicides (T) | 1960, 43, 779 |
| Compounds as Fungicides: Part II (T) | 1963, 46, 460 |
| Compounds as Fungicides: Part III (T) | 1964, 47, 871 |
| Compounds in Paints, Sulphide Staining Caused by (T) | 1964, 47, 581 |
| <i>PHOMA Pigmentivora</i> (C) | 1958, 41, 751 |
| PHOTOCHEMICAL Changes on Pigment Surfaces (T) | 1957, 40, 935 |
| PHOTOCHEMISTRY of Vinyl Chloride/Vinyl-iso-Butyl Ether Copolymer, Part I (T) | 1965, 48, 447 |
| of Vinyl Chloride/Vinyl-iso-Butyl Ether Co-polymer, Part II (T) | 1965, 48, 613 |
| of Vinyl Chloride/Vinyl-iso-Butyl Ether Co-polymer, Part III (T) | 1965, 48, 1117 |
| PHTHALIC Anhydride, Determination of (C) | 1957, 40, 572 |
| Anhydride in Alkyd Resins, Volumetric Determination of (T) | 1957, 40, 361 |
| PHTHALOCYANINE Pigments and their Application (T) | 1965, 48, 803 |
| PHYSICAL Behaviour of Paint Films, The (T) | 1961, 44, 575 |
| Surface Properties of Paper and Their Relevance to Printability (T) | 1963, 46, 263 |
| PHYSICS of Brushmarks, The (T) | 1961, 44, 618 |
| PIGMENT Dispersion (T) | 1958, 41, 629 |
| Surfaces, Photochemical Changes on (T) | 1957, 40, 935 |
| The Interaction of the, With the Medium (T) | 1963, 46, 169, 362 |
| Volume Concentration (T) | 1962, 45, 180 |
| Volume Concentration in Dry Surface Coating Films, Determination of (T) | 1962, 45, 776 |
| PIGMENTATION of Finishes for Electrodeposition (T) | 1965, 48, 462 |
| of Finishes for Electrodeposition, Further Information (C) | 1965, 48, 550 |
| of Finishes for Electrodeposition—Information at Low PVC's (C) | 1965, 48, 883 |
| PIGMENTS, and Mixtures, The Hiding Power of (T) | 1957, 40, 643 |
| Colour Gamut of, Aspects of Colorimetry Applied to the (T) | 1957, 40, 115 |
| in Corrosion Protection (T) | 1961, 44, 515 |
| in Pigmented Compositions by Reflectance Spectrophotometry, The Identification and Estimation of (T) | 1962, 45, 300 |
| Instrumental Colour Match Prediction Using Organic (T) | 1964, 47, 554 |
| in the Near Infra-Red, Optical Properties of (T) | 1958, 41, 707 |
| Organic (C) | 1960, 43, 609 |
| Organic Behaviour of, in High-Temperature Systems (T) | 1957, 40, 51 |
| Organic Modern Aqueous Dispersion (T) | 1964, 47, 878 |

| | |
|--|---------------------|
| PIGMENTS, Organic, Modern Chemistry of (T) | 1963, 46, 13 |
| Organic, Trends in (T) | 1960, 43, 124 |
| Rutile-Type Titanium Dioxide as a Protective (T) | 1956, 39, 481 |
| Surface Areas of (T) | 1965, 48, 293 |
| The Use of X-Radiation for the Study of Sedimentation in Paints Containing Two (C) | 1964, 47, 44 |
| PLASTER, Efflorescence Phenomena on (T) | 1961, 44, 32 |
| Under Humid Conditions, Adhesion of Latex Paints to (T) | 1960, 43, 196 |
| PLASTIC Adhesives, Lacquers and Surface Coating Preparations, The Examination of Mixed Solvents Obtained from (T) | 1962, 45, 325 |
| Coatings: A Challenge to the Paint Industry (T) | 1964, 47, 407 |
| Surgery, The Factor of Colour in (T) | 1958, 41, 288 |
| PLASTICISATION of Polystyrene Emulsion Paints, The (T) | 1956, 39, 553 |
| PLASTICISERS and Polymers Derived from Fats (T) | 1960, 43, 631 |
| PNEUMATIC Micro-Indentation Apparatus for Measuring the Hardness of Paint Coatings, A (T) | 1965, 48, 520 |
| POLAR Adsorption, Selective, and Some Rheological Phenomena in Paint Systems (T) | 1958, 41, 125 |
| POLARISATION Techniques for the Study of Corrosion Inhibitions and Their Application to Painted Specimens (T) | 1965, 48, 356 |
| POLYAMIDE Epoxy Blends: A Corrosion Inhibiting Vehicle for Paints (T) | 1964, 47, 273 |
| Resins in Surface Coatings, The Use of (T) | 1956, 39, 299 |
| POLYESTER Resins for Surface Coatings, The Design of Unsaturated (T) | 1961, 44, 42 |
| Resins for Surface Coatings: The Use of Additives for Protection Against Air Inhibition (T) | 1958, 41, 563 |
| POLYESTERS, Notes on the Thermal Decomposition of Esters and (T) | 1962, 45, 659 |
| POLYHYDRIC Alcohols for Alkyd Manufacture, Epoxidised Oils as (T) | 1958, 41, 301 |
| POLYISOBUTYLENE in Sealants, Butyl Rubber and (T) | 1960, 43, 801 |
| POLYISOCYANATES, Organic, Their Use in the Surface-Coatings Industry (T) | 1956, 39, 609 |
| POLYMER Chemistry, Ionising Radiations and (T) | 1957, 40, 830 |
| Structure and Film Formation (T) | 1959, 42, 778 |
| POLYMERS, Applicable Boron, Experimental Approach to the Production of (T) | 1959, 42, 625 |
| Containing Fluorine (T) | 1959, 42, 591 |
| Derived from Fats, Plasticisers and (T) | 1960, 43, 631 |
| in Relation to the Paint, Printing Ink and Allied Industries, A Survey of (T) | 1959, 42, 589 |
| Organophosphorus (T) | 1959, 42, 612 |
| Synthetic, Chemistry of the Deterioration of, The (T) | 1959, 42, 706 |
| The Influence of Molecular Weight Distribution on the Properties of Acrylic and Alkyd (T) | 1965, 48, 282 |
| POLYMETHYL Methacrylate Spheres Suspended in Aqueous Solutions, The Thickness and Conductivity of Liquid Films on the Surface of (T) | 1958, 41, 699 |
| POLYOLEFINES, Extrusion Coating and (T) | 1964, 47, 408 |
| POLYSTYRENE Emulsion Paints, The Plasticisation of (T) | 1956, 39, 553 |
| POLYSULPHIDE Coatings and Sealants (T) | 1959, 42, 663 |
| POLYURETHANE Chemistry, Some Aspects of (T) | 1959, 42, 677 |
| Coatings and Their Basic Chemistry (T) | 1962, 45, 95 |
| Film Performance, The Influence of Isocyanate and Ancillary Raw Material Compositions on (T) | 1963, 46, 820 |
| Lacquers, Cured, Unreacted Isocyanate Groups in (T) | 1965, 48, 529 |
| Lacquers, Unreacted Isocyanate Groups in (C) | 1965, 48, 882, 1140 |
| Systems for Solventless Finishes (T) | 1965, 48, 1069 |
| POLYURETHANES, Recent Developments in (T) | 1960, 43, 96 |
| POLYVINYL Acetate Dispersions, Some Investigations on the Compatibility of Inorganic Pigments with (T) | 1964, 47, 208 |
| Acetate Emulsion Films, The Measurement of the Flexibility of (T) | 1959, 42, 543 |
| Acetate Emulsion Paints, Rheology of, The Influence of Some Thickeners on the (T) | 1957, 40, 37 |
| Acetate Emulsion Paints: Solved and Unsolved Problems (T) | 1958, 41, 780 |
| Alcohol, Unsaturated Esters of (T) | 1956, 39, 99 |
| POLYVINYLCHLORIDE, The Stability of (T) | 1960, 43, 576 |
| POROUS Substrates, Absorption of Paint Media into (T) | 1961, 44, 737 |

| | |
|---|--------------------|
| POWDER Coatings, Adhesion and Permeability Studies (T) | 1965, 48, 1007 |
| Spraying, Characteristics of Electrostatic (T) | 1965, 48, 956 |
| PRACTICAL Difficulties Experienced in the Use of B.S. 1006 for Assessing Light Fastness and a Suggested Method for Overcoming These (C) .. | 1962, 45, 666 |
| System of Instrumental Colour Measurement and Control, A (T) .. | 1962, 45, 767 |
| PREDETERMINED Design of Resins (T) | 1959, 42, 737 |
| PREPARATION of Some Metals for Painting (T) | 1961, 44, 269 |
| Properties and Rheological Investigation of Thixotropic Paint Systems, The (T) | 1958, 41, 42 |
| PRESSURE Cup for the Determination of the Weight Per Gallon of Aerated Products, A (T) | 1964, 47, 576 |
| PRESSURISED Dispensers, Paints and Lacquers in (T) | 1958, 41, 156 |
| PRIMERS, New Leadless Anti-Corrosive (T) | 1965, 48, 341 |
| Prefabrication (C) | 1963, 46, 528 |
| The Film Structure of (T) | 1957, 40, 1051 |
| The Uses of, Chemistry and Practical Performance of Etching (T) .. | 1959, 42, 10 |
| PRIMING Paints by Corrosion Tests, The Evaluation of (T) | 1961, 44, 367 |
| Paints, Calcium Plumbate in (T) | 1958, 41, 352 |
| Paints on Steel Under Marine Conditions, An Improved Method for the Assessment of (T) | 1961, 44, 258 |
| Systems, Epoxy Anti-corrosive (T) | 1965, 48, 423 |
| PRINT Quality, Penetration of Ink into Paper and its Relevance to (T) | 1956, 39, 579 |
| PRINTABILITY of Paper and Board, The (T) | 1965, 48, 529 |
| PRINTING Ink on Rollers, The Behaviour of (T) | 1961, 44, 596 |
| Ink, The Sorption to Paper of Cobalt Driers Dissolved in Linseed Oil and the Significance of this Process for the Drying of (T) | 1959, 42, 408 |
| Inks, Highspeed Photogravure (T) | 1964, 47, 114 |
| PROBLEMS in the Analysis of Surface Coatings, Some (T) | 1962, 45, 293 |
| in the Use of Organic Pigments for Stoving Lacquers (T) | 1962, 45, 161 |
| Solved and Unsolved: Polyvinyl Acetate Emulsion Paints (T) | 1958, 41, 780 |
| PROCESS, The Sand Grinding (T) | 1964, 47, 737 |
| The Other Half of the (C) | 1959, 42, 183, 305 |
| PROGRESS of Water Soluble Resins in Industrial Finishes (T) | 1965, 48, 121 |
| PROGRESSIVE Development of the Paint Industry in Australia (T) | 1959, 42, 831 |
| PROPERTIES of Films from Cyclopentadiene-Treated Linseed Oil (T) | 1956, 39, 775 |
| PROTECTION of Ferrous Metal by Zinc Dust Primers, The (T) | 1965, 48, 382 |
| of Metals with Tannins, The (T) | 1958, 41, 10 |
| PROTECTIVE Pigment, Zinc Dust as a: Part III (T) | 1961, 44, 417 |
| PUTTY, Determination of the Oil Content of (T) | 1956, 39, 469 |
| PVC Metal Coatings (T) | 1964, 47, 417 |
| PVC's, Pigmentation of Finishes for Electrodeposition, Information at Low (C) | 1965, 48, 883 |

Q

| | |
|---|---------------|
| QUEENSLAND Health Law in Relation to Paint and Related Products (T) | 1964, 47, 824 |
| QUINONES, Naturally Occurring (C) | 1958, 41, 383 |

R

| | |
|--|------------------------|
| RADICULOUS (C) | 1957, 40, 504, 711 |
| RADIOACTIVITY, The Use of, Against Marine Fouling (T) | 1958, 41, 445 |
| RANSBURG No. 2 Electrostatic Coating Process, A Study of the (T) | 1963, 46, 301 |
| REACTION Rates in Varnish Technology (T) | 1957, 40, 814 |
| REACTIONS of Drying Oils with Hydrocarbons, The (T) | 1960, 43, 260 |
| of Hydrocarbon Radicles on Metal Surfaces, The (T) | 1957, 40, 895 |
| REASSESSMENT of the Concept of Latent Solvency, A (C) | 1958, 41, 817 |
| of the Concept of Latent Solvency, A (C) | 1959, 42, 96, 244, 427 |
| RECENT Advances in the Chemistry and Technology of Fatty Acid Condensation Products (T) | 1960, 43, 565 |
| Developments in Polyurethanes (T) | 1960, 43, 96 |
| RECOMMENDED Method for the Assessment of Light Fastness (T) | 1960, 43, 586 |
| RECORDER for Paint and Varnish, A Drying Time (T) | 1964, 47, 13 |

| | |
|---|----------------|
| REFLECTANCE Spectrophotometry, The Identification and Estimation of Pigments in Pigmented Compositions by (T) | 1962, 45, 300 |
| RELATED Products, Queensland Health Law in Relation to Paint and (T) | 1964, 47, 824 |
| RESEARCH & Development Projects, the Selection of (T) | 1965, 48, 620 |
| RESIDUAL Oil on Electrolytic Tinplate, The Gas Chromatographic Analysis of (T) | 1964, 47, 512 |
| RESIN Paints, The Moisture-Resistance of Cold-Cured Epoxide, Part I (T) | 1960, 43, 391 |
| Plant, Labour Utilisation in a: A Case Study in a Paint Factory (T) | 1958, 41, 409 |
| RESINOUS Materials, The Use of the CSIRO Viscosity Ratiometer With (T) | 1965, 48, 663 |
| RESINS, Accelerated Amine Curing of Epoxy (T) | 1960, 43, 409 |
| Alkyd, Volumetric Determination of Phthalic Anhydride (T) | 1957, 40, 361 |
| Butylated Amino, The Curing of (T) | 1956, 39, 653 |
| for Industrial Coatings, Styrenated-Acrylated-Epoxy-DCO (T) | 1960, 43, 350 |
| in Industrial Finishes, Progress of Water Soluble (T) | 1965, 48, 121 |
| Melamine and Guanamine in Surface Coatings (T) | 1958, 40, 1060 |
| Polyester, for Surface Coatings: The Use of Additives for Protection Against Air Inhibition (T) | 1958, 41, 563 |
| Predetermined Designs of (T) | 1959, 42, 737 |
| Solid, The Disc Method for the Determination of the Meeting Point of (T) | 1956, 39, 472 |
| Some Aspects of Amino Coating (T) | 1960, 43, 181 |
| Stoving, Water-Soluble (C) | 1959, 42, 648 |
| RESISTANCE of Paint Films to Humidity, The Controlled Condensation Technique for Evaluating the (T) | 1959, 42, 838 |
| RHEOLOGICAL Approach to Certain Features of Dense-Medium Coal-Cleaning Plant Operation, A (T) | 1959, 42, 146 |
| Phenomena and Selective Polar Adsorption in Paint Systems, Some (T) | 1958, 41, 125 |
| Phenomena in Mill Bases, Some (T) | 1964, 47, 704 |
| Properties of Stable Suspensions of Very Small Spheres at Low Rates of Shear, The (T) | 1957, 40, 456 |
| RHEOLOGY, of a Kaolin Clay Suspension, the Effect of Stepwise Flocculation on the (T) | 1964, 47, 334 |
| of Carbon Black Suspensions, Some Observations on the (T) | 1960, 43, 77 |
| of Paint Systems, The (T) | 1956, 39, 391 |
| of Polyvinyl Acetate Emulsion Paints, The Influence of Some Thickeners on the (T) | 1957, 40, 37 |
| ROLE of Surfactants in the Paint and Printing Ink Industries, The (T) | 1962, 45, 28 |
| ROLLER Cambering (C) | 1960, 43, 678 |
| ROLL-MILL Operation, Mathematical Considerations of (T) | 1956, 39, 777 |
| ROTATIONAL Viscometer for Thinning Paint Samples, A (T) | 1958, 41, 599 |
| ROTOTHINNER" Measurement of Viscosity at High Rates of Shear: A Cone and Plate Attachment for the "I.C.I. (T) | 1965, 48, 150 |
| RUSTING of Painted Steel, Climatic Effects on the (T) | 1961, 44, 351 |
| RUTILE-TYPE Titanium Dioxide as a Protective Pigment (T) | 1956, 39, 481 |

S

| | |
|--|-----------------------------|
| SALTS and Acids, Influence of, on the Metal-Soap-Catalysed Drying of Lithographic Varnishes and Inks (T) | 1957, 40, 1013 |
| SAND Grinder, Performance of Titanium Dioxide Pigments in a (T) | 1960, 43, 737 |
| Grinding Process, The (T) | 1964, 47, 737 |
| SANDWICH Courses (T) | 1957, 40, 221 |
| SANDWICHES and Philately (C) | 1956, 39, 870, 941 |
| and Philately (C) | 1957, 40, 64, 160, 325, 406 |
| SCHMIDT Test, Measurement of Adhesion of Paint Films by (T) | 1960, 43, 583 |
| SCIENTIFIC Evaluation of Unfamiliar Vegetable Oils, The (T) | 1964, 47, 187 |
| SEALANTS, Butyl Rubber and Polyisobutylene in (T) | 1960, 43, 801 |
| SEALERS for Insulating Paint Films with a High Content of Lead (T) | 1961, 44, 509 |
| for Insulating Paint Films with a High Content of Lead (C) | 1962, 45, 140 |
| SECOND Edition of the Colour Index (C) | 1965, 39, 77 |
| SEDIMENTATION in Paints Containing Two Pigments, The Use of X-Radiation for the Study of (C) | 1964, 47, 44 |
| SELECTIVE Polar Adsorption and Some Rheological Phenomena in Paint Systems (T) | 1958, 41, 125 |

| | |
|--|----------------|
| SELECTIVE Polar Adsorption and Some Rheological Phenomena in Paint Systems (C) | 1962, 45, 135 |
| SERVICE Conditions, A Method for the Measurement of the Adhesion of Surface Coatings Under (T) | 1964, 47, 812 |
| SHEAR: A Cone and Plate Attachment for the "I.C.I. Rotothinner", Measurement of Viscosity at High Rates of (T) | 1965, 48, 150 |
| SHELLAC, Identification of (T) | 1957, 40, 175 |
| SHIP Bottom Paints based on Sodium Silicate (T) | 1963, 46, 999 |
| SHIPS' Paints (T) | 1961, 44, 237 |
| SHORT Oil Pentaerythritol Alkyds Achieved by Lactic Acid Modification (T) | 1964, 47, 297 |
| Pentaerythritol Alkyds, Further Investigation of Short Oil Lactic (T) | 1965, 48, 587 |
| SILICATES in Surface Coatings, Alkali (T) | 1965, 48, 987 |
| SIMPLE and Inexpensive Glossmeter, A (T) | 1960, 43, 44 |
| SOLAR Reflectivity of Paints (T) | 1961, 44, 689 |
| SOLUBILITY and Functional Group Tests, Gas Chromatographic Analysis of Solvent Mixtures using Sequential Application of (T) | 1964, 47, 517 |
| SOLUBLE Lead Content of Lead Chromes (T) | 1960, 43, 594 |
| SOLVENCY, A Reassessment of the Concept of Latent (T) | 1958, 41, 644 |
| SOLVENT Mixtures, Evaporation of Binary and Ternary, and their Release from Lacquer and Resin Films (T) | 1956, 39, 129 |
| Mixtures, Using Sequential Application of Solubility and Functional Group Tests, Gas Chromatographic Analysis of (T) | 1964, 47, 517 |
| SOLVENTLESS Finishes, Polyurethane Systems for (T) | 1965, 48, 1069 |
| and Water Based Coatings, Alkyl Ethers in (T) | 1965, 48, 1025 |
| SOLVENTS and Diluents, Tests for the Evaluation of (T) | 1958, 41, 587 |
| Mixed, Obtained from Plastic Adhesives, Lacquers and Surface Coating Preparations, The Examination of (T) | 1962, 45, 325 |
| Paint and Lacquer, Manufacture of, from Petroleum (T) | 1957, 40, 914 |
| The Action of, on Drying-Oil Films (T): | |
| Part I | 1957, 40, 377 |
| Part II | 1957, 40, 488 |
| Toxicity of (T) | 1958, 41, 569 |
| SOME Aspects of Polyurethane Chemistry (T) | 1959, 42, 677 |
| Aspects of the Physical Assessment of Emulsion Polymer Films (T) | 1961, 44, 713 |
| Investigations on the Compatability of Inorganic Pigments with Polyvinyl Acetate Dispersions (T) | 1964, 47, 208 |
| Rheological Phenomena in Mill Bases (T) | 1964, 47, 704 |
| SORPTION to Paper of Cobalt Driers Dissolved in Linseed Oil and the Significance of this Process for the Drying of Printing Ink, The (T) | 1959, 42, 408 |
| SOYA Bean Oil, An Investigation into Drying Phenomena Experienced with Alkyd Resins Based on (T) | 1961, 44, 851 |
| SPECIFIC Gravity Tube for Highly Viscous Liquids, A (C) | 1960, 43, 608 |
| SPECTRAL Reflectivities of White Paints (T) | 1960, 43, 833 |
| SPECTROGRAPH, An Inexpensive (T) | 1959, 42, 261 |
| SPECULATIONS Concerning Organo-Silanes and Surface Coatings (T) | 1959, 42, 798 |
| SPHERICAL Particles, Stable Suspensions of: The Influence of the Size Ratio of the Dispersed Phase upon Relative Viscosity (T) | 1958, 41, 150 |
| STABILITY of Polyvinylchloride, The (T) | 1960, 43, 576 |
| STAINING Caused by Phenylmercury Compounds in Paints, Sulphide (T) | 1964, 47, 581 |
| STANDARD 8, The Determination of the Light Fastness of Coloured Materials Faster than (T) | 1964, 47, 301 |
| STEEL, Climatic Effects on the Rusting of Painted (T) | 1961, 44, 351 |
| New Aspects of the Atmospheric Corrosion of, and Their Implications (T) | 1962, 45, 571 |
| Under Marine Conditions, An Improved Method for the Assessment of Priming Paints on (T) | 1961, 44, 258 |
| STEPWISE Flocculation on the Rheology of a Kaolin Clay Suspension, The Effect of (T) | 1964, 47, 334 |
| STOVING Enamels, Coconut Oil-Isophthalic Alkyds for (T) | 1961, 44, 150 |
| Finishes, Water-Dilutable (T) | 1961, 44, 119 |
| Lacquers, Problems in the Use of Organic Pigments for (T) | 1962, 45, 161 |
| Media, Grafted Alkyds for (T) | 1963, 46, 47 |
| Paints, Wetting, Film Formation and Other Problems in Water-Based (T) | 1960, 43, 640 |
| Resins, Water-Soluble (C) | 1959, 42, 648 |

| | |
|--|---------------|
| STRESS Development, The Observation of, in Supported Films (T) | 1963, 46, 331 |
| STRUCTURE Modifiers in Paint, The Function of Aluminium Complexes as (T) .. | 1958, 41, 769 |
| STRUCTURES, The Correlation of Service Behaviour of Paint with Observed Physical Characteristics in Air Drying Paint for (T) | 1961, 44, 649 |
| STUDY in Paint Vehicles, A Part I (T) | 1957, 40, 761 |
| Part II (T) | 1958, 41, 333 |
| Part III (T) | 1959, 42, 848 |
| Part IV (T) | 1960, 43, 46 |
| of Sedimentation in Paints Containing Two Pigments The Use of X-Radiation for (C) | 1964, 47, 44 |
| of the Ransburg No. 2 Electrostatic Coating Process, A (T) | 1963, 46, 301 |
| STYRENATED and Methylmethacrylated Epoxy Ethers—Comparative Tests (T) .. | 1959, 42, 277 |
| -Acrylated Epoxy-DCO Resins for Industrial Coatings (T) | 1960, 43, 350 |
| Alkyds, The Oxidation and Drying Properties of (T) | 1957, 40, 745 |
| SUBSTRATE for Paint Films, Gypsum Plaster as (T) | 1961, 44, 11 |
| The Coating and the (T) | 1961, 44, 787 |
| SULPHIDE Staining Caused by Phenylmercury Compounds in Paints (T) | 1964, 47, 581 |
| Staining of Alkyd Paints (T) | 1959, 42, 452 |
| SUPPORTED Films, The Observation of Stress Development in (T) | 1963, 46, 331 |
| SURFACE Activity: The General Concept and Some Consequences (T) | 1959, 42, 557 |
| Adsorption, Whiting Dispersions, Particle Packing and (T) | 1960, 43, 307 |
| Area of Pigments (T) | 1965, 48, 293 |
| Chemistry, Some Recent Advances in (T) | 1956, 39, 641 |
| Coating of Metals in a Glow Discharge (T) | 1965, 48, 936 |
| Coating Performance, The Use of Mechanical Tests in Predicting (T) .. | 1965, 48, 670 |
| Coatings, Alkali Silicates in (T) | 1965, 48, 897 |
| Coatings in Atomic Energy Installations (T) | 1965, 48, 76 |
| Coatings Industry, Organic Polyisocyanates—Their Use in the (T) .. | 1956, 39, 609 |
| Coatings on Wood, The Wetting, Adhesion and Penetration of (T) .. | 1961, 44, 756 |
| Coatings, Speculations Concerning Organo-Silanes and (T) | 1959, 42, 798 |
| Coatings, The Design of Unsaturated Polyester Resins for (T) | 1961, 44, 42 |
| Coatings, The Difficulties in the Hardness Grading of (T) | 1959, 42, 270 |
| Coatings, The Use of Polyamide Resins in (T) | 1956, 39, 299 |
| Coatings under Service Conditions, A Method for the Measurement of the Adhesion of (T) | 1964, 47, 812 |
| Defects, The Detection and Permanent Recording of (T) | 1957, 40, 684 |
| SURFACTANTS in the Paint and Printing Ink Industries, The Role of (T) | 1962, 45, 28 |
| SURVEY of Polymers in Relation to the Paint, Printing Ink and Allied Industries, A (T) | 1959, 42, 589 |
| SWELLING and Blistering of Paint Films (C) | 1962, 45, 836 |
| Blistering of Paint Layers as an Effect of, by Water (T) | 1964, 47, 31 |
| SYNTHETIC Polymers, The Chemistry of the Deterioration of (T) | 1959, 42, 706 |
| SZEGVARI Attritor, The (T) | 1964, 47, 728 |

T

| | |
|--|---------------|
| TALL Oil Fatty Acids Identification of (T) | 1964, 47, 834 |
| TANNINS, The Protection of Metals with (T) | 1958, 41, 10 |
| TECHNICAL Education (C) | 1964, 47, 246 |
| Education in the Paint Industry (C) | 1961, 44, 809 |
| Exhibition (C) | 1960, 43, 431 |
| Exhibition (C) | 1961, 44, 212 |
| Status of the Paint Industry (T) | 1959, 42, 833 |
| Status of the Paint Industry in Australia, The (C) | 1960, 43, 360 |
| TECHNIQUES Available for Applying Epoxy Powders, The Versatility of (T) .. | 1964, 47, 434 |
| TESTING certain mechanical properties of Lacquer Films, Methods of (T) .. | 1961, 44, 111 |
| TESTS for the Evaluation of Solvents and Diluents (T) | 1958, 41, 587 |
| Mechanical, The Use of, in Predicting Surface Coating Performance (T) .. | 1965, 48, 670 |
| THEORETICAL Aspects of Adhesion (T) | 1965, 48, 509 |
| THERMAL Decomposition of Esters and Polyesters, Notes on the (T) | 1962, 45, 659 |
| Analysis, Differential (C) | 1958, 41, 752 |
| THERMOSETTING Organic Polymers, Water Soluble (T) | 1965, 48, 157 |

| | |
|--|--------------------|
| THICKENERS, Some, The Influence of, on the Rheology of Polyvinyl Acetate Emulsion Paints (T) | 1957, 40, 37 |
| THICKNESS and Conductivity of Liquid Films on the Surface of Polymethyl Methacrylate Spheres Suspended in Aqueous Solutions, The (T) | 1958, 41, 699 |
| Of Thin Films of Viscous Liquids on Matt Solid Surfaces, The Determination of (T) | 1962, 45, 637 |
| THIXOTROPIC Alkyds (T) | 1956, 39, 695 |
| Coefficient, Determination of (T) | 1961, 44, 377 |
| Paint Systems, The Preparation, Properties and Rheological Investigation of (T) | 1958, 41, 42 |
| Paint Systems, The Preparation, Properties and Rheological Investigation of (C) | 1958, 41, 383, 453 |
| THOU (C) | 1962, 45, 785 |
| THOUGHTS on the Education and Administration of Technical Staff (T) | 1961, 44, 264 |
| TIMBER, The Durability of Exterior Clear Finishes for (T) | 1960, 43, 10 |
| TITANIA (C) | 1956, 39, 796 |
| TITANIUM Compounds, Organic (T) | 1960, 43, 555 |
| Dioxide Pigment, The Dispersion of, and the Influence of the Degree of Dispersion on Some Paint Films Properties (T) | 1962, 45, 681 |
| Dioxide Pigmented Paint Films, Some Observations on the Weathering of (T) | 1963, 46, 753 |
| Dioxide Pigments in Alkyd/Amino Resin Systems: The Behaviour of, Part I (T) | 1959, 42, 201 |
| Dioxide Pigments in a Sand Grinder, Performance of (T) | 1960, 43, 737 |
| Dioxide Pigments in High Speed Impeller Dispersion Mills, The Behaviour of (T) | 1961, 44, 188 |
| Dioxide Pigments on Electrocoating, on the Influences of Surface Treatment of (T) | 1965, 48, 837 |
| Dioxide Pigment, The Dispersion of, and the Influence of the Degree of Dispersion on Some Paint Films Properties (C) | 1963, 46, 54 |
| Dioxide, Rutile-type, as a Protective Pigment (T) | 1956, 39, 481 |
| Dioxide, The Influence of Additives and Calcination on the Pigment Properties of Titanium Dioxide, Part I (T) | 1965, 48, 455 |
| Esters of (T) | 1956, 39, 415 |
| Organic Derivatives of, Recent Developments in (T) | 1958, 41, 577 |
| Pigment Surfaces, Some Aspects of the Physical Chemistry of (T) | 1962, 45, 16 |
| Pigment Surfaces, Some Aspects of the Physical Chemistry of (C) | 1962, 45, 221 |
| TOLERANCES in Colour-Matching (T) | 1957, 40, 952 |
| TOXIC Hazards in the Paint Industry (T) | 1957, 40, 337 |
| Paints, The Anti-fouling Influence of Over Adjacent Non-Toxic Areas (T) | 1957, 40, 350 |
| Pigments from Contact Leaching Anti-Fouling Paints, Leaching of (C) | 1964, 47, 554 |
| TOXICITY and the Paint User (T) | 1962, 45, 598 |
| of Solvents (T) | 1958, 41, 569 |
| of Some Cross-Linking Agents (T) | 1959, 42, 694 |
| TRADE-JOURNAL Editor, A (C) | 1956, 39, 483 |
| TRENDS in Organic Pigments (T) | 1960, 43, 124 |
| TRIGLYCERIDE Oils, The Alcoholysis and Acidolysis of (T) | 1961, 44, 497 |
| TROPICAL Exposure Tests, The Behaviour of Alkyd Gloss Paints in (T) | 1962, 45, 803 |
| Testing Cabinet for Fungicidal Anti-Condensation Paints (T) | 1965, 48, |
| TROPICS, Microbiological Attack on Paint Films in the (T) | 1960, 43, 842 |
| Mould Resistant Decorative Paints for the (T) | 1965, 48, 172 |
| TUNG Oil, The Selective Hydrogenation of (T) | 1957, 40, 10 |

U

| | |
|---|---------------|
| ULTRASONICS, A General Note on (T) | 1956, 39, 764 |
| UNREACTED Isocyanate Groups in Cured Polyurethane Lacquers (T) | 1956, 48, 539 |
| Isocyanate Groups in Cured Polyurethane Lacquers (C) | 1965, 48, 882 |
| URANIUM and Its Prevention by Organic Coatings, The Corrosion of (T) | 1965, 48, 233 |
| URETHANE Oils Variations on (T) | 1964, 47, 919 |
| USE of Gas-Liquid Chromatography in the Field of Drying Oils and Oleoresinous Media (T) | 1964, 47, 499 |
| of Heat to Accelerate Drying, The (T) | 1963, 46, 207 |

| | |
|--|---------------|
| USE of Mechanical Tests in Predicting Surface Coating Performance, The (T) .. | 1965, 48, 670 |
| of X-Radiation for the Study of Sedimentation in Paints Containing Two Pigments, The (C) | 1964, 47, 44 |

V

| | |
|--|----------------|
| VARNISH Technology, Reaction Rates in (T) | 1957, 40, 814 |
| VARNISHES and Inks, Lithographic, Influence of Salts and Acids on the Metal-Soap, Catalysed Drying of (T) | 1957, 40, 1013 |
| Based on Liquid Epoxy Resins: An Application of Glycidyl Ether Reactivities, Epoxy Resin (T) | 1960, 43, 419 |
| Paints and Lacquers, The Analysis of (T) | 1958, 41, 203 |
| The Irradiation Resistance of (T) | 1961, 44, 179 |
| VEGETABLE Oils, The Scientific Evaluation of Unfamiliar (T) | 1964, 47, 187 |
| VERSATILITY of Chromatographic Techniques in Their Application to Paint Research (T) | 1964, 47, 475 |
| of Techniques Available for Applying Epoxy Powders (T) | 1964, 47, 434 |
| VINYL Acetate Homopolymers and Copolymers in Emulsion Paints, A Comparison of (T) | 1957, 40, 693 |
| and Acrylic Modified Alkyds, Part I (T) | 1962, 45, 88 |
| and Acrylic Modified Alkyds, Part II (T) | 1963, 46, 127 |
| and Acrylic Modified Alkyds, Part III (T) | 1964, 47, 289 |
| and Acrylic Modified Alkyds, Part IV (T) | 1964, 47, 319 |
| and Acrylic Modified Alkyds, Part V (T) | 1965, 48, 440 |
| Chloride/Vinyl Iso-Butyl Ether Copolymer, Photochemistry of, Part I (T) | 1965, 48, 447 |
| Chloride/Vinyl Iso-Butyl Ether Copolymer, Photochemistry of, Part III (T) | 1965, 48, 1117 |
| Cyclic Acetals and their Air Drying Reactions, The Chemistry of (T) | 1965, 48, 1043 |
| Ethers, Cationic Polymerisation of the (T) | 1957, 40, 810 |
| VIOLIN Varnish (C) | 1959, 42, 363 |
| VISCOMETER, A Rotational, for Thinning Paint Samples (T) | 1958, 41, 599 |
| Recording, A Wide-Range Thin-Film (T) | 1956, 39, 832 |
| VISCOSITIES of Alkyd Solutions, The Calculations of (T) | 1960, 43, 214 |
| of Binary Systems, The Calculation of (T) | 1960, 43, 787 |
| VISCOSITY at High Rates of Shear: A Cone and Plate Attachment for the "I.C.I. Rotothinner", Measurement of (T) | 1965, 48, 150 |
| of Nitro-Cellulose Solutions, Method for Determination of (T) | 1958, 41, 651 |
| Ratiometer with Resinous Materials, CSIRO, The Use of (T) | 1965, 48, 663 |
| VISCOUS Liquids, A Specific Gravity Tube for Highly (C) | 1960, 43, 608 |
| VISUAL Method of Gloss Estimation, A (T) | 1964, 47, 867 |
| VITREOUS Enamel and Epoxide Paint, Compared: Finishes for Heating Appliances (T) | 1957, 40, 478 |
| VOLUMETRIC Determination of Phthalic Anhydride in Alkyd Resins (T) | 1957, 40, 361 |

W

| | |
|---|-------------------------|
| WATER-BASED Coatings, Solventless and, Alkyl Ethers in (T) | 1965, 48, 1025 |
| Industrial Stoving Paints, Wetting, Film Formation and Other Problems in (T) | 1960, 43, 640 |
| WATER, Blistering of Paint Layers as an Effect of Swelling by (T) | 1964, 47, 31 |
| WATER-DILUTABLE Stoving Finishes (T) | 1961, 44, 119 |
| WATER-DISPERSIBLE Alkyds (T) | 1957, 40, 849 |
| WATER Emulsion Paint for Metal Surfaces Especially New Galvanised Steel, Anti-Corrosive (T) | 1960, 43, 140 |
| Soluble Resins in Industrial Finishes, Progress of (T) | 1965, 48, 121 |
| Soluble Stoving Resins (C) | 1959, 42, 648 |
| Soluble Thermosetting Organic Polymers (T) | 1965, 48, 157 |
| Thinable Alkyd Media (T) | 1964, 47, 767 |
| Thinned Full Gloss Paint (C) | 1960, 43, 874 |
| Through a Paint Film, Passage of | 1956, 39, 359, 360, 721 |
| Uptake of Free and Supported Paint and Varnish Films (C) | 1963, 46, 975 |
| Vapour Permeability of Surface Coatings, A Useful Accelerated Test Procedure (T) | 1962, 45, 441 |
| WAX, The Effect of, in Refined Linseed Oil on High-Gloss Enamels (T) | 1957, 40, 24 |

| | |
|--|---------------|
| WEATHERING Characteristics of Zinc Oxide Pigments (T) | 1957, 40, 212 |
| of Paint Films, Accelerated (T) | 1964, 47, 73 |
| of Titanium Dioxide Pigmented Paint Films, Some Observations on the (T) | 1963, 46, 753 |
| WETTING, Adhesion and Penetration of Surface Coatings on Wood, The (T) .. | 1961, 44, 756 |
| Film Formation and Other Problems in Water-Based Industrial Stoving Paints (T) | 1960, 43, 640 |
| WHITE Enamels, The Interior Gloss Retention of (T) | 1965, 48, 52 |
| Lead and Zinc Oxide Paints, Weathering Properties of (T) | 1958, 41, 862 |
| Paints, Spectral Reflectivities of (T) | 1960, 43, 833 |
| WHITING Dispersions, Particle Packing and Surface Adsorption (T) | 1960, 43, 307 |
| WHY not $\mu\text{m}.$? (C) | 1962, 45, 785 |
| WOOD Finishes and Wood Finishing (T) | 1956, 39, 670 |
| Preservation (T) | 1962, 45, 476 |
| Preservative Treatments, A Comparison of the Effect of, on Paint Durability (T) | 1962, 45, 491 |
| The Painting of (T) | 1962, 45, 115 |
| The Wetting, Adhesion and Penetration of Surface Coatings on (T) .. | 1961, 44, 756 |
| WOODS, Australian, The Paint-Holding Properties of (T) | 1957, 40, 306 |
| WORK, Simplification (T) | 1958, 41, 403 |

X

| | |
|---|---------------|
| XEROGRAPHY (T) | 1956, 39, 845 |
| X-RADIATION for the Study of Sedimentation in Paints Containing Two Pigments, The Use of (C) | 1964, 47, 44 |
| in the Study of Paint Settlement, The Use of (T) | 1963, 46, 555 |

Z

| | |
|---|---------------|
| ZINC Chromate, The Effects of Mineral Extenders on Anti-Corrosive Primers Based on (T) | 1964, 47, 799 |
| Dust as a Protective Pigment: Part III (T) | 1961, 44, 417 |
| Dust Primers (T) | 1962, 45, 657 |
| Dust Primer, The natural Accelerated weathering of (T) | 1964, 47, 942 |
| Dust Primers, The Protection of Ferrous Metal by (T) | 1965, 48, 382 |
| Oxide and White Lead Paints, Weathering Properties of (T) | 1958, 41, 862 |
| Oxide, A Reactive Pigment (T) | 1958, 41, 85 |
| Oxide in Ships' Paints: Three Year Marine Exposure Tests (T) | 1958, 41, 653 |
| Oxide Pigments, Weathering Characteristics of (T) | 1957, 40, 212 |
| Sulphide Pigments in Emulsion Paints (C) | 1956, 39, 356 |
| Sulphide, The Exterior Durability of Paints Based on Lithopone and (T) .. | 1961, 44, 835 |

PRINTED BY WATFORD PRINTERS LIMITED
