

**CUMULATIVE
AUTHOR AND SUBJECT INDEXES
VOLUMES 111-120**

Supplied free of charge to the 1976 subscribers of the Journal of Chromatography

JOURNAL OF

CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS



EDITOR, Michael Lederer (Rome)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITORIAL BOARD

W. A. Aue (Halifax)
 V. G. Berezkin (Moscow)
 A. Bevenue (Honolulu, Hawaii)
 P. Boulanger (Lille)
 A. A. Boulton (Saskatoon)
 G. P. Cartoni (Rome)
 K. V. Chmutov (Moscow)
 G. Duyckaerts (Liège)
 L. Fishbein (Jefferson, Ark.)
 A. Frigerio (Milan)
 C. W. Gehrke (Columbia, Mo.)
 E. Gil-Av (Rehovot)
 G. Guiochon (Palaiseau)
 I. M. Hais (Hradec Králové)
 N. G. L. Harding (Cambridge)
 E. Heftmann (Berkeley, Calif.)
 S. Hjertén (Uppsala)
 E. C. Horning (Houston, Texas)
 J. F. K. Huber (Vienna)
 A. T. James (Sharnbrook)
 J. Janák (Brno)
 A. I. M. Keulemans (Eindhoven)
 K. A. Kraus (Oak Ridge, Tenn.)
 E. Lederer (Gif-sur-Yvette)
 A. Liberti (Rome)
 H. M. McNair (Blacksburg, Va.)
 Y. Marcus (Jerusalem)
 G. B. Marini-Bettolo (Rome)
 R. Neher (Basel)
 G. Nickless (Bristol)
 J. Novák (Brno)
 O. Samuelson (Göteborg)
 G.-M. Schwab (Munich)
 G. Semenza (Zürich)
 L. R. Snyder (Tarrytown, N.Y.)
 A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORD. EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

Journal of Chromatography Library

A series of books devoted to chromatographic techniques and their applications. Although complementary to the Journal of Chromatography, each volume in the library series is an important and independent contribution in the field of chromatography. It should be stressed that the library contains no material reprinted from the journal itself.

Volume 1

CHROMATOGRAPHY OF ANTIBIOTICS

by G. H. Wagman and M. J. Weinstein.

1973 ix + 238 pages
Price: US \$26.95 / Dfl. 65.00
ISBN 0-444-41106-2

At the present time thousands of antibiotics are known, yet the systematic chromatographic classification of these substances is extremely difficult. This book has been written to aid the identification of very similar compounds by use of specific chromatographic techniques. It contains detailed data on paper and thin-layer chromatography, electrophoresis, counter-current distribution and gas chromatographic systems for over 1,200 antibiotics and their derivatives, and provides information on chromatographic media, solvents, detection methodology and mobility of the antibiotics. Complete references are given for all methods.

CONTENTS: Chromatographic classification of antibiotics. Detection of antibiotics on chromatograms. Comments on the use of this index. Abbreviations. Index - chromatography of antibiotics. Index by compound.

Volume 2

EXTRACTION CHROMATOGRAPHY

edited by T. Braun and G. Ghersini.

1975 xviii + 566 pages
Price: US \$54.25 / Dfl. 130.00
ISBN 0-444-99878-0

This volume is the result of the col-

lective work of many specialists, each responsible for a chapter in which a definite aspect of column extraction chromatography is thoroughly presented and discussed. Subjects presented include the basic and technical aspects of the method, the organic stationary phases and supports, the separation of elements with particular reference to radiochemical problems, the separation of lanthanides, actinides and fission products, radiotoxicological separations and the pre-concentration of trace elements in various materials prior to their determination.

Author and subject indices are included.

Volume 3

LIQUID COLUMN CHROMATOGRAPHY

A survey of modern techniques and applications.

edited by Z. Deyl, K. Macek and J. Janák.

1975 xxii + 1176 pages
Price: US \$120.95 / Dfl. 290.00
ISBN 0-444-41156-9

This book provides an up-to-date account of liquid column chromatography for the specialist and non-specialist. The main attention is focused on techniques developed or widely used during the past 10 years. Both classical and modern techniques of chromatographic separation are treated in detail, thus providing a clear reflection of the present situation in the field.

The wide selection of applications in various fields of chemistry and biochemistry, written by specialists in the area, makes this volume a necessary

reference work for those involved in chromatographic investigations.

CONTENTS: Theoretical Aspects of Liquid Chromatography. Techniques of Liquid Chromatography. Practice of Liquid Chromatography. Applications. Subject index. List of compounds chromatographed.

Volume 4

DETECTORS IN GAS CHROMATOGRAPHY

by J. Ševčík.

1976 192 pages
Price: US \$24.00 / Dfl. 60.00
ISBN 0-444-99857-8

This publication is devoted to the function and optimal working conditions of gas chromatographic detectors. The first systematic treatment of gas chromatographic detection techniques, it devotes special attention to so-called specific detectors and working conditions which strongly influence results (e.g. gas flow, effect of additives in gases, working temperature, detector form and dimensions). Anomalous detector responses are explained and the form and size of response for various working conditions are indicated. The problems presented are illustrated by experimental data which are summarized in numerous tables and figures. The book should be of interest to all who use gas chromatography in research and who would like to explore the possibilities and working conditions of different detector systems.

Prices are subject to change without prior notice.

Distributed in the U.S.A. and Canada by:
American Elsevier Publishing Company, Inc.,
52 Vanderbilt Ave., New York, N.Y. 10017

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
P.O. Box 211, Amsterdam, The Netherlands



JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

Volumes 111–120

PUBLISHER'S NOTE

This issue of the Journal of Chromatography contains cumulative author and subject indexes covering volumes 111–120. In each entry, the volume number is placed in parentheses before the page number. The correspondence between volume number and year of publication is indicated as follows:

<i>Volume No.</i>	<i>Year</i>
111–115	1975
116–120	1976

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY,
ELECTROPHORESIS AND RELATED METHODS

Cumulative Author and Subject Indexes Volumes 111-120 (1975-1976)

EDITOR

MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITORIAL BOARD

W.A. Aue (Halifax), V.G. Berezkin (Moscow), A. Bevenue (Honolulu, Hawaii), P. Boulanger (Lille), A.A. Boulton (Saskatoon), C.P. Cartoni (Rome), K.V. Chmutov (Moscow), G. Duyckaerts (Liège), L. Fishbein (Jefferson, Ark.), A. Frigerio (Milan), C.W. Gehrke (Columbia, Mo.), E. Gil-Av (Rehovot), G. Guiochon (Palaiseau), I.M. Hais (Hradec Králové), N.G.L. Harding (Cambridge), E. Heftmann (Berkeley, Calif.), S. Hjertén (Uppsala), E.C. Horning (Houston, Texas), J.F.K. Huber (Vienna), A.T. James (Sharnbrook), J. Janák (Brno), A.I.M. Keulemans (Eindhoven), K.A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette), A. Liberti (Rome), H.M. McNair (Blacksburg, Va.), Y. Marcus (Jerusalem), G.B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), O. Samuelson (Göteborg), G.-M. Schwab (Munich), G. Semenza (Zürich), L.R. Snyder (Tarrytown, N.Y.), A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORDINATING EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

1976

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY – 1976

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to the publisher and is also understood to imply that the article is not being considered for publication elsewhere.

Printed in The Netherlands

AUTHOR INDEX
VOLUMES 111–120

A

- Abdeddaim, K.
 ----, Belabbes, R. and Vergnaud, J.-M.
 Chromatographic utilisant simultanément la programmation de la température et l'inversion du sens du gaz vecteur. Influence des paramètres (111) 253
- Adam, M., see Vytáček, R. (119) 549
- Adam, S.
 ---- and Jennings, W.G.
 Gas chromatographic separation of silylated derivatives of disaccharide mixtures on open tubular glass capillary columns (115) 218
- Agarwal, N.
 ---- and Mital, R.L.
 Thin-layer chromatography of some new angular heterocyclics (115) 264
- Agarwal, N.L.
 ---- and Mital, R.L.
 Thin-layer chromatographic separation and differentiation of some nuclear acetamides (120) 213
- Aguell, S., see Fonseka, K. (120) 343
- Aitzetmüller, K.
 The liquid chromatography of lipids, A critical review (review) (113) 231
- Akiyama, J.
 ---- and Mizuno, T.
 Sensitivity of a newly designed potential gradient detector for isotachopheresis (119) 605
- Al-Babbili, O., see Liebich, H.M. (112) 539
- Albaigés, J., see Firpo, G. (117) 105
 ----, see Guardino, X. (118) 13
- Albaugh, E.W.
 High-performance liquid chromatographic data (111) 250
- Ambrosius, D., see Klimisch, H.-J. (120) 299
- Amico, V.
 ----, Oriente G. and Tringali, C.
 Quantitative gas liquid chromatography of non-protein amino acids (116) 439
- Amin, M.
 ---- and Sepp, W.
 Quantitative thin-layer chromatographic analysis of ergotamine tartrate and caffeine in the nanogram range (118) 225
- Amneus, H.
 ----, Gabel, D. and Kasche, V.
 Resolution in affinity chromatography. The effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391
- Anderson, E., see Bertsch, W. (112) 701
- Anderson, G.L., see Kauffman, G.B. (114) 465, (117) 455
- Ando, T., see Fujimura, K. (114) 15
- Andrawes, F.
 ----, Brazell, R., Parr, W. and Zlatkis, A.
 Methionine dipeptide stationary phases for the resolution of enantiomers (112) 197
 ----, see Zlatkis, A. (112) 533
- Angeles, R.M., see Freeman, D.H. (118) 157
- Anisimov, A.F.
 ----, Berezkin, V.G., Zhuravleva, M.A., Lipavsky, V.N., Markelov, V.F. and Shkolina L.A.
 Investigation of pre-column sample dilution in chromatographic systems with packed capillary columns (111) 409
- Arlinger, L.
 Preparative capillary isotachopheresis. Principle and some applications (119) 9
- Arustamova, L.G., see Sultanov, N.T. (115) 553
- Arx, E. von, see Von Arx, E. (120) 224
- Ashes, J.R.
 ---- and Haken, J.K.
 Gas chromatography of homologous esters. IX. Structure-retention increments of unsaturated esters (111) 171
 ---- and Haken, J.K.
 Extension to the scheme of Rohrschneider. II. Substance polarity factors of the homologous esters (118) 183
- Asmus, P.A.
 ----, Low, C.-F. and Novotný, M.
 Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. I. Strong anion-exchanger (119) 25
- Asshauser, J., see Halász, I. (112) 37

Aue, W.A.

----, Daniewski, M.M., Pickett, E.E. and McCullough, P.R.

Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37

----, Hastings Vogt, C.R. and Younker, D.R.

A gas chromatographic cartridge desorption port (114) 184

---- and Kapila, S.

Hypercolometric response in a d.c. electron capture detector (112) 247

----, see Kapila, S. (118) 233

Audino, J., see Kawano, Y. (115) 289

B

- Baars, A.J.
 ---, Vermeulen, R.J. and Breimer, D.D.
 Gas chromatographic determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217
- Bachman, A., see Vestergaard, P. (111) 75
- Back, M.H., see Scacchi, G. (114) 255
- Baerheim Svendsen, A., see Scheffer, J.J.C. (115) 607
- , see Verpoorte, R. (120) 203
- Bailey, D.G.
 ---, Wilson, T.W. and Johnson, G.E.
 A gas chromatographic method for measuring 6-mercaptopurine in serum (111) 305
- Bajaj, K.L.
 --- and Bhatia, M.S.
 Structure-specific reagents for the detection of phenolic compounds (117) 445
- Baker, K.M.
 --- and Boyce, G.E.
 The qualitative and quantitative determination of toluenesulphonic acid isomers (117) 471
- Balinova, A.
 Thin-layer chromatographic detection of some systemic fungicides and their metabolites (111) 197
- Balzoni, M., see Ossicini, L. (117) 464
- Bandyopadhyay, G.K.
 --- and Dutta, J.
 Separation of methyl esters of polyunsaturated fatty acids by argentation thin-layer chromatography (114) 280
- Bandyopadhyay, P.K., see Ghosh, A.K. (117) 29
- Bannard, R.A.B., see Bovenkamp, J.W. (118) 345
- Bardou, L., see Berthou, F. (118) 135
- Bárkai, J., see Bojti, E. (119) 321
- Bartley, D.A., see Ottenstein, D.M. (119) 401
- Batten, C.F., see Wentworth, W.F. (112) 229
- Battilotti, M., see Lederer, M. (114) 488
- Baty, J.D., see Chan, K. (120) 349
- Baydarovtseva, M.A., see Rudenko, B.A. (112) 373
- Bebris, N.K.
 ---, Vorobieva, R.G. Kiselev, A.V., Nikitin, Yu.S., Tarasova, L.V., Frolov, I.I. and Yashin, Ya.I.
 Liquid chromatography on macroporous silica modified by layers of carbon and weakly polar polymers (117) 257
- Beitler, U., see Charles, R. (112) 121
- Békési, L., see Szentirmay, Zs. (119) 333
- Belabbes, R., see Abdeddaim, K. (111) 253
- , Le Parlouër, P. and Vergnaud, J.-M.
 Chromatographie en phase gazeuse avec "backflushing" et avec programmation du gradient longitudinal positif de température durant l'inversion du sens du gaz vecteur (120) 81
- Belvedere, G.
 ---, Burti, L., Frigerio, A. and Pantarotto, C.
 Gas chromatographic-mass fragmentographic determination of "steady-state" plasma levels of imipramine and desipramine in chronically treated patients (111) 313
- , Frigerio, A. and Pantarotto, C.
 Gas chromatographic-mass fragmentographic determination of trazodone in rat plasma (112) 631
- , Pachecka, J., Cantoni, L., Mussini, E. and Salmons, M.
 A specific gas chromatographic method for the determination of microsomal styrene monooxygenase and styrene epoxide hydratase activities (118) 387
- Benedetto, S., see Mondino, A. (117) 236
- Berezkin, V.G., see Anisimov, A.F. (111) 409
- and Gavrichev, V.S.
 Retention of hydrocarbons on gas chromatographic sorbents containing an organo-clay (116) 9
- , Loschilova, V.D. and Pankov, A.G.
 Development of a combined partition-chromatographic method (112) 353
- and Shkolina, L.A.
 Ammonia as a carrier gas and flame-forming agent in gas chromatography (119) 33
- Berg, J.H.M. van den, see Deelder, R.S. (119) 99

- Berlet, H.H., see Völkl, A. (115) 485
- Bernard, D.M.
 ---- and Vercauteren, R.E.
 A fluorogenic spray for the detection of phospholipids on thin-layer chromatograms (120) 211
- Bernát, I., see Lombosi, T.S. (119) 307
- Bernát, Zs. sz., see Lombosi, T.S. (119) 307
- Berry, D.J.
 Gas chromatographic analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (feprazone) at therapeutic levels in human plasma (114) 159
- Berthou, F.
 ----, Picart, D., Bardou, L. and Floch, H.H.
 Separation of C₁₉ and C₂₁ dihydroxy-steroids by open-hole tubular glass columns and lipophilic gel chromatography (118) 135
- Bertilsson, L.
 ---- and Costa, E.
 Mass fragmentographic quantitation of glutamic acid and γ -aminobutyric acid in cerebellar nuclei and sympathetic ganglia of rats (118) 395
- Bertol, E.
 ----, Mari, F. and Froidi, R.
 Détection de l'ibogaïne dans les liquides organiques (117) 239
- Bertoni, G., see Bruner, F. (120) 200, 307
- Bertsch, W.
 ----, Anderson, E. and Holzer, G.
 Trace analysis of organic volatiles in water by gas chromatography-mass spectrometry with glass capillary columns (112) 701
- Bethke, H., see Gübitz, G. (117) 337
- Betina, V., see Ďuračková, Z. (116) 141, 155
- Bevens, J., see Verachtert, H. (117) 295
- Bhardwaj, T.R., see Singh, H. (114) 270
- Bhatia, M.S., see Bajaj, K.L. (117) 445
- Bhattacharjee, A.
 ---- and Bhaumik, A.
 Rubidium benzenesulphonate as a stationary phase in the gas chromatography and separation of isomers of phenols and pyridine bases (115) 250
- Bhaumik, A., see Bhattacharjee, A. (115) 250
 ----, see Guha, O.K. (119) 181
- Bianchetti, G., see Vereczkey, L. (116) 451
- Biemann, K., see Wong, L.K. (116) 321
- Bier, M., see Kopwille, A. (118) 35
- Biller, E., see Schindlbauer, H. (115) 311
- Billiar, R.B., see Castracane, V.D. (115) 244
- Bishara, R.H.
 ---- and Jakovljevic, I.M.
 Thin-layer chromatography of cinoxacin and some related compounds (116) 485
- Black, C., see Ruh, M.F. (116) 480
- Blagrove, R.J., see Frenkel, M.J. (111) 397
- Blakency, A., see Holmes, M.G. (115) 652
- Blank, C.L.
 Dual electrochemical detector for liquid chromatography (117) 35
- Blomberg, L.
 Deactivation of glass capillary columns for gas chromatography (115) 365
- Bloom, P.J.
 Application des chromatographies sur couche mince et gaz liquide à l'analyse qualitative et quantitative des esters des acides aliphatiques dicarboxyliques (115) 571
- Blu, G., see Martin, M. (112) 399
- Blum, K., see Wallace, J.F. (114) 433
- Bobeyko, W., see Wilkomirski, B. (116) 482
- Bobotas, G., see Fiala, E.S. (117) 181
- Boček, P.
 ----, Lekova, K., Deml, M. and Janák, J.
 Separation of some typical Krebs cycle acids by high-speed isotachopheresis (117) 97
- Bocquet, J.F.
 ---- and Pommier, C.
 Utilisation des cristaux liquides comme phases stationnaires en chromatographie gaz-liquide. I. Thermodynamique des solutions de décane dans le 4,4'-dihydroxyazoxybenzène (117) 315
- Bodrogi, L., see Fehér, T. (111) 125
- Bojti, E.
 ----, Mihók, M., Borbély, I., Bártai, J.
 General contribution to the theory of retention index systems in gas-liquid chromatography. II. Additivity of gas chromatographic interactions expressed by retention indices (119) 321
- Bombardelli, E.
 ----, Bonati, A., Gabetta, B., Martinelli, E.M., Mustich, G. and Danieli, B.
 Gas-liquid chromatographic and mass spectrometric identification of anthocyanidins (120) 115
- Bonastre, J., see Grenier-Loustalot, M.F. (118) 1
- Bonati, A., see Bombardelli, E. (120) 115
- Borbély, I., see Bojti, E. (119) 321
- Borisov, V.N., see Ioffe, B.V. (112) 311

- Bortnikov, G.N.
 ---, Gorbunova, L.V., Kiselev, A.V.,
 Makarenko, N.P., Mamysheva, O.N. and
 Yashin, Ya.I.
 Study of the oxidation products of phenol-
 silicon compounds by molecular liquid
 chromatography (116) 169
- Bossche, W. van den, see Crombez, E. (117) 161
- Botha, D., see Serfontein, W.J. (115) 507
- Boulton, A.A.
 ---, Gietz, W. and Pollak, V.
 An experimental high-performance photo-
 densitometer for quantitative chromatogra-
 phy. II. Preliminary assessment (paper) (115)
 349
 ---, see Hui, K.S. (115) 581
 ---, see Pollak, V. (115) 335
- Bournot, P.
 ---, Prost, M. and Maume, B.F.
 Separation and characterization of the re-
 duced metabolites of the 18-hydroxydeoxy-
 corticosterone hormone by gas-liquid chro-
 matography-mass spectrometry. Occurrence
 of stereoisomeric forms in rat adrenals and
 liver (112) 617
- Bovenkamp, J.W.
 ---, Moir, R.Y., Casselman, A.A. and Ban-
 nard, R.A.B.
 Gas-liquid chromatography of several
 families of isomeric 1,2,3-trisubstituted
 cyclohexanols and cyclopentanols and their
 acetates (118) 345
- Boyce, G.E., see Baker, K.M. (117) 471
- Brain, K.R., see Lines, D.S. (117) 59
- Brazell, R., see Andrawes, F. (112) 197
- Brechbühler, S., see Degen, P.H. (118) 363
 ---, see Jack, D.B. (115) 87
- Breimer, D.D., see Baars, A.J. (120) 217
- Brennan, P.J., see Hackett, J.A. (117) 436
- Breter, H.-J.
 ---, Seibert, G. and Zahn, R.K.
 The use of high-pressure liquid cation-ex-
 change chromatography for determination
 of the 5-methylcytosine content of DNA
 (118) 242
- Breyer, U.
 --- and Villumsen, D.
 Thin-layer chromatographic determination
 of barbiturates and phenytoin in serum and
 blood (115) 493
- Brinkman, U.A.Th.
 ---, Seetz, J.W.F.L. and Reymer, H.G.M.
 High-speed liquid chromatography of poly-
 chlorinated biphenyls and related compound
 (116) 353
- , Van Schaik, T.A.M., De Vries, G. and
 De Visser, A.C.
 Analysis and purification of 2-hydroxyethyl
 methacrylate by means of thin-layer chro-
 matography (115) 195
- Bronsgest, J.M., see Tuinstra, L.G.M.Th.
 (111) 448
- Brooks, C.J.W., see Edmonds, C.G. (116) 173
 --- and Smith, A.G.
 Cholesterol oxidase. Further studies of sub-
 strate specificity in relation to the analytical
 characterisation of steroids (112) 499
- Brown, J.H.
 ---, Walker, S., Casto, L. and Howell, R.R.
 Computerized data analysis of amino acids
 in physiologic fluids (116) 293
- Brown, P.R., see Hartwick, R.A. (112) 651
- Bruening, W.
 --- and Concha, F.J.M.
 Selective detector for gas chromatography
 based on the chemiluminescence of ozone
 reactions (112) 253
- Brugger, M., see Von Arx, E. (120) 224
- Bruner, F.
 ---, Bertoni, G. and Ciccioli, P.
 Comparison of physical and gas chromato-
 graphic properties of Sterling FT and
 Carbo-pack C graphitized carbon blacks
 (120) 307
- , Ciccioli, P. and Bertoni, G.
 Analysis of sulphur compounds in environ-
 mental samples with specific detection and
 selective columns (120) 200
- Budd, R., see Jain, N.C. (116) 194
- Budd, R.D., see Jain, N.C. (115) 519
- Büchert, A.
 --- and Løkke, H.
 Gas chromatographic-mass spectrometric
 identification of phenylurea herbicides
 after N-methylation (115) 682
- Buonocore, V.
 ---, Poerio, E., Gramenzi, F. and Silano, V.
 Affinity column purification of amylases
 on protein inhibitors from wheat kernel
 (114) 109
- Burns, D.T.
 ---, Stretton, R.J. and Jayatilake, S.D.A.K.
 Pyrolysis gas chromatography as an aid to
 the identification of *Penicillium* species
 (116) 107
- Burt, R.J.
 ---, Ridge, B. and Rydon, H.N.
 4,4'-Bis(dimethylaminodiphenylcarbinol),
 a sensitive spray reagent for the detection
 of thiols and carboxylic acids (118) 240

Burti, L., see Belvedere, G. (111) 313

Busbice, M.E.

--- and Wankat, P.C.

pH Cycling zone separation of sugars. A preparative separation technique for counter-current distribution and chromatography (114) 369

Buser, H.-R.

Polychlorinated dibenzo-*p*-dioxins. Separation and identification of isomers by gas chromatography-mass spectrometry (114) 95

Bush, L.P.

--- and Jefferson, J.A.D.

Isolation and separation of tall fescue and ryegrass alkaloids (111) 165

Butaeva, I.L., see Vitenberg, A.G. (112) 319

Buttler, G.W., see Ross, W.D. (112) 719

Bye, A.

--- and Land, G.

Determination of 3-(5-tetrazolyl) thioxanthone 10,10-dioxide in human plasma, urine and faeces (115) 93

C

- Cadet, J.
 --- and T'coule, R.
 Séparation des quatre diastéréoisomères de l'hydroxy-6-dihydro-5,6-thymidine formés par radiolyse γ de la thymidine en solution aqueuse désaérée (115) 191
- Caissie, G.E.
 --- and Mallet, V.N.
 The fluorometric detection of pesticides on aluminium oxide layers (117) 129
- Caldes, G.
 --- and Prescott, B.
 A simple method for the detection and determination of trehalose by spot elution paper chromatography (111) 466
- Caletka, R.
 ---, Tympl, M. and Kotas, P.
 Sorption properties of iron(II) sulphide prepared by the sol-gel method (111) 93
- Callmer, K.
 Separation and quantitative determination of trimethylolpropane and pentaerythritols in industrial synthesis solutions by high-performance liquid chromatography (115) 397
- Calvey, T.N., see Chan, K. (120) 349
- Camara, S.A., see Valle, L.B.S. (115) 183
- Campillo, J.P. see Grenier-Loustalot, M.F. (118) 1
- Cano, J.P., see Viala, A. (111) 299
- Cantoni, L., see Belvedere, G. (118) 387
- Carbó, R., see Firpo, G. (117) 105
- Cardinaud, R.
 --- and Holguin, J.
 Thin-layer chromatography of purine and pyrimidine bases and deoxyribonucleoside analogues. II. (115) 673
- Casselman, A.A., see Bovenkamp, J.W. (118) 345
- Cassidy, R.M.
 A selective method for elemental sulfur analysis by high-speed liquid chromatography (117) 71
- Castello, G.
 --- and D'Amato, G.
 Influence of vapour pressure, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249
- Castells, R.C.
 The determination of solution and adsorption enthalpies in systems with mixed mechanisms (111) 1
- Castiglioni, M., see Volpe, P. (114) 23
- Castle, M.C.
 Isolation and quantitation of picomole quantities of digoxin, digitoxin and their metabolites by high-pressure liquid chromatography (115) 437
- Casto, L., see Brown, J.H. (116) 293
- Castracane, V.D.
 ---, Rahman, S.S. and Billiar, R.B.
 Separation of 5 α -pregnan-3,20-dione and progesterone on Sephadex LH-20 (115) 244
- Cavallini, D., see De Marco, C. (114) 291
- Celli, C., see Ossicini, L. (115) 655
- Chamberlain, A.T.
 A simple method for rapid alkali flame ionisation detector optimisation (116) 180
- Champagnon, F.
 Chromatographie d'affinité de l'anhydrase carbonique végétale (120) 489
- Chan, K.
 ---, Williams, N.F., Baty, J.D. and Calvey, T.N.
 A quantitative gas-liquid chromatographic method for the determination of neostigmine and pyridostigmine in human plasma (120) 349
- Chang, J.Y.
 --- and Creaser, F.H.
 Separation of 4-N,N-dimethylaminoazobenzene-4'-sulfonyl amino acids on polyamide sheets (116) 215
- Chang, S.H.
 ---, Gooding, K.M. and Regnier, F.F.
 Use of oxiranes in the preparation of bonded phase supports (120) 321
- Charles, R.
 ---, Beitler, U., Feibush, B. and Gil-Av, E.
 Separation of enantiomers on packed columns containing optically active diamide phases (112) 121

- Chawla, H.M.
 ---, Chibber, S.S. and Khera, U.
 Separation and identification of some hydroxyxanthenes by thin-layer chromatography (111) 246
- Chen, P.N., see Kingston, D.G.I. (118) 414
- Chibber, S.S., see Chawla, H.M. (111) 246
- Chimiak, A.
 --- and Pofoński, T.
 Thin-layer chromatographic separation of diaminodicarboxylic acid stereoisomers and their dansyl derivatives (115) 635
- Chinn, D., see Jain, N.C. (116) 194
- Chizhkov, V.P.
 ---, Yushina, G.A., Sinitzina, L.A. and Rudenko, B.A.
 Preparative-scale circulation gas chromatography, Comparison of long packed columns with columns incorporated into circulation schemes (120) 35
- Chmel, K.
 --- and Chmelová-Hlavatá, V.
 Verwendung der TAS-Methode zur Analyse der Droge Cortex Chinae (118) 276
- Chmelová-Hlavatá, V., see Chmel, K. (118) 276
- Chmutov, K.V., see Kalinichev, A.I. (120) 249
- Choudhary, V.R.
 --- and Menon, P.G.
 Gas chromatographic determination of effective diffusivities and heats of adsorption of C₅-C₈ hydrocarbons on a commercial platinum-alumina reforming catalyst (116) 431
- Chow, C.D.
 Styragel as packing for aqueous permeation chromatography (114) 486
- Chrastil, J.
 A method for detecting free phenolic groups and indole derivatives in thin-layer or paper chromatography (115) 273
- Christie, J.
 ---, White, M.W. and Wiles, J.M.
 A chromatographic method for the detection of LSD in biological fluids (120) 496
- Chu, S.-Y.
 --- and Sennello, L.T.
 High-pressure liquid chromatographic determination of 2-aminoethyl hydrogen sulfate in plasma and urine (117) 415
- Chundela, B.
 --- and Šlechtová, R.
 Excretion of methoxyphenamine and its metabolites in urine (119) 609
- Churáček, J., see Jandera, P. (115) 9
 ---, Komárek, K. and Komárková, H.
 Eine einfache Apparaturvorrichtung für Reaktionsgaschromatographie (119) 613
 ---, see Komárková, H. (119) 243
- Ciccioli, P., see Bruner, F. (120) 200, 307
- Ciszewska, M., see Soczewiński, E. (111) 21
- Ciubotariu, D., see Schulz, P. (111) 430
- Clarke, B.J., see Kagi, D.A. (115) 79
- Clercq, H. de, see De Clercq, H. (115) 1
- Clerk, K. de, see Cloete, C.E. (120) 1, 17, 29
- Cloete, C.E.
 ---, Smuts, T.W. and De Clerk, K.
 The gas chromatographic determination of binary diffusion coefficients. I. A theoretical design study (120) 1
 ---, Smuts, T.W. and De Clerk, K.
 The gas chromatographic determination of binary diffusion coefficients. II. An experimental evaluation (120) 17
 ---, Smuts, T.W. and De Clerk, K.
 The chromatographic determination of the parameters in the Lennard-Jones 12-6 potential (120) 29
- Cockerill, A.F.
 ---, Mallen, D.N.B., Osborne, D.J. and Prime, D.M.
 Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative (114) 151
- Colin, H.
 ---, Eon, C. and Guiochon, G.
 Modified carbon black in high-performance liquid chromatography (119) 41
- Čollák, M., see Krupčík, J. (119) 271
- Colombo, A., see Pinelli, A. (118) 236
- Comba, M.E., see Onuska, F.I. (119) 385
- Comins, N.R., see Schiege, J.D. (112) 97, (114) 190, (115) 373
- Concha, F.J.M., see Bruening, W. (112) 253
- Conradi, E., see Walle, T. (114) 351
- Conway, W.D.
 --- and Melethil, S.
 A gas chromatographic assay for probenecid and its metabolites in biological fluids (115) 222
- Corcia, A. Di, see Di Corcia, A. (117) 199
- Cornell, J.H., see Merritt, Jr., C. (112) 301
- Cossu, P., see De Marco, C. (114) 291, (115) 621
 ---, see Rinaldi, A. (120) 221
- Costa, E., see Bertilsson, L. (118) 395
- Costello, C.E., see Wong, L.K. (116) 321

- Čoupek, J., see Lukáš, J. (114) 335
 ---, see Mikeš, O. (119) 339
 ---, Pokorný, S., Mareš, E., Žežulková, L., Luan, N.-T. and Pokorný, J.
 Comparison of chromatographic methods for the analysis of glycerol esters (120) 411
 ---, see Vytáček, R. (119) 549
- Cox, G.B.
 Determination of 2-mercaptobenzothiazole in waste dump effluent by high-pressure liquid chromatography (116) 244
 ---, Loscombe, C.R., Slucutt, M.J., Sugden, K. and Upfield, J.A.
 The preparation, properties and some applications of bonded ion-exchange packings based on microparticulate silica gel for high-performance liquid chromatography (117) 269
- Cram, S.P.
 --- and Glenn, Jr., T.H.
 Instrumental contributions to band broadening in gas chromatography. I. Development of a model (112) 329
 --- and Glenn, Jr., T.H.
 Instrumental contributions to band broadening in gas chromatography. II. Experimental evaluation (119) 55
- Cramers, C.A.
 --- and Trimbos, H.F.
 Development of an on-line analyzer for organic anaesthetics in inspiratory and end-tidal gases (119) 71
- Crathorne, B.
 ---, Edwards, M.W., Jones, N.R., Walters, C.L. and Woolford, G.
 Use of isomers in the detection and estimation of volatile nitrosamines by combined high-resolution mass spectrometry-gas chromatography (115) 213
- Creaser, E.H., see Chang, J.Y. (116) 215
- Cremer, E.
 ---, Deutscher, F., Fill, P. and Kramer, R.
 Die Dicke der mobilen Phase bei der Dünnschichtchromatographie (119) 85
- Crist, H.L.
 --- and Moseman, R.F.
 Improved recovery of hexachlorobenzene in adipose tissue with a modified micro multiresidue procedure (117) 143
- Cristalli, A.
 --- and Grassini Strazza, G.
 A comparison of several silica gel pre-coated thin layers for the separation of some cobalt-(III) complexes (111) 452
- Crombez, E.
 ---, Van den Bossche, W. and De Moerloose, P.
 Gas chromatographic determination of camylofine dihydrochloride in tablets and suppositories (117) 161
- Cuddeback, R.M., see Kopwille, A. (118) 35
- Cunliffe, W.J., see Edwards, J.C. (115) 283
- Curtius, H. Ch.
 ---, Wolfensberger, M., Redweik, U., Leimbacher, W., Maibach, R.A. and Isler, W.
 Mass fragmentography of 5-hydroxytryptophol and 5-methoxytryptophol in human cerebrospinal fluid (112) 523
- Czajkowska, T.
 --- and Waksmundzki, A.
 The properties of binary stationary phases in gas-liquid partition chromatography. Complex association systems (119) 91

D

- Dahle, H.K., see Skaare, J.U. (111) 426
- Dalmaz, Y.
 ---- and Peyrin, L.
 Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyl-dopamine (116) 379
- D'Amato, G., see Castello, G. (116) 249
- Damm, K.H., see Züllich, G. (115) 117
- Danieli, B., see Bombardelli, E. (120) 115
- Daniewski, M.M., see Auc, W.A. (111) 37
- Danne, U., see Michael, G. (118) 104
- Darby, F.J., see Pryde, A. (115) 107
- Darvill, A.G.
 ----, Roberts, D.P. and Hall, M.A.
 Improved gas-liquid chromatographic separation of methylated acetylated alditols (115) 319
- Das, G., see Runeckles, V.C. (115) 240
- Datar, A.G.
 ---- and Ramanathan, P.S.
 Physico-chemical and gas-solid chromatographic evaluation of surface-modified silica gels (114) 29
- Davé, B.A.
 ----, Vaughn, R.H. and Patel, I.B.
 Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395
- David, G.S., see Wang, R. (114) 223
- Davies, A.C.M.
 The application of chromatographic data to commodity source identification (115) 293
- Davis, B.A., see Hui, K.S. (115) 581
- Davy, K.W.M.,
 ---- and Morris, C.J.O.R.
 Applications of gas-liquid chromatography in protein chemistry. Determination of C-terminal sequences on nanomolar amounts of proteins (116) 305
- De Clercq, H.
 ---- and Massart, D.L.
 Evaluation and selection of optimal solvents and solvent combinations in thin-layer chromatography. Application of the method to basis drugs (115) 1
- De Clerk, K., see Cloete, C.E. (120) 1, 17, 29
- Deelder, R.S.
 ----, Ramaekers, J.J.M., Van den Berg, J.H.M. and Wetzels, M.L.
 Study of the efficiency of support-coated open-tubular columns for steroid analysis (119) 99
- Dees, S.B., see Moss, C.W. (112) 595
- Degen, P.H.
 ----, Brechbühler, S., Schäublin, J. and Riess, W.
 The determination of phanquone in biological material by gas-liquid chromatography (118) 363
 ----, see Geiger, U.P. (111) 293
 ----, see Jack, D.B. (115) 87
 ---- and Riess, W.
 The determination of γ -amino- β -(*p*-chlorophenyl) butyric acid (balcofen) in biological material by gas-liquid chromatography (117) 399
 ----, Schneider, W., Vuillard, P., Geiger, U.P. and Riess, W.
 The determination of cloquinol in biological materials by extractive alkylation and gas-liquid chromatography (117) 407
- Deguchi, T.
 Gel chromatographic behaviour of EDTA complexes on Sephadex columns (120) 159
- Dehennin, L.
 ---- and Scholler, R.
 A new derivative for the gas-liquid chromatography with electron capture detection of steroidal secondary alcohols (111) 238
- Del Giudice, M.R., see Settimj, G. (116) 263
- De Ligny, C.L.
 ----, Koole, N.J., Nelson, H.D. and Nieuwdorp, G.H.E.
 Determination of complex association constants from gas chromatographic data. III. Hydrogen bonding between substituted alcohols and some hexadecyl derivatives and dioctyl compounds (114) 63

- De Marco, C.
 ---, Cossu, P., Rinaldi, A. and Dernini, S.
 Ion-exchange chromatography of some
 selenodiamines (115) 621
 ---, see Rinaldi, A. (120) 221
 ---, Rinaldi, A., Dernini, S., Cossu, P. and
 Cavallini, D.
 Chromatographic separation of lysine, thia-
 lysine and selenalysine (114) 291
- Dembitzky, V.M., see Vaskovsky, V.E. (115)
 645
- Deming, S.N., see Morgan, S.L. (112) 267
- Deml, M., see Boček, P. (117) 97
- De Moerloose, P., see Crombez, E. (117) 161
- Den, H.
 ---, Malinzak, D.A. and Rosenberg, A.
 Cytotoxic contaminants in commercial
Clostridium perfringens neuraminidase pre-
 parations purified by affinity chromato-
 graphy (111) 217
- De Pace, A., see Verebey, K. (118) 331
- Dernini, S., see De Marco, C. (114) 291, (115)
 621
- Desideri, P.G., see Lepri, L. (116) 131
- De Silva, J.A.F., see Puglisi, C.V. (118) 371,
 (120) 457
- Deur-Šiftar, D., see Ramljak, Z. (119) 445
- Deutscher, F., see Cremer, E. (119) 85
- De Villiers, L.S., see Serfontein, W.J. (115)
 507
- De Visser, A.C., see Brinkman, U.A.Th. (115)
 195
- De Vries, G., see Brinkman, U.A.Th. (115) 195
- Dey, A.K., see Yadava, P.C. (119) 563
- Deyl, Z., see Vytáček, R. (119) 549
- De Zeeuw, R.A., see Westenberg, H.G.M. (118)
 217
- Di Corcia, A.
 --- Samperi, R.
 Gas chromatographic separation at 50° of C₄
 and C₅ hydrocarbons (117) 199
- Dieckmann, K.-P., see Langenbeck, U. (115)
 65
- Dimitrov, Chr., see Petsev, N.D. (114) 204
- Dimitrova, Z.St., see Vitenberg, A.G. (112) 319
- Dimov, N.
 Qualitative gas chromatographic analysis and
 determination of solute properties. An exact
 equation for the calculation of the retention
 indices of isoalkanes on squalance (119) 109
- Dineen, R.W.
 --- and Grey, D.O.
 Paper chromatography of the ethyl esters of
 aspartic acid (111) 248
- Dinya, Z., see Toth-Martinez, B.L. (115) 205
- DiPietro, C., see Merritt, Jr., C. (112) 301
- Di Simone, L., see Settini, G. (116) 263
- Di Tullio, G., see Long, M. (117) 305
- Dobson, Jr., J.G., see Trifilo, R.M. (116) 465
- Dolanský, V., see Popl., M. (117) 117
- Donike, M.
 Control of trimethylsilylation potential and
 trimethylsilylation capacity by the use of
 colour indicators (115) 591
- Donnahey, P.L., see Rees, H.H. (116) 281
- Doyle, J.F., see Schwartz, R.D. (112) 111
- Drevenkar, V., see Reinhard, M. (116) 43
- Drozd, J.
 Chemical derivatization in gas chromatogra-
 phy (review) (113) 303
- Duffy, T.G., see Ross, W.D. (112) 719
- Žuračková, Z.
 ---, Betina, V. and Nemeč, P.
 Systematic analysis of mycotoxins by thin-
 layer chromatography (116) 141
 ---, Betina, V. and Nemeč, P.
 Bioautographic detection of mycotoxins on
 thin-layer chromatograms (116) 155
- Durand, A., see Viala, A. (111) 299
- Durand, M.H., see Lafosse, M. (118) 283
- Durst, H.D., see Grushka, E. (112) 673
- Dutta, J., see Bandyapadhyay, G.K. (114) 280
- Dwight, D.J.
 ---, Lorch, E.A. and Lovelock, J.F.
 Iron-55 as an Auger electron emitter. Novel
 source for gas chromatography detectors
 (116) 257
- Dyer, A.
 ---, Leigh, D. and Sharples, W.F.
 Gas adsorption studies on ion-exchanged
 forms of crystalline zirconium phosphate
 (118) 319

E

- Edlund, M., see Kawano, Y. (115) 289
- Edmonds, C.G.
 --- and Brooks, C.J.W.
 Separation and identification of unsaturated steroids by combined gas chromatography - mass spectrometry with Silanox[®]-type glass open tubular columns (116) 173
- Edwards, G.T., see Vernon, F. (114) 87
- Edwards, J.C.
 ---, Williamson, B. and Cunliffe, W.J.
 Methylation of skin surface lipid free fatty acids. Comparison of methods (115) 283
- Edwards, M.W., see Crathorne, B. (115) 213
- Edwards, R.A., see Senanayake, U.M. (116) 468
- Eichholtz, P.C.N.
 Determination of therapeutic levels of amitriptyline in serum by gas-liquid chromatography (111) 456
- Eikelboom, T.D., see Rodrigues de Miranda, J.F. (114) 274
- Eisen, O., see Lille, Ü. (116) 1
 ---, see Rang, S. (119) 451
- Eisenbrand, G.
 ---, Janzowski, C. and Preussmann, R.
 Gas chromatographic determination of N-nitrosoamino acids by trimethylsilylation and single-ion mass fragmentography (115) 602
- Eksborg, S., see Mellström, B. (116) 475
- Elander, M., see Hoppel, C. (116) 53
- Eldjarn, L., see Jellum, F. (112) 573
- Elgass, H., see Engelhardt, H. (112) 415
- Eltekov, Yu. A.
 --- and Nazansky, A.S.
 Gel permeation chromatography of polymers on macroporous silicas (116) 99
- Endele, R., see Halász, I. (112) 37
 --- and Lettenbauer, G.
 Hochdruckflüssigchromatographische Bestimmung von Allopurinol und Oxipurinol in Serum (115) 228
- Engelhardt, H.
 --- and Elgass, H.
 Problems in the application of gradient elution to high-pressure liquid chromatography (112) 415
- Engewald, W.
 ---, Epsch, K., Welsch, Th. and Graefe, J.
 Molekülstruktur und Retentionsverhalten. VI. Retentionsverhalten von Bicyclo[n.m.0]-alkanen bei der Gas-Adsorptions- und Gas-Verteilungs-Chromatographie (119) 119
 ---, see Hofmann, H.-J. (115) 299
- Eon, C., see Martin, M. (112) 399
 ---, see Colin, H. (119) 41
- Epsch, K., see Engewald, W. (119) 119
- Epton, R.
 ---, Holloway, C. and McLaren, J.V.
 Enzacryl[®]gel packings. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245
- Erhardt, P.W.
 ---, Smith, R.V., Sayther, T.T. and Keiser, J.E.
 Thin-layer chromatography of apomorphine and its analogs (116) 218
- Ersser, R.S.
 Ion-exchange chromatography of the more basic amino acids of protein hydrolysates using stepwise changes of buffers containing borate ions (115) 612
- Eskes, D.
 A procedure for the differentiation of the optical isomers of amphetamine and methamphetamine by thin-layer chromatography (117) 442
- Ess, L., see Küllik, E. (118) 313
- Ettre, L.S.
 The development of gas chromatography (112) 1
 ---, see Hartigan, M.J. (119) 187
- Evans, D.J.
 ---, Mayfield, R.J. and Russell, I.M.
 Rapid estimation of trace amounts of ethylenimine by high-pressure liquid chromatography (115) 391
- Evans, N.
 ---, Games, D.E., Jackson, A.H. and Matlin, S.A.
 Applications of high-pressure liquid chromatography and field desorption mass spectrometry in studies of natural porphyrins and chlorophyll derivatives (115) 325
- Evans, R.T.
 Gas-liquid chromatographic method for the measurement of methyl urea in blood and urine (118) 357
- Everaerts, F.M.
 ---, Geurts, M., Mikkers, F.E.P. and Verheggen, Th.P.E.M.
 Analytical isotachopheresis (119) 129

F

- Fagerston, I.S., see Sabbagh, N.K. (120) 55
- Fallick, G.J., see Little, J.N. (112) 389
- Fanali, S., see Shukla, S.K. (114) 451
- Farey, M.G.
 --- and Wilson, S.E.
 Quantitative determination of tetryl and its degradation products by high-pressure liquid chromatography (114) 261
- Faupel, M., see Von Arx, F. (120) 224
- Favretto, L., see Stancher, B. (111) 459
- Favretto Gabrielli, L., see Stancher, B. (111) 459
- Fehér, K.G., see Fehér, T. (111) 125
- Fehér, T.
 ---, Fehér, K.G. and Bodrogi, L.
 A simple gas-liquid chromatographic method with electron capture detection for the determination of progesterone in blood of humans and domestic animals (111) 125
- Feibush, B., see Charles, R. (112) 121
- Felstead, G., see Murren, C. (115) 236
- Fenimore, D.C.
 Gradient temperature programming of short capillary columns (112) 219
- Fiala, E.S.
 ---, Bobotas, G., Kulakis, C. and Weisburger, J.H.
 Separation of 1,2-dimethylhydrazine metabolites by high-pressure liquid chromatography (117) 181
- Fiala, V., see Morot-Gaudry, J.F. (117) 279
- Filimonov, V.Ya., see Kalinichev, A.I. (120) 249
- Fill, P., see Cremer, B. (119) 85
- Filonenko, G.V.
 --- and Korol, A.N.
 Comparison of static and gas chromatographic solubility data (119) 157
- Firpo, G.
 ---, Gassiot, M., Martín, M., Carbó, R., Guardino, X. and Albaigés, J.
 Empirical quantum chemical approach to structure-gas chromatographic retention index relationships. II. Cyclohexane derivatives (117) 105
- , see Guardino, X. (118) 13
- Fischer, G., see Michael, G. (118) 104
- Fischer, G.W.
 Vinyloge acylverbindungen. XV. Dünnschichtchromatographischer Nachweis toxiologisch relevanter 2-Halogenvinylketone (117) 137
- Fischer, H., see Reichling, J. (115) 670
- Fischer, J.R., see McCormick, J.P. (117) 428
- Fitzell, D.L., see Hsieh, D.P.H. (117) 474
- Floch, H.H., see Berthou, F. (118) 135
- Fonseka, K.
 ---, Widman, M. and Agurell, S.
 Chromatographic separation of cannabinoids and their monooxygenated derivatives (120) 343
- Fox, K., see Klimisch, H.-J. (120) 482
- Franc, J.
 ---, Pikeš, V. and Hájková, M.
 Detection of aromatic sulphonic acids (119) 616
- Fránek, M.
 --- and Hruška, K.J.
 Separation of free and protein-bound ligands in the radioimmunoassay by gel filtration-centrifugation (119) 167
- Freeman, D.H.
 ---, Angeles, R.M. and Poinescu, I.C.
 High-performance liquid chromatographic separation of RDX and HMX explosives on adsorptive polymers (118) 157
- Frei, R.W., see Gübitz, G. (117) 337
- , see Lindner, W. (111) 365, (117) 81
- , see Santi, W. (115) 423
- , Santi, W. and Thomas, M.
 Liquid chromatography of dansyl derivatives of some alkaloids and the application to the analysis of pharmaceuticals (116) 365
- Frenkel, M.J.
 --- and Blagrove, R.J.
 Controlled pore glass chromatography of protein-sodium dodecyl sulphate complexes (111) 397
- Frigerio, A., see Belvedere, G. (111) 313, (112) 631
- , see Vereczkey, L. (116) 451
- Froldi, R., see Bertol, E. (117) 239
- Frolov, I.I., see Bebris, N.K. (117) 257

Fujimoto, Y., see Tanaka, A. (117) 149

Fujimura, K.

— and Ando, T.

Studies on ligand-exchange chromatography.

V. Gas chromatographic separation of lower aliphatic amines by ligand exchange (114)

15

Fuller, R.K., see Neiderhiser, D.H. (117) 187

Fumero, S., see Mondino, A. (117) 236

Furner, R.L.

— and Mellet, L.B.

Scissors for segmentation of instant thin-layer or paper chromatograms (111) 195

Furst, A., see Meagher, R.B. (117) 211

G

- Gabel, D., see Amneus, H. (120) 391
- Gabetta, B., see Bombardelli, E. (120) 115
- Gajári, J., see Szentirmay, Zs. (119) 333
- Games, D.E., see Evans, N. (115) 325
- Garaj, J., see Krupčík, J. (112) 189
- , see Masaryk, J. (115) 256
- Garle, M., see Hoppel, C. (116) 53
- Garzó, G.
- and Hoebbel, D.
- Gas chromatographic retention characteristics of trimethylsilylated silicate anions (119) 173
- Gassiot, M., see Firpo, G. (117) 105
- , see Guardino, X. (118) 13
- Gavrichev, V.S., see Berezkin, V.G. (116) 9
- Gehrke, C.W., see Lakings, D.B. (116) 69
- Geiger, U.P., see Degen, P.H. (117) 407
- , Degen, P.H. and Siouffi, A.
- Quantitative assay of diclofenac in biological material by gas-liquid chromatography (111) 293
- , Rajagopalan, T.G. and Riess, W.
- Quantitative assay of maprotiline in biological fluids by gas-liquid chromatography (114) 167
- Gelbke, H.P.
- and Stubenrauch, G.
- The detection of A-ring-hydroxylated estrogens and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239
- Gerhart, B.B., see Kingston, D.G.I. (116) 182
- Gerna, M.
- and Morselli, P.L.
- A simple and sensitive gas chromatographic method for the determination of clonazepam in human plasma (116) 445
- Gerritsma, K.W., see Van der Vijver, L.M. (114) 443
- Gesser, H.D., see Gough, K.M. (115) 383
- Geurts, M., see Everaerts, F.M. (119) 129
- Ghose, A.K., see Yadava, P.C. (119) 563
- Ghosh, A.K.
- , Rajwar, D.P., Bandyopadhyay, P.K. and Ghosh, S.K.
- Concentration technique for determination of air pollutants at sub-micro level. A new technique for concentration of carbon monoxide (117) 29
- Ghosh, S.K., see Ghosh, A.K. (117) 29
- Gietz, W., see Boulton, A.A. (115) 349
- Giger, W., see Reinhard, M. (116) 43
- Gil-Av, E., see Charles, R. (112) 121
- Giudice, M.R. del, see Settimj, G. (116) 263
- Glasl, H.
- Simple and rapid determination of *cis*- and *trans*-spiroethers in *Matricaria chamomilla* by liquid chromatography (114) 215
- Glenn, Jr., T.H., see Cram, S.P. (112) 329, (119) 55
- Glynne-Jones, E.
- , Marshall, R., Hann, R.A. and Read, G.
- The purification of chlorophyll *a* from spinach leaves by partition chromatography on Bio-Glas columns (114) 232
- Görög, S., see Laukó, A. (118) 409
- and Laukó, A.
- Analysis of steroids. XXVI. Transformation of 3-methoxy-2,5(10)-diene steroids during their gas chromatographic analysis (118) 411
- Gołkiewicz, W., see Soczewiński, E. (118) 91
- Gonnet, C.
- and Rocca, J.L.
- Séparation de produits pharmaceutiques par chromatographie en phase liquide à haute performance. Influence de l'eau. II (120) 419
- , see Viricel, M. (115) 41
- Gooding, K.M., see Chang, S.H. (120) 321
- Goodrich, J.F., see Mattox, V.R. (120) 435
- Goodwin, T.W., see Rees, H.H. (116) 281
- Góralski, J., see Paryjczak, T. (120) 291
- Gorbunova, L.V., see Bortnikov, G.N. (116) 169

- Gorvin, A.E.P., see Twitchett, P.J. (120) 359
 Goryacheva, N.A., see Kalinichev, A.I. (120) 249
 Goto, K., see Kamata, E. (115) 660
 Goto, M., see Ikawa, S. (114) 237
 Gough, K.M.
 ----- and Gesser, H.D.
 The extraction and recovery of phthalate esters from water using porous polyurethane foam (115) 383
 Gough, T.A., see Russev, P. (119) 461
 Graefe, J., see Engewald, W. (119) 119
 Gramenzi, F., see Buonocore, V. (114) 109
 Grant, F.W.
 Chromogenic response of aqueous cobalt thiocyanate to lipophilic drugs (116) 230
 Grassini Strazza, G., see Cristalli, A. (111) 452
 Gray, D.O., see Dineen, R.W. (111) 248
 -----, see Sharpe, S. (120) 473
 Greenhouse, V.Y., see Wilson, N. (118) 75, 83
 Grenier, P., see Grenier-Loustalot, M.F. (118) 1
 Grenier-Loustalot, M.F.
 -----, Metras, F., Campillo, J.P., Bonastre, J. and Grenier, P.
 Chromatographie préparative en phase gazeuse. Programme de calcul pour l'étude de la relation entre l'efficacité, la résolution et la pureté des produits (118) 1
 Gressel, J.
 ----- and Robards, A.W.
 Polyacrylamide gel structure resolved? (114) 455
 Grob, K.
 ----- and Zürcher, F.
 Stripping of "trace" organic substances from water. Equipment and procedure (117) 285
 Groshinsky, M., see Lindström, B. (114) 459
 Gruber, H., see Schindlbauer, H. (115) 311
 Gruber, V.F., see VandenHeuvel, W.J.A. (112) 513, (114) 476
 Grundey, U.
 ----- and Kraus, P.
 Separation of radioactively labelled isomers of hexachlorocyclohexane by preparative thin-layer chromatography (117) 242
 Grushka, E.
 -----, Durst, H.D. and Kikta, Jr., F.J.
 Liquid chromatographic separation and detection of nanogram quantities of biologically important dicarboxylic acids (112) 673
 ----- and Solsky, J.F.
 Solid support surface effects on the chromatographic behavior of a liquid crystal stationary phase (112) 145
 Grzybowski, J., see Piekos, R. (116) 315, (117) 43
 Guardino, X.
 -----, Albaigés, J., Firpo, G., Rodríguez-Viñals, R. and Gassiot, M.
 Accuracy in the determination of the Kováts retention index. Mathematical dead time (118) 13
 -----, see Firpo, G. (117) 105
 Gübitz, G.
 -----, Frei, R.W. and Bethke, H.
 Fluorescence densitometric method for the determination of gluconic and lactobionic acids ("sugar acids") in pharmaceutical preparations (117) 337
 Gugler, R.
 ----- and Jensen, C.
 A rapid gas chromatographic method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175
 Guha, O.K.
 ----- and Bhaumik, A.
 Gas chromatography of the system phenanthrene-anthracene-carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181
 -----, see Novák, J. (112) 365
 Guiochon, G., see Colin, H. (119) 41
 -----, see Martin, M. (112) 399
 Gump, B.H., see Kauffman, G.B. (117) 455, (118) 433
 Gunatilaka, A.A.L.
 Thin-layer chromatography of N-nitrosamines (120) 229
 Gupta, A.P., see Qureshi, M. (118) 167
 Gutman, H.R.
 -----, Malejka-Giganti, D. and McIver, R.
 Identification of carcinogenic acetates of fluorenylhydroxamic acids by high-pressure liquid chromatography (115) 71
 Gvozdozovich, T.N.
 -----, Kiselev, A.V. and Yashin, Ya. I.
 Gas and liquid chromatography on Silochrom modified with a surface film of melone (116) 63

H

- Hackett, J.A.
 -- and Brennan, P.J.
 Reaction of fungal ceramides containing α -hydroxy acids with the periodate-Schiff reagents (117) 436
- Haefelfinger, P.
 Determination of nanogram amounts of primary aromatic amines and nitro compounds in blood and plasma (111) 323
- Haeflner, L.J.
 ----, Smith Magen, J. and Kowlessar, O.D.
 The gas-liquid chromatographic separation of selected catecholamines on polyamide A103 (118) 425
- Hagerman, D.D., see Kautsky, M.P. (114) 473
- Hájková, M., see Franc, J. (119) 616
- Håkanson, R., see Larsson, L.-I. (117) 355
- Haken, J.K., see Ashes, J.R. (111) 171, (118) 183
 -- and Ho, D.K.M.
 Evaluation of primary, secondary and tertiary aminosilanes as stationary phases in gas chromatography (112) 135
- , Wainwright, M.S. and Phuon, N.D.
 The nearest neighbour technique as a means of indicating stationary phase selectivity (117) 23
- Hakozaki, M., see Matsui, M. (115) 625
- Halász, I.
 ----, Endele, R. and Asshauer, J.
 Ultimate limits in high-pressure liquid chromatography (112) 37
- Hall, M.
 ---- and Mallen, D.N.B.
 Gas chromatographic separation of isomers of benoxapofen using liquid crystals (118) 268
- Hall, M.A., see Darvill, A.G. (115) 319
- Halliwell, R.F.W., see Schwartzman, R.M. (115) 129
- Halpaap, H., see Rippahhn, J. (112) 81
- Hamilton, H.F., see Wallace, J.E. (114) 433
- Hand, C.W., see Merritt, Jr., C. (112) 301
- Hann, R.A., see Glynn-Jones, E. (114) 232
- Hartigan, M.J.
 -- and Ettre, L.S.
 Questions related to gas chromatographic systems with glass open-tubular columns (119) 187
- Hartkopf, A.V., see Su, S.C. (119) 523
- Hartvig, P.
 -- and Näslund, B.
 Electron-capture gas chromatography of methadone after oxidation to benzophenone (111) 347
 ----, Strandberg, S. and Näslund, B.
 Determination of plasma amitriptyline by electron-capture gas chromatography after oxidation to anthraquinone (118) 65
- Hartwick, R.A.
 ---- and Brown, P.R.
 The performance of microparticle chemically-bonded anion-exchange resins in the analysis of nucleotides (112) 651
- Hashimoto, K., see Inouye, H. (118) 201
- Hasinski, S.
 Design of an unextinguishable flame photometric detector and its measurement properties (119) 207
- Hastings Vogt, C.R., see Aue, W.A. (114) 184
- Havlicek, J.
 ---- and Samuelson, O.
 Anion-exchange chromatography of oligomeric aldonic acids (114) 383
- Hayashi, T.
 ----, Sugiura, T., Terada, H., Kawai, S. and Ohno, T.
 High-speed liquid chromatographic determination of phenylpyruvic acid (118) 403
- Haythorn, P., see Sheehan, M. (117) 393
- Heftmann, E., see Hunter, I.R. (118) 259, (119) 223
- Heidrich, D., see Hofmann, H.-J. (115) 299
- Hejduk, L.J., see Neiderhiser, D.H. (117) 187
- and Shulgin, A.T.
 The detection of 1-piperidinocyclohexane-carbonitrile contamination in illicit preparations of 1-(1-phenyl-cyclohexyl)piperidine and 1-[1-thienyl]cyclohexyl]-piperidine (117) 232

- Helland, P., see Jellum, E., (112) 573
- Helleberg, L.
Determination of indomethacin in serum and urine by electron-capture gas-liquid chromatography (117) 167
- Henderson, G.L., see Kuttab, S.H. (117) 193
- Henke, U.
----- and Tschesche, R.
Separation and identification of trimethylsilyl derivatives of tyramines and methoxytyramines by gas-liquid chromatography (120) 477
- Henly, R.S., see Schwartz, R.D. (112) 111
- Henneberg, D.
-----, Henrichs, U. and Schomburg, G.
Special techniques in the combination of gas chromatography and mass spectrometry (112) 343
- Henrichs, U., see Henneberg, D. (112) 343
- Herber, R.F.M.
----- and Poppe, H.
A new method for the estimation of exposure to carbon disulphide (118) 23
- Hermann, K., see Schmidlein, H. (115) 123
- Hernádi, F., see Toth-Martinez, B.L. (115) 205
- Higgins, J.W.
High-pressure liquid chromatographic analysis for triamcinolone acetonide in rice starch (115) 232
- Hildebrand, R.P., see Kagi, D.A. (115) 79
- Hill, Jr., H.H., see Karasek, F.W. (117) 327
- Hill, R.M., see Horning, M.G. (112) 605
- Hira, R., see Yamamoto, H. (116) 29
- Hirai, M., see Inouye, H. (118) 201
- Ho, D.K.M., see Haken, J.K. (112) 135
- Hoebbel, D., see Garzó, G. (119) 173
- Hoffman, N.E., see Wyszynski, M.J. (115) 665
- Hoffmann, B., see Oehrle, K.-L. (114) 244
- Hoffmann, U., see Lisboa, B.P. (115) 177
- Hofmann, H.J.
-----, Engewald, W., Heidrich, D., Pörschmann, J., Thieroff, K. and Uhlmann, P.
Molekülstruktur und Retentionsverhalten. V. Berechnung der Adsorptionsenergie aromatischer Kohlenwasserstoffe an graphitisiertem thermischen Russ (115) 299
- Hokin-Neaverson, M.
----- and Sadeghian, K.
Separation of [³H]inositol monophosphates and [³H] inositol on silica gel glass-fiber sheets (120) 502
- Holderith, J.
-----, Tóth, T. and Váradi, A.
Minimizing the time for gas chromatographic analysis. Search for optimal operational parameters by a simplex method (119) 215
- Holendová, O., see Zeman, I. (119) 581
- Holguin, J., see Cardinaud, R. (115) 673
- Holloway, C., see Epton, R. (117) 245
- Holmes, M.G.
-----, Blakeney, A. and Wratten, N.
Screening for fatty acids in oilseed breeding programmes using lipase and paper chromatography (115) 652
- Holotík, Š., see Krupčík, J. (112) 189
-----, see Leško, J. (119) 293
- Holzer, G., see Bertsch, W. (112) 701
- Hoppel, C.
-----, Garle, M. and Elander, M.
Mass fragmentographic determination of diphenylhydantoin and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53
- Horn, A., see Wenz, I. (120) 187
- Horning, E.C., see Lin, S.-N. (112) 465, 483
-----, see Pfaffenberger, C.D. (112) 581
- Horning, M.G.
-----, Nowlin, J., Stafford, M., Lertratanangkoon, K., Sommer, K.R., Hill, R.M. and Stillwell, R.N.
The use of gas chromatographic-mass spectrometric-computer systems in pharmacokinetic studies (112) 605
- Hoshika, Y.
Gas chromatographic determination of the lower aliphatic primary amines as their Schiff bases (115) 596
----- and Takata, Y.
Gas chromatographic separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
- Hostettmann, K.
----- and McNair, H.M.
High-pressure liquid chromatography of naturally occurring xanthenes (116) 201
- Hoton-Dorge, M.
Séparation des aldoses et des polysaccharides par chromatographie en couche mince de cellulose et nouveau réactif de pulvérisation permettant leur révélation sensible (116) 417
- Houpert, Y.
-----, Tarallo, P. and Siest, G.
Amino acid analysis by ion-exchange chromatography using a lithium elution gradient. Influence of methanol concentration and sample pH (115) 33
- Howell, R.R., see Brown, J.H. (116) 293
- Howell, S.M., see Larson, R.A. (111) 43
- Howery, D.G., see Selzer, R.B. (115) 139
- Hradil, J., see Lukáš, J. (114) 335

- Hrivňák, J., see Krupčík, J. (119) 271
- Hruška, K.J., see Fránek, M. (119) 167
- Hsieh, D.P.H.
- , Fitzell, D.L., Miller, J.L. and Seiber, J.N.
High-pressure liquid chromatography of
oxidative aflatoxin metabolites (117) 474
- Huber, J.F.K.
- , Lauer, H.H. and Poppe, H.
Reduction of theoretical plate height in gas
chromatography by increase of pressure
and decrease of particle size (112) 377
- Hudson, J.C.
- and Rice, W.P.
Rapid detection of some basic drugs by thin-
layer chromatography (117) 449
- Huen, J.M., see Santi, W. (115) 423
- Huet, J.C., see Morot-Gaudry, J.F. (117) 279
- Hui, K.S.
- , Davis, B.A. and Boulton, A.A.
The separation by thin-layer chromatography
of trace metals as their tetraphenylporphyrin
chelates (115) 581
- Huisman, T.H.J., see Schroeder, W.A. (118)
295
- Hulshoff, A.
- and Perrin, J.H.
A reversed-phase thin-layer chromatographic
method for the determination of relative
partition coefficients of very lipophilic
compounds (120) 65
- Hundt, H.K.L., see Steyn, J.M. (111) 463
- Hunter, I.R.
- , Walden, M.K., Wagner, J.R. and
Heftmann, E.
Thin-layer chromatography of steroidal al-
kaloids (118) 259
- , Walden, M.K., Wagner, J.R. and Heftmann,
E.
High-pressure liquid chromatography of
steroidal alkaloids (119) 223
- Hušek, P.
- and Macek, K.
Gas chromatography of amino acids (review)
(113) 139
- Husmann, H., see Schomburg, G. (112) 205

I

- Ibuki, M., see Nambara, T. (114) 81
- Idler, D.R., see Patterson, G.W. (115) 153
- Ignáth, Zs., see Szász, Gy. (117) 345
- Ikawa, S.
Purification of methylated bile acids recovered from thin-layer chromatograms on silica gel-sintered plates (117) 227
- and Goto, M.
Two-dimensional thin-layer chromatography of bile acids (114) 237
- Ikeda, N.
--- and Tanaka, K.
Column chromatographic separation of radioactive tellurate, tellurite, iodide and iodate by active charcoal (114) 389
- Ikekawa, N.
--- and Koizumi, N.
Separation of vitamin D₃ metabolites and their analogues by high-pressure liquid chromatography (119) 227
- Imai, K.
---, Tamura, Z., Mashige, F. and Osuga, T.
Gas chromatography of bile acids as their hexafluoroisopropyl ester trifluoroacetyl derivatives (120) 181
- Inczédny, J., see Vigh, Gy. (116) 472
- Inouye, H.
---, Uobe, K., Hirai, M., Masada, Y. and Hashimoto, K.
Studies on monoterpene glucosides and related natural products. XXXI. Gas chromatography and gas chromatography-mass spectrometry of iridoid and secoiridoid glucosides (118) 201
- Ioffe, B.V., see Vitenberg, A.G. (112) 319
- , Vitenberg, A.G., Borisov, V.N. and Kuznetsov, M.A.
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
- Isler, W., see Curtius, H.Ch. (112) 523
- Itzkovitch, I.J., see Sowa, W. (116) 197
- Iwata, T., see Nambara, T. (114) 81, (118) 127
- Iyengar, R.B., see Van Wassenaar, P.D. (118) 99

J

- Jack, D.B.
 ---, Brechbühler, S., Degen, P.H., Zbinden, P. and Riess, W.
 The determination of hydralazine in plasma by gas-liquid chromatography (115) 87
- Jackson, A.H., see Evans, N. (115) 325
- Jain, N.C.
 ---, Leung, W.J., Budd, R.D. and Sneath, T.C.
 Thin-layer chromatographic screening and confirmation of basis drugs of abuse in urine (115) 519
- , Sneath, T., Budd, R., Chinn, D., Leung, W. and Olson, B.
 Gas chromatographic separation of allyl-barbital and butabarbital (116) 194
- Jakovljevic, I.M., see Bishara, R.H. (116) 485
- Jalobcanu, M., see Piringer, O. (119) 423
- Janák, J.
 Twenty years of the Institute of Analytical Chemistry of the Czechoslovak Academy of Sciences. A historical outline (119) 3
- , see Boček, P. (117) 97
- , see Novák, J. (112) 365
- Jandera, P.
 ---, Janderová, M. and Churáček, J.
 Gradient elution in liquid chromatography. VII. Comparison of different mobile phases in adsorption chromatography (115) 9
- Janderová, M., see Jandera, P. (115) 9
- Janc, I.
 The separation of a wide range of drugs of abuse by high-pressure liquid chromatography (111) 227
- Jansen, G.
 --- and Vanderhaeghe, H.
 Thin-layer chromatography of chloramphenicol and thiamphenicol (114) 266
- Janzowski, C., see Eisenbrand, G. (115) 602
- Jardine, J.R.
 --- and Langler, R.F.
 New spray for the detection of sulfonyl chlorides (116) 211
- Jaroniec, M., see Suprynowicz, Z. (117) 11
- Jayaraman, S., see Vasundhara, T.S. (115) 535
- Jayatilake, S.D.A.K., see Burns, D.T. (116) 107
- Jeffreys, J.A.D., see Bush, L.P. (111) 165
- Jellum, E.
 ---, Helland, P., Eldjarn, L., Markwardt, U. and Märhöfer, J.
 The development of a computer-assisted search for anomalous compounds (CASAC) (112) 573
- Jennings, W.G., see Adam, S. (115) 218
- Jensen, C., see Gugler, R. (117) 175
- Jerzykowski, T.
 ---, Piskorska, D. and Ostrowska, M.
 The separation of glyoxalase I and glyoxalase II by paper electrophoresis (116) 225
- Jönsson, J.A.
 A flow meter for precise and accurate measurement of gas flow using a travelling mercury drop (111) 271
- and Jönsson, R.
 Direct measurement of gas chromatographic retention volume using an on-line mini-computer. I. Principles (111) 265
- , see Jönsson, R. (120) 197
- , Jönsson, R. and Malm, K.
 Direct measurement of gas chromatographic retention volume using an on-line mini-computer. II. Apparatus (115) 57
- Jönsson, R., see Jönsson, J.A. (111) 265, (115) 57
- and Jönsson, J.A.
 Injection system for small volatile samples in gas chromatography (120) 197
- Johnson, G.E., see Bailey, D.G. (111) 305
- Jolivet, E., see Morot-Gaudry, J.F. (117) 279
- Jones, N.R., see Crathorne, B., (115) 213
- Joonson, V.A.
 --- and Loog, E.P.
 A dual-channel flame photometric detector with a separate combustion chamber (120) 285
- Jóźwiak, K., see Paryjezak, T. (111) 443
- Jóźwiak, W., see Paryjezak, T. (120) 291
- Jukořky, D., see Verebely, K. (111) 141
- Julin, B.G.
 ---, Vandenborn, H.W. and Kirkland, J.J.
 Selective flame emission detection of phosphorus and sulfur in high-performance liquid chromatography (112) 443

K

- Kagi, D.A.
 ---, Hildebrand, R.P. and Clarke, B.J.
 Gas chromatographic procedure for the analysis of isohumulone (115) 79
- Kaiser, I.I.
 --- and Young, P.A.
 Determination of 5-fluorouridine and 5-fluorocytidine in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242
- Kaiser, R.F.
 Rapid analysis with short micro-packed columns (112) 455
- Kakiyama, H., see Kawazu, K. (115) 543
- Kalashnikova, F.V.
 ---, Kiselev, A.V., Poshkus, D.P. and Shcherbakova, K.D.
 Retention indices in gas-solid chromatography (119) 233
- Kalinichev, A.I.
 ---, Pronin, A.Ya., Zolotarev, P.P., Goryacheva, N.A., Chmutov, K.V. and Filimonov, V.Ya.
 Moment analysis in non-linear frontal-elution and elution chromatography (120) 249
- Kaljurand, M., see Küllik, E. (112) 297, (118) 313
- Kamata, E.
 ---, Goto, K. and Shibata, S.
 Paper chromatography of azo-derivatives of chromotropic acid (115) 660
- Kamp, C.G. van de, see Krijgsman, W. (117) 201
- Kapila, S., see Aue, W.A. (112) 247
 --- and Aue, W.A.
 The effect of pressure on the response of a d.c. electron capture detector (118) 233
- Karasek, F.W.
 ---, Hill, Jr., H.H. and Kim, S.H.
 Plasma chromatography of heroin and cocaine with mass-identified mobility spectra (117) 327
- Karger, B.L., see Su, S.C. (119) 523
- Karmen, A.
 --- and Longo, N.S.
 High-sensitivity radioassay by gas chromatography (112) 637
- Kasche, V., see Amneus, H. (120) 391
- Katoh, K., see Miyazaki, H. (119) 369
- Katz, S.
 --- and Pitt, Jr., W.W.
 Sensitive monitoring of phenols after liquid chromatography (111) 470
- Kauffman, G.B.
 ---, Anderson, G.L. and Teter, L.A.
 Separation of inorganic isomers by adsorption chromatography. II. Non-electrolytic octahedral and square planar geometric isomers (114) 465
 ---, Gump, B.H., Anderson, G.L. and Stedjee, B.J.
 Separation of inorganic isomers by thin-layer chromatography. II. Octahedral geometric isomers (117) 455
 ---, Gump, B.H. and Stedjee, B.J.
 Separation of inorganic isomers by thin-layer chromatography. III. Square planar geometric isomers (118) 433
- Kautsky, M.P.
 ---, Thurman, G.W. and Hagerman, D.D.
 A convenient biological synthesis of 19-hydroxy[4-¹⁴C]4-androstene-3,17-dione from [4-¹⁴C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473
- Kawabuchi, K.
 --- and Kuroda R.
 Anion-exchange separation of gold on DEAE-cellulose in acetic acid-hydrochloric acid media (114) 143
- Kawai, S., see Hayashi, T. (118) 403
- Kawano, Y.
 ---, Audino, J. and Edlund, M.
 Analysis of paraquat formulations by liquid chromatography (115) 289
- Kawasaki, T.
 Theory of chromatography of rigid rod-like macromolecules on hydroxyapatite columns. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257

- Theory of chromatography of rigid molecules on hydroxyapatite columns with small loads. III. Theory on the basis of the classical theory of adsorption chromatography for the case when molecules are adsorbed on to a single type of crystal site (120) 271
- Kawazu, K.
Chromatographic separation of metal ions on a macro-reticular cation-exchange resin with hydrochloric acid in mixed solvents (120) 171
- , Shibata, M. and Kakiyama, H.
Chromatographic separation of metal ions on a macro-reticular cation-exchange resin with hydrochloric acid in aqueous acetone solution (115) 543
- Keiser, J.E., see Erhardt, P.W. (116) 218
- Kelker, H.
Gas chromatography with anisotropic liquids. Partition coefficients at the mesophase-isotropic phase transition point (112) 165
- Kennedy, J.H.
---, Kricka, L.J. and Wilding, P.
The application of thin-layer gel filtration chromatography in the rapid assessment of protein-protein coupling reactions (118) 337
- Kéravis, G., see Lafosse, M. (118) 283
- Khalil, M.W., see Patterson, G.W. (115) 153
- Khan, T., see Qureshi, M. (118) 175
- Khera, U., see Chawla, H.M. (111) 246
- Kigasawa, K., see Nambara, T. (114) 81, (118) 127
- Kikta, Jr., E.J., see Grushka, E. (112) 673
- Kim, H.K.
--- and Kritchevsky, D.
Quantitation of bile acids and bile salts by a thin-layer chromatographic charring method (117) 222
- Kim, S.H., see Karasek, F.W. (117) 327
- King, D.E., see Wallace, J.E. (114) 433
- Kinget, R.
--- and Michael, A.
Thin-layer chromatography of pancuronium bromide and its hydrolysis products (120) 234
- Kingston, D.G.I.
---, Chen, P.N. and Vercellotti, J.R.
High-performance liquid chromatography of sterigmatocystin and other metabolites of *Aspergillus versicolor* (118) 414
- and Gerhart, B.B.
Preparation of octadecyl Porasil for reversed-phase liquid chromatography (116) 182
- Kintia, P., see Wilkomirski, B. (116) 482
- Kinuyama, Y., see Matsui, M. (115) 625
- Kirkland, J.J., see Julin, B.G. (112) 443
- Kirret, O., see Pank, M. (119) 409
- Kiselev, A.V., see Bebris, N.K. (117) 257
---, see Bortnikov, G.N. (116) 169
---, see Gvozdoich, T.N. (116) 63
---, see Kalashnikova, E.V. (119) 233
- Kiss, Á., see Tarján, G. (119) 327
- Kitaoka, Y.
Paper electrophoretic behaviour of cyclic-3',5'-AMP, 5'-AMP and 5'-ATP₂ (111) 206
- Klimisch, H.J.
--- and Ambrosius, D.
Trennung polyzyklischer aromatischer Kohlenwasserstoffe durch Hochdruckflüssigkeitschromatographie. Vergleich einer Bestimmung von Benzo[a]pyren nach Trennung an Säulen mit quervernetztem Celluloseacetat und einem reversed-phase System (120) 299
- and Fox, K.
Zur Trennung N-heteropolyzyklischer aromatischer Kohlenwasserstoffe von polyzyklischen aromatischen Kohlenwasserstoffen. Abtrennung durch Komplexchromatographie (120) 482
- Knox, J.H.
--- and Pryde A.
Performance and selected applications of a new range of chemically bonded packing materials in high-performance liquid chromatography (112) 171
- Knust, E.J.
--- and Schüller, M.
Gas chromatographic separation of mono- and disubstituted benzene derivatives and of diastereoisomeric halogenoalkanes with Bentone-38 (114) 207
- Kobyłczyk, K., see Pickos, R. (116) 315, (117) 431
- Kochhar, M.M., see Needham, L.L. (111) 422, (114) 220
--- and Needham, L.L.
The analysis of impurities in ethchlorvynol by gas chromatography-mass spectrometry (118) 418
- Kocsis, G., see Tarján, G. (119) 327
- Koel, M., see Küllik, E. (112) 297
- Kogan, M.J., see Verebey, K. (118) 331
- Kogerman, A., see Pank, M. (119) 409
- Kohei, H., see Matsumura, R. (117) 383
- Kohn, M., see Vestergaard, P. (111) 75
- Koizumi, N., see Ikekawa, N. (119) 227

- Kolb, B.
Application of gas chromatographic head-space analysis for the characterization of non-ideal solutions by scanning the total concentration range (112) 287
- Komae, H.
--- and Hayashi, N.
Separation of essential oils by liquid chromatography (114) 258
- Komaita, T.
---, Naito, K. and Takei, S.
Adsorption effects in gas-liquid partition chromatography (114) 1
- Komárek, K., see Churáček, J. (119) 613
---, see Komárková, H. (119) 243
- Komárková, H., see Churáček, J. (119) 613
---, Churáček, J., Komárek, K. and Křížek, F.
Bestimmung der funktionellen Gruppen durch Reaktionsgaschromatographie. II. Stickstoffbestimmung in Hydrazin und dessen organischen Derivaten (119) 243
- Komers, R.
--- and Štr, Z.
Gas chromatographic determination of the parts per million level of methanol and ethanol in aqueous solutions (119) 251
- Kōno, M., see Makita, M. (120) 129
- Koolle, N.J., see De Ligny, C.L. (114) 63
- Kopwillem, A.
---, Merriman, W.G., Cuddeback, R.M., Smolka, A.J.K. and Bier, M.
Serum protein fractionation by isotachopheresis using amino acid spacers (118) 35
- Kornel, L.
---, Miyabo, S. and Saito, Z.
New paper chromatographic systems for the separation of conjugated corticosteroids (111) 200
- Korol, A.N., see Filonenko, G.V. (119) 157
- Košík, M., see Krupčík, J. (112) 189
---, see Masaryk, J. (115) 256
- Kosinkiewicz, B.
--- and Varanka, M.
Behaviour of microbial cells on columns of some types of Sephadex gels (114) 463
- Kostetsky, E.Y., see Vaskovsky, V.F. (114) 129
- Kotas, P., see Caletka, R. (111) 93
- Kovács, G., see Szász, Gy. (117) 345
- Kowalczyk, J.S.
--- and Śledzińska, B.
Comparison of the efficiency of liquid chromatography systems with mixed adsorbents with that of systems with connected adsorbent layers (119) 255
- Kowlessar, O.D., see Haeflner, L.J. (118) 425
- Kramer, R., see Cremer, E. (119) 85
- Kraus, P., see Grundey, U. (117) 242
- Kreuzig, F.
The determination of diumycin by direct quantitative thin-layer chromatography (114) 193
- Kricka, L.J., see Kennedy, J.H. (118) 337
- Krijgsman, W.
--- and Van de Kamp, C.G.
Analysis of organophosphorus pesticides by capillary gas chromatography with flame photometric detection (117) 201
- Krishnamurty, H.G.
--- and Krishnaswami, L.
Paper chromatography of phenolic compounds using buffered acetonitrile (114) 286
- Kritchevsky, D., see Kim, H.K. (117) 222
- Křiváková, M., see Lukáš, J. (114) 335
- Křížek, F., see Komárková, H. (119) 243
- Krupčík, J.
---, Garaj, J., Holotík, Š., Oktavec, D. and Košík, M.
Gas chromatographic separation of some dialkylthiocarbamates of nickel(II) (112) 189
- , Leclercq, P.A., Šimová, A., Suchánek, P., Čollák, M. and Hrivňák, J.
Possibilities and limitations of capillary gas chromatography and mass spectrometry in the analysis of polychlorinated biphenyls (119) 271
---, see Leško, J. (119) 293
---, see Masaryk, J. (115) 256
- Krzyżanowska, H.
Study on the effect of detector dynamics on the peak height in quantitative gas chromatography (114) 179
- Kučera, P., see Scott, R.P.W. (112) 425, (119) 467
- Küllik, E.
---, Kaljurand, M. and Ess, L.
Resolution of overlapping gas chromatographic peaks using fast Fourier transformation (118) 313
- , Kaljurand, M. and Koel, M.
Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297
- Kulakis, C., see Fiala, F.S. (117) 181
- Kulbe, K.D.
Improved separation of the methyl- and phenylthiohydantoins of arginine, cysteic acid and histidine by micropolyamide thin-layer chromatography (115) 629

Kumar, R., see Qureshi, M. (118) 175
Kundel, H., see Lille, Ü. (116) 1
Kuningas, K., see Rang, S. (119) 451
Kurita, T., see Yamamoto, H. (116) 29
Kuroda, R., see Kawabuchi, K. (114) 143
Kusovkin, V.A., see Rudenko, B.A. (112) 373

Kuttab, S.H.
———, North-Root, H. and Henderson, G.L.
Extraction method and thin-layer chromatographic system for the determination of α -acetylmethadol and metabolites in biological fluids (117) 193
Kuznetsov, M.A., see Ioffe, B.V. (112) 311
Kyffin, T.W., see Vernon, F. (111) 117

L

- Lääs, T.
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an amphiphilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
- Lafosse, M.
---, Kéravis, G. and Durand, M.H.
Étude par chromatographie liquide haute pression de 17-cétostéroïdes libres et conjugués (118) 283
- Lakings, D.B.
---, Gehrke, C.W. and Waalkes, T.P.
Determination of trimethylsilyl methylated nucleic acid bases in urine by gas-liquid chromatography (116) 69
---, Waalkes, T.P. and Mroček, J.E.
High-resolution liquid chromatographic analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83
- Lakshmi, T.S.
--- and Nandi, P.K.
Hydrophobic interaction in sugar solutions. Results from gel interaction study (116) 177
- Lam, C.H.
--- and Lie Ken Jie, M.S.F.
Fatty acids. IV. Synthesis of all the dimethylene-interrupted methyl octadecadienoates and a study of their gas-liquid properties (115) 559
--- and Lie Ken Jie, M.S.F.
Fatty acids. VI. The thin-layer chromatographic behaviour of mercury adducts of acetylenic esters and a study of the demercurated products (116) 425
--- and Lie Ken Jie, M.S.F.
Fatty acids. VII. The gas-liquid chromatographic properties of all dimethylene interrupted methyl *cis,cis*-octadecadienoates (117) 365
- Lamotte, A., see Viricel, M. (114) 397
- Land, G., see Bye, A. (115) 93
- Landrum, P.F., see Seiber, J.N. (114) 361
- Langenbeck, U.
---, Möhring, H.-U. and Dieckmann, K.-P.
Gas chromatography of α -keto acids as their O-trimethylsilylquinoxalinol derivatives (115) 65
- Langler, R.F., see Jardine, J.R. (116) 211
- Lao, R.C.
---, Thomas, R.S. and Monkman, J.L.
Computerized gas chromatographic-mass spectrometric analysis of polycyclic aromatic hydrocarbons in environmental samples (112) 681
- Larose, R.H., see Wolkoff, A.W. (111) 472
- Larson, R.A.
---, Weston, J.C. and Howell, S.M.
Quantitative gas chromatographic determination of nitrilotriacetic acid in the presence of other carboxylic acids (111) 43
- Larsson, L.-I.
---, Sundler, F. and Hakanson, R.
Fluorescence of tryptophan-containing peptides on paper or silica gel after treatment with formaldehyde, formaldehyde-ozone or formaldehyde-hydrochloric acid (117) 355
- Latyshev, N.A., see Vaskovsky, V.E. (115) 246
- Laub, R.J.
--- and Pecsok, R.L.
Study of charge transfer complexation by gas-liquid chromatography (review) (113) 47
--- and Purnell, J.H.
Criteria for the use of mixed solvents in gas liquid chromatography (112) 71
- Lauback, R.G., see Mays, D.L. (120) 93
- Lauer, H.H., see Huber, J.F.K. (112) 377
- Laukó, A.
--- and Görög, S.
Gas chromatographic determination of dicyclohexylurea in the active esters of amino acids (118) 409
---, see Görög, S. (118) 411
- Lazarus, W.
Buffer system for ion-exchange chromatography of amino acid mixtures containing methionine sulphone (116) 237
- Leclercq, P.A., see Krupčík, J. (119) 271

- Lederer, M.
Editorial (119) 1
- Partition paper chromatography of inorganic ions. XXI. Paper chromatography of mixed cobalt(III) complexes (119) 285
- and Battilotti, M.
Paper partition chromatography of inorganic ions. XX. The behaviour of copper(I), silver(I) and iron(II) in butanol -hydrochloric acid mixtures (114) 488
- Lee, M.-L.
--- and Safille, A.
Improved solvent system for thin-layer chromatography of Dns-amino acids (116) 462
- Lee, T.H., see Senanayake, U.M. (116) 468
- Lehrfeld, J.
Separation of some perbenzoylated carbohydrates by high-performance liquid chromatography (120) 141
- Leigh, D., see Dyer, A. (118) 319
- Leimbacher, W., see Curtius, H.Ch. (112) 523
- Lekova, K., see Boček, P. (117) 97
- Lemar, M., see Viricel, M. (116) 343
- Leon, A.S., see Puglisi, C.V. (118) 371
- Le Parlouer, P., see Belabbes, R. (120) 81
- Lepori, M., see Lepri, L. (116) 131
- Lepri, L.
---, Desideri, P.G. and Lepori, M.
Chromatographic behaviour of alkaloids on thin layers of anion and cation exchangers. I. AG 1-X4 and Cellex D (116) 131
- Lertratanangkoon, K., see Horning, M.G. (112) 605
- Leško, J.
---, Holotík, Š., Krupčík, J. and Veselý, V.
Gas chromatographic and mass spectrometric analysis of a commercial mixture of phenylalkanes (detergent alkylates) (119) 293
- Lettenbauer, G., see Endeke, R. (115) 228
- Leung, W., see Jain, N.C. (116) 194
- Leung, W.J., see Jain, N.C. (115) 519
- Liberti, A., see Zoccolillo, L. (120) 485
- Licht, B.H., see Sowa, W. (116) 197
- Lieberman, M.L., see Noles, G.T. (114) 211
- Liebich, H.M.
Specific detection of volatile metabolites in urines of normal subjects and patients with *diabetes mellitus* using computerized mass fragmentography (112) 551
- and Al-Babbili, O.
Gas chromatographic - mass spectrometric study of volatile organic metabolites in urines of patients with *diabetes mellitus* (112) 539
- Lie-Injo, L.E.
Simple method for the isolation and purification of hemoglobin components (117) 53
- Lie Ken Jie, M.S.F.
Fatty acids. III. Further study of the gas-liquid chromatographic properties of all of the methyl undecynoates and methyl *cis*-undecenoates (111) 189
- , see Lam, C.H. (115) 559, (116) 425, (117) 365
- Ligny, C.L. de, see De Ligny, C.L. (114) 63
- Lille, U.
---, Kundel, H. and Eisen, O.
Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1
- Lin, S.-N.
--- and Horning, E.C.
Concurrent determination of α -tocopherol and free fatty acids in human plasma by glass open tubular capillary column gas chromatography (112) 465
- and Horning, E.C.
Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and cholesteryl esters by glass open tubular capillary column gas chromatography for stroke patients and for normal subjects (112) 483
- Lindeberg, E.G.G.
Use of *o*-phthalaldehyde for detection of amino acids and peptides on thin-layer chromatograms (117) 439
- Lindner, W.
Anzeigempfindlichkeit des Flammenionisationsdetektors für aliphatische und aromatische Amine (111) 331
- and Frei, R.W.
Partition high-pressure liquid chromatographic systems for the separation of digitalis glycosides of the cardenolide group (117) 81
- , Frei, R.W. and Santi, W.
Combined ultraviolet - fluorescence detection in high-pressure liquid chromatography of pharmaceuticals (111) 365
- Lindström, B.
---, Molander, M. and Groschinsky, M.
Gas chromatographic determination of hydrochlorothiazide in plasma, blood corpuscles and urine using an extractive alkylation technique (114) 459
- Lines, D.S.
---, Brain, K.R. and Ross, M.S.F.
Causes and effects of sample loss using a dry capsule injection method for the automated gas chromatographic analysis of pesticide samples (117) 59

- Lipavsky, V.N., see Anisimov, A.F. (111) 409
- Lisboa, B.P.
 --- and Hoffman, U.
 Application of over-run thin-layer and gas-liquid chromatography in the separation of closely related C₁₉O₂ steroids (115) 177
- and Strassner, M.
 Gel chromatography of steroid oestrogens on Sephadex LH-20 (111) 159
- , see Züllich, G. (115) 117
- Little, J.N.
 --- and Fallick, G.J.
 New considerations in detector-application relationships (112) 389
- Litwiller, R.D., see Mattox, V.R. (120) 435
- Lochmüller, C.H.
 --- and Souter, R.W.
 Chromatographic resolution of enantiomers. Selective review (review) (113) 283
- Loesche, W., see Wenz, I. (120) 187
- Løkke, H., see Büchert, A. (115) 682
- Lombosi, F.R., see Lombosi, T.S. (119) 307
- Lombosi, T.S.
 ---, Lombosi, E.R., Bernát, I., Bernát, Zs.sz., Takács, E.C. and Takács, J.M.
 General contribution to the theory of retention index systems in gas-liquid chromatography. I. Pre-calculation of retention indices of alkanes on the basis of their molecular structures and thermodynamics in gas-liquid chromatography (119) 307
- Long, M.
 ---, Raverdino, V., Di Tullio, G. and Tomarchio, L.
 Some applications of molecular sieves in the gas chromatographic analysis of hydrocarbons and alcohols (117) 305
- Longo, N.S., see Karmen, A. (112) 637
- Loog, E.P., see Joonson, V.A. (120) 285
- Lorch, E.A., see Dwight, D.J. (116) 257
- Loschilova, V.D., see Berezkin, V.G. (112) 353
- Loscombe, C.R., see Cox, G.B. (117) 269
- Loutfi, H., see Pruden, B.B. (115) 477
- Lovelock, J.F.
 Solute switching and detection by synchronous demodulation in gas chromatography (112) 29
- , see Dwight, D.J. (116) 257
- Low, C.-I., see Åsmus, P.A. (119) 25
- Luan, N.-T., see Čoupek, J. (120) 411
- Lukáš, J.
 ---, Hradil, J., Křiváková, M. and Čoupek, J.
 Polar macroporous sorbents for gas chromatography (114) 335
- Luu Duc, C., see Waysman, C. (118) 115

M

- McCConnell, M.L.
 --- and Novotný, M.
 Automated high-resolution gas chromatographic system for recording and evaluation of metabolic profiles (112) 559
- McCormick, J.P.
 ---, Fischer, J.R. and Schafer, T.R.
 Chromatographic purification and characterization of hydrogen peroxide (117) 428
- McCullough, P.S., see Aue, W.A. (111) 37
- MacDonald, L.M.
 --- and Wheatherston, J.
 Gas chromatography and the structural elucidation of lepidopteran pheromones (118) 195
- Macek, K., see Hušek, P. (113) 139
 ---, see Vytáček, R. (119) 549
- Melver, R., see Gutmann, H.R. (115) 71
- MacKenzie, S.L.
 --- and Tenaschuk, D.
 Rapid formation of amino acid isobutyl esters for gas chromatography (111) 413
- McLaren, J.V., see Epton, R. (117) 245
- McLaughlin, J.L., see Ranieri, R.L. (111) 234
- McNair, H.M., see Hostettmann, K. (116) 201
 ---, see Young, P.R. (119) 569
- McNay, J.L., see Wallace, J.E. (114) 433
- Madden, S.C., see Seiber, J.N. (114) 361
- Maeda, M.
 and Tsuji, A.
 Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by high-performance liquid chromatography using fluorimetric detection (120) 449
- Magen, J. Smith, see Haeffner, L.J. (118) 425
- Magin, D.F.
 Gas chromatographic determination of Stanozolol in veterinary suspensions (115) 687
- Maibach, R.A., see Curtius, H.Ch. (112) 523
- Makabe, H., see Yamamoto, H. (116) 29
- Makarenko, N.P., see Bortnikov, G.N. (116) 169
- Makita, M.
 ---, Yamamoto, S. and Kōno, M.
 Gas-liquid chromatographic analysis of protein amino acids as N-isobutyloxycarbonyl-amino acid methyl esters (120) 129
- Malejka-Giganti, D., see Gutmann, H.R. (115) 71
- Malhotra, R.K., see Singh, H. (114) 270
- Malinzak, D.A., see Den, H. (111) 217
- Mallen, D.N.B., see Cockerill, A.F. (114) 151
 ---, see Hall, M. (118) 268
- Mallet, V.N., see Caissie, G.E. (117) 129
- Malm, K., see Jönsson, J.A. (115) 57
- Mamysheva, O.N., see Bortnikov, G.N. (116) 169
- Mandel, L.R., see VandenHeuvel, W.J.A. (114) 476
- Maness, D.D., see Sullivan, G. (116) 490
- Mangat, S., see Spears, R. (116) 184
- Marco, C. De, see De Marco, C. (114) 291, (115) 621
 ---, see Rinaldi, A. (120) 221
- Mareš, E., see Čoupek, J. (120) 411
- Marhöfer, J., see Jellum, E. (112) 573
- Mari, F., see Bertol, E. (117) 239
- Markelov, V.F., see Anisimov, A.F. (111) 409
- Markwardt, U., see Jellum, E. (112) 573
- Marshall, R., see Glynn-Jones, E. (114) 232
- Martel, C.
 --- and Phelps, D.J.
 Separation of dinitrophenyl derivatives of neutral dipeptides by thin-layer chromatography (115) 633
- Martin, M.
 ---, Blu, G., Fon, C. and Guiochon, G.
 The use of syringe-type pumps in liquid chromatography in order to achieve a constant flow-rate (112) 399
- Martín, M., see Firpo, G. (117) 105
- Martinelli, E.M., see Bombardelli, E. (120) 115
- Masada, M., see Nakagawa, T. (111) 355
- Masada, Y., see Inouye, H. (118) 201
- Masaryk, J.
 ---, Krupčík, J., Garaj, J. and Košík, M.
 Gas chromatographic separation of dithiocarbamates of some metals (115) 256
- Mashige, F., see Imai, K. (120) 181
- Massart, D.L., see De Clercq, H. (115) 1
- Matelin, D., see Waysman, C. (118) 115
- Mathews, R.G., see Schwartz, R.D. (112) 111

- Mathiasson, L.
Gas-liquid chromatographic investigation of complexation equilibria between 1-chlorooctadecane and various benzene derivatives and alkene derivatives (114) 39
- Gas-liquid chromatographic determination of the complexation constant between two non-volatile complexing agents in the stationary phase (114) 47
- Matlin, S.A., see Evans, N. (115) 325
- Matsui, M.
-----, Hakozaki, M. and Kinuyama, Y.
Extraction of steroid diconjugates using Amberlite XAD-2 resin (115) 625
- Matsumura, R.
----- and Kohei, H.
Studies on the formation of cyclohexylamine and N-methylcyclohexylamine from bromhexine in animals and man, and simultaneous determination of cyclohexylamine and N-methylcyclohexylamine by gas chromatography (117) 383
- Mattocks, A.M., see Wesley-Hadzija, B. (115) 501
- Mattox, V.R.
-----, Liwiler, R.D., Goodrich, J.F. and Tan, W.C.
Liquid ion exchangers in reversed-phase systems for chromatography of steroidal glucosiduronic acids (120) 435
- Mattsson, P.E.
-----, Norström, Å. and Rappe, C.
Identification of the flame retardant pentabromotoluene in sewage sludge (111) 209
- Matysik, G., see Soczewiński, E. (111) 7
- Maume, B.F., see Bournot, P. (112) 617
- Mayfield, R.J., see Evans, D.J. (115) 391
- Mays, D.L.
-----, Van Apeldoorn, R.J. and Lauback, R.G.
High-performance liquid chromatographic determination of kanamycin (120) 93
- Mcagher, R.B.
----- and Furst, A.
Reversed-phase high-pressure liquid chromatography of normal rat urinary carbohydrates (117) 211
- Melethil, S., see Conway, W.D. (115) 222
- Mellett, L.B., see Furner, R.L. (111) 195
- Mellström, B.
----- and Eksborg, S.
Determination of chlorimipramine and desmethylchlorimipramine in human plasma by ion-pair partition chromatography (116) 475
- Menon, P.G., see Choudhary, V.R. (116) 431
- Mercer, J.F.B.
----- and Naora, H.
A comparison of the chromatographic properties of various polyadenylate binding materials (114) 115
- Merriman, W.G., see Kopwillem, A. (118) 35
- Merritt, Jr., C.
-----, DiPietro, C., Hand, C.W., Cornell, J.H. and Remy, D.E.
Elucidation of reaction mechanisms for thermal eliminations and ring closures by pyrolysis-gas chromatography-mass spectrometry (112) 301
- Mészáros, S., see Tarján, G. (119) 327
- Mészáros, Z., see Szász, Gy. (117) 345
- Metras, F., see Grenier-Loustalot, M.F. (118) 1
- Michael, G.
-----, Danne, U. and Fischer, G.
Gaschromatographische Untersuchungen der Siliciumtetrahalogenide (118) 104
- , see Schwarz, M. (118) 101
- Michoel, A., see Kinget, R. (120) 234
- Mihók, M., see Bojti, E. (119) 321
- Mikeš, O.
-----, Štrop, P., Zbrožek, J. and Čoupek, J.
Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
- Mikkers, F.F.P., see Everaerts, F.M. (119) 129
- Miller, J.L., see Hsieh, D.P.H. (117) 474
- Miller, V.
-----, Pacáková, V. and Smolková, E.
Gas-liquid chromatographic analysis of trimethylsilyl derivatives of pyrimidine and purine bases and nucleosides (119) 353
- Mital, R.L., see Agarwal, N. (115) 264
- , see Agarwal, N.L. (120) 213
- Mitter, L., see Zeman, I. (119) 581
- Miwa, Y.
----- and Yamabe, T.
Elution behaviour of transition metals with eluents containing ethanol on mixed ion-exchange columns (115) 276
- Miyabo, S., see Kornel, L. (111) 200
- Miyazaki, H.
----- and Katoh, K.
Isotachophoretic analysis of peptides (119) 369
- Miyazaki, M.
----- and Okubo, N.
Retention of Cu^{2+} on dibenzoylmethane-coated glass beads (118) 254
- Mizuno, T., see Akiyama, J. (119) 605

- Mizutani, A., see Mizutani, T. (111) 214, (120) 206
- Mizutani, T.
 --- and Mizutani, A.
 Prevention of adsorption of protein on controlled-pore glass with amino acid buffer (111) 214
 --- and Mizutani, A.
 Use of controlled-pore glass for adsorption chromatography of proteins (120) 206
- Mládek, M., see Vondruška, M. (116) 457
- Möhring, H.-U., see Langenbeck, U. (115) 65
- Moerloose, P. de, see Crombez, F. (117) 161
- Moffat, A.C.
 Use of SE-30 as a stationary phase for the gas-liquid chromatography of drugs (review) (113) 69
 ---, see Twitchett, P.J. (111) 149, (120) 359
- Moir, R.Y., see Bovenkamp, J.W. (118) 345
- Molander, M., see Lindström, B. (114) 459
- Møller Jensen, K.
 Determination of nitrazepam in serum by gas-liquid chromatography. Application in bioavailability studies (111) 389
- Mondino, A.
 ---, Fumero, S., Zanolo, G. and Benedetto, S.
 Determination of free and bound plasma tryptophan (117) 236
- Monkman, J.L., see Lao, R.C. (112) 681
- Morgan, F.D., see Poole, C.F. (115) 587
 --- and Poole, C.F.
 The formation of trimethylsilyl ethers of cecdysones. A reappraisal (116) 333
- Morgan, S.L.
 --- and Deming, S.N.
 Optimization strategies for the development of gas-liquid chromatographic methods (112) 267
- Morot-Gaudry, J.F.
 ---, Fiala, V., Huet, J.C. and Jolivet, E.
 Improvements in the automatic determination of organic acids from plant tissues by liquid-liquid chromatography on a silica gel column (117) 279
- Morris, C.J.O.R., see Davy, K.W.M. (116) 305
- Morrison, J., see Walle, T. (114) 351
- Morselli, P.L., see Gerna, M. (116) 445
- Moseman, R.F., see Crist, H.L. (117) 143
- Moss, C.W.
 --- and Dees, S.B.
 Identification of microorganisms by gas chromatographic-mass spectrometric analysis of cellular fatty acids (112) 595
- Mostecký, J., see Popl, M. (117) 117
- Mroček, J.E., see Lakings, D.B. (116) 83
- Mulé, S.J., see Verebely, K. (111) 141
 ---, see Verebely, K. (118) 331
- Munns, T.W.
 --- and Sims, H.F.
 Separation of the methylated nucleoside constituents of ribonucleic acid by two-dimensional thin-layer chromatography (111) 403
- Murren, C.
 ---, Stelling, D. and Felstead, G.
 An improved buffer system for use in single-column gradient-elution ion-exchange chromatography of amino acids (115) 236
- Mussini, E., see Belvedere, G. (118) 387
- Mustich, G., see Bombardelli, E. (120) 115
- Musty, P.R.
 --- and Nickless, G.
 Extractants for organochlorine insecticides and polychlorinated biphenyls from water (120) 369
- Muto, G., see Nakae, A. (120) 47

N

- Näslund, B., see Hartvig, P. (111) 347, (118) 65
- Nagasawa, K.
 ---, Ogamo, A. and Shinozuka, T.
 Gas chromatographic determination of micro-amounts of cyclamates (111) 51
- Nagel, C.W., see Wulf, L.W. (116) 271
- Naito, K., see Komaita, T. (114) 1
- Nakae, A.
 --- and Muto, G.
 Chromatographic behaviour of alkylbenzenes and benzoates on porous micro-spherical poly(styrene-divinylbenzene) gel (120) 47
- Nakagawa, T.
 ---, Masada, M. and Uno, T.
 Gas chromatographic determination and gas chromatographic-mass spectrometric analysis of chloramphenicol, thiamphenicol and their metabolites (111) 355
 ---, see Yamaoka, K. (117) 1
- Nakano, K., see Yamamoto, H. (116) 29
- Nambara, T.
 ---, Kigasawa, K., Iwata, T. and Ibuki, M.
 Studies on steroids. CIII. A new type of derivative for electron capture-gas chromatography of ketosteroids (114) 81
 ---, Iwata, T. and Kigasawa, K.
 Studies on steroids. CIX. O- ω -haloalkyl-oximes, new derivatives for gas chromatography-mass spectrometry of oxosteroids (118) 127
- Nandi, P.K.
 Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93
 ---, see Lakshmi, T.S. (116) 177
- Naora, H., see Mercer, J.F.B. (114) 115
- Nation, R.L.
 ---, Triggs, E.J. and Selig, M.
 Gas chromatographic method for the quantitative determination of lidocaine and its metabolite monoethylglycineoxylidide in plasma (116) 188
- Nazansky, A.S., see Eltekov, Yu.A. (116) 99
- Needham, L.L.
 --- and Kochhar, M.M.
 Determination of ethchlorvynol by high-pressure liquid chromatography (111) 422
 --- and Kochhar, M.M.
 Determination of ketamine and some *in vivo* metabolites using high-pressure liquid chromatography (114) 220
 ---, see Kochhar, M.M. (118) 418
- Neiderhiser, D.H.
 ---, Fuller, R.K., Hejduk, L.J. and Roth, H.P.
 Method for the detection of diethylamine, a metabolite of disulfiram, in urine (117) 187
- Nelson, H.D., see De Ligny, C.L. (114) 63
- Nelson, N.C., see Schroeder, W.A. (115) 527
- Nemec, P., see Ďuračková, Z. (116) 141, 155
- Neupert, D., see Wagner, H. (115) 357
- Nickless, G., see Musty, P.R. (120) 369
- Nielsen, H.
 Silica gel thin-layer chromatography of acidic phospholipids. II. Chromatographic behaviour of phosphatidylserine and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
- Nieuwdorp, G.H.E., see De Ligny, C.L. (114) 63
- Nigam, R.N.
 A dual-channel micro-reactor for reaction gas chromatography (119) 620
- Nikashina, V.A.
 ---, Zvereva, L.I., Olshanova, K.M. and Potapova, M.A.
 Study of the selectivity of different types of zeolites towards some non-ferrous metals (120) 155
- Nikitin, Yu.S., see Bebris, N.K. (117) 257
- Noles, G.T.
 --- and Lieberman, M.L.
 Gas chromatographic analyses of the products obtained on pyrolysis of methane during chemical vapor deposition of carbon (114) 211
- Norström, Å., see Mattsson, P.E. (111) 209
- North-Root, H., see Kuttab, S.H. (117) 193

- Novák, J.
---, Guha, O.K. and Janák, J.
 Effect of column temperature on the sensitivity of katharometer response (112) 365
Novák, L., see Zeman, I. (119) 581
- Novotný, M., see Asmus, P.A. (119) 25
---, see McConnell, M.L. (112) 559
Nowlin, J., see Horning, M.G. (112) 605
Nugent, K.D., see Seiber, J.N. (114) 361

O

- Oehrlé, K.-L.
 ---, Vogt, K. and Hoffmann, B.
 Determination of trenbolone and trenbolone acetate® by thin-layer chromatography in combination with a fluorescence colour reaction (114) 244
- Oevelen, D. van, see Verachtert, H. (117) 295
- Ogamo, A., see Nagasawa, K. (111) 51
- Ohkuma, S.
 Determination of hemin by paper chromatography (114) 283
- Ohno, T., see Hayashi, T. (118) 403
- Oktavec, D., see Krupčík, J. (112) 189
- Okubo, N., see Miyazaki, M. (118) 254
- Oliveira-Filho, R.M., see Valle, L.B.S. (115) 183
- Olshanova, K.M., see Nikashina, V.A. (120) 155
- Olson, B., see Jain, N.C. (116) 194
- Onuska, F.I.
 --- and Comba, M.F.
 Gas chromatographic identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- Orav, A., see Rang, S. (119) 451
- Oriente, G., see Amico, V. (116) 439
- Osborne, D.J., see Cockerill, A.F. (114) 151
- Osmiałowski, K., see Pickos, R. (116) 315, (117) 431
- Ossicini, L.
 --- and Balzoni, M.
 A paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464
- and Celli, C.
 A paper electrophoretic study of ion-pair formation. XI. The behaviour of optical isomers in optically active electrolytes (115) 655
- , see Shukla, S.K. (114) 451
- Ostrowska, M., see Jerzykowski, T. (116) 225
- Osuga, T., see Imai, K. (120) 181
- Ottenstein, D.M.
 ---, Bartley, D.A. and Supina, W.R.
 Gas chromatographic separation of *cis-trans* isomers: methyl oleate/methyl elaidate (119) 401
- Ouano, A.C.
 Gel permeation chromatography. XII. Computer-assisted gel permeation chromatography and low-angle laser light-scattering photometry (118) 303

P

- Pacáková, V., see Miller, V. (119) 353
- Pace, A. de, see Verebey, K. (118) 331
- Pace, L.A., see Schroeder, W.A. (118) 295
- Pachecka, J., see Belvedere, G. (118) 387
- Pank, M.
- , Kogerman, A., Kirret, O. and Rajalo, G.
Gas chromatographic study of the reactivity
of toluidines towards and active diester
(119) 409
- Pankov, A.G., see Berezkin, V.G. (112) 353
- Pantarotto, C., see Belvedere, G. (111) 313,
(112) 631
- Papin, J.-P.
- and Udiman, M.
Chromatographie sur couche mince des po-
lyols (115) 267
- Parihar, D.B., see Vasundhara, T.S. (115) 535
- Parlourer, P. le, see Belabbes, R. (120) 81
- Parodi, P.W.
Detection of acetodiacylglycerols in milkfat
lipids by thin-layer chromatography (111)
223
- Parr, W., see Andrawes, F. (112) 197
- Paryjezak, T.
- and Józwiak, K.
Pulse technique for the chromatographic
determination of metal dispersions in palla-
dium catalysts (111) 443
- , Józwiak, W. and Góralski, J.
Chemisorption method for the determination
and removal of trace amounts of oxygen in
unreactive gases (120) 291
- Patel, I.B., see Davé, B.A. (116) 395
- Patterson, G.W.
- , Khalil, M.W. and Idler, D.R.
Sterols of scallop. I. Application of hydro-
phobic Sephadex derivatives to the resolution
of a complex mixture of marine sterols
(115) 153
- Paul, D., see Singh, H. (114) 270
- Pecsok, R.L., see Laub, R.J. (113) 47
- Pectre, I.-B., see Tullberg, L. (120) 103
- Perrin, J.H., see Hulshoff, A. (120) 65
- Perry, J.A.
Programmed multiple development. Brief
review and study of extended programs
(review) (113) 267
- Petermann, H., see Wenz, I. (120) 187
- Petkov, V.H., see Petsev, N.D. (114) 204
- Petrović, J.A.
- and Petrović, S.M.
Separation of some androgens and estrogens
by thin-layer chromatography (119) 625
- Petrović, K.
- and Vitorvić, D.
Recognition and qualitative characterization
of commercial petroleum fuels and synthetic
fuels by a gas chromatographic fingerprint
technique. I. General considerations (119)
413
- Petrović, S.M., see Petrović, J.A. (119) 625
- Petsev, N.D.
- , Petkov, V.H. and Dimitrov, Chr.
Determination of the amount of stationary
phase in packings for gas-liquid chromato-
graphy. Stationary phases for use at high tem-
perature (114) 204
- Peyrin, L., see Dalmaz, Y. (116) 379
- Pfaffenberger, C.D.
- and Horning, E.C.
High-resolution biomedical gas chromato-
graphy. Determination of human urinary
steroid metabolites using glass open tubular
capillary columns (112) 581
- Pfrepfer, G.
Ionenaustausch bei hohen Konzentrationen
der Lösung. V. Die Rolle der Sulfon-Gruppe
bei der Sorption anionischer Komplexe des
Thallium(III) aus Bromwasserstoffsäure
durch Kationenaustauscher (116) 407
- Ionenaustausch bei hohen Konzentrationen
der Lösung. VI. Einfluss des Vernetzungs-
grades auf die Sorption anionischer Kom-
plexe von Thallium(III) und Eisen(III) durch
sulfonsaure Kationenaustauscher (120) 399
- Phelps, D.J., see Martel, C. (115) 633
- Phillips, C.S.G., see Scott, K.F. (112) 61
- Phuong, N.D., see Haken, J.K. (117) 23
- Picart, D., see Berthou, F. (118) 135
- Pickett, E.E., see Aue, W.A. (111) 37

- Piekos, R.
 ---, Osmiałowski, K., Kobyłczyk, K. and Grzybowski, J.
 Search for new silylating agents. I. Comparative gas-liquid chromatographic evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and morpholine (116) 315
 ---, Teodorczyk, J., Grzybowski, J., Kobyłczyk, K. and Osmiałowski, K.
 Search for new silylating agents. II. Comparative gas-liquid chromatographic evaluation of N-trimethylsilyl-acetanilide and its *p*-ethoxy derivative (117) 431
 Pikeš, V., see Franc, J. (119) 616
 Pineault, G., see Pruden, B.B. (115) 477
 Pinelli, A.
 --- and Colombo, A.
 Gas chromatographic separation of Krebs-cycle metabolites (118) 236
 Piringer, O.
 ---, Jalobeanu, M. and Stănescu, U.
 The utilization of gas chromatographic retention data in combination with elemental analysis for substance identification (119) 423
 Piskorska, D., see Jerzykowski, T. (116) 225
 Piti, T., see Vestergaard, P. (111) 63, 75
 Pitt, Jr., W.W., see Katz, S. (111) 470
 Plattner, R.D., see Spencer, G.F. (120) 335
 Poerio, E., see Buonocore, V. (114) 109
 Pörschmann, J., see Hofmann, H.-J. (115) 299
 Poinescu, I.C., see Freeman, D.H. (118) 157
 Pollak, V.
 --- and Boulton, A.A.
 An experimental high-performance photodensitometer for quantitative chromatography. I. Design and construction (115) 335
 ---, see Boulton, A.A. (115) 349
 Pokorný, J., see Čoupek, J. (120) 411
 Pokorný, S., see Čoupek, J. (120) 411
 Połoński, T., see Chimiak, A. (115) 635
 Pommier, C., see Bocquet, J.F. (117) 315
 Poole, C.F.
 Temperature dependence of electron capture response (118) 280
 --- and Morgan, E.D.
 Structural requirements for the electron capturing properties of cedysones (115) 587
 ---, see Morgan, E.D. (116) 333
 Popl, M.
 ---, Dolanský, V. and Mostecký, J.
 Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117
 Poppe, H., see Herber, R.F.M. (118) 23
 ---, see Huber, J.F.K. (112) 377
 Poshkus, D.P., see Kalashnikova, E.V. (119) 233
 Potapova, M.A., see Nikashina, V.A. (120) 155
 Powell, R.G., see Spencer, G.F. (120) 335
 Poy, F., see Verga, G.R. (116) 17
 Prescott, B., see Caldes, G. (111) 466
 Pretorius, V., see Schiecke, J.D. (112) 97, (119) 190, (115) 373
 Preussmann, R., see Eisenbrand, G. (115) 602
 Prime, D.M., see Cockerill, A.F. (114) 151
 Pronin, A.Ya., see Kalinichev, A.I. (120) 249
 Prost, M., see Bournot, P. (112) 617
 Pruden, B.B.
 ---, Pineault, G. and Loutfi, H.
 A thin-layer chromatographic method for the quantitative determination of D-mannose, D-glucose and D-galactose in aqueous solution (115) 477
 Pryde, A.
 --- and Darby, F.J.
 The analysis of paraquat in urine by high-speed liquid chromatography (115) 107
 ---, see Knox, J.H. (112) 171
 Puglisi, C.V.
 --- and De Silva, J.A.F.
 Determination of the carotenoid phytoene in blood by high-pressure liquid chromatography (120) 457
 ---, De Silva, J.A.F. and Leon, A.S.
 Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one (Ro 7-9957) and its major biotransformation products in blood and urine by electron capture-gas-liquid chromatography (118) 371
 Purnell, J.H., see Laub, R.J. (112) 71

Q

Qureshi, M.

- , Kumar, R., Sharma, V. and Khan, T.
Synthesis and ion-exchange properties of
tin(IV) tungstoarsenate (118) 175
- --, Rawat, J.P. and Gupta, A.P.
Synthesis and ion-exchange properties of
niobium arsenate (118) 167

R

- Rahm, J.
Analytical separation of amino acids on a cation-exchange resin cross-linked with *m*-divinylbenzene (115) 455
- Rahman, S.S., see Castracane, V.D. (115) 244
- Rajagopalan, T.G., see Geiger, U.P. (114) 167
- Rajalo, G., see Pank, M. (119) 409
- Rajwar, D.P., see Ghosh, A.K. (117) 29
- Ramachandran, S., see Schwartz, R.D. (112) 111
- Ramaekers, J.J.M., see Deelder, R.S. (119) 99
- Ramakrishnan, R.
--- and Subramanian, N.
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by gas chromatography (114) 247
- Ramanathan, P.S., see Datar, A.G. (114) 29
- Ramljak, Z.
---, Deur-Šiftar, D. and Šolc, A.
Characterization of bitumens by pyrolysis gas chromatography (119) 445
- Rang, S.
---, Kuningas, K., Orav, A. and Eisen, O.
Capillary gas chromatography of *n*-alkynes. I. Retention indices (119) 451
- Ranieri, R.L.
--- and McLaughlin, J.L.
Cactus alkaloids. XXVII. Use of fluorescamine as a thin-layer chromatographic visualization reagent for alkaloids (111) 234
- Rappe, C., see Mattson, P.E. (111) 209
- Rasmussen, K.E.
On-column silylation of cannabinoids after injection of solid plant material and cold trapping (114) 250

Quantitative morphine assay by means of gas-liquid chromatography and on-column silylation (120) 491
- Raverdino, V., see Long, M. (117) 305
- Rawat, J.P., see Qureshi, M. (118) 167
- Rayss, J., see Waksmundzki, A. (119) 557
- Read, G., see Glynne-Jones, E. (114) 232
- Reddy, B.S., see Spears, R. (116) 184
- Redweik, U., see Curtius, H.Ch. (112) 523
- Rees, H.H.
---, Donnahey, P.L. and Goodwin, T.W.
Separation of C₂₇, C₂₈ and C₂₉ sterols by reversed-phase high-performance liquid chromatography on small particles (116) 281
- Regnier, F.E., see Chang, S.H. (120) 321
- Regula, E.
Dünnschichtchromatographischer Nachweis von Calcium- und Natrium-Stearoyllactylat neben anderen Emulgatoren in Lebensmitteln (115) 639
- Rehg, W.R., see Ross, W.D. (112) 719
- Reichling, J.
--- and Fischer, H.
Chromatographische Trennung herbizidwirksamer *s*-Triazine auf verschiedenen Polyamiddünnschichten (115) 670
- Reinhard, M.
---, Drevenkar, V. and Giger, W.
Effect of aqueous chlorination on the aromatic fraction of diesel fuel. Analysis by computer-assisted high-resolution gas chromatography-mass spectrometry (116) 43
- Reisfeld, R.A., see Wang, R. (114) 223
- Remy, D.E., see Merritt, Jr., C. (112) 301
- Reymer, H.G.M., see Brinkman, U.A.Th. (116) 353
- Rice, W.P., see Hudson, J.C. (117) 449
- Richards, M.
Separation of mono- and dicarboxylic acids by liquid chromatography (115) 259
- Ridge, B., see Burt, R.J. (118) 240
- Riess, W., see Degen, P.H. (117) 399, 407, (118) 363
---, see Geiger, U.P. (114) 167
---, see Jack, D.B. (115) 87
- Rijks, J.A., see Soják, L. (119) 505
- Rinaldi, A.
---, Cossu, P. and De Marco, C.
Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)-selenocysteine (120) 221
---, see de Marco, C. (114) 291, (115) 621
- Rinalduzzi, B.
A paper electrophoretic study of ion-pair formation. IX. The migration of small organic ions in strong acids (114) 297

- Ripphahn, J.
 ----- and Halpaap, H.
 Quantitation in high-performance micro-thin-layer chromatography (112) 81
- Robards, A.W., see Gressel, J. (114) 455
- Roberts, D.P., see Darvill, A.G. (115) 319
- Roberts, G., see Santoro, R. (117) 375
- Robertson, J.H., see Tsuji, K. (112) 663
- Robinson, G.W.
 Modifications in gradient elution of amino acids (111) 416
- Rocca, J.L., see Gonnet, C. (120) 419
 and Rouchouse, A.
 Séparation de sucres sur microparticules de silice par chromatographie en phase liquide à haute performance (117) 216
- Rodrigues de Miranda, J.F.
 ----- and Eikelboom, T.D.
 Thin-layer chromatographic separation of free fatty acids. Analysis and purification of radioactively labelled fatty acids (114) 274
- Rodríguez-Viñals, R., see Guardino, X. (118) 13
- Romagnoli, E., see Tortolani, G. (120) 149
- Rosenberg, A., see Den, H. (111) 217
- Ross, M.S.F.
 Analysis of cinnamon oils by high-pressure liquid chromatography (118) 273
 -----, see Lines, D.S. (117) 59
- Ross, W.D.
 -----, Buttler, G.W., Duffy, T.G., Rehg, W.R., Winger, M.T. and Sievers, R.E.
 Analysis for aqueous nitrates and nitrites and gaseous oxides of nitrogen by electron capture gas chromatography (112) 719
- Rosseeel, M.-T., see Vanderheeren, F.A.J. (120) 123
- Roth, H.P., see Neiderhiser, D.H. (117) 187
- Rouchouse, A., see Rocca, J.L. (117) 216
- Rovei, V., see Vereczkey, L. (116) 451
- Rózyto, J.K.
 Types of adsorbent and relationships between R_M values of a substance and the composition of the mobile phase in thin-layer chromatography (116) 117

 Comparison of theoretical and experimental R_M values in thin-layer adsorption chromatography on silica gel adsorbents of different porosity (116) 125
- Rudenko, B.A.
 -----, Baydarovtseva, M.A. and Kusovkin, V.A.
 Gas chromatography in vapours as mobile phases. A short review (112) 373
 -----, see Chizhkov, V.P. (120) 35
- Ruh, M.F.
 ----- and Black, C.
 Separation and detection of α - and β -ecdysone using thin-layer chromatography (116) 480
- Runeckles, V.C.
 ----- and Das, G.
 Simple ion-exchange column fractionation of ribonucleotides (115) 240
- Russell, I.M., see Evans, D.J. (115) 391
- Russev, P.
 -----, Gough, T.A. and Woollam, C.J.
 Detection of inorganic gases using a flame ionisation detector (119) 461
- Ryback, G.
 Chromatography of saturated steroid hydrocarbons (steranes) on alumina (116) 207
- Rydon, H.N., see Burt, R.J. (118) 240
- Ryšlavý, Z.
 -----, Vacík, J. and Zuska, J.
 Temperature profiles in capillary isotachopheresis (114) 315

S

- Sabbagh, N.K.
 ---- and Fagerson, I.S.
 Gel chromatography of glucose oligomers. A study of operational parameters (120) 55
- Sadeghian, K., see Hokin-Neaverson, M. (120) 502
- Safille, A., see Lee, M.-L. (116) 462
- Saito, Z., see Kornel, L. (111) 200
- Saitoh, K.
 ---- and Suzuki, N.
 Solvent effects in the gel chromatography of *n*-alkanes on Merckogel OR-2000 (111) 29
- Salmona, M., see Belvedere, G. (118) 387
- Salote, E.G., see Skellern, G.G. (114) 483
- Samperi, R., see Di Corcia, A. (117) 199
- Samuelson, O., see Havlicek, J. (114) 383
- Santi, W.
 ----, Huen, J.M. and Frei, R.W.
 High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423
- , see Frei, R.W. (116) 365
- , see Lindner, W. (111) 365
- Santorio, R.
 ----, Warren, R. and Roberts, G.
 Spontaneous formation of 4-methyl-5-phenyl-oxazolidine-2-thione from phenylpropanolamine (117) 375
- Sayther, T.T., see Erhardt, P.W. (116) 218
- Scacchi, G.
 ---- and Black, M.H.
 Separation and analysis of small quantities of saturated C₆ hydrocarbons from large quantities of olefins (114) 255
- Schäublin, J., see Degen, P.H. (118) 363
- Schafer, T.R., see McCormick, J.P. (117) 428
- Schaik, T.A.M. van, see Brinkman, U.A.Th. (115) 195
- Scheffer, J.J.C.
 ---- and Baerheim Svendsen, A.
 Improved gas chromatographic analysis of naturally occurring monoterpene hydrocarbons following pre-fractionation by liquid-solid chromatography (115) 607
- Schieke, J.D.
 ----, Comins, N.R. and Pretorius, V.
 Whisker-walled open tubular glass columns for gas chromatography. Techniques for inducing whisker growth (112) 97
- , Comins, N.R. and Pretorius, V.
 An improved technique for observing the inner surface of open-tubular columns for gas chromatography using scanning electron microscopy (114) 190
- , Comins, N.R. and Pretorius, V.
 Surface-modified open-tubular columns for gas chromatography. Observation and analysis of the surface using scanning electron microscopy (SEM) and energy-dispersive X-ray analysis (115) 373
- Schindlbauer, H.
 ----, Gruber, H. and Biller, E.
 Reaktionsgaschromatographie: ein Mittel zur raschen Abschätzung von Reaktionsparametern. I. Beispiele für Amidierungen und N-Acylierungen (115) 311
- Schlick, K., see Wagner, H. (115) 357
- Schmidtlein, H.
 ---- and Herrmann, K.
 Quantitative analysis for phenolic acids by thin-layer chromatography (115) 123
- Schneider, W., see Degen, P.H. (117) 407
- Scholler, J., see Sullivan, G. (116) 490
- Scholler, R., see Dehennin, L. (111) 238
- Schomburg, G., see Henneberg, D. (112) 343
- , Husmann, H. and Weeke, F.
 Aspects of double-column gas chromatography with glass capillaries involving intermediate trapping (112) 205
- and Zegarski, K.
 Separation of olefinic compounds by reversed-phase liquid chromatography with a mobile phase containing π -complexing metal salts like silver nitrate (114) 174
- Schott, H.
 Template-Chromatographie an stationär gebundenen Oligonukleotiden. Synthese und Anwendung von Oligodesoxyadenosin-5'-phosphat-DEAE-Zellulose (115) 461

- Schroeder, W.A.
 -- and Nelson, N.C.
 Microchromatography of hemoglobins. V.
 Thin-layer chromatography of some hemoglobins on CM-cellulose (115) 527
- , Pace, L.A. and Huisman, T.H.J.
 Chromatography of hemoglobins on CM-cellulose with Bis-tris and sodium chloride developers (118) 295
- Schüller, M., see Knust, E.J. (114) 207
- Schulz, P.
 -- and Vilceanu, R.
 Gaschromatographische acylierter α -Hydroxyphosphonsäureester. Spurenanalyse aliphatischer Carbonsäuren mit dem Phosphor-detektor (111) 105
- , Vilceanu, R. and Ciobotariu, D.
 Zur Gaschromatographie vollständig substituierter cyclischer Alkoxyphosphazene (111) 430
- Schwartz, R.D.
 ---, Mathews, R.G. Ramachandran, S., Henly, R.S. and Doyle, J.F.
 High-temperature gas-liquid chromatography with a polyphenyl ether sulfone (112) 111
- Schwartzman, R.M.
 -- and Halliwell, R.F.W.
 Thin-layer chromatographic assays of histamine and its metabolites in urine of man and dog (115) 129
- Schwarz, M.
 --- and Michael, G.
 Zur Gaschromatographie der Trifluoracetylamino-säure-trimethylsilylester (118) 101
- Schwarzenbach, R.
 A chemically bonded stationary phase for carbohydrate analysis in liquid chromatography (117) 206
- Schwarzmaier, U.
 Hydroxylamin/Eisen(III)chlorid, ein stereospezifisches Farbreagens für Mandelsäurenitrilglycoside (111) 430
- 2,3,5-Triphenyltetrazolium hydroxide -- a colour reagent for mandelonitrile glycoside (114) 235
- Untersuchung und Reinigung von kislensäurehaltigen Kohlenhydraten (118) 250
- Schwedt, G.
 Hochdruck-Flüssigkeits-chromatographische Analyse der Katecholamine Dopamin und Noradrenalin als Fluorescaminderivate (118) 429
- Schwertner, H., see Wallace, J.E. (114) 433
- Scott, K.F.
 --- and Phillips, C.S.G.
 Gas chromatographic studies of catalysis on Ni-SiO₂ (112) 61
- Scott, R.P.W.
 --- and Kucera, P.
 Solute interactions with the mobile and stationary phases in liquid-solid chromatography (112) 425
- and Kucera, P.
 Some aspects of preparative-scale liquid chromatography (119) 467
- Scratchley, G.A., see Stohs, S.J. (114) 329
- Seetz, J.W.F.L., see Brinkman, U.A.Th. (116) 353
- Seiber, J.N., see Hsieh, D.P.H. (117) 474
- , Landrum, P.F., Madden, S.C., Nugent, K.D. and Winterlin, W.L.
 Isolation and gas chromatographic characterization of some toxaphene components (114) 361
- Seibert, G., see Breter, H.-J. (118) 242
- Seki, T.
 Chromatographic separation of dihydroxybenzenes on a column of Merckogel PGM 2000 (115) 262
- and Wada, H.
 Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin (114) 227
- Selig, M., see Nation, R.L. (116) 188
- Selzer, R.B.
 --- and Howery, D.G.
 Factor analysis of solute parameters in ether-stationary phase interactions (115) 139
- Senanayake, U.M.
 ---, Edwards, R.A. and Lee, T.H.
 Simple solid injection method for qualitative and quantitative estimation of essential oils (116) 468
- Sennello, L.T., see Chu, S.-Y. (117) 415
- Sepp, W., see Amin, M. (118) 225
- Serfontein, W.J.
 ---, Botha, D. and De Villiers, L.S.
 A rapid and comprehensive system for the routine identification of drugs in biological material based on microphase extraction and drug colour profiles (115) 507
- Serpinet, J.
 Application of inverse gas chromatography to the determination of the surface area of macroporous and mesoporous adsorbents (119) 483

- Settimj, G.
 ---, Di Simone, L. and Del Giudice, M.R.
 A new gas chromatographic method for the estimation of reserpine and rescinnamine (116) 263
- Sevier, E.D., see Wang, R. (114) 223
- Sharma, V., see Qureshi, M. (118) 175
- Sharpe, S.
 --- and Gray, D.O.
 The advantages of carboxymethylcellulose for the separation of amines from amino acids (120) 473
- Sharples, W.E., see Dyer, A. (118) 319
 ---, see Vernon, F. (111) 117
- Shcherbakova, K.D., see Kalashnikova, E.V. (119) 233
- Sheehan, M.
 --- and Haythorn, P.
 Rapid gas chromatographic determination of underivatized theophylline in whole blood (117) 393
- Sherma, J.
 Chromatographic analysis of fungicides (review) (113) 97
- Shibata, K., see Yamamoto, H. (116) 29
- Shibata, M., see Kawazu, K. (115) 543
- Shibata, S., see Kamata, E. (115) 660
- Shimizu, I.
 The paper chromatography of a group of secondary amines (118) 96
- Shinozuka, T., see Nagasawa, K. (111) 51
- Shkolina, L.A., see Anisimov, A.F. (111) 409
 ---, see Berezkin, V.G. (119) 33
- Shukla, S.K.
 ---, Fanali, S. and Ossicini, L.
 Paper chromatographic study of the reduction of perbromate ions by potassium and hydrogen halides (114) 451
- Shulgin, A.T., see Helisten, C. (117) 232
- Shvarzman, V.P., see Zhukhovitskii, A.A. (119) 591
- Siegfried, R.
 Vergleich zwischen gaschromatographischer und fluoreszenzspektroskopischer Bestimmung von 3,4-Benzpyren (118) 270
- Siest, G., see Houpert, Y. (115) 33
- Sievers, R.E., see Ross, W.D. (112) 719
- Silano, V., see Buonocore, V. (114) 109
- Silva, J.A.F. de, see Puglisi, C.V. (118) 371, (120) 457
- Simon, J.
 --- and Szepesy, L.
 Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
- Simone, L. di, see settimj, G. (116) 263
- Šimová, A., see Krupčík, J. (119) 271
- Sims, H.F., see Munns, T.W. (111) 403
- Singh, H.
 ---, Paul, D., Malhotra, R.K. and Bhardwaj, T.R.
 Steroids and related studies. XXXII. Thin-layer chromatography of some lactam, tetrazole, basic and quaternary azasteroids (114) 270
- Sinitzina, L.A., see Chizhkov, V.P. (120) 35
- Sioufi, A., see Geiger, U.P. (111) 293
- Šír, Z., see Komers, R. (119) 251
- Skaare, J.U.
 --- and Dahle, H.K.
 Gas chromatographic determination and mass spectrometric confirmation of N-nitrosodimethylamine in fish meal (111) 426
- Skellern, G.G.
 --- and Salole, E.G.
 A high-speed liquid chromatographic analysis of indomethacin in plasma (114) 483
- Šlechtová, R., see Chundela, B. (119) 609
- Śledzińska, B., see Kowalczyk, J.S. (119) 255
- Slucutt, M.J., see Cox, G.B. (117) 269
- Smith, A.G., see Brooks, C.J.W. (112) 499
- Smith, B.E.F., see Tullberg, L. (120) 103
- Smith, L.L., see Teng, J.I. (115) 648
- Smith, R.N.
 High-pressure liquid chromatography of cannabis. Identification of separated constituents (115) 101
- Smith, R.V., see Erhardt, P.W. (116) 218
- Smith Magen, J., see Haeffner, L.J. (118) 425
- Smolka, A.J.K., see Kopwille, A. (118) 35
- Smolková, E., see Miller, V. (119) 353
- Smuts, T.W., see Cloete, C.E. (120) 1, 17, 29
- Sneath, T., see Jain, N.C. (116) 194
- Sneath, T.C., see Jain, N.C. (115) 519
- Soczewiński, E.
 --- and Ciszewska, M.
 Investigations of the relationship between molecular structure and chromatographic parameters. IX. Extraction of phenolic 2-benzoylbenzoic acids with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21
 --- and Gołkiewicz, W.
 A graphical method for the determination of retention times in column liquid-solid chromatography from thin-layer chromatographic data (118) 91
 --- and Matysik, G.
 Investigations of the relationship between molecular structure and chromatographic parameters. VIII. Partition of phenols and their derivatives in systems of the type (cyclohexane + polar solvent) - water (111) 7

- Soják, L.
 ---- and Rijks, J.A.
 Capillary gas chromatography of alkylbenzenes. I. Some problems encountered with the precision of the retention indices of alkylbenzenes (119) 505
- Šolc, A., see Ramljak, Z. (119) 445
- Solsky, J.F., see Grushka, E. (112) 145
- Sommer, K.R., see Horning, M.G. (112) 605
- Souter, R.W.
 Gas chromatographic resolution of enantiomeric amphetamines and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307
 ----, see Lochmüller, C.H. (113) 283
- Sowa, W.
 ----, Licht, B.H. and Itzkovitch, I.J.
 Gas chromatography and high-pressure liquid chromatography of commercial hydroxyoxime copper extractants (116) 197
- Spears, R.
 ----, Vukusich, D., Mangat, S. and Reddy, B.S.
 New improved method for separation of fecal bile acids by thin-layer chromatography (116) 184
- Spencer, G.F.
 ----, Plattner, R.D. and Powell, R.G.
 Quantitative gas chromatography and gas chromatography-mass spectrometry of *Cephalotaxus* alkaloids (120) 335
- Stafford, M., see Horning, M.G. (112) 605
- Stancher, B.
 ----, Favretto Gabrielli, L. and Favretto L.
 Analysis of polyoxyethylene non-ionic surfactants by coupling gas-liquid and thin-layer chromatography (111) 459
- Stănescu, U., see Piringer, O. (119) 423
- Staszewski, R., see Zygmunt, B. (119) 599
- Stedjee, B.J., see Kauffman, G.B. (117) 455, (118) 433
- Steklá, J., see Zeman, I. (119) 581
- Stelling, D., see Murren, C. (115) 236
- Steuerle, H.
 Bestimmung von Vitamin D₃ und seinen Fotoisomeren in D₃-Harzen sowie in Mischungen mit Vitamin A-Acetat (115) 447
- Steyn, J.M.
 A thin-layer chromatographic method for the determination of acebutolol and its major metabolite in serum (120) 465
 ---- and Hundt, H.K.L.
 A thin-layer chromatographic method for the quantitative determination of quinidine in human serum (111) 463
- Stillwell, R.N., see Horning, M.G. (112) 605
- Stohs, S.J.
 ---- and Scratchley, G.A.
 Separation of thiazide diuretics and anti-hypertensive drugs by thin-layer chromatography (114) 329
- Storstein, L.
 Studies on digitalis. IV. A method for thin-layer chromatographic separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87
- Strandberg, S., see Hartvig, P. (118) 65
- Strassner, M., see Lisboa, B.P. (111) 159
- Stretton, R.J., see Burns, D.T. (116) 107
- Štrop, P., see Mikeš, O. (119) 339
- Stubenrauch, G., see Gelbke, H.P. (120) 239
- Su, S.C.
 ----, Hartkopf, A.V. and Karger, B.L.
 High-performance ion-partition chromatography of sulfa drugs. Study and optimization of chemical parameters (119) 523
- Subramanian, N., see Ramakrishnan, R. (114) 247
- Suchánek, P., see Krupčík, J. (119) 271
- Šudřich, M., see Vondruška, M. (116) 457
- Sugden, K., see Cox, G.B. (117) 269
- Sugiura, T., see Hayashi, T. (118) 403
- Sullivan, G.
 ----, Maness, D.D., Yakatan, G.J. and Scholler, J.
 Thin-layer chromatographic separation of sterigmatocystin, 5-methoxysterigmatocystin and O-methylsterigmatocystin (116) 490
- Sultanov, N.T.
 ---- and Arustamova, L.G.
 Determination of the boiling points of C₁₀ isoalkanes in an *n*-decane isomerizate from gas chromatographic retention indices (115) 553
- Sundler, F., see Larsson, L.-I. (117) 355
- Supina, W.R., see Ottenstein, D.M. (119) 401
- Supryniewicz, Z.
 ---- and Jaroniec, M.
 Analogy between gas adsorption and liquid adsorption chromatography (117) 11
- Suzuki, J., see Yamamoto, H. (116) 29

- Suzuki, N., see Saitoh, K. (111) 29
- Svendsen, A. Baerheim, see Verpoorte, R.
(120) 203
- Svoboda, M.
----- and Vacík, J.
Capillary isotachopheresis with ultraviolet
detection. Some quantitative aspects (119)
539
- Symcs, E.K.
----- and Thomas, B.S.
Method for the measurement of plasma de-
hydroepiandrosterone by gas-liquid chroma-
tography with electron capture detection
(116) 163
- Szász, Gy.
---, Mészáros, Z., Ignáth, Zs. and Kovács, G.
Thin-layer chromatography of homopyrim-
idazole derivatives (117) 345
- Szentirmay, Zs.
---, Tarján, G., Békési, L., Gajari, J. and Takács, J.
General contribution to the theory of reten-
tion index systems in gas-liquid chromato-
graphy. IV. Pre-calculation of interaction
factors on mixed stationary phases in gas-
liquid chromatography by computer (119)
333
- Szepesy, L., see Simon, J. (119) 495

T

- Takács, E.C., see Lombosi, T.S. (119) 307
- Takács, J.M.
 ---- see Bojti, E. (119) 321
 ----, see Lombosi, T.S. (119) 307
 ----, see Szentirmay, Zs. (119) 333
 ----, see Tarján, G. (119) 327
- Takaguchi, K.
 ---- and Tomita, I.
 Lithium ion exchange on α -titanium phosphate (118) 263
- Takata, Y., see Hoshika, Y. (120) 379
- Takei, S., see Komaita, T. (114) 1
- Tamura, Z., see Imai, K. (120) 181
 ----, see Yoshida, A. (116) 240
- Tan, W.C., see Mattox, V.R. (120) 435
- Tanaka, A.
 ---- and Fujimoto, Y.
 Gas chromatographic determination of thia-
 bendazole in fruits as its methyl derivative
 (117) 149
- Tanaka, K., see Ikeda, N. (114) 389
- Tanimura, T., see Yoshida, A. (116) 240
- Tarallo, P., see Houpert, Y. (115) 33
- Tarasova, L.V., see Bebris, N.K. (117) 257
- Tarján, G.
 ----, Kiss, Á., Kocsis, G., Mészáros, S. and
 Takács, J.M.
 General contribution to the theory of reten-
 tion index systems in gas-liquid chromato-
 graphy. III. Contribution to the polarity of gas
 chromatographic stationary phases expressed
 by retention indices (119) 327
 ----, see Szentirmay, Zs. (119) 333
- Tenaschuk, D., see MacKenzie, S.L. (111) 413
- Teng, J.I.
 ---- and Smith, L.L.
 Anomalous chromatographic behaviour of
 some C₂₇-steroid hydroperoxides (115)
 648
- Teodorczyk, J., see Piekos, R. (117) 431
- Téoule, R., see Cadet, J. (115) 191
- Terada, H., see Hayashi, T. (118) 403
- Teter, L.A., see Kaulffman, G.B. (114) 465
- Theunis, D.J.C.J., see Vanderbeeren, F.A.J.
 (120) 123
- Thieroff, K., see Hofmann, H.-J. (115) 299
- Thomas, B.S., see Symes, E.K. (116) 163
- Thomas, M., see Frei, R.W. (116) 365
- Thomas, R.S., see Lao, R.C. (112) 681
- Thurman, G.W., see Kautsky, M.P. (114) 473
- Tilborg, W.J.M. van, see Van Tilborg, W.J.M.
 (115) 616
- Till, U., see Wenz, I. (120) 187
- Tishbee, A., see Wentworth, W.E. (112) 229
- Tomarchio, L., see Long, M. (117) 305
- Tomita, I., see Takaguchi, K. (118) 263
- Tomlinson, E.
 Chromatographic hydrophobic parameters
 in correlation analysis of structure-activity
 relationships (review) (113) 1
- Tortolani, G.
 ---- and Romagnoli, E.
 Chromatography of cephalosporins on
 DEAF-Sephadex (120) 149
- Tóth, T., see Holderith, J. (119) 215
- Toth-Martinez, B.L.
 ----, Dinya, Z. and Hernádi, F.
 Purification of *Escherichia coli* B-specific
 p-aminobenzoate "pick-up" protein to
 homogeneity by affinity chromatography
 (115) 205
- Trifilo, R.M.
 ---- and Dobson, Jr., J.G.
 Separation of purine 3',5'-cyclic nucleotides
 and nucleosides by thin-layer chromatography
 on PEI cellulose (116) 465
- Triggs, E.J., see Nation, R.L. (116) 188
- Trimbos, H.F., see Cramers, C.A. (119) 71
- Tringali, C., see Amico, V. (116) 439
- Tschesche, R., see Henke, U. (120) 477
- Tsuji, A., see Maeda, M. (120) 449
- Tsuji, K.
 ---- and Robertson, J.H.
 Improved high-performance liquid chro-
 matographic method for polypeptide anti-
 biotics and its application to study the effects
 of treatments to reduce microbial levels in
 bacitracin powder (112) 663
- Tuinstra, L.G.M.Th.
 ---- and Bronsgeest, J.M.
 Determination of aflatoxin M₁ in milk at the
 parts per trillion level (111) 448

- Tullberg, L.
——, Pectre, J.-B. and Smith, B.E.F.
Structural investigation of phenols and alcohols using silylation and gas chromatography (120) 103
- Tullio, G.Di, see Long, M. (117) 305
- Twitchett, P.J.
——, Gorvin, A.E.P. and Moffat, A.C.
High-pressure liquid chromatography of drugs. II. An evaluation of a microparticulate cation-exchange column (120) 359
- and Moffat, A.C.
High-pressure liquid chromatography of drugs. An evaluation of an octadecylsilane stationary phase (111) 149
- Tyman, J.H.P.
Long-chain phenols. IV. Quantitative determination of the olefinic composition of the component phenols in cashew nut-shell liquid (111) 277
- Long-chain phenols. V. Gas chromatographic analysis of cashew nut-shell liquid (*Anacardium occidentale*) (111) 285
- Tympl, M., see Caletka, R. (111) 93
- Tyson, B.J.
Polyphenyl ether, a liquid phase for the gas chromatographic-mass spectrometric analysis of monoterpene hydrocarbons (111) 419

U

Udiman, M., see Papin, J.-P. (115) 267
Uhlmann, P., see Hofmann, H.-J. (115) 299
Uno, T., see Nakagawa, T. (111) 355

Uobe, K., see Inouye, H. (118) 201
Upfield, J.A., see Cox, G.B. (117) 269

V

- Vacík, J., see Ryšlavý, Z. (114) 315
 ----, see Svoboda, M. (119) 539
- Valle, L.B.S.
 ----, Oliveira-Filho, R.M. and Camara, S.A.
 Further data on a histochemical reaction as applied to the thin-layer chromatography of sterols (115) 183
- Van Apeldoorn, R.J., see Mays, D.L. (120) 93
- Van de Kamp, C.G., see Krijgsman, W. (117) 201
- Van den Berg, J.H.M., see Deelder, R.S. (119) 99
- Vandenborn, H.W., see Julin, B.G. (112) 443
- Van den Bossche, W., see Crombez, E. (117) 161
- Vandenheuvel, F.A.
 Gas-liquid chromatographic studies of reactions and structural relationships of steroids. IV. Substitution in the pregnane side-chain (115) 161
- VandenHeuvel, W.J.A.
 ---- and Gruber, V.F.
 N-Dimethylaminomethylene derivatives for the gas-liquid chromatography of primary sulfonamides (112) 513
 ----, Gruber, V.F., Mandel, L.R. and Walker, R.W.
 Identification of 6,7-dihydroxytetrahydroisoquinoline as an *in vitro* reaction product by gas-liquid radiochromatography (114) 476
- Vanderhaeghe, H., see Janssen, G. (114) 266
- Vanderheeren, F.A.J.
 ----, Theunis, D.J.C.J. and Rosseel, M.-T.
 Gas-liquid chromatographic determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123
- Van der Vijver, L.M.
 ---- and Gerritsma, K.W.
 Behaviour of 7-methyljuglone and two related naphthoquinones on silica gel exposed to air (114) 443
- Van Oevelen, D., see Verachttert, H. (117) 295
- Van Schaik, T.A.M., see Brinkman, U.A.Th. (115) 195
- Van Tilborg, W.J.M.
 Qualitative and quantitative determination of hydroperoxides by high-performance liquid chromatography (115) 616
- Van Wassenaar, P.D.
 ---- and Iyengar, R.B.
 Gas chromatographic separation of leucine and isoleucine phenylthiohydantoins (118) 99
- Váradí, A., see Holderith, J. (119) 215
- Varanka, M., see Kosinkiewicz, B. (114) 463
- Vasendin, I.M., see Vaskovsky, V.E. (114) 129
- Vaskovsky, V.E.
 ---- and Dembitzky, V.M.
 Determination of plasmalogen contents of phospholipid classes by reaction micro-thin-layer chromatography (115) 645
 ----, Kostetsky, E.Y. and Vasendin, I.M.
 A universal reagent for phospholipid analysis (114) 129
 ---- and Latyshev, N.A.
 Modified Jungnickel's reagent for detecting phospholipids and other phosphorus compounds on thin-layer chromatograms (115) 246
- Vasundhara, T.S.
 ----, Jayaraman, S. and Parihar, D.B.
 The estimation of N-nitrosamines in tropical regions by reversed-phase paper and thin-layer chromatography (115) 535
- Vaughn, R.H., see Davé, B.A. (116) 395
- Verachttert, H.
 ----, Van Oevelen, D. and Bevers, J.
 Use of polyols as stationary phases for the gas chromatographic separation of volatile compounds from excess amounts of ethanol (117) 295
- Vercauteren, R.F., see Bernard, D.M. (120) 211
- Vercellotti, J.R., see Kingston, D.G.I. (118) 414
- Verebely, K.
 ----, Mulé, S.J. and Jukofsky, D.
 A gas-liquid chromatographic method for the determination of naltrexone and beta-naltrexol in human urine (111) 141

- Verebey, K.
 ---, Kogan, M.J., De Pace, A. and Mulé, S.J.
 Quantitative determination of naltrexone and beta-naltrexol in human plasma using electron capture detection (118) 331
- Vereczkey, L.
 ---, Bianchetti, G., Rovci, V and Frigerio, A.
 Gas chromatographic method for the determination of nomifensine in human plasma (116) 451
- Verga, G.R.
 --- and Poy, F.
 Gas chromatography of nitrogen- and phosphorus-containing compounds. A new, high-sensitivity, variable selectivity detector (116) 17
- Vergnaud, J.-M., see Abdeddaim, K. (111) 253
 ---, see Belabbes, R. (120) 81
- Verheggen, Th.P.E.M., see Everaerts, F.M. (119) 129
- Vermeulen, R.J., see Baars, A.J. (120) 217
- Vernon, F.
 --- and Edwards, G.T.
 Gas-liquid chromatography on fluorinated stationary phases. II. Fluorinated compounds containing a functional group (114) 87
- , Sharples, W.E. and Kyffin, T.W.
 The steric factor in the gas-liquid chromatographic retention of toluic and methoxybenzoic esters (111) 117
- Verpoorte, R.
 --- and Baerheim Svendsen, A.
 High-performance liquid chromatography of some tropane alkaloids (120) 203
- Vesely, V., see Leško, J. (119) 293
- Vespalec, R.
 Effect of the amount of Tris III coated on silica gel on the separation of polycyclic aromatic hydrocarbons by liquid chromatography (118) 47
- Vestergaard, P.
 Multi-column liquid chromatography. I. A new multi-collector for simultaneous fraction collection from a number of chromatographic columns (111) 57
- Multi-column liquid chromatography. III. New techniques for multi-column liquid chromatography (111) 69
- , Bachman, A., Piti, T. and Kohn, M.
 Multi-column liquid chromatography. IV. Computerized on-line spectrophotometric quantitation system for multi-column liquid chromatography (111) 75
- and Piti, T.
 Multi-column liquid chromatography. II. A multi-cuvette for multi-column liquid chromatography (111) 63
- Viala, A.
 ---, Cano, J.P. and Durand, A.
 Dosage de la chloroquine dans les milieux biologiques par chromatographie en phase gazeuse (111) 299
- Vigh, Gy.
 A true full-length thermostating water jacket for Swagelok-terminated high-pressure liquid chromatographic columns (117) 424
- and Inczédy, J.
 Separation of some chloramphenicol intermediates by high-pressure liquid chromatography (116) 472
- Vijver, L.M. van der, see Van der Vijver, L.M. (114) 443
- Vilceanu, R., see Schulz, P. (111) 105, 430
- Villiers, L.S. de, see Serfontein, W.J. (115) 507
- Villumsen, D., see Breyer, U. (115) 493
- Viricel, M.
 --- and Gonnet, C.
 Influence de l'activité de l'adsorbant en chromatographie d'adsorption sur couches minces (115) 41
- and Lamotte, A.
 Adsorption des mélanges binaires en chromatographie sur couches minces (114) 397
- and Lemar, M.
 Chromatographie liquide avec phases imprégnées sur microparticules de silice (116) 343
- Visser, A.C. de, see Brinkman, U.A.Th. (115) 195
- Vitenberg, A.G., see Ioffe, B.V. (112) 311
 ---, Ioffe, B.V., Dimitrova, Z.St. and Butaeva, I.L.
 Determination of gas-liquid partition coefficients by means of gas chromatographic analysis (112) 319
- Vitorović, D., see Petrović, K. (119) 413
- Völkl, A.
 --- and Berlet, H.H.
 Trennung von Guanidinverbindungen durch Ionenaustauscher-Dünnschichtchromatographie (115) 485
- Voelter, W.
 --- and Zech, K.
 High-performance liquid chromatographic analysis of amino acids and peptide-hormone hydrolysates in the picomole range (112) 643
- Vogt, K., see Oehrlé, K.-L. (114) 244

- Volpe, P.
---- and Castiglioni, M.
Radio-gas chromatographic analysis of
molecules containing labile tritium (114)
23
- Von Arx, E.
----, Fäupel, M. and Brugger, M.
Das 4,4'-Tetramethyldiamino-diphenylmethan
Reagens (TDM). Eine Modifikation der Chlor-
o-Tolidin Farbereaktion für die Dünnschicht-
chromatographie (120) 224
- Vondruška, M.
----, Šudřich, M. and Mládek, M.
Determination of some gel permeation chro-
matographic parameters of the gel Spheron
P-1000 (116) 457
- Vorobieva, R.G., see Bebris, N.K. (117) 257
- Vries, G. de, see Brinkman, U.A.Th. (115) 195
- Vuillard, P., see Degen, P.H. (117) 407
- Vukusich, D., see Spears, R. (116) 184
- Vycudilik, W.
Isolation of drugs with macroreticular
resins. Determination of phentermine in
blood (111) 439
- Vytášek, R.
----, Čoupek, J. Macek, K., Adam, M. and Deyl, Z
Application of the sorption properties of
Spheron gels in high-resolution liquid column
chromatography of naturally occurring mac-
romolecular species (119) 549

W

- Waalkes, T.P., see Lakings, D.B. (116) 69, 83
- Wada, H., see Seki, T. (114) 227
- Wagner, H.
- , Neupert, D. and Schlick, K.
Eine modifizierte Trennapparatur zur trägerfreien Durchflussionophorese (115) 357
- Wagner, J.R., see Hunter, I.R. (118) 259, (119) 223
- Wahlund, K.-G.
Reversed-phase ion-pair partition chromatography of carboxylates and sulphonates (115) 411
- Wainwright, M.S., see Haken, J.K. (117) 23
- Waksmundzki, A., see Czajkowska, T. (119) 91
- and Rayss, J.
The properties of column packings containing small amounts of stationary phase in gas-liquid chromatography (119) 557
- Walden, M.K., see Hunter, I.R. (118) 259, (119) 223
- Walker, R.W., see VandenHeuvel, W.J.A. (114) 476
- Walker, S., see Brown, J.H. (116) 293
- Wallace, J.E.
- , Hamilton, H.E., Schwertner, H., King, D.E., McNay, J.L. and Blum, K.
Thin-layer chromatographic analysis of cocaine and benzoylecgonine in urine (114) 433
- Walle, K., see Walle, T. (114) 351
- Walle, T.
Electron-capture detection of tertiary aromatic amines after ring trifluoroacetylation (111) 133
- Electron-capture gas chromatography of barbituric acids and diphenylhydantoin after pentafluorobenzoylation (114) 345
- , Morrison, J., Walle, K. and Conradi, E.
Simultaneous determination of propranolol and 4-hydroxypropranolol in plasma by mass fragmentography (114) 351
- Walters, C.L., see Crathorne, B. (115) 213
- Wang, R.
- , Sevier, E.D., David, G.S. and Reisfeld, R.A.
An affinity adsorbent for the rapid purification of wheat germ agglutinin (114) 223
- Wankat, P.C., see Busbice, M.E. (114) 369
- Warren, R., see Santoro, R. (117) 375
- Wassenaar, P.D. van, see Van Wassenaar, P.D. (118) 99
- Waysman, C.
- , Matelin, D. and Luu Duc, C.
Réalisation d'un pyrolyseur à filament à température régulée. Étude des macromolécules époxydiques par la pyrolyse couplée à la chromatographie en phase gazeuse (118) 115
- Weatherston, J., see MacDonald, L.M. (118) 195
- Weeke, F., see Schomburg, G. (112) 205
- Weisburger, J.H., see Fiala, E.S. (117) 181
- Welsch, Th., see Engewald, W. (119) 119
- Wentworth, W.E.
- , Tishbee, A., Batten, C.F. and Zlatkis, A.
Photo-electron capture detector (112) 229
- Wenz, I.
- , Loesche, W., Till, U., Petermann, H. and Horn, A.
Purification and characterization of commercial NADH and accompanying dehydrogenase inhibitors (120) 187
- Wesley-Hadzija, B.
- and Mattocks, A.M.
Specific thin-layer chromatographic method for the determination of theophylline in plasma in the presence of some other drugs (115) 501
- Westenberg, H.G.M.
- and De Zeeuw, R.A.
Rapid and sensitive liquid chromatographic determination of carbamazepine suitable for use in monitoring multiple-drug anticonvulsant therapy (118) 217
- Weston, J.C., see Larson, R.A. (111) 43
- Wetzels, M.L., see Deelder, R.S. (119) 99

- Whelan, J.K.
Gas chromatographic confirmation of amino acid structure via diastereomer preparation (111) 337
- White, M.W., see Christie, J. (120) 496
- Widman, M., see Fonseka, K. (120) 343
- Wielders, J.P.M.
An electrolyte system for discontinuous electrophoresis based on the use of two counter ions. Some experiments on cellulose polyacetate strips (114) 198
- Wiesner, I.
--- and Wiesnerová, L.
Über die quantitative Dünnschichtchromatographie von Polyaminen (114) 411
- Wiesnerová, L., see Wiesner, I. (114) 411
- Wildanger, W.
Trennung von Coffein, Theophyllin und Theobromin mit Hilfe der Hochdruck-flüssigkeitschromatographie (114) 480
- Wilding, P., see Kennedy, J.H. (118) 337
- Wiles, J.M., see Christie, J. (120) 496
- Wilkomirski, B.
---, Bobeyko, W. and Kintia, P.
Thin-layer chromatographic separation of steroid glycosides from *Agave americana* L. (116) 482
- Williams, N.E., see Chan, K. (120) 349
- Williamson, B., see Edwards, J.C. (115) 283
- Wilson, N.
--- and Greenhouse, V.Y.
Chromatography of Na¹²⁵I on Sephadex gels (118) 75
- and Greenhouse, V.Y.
Iodination and purification of oxytocin (118) 83
- Wilson, S.E., see Farey, M.G. (114) 261
- Wilson, T.W., see Bailey, D.G. (111) 305
- Wininger, M.T., see Ross, W.D. (112) 719
- Winterlin, W.L., see Seiber, J.N. (114) 361
- Wolfensberger, M., see Curtius, H.Ch. (112) 523
- Wolkoff, A.W.
--- and Larose, R.H.
Sensitive monitoring of phenols after liquid chromatography (111) 472
- Wong, L.K.
---, Costello, C.E. and Biemann, K.
Methylation artifacts in the gas chromatography of serum extracts. Competitive suppression with trimethyl-d₉ anilinium hydroxide (116) 321
- Woodford, W.J.
Rapid screening procedures for some street drugs by thin-layer chromatography. An evaluation (115) 678
- Woolford, G., see Crathorne, B. (115) 213
- Woollam, C.J., see Russev, P. (119) 461
- Wratten, N., see Holmes, M.G. (115) 652
- Wroński, M.
Application of tributyltin chloride to the separation and column chromatography of thiols (117) 47
- Wulf, L.W.
--- and Nagel, C.W.
Analysis of phenolic acids and flavonoids by high-pressure liquid chromatography (116) 271
- Wysocka, W.
Thin-layer and short-column chromatography of epimeric alcohols of some quinolizidine derivatives (116) 235
- Wyszynski, M.J.
--- and Hoffman, N.F.
Centrifugal chromatography of free and dansylated amino acids (115) 665

Y

- Yadava, K.L., see Yadava, P.C. (119) 563
- Yadava, P.C.
 ---, Ghose, A.K., Yadava, K.L. and Dey, A.K.
 Paper electrophoresis in the study of mixed-ligand complexes in solution. The systems copper(II) and nickel(II)-oxalate-nitritotriacetate (119) 563
- Yakatan, G.J., see Sullivan, G. (116) 490
- Yamabe, T., see Miwa, Y. (115) 276
- Yamamoto, H.
 ---, Kurita, T., Suzuki, J., Hira, R., Nakano, K., Makabe, H. and Shibata, K.
 Dual-wavelength point zig-zag scanning of zones on thin-layer chromatograms as a tool for quantitative assay (116) 29
- Yamamoto, S., see Makita, M. (120) 129
- Yamaoka, K.
 --- and Nakagawa, T.
 Moment analysis for reaction chromatography (117) 1
- Yanovskii, S.M., see Zhukhovitskii, A.A. (119) 591
- Yashin, Ya.L., see Bebris, N.K. (117) 257
 ---, see Bortnikov, G.N. (116) 169
 ---, see Gvozdvovich, T.N. (116) 63
- Yoshida, A.
 Purification of human red cell glucose 6-phosphate dehydrogenase by affinity chromatography (114) 321
 ---, Yoshioka, M., Tanimura, T. and Tamura, Z.
 Determination of vanilmandelic acid and homovanillic acid in urine by high-speed liquid chromatography (116) 240
- Yoshioka, M., see Yoshida, A. (116) 240
- Young, P.A., see Kaiser, I.I. (111) 242
- Young, P.R.
 --- and McNair, H.M.
 High-pressure liquid chromatography of aromatic amines (119) 569
- Younker, D.R., see Aue, W.A. (114) 184
- Yushina, G.A., see Chizhkov, V.P. (120) 35

Z

- Zahn, R.K., see Breter, H.-J. (118) 242
- Zanoło, G., see Mondino, A. (117) 236
- Zbinden, P., see Jack, D.B. (115) 87
- Zbrožek, J., see Mikeš, O. (119) 339
- Zech, K., see Voelter, W. (112) 643
- Zeeuw, R.A. de, see Westenberg, H.G.M. (118) 217
- Zegarski, K., see Schomburg, G. (114) 174
- Zeman, I.
- , Novák, L., Mitter, L., Steklá, J. and Holendová, O.
Gas chromatographic determination of alkylene oxides in their copolymers (119) 581
- Žežulková, L., see Čoupek, J. (120) 411
- Zhukhovitskii, A.A.
- , Yanovskii, S.M. and Shvarzman, V.P.
Chromadistillation (119) 591
- Zhuravleva, M.A., see Anisimov, A.F. (111) 409
- Zlatkis, A., see Andrawes, F. (112) 197
- and Andrawes, F.
A micro method for the determination of volatile metabolites in biological samples. A preliminary report (112) 533
- , see Wentworth, W.E. (112) 229
- Zoccolillo, L.
- and Liberti, A.
Determination of polycyclic hydrocarbons by channel thin-layer chromatography (120) 485
- Zolotarev, P.P., see Kalinichev, A.I. (120) 249
- Züllich, G.
- , Damm, K.H. and Lisboa, B.P.
Behaviour of cardiac glycosides and cardenolides related to digitoxigenin on Sephadex LH-20 (115) 117
- Zürcher, F., see Grob, K. (117) 285
- Zuska, J., see Ryšlavý, Z. (114) 315
- Zvereva, L.I., see Nikashina, V.A. (120) 155
- Zygmunt, B.
- and Staszewski, R.
Gas chromatographic determination of thiols in gaseous petroleum fractions on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599

SUBJECT INDEX
VOLUMES 111–120

A

- Acetubutolol**
 TLC method for the determination of
 --- and its major metabolite in serum
 (120) 465
- Acetamides**
 TLC separation and differentiation of some
 nuclear --- (120) 213
- Acetodiacylglycerols**
 Detection of --- in milkfat lipids by TLC
 (111) 223
- Acetylenic esters, mercury adducts**
 Fatty acids. VI. TLC behaviour of ---
 and a study of the demercurated products
 (116) 425
- α -*t*-Acetylmetadol**
 Extraction method and TLC system for the
 determination of --- and metabolites in
 biological fluids (117) 193
- Achiral stationary phases**
 Chromatographic resolution of enantiomers.
 Selective review (review) (113) 283
- Acids, organic**
 Improvements in the automatic determina-
 tion of --- from plant tissue by LLC on
 a silica gel column (117) 279
- Activity coefficient**
 Influence of vapour pressure, --- and
 structure on the retention volumes of
 branched-chain nonanes (116) 249
- N-Acylation**
 Reaction GC: a method for the rapid estima-
 tion of reaction parameters. I. Amidations
 and --- (115) 311
- Adenosine 3',5'-cyclic monophosphate**
 Separation of purine 3',5'-cyclic nucleotides
 and nucleosides by TLC on PEI cellulose
 (116) 465
- Adenosine phosphates**
 Chromatography of biopolymers and their
 fragments on derivatives of the hydro-
 philic macroporous synthetic gel Spheron
 (119) 339
- Adipose tissue**
 Improved recovery of hexachlorobenzene in
 --- with a modified micro multiresidue
 procedure (117) 143
- Adsorbents**
 Application of inverse GC to the determina-
 tion of the surface area of macroporous and
 mesoporous --- (119) 483
- Adsorbents**
 Comparison of physical and GC properties
 of Sterling I-T and Carboxpack C graphitized
 carbon blacks (120) 307
- Adsorbents**
 Comparison of the efficiency of LC
 systems with mixed --- with that of
 systems with connected --- layers (119)
 255
- Adsorbent activity**
 Influence of the --- in TLC (115) 41
- Adsorbent-mobile phase- R_M relationships**
 Types of adsorbent and relationships
 between R_M values of a substance and the
 composition of the mobile phase in TLC
 (116) 117
- Adsorption**
 Theory of chromatography of rigid mole-
 cules on hydroxyapatite columns with small
 loads. III. Theory on the basis of the classi-
 cal theory of --- chromatography for the
 case when molecules are adsorbed on to a
 single type of crystal site (120) 271
- Adsorption**
 Theory of chromatography of rigid rod-like
 macromolecules on hydroxyapatite
 columns. VIII. Further theory of analytical
 calculation of chromatograms and further
 investigations on the resolving power of the
 columns (120) 257
- Adsorption effects**
 --- in partition GLC (114) 1
- Adsorption energies**
 Molecular structure and retention behaviour
 V. Calculation of --- for aromatic hydro-
 carbons on graphitized carbon black (115)
 299
- Adsorption-energy distribution function**
 Properties of column packings containing
 small amounts of stationary phase in GLC
 (119) 557

Adsorption enthalpies

Determination of solution and --- in systems with mixed mechanisms (111) 1

Adsorptivity

Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117

Aflatoxin

HPLC of oxidative --- metabolites (117) 474

Aflatoxin M₁

Determination of --- in milk at the parts per trillion level (111) 448

Agar derivatives

--- for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an amphiphilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373

Agava Americana L.

TLC separation of steriod glycosides from --- (116) 482

Agglutinin

Affinity adsorbent for the rapid purification of wheat germ --- (114) 223

Air pollutants

Concentration technique for determination of --- at sub-micro level. New technique for concentration of carbon monoxide (117) 29

Alcohols

Chemical derivatization in GC (review) (113) 303

Alcohols

Comparison of static and GC solubility data (119) 157

Alcohols

Determination of complex association constants from GC data. III. Hydrogen bonding between substituted --- and some hexadecyl derivatives and dioctyl compounds (114) 63

Alcohols

Some applications of molecular sieves in the GC analysis of hydrocarbons and --- (117) 305

Alcohols

Structural investigation of phenols and --- using silylation and GC (120) 103

Alcohols, secondary

New derivatives for the GLC with electron capture detection of steroidal --- (111) 238

Aldehydes

Chemical derivatization in GC (review) (113) 303

Aldehydes

GC separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379

Alditols, methylated acetylated

Improved GLC separation of --- (115) 319

Aldonic acids

Anion-exchange chromatography of oligomeric --- (114) 383

Aldoses

Separation of --- and polysaccharides by cellulose TLC and a new spray reagent for the sensitive detection of these carbohydrates (116) 417

Aldrin

GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385

Alkali flame ionisation detectors

Simple method for rapid --- optimisation (116) 180

Alkaloids

Cactus ---, XXVII. Use of fluorescamine as a TLC visualization reagent for --- (111) 234

Alkaloids

Chromatographic behaviour of --- on thin layers of anion and cation exchangers. I. AG 1-X4 and Cellex D (116) 131

Alkaloids

HPLC of some tropane --- (120) 203

Alkaloids

High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423

Alkaloids

Isolation and separation of tall fescue and ryegrass --- (111) 165

Alkaloids

LC of dansyl derivatives of some --- and the application to the analysis of pharmaceuticals (116) 365

Alkaloids

New GC method for the estimation of reserpine and rescinnamine (116) 263

Alkaloids

Quantitative GC and GC-MS of *Cephalotaxus* --- (120) 335

Alkaloids

TLC of steroidal --- (118) 259

Alkaloids

Use of the TAS method for the analysis of the drug Cinchona bark (118) 276

Alkaloids, cyclopeptide

Separation and identification of trimethylsilyl derivatives of tyramines and methoxytyramines by GLC (120) 477

Alkaloids, phenolic

Quantitative morphine assay by means of GLC and on-column silylation (120) 491

Alkaloids, steroidal

HPLC of ---- (119) 223

n-Alkanes

Capillary GC of alkylbenzenes. I. Some problems encountered with the precision of the retention indices of alkylbenzenes (119) 505

Alkanes

General contribution to the theory of retention index systems in GLC. I. Pre-calculation of retention indices of ---- on the basis of their molecular structures and thermodynamics in GLC (119) 307

n-Alkanes

Solvent effects in the gel chromatography of ---- on Merckogel OR-2000 (111) 29

Alkanes, bicylo[*n,m,0*]

Molecular structure and retention behaviour. Retention behaviour of ---- in GSC and GLC (119) 119

Alkanes, C₁₀ iso-

Determination of the boiling point of ---- in an *n*-decane isomerizate from GC retention indices (115) 553

Alkanes, iso-

Qualitative GC analysis and determination of solute properties. Exact equation for the calculation of the retention indices of ---- on squalane (119) 109

Alkane derivatives

GLC investigation of complexation equilibria between 1-chlorooctadecane and various benzene derivatives and ---- (114) 39

n-Alkanols

Modified carbon black in HPLC (119) 41

Alkoxyphosphazene

GC of fully substituted cyclic ---- (111) 434

Alkylbenzenes

Capillary GC of ----. I. Some problems encountered with the precision of the retention indices of ---- (119) 505

Alkylbenzenes

Chromatographic behaviour of ---- and alkyl benzoates on porous micro-spherical poly(styrene-divinylbenzene) gel (120) 47

n-Alkylbenzenes

Modified carbon black in HPLC (119) 41

Alkyl benzoates

Chromatographic behaviour of alkylbenzenes and ---- on porous micro-spherical poly(styrene-divinylbenzene) gel (120) 47

Alkylene oxides

GC determination of ---- in their copolymers (119) 581

Alkylphenols

Structural investigation of phenols and alcohols using silylation and GC (120) 103

n-Alkynes

Capillary GC of ----. I. Retention indices (119) 451

Allopurinol

HPLC determination of ---- and oxypurinol in serum (115) 228

Allylbarbital

GC separation of ---- and butabarbital (116) 194

Amidation

Reaction GC: a method for the rapid estimation of reaction parameters. I. ---- and N-acylations (115) 311

Amines

Advantages of carboxymethylcellulose for the separation of ---- from amino acids (120) 473

Amines

Chemical derivatization in GC (review) (113) 303

Amines

Determination of nanogram amounts of primary aromatic ---- and nitro compounds in blood and plasma (111) 323

Amines

Paper electrophoretic study of ion-pair formation. IX. Migration of small organic ions in strong acids (114) 297

Amines

Quantitative GLC method for the determination of neostigmine and pyridostigmine in human plasma (120) 349

Amines

Response of the flame ionization detector for aliphatic and aromatic ---- (111) 331

Amines

Studies on ligand-exchange chromatography. V. GC separation of lower aliphatic ---- by ligand exchange (114) 15

- Amines, aromatic
 Electron-capture detection of tertiary
 ---- after ring trifluoroacetylation (111)
 133
- Amines, aromatic
 HPLC of ---- (119) 569
- Amines, lower aliphatic primary
 GC determination of the ---- as their
 Schiff bases (115) 596
- Amines, secondary
 PC of a group of ---- (118) 96
- Amino acids
 Advantages of carboxymethylcellulose for
 the separation of amines from ---- (120)
 473
- Amino acids
 ---- analysis by ion-exchange chromato-
 graphy using a lithium elution gradient.
 Influence of methanol concentration and
 sample pH (115) 33
- Amino acids
 Analytical isotachopheresis (119) 129
- Amino acids
 Analytical separation of ---- on a cation-
 exchange resin cross-linked with *m*-divinyl-
 benzene (115) 455
- Amino acids
 Applications of GLC in protein chemistry.
 Determination of C-terminal sequences on
 nanomolar amounts of proteins (116) 305
- Amino acids
 Buffer systems for ion-exchange chroma-
 tography of ---- mixtures containing
 methionine sulphone (116) 237
- Amino acids
 Centrifugal chromatography of free and
 dansylated ---- (115) 665
- Amino acids
 Chemical derivatization in GC (review)
 (113) 303
- Amino acids
 Chromatographic separation of lysine,
 thialysine and selenalysine (114) 291
- Amino acids
 Chromatography of biopolymers and their
 fragments on derivatives of the hydrophilic
 macroporous synthetic gel Spheron (119)
 339
- Amino acids
 Computerized data analysis of ---- in
 physiologic fluids (116) 293
- Amino acids
 GC determination of dicyclohexylurea in the
 active esters of ---- (118) 409
- Amino acids
 GC determination of N-nitroso---- by
 trimethylsilylation and single-ion mass
 fragmentography (115) 602
- Amino acids
 GC of ---- (review) (113) 139
- Amino acids
 GC of trifluoroacetyl ---- trimethylsilyl
 esters (118) 101
- Amino acids
 GC separation of leucine and isoleucine
 phenylthiohydantoins (118) 99
- Amino acids
 GLC analysis of protein ---- as N-isobutyl-
 oxycarbonylamino acid methyl esters (120)
 129
- Amino acids
 HPLC analysis of -- -- and peptide-hormone
 hydrolysates in the picomole range (112)
 643
- Amino acids
 Improved buffer system for use in single-
 column gradient-elution ion-exchange
 chromatography of ---- (115) 236
- Amino acids
 Improved separation of the methyl- and
 phenylthiohydantoins of arginine, cysteine
 acid and histidine by micropolyamide TLC
 (115) 629
- Amino acids
 Improved solvent system for TLC of
 Dns---- (116) 462
- Amino acids
 Ion-exchange chromatography of S-(carboxy-
 methyl)cysteine and Se-(carboxymethyl)-
 selenocysteine (120) 221
- Amino acids
 Ion-exchange chromatography of the more
 basic -- -- of protein hydrolysates using
 stepwise changes of buffers containing borate
 ions (115) 612
- Amino acids
 Methionine dipeptide stationary phases for
 the resolution of enantiomers (112) 197
- Amino acids
 Modifications in gradient elution of ----
 (111) 416
- Amino acids
 PC of phenolic compounds using buffered
 acetonitrile (114) 286
- Amino acids
 Paper electrophoretic study of ion-pair
 formation. IX. Migration of small organic
 ions in strong acids (114) 297

- Amino acids
Rapid formation of ---- isobutyl esters for GC (111) 413
- Amino acids
Separation of enantiomers on packed columns containing optically active diamide phases (112) 121
- Amino acids
Separation of 4-N,N-dimethylaminoazobenzene-4'-sulfonyl ---- on polyamide sheets (116) 215
- Amino acids
4,4'-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224
- Amino acids
Use of *o*-phthalaldehyde for detection of ---- and peptides on thin-layer chromatograms (117) 439
- Amino acids, non-protein
Quantitative GLC of ---- (116) 439
- Amino acid esters
Chromatographic resolution of enantiomers. Selective review (review) (113) 283
- Amino acid structure
GC confirmation of ---- via diastereomer preparation (111) 337
- p*-Aminobenzoate
Purification of *Escherichia coli* B-specific ---- "pick-up" protein in homogeneity by affinity chromatography (115) 205
- γ -Aminobutyric acid
Mass fragmentographic quantitation of glutamic acid and ---- in cerebellar nuclei and sympathetic ganglia of rats (118) 395
- γ -Amino- β -(*p*-chlorophenyl)butyric acid
Determination of ---- (baclofen) in biological material by GLC (117) 399
- 2-Aminoethyl hydrogen sulfate
HPLC determination of ---- in plasma and urine (117) 415
- Aminoglycosides
HPLC determination of kanamycin (120) 93
- Aminosilanes
Evaluation of primary, secondary and tertiary ---- as stationary phases in GC (112) 135
- Amitriptyline
Determination of plasma ---- by electron-capture GC after oxidation to anthraquinone (118) 65
- Amitriptyline
Determination of therapeutic levels of ---- in serum by GLC (111) 456
- Ammonia
---- as a carrier gas and flame-forming agent in GC (119) 33
- Ammonia flame ionization detector, response
Ammonia as a carrier gas and flame-forming agent in GC (119) 33
- 5'-AMP
Paper electrophoretic behaviour of cyclic 3',5'-AMP, ---- and 5'-ATP (111) 206
- Amphetamines
GC resolution of enantiomeric ---- and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307
- Amphetamine
Procedure for the differentiation of the optical isomers of ---- and methamphetamine by TLC (117) 442
- Amphetamine
Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69
- Amylases
Affinity column purification of ---- on protein inhibitors from wheat kernel (114) 109
- Anaesthetics
Development of an on-line analyzer for organic ---- in inspiratory and end-tidal gases (119) 71
- Androgens
Separation of some ---- and estrogens by TLC (119) 625
- Anisotropic liquids
GC with ----. Partition coefficients at the mesophase- isotropic phase transition point (112) 165
- Anomalous compounds
Development of a computer-assisted search for ---- (CASAC) (112) 573
- Anthocyanides
GLC and MS identification of ---- (120) 115
- Anthocyanins
PC of phenolic compounds using buffered acetonitrile (114) 286
- Anthracene
GC of the system phenanthrene- ---- -carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181
- Anthraquinones
GC determination of the laxative 1,8-dihydroxy---- in urine and faeces (120) 217
- Antibiotics
Determination of Diumycin by direct quantitative TLC (114) 193

Antibiotics

HPLC determination of kanamycin (120) 93

Antibiotics

Improved HPLC method for polypeptide --- and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663

Antibiotics

Separation of some chloramphenicol intermediates by HPLC (116) 472

Antihypertensive drugs

Separation of thiazide diuretics and --- by TLC (114) 329

Antiviral agents

Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative. (114) 151

Apomorphine

TLC of --- and its analogs (116) 218

Apresoline

Determination of hydralazine in plasma by GLC (115) 87

Arginine

Improved separation of the methyl- and phenylthiohydantoins of ---, cysteic acid and histidine by micropolyamide TLC (115) 629

Aroclor 1242

Possibilities and limitations of capillary GC and MS in the analysis of polychlorinated biphenyls (119) 271

Aspartic acid

PC of the ethyl esters of --- (111) 248

Aspergillus niger

Pyrolysis GC as an aid to the identification of *Penicillium* species (116) 107

Aspergillus versicolor

HPLC of sterigmatocystin and other metabolites of --- (118) 414

Association constants

Determination of complex --- from GC data. III. Hydrogen bonding between substituted alcohols and some hexadecyl derivatives and dioctyl compounds (114) 63

5'-ATP

Paper electrophoretic behaviour of cyclic 3',5'-AMP, 5'-AMP and --- (111) 206

Auger electron emitter

Iron-55 as an ---. Novel source for GC detectors (116) 257

Automation

Direct measurement of GC retention volume using an on-line mini-computer. II. Apparatus (115) 57

Azasteroids

Steroids and related studies. XXXII. TLC of some lactam, tetrazole, basic and quaternary --- (114) 270

B

Bacillus pumilus

Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of ---- (116) 395

Bacitracin

Improved HPLC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in ---- powder (112) 663

Backflushing gas chromatography

GC with backflushing chromatography and with programmed longitudinal positive gradient of temperature during back flushing (120) 81

Backflushing gas chromatography

GC with backflushing coupled with linear temperature programming during the elution of solutes, Influence of parameters (111) 253

Baclofen

Determination of γ -amino- β -(*p*-chlorophenyl)-butyric acid (----) in biological material by GLC (117) 399

Band broadening in gas chromatography

Instrumental contributions to ----. I. Development of a model (112) 329

Band broadening in gas chromatography

Instrumental contributions to ----. II. Experimental evaluation (119) 55

Barbiturates

GC separation of allylbarbital and butabarbital (116) 194

Barbiturates

Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl- d_9 anilinium hydroxide (116) 321

Barbiturates

Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171

Barbiturates

TLC determination of ---- and phenytoin in serum and blood (115) 493

Barbituric acids

Electron-capture GC of ---- and diphenylhydantoin after pentafluorobenzoylation (114) 345

Benomyl

Determination of ---- and 2-(4-thiazolyl)-benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449

Benoxaprofen

GC separation of isomers of ---- using liquid crystals (118) 268

Benzal chloride

Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247

Benzenes

Chromatographic behaviour of alkyl---- and alkyl benzoates on porous micro-spherical poly(styrene-divinylbenzene) gel (120) 47

Benzene derivatives

GC separation of mono- and disubstituted ---- and diastereoisomeric halogenoalkanes with Bentone-38 (114) 207

Benzene derivatives

GLC investigation of complexation equilibria between 1-chlorooctadecane and various ---- and alkene derivatives (114) 39

Benzoates

Chromatographic behaviour of alkylbenzenes and alkyl ---- on porous micro-spherical poly(styrene-divinylbenzene) gel (120) 47

Benzophenazines

TLC of some new angular heterocyclics (115) 264

Benzophenone

Electron-capture GC of methadone after oxidation to ---- (111) 347

3,4-Benzopyrene

Comparison of GC and fluorimetric determination of ---- (118) 270

- Benzo[*a*]pyrene
Separation of polycyclic aromatic hydrocarbons by HPLC. Comparison of the determination of ---- with separation on columns of cross-linked cellulose acetate and a reversed-phase system (120) 299
- Benzotrichloride
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247
- Benzoylgonine
TLC analysis of cocaine and ----- in urine (114) 433
- Benzylated dibromopropanol
Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. ---- cross-linked Sepharose as an amphiphilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
- Benzyl chloride
Quantitative analysis of mixtures of toluene and its side-chain-chlorinated derivatives by GC (114) 247
- Beta-naltrexol
Quantitative determination of naltrexone and ---- in human plasma using electron capture detection (118) 331
- Bicyclo[*n.m.0*]alkanes
Molecular structure and retention behaviour. Retention behaviour of ---- in GSC and GLC (119) 119
- Bile acids
GC of ---- as their hexafluoroisopropyl ester-trifluoroacetyl derivatives (120) 181
- Bile acids
New improved method for separation of fecal ---- by TLC (116) 184
- Bile acids
Quantitation of ---- and bile salts by a TLC charring method (117) 222
- Bile acids
Two-dimensional TLC of ---- (114) 237
- Bile acids, methylated
Purification of ---- recovered from TLC on silica gel-sintered plates (117) 227
- Bile salts
Quantitation of bile acids and ---- by a TLC charring method (117) 222
- Binary solvents
Adsorption of ---- in TLC (114) 397
- Biopolymers
Chromatography of ----- and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
- Bitumens
Characterization of ---- by pyrolysis GC (119) 445
- Boiling point
Determination of the ---- of C₁₀ isoalkanes in an *n*-decane isomerizate from GC retention indices (115) 553
- Bonded octadecyl phase
Preparation of octadecyl Porasil for reversed-phase LC (116) 182
- Bromhexine
Studies on the formation of cyclohexylamine and N-methylcyclohexylamine from ---- in animals and man, and simultaneous determination of cyclohexylamine and N-methylcyclohexylamine by GC (117) 383
- Butabarbital
GC separation of allylbarbital and ---- (116) 194
- n*-Butanol
General contribution to the theory of retention index systems in GLC. IV. Pre-calculation of interaction factors on mixed stationary phases in GLC by computer (119) 333
- Butyric acid, γ -amino- β -(*p*-chlorophenyl)
Determination of ---- (baclofen) in biological material by GLC (117) 399

C

Caffeine

Quantitative TLC analysis of ergotamine tartrate and ---- in the nanogram range (118) 225

Caffeine

Separation of ----, theophylline and theobromine by HPLC (114) 480

Caffeine

Specific TLC method for the determination of theophylline in plasma in the presence of some other drugs (115) 501

Calcium stearoyl lactylate

TLC detection of ---- and sodium stearoyl lactylate in the presence of other emulsifiers in food (115) 639

Camylofine dihydrochloride

GC determination of ---- in tablets and suppositories (117) 161

Cannabinoids

Chromatographic separation of ---- and their monooxygenated derivatives (120) 343

Cannabinoids

On-column silylation of ---- after injection of solid plant material and cold trapping (114) 250

Cannabis

HPLC of ----. Identification of separated constituents (115) 101

Capillary columns

Investigation of pre-column sample dilution in chromatographic systems with packed ---- (111) 409

Capillary gas chromatography

Possibilities and limitations of ---- and MS in the analysis of polychlorinated biphenyls (119) 271

Capillary isotachopheresis

---- with UV detection. Some quantitative aspects (119) 539

Capillary isotachopheresis

Preparative ----. Principle and some applications (119) 9

Capillary tubing, preparation

Study on the efficiency of support-coated open-tubular columns for steroid analysis (119) 99

Carbamazepine

Rapid and sensitive LC determination of ---- suitable for use in monitoring multiple-drug anticonvulsant therapy (118) 217

Carbazole

GC of the system phenanthrene-anthracene- ---- on a column of cadmium chloride modified with Carbowax 20M (119) 181

Carbohydrates

Chemically bonded stationary phase for ---- analysis in LC (117) 206

Carbohydrates

Investigation and purification of ---- contaminated with silicic acid (118) 250

Carbohydrates

PC of phenolic compounds using buffered acetonitrile (114) 286

Carbohydrates

Reversed-phase HPLC of normal rat urinary ---- (117) 211

Carbohydrates, perbenzoylated

Separation of some ---- by HPLC (120) 141

Carbon blacks

Comparison of physical and GC properties of Sterling 1-T and Carbopack C graphitized ---- (120) 307

Carbon black, graphitized thermal

Modified carbon black in HPLC (119) 41

Carbon black, influence of graphitization

Modified carbon black in HPLC (119) 41

Carbon black, modified

---- in HPLC (119) 41

Carbon black

Molecular structure and retention behaviour. V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized ---- (115) 299

Carbon disulphide

New method for the estimation of exposure to ---- (118) 23

Carbonic anhydrase

Affinity chromatography of vegetable ---- (120) 489

- Carbon monoxide
Concentration technique for determination of air pollutants at sub-micro level. New technique for concentration of ---- (117) 29
- Carbonyl compounds
Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
- Carbonyl compounds
GC separation of ---- as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379
- Carbopack C
Comparison of physical and GC properties of Sterling FT and ---- graphitized carbon blacks (120) 307
- Carboxylates
Reversed-phase ion-pair partition chromatography of ---- and sulphonates (115) 411
- Carboxylic acids
4,4'-Bis(dimethylaminodiphenylcarbinol), a sensitive spray reagent for the detection of thiols and ---- (118) 240
- Carboxylic acids
Chemical derivatization of GC (review) (113) 303
- Carboxylic acids
GC of acylated α -hydroxy-phosphonate esters. Trace analysis of aliphatic ---- with the thermionic detector (111) 105
- Carboxylic acids
GC separation of Krebs-cycle metabolites (118) 236
- Carboxylic acids
Quantitative GC determination of nitrilotriacetic acids in the presence of other ---- (111) 43
- Carboxylic acids
Separation of mono- and di---- by LC (115) 259
- Cardenolides
Behaviour of cardiac glycosides and ---- related to digitoxigenin on Sephadex LH-20 (115) 117
- Cardenolides
Partition HPLC systems for the separation of digitalis glycosides of the ---- group (117) 81
- Carotenoids
Determination of the ---- phytoene in blood by HPLC (120) 457
- Cartilage proteoglycans, human
Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
- Cartridge desorption port
GC ---- (114) 184
- Catalysis
GC studies of ---- on Ni-SiO₂ (112) 61
- Catalyst
GC determination of effective diffusivities and heats of adsorption of C₅-C₈ hydrocarbons on a commercial platinum-alumina reforming ---- (116) 431
- Catecholamines
Chromatographic separation of ---- on a weakly acidic ion-exchange resin (114) 227
- Catecholamines
GLC separation of selected ---- on polyamide A103 (118) 425
- Catecholamines
HPLC analysis of the ---- dopamine and noradrenaline as their fluorescamine derivatives (118) 429
- Catecholamines
Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171
- Cation-exchange resin
Analytical separation of amino acids on a ---- cross-linked with *m*-divinylbenzene (115) 455
- Cefacetril
Chromatography of cephalosporins on DEAE-Sephadex (120) 149
- Cellulose polyacetate
Electrolyte systems for discontinuous electrophoresis based on the use of two counter ions. Some experiments on ---- strips (114) 198
- Centrifugal chromatography
---- of free and dansylated amino acids (115) 665
- Cephalosporins
Chromatography of ---- on DEAE-sephadex (120) 149
- Cephalotaxus* alkaloids
Quantitative GC and GC-MS of ---- (120) 335
- Ceramides
Reaction of fungal ---- containing α -hydroxy acids with the periodate-Schiff reagents (117) 436
- Cerebrospinal fluid
Mass fragmentography of 5-hydroxytryptophol and 5-methoxytryptophol in human ---- (112) 523

- Charge transfer complexation
 Study of ---- by GLC (review) (113) 47
- Chemically bonded packings
 Performance and selected applications of a new range of ----- materials in HPLC (112) 171
- Chemiluminescence
 Selective detector for GC based on the ----- of ozone reactions (112) 253
- Chiral stationary phases
 Chromatographic resolution of enantiomers. Selective review (review) (113) 283
- Chloramphenicol
 GC determination and GC-MS analysis of ----, thiamphenicol and their metabolites (111) 355
- Chloramphenicol
 Separation of some ----- intermediates by HPLC (116) 472
- Chloramphenicol
 TLC of ---- and thiamphenicol (114) 266
- Chlordane
 GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- Chlordene
 GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- Chlorimipramine
 Determination of --- and desmethylechlorimipramine in human plasma by ion-pair partition chromatography (116) 475
- 5-Chloro-7-iodo-8-hydroxyquinoline
 Determination of clioquinol in biological materials by extractive alkylation and GLC (117) 407
- 1-Chlorooctadecane
 GLC investigation of complexation equilibria between ----- and various benzene derivatives and alkene derivatives (114) 39
- Chlorophenoxyisobutyric acid
 Rapid GC method for determination of ---- in plasma and urine (117) 175
- Chlorophyll
 Applications of HPLC and field desorption MS in studies of natural porphyrins and ---- derivatives (115) 325
- Chlorophyll *a*
 Purification of ---- from spinach leaves by partition chromatography on Bio-Glas columns (114) 232
- Chloroquine
 Determination of ---- in biological material by GLC (111) 299
- Cholesterol oxidase
 ----. Further studies of substrate specificity in relation to the analytical characterisation of steroids (112) 499
- Cholesteryl esters
 Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and ---- by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483
- Chondroitin sulphates, isomeric
 Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549
- Chromadistillation
 ----- (119) 591
- Chromotropic acid, azo-derivatives
 PC of ---- (115) 660
- Chymotrypsinogen
 Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
- Chymotrypsins
 Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391
- Cinchona
 Use of the TAS method for the analysis of the drug ---- bark (118) 276
- Cinnamon oils
 Analysis of ---- by HPLC (118) 273
- Cinoxacin
 TLC of ---- and some related compounds (116) 485
- Circulation gas chromatography
 Preparative-scale ----. Comparison of long packed columns with columns incorporated into circulation schemes (120) 35
- Circulin
 Improved HPLC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
- Clioquinol
 Determination of ---- in biological materials by extractive alkylation and GLC (117) 407

- Clofibrate**
Rapid GC method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175
- Clonazepam**
Simple and sensitive GC method for the determination of ---- in human plasma. (116) 445
- Cobalt(III) complexes**
Comparison of several silica gel pre-coated thin layers for the separation of some ---- (111) 452
- Cobalt(III) complexes**
Paper electrophoretic study of ion-pair formation. XII. Interaction between ---- and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464
- Cobalt(III) complexes, mixed**
Partition PC of inorganic ions. XXI. PC of ---- (119) 285
- Cobalt thiocyanate**
Chromogenic response of aqueous ---- to lipophilic drugs (116) 230
- Cocaine**
Plasma chromatography of heroin and ---- with mass-identified mobility spectra (117) 327
- Cocaine**
TLC analysis of ---- and benzoylecgonine in urine (114) 433
- Colistin**
Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663
- Colour indicators**
Control of trimethylsilylation potential and trimethylsilylation capacity by the use of ---- (115) 591
- Colour reagent**
Hydroxylamine/iron(III)chloride, a stereo-specific ---- for mandelic acid nitrile-glycosides (111) 430
- Columns**
Rapid analysis with short micro-packed ---- (112) 455
- Columns, glass capillary**
Deactivation of ---- for GC (115) 365
- Columns, glass capillary**
Trace analysis of organic volatiles in water by GC-MS with ---- (112) 701
- Columns, glass open-tubular**
Manufacture of ---- by dehydration of the surface (119) 495
- Columns, glass open-tubular**
Questions related to GC systems with ---- (119) 187
- Columns, glass open-tubular**
Whisker-walled ---- for GC. Techniques for inducing whisker growth (112) 97
- Columns, glass open-tubular capillary**
High-resolution biomedical GC. Determination of human urinary steroid metabolites using ---- (112) 581
- Columns, open-tubular**
Improved technique for observing the inner surface of ---- for GC using scanning electron microscopy (114) 190
- Columns, support-coated open-tubular**
Study on the efficiency of ---- for steroid analysis (119) 99
- Columns, surface-modified open-tubular**
---- for GC. Observation and analysis of the surface using scanning electron microscopy (SEM) and energy-dispersive X-ray analysis (115) 373
- Columns, thin-film small-diameter open-tubular**
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
- Column efficiency**
Questions related to GC systems with glass open-tubular columns (119) 187
- Column overload**
Some aspects of preparative-scale LC (119) 467
- Column packings**
Properties of ---- containing small amounts of stationary phase in GLC (119) 557
- Column testing**
Questions related to GC systems with glass open-tubular columns (119) 187
- Commodity**
Application of chromatographic data to ---- source identification (115) 293
- Complexation constant**
GLC determination of the ---- between two non-volatile complexing agents in the stationary phase (114) 47
- Complexation equilibria**
GLC investigation of ---- between 1-chlorooctadecane and various benzene derivatives and alkene derivatives (114) 39
- Contact angles of liquids**
Manufacture of glass open-tubular columns by dehydration of the surface (119) 495
- Controlled-pore glass**
Prevention of adsorption of protein on ---- with amino acid buffer (111) 214

- Controlled pore glass chromatography
 ---- of protein-sodium dodecyl sulphate
 complexes (111) 397
- Copper(I)
 Paper partition chromatography of inorganic
 ions. XX. Behaviour of ----, silver(I) and
 iron(II) in butanol-hydrochloric acid
 mixtures (114) 488
- Copper(II)
 Retention of ---- on dibenzoylmethane-
 coated glass beads (118) 254
- Correlation analysis
 Chromatographic hydrophobic parameters
 in ---- of structure-activity relationships
 (review) (113) 1
- Corticosteroids
 New PC systems for the separation of
 conjugated ---- (111) 200
- Critical surface tensions of low-energy solid
 surfaces
 Manufacture of glass open-tubular columns
 by dehydration of the surface (119) 495
- Cyclamates
 GC determination of micro-amounts of ----
 (111) 51
- Cyclic-3',5'-AMP
 Paper electrophoretic behaviour of ----,
 5'-AMP and 5'-ATP (111) 206
- Cyclohexane derivatives
 Empirical quantum chemical approach to
 structure-GC retention index relationships.
 II. ---- (117) 105
- Cyclohexanols, 1,2,3-trisubstituted
 GLC of several families of isomeric ---- and
 cyclopentanols and their acetates (118)
 345
- Cyclohexylamine
 Studies on the formation of ---- and
 N-methyl ---- from bromhexine in animals
 and man, and simultaneous determination
 of ---- and N-methyl ---- by GC (117)
 383
- Cyclopentanols, 1,2,3-trisubstituted
 GLC of several families of isomeric 1,2,3-
 trisubstituted cyclohexanols and ---- and
 their acetates (118) 345
- Cysteic acid
 Improved separation of the methyl- and
 phenylthiohydantoins of arginine, ---- and
 histidine by micropolyamide TLC (115)
 629
- Cysteine
 Ion-exchange chromatography of S-(carboxy-
 methyl)---- and Se-(carboxymethyl)seleno-
 ---- (120) 221

D

DABS-Cl

Separation of 4-N,N-dimethylaminoazobenzene-4'-sulfonyl amino acids on polyamide sheets (116) 215

Damping of the luminescence signal

Design of an unextinguishable flame photometric detector and its measurement properties (119) 207

Danthron

GC determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217

Data analysis, computerized

---- of amino acids in physiologic fluids (116) 293

Dead time, mathematical

Accuracy in the determination of the Kováts retention index. ---- (118) 13

Decane

Use of liquid crystals as stationary phases in GLC. I. Thermodynamic properties of solutions of ---- in 4,4'-dihexyloxyazobenzene (117) 315

DEGS stationary phases, polarities

General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of stationary phases expressed by retention indices (119) 327

Dehydroepiandrosterone

Method for the measurement of plasma ---- by GLC with electron capture detection (116) 163

Dehydrogenase inhibitors

Purification and characterization of commercial NADH and accompanying ---- (120) 187

Demercurated products

Fatty acids. VI. TLC behaviour of mercury adducts of acetylenic esters and a study of the ---- (116) 425

Deoxyribonucleoside analogues

TLC of purine and pyrimidine bases and ----. II. (115) 673

Derivatization

Chemical ---- in GC (review) (113) 303

Desipramine

GC -MF determination of "steady-state" plasma levels of imipramine and ---- in chronically treated patients. (111) 313

Desmethylchlorimipramine

Determination of chlorimipramine and ---- in human plasma by ion-pair partition chromatography (116) 475

Detectors

Analysis of sulphur compounds in environmental samples with specific detection and selective columns (120) 200

Detectors

Analytical isotachopheresis (119) 129

Detectors

Capillary isotachopheresis with UV detection. Some quantitative aspects (119) 539

Detectors

Design of an unextinguishable flame photometric ---- and its measurement properties (119) 207

Detector

Dual-channel flame photometric ---- with a separate combustion chamber (120) 285

Detector

Effect of column temperature on the sensitivity of katharometer response (112) 365

Detectors

Effect of pressure on the response of d.c. electron capture ---- (118) 233

Detectors

GC of nitrogen- and phosphorous-containing compounds. New, high-sensitivity, variable selectivity - - - (116) 17

Detectors

Iron-55 as an Auger electron emitter, Novel source for GC ---- (116) 257

Detector

Photo-electron capture - - - (112) 229

Detector

Selective ---- for GC based on the chemiluminescence of ozone reactions (112) 253

Detectors

Sensitivity of a newly designed potential gradient ---- for isotachopheresis (119) 605

- Detectors
 Simple method for rapid alkali flame ionisation --- optimisation (116) 180
- Detector
 Study on the effect of --- dynamics on the peak height in quantitative GC (114) 179
- Detectors
 Temperature dependence of electron capture response (118) 280
- Detector, dual electrochemical
 --- for LC (117) 35
- Detector-application relationships
 New considerations in --- (112) 389
- Detergent alkylates
 GC and MS analysis of a commercial mixture of phenylalkanes (---) (119) 293
- Diabetes mellitus*
 GC-MS study of volatile organic metabolites in urines of patients with --- (112) 539
- Diabetes mellitus*
 Specific detection of volatile metabolites in urines of normal subjects and patients with --- using computerized mass fragmentography (112) 551
- Dialkyldithiocarbamates
 GC separation of some ---- of nickel (II) (112) 189
- Diamide phases
 Separation of enantiomers on packed columns containing optically active --- (112) 121
- Diamines, aromatic, fluorinated
 HPLC of aromatic amines (119) 569
- Diaminobenzophenones
 HPLC of aromatic amines (119) 569
- Diaminodicarboxylic acids, dansyl derivatives
 TLC separation of diaminodicarboxylic acid stereoisomers and their dansyl derivatives (115) 635
- Diaminodicarboxylic acids, stereoisomers
 TLC separation of --- and their dansyl derivatives (115) 635
- Diatomaceous surfaces
 Preparation of --- for the synthesis of bonded phases and trace analysis (111) 37
- Dibenzo-*p*-dioxins
 Polychlorinated ---. Separation and identification of isomers by GC-MS (114) 95
- Dibenzoylmethane-coated glass beads
 Retention of Cu²⁺ on --- (118) 254
- Dicarboxylic acids
 LC separation and detection of nanogram quantities of biologically important --- (112) 673
- Dicarboxylic acids
 Separation of mono- and --- by LC (115) 259
- Dicarboxylic acid esters
 Application of TLC and GLC to the qualitative and quantitative analysis of aliphatic --- (115) 571
- Diclofenac
 Quantitative assay of --- in biological materials by GLC (111) 293
- Dicyclohexylurea
 GC determination of --- in the active esters of amino acids (118) 409
- Dieldrin
 GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- Diesel fuel
 Effect of aqueous chlorination on the aromatic fraction of ---. Analysis by computer-assisted high-resolution GC-MS (116) 43
- Diesel fuels
 Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by GC fingerprinting technique. I. General considerations. (119) 413
- Diethylamine
 Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311
- Diethylamine
 Method for the detection of ---, a metabolite of disulfiram, in urine (117) 187
- Diffusion coefficients, binary
 Chromatographic determination of the parameters in the Lennard-Jones 12-6 potential (120) 29
- Diffusion coefficients, binary
 GC determination of ---. I. Theoretical design study (120) 1
- Diffusion coefficients, binary
 GC determination of ---. II. Experimental evaluation (120) 17
- Digitalis
 Studies on ---. IV. Method for TLC separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87
- Digitalis glycosides
 Partition HPLC systems for the separation of --- of the cardenolide group (117) 81

Digitoxin

Isolation and quantitation of picomole quantities of digoxin, --- and their metabolites by HPLC (115) 437

Digitoxin

Studies on digitalis. IV. method for TLC separation and determination of --- and cardioactive metabolites in human blood and urine (117) 87

Digoxin

Isolation and quantitation of picomole quantities of ---, digitoxin and their metabolites by HPLC (115) 437

4,4'-Dihexyloxyazobenzene

Use of liquid crystals as stationary phases in GLC. I. Thermodynamic properties of solutions of decane in --- (117) 315

1,8-Dihydroxyanthraquinone

GC determination of the laxative --- in urine and faeces (120) 217

Dihydroxybenzenes

Chromatographic separation of --- on a column of Merckogel PGM 2000 (115) 262

Dihydroxysteroids

Separation of C₁₉ and C₂₁ ---- by open-hole tubular glass columns and lipophilic gel chromatography (118) 135

6,7-Dihydroxytetrahydroisoquinoline

Identification of --- as an *in vitro* reaction product by radio GLC (114) 476

N-dimethylaminomethylene derivatives

--- for the GLC of primary sulfonamides (112) 513

Dimethylene-interrupted methyloctadecadienoates

Fatty acids. IV. Synthesis of all the --- and a study of their GLC properties (115) 559

1,2-Dimethylhydrazine

Separation of ---- metabolites by HPLC (117) 181

1,3-Dimethylxanthine

Rapid GC determination of underivatized theophylline in whole blood (117) 393

Dinitro compounds, aromatic

HPLC of aromatic amines (119) 569

Diopase silylation product

GC retention characteristics of trimethylsilylated silicate anions (119) 173

Dipeptides

Separation of dinitrophenyl derivatives of neutral ---- by TLC (115) 633

Diphenhydramine

Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69

Diphenylhydantoin

Electron-capture GC of barbituric acids and --- after pentafluorobenzoylation (114) 345

Diphenylhydantoin

Mass fragmentographic determination of ---- and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53

Diphenylhydantoin

Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d₉ anilinium hydroxide (116) 321

Dipipanone

Use of SE-30 as a stationary phase for the GLC of drugs (review) (113) 69

Diquat

Analysis of paraquat in urine by HPLC (115) 107

Disaccharides

GC separation of silylated derivatives of ---- mixtures on open tubular glass capillary columns (115) 218

Distillation under chromatographic conditions

Chromadistillation (119) 591

Dilsulfiram

Method for the detection of diethylamine, a metabolite of ---, in urine (117) 187

Dithiocarbamates

Chromatographic analysis of fungicides (review) (113) 97

Dithiocarbamates

GC separation of ---- of some metals (115) 256

Dithiocarbamates

GC separation of some dialkyl ---- of nickel(II) (112) 189

Djumycin

Determination of ---- by direct quantitative TLC (114) 193

m-Divinylbenzene

Analytical separation of amino acids on a cation-exchange resin cross-linked with ---- (115) 455

DNA

Use of cation-exchange HPLC for determination of the 5-methyleytosine content of ---- (118) 242

DNA, calf-thymus

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

- Dopamine
HPLC analysis of the catecholamines ---- and noradrenaline as their fluorescamine derivatives (118) 429
- Double-column gas chromatography
Aspects of --- with glass capillaries involving intermediate trapping (112) 205
- Drugs
Analysis of impurities in ethchlorvynol by GC-MS (118) 418
- Drugs
Analysis of 1-(2-phenyladamant-1-yl)-2-methylaminopropane as its chlorodifluoroacetyl derivative (114) 151
- Drugs
Chemical derivatization in GC (review) (113) 303
- Drugs
Chromatographic hydrophobic parameters in correlation analysis of structure-activity relationships (review) (113) 1
- Drugs
Chromatographic method for the detection of LSD in biological fluids (120) 496
- Drugs
Chromatographic separation of cannabinoids and their monooxygenated derivatives (120) 343
- Drugs
Combined UV-fluorescence detection in HPLC of pharmaceuticals (111) 365
- Drugs
Detection of 1-piperidinocyclohexanecarbonitrile contamination in illicit preparations of 1-(1-phenylcyclohexyl)piperidine and 1-[1-(2-thienyl)cyclohexyl]piperidine (117) 232
- Drugs
Determination of γ -amino- β -(*p*-chlorophenyl)-butyric acid (baclofen) in biological material by GLC (117) 399
- Drugs
Determination of chlorimipramine and desmethylchlorimipramine in human plasma by ion-pair partition chromatography (116) 475
- Drugs
Determination of chloroquine in biological material by GLC (111) 299
- Drugs
Determination of Diuycin by direct quantitative TLC (114) 193
- Drugs
Determination of ethchlorvynol by HPLC (111) 422
- Drugs
Determination of hydralazine in plasma by GLC (115) 87
- Drugs
Determination of indomethacin in serum and urine by electron-capture GLC (117) 167
- Drugs
Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one (Ro-7-9957) and its major biotransformation products in blood and urine by electron capture-GLC (118) 371
- Drugs
Determination of ketamine and some *in vivo* metabolites using HPLC (114) 220
- Drugs
Determination of nanogram amounts of primary aromatic amines and nitro compounds in blood and plasma (111) 323
- Drugs
Determination of nitrazepam in serum by GLC. Application in bioavailability studies (111) 389
- Drugs
Determination of plasma amitriptyline by electron-capture GC after oxidation to anthraquinone (118) 65
- Drugs
Determination of 3-(5-tetrazolyl) thioxanthone 10,10-dioxide in human plasma, urine and faeces (115) 93
- Drugs
Determination of therapeutic levels of amitriptyline in serum by GLC (111) 456
- Drugs
Determination of vanilmandelic acid and homovanillic acid in urine by high-speed LC (116) 240
- Drugs
Electron-capture CG of barbituric acids and diphenylhydantoin after pentafluorobenzoylation (114) 345
- Drugs
Electron-capture GC of methadone after oxidation to benzophenone (111) 347
- Drugs
Evaluations and selection of optimal solvents and solvent combinations in TLC. Application of the method to basic ---- (115) 1
- Drugs
Extraction method for TLC system for the determination of α -l-acetylmethadol and metabolites in biological fluids (117) 193

Drugs

GC analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (prenazone) at therapeutic levels in human plasma (114) 159

Drugs

GC assay for probenecid and its metabolites in biological fluids (115) 222

Drugs

GC determination and GC-MS analysis of chloramphenicol, thiamphenicol and their metabolites (111) 355

Drugs

GC determination of camylofine dihydrochloride in tablets and suppositories (117) 161

Drugs

GC determination of hydrochlorothiazide in plasma, blood corpuscles and urine using an extractive alkylation technique (114) 459

Drugs

GC determination of Stanozolol in veterinary suspensions (115) 687

Drugs

GC determination of the laxative 1,8-dihydroxyanthraquinone in urine and faeces (120) 217

Drugs

GC-mass fragmentographic determination of "steady-state" plasma levels of imipramine and desipramine in chronically treated patients (111) 313

Drugs

GC-mass fragmentographic determination of trazodone in rat plasma (112) 631

Drugs

GC method for measuring 6-mercaptopurine in serum (111) 305

Drugs

GC method for determination of nomifensine in human plasma (116) 451

Drugs

GC method for the quantitative determination of lidocaine and its metabolite monoethylglycineylidide in plasma (116) 188

Drugs

GC resolution of enantiomeric amphetamines and related amines. II. Effects of cyclic structures on diastereomer and enantiomer resolution (114) 307

Drugs

GC separation of allylbarbital and buta-barbital (116) 194

Drugs

GC separation of isomers of benoxaprofen using liquid crystals (118) 268

Drugs

GLC determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123

Drugs

GLC method for the determination of naltrexone and beta-naltrexol in human urine (111) 141

Drugs

HPLC determination of allopurinol and oxypurinol in serum (115) 228

Drugs

HPLC determination of kanamycin (120) 93

Drugs

HPLC of cannabis. Identification of separated constituents (115) 101

Drugs

HPLC of ----. II. Evaluation of a micro-particulate cation-exchange column (120) 359

Drugs

HPLC of ----. Evaluation of an octadecylsilane stationary phase (111) 149

Drugs

High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423

Drugs

High-speed LC analysis of indomethacin in plasma (114) 483

Drugs

Isolation of ---- with macroreticular resins. Determination of phentermine in blood (111) 439

Drugs

LC of dansyl derivatives of some alkaloids and the application to the analysis of pharmaceuticals (116) 365

Drugs

Mass fragmentographic determination of diphenylhydantoin and its main metabolite, 5-(4-hydroxyphenyl)-5-phenylhydantoin, in human plasma (116) 53

Drugs

Method for the detection of diethylamine, a metabolite of disulfiram, in urine (117) 187

Drugs

Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d₉ anilinium hydroxide (116) 321

Drugs

Partition HPLC systems for the separation of digitalis glycosides of the cardenolide group (117) 81

Drugs

Plasma chromatography of heroin and cocaine with mass-identified mobility spectra (117) 327

Drugs

Quantitative assay of diclofenac in biological material by GLC (111) 293

Drugs

Quantitative assay of maprotiline in biological fluids by GLC (114) 167

Drugs

Quantitative determination of naltrexone and beta-naltrexol in human plasma using electron capture detection (118) 331

Drugs

Quantitative GLC method for the determination of neostigmine and pyridostigmine in human plasma (120) 349

Drugs

Quantitative morphine assay by means of GLC and on-column silylation (120) 491

Drugs

Quantitative TLC analysis of ergotamine tartrate and caffeine in the nanogram range (118) 225

Drugs

Rapid and comprehensive system for the routine identification of ---- in biological materials based on micro-phase extraction and ---- colour profiles (115) 507

Drugs

Rapid and sensitive LC determination of carbamazepine suitable for use in monitoring multiple- ---- anticonvulsant therapy (118) 217

Drugs, basic

Rapid detection of some --- by TLC (117) 449

Drugs

Rapid GC determination of underivatized theophylline in whole blood (117) 393

Drugs

Rapid GC method for the determination of chlorophenoxyisobutyric acid in plasma and urine (117) 175

Drugs

Rapid screening procedure for some street --- by TLC (115) 678

Drugs

Reversed-phase TLC method for the determination of relative partition coefficients of very lipophilic compounds (120) 65

Drugs

Separation of a wide range of ---- of abuse by HPLC (111) 227

Drugs

Separation of caffeine, theophylline and theobromine by HPLC (114) 480

Drugs

Separation of pharmaceutical compounds using HPLC. Influence of water. II. (120) 419

Drugs

Separation of some chloramphenicol intermediates by HPLC (116) 472

Drugs

Separation of thiazide diuretics and anti-hypertensive ---- by TLC (114) 329

Drugs

Simple and rapid LC determination of *cis*- and *trans*-spiro ethers in *Matricaria chamomilla* (114) 215

Drugs

Simple and sensitive GC method for the determination of clonazepam in human plasma (116) 445

Drugs

Simultaneous determination of propranolol and 4-hydroxypropranolol in plasma by mass fragmentography (114) 351

Drugs

Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyl-dopamine (116) 379

Drugs

Specific TLC method for the determination of theophylline in plasma in the presence of some other ---- (115) 501

Drugs

Studies on digitalis. IV. Method for TLC separation and determination of digitoxin and cardioactive metabolites in human blood and urine (117) 87

Drugs

TLC analysis of cocaine and benzoylecgonine in urine (114) 433

Drugs

TLC determination of barbiturates and phenytoin in serum and blood (115) 493

Drugs

TLC method for the determination of acebutolol and its major metabolite in serum (120) 465

Drugs

TLC method for the quantitative determination of quinidine in human serum (111) 463

Drugs

TLC of apomorphine and its analogs (116) 218

Drugs

TLC of cinoxacin and some related compounds (116) 485

Drugs

TLC of pancuronium bromide and its hydrolysis products (120) 234

Drugs

TLC screening and confirmation of basic ---- of abuse in urine (115) 519

Drugs

Use of GC-MS-computer systems in pharmacokinetic studies (112) 605

Drugs, lipophilic

Chromogenic response of aqueous cobalt thiocyanate to ---- (116) 230

Drugs, retention indices using SE-30

Use of SE-30 as a stationary phase for the GLC of ---- (review) (113) 69

Dual wavelength point zig-zag scanning

---- of zones on thin-layer chromatograms as a tool for quantitative assay (116) 29

E

- Ecdysones
 Formation of trimethylsilyl ethers of -----
 Reappraisal (116) 333
- Ecdysones
 Structural requirements for the electron capturing properties of ----- (115) 587
- Ecdysone, α - and β -
 Separation and detection of ----- using TLC (116) 480
- EDTA complexes
 Gel chromatographic behaviour of ----- on Sephadex columns (120) 159
- Effective diffusivities
 GC determination of ----- and heats of adsorption of C₅-C₈ hydrocarbons on a commercial platinum-alumina reforming catalyst (116) 431
- Efficacy
 Preparative GC. Computer program for the study on the relationship between -----, resolution and the purity of products (118) 1
- Electrolytes, optically active
 Paper electrophoretic study of ion-pair formation. XI. Behaviour of optical isomers in ----- (115) 655
- Electron capture detector
 Effect of pressure on the response of a d.c. ----- (118) 233
- Electron capture detector
 Hypercoulometric response in a d.c. ----- (112) 247
- Electron capture detector
 Photo- ----- (112) 229
- Electron capture response
 Temperature dependence of ----- (118) 280
- Electron transport, mitochondrial
 Chromatographic hydrophobic parameters in correlation analysis of structure-activity relationships (review) (113) 1
- Elemental analysis
 Utilization of GC retention data in combination with ----- for substance identification (119) 423
- Eliminations
 Elucidation of reaction mechanisms for thermal ----- and ring closures by pyrolysis-GC-MS (112) 301
- Elution chromatography
 Moment analysis in non-linear frontal-elution and ----- (120) 249
- Emulsifiers
 TLC detection of calcium and sodium stearyl lactylate in the presence of other emulsifiers in food (115) 639
- Enantiomers
 Chromatographic resolution of -----, Selective review (review) (113) 283
- Enantiomers
 Methionine dipeptide stationary phases for the resolution of ----- (112) 197
- Enantiomers
 Separation of ----- on packed columns containing optically active diamide phases (112) 121
- Endrin
 GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- End-tidal gases
 Development of an on-line analyzer for organic anaesthetics in inspiratory and ----- (119) 71
- Enzacryl[®] gel
 ----- packings. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245
- Enzymes
 Affinity chromatography of vegetable carbonic anhydrase (120) 489
- Enzymes
 Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked Sepharose as an amphiphilic gel for hydrophobic salting-out chromatography of ----- with special emphasis on denaturing risks (111) 373

Enzymes

Preparation, separation and degradation of oligouronides produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395

Enzymes

Purification and characterization of commercial NADH and accompanying dehydrogenase inhibitors (120) 187

Enzymes

Purification of human red cell glucose 6-phosphate dehydrogenase by affinity chromatography (114) 321

Enzymes

Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic proteases (120) 391

Enzymes

Separation of glyoxalase I and glyoxalase II by paper electrophoresis (116) 225

Enzymes

Specific GC method for the determination of microsomal styrene monooxygenase and styrene epoxide hydratase activities (118) 387

Enzyme identification by zymogram

Preparative capillary isotachopheresis. Principle and some applications. (119) 9

Epoxy polymers

Regulated-temperature pyrolyzer for GC. Application to study of ---- (118) 115

Ergot alkaloids

High-speed ion-pair chromatography in pharmaceutical analysis (115) 423

Ergotamine tartrate

Quantitative TLC analysis of ---- and caffeine in the nanogram range (118) 225

Escherichia coli

Purification of ---- B-specific *p*-amino-benzoate "pick-up" protein to homogeneity by affinity chromatography (115) 205

Essential oils

Separation of ---- by LC (114) 258

Essential oils

Simple solid injection method for qualitative and quantitative estimation of ---- (116) 468

Estrogens

Detection of A-ring-hydroxylated ---- and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239

Estrogens

Separation of some androgens and ---- by TLC (119) 625

Ethanol

GC determination at the ppm level of methanol and ---- in aqueous solutions (119) 251

Ethchlorvynol

Analysis of impurities in ---- by GC-MS (118) 418

Ethchlorvynol

Determination of ---- by HPLC (111) 422
p-(*p*-Ethoxyphenylazo)phenyl undecylenate
 Solid support surface effects on the chromatographic behavior of a liquid crystal stationary phase (112) 145

Ethylene glycol methacrylate-ethylene glycol dimethacrylate copolymers

Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549

Ethylenimine

Rapid estimation of trace amounts of ---- by HPLC (115) 391

Ethyl nitrites

GC determination at the ppm level of methanol and ethanol in aqueous solutions (119) 251

F

Factor analysis

---- of solute parameters in ether-stationary phase interactions (115) 139

Fatty acids

Analysis of long-chain acids of human plasma phosphatidylecholines (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483

Fatty acids

Concurrent determination of α -tocopherol and free ---- in human plasma by glass open tubular capillary column GC (112) 465

Fatty acids

----, III. Further study of the GLC properties of all of the methyl undecynoates and methyl *cis*-undecenoates (111) 189

Fatty acids

----, IV. Synthesis of all the dimethylene-interrupted methyloctadecadiynoates and a study of their GLC properties (115) 559

Fatty acids

----, VI. TLC behaviour of mercury adducts of acetylenic esters and a study of the demercurated products (116) 425

Fatty acids

----, VII. GLC properties of all dimethylene interrupted methyl *cis,cis*-octadecadienoates (117) 365

Fatty acids

Identification of microorganisms by GC-MS analysis of cellular ---- (112) 595

Fatty acids

Screening for ---- in oilseed breeding programmes using lipase and PC (115) 652

Fatty acids

Separation of methyl esters of polyunsaturated ---- by argentation TLC (114) 280

Fatty acids

TLC separation of free ----. Analysis and purification of radioactivity labelled ---- (114) 274

Flame emission detection

Selective ---- of phosphorous and sulfur in HPLC (112) 443

Flame photometric detector

Dual-channel ---- with a separate combustion chamber (120) 285

Flavonoids

Analysis of phenolic acids and ---- by HPLC (116) 271

Flavonoid glycosides

PC of phenolic compounds using buffered acetonitrile (114) 286

Fluorenylhydroxamic acids

Identification of carcinogenic acetates of HPLC (115) 71

Fluorescamine

Cactus alkaloids. XXVII. Use of ---- as a TLC visualization reagent for alkaloids (111) 234

Fluorinated stationary phases

GLC on ----, II. Fluorinated compounds containing a functional group (114) 87

5-Fluorocytidine

Determination of 5-fluorouridine and ---- in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242

5-Fluorouridine

Determination of ---- and 5-fluorocytidine in RNA hydrolysates using high-performance ion-exclusion chromatography (111) 242

Food additives

TLC detection of calcium and sodium stearoyl lactylate in the presence of other emulsifiers in food (115) 639

Formation constants, GLC

Study of charge transfer complexation by GLC (review) (113) 47

Formation constants, spectroscopic

Study of charge transfer complexation by GLC (review) (113) 47

Free fatty acids

Methylation of skin surface lipid ---- (115) 283

Free fatty acids

TLC separation of ----. Analysis and purification of radioactivity labelled fatty acids (114) 274

Frontal analysis development

Some aspects of preparative-scale LC (119) 467

Frontal-elution chromatography

Moment analysis in non-linear --- and elution chromatography (120) 249

Fuels

Recognition and qualitative characterization of commercial petroleum ---- and synthetic --- by a GC fingerprinting technique. I.

General considerations (119) 413

Fuel oils

Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by a GC fingerprinting technique. I.

General considerations. (119) 413

Functional groups

Determination of --- by reaction gas chromatography. II. Determination of nitrogen in hydrazine and its organic derivatives (119) 243

Fungicides

Chromatographic analysis of --- (review) (113) 97

Fungicides

Determination of benomyl and 2-(4-thiazoly)benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449

Fungicides

TLC detection of some systemic --- and their metabolites (111) 197

G

- D-Galactose
 TLC method for the quantitative determination of D-mannose, D-glucose and ---- in aqueous solution (115) 477
- Gases
 Chemisorption method for the determination and removal of trace amounts of oxygen in unreactive ---- (120) 291
- Gas adsorption chromatography
 Analogy between ---- and liquid adsorption chromatography (117) 11
- Gas chromatographic analysis
 Minimizing the time for ----. Search for optimal operational parameters by a simplex method (119) 215
- Gas chromatographic interactions
 General contribution to the theory of retention index systems in GLC. II. Additivity of ---- expressed by retention indices (119) 321
- Gas chromatographic--mass spectrometric--computer systems
 Use of ---- in pharmacokinetic studies (112) 605
- Gas chromatographic peaks, overlapping
 Resolution of ---- using fast Fourier transformation (118) 313
- Gas chromatography
 Development of ---- (112) 1
- Gas chromatography
 GC with backflushing coupled with linear temperature programming during the elution of solutes. Influence of parameters (111) 253
- Gas chromatography
 Solute switching and detection by synchronous demodulation in ---- (112) 29
- Gas chromatography, capillary
 Possibilities and limitations of ---- and MS in the analysis of polychlorinated biphenyls (119) 271
- Gas chromatography, data acquisition systems
 Instrumental contributions to band broadening in GC. II. Experimental evaluation (119) 55
- Gas chromatography, high-precision instrumentation
 Instrumental contributions to band broadening in GC. II. Experimental evaluation (119) 55
- Gas chromatography--mass spectrometry
 Special techniques in the combination of GC and MS (112) 343
- Gas chromatography--mass spectrometry
 Trace analysis of organic volatiles in water by ---- with glass capillary columns (112) 701
- Gas chromatography with backflushing
 ---- and with programmed longitudinal positive gradient of temperature during backflushing (120) 81
- Gas flow meter
 Flow meter for precise and accurate measurement of gas flow using a travelling mercury drop (111) 271
- Gas-liquid chromatography
 Optimization strategies for the development of ---- methods (112) 267
- Gas-liquid partition chromatography
 Adsorption effects in ---- (114) 1
- Gas-liquid partition coefficients
 Determination of ---- by means of GC analysis (112) 319
- Gasolines
 Recognition and qualitative characterization of commercial petroleum fuels and synthetic fuels by a GC fingerprinting technique. I. General considerations (119) 413
- Gas-solid chromatography
 Retention indices in ---- (119) 233
- Gels
 Determination of some GPC parameters of the gel Spheron-1000 (116) 457
- Gel filtration--centrifugation
 Separation of free and protein-bound ligands in the radioimmunoassay by ---- (119) 167
- Gel permeation chromatography
 ----. XII. Computer-assisted ---- and low-angle laser light-scattering photometry (118) 303

Gitoxin

Isolation and quantitation of picomole quantities of digoxin, digitoxin and their metabolites by HPLC (115) 437

Gluconic acid

Fluorescence densitometric method for the determination of --- and lactobionic acid (sugar acids) in pharmaceutical preparations (117) 337

D-Glucose

TLC method for the quantitative determination of D-mannose, --- and D-galactose in aqueous solution (115) 477

Glucose oligomers

Gel chromatography of ---. Study of operational parameters (120) 55

Glucose oxidase preparation

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Glucose 6-phosphate dehydrogenase

Purification of human red cell ---- by affinity chromatography (114) 321

Glucosides

Studies on monoterpene ---- and related natural products. XXXI. GC and GC-MS of iridoid and secoiridoid glucosides (118) 201

Glucosiduronic acids, steroidal

Liquid ion exchangers in reversed-phase systems for chromatography of ---- (120) 435

Glutamic acid

Mass fragmentographic quantitation of --- and γ -aminobutyric acid in cerebellar nuclei and sympathetic ganglia of rats (118) 395

Glycerol esters

Comparison of chromatographic methods for the analysis of ---- (120) 411

Glycol methacrylate gel

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Glycoproteins

Affinity adsorbent for the rapid purification of wheat germ agglutinin (114) 223

Glycosides

Behaviour of cardiac ---- and cardenolides related to digitoxigenin on Sephadex LH-20 (115) 117

Glycosides

Partition HPLC systems for the separation of digitalis ---- of the cardenolide group (117) 81

Glycosides

TLC separation of steroid ---- from *Agave americana* L. (116) 482

Glycosides

2,3,5-Triphenyltetrazoliumhydroxide - a colour reagent for ---- (114) 235

Glyoxalases I and II

Separation of ---- by paper electrophoresis (116) 225

Gold

Anion-exchange separation of ---- on DEAE-cellulose in acetic acid-hydrochloric acid media (114) 143

Gradient elution

---- in LC. VII. Comparison of different mobile phases in adsorption chromatography (115) 9

Gradient elution

Problems in the application of ---- to HPLC (112) 415

Gradient temperature programming

---- of short capillary columns (112) 219

Guanidino compounds

Separation of ---- by means of ion-exchange TLC (115) 485

Guanosine 3',5'-cyclic monophosphate

Separation of purine 3',5'-cyclic nucleotides and nucleosides by TLC on PEI cellulose (116) 465

H

O- ω -Haloalkyloximes

Studies on steroids. CIX. ---, new derivatives for GC-MS of oxosteroids (118) 127

Halogenoalkanes

GC separation of mono- and disubstituted benzene derivatives and of diastereoisomeric --- with Bentone-38 (114) 207

Head-space analysis

Application of GC ---- for the characterization of non-ideal solutions by scanning the total concentration range (112) 287

Heats of adsorption

GC determination of effective diffusivities and ---- of C₅-C₈ hydrocarbons on a commercial platinum-alumina reforming catalyst (116) 431

Heat of friction

Ultimate limits in HPLC (112) 37

Heats of solution, molar

Comparison of static and GC solubility data (119) 157

Hemin

Determination of --- by PC (114) 283

Hemoglobins

Chromatography of ---- on CM-cellulose with Bis-tris and sodium chloride developers (118) 295

Hemoglobins

Microchromatography of ----. V. TLC of some ---- on CM-cellulose (115) 527

Hemoglobin

Simple method for the isolation and purification of ---- components (117) 53

Heptachlor

GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385

Herbicides

Analysis of paraquat formulations by LC (115) 289

Herbicides

Analysis of paraquat in urine by high-speed LC (115) 107

Herbicides

Chromatographic separation of ---- -additive s-triazines on various polyamide layers (115) 670

Herbicides, phenylurea

GC-MS identification of ---- after N-methylation (115) 682

Heroin

Plasma chromatography of ---- and cocaine with mass-identified mobility spectra (117) 327

Hexachlorobenzene

Improved recovery of ---- in adipose tissue with a modified micro multiresidue procedure (117) 143

Hexachlorocyclohexane

Separation of radioactively labelled isomers of ---- by preparative TLC (117) 242

High-performance liquid chromatography

---- data (111) 250

High-performance liquid chromatography

Improved ---- method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663

High-performance micro-thin-layer chromatography

Quantitation in ---- (112) 81

High-pressure liquid chromatography

Ultimate limits in ---- (112) 37

Histamine

TLC assays of ---- and its metabolites in urine of man and dog (115) 129

Histidine

Improved separation of the methyl and phenylthiohydantoins of arginine, cysteine acid and ---- by micropolyamide TLC (115) 629

HMX explosives

HPLC separation of RDX and ---- on adsorptive polymers (118) 157

Homopyrimidazoles

TLC of ---- derivatives (117) 345

Homovanillic acid

Determination of vanilmandelic acid and ---- in urine by high-speed LC (116) 240

Hormones

Formation of trimethylsilyl ethers of ecdysones. Reappraisal (116) 333

Hormones

Separation and characterization of the reduced metabolites of the 18-hydroxydeoxycorticosterone hormone by GLC-MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617

Hormones

Separation and detection of α - and β -ecdysone using TLC (116) 480

Hormones

Simple GLC method with electron capture detection for the determination of progesterone in the blood of humans and domestic animals (111) 125

Hormones

Structural requirements for the electron capturing properties of ecdysones (115) 587

Hyaluronic acid

Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549

Hydralazine

Determination of ----- in plasma by GLC (115) 87

Hydrazine

Determination of functional groups. II. Determination of nitrogen in ----- and its organic derivatives (119) 243

n-Hydrocarbons

Chromadistillation (119) 591

Hydrocarbons

Computerized GC-MS analysis of polycyclic aromatic ----- in environmental samples (112) 681

Hydrocarbons

Determination of trace impurities in gases by their equilibrium accumulation in volatile liquids (112) 311

Hydrocarbons

Effect of aqueous chlorination on the aromatic fraction of diesel fuel. Analysis by computer-assisted high-resolution GC-MS (116) 43

Hydrocarbons

GC studies of catalysis on Ni-SiO₂ (112) 61

Hydrocarbons

Influence of vapour pressure, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249

Hydrocarbons

Polyphenyl ether, a liquid phase for the GC-MS of monoterpene ----- (111) 419.

Hydrocarbons

Retention indices in GSC (119) 233

Hydrocarbons

Retention of ----- on GC sorbents containing an organo-clay (116) 9

Hydrocarbons

Selective detector for GC based on the chemiluminescence of ozone reactions (112) 253

Hydrocarbons

Some applications of molecular sieves in the GC analysis of ----- and alcohols (117) 305

Hydrocarbons, aromatic

Influence of the molecular structure of ----- on their adsorptivity on silica gel (117) 117

Hydrocarbons, aromatic

Molecular structure and retention behaviour. V. Calculation of adsorption energies for ----- on graphitized carbon black (115) 299

Hydrocarbons, C₄ and C₅

GC separation at 50° of ----- (117) 199

Hydrocarbons, C₅-C₈

GC determination of effective diffusivities and heats of adsorption of ----- on a commercial platinum-alumina reforming catalyst (116) 431

Hydrocarbons, gaseous

GC determination of thiols in gaseous petroleum fractions on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599

Hydrocarbons, polycyclic

Determination of ----- by channel TLC (120) 485

Hydrocarbons, polycyclic aromatic

Effect of the amount of Tris III on silica gel on the separation of ----- by LC (118) 47

Hydrocarbons, polycyclic aromatic

Separation of ----- by HPLC. Comparison of the determination of benzo[*a*]pyrene with separation on columns of cross-linked cellulose acetate and a reversed-phase system (120) 299

Hydrocarbons, polycyclic aromatic

Separation of N-hetero----- from ----- . Separation by complex chromatography (120) 482

Hydrochlorotriazide

GC determination of ---- in plasma, blood corpuscles and urine using an extractive alkylation technique (114) 459

Hydrogen peroxide

Chromatographic purification and characterization of ---- (117) 428

Hydroperoxides

Anomalous chromatographic behaviour of some C₂₇-steroid ---- (115) 648

Hydroperoxides

Qualitative and quantitative determination of ---- by HPLC (115) 616

Hydrophobic parameters

Chromatographic ---- in correlation analysis of structure-activity relationships (review) (113) 1

α-Hydroxy acids

Reaction of fungal ceramides containing ---- with the periodate-Schiff reagents (117) 436

19-Hydroxy[4-¹⁴C]4-androstene-3,17-dione

Convenient biological synthesis of ---- from [4-¹⁴C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473

Hydroxyapatite columns

Theory of chromatography of rigid molecules on ---- with small loads. III. Theory on the basis of the classical theory of adsorption chromatography for the case when molecules are adsorbed on to a single type of crystal site (120) 271

Hydroxyapatite columns

Theory of chromatography of rigid rod-like macromolecules on ----. VIII. Further theory of analytical calculation of chromatograms and further investigations on the resolving power of the columns (120) 257

Hydroxychloridene

GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385

18-Hydroxydeoxycorticosterone

Separation and characterization of the reduced metabolites of the ---- hormone by GLC-MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617

6-Hydroxy-5,6-dihydrothymidine

Separation of the four diastereoisomers of ---- formed by γ-radiolysis of thymidine in deaerated aqueous solution (115) 191

2-Hydroxyethyl methacrylate

Analysis and purification of ---- by means of TLC (115) 195

Hydroxylamine/iron(III) chloride

----, a stereospecific colour reagent for mandelic acid nitrileglycosides (111) 430

Hydroxyoxime copper extractants

GC and HPLC of commercial ---- (116) 197

α-Hydroxy-phosphonate esters

GC of acylated ----. Trace analysis of aliphatic carboxylic acids with the thermionic detector (111) 105

4-Hydroxypropranolol

Simultaneous determination of propranolol and ---- in plasma by mass fragmentography (114) 351

5-Hydroxytryptophol

Mass fragmentography of ---- and 5-methoxytryptophol in human cerebrospinal fluid (112) 523

Hydroxyxanthenes

Separation and identification of some ---- by TLC (111) 246

Hypercoulometric response

---- in a d.c. electron capture detector (112) 247

I

- Ibogaine
 Detection of ---- in organic liquids (117) 239
- Imipramine
 GC- MF determination of "steady-state" plasma levels of ---- and desipramine in chronically treated patients (111) 313
- Immunoelectrophoresis
 Preparative capillary isotachopheresis.
 Principle and some applications (119) 9
- Indole derivatives
 Method for detecting free phenolic groups and ---- in TLC or PC (115) 273
- Indomethacin
 Determination of ---- in serum and urine by electron-capture GLC (117) 167
- Indomethacin
 High-speed LC analysis of ---- in plasma (114) 483
- Injection, dry capsule
 Causes and effects of sample loss using a ---- method for the automated GC analysis of pesticide samples (117) 59
- Injection system
 ---- for small volatile samples in GC (120) 197
- Inorganic acids
 Chemical derivatization in GC (review) (113) 303
- Inorganic compounds
 Gel chromatographic behaviour of EDTA complexes on Sephadex columns (120) 159
- Inorganic gases
 Detection of ---- using a flame ionisation detector (119) 461
- Inorganic ions
 Partition PC of ----. XX. Behaviour of copper(I), silver(I) and iron(II) in butanol-hydrochloric acid mixtures (114) 488
- Inorganic ions
 Partition PC of ----. XXI. PC of mixed cobalt(III) complexes (119) 285
- Inorganic isomers
 Separation of ---- by TLC. II. Octahedral geometric isomers (117) 455
- Inorganic isomers
 Separation of ---- by TLC. III. Square planar geometric isomers (118) 433
- Inositol
 Separation of [³H]---- monophosphates and [³H]---- on silica gel glassfiber sheets (120) 502
- Insecticides
 Chemical derivatization in GC (review) (113) 303
- Insecticides
 Extractants for organochlorine ---- and polychlorinated biphenyls from water (120) 369
- Insecticides
 Isolation and GC characterization of some toxaphene components (114) 361
- Inspiratory gases
 Development of an on-line analyzer for organic anaesthetics in ---- and end-tidal gases (119) 71
- Interaction between small molecules
 Studies on the ---- by gel filtration in Sephadex LH-20 (116) 93
- Introduction system of the gas chromatograph
 GC cartridge desorption port (114) 184
- Iodate, radioactive
 Column chromatographic separation of radioactive tellurate, tellurite, iodide and ---- (114) 389
- Iodide, radioactive
 Column chromatographic separation of radioactive tellurate, tellurite, ---- and iodate (114) 389
- 7-Iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one
 Determination of ---- (Ro-7-9957) and its major biotransformation products in blood and urine by electron capture-GLC (118) 371
- Ion-exchange
 ---- at high concentrations of the mobile phase. VI. Influence of the degree of cross-linking on the sorption of anionic complexes of Tl(III) and Fe(III) by sulphonic cation exchangers (120) 399

Ion-exchange packings

Preparation, properties and some applications of bonded ---- based on micro-particulate silica gel for HPLC (117) 269

Ionophoresis, continuous

Modified apparatus for carrier-free ---- (115) 357

Ion-pair formation

Paper electrophoretic study of ----. IX. Migration of small organic ions in strong acids (114) 297

Ion-pair formation

Paper electrophoretic study of ----. XI. Behaviour of optical isomers in optically active electrolytes (115) 655

Ion-pair formation

Paper electrophoretic study of ----. XII. Interaction between Co(III) complexes and solutions of orthophosphate, pyrophosphate and metaphosphate (117) 464

Ion-pair partition chromatography

High-speed ---- in pharmaceutical analysis (115) 423

Iridoid glucosides

Studies on monoterpene glucosides and related natural products. XXXI. GC and GC-MS of ---- and secoiridoid glucosides (118) 201

Iron(II)

Paper partition chromatography of inorganic ions. II. Behaviour of copper(I), silver(I) and ---- in butanol--hydrochloric acid mixtures (114) 488

Iron(II) sulphide

Sorption properties of ---- prepared by the sol-gel method (111) 93

Iron(III)

Ion-exchange at high concentrations of the mobile phase. VI. Influence of the degree of crosslinking on the sorption of anionic complexes of Tl(III) and ---- by sulphonic cation exchangers (120) 399

Iron-55

---- as an Auger electron emitter. Novel source for GC detectors (116) 257

Isohumulone

GC procedure for the analysis of ---- (115) 79

Isoleucine

GC separation of leucine and ---- phenylthiohydantoins (118) 99

Isomers, inorganic

Separation of ---- by adsorption chromatography. II. Non-electrolytic octahedral and square planar geometric isomers (114) 465

Isotachopheresis

Temperature profiles in capillary ---- (114) 315

Isotachopheresis, analytical

---- (119) 129

Isotachopheresis, capillary

---- with UV detection. Some quantitative aspects (119) 539

Isotachopheresis, capillary

Preparative ----. Principle and some applications (119) 9

Isotachopheresis, conductivity detector

Analytical isotachopheresis (119) 129

Isotachopheresis, counter flow of electrolyte

Analytical isotachopheresis (119) 129

Isotachopheresis, operational systems

Analytical isotachopheresis (119) 129

Isotachopheresis, potential gradient detector

Analytical isotachopheresis (119) 129

K

Kanamycin

HPLC determination of --- (120) 93

Katharometer responses

Effect of column temperature on the sensitivity of ---- (112) 365

Ketamine

Determination of ---- and some *in vivo* metabolites using HPLC (114) 220

α -Keto-acids

GC of ---- as their O-trimethylsilyl-quinoxalinol derivatives (115) 65

Ketones

Chemical derivatization in GC (review) (113) 303

Ketones

GC separation of carbonyl compounds as their 2,4-dinitrophenylhydrazones using glass capillary columns (120) 379

Ketones, 2-halovinyl

Vinylogous acyl compounds. XV. TLC detection of ---- with toxicological relevance (117) 137

17-Ketosteroids

HPLC of free and conjugated ---- (118) 283

Ketosteroids

Studies on steroids. CIII. A new type of derivative for electron capture-gas chromatography of ---- (114) 81

Krebs cycle acids

Separation of some typical ---- by high-speed isotachopheresis (117) 97

Krebs-cycle metabolites

GC separation of ---- (118) 236

L

Lactobionic acid

Fluorescence densitometric method for the determination of gluconic acid and ---- (sugar acids) in pharmaceutical preparations (117) 337

Laser densitometer

Preparative capillary isotachopheresis. Principle and some applications (119) 9

Lecithins

Analysis of long-chain acids of human plasma phosphatidylcholines (----) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483

Lecithin

LC of lipids. A critical review (review) (113) 231

Lennard-Jones 12-6 potential

Chromatographic determination of the parameters in the ---- (120) 29

Leucine

GC separation of ---- and isoleucine phenylthiohydantoins (118) 99

Lidocaine

GC method for the quantitative determination of ---- and its metabolic monoethylglycinexylidide in plasma (116) 188

Ligands

Separation of free and protein-bound ---- in the radioimmunoassay by gel filtration-centrifugation (119) 167

Ligand complexes

Paper electrophoresis in the study of mixed ---- in solution. Systems copper(II) and nickel(II)-oxalate-nitrilotriacetate (119) 563

Ligand-exchange chromatography

Studies on ----. V. GC separation of lower aliphatic amines by ligand exchange (114) 15

Linear learning machine method

Analysis of pyrolysis gas chromatograms using the ---- (112) 297

Lipase

Screening for fatty acids in oilseed breeding programmes using ---- and PC (115) 652

Lipids

Analysis of long-chain acids of human plasma phosphatidylcholines (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483

Lipids

Detection of acetodiacylglycerols in milkfat ---- by TLC (111) 223

Lipids

Fluorogenic spray for the detection of phospho---- on thin-layer chromatograms (120) 211

Lipids

LC of ----. A critical review (review) (113) 231

Lipophilic compounds

Reversed-phase TLC method for the determination of relative partition coefficients of very ---- (120) 65

Liquid adsorption chromatography

Analogy between gas adsorption and ---- (117) 11

Liquid chromatography

High-performance ---- data (111) 250

Liquid chromatography, preparative-scale

Some aspects of ---- (119) 467

Liquid chromatography systems with mixed adsorbents

Comparison of the efficiency of ---- with that of systems with connected adsorbent layers (119) 255

Liquid crystals

Use of ---- as stationary phases in GLC. I. Thermodynamic properties of solutions of decane in 4,4'-dihexyloxyazoxybenzene (117) 315

Liquid crystal stationary phases

GC with anisotropic liquids. Partition coefficients at the mesophase-isotropic phase transition point (112) 165

Liquid crystal stationary phase

Solid support surface effects on the chromatographic behavior of a ---- (112) 145

Liquid phase

Polyphenyl ether, a --- for the GC-MS
analysis of monoterpene hydrocarbons
(111) 419

Liquid-solid chromatography

Solute interactions with the mobile and
stationary phases in ---- (112) 425

Lithium

--- ion exchange on α -titanium phosphate
(118) 263

LSD

Chromatographic method for the detection
of ---- in biological fluids (120) 496

Lysergic acid diethylamide, *see* LSD

Lysergide

Chromatographic method for the detection
of LSD in biological fluids (120) 496

Lysine

Chromatographic separation of ---,
thia---- and seleno---- (114) 291

M

Macromolecules

- Theory of chromatography of rigid rod-like
---- on hydroxyapatite columns. VIII.
Further theory of analytical calculation of
chromatograms and further investigations
on the resolving power of the columns
(120) 257

Macroporous sorbents

- Polar ---- for GC (114) 335

Mandelic acid nitrileglycosides

- Hydroxylamine/iron(III) chloride, a
stereospecific colour reagent for ---- (111)
430

D-Mannose

- TLC method for the quantitative determina-
tion of ----, D-glucose and D-galactose in
aqueous solution (115) 477

Maprotiline

- Quantitative assay of ---- in biological
fluids by GLC (114) 167

2-Mercaptobenzothiazole

- Determination of ---- in waste dump
effluent by HPLC (116) 244

6-Mercaptopurine

- GC method for measuring ---- in serum
(111) 305

Mercury drop flow meter

- Flow meter for precise and accurate
measurement of gas flow using a travelling
mercury drop (111) 271

Metabolic profiles

- Automated high-resolution GC system for
recording and evaluation of ---- (112)
559

Metals

- Elution of transition ---- with eluents
containing ethanol on mixed ion-exchange
columns (115) 276

Metals

- GC separation of dithiocarbamates of some
---- (115) 256

Metals

- Separation by TLC of trace ---- as their
tetraphenylporphyrin chelates (115) 581

Metal ions

- Chromatographic separation of ---- on a
macroreticular cation-exchange resin
with hydrochloric acid in aqueous acetone
solution (115) 543

Metal ions

- Chromatographic separation of ---- on a
macroreticular cation-exchange resin with
hydrochloric acid in mixed solvents (120)
171

Metal ions

- Gel chromatographic behaviour of EDTA
complexes on Sephadex columns (120)
159

Metals, non-ferrous

- Study of the selectivity of different types of
zeolites towards some ---- (120) 155

Metanephrine

- Specific ion-exchange chromatography and
fluorimetric assay for urinary 3-O-methyl-
dopamine (116) 379

Metaphosphate

- Paper electrophoretic study of ion-pair
formation. XII. Interaction between Co(III)
complexes and solutions of orthophosphate,
pyrophosphate and ---- (117) 464

Methadone

- Electron-capture GC of ---- after oxidation
to benzophenone (111) 347

Methamphetamine

- Procedure for the differentiation of the
optical isomers of amphetamine and ----
by TLC (117) 442

Methane

- GC analysis of the products obtained on
pyrolysis of ---- during chemical vapor
deposition of carbon (114) 211

Methanol

- GC determination at the ppm level of ----
and ethanol in aqueous solutions (119) 251

Methionine dipeptide stationary phases

- for the resolution of enantiomers
(112) 197

Methoxybenzoic esters

- Steric factor in the GLC retention of toluic
and ---- (111) 117

- 3-Methoxy-2,5(10)-diene steroids
Analysis of steroids. XXVI. Transformation of ---- during their GC analysis (118) 411
- Methoxyphenamine
Excretion of ---- and its metabolites in urine (119) 609
- 5-Methoxysterigmatocystin
TLC separation of sterigmatocystin, ---- and O-methylsterigmatocystin (116) 490
- 5-Methoxytryptophol
Mass fragmentography of 5-hydroxytryptophol and ---- in human cerebrospinal fluid (112) 523
- Methoxytyramines
Separation and identification of trimethylsilyl derivatives of tyramines and ---- by GLC (120) 477
- Methylation artifacts
---- in the GC of serum extracts. Competitive suppression with trimethyl-d₉ anilium hydroxide (116) 321
- N-Methylcyclohexylamine
Studies on the formation of cyclohexylamine and ---- from bromhexine in animals and man, and simultaneous determination of cyclohexylamine and ---- by GC (117) 383
- 5-Methylcytosine
Use of cation-exchange HPLC for determination of the ---- content of DNA (118) 242
- 3-O-Methyl dopamine
Specific ion-exchange chromatography and fluorimetric assay for urinary ---- (116) 379
- Methyl elaidate
GC separation of *cis-trans* isomers: methyl oleate/---- (119) 401
- Methylene blue
Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93
- 7-Methyljuglone
Behaviour of ---- and two related naphthoquinones on silica gel exposed to air (114) 443
- Methyl nitrites
GC determination at the ppm level of methanol and ethanol in aqueous solutions (119) 251
- Methyl oleate
GC separation of *cis-trans* isomers: ----/methyl elaidate (119) 401
- Methylphenols
Modified carbon black in HPLC (119) 41
- 4-Methyl-5-phenyloxazolidine-2-thione
Spontaneous formation of ---- from phenylpropanolamine (117) 375
- O-Methylsterigmatocystin
TLC separation of sterigmatocystin, 5-methoxysterigmatocystin and ---- (116) 490
- N-Methyl-N,2,4,6-tetranitroaniline, *see* Tetryl
- Methylthiohydantoins
Improved separation of the ---- and phenylthiohydantoins of arginine, cysteic acid and histidine by micropolyamide TLC (115) 629
- Methyl *cis*-undecenoates
Fatty acids. III. Further study of the GLC properties of all of the methyl undecynoates and ---- (111) 189
- Methyl undecynoates
Fatty acids. III. Further study of the GLC properties of all of the ---- and methyl *cis*-undecenoates (111) 189
- Methyl urea
GLC method for the measurement of ---- in blood and urine (118) 357
- Microbial cells
Behaviour of ---- on columns of some Sephadex gels (114) 463
- Microbial levels
Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce ---- in bacitracin powder (112) 663
- Microchromatography
---- of hemoglobins. V. TLC of some hemoglobins on CM-cellulose (115) 527
- Micro-packed columns
Rapid analysis with short ---- (112) 455
- Microparticle chemically-bonded anion-exchange resins
Performance of ---- in the analysis of nucleotides (112) 651
- Micro-phase extraction
Rapid and comprehensive system for the routine identification of drugs in biological material based on ---- and drug colour profiles (115) 507
- Mixed solvents
Criteria for the use of ---- in GLC (112) 71
- Mobile phases
Gradient elution in LC. VII. Comparison of different ---- in adsorption chromatography (115) 9

- Mobile phase containing π -complexing metal salts**
Separation of olefinic compounds by reversed-phase LC with a ---- like silver nitrate (114) 174
- Mobile phase containing silver nitrate**
Separation of olefinic compounds by reversed phase LC with a mobile phase containing π -complexing metal salts like silver nitrate (114) 174
- Molecular sieves**
Some applications of ---- in the GC analysis of hydrocarbons and alcohols (117) 305
- Molecular structure**
Investigation of the relationship between ---- and chromatographic parameters. VIII. Partition of phenols and their derivatives in systems of the type (cyclohexane + polar solvent)-water (111) 7
- Molecular structure**
Investigations of the relationship between ---- and chromatographic parameters. IX. Extraction of phenolic 2-benzoylbenzoic acids with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21
- Molecular structure**
---- and retention behaviour. V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized carbon black (115) 299
- Moment analysis**
---- for reaction chromatography (117) 1
- Moment analysis**
---- in non-linear frontal-elution and elution chromatography (120) 249
- Monocarboxylic acids**
Separation of -- and dicarboxylic acids by LC (115) 259
- Monoethylglycinexylidide**
GC method for the quantitative determination of lidocaine and its metabolite ---- in plasma (116) 188
- Monoterpene glucosides**
Studies on ---- and related natural products. XXXI. GC and GC-MS of iridoid and secoiridoid glucosides (118) 201
- Monoterpene hydrocarbons**
Improved GC analysis of naturally occurring ---- following pre-fractionation by LSC (115) 607
- Monoterpene hydrocarbons**
Polyphenyl ether, a liquid phase for the GC-MS analysis of ---- (111) 419
- Morphine**
Quantitative ---- assay by means of GLC and on-column silylation (120) 491
- Morphine alkaloids**
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
- Morpholine, trimethylsilyl derivatives**
Search for new silylating agents. I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and ---- (116) 315
- Multi-column liquid chromatography**
----. I. A new multi-collector for simultaneous fraction collection from a number of chromatographic columns (111) 57
- Multi-column liquid chromatography**
----. II. A multi-cuvette for multi-column LC (111) 63
- Multi-column liquid chromatography**
----. III. New techniques for multi-column LC (111) 69
- Multi-column liquid chromatography**
----. IV. Computerized on-line spectrophotometric quantitation system for multi-column LC (111) 75
- Multiple development technique**
Programmed multiple development. Brief review and study of extended programs (review) (113) 267
- Mycotoxins**
Bioautographic detection of ---- on thin-layer chromatograms (116) 155
- Mycotoxins**
Systematic analysis of ---- by TLC (116) 141

N

NADH

Purification and characterization of commercial ---- and accompanying dehydrogenase inhibitors (120) 187

β -Naltrexol

GLC method for the determination of naltrexone and ---- in human urine (111) 141

Naltrexone

GLC method for the determination of ---- and beta-naltrexol in human urine (111) 141

Naltrexone

Quantitative determination of ---- and beta-naltrexol in human plasma using electron capture detection (118) 331

Naphthalene derivatives

Modified carbon black in HPLC (119) 41

Naphthalenesulphonic acids

Capillary isotachopheresis with UV detection. Some quantitative aspects (119) 539

Naphthoquinones

Behaviour of 7-methyljuglone and two related ---- on silica gel exposed to air (114) 443

Nearest neighbour technique

---- as a means of indicating stationary phase selectivity (117) 23

Neostigmine

Quantitative GLC method for the determination of ---- and pyridostigmine in human plasma (120) 349

Neuraminidase

Cytotoxic contaminants in commercial *Clostridium perfringens* ---- preparations purified by affinity chromatography (111) 217

Neurospora crassa

Pyrolysis GC as an aid to the identification of *Penicillium* species (116) 107

Neutral dipeptides, dinitrophenyl derivatives

Separation of ---- by TLC (115) 633

Nickel(II)

GC separation of some dialkyldithiocarbamates of ---- (112) 189

Niobium arsenate

Synthesis and ion-exchange properties of ---- (118) 167

Ni-SiO₂

GC studies of catalysis on ---- (112) 61

Nitrates

Analysis for aqueous ---- and nitrites and gaseous oxides of nitrogen by electron capture GC (112) 719

Nitrazepam

Determination of ---- in serum by GLC. Application in bioavailability studies (111) 389

Nitrilotriacetic acid

Quantitative GC determination of ---- in the presence of other carboxylic acids (111) 43

Nitrites

Analysis for aqueous nitrates and ---- and gaseous oxides of nitrogen by electron capture GC (112) 719

Nitro compounds

Determination of nanogram amounts of primary aromatic amines and ---- in blood and plasma (111) 323

Nitrogen

Analysis for aqueous nitrates and nitrites and gaseous oxides of ---- by electron capture GC (112) 719

Nitrogen-containing compounds

GC of ---- and phosphorus-containing compounds (116) 17

N-Nitrosamines

Estimation of ---- in tropical regions by reversed-phase PC and TLC (115) 535

N-Nitrosamines

TLC of ---- (120) 229

Nitrosamines

Use of isomers in the detection and estimation of volatile ---- by combined high-resolution MS-GC (115) 213

N-Nitrosoamino acids

GC determination of ---- by trimethylsilylation and single-ion mass fragmentography (115) 602

- N-Nitrosodimethylamine**
GC determination and MS confirmation of ---- in fish meal (111) 426
- Nomifensine**
GC method for the determination of ---- in human plasma (116) 451
- trans-Nonachlor**
GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' retention indices (119) 385
- Nonanes, branched-chain**
Influence of vapour pressure, activity coefficient and structure on the retention volumes of ---- (116) 249
- Noradrenaline**
HPLC analysis of the catecholamines dopamine and ---- as their fluorecamine derivatives (118) 429
- Norbornane derivatives**
Retention indices in GSC (119) 233
- Normetanephrine**
Specific ion-exchange chromatography and fluorimetric assay for urinary 3-O-methyl-dopamine (116) 379
- Nucleic acids**
Chemical derivatization in GC (review) (113) 303
- Nucleic acid bases, methylated**
Determination of trimethylsilyl ---- in urine by GLC (116) 69
- Nucleosides**
Chemical derivatization in GC (review) (113) 303
- Nucleosides**
GLC analysis of trimethylsilyl derivatives of pyrimidine and purine bases and ---- (119) 355
- Nucleosides**
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
- Nucleosides**
Separation of purine 3',5'-cyclic nucleotides and ---- by TLC on PEI cellulose (116) 465
- Nucleosides**
Separation of the methylated ---- constituents of ribonucleic acid by two-dimensional TLC (111) 403
- Nucleotides**
Chemical derivatization in GC (review) (113) 303
- Nucleotides**
Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171
- Nucleotides**
Performance of microparticle chemically-bonded anion-exchange resins in the analysis of ---- (112) 651
- Nucleotides**
Separation of purine 3',5'-cyclic ---- and nucleosides by TLC on PEI cellulose (116) 465
- Nucleotides**
Simple ion-exchange column fractionation of ribo---- (115) 240
- Nucleotides**
Template chromatography on immobilized oligo----. Synthesis and application of oligodeoxyadenosine-5'-phosphate-DEAE-cellulose (115) 461
- Nucleotides, radioactive**
Preparative capillary isotachopheresis. Principle and some applications (119) 9

O

- cis,cis*-Octadecadienoates
Fatty acids. VII. GLC properties of all dimethylene interrupted methyl ----- (117) 365
- Octadecyl Porasil
Preparation of ----- for reversed-phase LC (116) 182
- Octadecylsilane
HPLC of drugs. Evaluation of an ----- stationary phase (111) 149
- Octahedral geometric isomers
Separation of inorganic isomers by TLC. II. ----- (117) 455
- Oestrogen steroids
Gel chromatography of steroid oestrogens on Sephadex LH-20 (111) 159
- Oils
Separation of essential ----- by LC (114) 258
- Olefins
Separation and analysis of small quantities of saturated C₆ hydrocarbons from large quantities of ----- (114) 255
- Olefinic compounds
Separation of ----- by reversed-phase LC with a mobile phase containing π -complexing metal salts like silver nitrate (114) 174
- Oligodeoxyadenosine-5'-phosphate--DEAE-cellulose
Template chromatography on immobilized oligonucleotides. Synthesis and application of ----- (115) 461
- Oligonucleotides
Template chromatography on immobilized -----, Synthesis and application of oligodeoxyadenosine-5'-phosphate--DEAE-cellulose (115) 461
- Oligouronides
Preparation, separation and degradation of ----- produced by the polygalacturonic acid transeliminase of *Bacillus pumilus* (116) 395
- On-line hydrogenation
Special techniques in the combination of GC and MS (112) 343
- Open tubular capillary columns
High-resolution biomedical GC. Determination of human urinary steroid metabolites using glass ----- (112) 581
- Open-tubular columns
Improved technique for observing the inner surface of ----- for GC using scanning electron microscopy (114) 190
- Optical isomers
Paper electrophoretic study of ion-pair formation. XI. Behaviour of ----- in optically active electrolytes (115) 655
- Optimization
Evaluation and selection of optimal solvents and solvent combinations in TLC. Application of the method to basic drugs (115) 1
- Optimization
Minimizing the time for GC analysis. Search for optimal operational parameters by a simplex method (119) 215
- Optimization strategies
----- for the development of GLC methods (112) 267
- Organic substances
Stripping of trace ----- from water. Equipment and procedure (117) 285
- Organochlorine insecticides
Extractants for ----- and polychlorinated biphenyls from water (120) 369
- Organochlorine pesticides
GC identification of some ----- and their photoalteration products by means of Kovats' retention indices (119) 385
- Organomercury compounds
Chromatographic analysis of fungicides (review) (113) 97
- Organophosphorus pesticides
Analysis of ----- by capillary GC with flame photometric detection (117) 201
- Orthophosphate
Paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of -----, pyrophosphate and metaphosphate (117) 464
- Overlapping gas chromatographic peaks
Resolution of ----- using fast Fourier transformation (118) 313

Oxiranes

Use of ---- in the preparation of bonded phase supports (120) 321

Oxosteroids

Studies on steroids. CIX. O- ω -Halo-alkyloximes, new derivatives for GC-MS of ---- (118) 127

Oxygen

Chemisorption method for the determination and removal of trace amounts of --- in unreactive gases (120) 291

Oxypurinol

HPLC determination of allopurinol and ---- in serum (115) 228

Oxytocin

Iodination and purification of ---- (118) 83

Ozone

Selective detector for GC based on the chemiluminescence of ---- reactions (112) 253

P

Packings

Determination of the amount of stationary phase in ---- for GLC. Stationary phases for use at high temperatures (114) 204

Packings

Enzacryl® gel ----. Inorganic salt compatibility, pH stability and ion-exchange derivatives (117) 245

Packings

Performance and selected applications of a new range of chemically bonded ---- materials in high-performance LC (112) 171

Packings

Preparation, properties and some applications of bonded ion-exchange ---- based on microparticulate silica gel for HPLC (117) 269

Packing

Styragel as ---- for aqueous GPC (114) 486

Palladium catalysts

Pulse technique for the chromatographic determination of metal dispersions in ---- (111) 443

Pancuronium bromide

TLC of ---- and its hydrolysis products (120) 234

Paraquat

Analysis of ---- formulations by LC (115) 289

Paraquat

Analysis of ---- in urine by HPLC (115) 107

Particle size

Reduction of theoretical plate height in GC by increase of pressure and decrease of ---- (112) 377

Partition-chromatography

Development of a combined ---- method (112) 353

Partition coefficients

Reversed-phase TLC method for the determination of relative ---- of very lipophilic compounds (120) 65

Penicillin

Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171

Penicillium

Pyrolysis GC as an aid to the identification of ---- species (116) 107

Pentabromotoluene

Identification of the flame retardant ---- in sewage sludge (111) 209

Pentaerythritols

Separations and quantitative determination of trimethylolpropane and ---- in industrial synthesis solutions by HPLC (115) 397

Peptides

Analytical isotachopheresis (119) 129

Peptides

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Peptides

GC of amino acids (review) (113) 139

Peptides

Isotachopheretic analysis of ---- (119) 369

Peptides

Separation of dinitrophenyl derivatives of neutral di ---- by TLC (115) 633

Peptides

4,4'-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-toluidine colour reaction for TLC (120) 224

Peptides

Use of *o*-phthalaldehyde for detection of amino acids and ---- on thin-layer chromatography (117) 439

Peptides, tryptophan-containing

Fluorescence of ---- on paper or silica gel after treatment with formaldehyde, formaldehyde-ozone or formaldehyde-hydrochloric acid (117) 355

- Peptide-hormone hydrolysates
 High-performance LC analysis of amino acids and ---- in the picomole range (112) 643
- Perazine
 GLC determination of ----, thioridazine and thioridazine metabolites in human plasma (120) 123
- Perbromate ions
 PC study of the reduction of ---- by potassium and hydrogen halides (114) 451
- Periodate-Schiff reagents
 Reaction of fungal ceramides containing α -hydroxy acids with the ---- (117) 436
- Pesticides
 Analysis of organophosphorus ---- by capillary GC with flame photometric detection (117) 201
- Pesticides
 Analysis of paraquat formulations by LC (115) 289
- Pesticides
 Analysis of paraquat in urine by high-speed LC (115) 107
- Pesticides
 Causes and effects of sample loss using a dry capsule injection method for the automated GC analysis of ---- samples (117) 59
- Pesticides
 Chemical derivatization in GC (review) (113) 303
- Pesticides
 Chromatographic analysis of fungicides (review) (113) 97
- Pesticides
 Chromatographic separation of herbicide-active *s*-triazines on various polyamide layers (115) 670
- Pesticides
 Determination of benomyl and 2-(4-thiazolyl)benzimidazole in plant tissues by HPLC using fluorimetric detection (120) 449
- Pesticides
 Extractants for organochlorine insecticides and polychlorinated biphenyls from water (120) 369
- Pesticides
 Fluorimetric detection of ---- on aluminium oxide layers (117) 129
- Pesticides
 GC determination of thiabendazole in fruits as its methyl derivative (117) 149
- Pesticides
 GC identification of some organochlorine ---- and their photoalteration products by means of Kovats' retention indices (119) 385
- Pesticides
 GC-MS identification of phenylurea herbicides after N-methylation (115) 682
- Pesticides
 High-speed LC of polychlorinated biphenyls and related compounds (116) 353
- Pesticides
 Improved recovery of hexachlorobenzene in adipose tissue with a modified micro multi-residue procedure (117) 143
- Pesticides
 Isolation and GC characterization of some toxaphene components (114) 361
- Pesticides
 Possibilities and limitations of capillary GC and MS in the analysis of polychlorinated biphenyls (119) 271
- Pesticides
 TLC detection of some systemic fungicides and their metabolites (111) 197
- Petroleum fractions
 GC determination of thiols in gaseous ---- on the basis of thiol concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599
- Petroleum fuels
 Recognition and qualitative characterization of commercial ---- and synthetic fuels by a GC fingerprinting technique. I. General considerations (119) 413
- Phanquone
 Determination of ---- in biological material by GLC (118) 363
- Pharmaceuticals
 Analytical isotachopheresis (119) 129
- Pharmaceuticals
 Chemical derivatization in GC (review) (113) 303
- Pharmaceuticals
 Combined UV-fluorescence detection in HPLC of ---- (111) 365
- Pharmaceuticals
 LC of dansyl derivatives of some alkaloids and the application to the analysis of ---- (116) 365
- Pharmaceutical analysis
 High-speed ion-pair partition chromatography in ---- (115) 423
- Pharmaceutical compounds
 Separation of ---- using HPLC. Influence of water. II. (120) 419

Pharmacokinetics

Use of GC-MS-computer systems in ---- studies (112) 605

Phenanthrene

GC of the system -----anthracene--carbazole on a column of cadmium chloride modified with Carbowax 20M (119) 181

Phenobarbital

Methylation artifacts in the GC of serum extracts. Competitive suppression with trimethyl-d₉ anilinium hydroxide (116) 321

Phenols

Chemical derivatization in GC (review) (113) 303

Phenols

Investigations of the relationship between molecular structure and chromatographic parameters. VIII. Partition of ---- and their derivatives in systems of the type (cyclohexane + polar solvent)-water (111) 7

Phenols

Rubidium benzenesulphonate as a stationary phase in the GC and separation of isomers of ---- and pyridine bases (115) 250

Phenols

Sensitive monitoring of ---- after LC (111) 470

Phenols

Sensitive monitoring of ---- after LC (111) 472

Phenols

Structural investigation of ---- and alcohols using silylation and GC (120) 103

Phenols

4,4'-Tetramethyldiaminodiphenylmethane reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224

Phenols, long-chain

----. IV. Quantitative determination of the olefinic composition of the component phenols in cashew nut-shell liquid (111) 277

Phenols, long-chain

----. V. GC analysis of cashew nut-shell liquid (*Anacardium occidentale*) (111) 285

Phenol alkyl derivatives

Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1

Phenolic acids

Analysis of ---- and flavonoids by HPLC (116) 271

Phenolic acids

Quantitative analysis for ---- by TLC (115) 123

Phenolic 2-benzoylbenzoic acids

Investigations of the relationship between molecular structure and chromatographic parameters. IX. Extraction of ---- with cyclohexane solutions of *n*-hexanol and oleic acid (111) 21

Phenolic compounds

PC of ---- using buffered acetonitrile (114) 286

Phenolic compounds

Structure-specific reagents for the detection of ---- (117) 445

Phenolic groups

Method for detecting free ---- and indole derivatives in TLC or PC (115) 273

Phenolsilicon compounds, oxidation products

Study of the ---- by molecular LC (116) 169

Phenothiazines

GLC determination of perazine, thioridazine and thioridazine metabolites in human plasma (120) 123

Phenothiazines

Reversed-phase TLC method for the determination of relative partition coefficients of very lipophilic compounds (120) 65

Phentermine

Isolation of drugs with macroreticular resins. Determination of ---- in blood (111) 439

1-(2-Phenyladamant-1-yl)-2-methylamino-propane

Analysis of ---- as its chlorodifluoroacetyl derivative (114) 151

Phenylalkanes

GC and MS analysis of a commercial mixture of ---- (detergent alkylates) (119) 293

1-(1-Phenylcyclohexyl)piperidine

Detection of 1-piperidinocyclohexane-carbonitrile contamination in illicit preparations of ---- and 1-[1-(2-thienyl)-cyclohexyl] piperidine (117) 232

Phenylpropanolamine

Spontaneous formation of 4-methyl-5-phenylloxazolidine-2-thione from ---- (117) 375

Phenylpyruvic acid

High-speed LC determination of ---- (118) 403

Phenylthiohydantoin

Improved separation of the methyl- and ---- of arginine, cysteic acid and histidine by micropolyamide TLC (115) 629

Phenytol

TLC determination of barbiturates and ---- in serum and blood (115) 493

- Pheromones**
GC and the structural elucidation of lepidopteran ---- (118) 195
- Pheromones**
LC of lipids. A critical review (review) (113) 231
- Phosphatidic acid**
Silica gel TLC of acidic phospholipids. II. Chromatographic behaviour of phosphatidylserine and ---- applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
- Phosphatidylcholines**
Analysis of long-chain acids of human plasma ---- (lecithins) and cholesteryl esters by glass open tubular capillary column GC for stroke patients and for normal subjects (112) 483
- Phosphatidylserine**
Silica gel TLC of acidic phospholipids. II. Chromatographic behaviour of - - - and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
- Phosphazene**
GC of fully substituted cyclic alkoxy---- (111) 434
- Phospholipids**
Determination of plasmalogen contents of ---- classes by reaction micro-TLC (115) 645
- Phospholipids**
Fluorogenic spray for the detection of ---- on thin-layer chromatograms (120) 211
- Phospholipids**
Modified Jungnickel's reagent for detecting ---- and other phosphorus compounds on thin-layer chromatograms (115) 246
- Phospholipids**
Silica gel TLC of acidic ----. II. Chromatographic behaviour of phosphatidylserine and phosphatidic acid applied with different cation composition on adsorbents either free of metal ions or containing a surplus of divalent metal ions (114) 419
- Phospholipid**
Universal reagent for - - - analysis (114) 129
- Phosphorus**
Selective flame emission detection of - - - and sulphur in high-performance LC (112) 443
- Phosphorus compounds**
Modified Jungnickel's reagent for detecting phospholipids and other ---- on thin-layer chromatograms (115) 246
- Phosphorus-containing compounds**
Dual-channel flame photometric detector with a separate combustion chamber (120) 285
- Phosphorus-containing compounds**
GC of nitrogen- and ---- (116) 17
- Photodensitometer**
Experimental high-performance ---- for quantitative chromatography. I. Design and construction (115) 335
- Photodensitometer**
Experimental high-performance ---- for quantitative chromatography. II. Preliminary assessment (paper) (115) 349
- Photo-electron capture detector**
---- (112) 229
- o*-Phthalaldehyde**
Use of ---- for detection of amino acids and peptides on thin-layer chromatograms (117) 439
- Phthalate esters**
Extraction and recovery of ---- from water using porous polyurethane foam (115) 383
- Physico-chemical index**
Qualitative GC analysis and determination of solute properties. Exact equation for the calculation of the retention indices of isoalkanes on squalane (119) 109
- Phytoene**
Determination of the carotenoid ---- in blood by HPLC (120) 457
- Piperidine, trimethylsilyl derivatives**
Search for new silylating agents. I. Comparative GLC evaluation of - - -, pyrrolidine and morpholine (116) 315
- 1-Piperidino-cyclohexanecarbonitrile**
Detection of ---- contamination in illicit preparations of 1-(1-phenylcyclohexyl)-piperidine and 1-[1-(2-thienyl)cyclohexyl]-piperidine (117) 232
- Plasma, human**
Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339
- Plasmalogen**
Determination of - - - contents of phospholipid classes by reaction micro-TLC (115) 645

Platinum–alumina reforming catalyst

GC determination of effective diffusivities and heats of adsorption of C₅–C₈ hydrocarbons on a commercial ---- (116) 431

Polarity factors

General contribution to the theory of retention index systems in GLC. IV. Pre-calculation of interaction factors on mixed stationary phases in GLC by computer (119) 333

Polyacrylamide gel structure

---- resolved? (114) 455

Polyadenylate binding materials

Comparison of the chromatographic properties of various ---- (114) 115

Polyamines

Quantitative TLC of ---- (114) 411

Polychlorinated biphenyls

Chromatographic analysis of fungicides (review) (113) 97

Polychlorinated biphenyls

Extractants for organochlorine insecticides and ---- from water (120) 369

Polychlorinated biphenyls

High-speed LC of ---- and related compounds (116) 353

Polychlorinated biphenyls

Possibilities and limitations of capillary GC and MS in the analysis of ---- (119) 271

Polychlorinated dibenzo-*p*-dioxins

----. Separation and identification of isomers by GC–MS (114) 95

Polycyclic aromatic hydrocarbons

Computerized GC–MS analysis of ---- in environmental samples (112) 681

Polygalacturonic acid transeliminase

Preparation, separation and degradation of oligouronides produced by the ---- of *Bacillus pumilus* (116) 395

Polymers

Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297

Polymers

GPC. XII. Computer-assisted GPC and low-angle laser light-scattering photometry (118) 303

Polymers

GPC of ---- on macroporous silicas (116) 99

Polymers

Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37

Polymers

Regulated-temperature pyrolyzer for GC. Application to the study of epoxy ---- (118) 115

Polymyxin

Improved high-performance LC method for polypeptide antibiotics and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663

Polyols

TLC of ---- (115) 267

Polyols

Use of ---- as stationary phases for the GC separation of volatile compounds from excess amounts of ethanol (117) 295

Polyoxyethylene

Analysis of ---- non-ionic surfactants by coupling GLC and TLC (111) 459

Polypeptide antibiotics

Improved high-performance LC method for ---- and its application to study the effects of treatments to reduce microbial levels in bacitracin powder (112) 663

Polyphenyl ether

----, a liquid phase for the GC–MS analysis of monoterpene hydrocarbons (111) 419

Polyphenyl ether sulfone liquid phases

High-temperature GLC with a polyphenyl ether sulfone (112) 111

Polysaccharides

Separation of aldoses and ---- by cellulose TLC and a new spray reagent for the sensitive detection of these carbohydrates (116) 417

Polysaccharides

TLC method for the quantitative determination of D-mannose, D-glucose and D-galactose in aqueous solution (115) 477

Polystyrenes

GPC of polymers on macroporous silicas (116) 99

Polystyrene gels

Styragel as packing for aqueous GPC (114) 486

Polyurethane foam, porous

Extraction and recovery of phthalate esters from water using ---- (115) 383

Porasil

Preparation of octadecyl ---- for reversed-phase LC (116) 182

Porous adsorbents

Application of inverse GC to the determination of the surface area of macro- ---- and meso- ---- (119) 483

Porphyrins

Applications of HPLC and field desorption MS in studies of natural --- and chlorophyll derivatives (115) 325

Potential gradient detector

Sensitivity of a newly designed ---- for isotachopheresis (119) 605

5 α -Pregnan-3,20-dione

Separation of ---- and progesterone on Sephadex LH-20 (115) 244

Prenazone

GC analysis of 4-prenyl-1,2-diphenyl-3,5-pyrazolidinedione (----) at therapeutic levels in human plasma (114) 159

4-Prenyl-1,2-diphenyl-3,5-pyrazolidinedione

GC analysis of ---- (prenazone) at therapeutic levels in human plasma (114) 159

Preparative gas chromatography

----. Computer program for the study on the relationship between efficacy, resolution and the purity of products (118) 1

Pressure

Reduction of theoretical plate height in GC by increase of ---- and decrease of particle size (112) 377

Probenecid

GC assay for ---- and its metabolites in biological fluids (115) 222

Progesterone

Separation of 5 α -pregnan-3,20-dione and ---- on Sephadex LH-20 (115) 244

Progesterone

Simple GLC method with electron capture detection for the determination of ---- in the blood of humans and domestic animals (111) 125

Programmed multiple development

----. Brief review and study of extended programs (review) (113) 267

Propranolol

Simultaneous determination of ---- and 4-hydroxy- ---- in plasma by mass fragmentation (114) 351

Prostaglandins

LC of lipids. A critical review (review) (113) 231

Proteases

Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean trypsin inhibitor on the separation of pancreatic ---- (120) 391

Proteins

Analytical isotachopheresis (119) 129

Proteins

Applications of GLC in ---- chemistry. Determination of C-terminal sequences on nanomolar amounts of ---- (116) 305

Proteins

Chromatographic hydrophobic parameters in correlation analysis of structure-activity relationships (review) (113) 1

Proteins

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Proteins

GC of amino acids (review) (113) 139

Proteins

Prevention of adsorption of ---- on controlled-pore glass with amino acid buffer (111) 214

Proteins

Purification of *Escherichia coli* B-specific *p*-aminobenzoate "pick-up" ---- to homogeneity by affinity chromatography (115) 205

Proteins

Serum ---- fractionation by isotachopheresis using amino acid spacers (118) 35

Proteins

Use of controlled-pore glass for adsorption chromatography of ---- (120) 206

Protein hydrolysates

Ion-exchange chromatography of the more basic amino acids of ---- using stepwise changes of buffers containing borate ions (115) 612

Protein-protein coupling reactions

Application of gel filtration TLC in the rapid assessment of ---- (118) 337

Protein-sodium dodecyl sulphate complexes

Controlled pore glass chromatography of ---- (111) 397

Proteoglycan, chicken

Application of the sorption properties of Spheron gels in high-resolution column LC of naturally occurring macromolecular species (119) 549

Purine bases

GLC analysis of trimethylsilyl derivatives of pyrimidine and ---- and nucleosides (119) 355

Purine bases

TLC of --- and pyrimidine bases and deoxyribonucleoside analogues. II. (115) 673

Purine bases, methylated

High-resolution LC analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83

Purine 3',5'-cyclic nucleotides

Separation of ---- and nucleosides by TLC on PEI cellulose (116) 465

Purine nucleosides

Separation of purine 3',5'-cyclic nucleotides and ---- by TLC on PEI cellulose (116) 465

Purity

Preparative GC. Computer program for the study on the relationship between efficacy, resolution and the ---- of products (118) 1

Pyrenes

Comparison of GC and fluorimetric determination of 3,4-benzopyrene (118) 270

Pyridine bases

Rubidium benzenesulphonate as a stationary phase in the GC and separation of isomers of phenols and ---- (115) 250

Pyridostigmine

Quantitative GLC method for the determination of neostigmine and ---- in human plasma (120) 349

Pyrimidine bases

GLC analysis of trimethylsilyl derivatives of ---- and purine bases and nucleosides (119) 355

Pyrimidine bases

TLC of purine and --- and deoxyribonucleoside analogues. II. (115) 673

Pyrimidine bases, methylated

High-resolution LC analysis of methylated purine and pyrimidine bases in transfer RNA (116) 83

Pyrimidine oligodeoxyribonucleotides

Chromatography of biopolymers and their fragments on derivatives of the hydrophilic macroporous synthetic gel Spheron (119) 339

Pyrolysis gas chromatography

Analysis of pyrolysis gas chromatograms using the linear learning machine method (112) 297

Pyrolysis-gas chromatography

Elucidation of reaction mechanisms for thermal eliminations and ring closures by ----MS (112) 301

Pyrolyzer, regulated-temperature

---- for GC. Application to the study of epoxy polymers (118) 115

Pyrophosphate

Paper electrophoretic study of ion-pair formation. XII. Interaction between Co(III) complexes and solutions of orthophosphate, ---- and metaphosphate (117) 464

Pyrrolidine, trimethylsilyl derivatives

Search for new silylating agents. I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, ---- and morpholine (116) 315

Q

- Quadrupole mass spectrometer
Special techniques in the combination of GC and MS (112) 343
- Quantitation
---- in high-performance micro-TLC (112) 81
- Quantitative chromatography
Experimental high-performance photodensitometer for ----. I. Design and construction (115) 335
- Quantitative chromatography
Experimental high-performance photodensitometer for ----. II. Preliminary assessment (paper) (115) 349
- Quantitative gas chromatography
Study on the effect of detector dynamics on the peak heights in ---- (114) 179
- Quinidine
TLC method for the quantitative determination of ---- in human serum (111) 463
- Quinolizidine derivatives
TLC and short-column chromatography of epimeric alcohols of some ---- (116) 235
- 5,6-Quinone-4,7-phenanthroline
Determination of phanquone in biological material by GLC (118) 363

R

- Radioassay
 High-sensitivity ----- by GC (112) 637
- Radio-gas chromatography
 ----- analysis of molecules containing labile tritium (114) 23
- RDX explosives
 HPLC separation of ----- and HMX explosives on adsorptive polymers (118) 157
- Reaction chromatography
 Moment analysis for ----- (117) 1
- Reaction gas chromatography
 Dual-channel micro-reactor for ----- (119) 620
- Reaction gas chromatography
 -----; a method for the rapid estimation of reaction parameters. I. Amidations and N-acylations (115) 311
- Reaction gas chromatography
 Simple device for ----- (119) 613
- Reaction kinetics
 Analytical isotachopheresis (119) 129
- Reaction parameters
 Reaction GC: a method for the rapid estimation of -----, I. Amidations and N-acylations (115) 311
- Rescinnamine
 New GC method for the estimation of reserpine and ----- (116) 263
- Reserpine
 New GC method for the estimation of ----- and rescinnamine (116) 263
- Resolution
 Preparative GC. Computer program for the study on the relationship between efficacy, ----- and the purity of products (118) 1
- Resorcinol alkyl derivatives
 Solubility parameters of alkyl derivatives of phenol and resorcinol (116) 1
- Retention behaviour
 Molecular structure and -----, V. Calculation of adsorption energies for aromatic hydrocarbons on graphitized carbon black (115) 299
- Retention data
 Utilization of GC ----- in combination with elemental analysis for substance identification (119) 423
- Retention index
 Accuracy in the determination of the Kováts -----, Mathematical dead time (118) 13
- Retention indices
 Determination of the boiling points of C₁₀ isoalkanes in an *n*-decane isomerizate from GC retention indices (115) 553
- Retention indices
 GC identification of some organochlorine pesticides and their photoalteration products by means of Kovats' ----- (119) 385
- Retention indices
 ----- in GSC (119) 233
- Retention indices, calculation
 Qualitative GC analysis and determination of solute properties. Exact equation for the ----- of isoalkanes on squalane (119) 109
- Retention indices of alkylbenzenes
 Capillary GC of alkylbenzenes. I. Some problems encountered with the precision of the ----- (119) 505
- Retention index systems
 General contribution to the theory of ----- in GLC. I. Pre-calculation of retention indices on the basis of their molecular structures and thermodynamics in GLC (119) 307
- Retention index systems
 General contribution to the theory of ----- in GLC. II. Additivity of GC interactions expressed by retention indices (119) 321
- Retention index systems
 General contribution to the theory of ----- in GLC. III. Contribution to the polarity of GC stationary phases expressed by retention indices (119) 327
- Retention index systems
 General contribution to the theory of ----- in GLC. IV. Pre-calculation of interaction factors on mixed stationary phases in GLC by computer (119) 333
- Retention times
 Graphical method for the determination of ----- in column LSC from TLC data (118) 91

Retention volume

Direct measurement of GC ----- using an on-line mini-computer. I. Principles (111) 265

Retention volume

Direct measurement of GC ----- using an on-line mini-computer. II. Apparatus (115) 57

Retention volumes

Influence of vapour pressure, activity coefficient and structure on the ----- of branched-chain nonanes (116) 249

Ribonucleic acid

Separation of the methylated nucleoside constituents of ----- by two-dimensional TLC (111) 403

Ribonucleotides

Simple ion-exchange column fractionation of ----- (115) 240

Ring closures

Elucidation of reaction mechanisms for thermal eliminations and ----- by pyrolysis-GC-MS (112) 301

 R_M -adsorbent porosity relationship

Comparison of theoretical and experimental R_M values in adsorption TLC on silica gel adsorbents of different porosity (116) 125

RNA

Determination of 5-fluorouridine and 5-fluorocytidine in ----- hydrolysates using high-performance ion-exclusion chromatography (111) 242

tRNA

High-resolution LC analysis of methylated purine and pyrimidine bases in ----- (116) 83

Ro 7-9957

Determination of 7-iodo-1,3-dihydro-1-methyl-5-(2'-fluorophenyl)-2H-1,4-benzodiazepin-2-one (-----) and its major biotransformation products in blood and urine by electron capture-GLC (118) 371

Rohrschneider scheme

Extension to the ----- II. Substance polarity factors of homologous esters (118) 183

Rubidium benzenesulphonate

----- as a stationary phase in the GC and separation of isomers of phenols and pyridine bases (115) 250

S

- Saccharides**
 Chemical derivatization in GC (review) (113) 303
- Sample dilution**
 Investigation of pre-column ---- in chromatographic systems with packed capillary columns (111) 409
- Sample introduction system**
 Questions related to GC systems with glass open-tubular columns (119) 187
- Scanning electron microscopy**
 Improved technique for observing the inner surface of open-tubular columns for GC using ---- (114) 190
- Scanning of zones on thin-layer chromatograms**
 Dual-wavelength point zig-zag ---- as a tool for quantitative assay (116) 29
- Schiff bases**
 GC determination of the lower aliphatic primary amines as their ---- (115) 596
- Scissors**
 ---- for segmentation of instant thin-layer or paper chromatograms (111) 195
- Secoiridoid glucosides**
 Studies on monoterpene glucosides and related natural products. XXXI. GC and GC-MS of iridoid and ---- (118) 201
- Selective flame emission detection**
 ---- of phosphorus and sulfur in HPLC (112) 443
- Selenalysine**
 Chromatographic separation of lysine, thialysine and ---- (114) 291
- Selenocysteine**
 Ion-exchange chromatography of S-(carboxymethyl)cysteine and Se-(carboxymethyl)---- (120) 221
- Selenodiamines**
 Ion-exchange chromatography of some ---- (115) 621
- Sephadex gels**
 Behaviour of microbial cells on columns of some types of ---- (114) 463
- Sephacrose**
 Agar derivatives for chromatography, electrophoresis and gel-bound enzymes. IV. Benzylated dibromopropanol cross-linked ---- as an amphiphilic gel for hydrophobic salting-out chromatography of enzymes with special emphasis on denaturing risks (111) 373
- Sequential simplex method**
 Optimization strategies for the development of GLC methods (112) 267
- Silica, bonded phase prepared through reaction with chlorodimethyl(4-phenylbutyl)silane**
 Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. I. Strong anion-exchanger (119) 25
- Silica, modified macroporous**
 LC on ---- by layers of carbon and weakly polar polymers (117) 257
- Silica gels**
 Physico-chemical and GSC evaluation of surface-modified ---- (114) 29
- Silica gel**
 Preparation, properties and some applications of bonded ion-exchange packings based on microparticulate ---- for HPLC (117) 269
- Silica micro particles**
 LC on impregnated ---- (116) 343
- Silicate anions, trimethylsilylated**
 GC retention characteristics of ---- (119) 173
- Silicic acid**
 Investigation and purification of carbohydrates contaminated with ---- (118) 250
- Silicic acids, trimethylsilylated**
 GC retention characteristics of trimethylsilylated silicate anions (119) 173
- Silicium tetrahalogenides**
 GC analysis of the ---- (118) 104
- Silicon**
 Preparation of diatomaceous surfaces for the synthesis of bonded phases and trace analysis (111) 37

- Silicone stationary phases, phenyl contents
 General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of GC stationary phases expressed by retention indices (119) 327
- Silochrom
 GC and LC on ----- modified with a surface film of melone (116) 63
- Silver(I)
 Paper partition chromatography of inorganic ions. II. Behaviour of copper(I), ----- and iron(II) in butanol-hydrochloric acid mixtures (114) 488
- Silylating agents
 Search for new ----- . I. Comparative GLC evaluation of trimethylsilyl derivatives of piperidine, pyrrolidine and morpholine (116) 315
- Silylating agents
 Search for new ----- . II. Comparative GLC evaluation of N-trimethylsilylacetanilide and its *p*-ethoxy derivative (117) 431
- Simplex method
 Minimizing the time for GC analysis. Search for optimal operational parameters by a ----- (119) 215
- Skin surface lipid
 Methylation of ----- free fatty acids. Comparison of methods (115) 283
- Sodium iodide
 Chromatography of Na¹²⁵I on Sephadex gels (118) 75
- Sodium stearoyl lactylate
 TLC detection of calcium and ----- in the presence of other emulsifiers in food (115) 639
- Solid injection method
 Simple ----- for qualitative and quantitative estimation of essential oils (116) 468
- Solid support surface effects
 ----- on the chromatographic behavior of a liquid crystal stationary phase (112) 145
- Solubility data
 Comparison of static and GC ----- (119) 157
- Solubility parameters
 ----- of alkyl derivatives of phenol and resorcinol (116) 1
- Solute parameters
 Factor analysis of ----- in ether stationary phase interactions (115) 139
- Solute -phase interactions
 Solute interactions with the mobile and stationary phases in LSC (112) 425
- Solute switching
 ----- and detection by synchronous demodulation in GC (112) 29
- Solution enthalpies
 Determination of ----- and adsorption enthalpies in systems with mixed mechanisms (111) 1
- Solvents
 Evaluation and selection of optimal ----- and solvent combinations in TLC. Application of the method to basic drugs (115) 1
- Solvent combinations
 Evaluation and selection of optimal solvents and ----- in TLC. Applications of the method to basic drugs (115) 1
- Solvent-solute characterization
 Application of GC head-space analysis for the characterization of non-ideal solutions by scanning the total concentration range (112) 287
- Sorbents
 GC and LC on Silochrom modified with a surface film of melone (116) 63
- Sorbents
 GPC of polymers on macroporous silicas (116) 99
- Sorbents
 Influence of the molecular structure of aromatic hydrocarbons on their adsorptivity on silica gel (117) 117
- Sorbents
 LC on macroporous silica, modified by layers of carbon and weakly polar polymers (117) 257
- Sorbents
 Polar macroporous ----- for GC (114) 335
- Sorbents
 Preparation of octadecyl Porasil for reversed-phase LC (116) 182
- Sorbents
 Preparation, properties and some applications of bonded ion-exchange packings based on microparticulate silica gel for HPLC (117) 269
- Sorbents
 Retention of hydrocarbons on GC ----- containing an organo-clay (116) 9
- Sorption
 Determination of solution and adsorption enthalpies in systems with mixed mechanisms (111) 1
- Spacers, amino acid
 Serum protein fractionation by isotachopheresis using ----- (118) 35
- Spheron gels
 Application of the sorption properties of ----- in high-resolution column LC of naturally occurring macromolecular species (119) 549

- Spheron gels**
Chromatography of biopolymers and their fragments on ion-exchange derivatives of the hydrophilic macroporous synthetic --- (119) 339
- Spheron P-1000**
Determination of some GPC parameters of the gel ---- (116) 457
- Spiro ethers**
Sample and rapid LC determination of *cis*- and *trans*- ---- in *Matricaria chamomilla* (114) 215
- Spot shape**
Programmed multiple development. Brief review and study of extended programs (review) (113) 267
- Stanozolol**
GC determination of ---- in veterinary suspensions (115) 687
- Stationary phases**
Adsorption effects in gas-liquid partition chromatography (114) 1
- Stationary phase**
Determinaion of the amount of ---- in packings for GLC. Stationary phases for use at high temperatures (114) 204
- Stationary phases**
Evaluation of primary, secondary and tertiary aminosilanes as ---- in GC (112) 135
- Stationary phases**
GC with anisotropic liquids. Partition coefficients at the mesophase-isotropic phase transition point (112) 165
- Stationary phases**
General contribution to the theory of retention index systems in GLC. III. Contribution to the polarity of GC ---- expressed by retention indices (119) 327
- Stationary phases**
General contribution to the theory of retention index systems in GLC. IV. Pre-calculation of interaction factors on mixed ---- in GLC by computer (119) 333
- Stationary phase**
GLC determination of the complexation constant between two non-volatile complexing agents in the ---- (114) 47
- Stationary phases**
GLC on fluorinated ----. II. Fluorinated compounds containing a functional group (114) 87
- Stationary phases**
High-temperature GLC with a polyphenyl ether sulfone (112) 111
- Stationary phases**
Methionine dipeptide ---- for the resolution of enantiomers (112) 197
- Stationary phase**
Nearest neighbour technique as a means of indicating ---- selectivity (117) 23
- Stationary phases**
Physico-chemical and GSC evaluation of surface-modified silica gels (114) 29
- Stationary phases**
Preparation and chromatographic evaluation of chemically bonded ion-exchange ----. I. Strong anion-exchanger (119) 25
- Stationary phases**
Properties of binary ---- in partition GLC. Complex association systems (119) 91
- Stationary phases**
Separation of enantiomers on packed columns containing optically active diamide phases (112) 121
- Stationary phase**
Solid support surface effects on the chromatographic behavior of a liquid crystal ---- (112) 145
- Stationary phase, chemically bonded**
---- for carbohydrate analysis in LC (117) 206
- Stearoyl lactylate**
TLC detection of calcium and sodium ---- in the presence of other emulsifiers in food (115) 639
- Steranes**
Chromatography of saturated steroid hydrocarbons (----) on alumina (116) 207
- Stereoisomers**
TLC separation of diaminodicarboxylic acid ---- and their dansyl derivatives (115) 635
- Steric hindrance to charge transfer**
Study of charge transfer complexation by GLC (review) (113) 47
- Sterigmatocystin**
HPLC of ---- and other metabolites of *Aspergillus versicolor* (118) 414
- Sterigmatocystin**
TLC separation of ----, 5-methoxysterigmatocystin and O-methylsterigmatocystin (116) 490
- Sterling IST**
Comparison of physical and GC properties of ---- and Carbo-pack C graphitized carbon blacks (120) 307
- Steroids**
Analysis of ----. XXVI. Transformation of 3-methoxy-2,5(10)-diene ---- during their GC analysis (118) 411

Steroids

Anomalous chromatographic behaviour of some C₂₇----- hydroperoxides (115) 648

Steroids

Application of over-run TLC and GLC in the separation of closely related C₁₉O₂ ----- (115) 177

Steroids

Chemical derivatization in GC (review) (113) 303

Steroids

Cholesterol oxidase. Further studies of substrate specificity in relation to the analytical characterisation of ----- (112) 499

Steroids

Convenient biological synthesis of 19-hydroxy[4-¹⁴C]androstene-3,17-dione from [4-¹⁴C]4-androstene-3,17-dione with sow ovarian 19-hydroxylase (114) 473

Steroids

Detection of A-ring-hydroxylated estrogens and their methyl ethers on ascorbic acid-impregnated paper and thin-layer chromatograms (120) 239

Steroids

Determination of trenbolone and trenbolone acetate by TLC in combination with a fluorescence colour reaction (114) 244

Steroids

Extraction of ----- diconjugates using Amberlite XAD-2 resin (115) 625

Steroids

GLC studies of reactions and structural relationships of -----, IV. Substitution in the pregnane side-chain (115) 161

Steroids

HPLC of free and conjugated 17-ketosteroids (118) 283

Steroids

LC of lipids. A critical review (review) (113) 231

Steroids

Liquid ion exchangers in reversed-phase systems for chromatography of steroidal glucosiduronic acids (120) 435

Steroids

Method for the measurement of plasma dehydroepiandrosterone by GLC with electron capture detection (116) 163

Steroids

New derivative for the GLC with electron capture detection of steroidal secondary alcohols (111) 238

Steroids

New PC systems for the separation of conjugated corticosteroids (111) 200

Steroids

Separation and characterization of the reduced metabolites of the 18-hydroxydeoxycorticosterone hormone by GLC-MS. Occurrence of stereoisomeric forms in rat adrenals and liver (112) 617

Steroids

Separation and identification on unsaturated ----- by combined GC-MS with Silanox-type glass open tubular columns (116) 173

Steroids

Separation of C₁₉ and C₂₁ dihydroxy----- by open-hole tubular glass columns and lipophilic gel chromatography (118) 135

Steroids

Separation of free and protein-bound ligands in the radioimmunoassay by gel filtration-centrifugation (119) 167

Steroids

Separation of 5 α -pregnan-3,20-dione and progesterone on Sephadex LH-20 (115) 244

Steroids

Separation of some androgens and estrogens by TLC (119) 625

Steroids

Simple GLC method with electron capture detection for the determination of progesterone in the blood of humans and domestic animals (111) 125

Steroids

----- and related studies. XXXII. TLC of some lactam, tetrazole, basic and quaternary aza----- (114) 270

Steroids

Structural requirements for the electron capturing properties of ecdysones (115) 587

Steroids

Studies on -----, CIII. A new type of derivative for electron capture-gas chromatography of ketosteroids (114) 81

Steroids

Studies on -----, CIX. O- ω -Haloalkyloximes, new derivatives for GC-MS of oxosteroids (118) 127

Steroids

Study on the efficiency of support-coated open-tubular columns for ----- analysis (119) 99

Steroid diconjugates

Extraction of ----- using Amberlite XAD-2 resin (115) 625

Steroid glycosides

TLC separation of ----- from *Agave americana* L. (116) 482

- Steroid hydrocarbons**
Chromatography of saturated ---- (steranes) on alumina (116) 207
- Steroid hydroperoxides, C₂₇**
Anomalous chromatographic behaviour of some ---- (115) 648
- Steroid metabolites**
High-resolution biomedical GC. Determination of human urinary ---- using glass open tubular capillary columns (112) 581
- Steroid oestrogens**
Gel chromatography of ---- on Sephadex LH-20 (111) 159
- Sterols**
Further data on a histochemical reaction as applied to the TLC of ---- (115) 183
- Sterols**
---- of scallop. I. Application of hydrophobic Sephadex derivatives to the resolution of a complex mixture of marine ---- (115) 153
- Sterols, C₂₇, C₂₈ and C₂₉**
Separation of ---- by reversed-phase HPLC on small particles (116) 281
- Street drugs**
Rapid screening procedures for some ---- by TLC (115) 678
- Stripping method**
Stripping of trace organic substances from water. Equipment and procedure (117) 285
- Structure**
Influence of vapour pressure, activity coefficient and ---- on the retention volumes of branched-chain nonane (116) 249
- Structure-activity relationships**
Chromatographic hydrophobic parameters in correlation analysis of ---- (review) (113) 1
- Structure-retention index relationships**
Empirical quantum chemical approach to GC ----. II. Cyclohexane derivatives (117) 105
- Styragel®**
---- as packing for aqueous GPC (114) 486
- Styrene epoxide hydratase**
Specific GC method for the determination of microsomal styrene monooxygenase and ---- activities (118) 387
- Styrene monooxygenase**
Specific GC method for the determination of microsomal ---- and styrene epoxide hydratase activities (118) 387
- Substance identification**
Utilization of GC retention data in combination with elemental analysis for ---- (119) 423
- Substance polarity factors**
Extension to the scheme of Rohrschneider. II. ---- of homologous esters (118) 183
- Sugars**
Hydrophobic interaction in ---- solutions. Results from gel interaction study (116) 177
- Sugars**
pH Cycling zone separation of ----. Preparative separation technique for counter-current distribution and chromatography (114) 369
- Sugars**
Separation of ---- on silica microparticles by HPLC (117) 216
- Sugar acids**
Fluorescence densitometric method for the determination of gluconic and lactobionic acids (----) in pharmaceutical preparations (117) 337
- Sulfa drugs**
High-performance ion-pair partition chromatography of ----. Study and optimization of chemical parameters (119) 523
- Sulfonamides**
High-performance ion-pair partition chromatography of sulfa drugs. Study and optimization of chemical parameters (119) 523
- Sulfonamides, primary**
N-Dimethylaminomethylene derivatives for the GLC of ---- (112) 513
- Sulfonyl chlorides**
New spray for the detection of ---- (116) 211
- Sulfur**
Selective flame emission detection of phosphorus and ---- in high-performance LC (112) 443
- Sulfur, elemental**
Selective method for ---- analysis by high-speed LC (117) 71
- Sulphonates**
Reversed-phase ion-pair partition chromatography of carboxylates and ---- (115) 411
- Sulphinic acids, aromatic**
Detection of ---- (119) 616
- Sulphonic group**
Ion exchange at high concentrations of the mobile phase. V. Role of the ---- at the sorption of anionic thallium(III) complexes from hydrobromic acid solution by cation exchangers (116) 407

Sulphur compounds

Analysis of --- in environmental samples
with specific detection and selective columns
(120) 200

Sulphur compounds

Chemical derivatization in GC (review)
(113) 303

Sulphur-containing compounds

Dual-channel flame photometric detector
with a separate combustion chamber (120)
285

Supports

Adsorption effects in gas-liquid partition
chromatography (114) 1

Supports

Comparison of the chromatographic proper-
ties of various polyadenylate binding materials
(114) 115

Supports

LC on impregnated silica micro particles
(116) 343

Supports

Use of oxiranes in the preparation of bonded
phase ---- (120) 321

Surfaces

Preparation of diatomaceous ---- for the
synthesis of bonded phases and trace analysis
(111) 37

Surfactants

Analysis of polyoxyethylene non-ionic
---- by coupling GLC and TLC (111) 459

Synchronous demodulation

Solute switching and detection by ---- in
GC (112) 29

Syringe-type pumps

Use of ---- in LC in order to achieve a
constant flow-rate (112) 399

T

Tellurate, radioactive

Column chromatographic separation of ----, tellurite, iodide and iodate (114) 389

Tellurite, radioactive

Column chromatographic separation of radioactive tellurate, ----, iodide and iodate (114) 389

Template chromatography

---- on immobilized oligonucleotides. Synthesis and application of oligodeoxyadenosine-5'-phosphate-DEAE-cellulose (115) 461

Tenebrio molitor L.

Affinity column purification of amylases on protein inhibitors from wheat kernel (114) 109

C-Terminal sequences

Applications of GLC in protein chemistry. Determination of ---- on nanomolar amounts of proteins (116) 305

Tetracyclines

Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171

4,4'-Tetramethyldiaminodiphenylmethane

---- reagent. Modification of the chloro-*o*-tolidine colour reaction for TLC (120) 224

Tetraphenylporphyrin chelates

Separation by TLC of trace metals as their ---- (115) 581

3-(5-Tetrazolyl) thioxanthone 10,10-dioxide

Determination of ---- in human plasma, urine and faeces (115) 93

Tetryl

Quantitative determination of ---- and its degradation products by HPLC (114) 261

Thallium(III)

Ion-exchange at high concentrations of the mobile phase. VI. Influence of the degree of crosslinking on the sorption of anionic complexes of ---- and Fe(III) by sulphonic cation exchangers (120) 399

Thallium(III) complexes

Ion exchange at high concentration of the mobile phase. V. Role of the sulphonic group at the sorption of anionic ---- from hydrobromic acid solution by cation exchangers (116) 407

Theobromine

Separation of caffeine, theophylline and ---- by HPLC (114) 480

Theophylline

Rapid GC determination of underivatized ---- in whole blood (117) 393

Theophylline

Separation of caffeine, ---- and theobromine by HPLC (114) 480

Theophylline

Specific TLC method for the determination of ---- in plasma in the presence of some other drugs (115) 501

Theoretical plate height, reduction of

---- in GC by increase of pressure and decrease of particle size (112) 377

Thermolytic reactions

Elucidation of reaction mechanisms for thermal eliminations and ring closures by pyrolysis-GC-MS (112) 301

Thermostating water jacket

True full-length ---- for Swagelok-terminated HPLC columns (117) 424

Thiabendazole

GC determination of ---- in fruits as its methyl derivative (117) 149

Thialysine

Chromatographic separation of lysine, ---- and selenalysine (114) 291

Thiamphenicol

GC determination and GC-MS analysis of chloramphenicol, ---- and their metabolites (111) 355

Thiamphenicol

TLC of chloramphenicol and ---- (114) 266

Thiazide diuretics

Separation of ---- and antihypertensive drugs by TLC (114) 329

- 2-(4-Thiazolyl)benzimidazole
Determination of benomyl and ----- in plant tissues by HPLC using fluorimetric detection (120) 449
- 1-[1-(2-Thienyl)cyclohexyl]piperidine
Detection of 1-piperidinocyclohexane-carbonitrile contamination in illicit preparations of 1-(1-phenylcyclohexyl)piperidine and ----- (117) 232
- Thin-film chromatography
Thickness of the mobile phase in ----- (119) 85
- Thiols
Application of tributyltin chloride to the separation and column chromatography of ----- (117) 47
- Thiols
4,4'-Bis(dimethylaminodiphenylcarbinol), a sensitive spray reagent for the detection of ----- and carboxylic acids (118) 240
- Thiols
GC determination of ----- in gaseous petroleum fractions on the basis of ----- concentration by sodium *o*-hydroxymercuribenzoate and sodium *p*-chloromercuribenzoate (119) 599
- Thiordiazine
GLC determination of perazine, ----- and ----- metabolites in human plasma (120) 123
- Thioxanthone
Determination of 3-(5-tetrazolyl) -----,10,10-dioxide in human plasma, urine and faeces (115) 93
- Thymidine
Separation of the four diastereoisomers of 6-hydroxy-5,6-dihydro----- formed by γ -radiolysis of ----- in deaerated aqueous solution (115) 191
- Thyroid hormones
Chemical derivatization in GC (review) (113) 303
- Tin(IV) tungstoarsenate
Synthesis and ion-exchange properties of ----- (118) 175
- α -Titanium phosphate
Lithium ion exchange on ----- (118) 263
- α -Tocopherol
Concurrent determination of ----- and free fatty acids in human plasma by glass open tubular capillary column GC (112) 465
- Toluene
Quantitative analysis of mixtures of ----- and its side-chain-chlorinated derivatives by GC (114) 247
- Toluenesulphonic acid
Qualitative and quantitative determination of ----- isomers (117) 471
- Toluic esters
Steric factor in the GLC retention of ----- and methoxybenzoic esters (111) 117
- Toluidines
GC study of the reactivity of ----- towards an active diester (119) 409
- Toxaphene components
Isolation and GC characterization of some ----- (114) 361
- Trace analysis
----- of organic volatiles in water by GC-MS with glass capillary columns (112) 701
- Trace enrichment
New considerations in detector-application relationships (112) 389
- Trace impurities in gases
Determination of ----- by their equilibrium accumulation in volatile liquids (112) 311
- Trace metals
Separation by TLC of ----- as their tetraphenylporphyrin chelates (115) 581
- Transition metals
Elution behaviour of ----- with eluents containing ethanol on mixed ion-exchange columns (115) 276
- Trapping
Aspects of double-column GC with glass capillaries involving intermediate ----- (112) 205
- Trazodone
GC-mass fragmentographic determination of ----- in rat plasma (112) 631
- Trehalose
Simple method for the detection and determination of ----- by spot elution PC (111) 466
- Trenbolone
Determination of ----- and trenbolone acetate by TLC in combination with a fluorescence colour reaction (114) 244
- Trenbolone acetate
Determination of trenbolone and ----- by TLC in combination with a fluorescence colour reaction (114) 244
- Triamcinolone acetonide
HPLC analysis for ----- in rice starch (115) 232
- s*-Triazines
Chromatographic separation of herbicide-active ----- on various polyamide layers (115) 670

Tributyltin chloride

Application of ----- to the separation and column chromatography of thiols (117) 47

Tricyclic antidepressants

Performance and selected applications of a new range of chemically bonded packing materials in high-performance LC (112) 171

Trimethylolpropane

Separation and quantitative determination of ----- and pentaerythritols in industrial synthesis solutions by HPLC (115) 397

N-Trimethylsilylacetanilide

Search for new silylating agents. II. Comparative GLC evaluation of ----- and its *p*-ethoxy derivative (117) 431

Trimethylsilylation capacity

Control of trimethylsilylation potential and ----- by the use of colour indicators (115) 591

Trimethylsilylation potential

Control of ----- and trimethylsilylation capacity by the use of colour indicators (115) 591

N-Trimethylsilyl-*p*-ethoxyacetanilide

Search for new silylating agents. II. Comparative GLC evaluation of N-trimethylsilyl-acetanilide and its *p*-ethoxy derivative (117) 431

2,3,5-Triphenyltetrazoliumhydroxide

----- a colour reagent for glycosides (114) 235

Tris III

Effect of the amount of ----- on silica gel on the separation of polycyclic aromatic hydrocarbons by LC (118) 47

Tritium-labelled compounds

Radio-gas chromatography analysis of molecules containing labile tritium (114) 23

Tropane

High-speed ion-pair partition chromatography in pharmaceutical analysis (115) 423

Tropane alkaloids

HPLC of some ----- (120) 203

Trypsins

Resolution in affinity chromatography. Effect of the heterogeneity of immobilized soybean ----- inhibitor on the separation of pancreatic proteases (120) 391

Tryptophan

Determination of free and bound plasma ----- (117) 236

Tryptophan

Fluorescence of tryptophan-containing peptides on paper or silica gel after treatment with formaldehyde, formaldehyde-ozone or formaldehyde-hydrochloric acid (117) 355

Tryptophan

Studies on the interaction between small molecules by gel filtration in Sephadex LH-20 (116) 93

Tyramines

Separation and identification of trimethylsilyl derivatives of ----- and methoxytyramines by GLC (120) 477

U

Ultraviolet-absorption detectors

- Capillary isotachopheresis with UV detection.
Some quantitative aspects (119) 539

Unsaturated esters

- GC of homologous esters. IX. Structure–retention increments of ----- (111) 171

Urinary steroid metabolites

- High-resolution biomedical GC. Determination of human ---- using glass open tubular capillary columns (112) 581

Urines

- GC–MS study of volatile organic metabolites in ----- of patients with *diabetes mellitus* (112) 539

Urine

- TLC screening and confirmation of basic drugs of abuse in ----- (115) 519

V

Vanilmandelic acid

Determination of --- and homovanillic acid in urine by high-speed LC (116) 240

Vapour pressure

Influence of ---, activity coefficient and structure on the retention volumes of branched-chain nonanes (116) 249

Vapours as mobile phases

GC in ---. A short review (112) 373

Vertical electron affinities

Study of charge transfer complexation by GLC (review) (113) 47

Vertical ionization potentials

Study of charge transfer complexation by GLC (review) (113) 47

Vinylogous acyl compounds

---. XV. TLC detection of 2-halovinyl ketones with toxicological relevance (117) 137

Vioform®

Determination of cloquinol in biological materials by extractive alkylation and GLC (117) 407

Vitamins

Performance and selected applications of a new range of chemically bonded packing materials in HPLC (112) 171

Vitamins, lipid-soluble

LC of lipids. A critical review (review) (113) 231

Vitamin A acetate

Determination of vitamin D₃ and its isomers in D₃ resins and in mixtures with --- (115) 447

Vitamin D₃

Determination of --- and its isomers in D₃ resins and in mixtures with vitamin A acetate (115) 447

Vitamin D₃ metabolites

Separation of --- and their analogues by HPLC (119) 227

Volatiles

Trace analysis of organic --- in water by GC-MS with glass capillary columns (112) 701

Volatiles

Use of polyols as stationary phases for the GC separation of --- compounds from excess amounts of ethanol (117) 295

Volatile metabolites

Automated high-resolution GC system for recording and evaluation of metabolic profiles (112) 559

Volatile metabolites

Micro method for the determination of --- in biological samples. A preliminary report (112) 533

Volatile metabolites

Specific detection of --- in urines of normal subjects and patients with *diabetes mellitus* using computerized mass fragmentation (112) 551

Volatile organic metabolites

GC-MS study of --- in urines of patients with *diabetes mellitus* (112) 539

W

Water

Separation of pharmaceutical compounds using HPLC. Influence of ---, II. (120) 419

Wetting characteristics of organic liquids

Manufacture of glass open-tubular columns by dehydration of the surface (119) 495

Wheat germ agglutinin

Affinity adsorbent for the rapid purification of --- (114) 223

Whisker-walled open tubular glass columns

--- for GC. Techniques for inducing whisker growth (112) 97

X

Xanthones

HPLC of naturally occurring ---- (116)

201

Z

Zeolites

Study of the selectivity of different types of
---- towards some non-ferrous metals
(120) 155

Zirconium phosphates

Gas adsorption studies on ion-exchanged
forms of crystalline ---- (118) 319

Zymogram technique

Preparative capillary isotachopheresis.
Principle and some applications (119) 9

RECENTLY PUBLISHED BIBLIOGRAPHIES IN CHROMATOGRAPHY

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1970-1973

And Survey of Applications

edited by K. MACEK, I.M. HAIS,
J. KOPECKÝ, V. SCHWARZ,
J. GASPARIČ, and
J. CHURÁČEK.

Supplementary Volume No. 5,
published in conjunction with the
Journal of Chromatography.

1976. xviii + 744 pages.
US \$ 76.95/Dfl. 200.00.
ISBN 0-444-41299-9

Subscription price:
US \$ 47.95/Dfl. 125.00

This volume is the continuation of earlier bibliographies covering developments of both paper and thin-layer chromatography. It contains 5601 references of authors and titles of papers or books (translated titles for papers in languages other than English, French or German), appearing from the beginning of 1970 to the middle of 1973. A General Part covers general reviews and books and provides a detailed classification of techniques and applications. A Special Part is subdivided into approximately 500 chapters according to the chemical structure of the compound, or exceptionally, according to their biological activity (vitamins, antibiotics, pesticides, pharmaceuticals), physical properties (dyes), or technical importance (plastics, antioxidants). Cross references are given in cases where papers contain data which could be included in several chapters. The subject matter is gathered from a systematic search of journals which regularly publish papers of chromatographic interest, as well as from material available in other journals, reprints, etc. The bibliography contains an author index and an extensive list of 20,000 compounds chromatographed.

BIBLIOGRAPHY OF ELECTROPHORESIS 1968-1972

And Survey of Applications

edited by Z. DEYL, J. KOPECKÝ,
J. DAVIDEK, M. JURICOVÁ
and R. HELM.

Supplementary Volume No. 4,
published in conjunction with the
Journal of Chromatography.

1975. xvi + 862 pages.
US \$ 76.95/Dfl. 200.00.
paperback.
ISBN 0-444-41225-5
Subscription price:
US \$ 47.95/Dfl. 125.00

This volume complements preceding publications on paper, thin-layer and column chromatography and presents many diverse problems of electrophoretic separations. It contains exhaustive information on theoretical separation techniques selected from work scattered throughout various journals. The reader is provided with a quick reference to the particular compound of his interest, consequently saving many hours of disastrous literature search. In the first section special emphasis is laid on the electrophoretic estimation of molecular weight of macromolecular substances. Papers dealing with instrumentation, and those dealing with new media for electrophoresis are presented. The second part concentrates on application, and contains specialised chapters stressing the vast area of application of electrophoretic techniques in biochemistry, clinical chemistry, physiology as well as biology. This comprehensive work should be a welcome asset to the libraries of investigators and research workers in the field. The bibliography contains an author index and an extensive list of compounds electrophoresed.

BIBLIOGRAPHY OF COLUMN CHROMATOGRAPHY 1967-1970

And Survey of Applications

compiled by Z. DEYL,
J. ROSMUS, M. JUŘICOVÁ,
and J. KOPECKÝ.

Supplementary Volume No. 3,
published in conjunction with the
Journal of Chromatography.

1973. xix + 1067 pages.
US \$ 69.25/Dfl. 180.00.
Subscription price:
US \$ 51.95/Dfl. 135.00.
paperback.
ISBN 0-444-41008-2

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1966-1969

And Survey of Applications

compiled by K. MACEK,
I.M. HAIS, J. KOPECKÝ,
J. GASPARIČ, V. RABEK,
and J. CHURÁČEK.

Supplementary Volume No. 2,
published in conjunction with the
Journal of Chromatography.

1972. xvi + 992 pages.
US \$ 76.95/Dfl. 200.00.
Subscription price:
US \$ 57.50/Dfl. 150.00.
ISBN 0-444-40953-X

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1961-1965

And Survey of Applications

edited by K. MACEK, I.M. HAIS,
J. KOPECKÝ and J. GASPARIČ.

Supplementary Volume No. 1,
published in conjunction with the
Journal of Chromatography.

1968. only available in microfilm
US \$ 57.50/Dfl. 150.00.

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

P.O. Box 211, Amsterdam, The Netherlands

Distributed in the U.S.A. and Canada by:

ELSEVIER/NORTH-HOLLAND INC.,
52 Vanderbilt Avenue, New York, N.Y. 10017

The Dutch guildler price is definite. US \$ prices are subject to exchange rate fluctuations

PUBLICATION SCHEDULE FOR 1976

Journal of Chromatography (incorporating *Chromatographic Reviews*)

MONTH	D 1975	J	F	M	A	M	J	J	A	S	O	N	D
JOURNAL	115/1 115/2	116/1 116/2	117/1 117/2	118/1 118/2	118/3 119	120/1 120/2	121/1 121/2	122 123/1	123/2	124/1 124/2 125/1	125/2 125/3	126 128/1	128/2 129
REVIEWS*					127/1				127/2			127/3	

* Volume 127 will consist of *Chromatographic Reviews*. The issues comprising this volume will not be published consecutively, but will appear at various times in the course of the year.

GENERAL INFORMATION

(A leaflet *Instructions to Authors* can be obtained by application to the publisher.)

Types of Contributions. (a) Original research work not previously published in a generally accessible language in other periodicals (Full-length papers). (b) Review articles. (c) Short communications and Notes. (d) Book reviews; News; Announcements. (e) Bibliography of Paper Chromatography, Thin-Layer Chromatography, Column Chromatography, Gas Chromatography and Electrophoretic Techniques. (f) Chromatographic Data.

Submission of Papers. Three copies of manuscripts in English, French or German should be sent to: Editorial office of the *Journal of Chromatography*, P.O. Box 681, Amsterdam, The Netherlands. For *Review articles*, an outline of the proposed article should first be forwarded to the Editorial office for preliminary discussion prior to preparation.

Manuscripts. The manuscript should be typed with double spacing on pages of uniform size and should be accompanied by a separate title page. The name and the complete address of the author to whom proofs are to be sent should be given on this page. Authors of papers in French or German are requested to supply an English translation of the title. A short running title of not more than 50 letters (including spaces between the words) is also required for Full-length papers and Review articles. All illustrations, photographs, tables, etc., should be on separate sheets.

Heading. The title of the paper should be concise and informative. The title should be followed by the authors' full names, academic or professional affiliations, and addresses.

Summary. Full-length papers and Review articles should have a summary of 50–100 words. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes will be published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Particular attention should be paid to the size of the lettering to ensure that it does not become unreadable after reduction. Sharp, glossy photographs are required to obtain good halftones. Each illustration should have a legend, all the legends being typed together on a *separate sheet*. Coloured illustrations are reproduced at the author's expense.

References. References should be numbered in the order in which they are cited in the text and listed in numerical sequence on a separate sheet at the end of the article. The numbers should appear in the text at the appropriate places using superscript numerals. In the reference list, periodicals¹, books², and multi-author books³ should be cited in accordance with the following examples:

1 A. T. James and A. J. P. Martin, *Biochem. J.*, 50 (1952) 679.

2 L. R. Snyder, *Principles of Adsorption Chromatography*, Marcel Dekker, New York, 1968, p. 201.

3 R. D. Marshall and A. Neuberger, in A. Gottschalk (Editor), *Glycoproteins*, Vol. 5, Part A, Elsevier, Amsterdam, 2nd ed., 1972, Ch. 3, p. 251.

Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*.

Proofs. Two sets of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.


News. News releases of new products and developments, and information leaflets of meetings should be addressed to: The Editor of the News Section, *Journal of Chromatography*, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Netherlands.

Subscription orders. Subscription orders should be sent to: Elsevier Scientific Publishing Company, P.O. Box 211, Amsterdam, The Netherlands.

Publication. The *Journal of Chromatography* (including *Chromatographic Reviews*) appears fortnightly and has 14 volumes in 1976. The subscription price for 1976 [Vols. 115–128 and Supplementary Vol. 5 (Bibliography of Paper and Thin-Layer Chromatography 1970–1973)] is Dfl. 1470.00 plus Dfl. 180.00 (postage) (total US \$ 660.00). Subscribers in the U.S.A., Canada and Japan receive their copies by air mail. Additional charges for air mail to other countries are available on request. Back volumes of the *Journal of Chromatography* (Vols. 1 through 114) are available at Dfl. 100.00 (plus postage).

Advertisements. Advertisement rates are available from the publisher on request. The Editor of the journal accepts no responsibility for the content of the advertisements.

DESAGA for UV Lamps



New

DESAGA HP - UVIS

Daylight-Cabinet for visual evaluation
of thin-layer chromatograms in
long and shortwave UV light

A full line of UV lamps for all kinds of applications
Some methods of application:

- A) Fluorescence detection on the lamp platform
e.g. for TLC plates or gels
- B) Fluorescence detection in free geometry
e.g. for LC columns or material tests
- C) Fluorescence Quenching
- D) Visualization in transmission mode
- E) Photo documentation
- F) Rapid DESAGA print documentation
- G) Photopolymerization
e.g. of PAA gels

UVIS

for A, C, D, E, F, G Lamp with base plate, two reflectors with short and long UV-light,
daylight illuminated plate for transmission mode, photostand
DESAGA No. 13 11 00

MinUVIS

for A, B, C Lamp with base plate, one removable reflector with short and long
UV-light
DESAGA No. 13 12 00

HP-UVIS

for A, C Lamp with two inclined base plates for short and high intensity long
UV-light, shielded against interfering room light
DESAGA No. 13 12 20

High intensity UV-Source

for A, B High pressure mercury discharge lamp for high intensity long UV-light.
Removable reflector
DESAGA No. 13 10 00

Light Box

for D, F, G Daylight illuminated plate for transmission mode. 42 x 50 cm
DESAGA No. 13 10 10



World Hallmark
of Thin-layer
Chromatography
and Electrophoresis

C. DESAGA GmbH
Nachf. Erich Fecht
D 69 Heidelberg 1 · P.O.B. 10 19 69
Telephone (0 62 21) 8 10 13
Telex 04-61 736

10.27.2000