

JOURNAL OF

## CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

EDITOR, Michael Lederer (Switzerland)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Berkeley, CA)

## EDITORIAL BOARD

W. A. Aue (Halifax)  
 V. G. Berezkin (Moscow)  
 V. Betina (Bratislava)  
 A. Bevenue (Honolulu, HI)  
 P. Bocek (Brno)  
 P. Boulanger (Lille)  
 A. A. Boulton (Saskatoon)  
 G. P. Cartoni (Rome)  
 E. P. Demole (Geneva)  
 S. Dilli (Kensington, N.S.W.)  
 G. Duyckaerts (Liège)  
 L. Fishbein (Jefferson, AR)  
 R. W. Frei (Amsterdam)  
 A. Frigerio (Milan)  
 C. W. Gehrke (Columbia, MO)  
 E. Gil-av (Rehovot)  
 G. Guiochon (Palaiseau)  
 I. M. Hais (Hradec Králové)  
 J. K. Haken (Kensington, N.S.W.)  
 S. Hjertén (Uppsala)  
 E. C. Horning (Houston, TX)  
 Cs. Horváth (New Haven, CT)  
 J. F. K. Huber (Vienna)  
 A. T. James (Sharnbrook)  
 J. Janák (Brno)  
 E. sz. Kováts (Lausanne)  
 K. A. Kraus (Oak Ridge, TN)  
 E. Lederer (Gif-sur-Yvette)  
 A. Liberti (Rome)  
 H. M. McNair (Blacksburg, VA)  
 Y. Marcus (Jerusalem)  
 G. B. Marin-Bettolo (Rome)  
 A. J. P. Martin (Lausanne)  
 Č. Michalec (Prague)  
 R. Neher (Basel)  
 G. Nickless (Bristol)  
 J. Novák (Brno)  
 N. A. Parris (Wilmington, DE)  
 R. L. Patience (Brighton)  
 P. G. Righetti (Milan)  
 O. Samuelson (Göteborg)  
 G.-M. Schwab (Munich)  
 R. Schwarzenbach (Dübendorf)  
 G. Semenza (Zurich)  
 L. R. Snyder (Yorktown Heights, NY)  
 A. Zlatkis (Houston, TX)

## EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), K. Macek (Prague)

ELSEVIER

## JOURNAL OF CHROMATOGRAPHY

**Scope.** The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis (including the publication of normal values); screening and profiling procedures with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; combinations of chromatographic and electrophoretic methods with other physicochemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all aspects of chromatography, electrophoresis and related methods are published.

**Submission of Papers.** Papers in English, French and German may be submitted, in three copies. Manuscripts should be submitted to: The Editor of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors and will appear in *Chromatographic Reviews* or *Biomedical Applications*. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

**Subscription Orders.** Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

**Publication.** The *Journal of Chromatography* (incl. *Biomedical Applications, Chromatographic Reviews* and *Cumulative Author and Subject Indexes, Vols. 301-325*) has 34 volumes in 1985. The subscription prices for 1985 are:

*J. Chromatogr.* (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 301-325*) + *Biomed. Appl.* (Vols. 312-345): Dfl. 5440.00 plus Dfl. 748.00 (postage) (total ca. US\$ 2291.75)

*J. Chromatogr.* (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 301-325*) only (Vols. 312-335):

Dfl. 4320.00 plus Dfl. 528.00 (postage) (total ca. US\$ 1795.50)

*Biomed. Appl.* only (Vols. 336-345):

Dfl. 1750.00 plus Dfl. 220.00 (postage) (total ca. US\$ 729.75).

Journals are automatically sent by airmail at no extra costs to Australia, Brasil, Canada, China, Hong Kong, India, Israel, Japan, Malaysia, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan and the U.S.A. Back volumes of the *Journal of Chromatography* (Vols. 1 through 311) are available at Dfl. 204.00 (plus postage). Claims for issues not received should be made within three months of publication of the issue. If not, they cannot be honoured free of charge. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 916-1250.

**Abstracts/Contents Lists** published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index.

**See page 3 of cover for Publication Schedule, Information for Authors and information on Advertisements.**

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1985

0021-9673/85/903.30

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

**Special regulations for readers in the U.S.A.** This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works.

Special written permission must be obtained from the publisher for such copying.

Printed in The Netherlands

CONTENTS

*Bibliography Section*

Liquid Column Chromatography . . . . .	B175
Gas Chromatography . . . . .	B223
Planar Chromatography . . . . .	B245
Electrophoresis . . . . .	B263



# ANATECH'86

***An International Symposium on Applications of Analytical Chemical Techniques to Industrial Process Control***

Noordwijkerhout, The Netherlands

22 - 24 April, 1986

Organised under the sponsorship of

- Royal Netherlands Chemical Society (KNCV)  
section for Analytical Chemistry
- Federation of European Chemical Societies (FECS)

## SCOPE

The importance of analytical techniques for the control of industrial processes is steadily increasing.

The development of process analysers has taken place to a great extent outside the analytical laboratory. This has led to a distinct gap between experts in the field of process analysis and analytical chemists. Bridging this gulf is one of the main objectives of this symposium which is aimed at an interdisciplinary audience of industrial and academic analytical scientists and those involved in process control and process analysis.

The scientific programme will consist of invited plenary lectures, keynote lectures and submitted research papers dealing with

- ★ State of the art of analytical techniques already successfully applied in process analysis
- ★ Sampling procedures and sampling strategy
- ★ Selection of analytical procedures and instruments with regard to optimum process control
- ★ New analytical techniques of possible interest for process control.

An exhibition of instruments within the scope of the symposium will be held.

Those wishing to present a paper or who would like to receive full details, please write to:

**Professor Dr. W.E. van der Linden**  
**Laboratory for Chemical Analysis**  
**Dept. of Chemical Technology**  
**Twente University of Technology**  
**P.O. Box 217**  
**NL - 7500 AE Enschede, The Netherlands**  
**Telephone: (53) 892436**



# CHROMATOGRAPHY

Fundamentals and Applications of Chromatographic and Electrophoretic Methods

Part A: Fundamentals and Techniques  
Part B: Applications

ERICH HEFTMANN, U.S. Department of Agriculture, Berkeley, CA, U.S.A. (editor)

Journal of Chromatography Library Vol. 22 A + B

This two-part handbook is an up-to-date treatment of the entire field of chromatography and electrophoresis, written by scientists who are internationally recognized as the foremost authorities in their specific fields.

Chromatography and electrophoresis are probably the most widely used analytical techniques today. Since these techniques were last presented in a comprehensive treatise in 1975, significant changes have taken place, both in the techniques themselves and in their applications to analytical problems.

The work is in two parts:

**Part A – Fundamentals and Techniques** – presents an introduction to the field, including the development and theory of chromatography and electrophoresis, and then gives the theoretical and instrumental basis of each technique.

**Part B – Applications** – is a critical review of the isolation and quantification methods in current use for various classes of substances.

**Both parts of this work belong in all libraries serving chromatographers at technical colleges, research institutes, universities, pharmaceutical companies and instrument manufacturers. Practising chromatographers and analysts will refer to it often when faced with new or unusual analytical problems and situations.**

## CONTENTS

### Part A

1. Survey of Chromatography and Electrophoresis (E. Heftmann)
  2. History of Chromatography and Electrophoresis (E. Heftmann)
  3. Theory of Chromatography (Cs. Horváth and W.R. Melander)
  4. Column Chromatography (R.P.W. Scott)
  5. Planar Chromatography (K. Macek)
  6. Gas Chromatography (C.A. Cramers and H.M. McNair)
  7. Ion-Exchange Chromatography (H.F. Walton)
  8. Gel Chromatography (R. Bywater and N.V.B. Marsden)
  9. Electrophoresis (F.M. Everaerts, F.E.P. Mikkers, Th. P.E.M. Verheggen and J. Vacik)
- Subject Index.

### Part B

10. Amino Acids and Oligopeptides (T. Kuster and A. Niederwieser)
  11. Proteins (N. Catsimpoolas)
  12. Lipids (A. Kuksis)
  13. Terpenoids (R. Crâteau and R. C. Ronald)
  14. Steroids (E. Heftmann)
  15. Carbohydrates (S. C. Churms)
  16. Pharmaceuticals (L. Fishbein)
  17. Antibiotics (G.H. Wagman and M.J. Weinstein)
  18. Nucleic Acids (G.J. Cowling)
  19. Porphyrins and Related Tetrapyrrolic Substances (D. Dolphin)
  20. Phenolic Compounds (J.B. Harborne)
  21. Pesticides (L. Fishbein)
  22. Inorganic Compounds (M. Lederer)
  23. Nonhydrocarbon Gases (J. Janák)
  24. Hydrocarbons (E.R. Adlard)
- Subject Index

February 1983

Part A: xxii + 388 pp. ISBN 0-444-42043-6  
US \$ 72.25 / Dfl. 195.00

Part B: xviii + 564 pp. ISBN 0-444-42044-4  
US \$ 120.25 / Dfl. 325.00

Set price:  
US \$ 192.50 / Dfl. 520.00

**ELSEVIER**

P.O. Box 211,  
000 AE Amsterdam,  
The Netherlands.



P.O. Box 1663,  
Grand Central Station,  
New York, NY 10163.

The Quercus logo price is definitive.  
US \$ prices are subject to exchange rate  
fluctuations.

# DRUGS OF ABUSE

by LAWRENCE FISHBEIN,  
National Center for Toxicological  
Research, Jefferson, AR, and  
University of Arkansas for  
Medical Sciences, Little Rock,  
AR, U.S.A.

## CHROMATOGRAPHY OF ENVIRONMENTAL HAZARDS VOLUME 4

The main objective of this volume is to provide the analytical and clinical chemist, as well as the forensic toxicologist, with a practical text which is also a literature reference source, of selected descriptive chromatographic procedures that stress the separation, detection and quantification of a spectrum of drugs of abuse, e.g. depressants, narcotics and analgesics, stimulants and hallucinogens, from biological, licit and illicit samples. The principal methods are thin-layer chromatography, gas-liquid chromatography, gas-liquid chromatography-mass spectrometry and high performance liquid chromatography. The procedures described are those which are primarily useful in therapeutic monitoring and pharmacokinetic studies, emergency, clinical, forensic and toxicological analyses and in monitoring in drug abuse screening programs.

Relevant information has been included, where available, regarding the synthesis or isolation from natural sources, the salient chemical, biological and physical properties, as well as the pharmacology, metabolism, pharmacokinetics, disposition and toxicity of the abused drugs. This information is important to investigators in diverse disciplines including biochemistry, clinical chemistry and medicine, pharmacology, toxico-

logy, public health, and others such as clinicians and drug counselors who are all equally concerned with detecting, ameliorating, managing or eliminating the effects of this social and environmental hazard.

**CONTENTS:** Chapters 1. Introduction. Part 1. **Depressants (including Sedatives, Tranquillizers and Hypnotics).** 2. Alcohol. 3. Barbiturates. 4. Benzodiazepine Antianxiety Agents. 5. Phenothiazines. 6. Ethchlorvynol. 7. Carbamates and Ureides. 8. Antihistaminics. 9. Methqualone. Part 2. **Narcotics and Analgesics.** 10. Opium Alkaloids - Morphine and Codeine. 11. Heroin. 12. Methadone and alpha-Acetylmethadol. 13. Salicylates. 14. Phenacetin and Acetaminophen. 15. Propoxyphene. 16. Meperidine. Part 3. **Stimulants.** 17. Amphetamine and Methamphetamine. 18. Cocaine. 19. Tricyclic Antidepressants. 20. Methylphenidate and Phenmetrazine. Part 4. **Hallucinogenic Agents (including Psychotogenic, Psychotomimetic and Psychedelic Drugs).** 21. Marijuana, Cannabis Constituents and Hashish. 22. Psilocin, Psilocybin, Peyote and Mescaline. 23. LSD. 24. Mono- and Dimethoxyamphetamines and 3,4-Methylenedioxyamphetamine. 25. Phencyclidine. 26. Ketamine. **Subject Index.**

All chapters are followed by copious references.

1982 viii + 496 pages  
US \$ 101.75 / Dfl. 275.00  
ISBN 0-444-42024-X

## Chromatography of Environmental Hazards

Vol. 3  
Pesticides

1975 xvi + 820 pages  
US \$ 120.25 / Dfl. 325.00  
ISBN 0-444-41158-5

*"...very useful and the sheer amount of information between these covers is a monument to the energy and enthusiasm of the author".*

Pans

Vol. 2  
Metals, Gaseous and  
Industrial Pollutants

1973 xii + 637 pages  
US \$ 105.50 / Dfl. 285.00  
ISBN 0-444-41059-7


*"The author has accomplished a monumental task in compiling so much data within a 600-page volume ... the book is a worthy addition to the library of the researcher actively involved in this very complex area of chemical analysis."*

Journal of Chromatography

Vol. 1  
Carcinogens, Mutagens and  
Teratogens

1972 1st Repr. 1983  
vii + 500 pages  
US \$ 90.75 / Dfl. 245.00  
ISBN 0-444-40948-3

**ELSEVIER**



P.O. Box 211,  
1000 AE Amsterdam,  
The Netherlands.

P.O. Box 1663,  
Grand Central Station,  
New York, NY 10163.

The Dutch guilders price is definitive. US \$ prices are valid in USA and Canada only.

# A NEW title in Elsevier's Analytical Chemistry Symposia Series

Volume 18:  
**MODERN TRENDS IN  
ANALYTICAL CHEMISTRY**

**Proceedings of Two Scientific  
Symposia held in Matrafüred,  
Hungary, October 17-20 and  
October 20-22, 1982**

edited by **E. PUNGOR, I. BUZAS and  
G.E. VERESS**, *Institute for General and  
Analytical Chemistry, Technical  
University, Budapest, Hungary*

Two symposia were held in Matrafüred,  
Hungary, in October 1982 and the pro-  
ceedings of both are contained in this  
book.

The first was the Symposium on Electro-  
chemical Detection in Flow Analysis, the  
aim of which was to define the physical  
parameters of electrochemical detectors  
that are most important in flow applica-  
tions, and to study how and under what  
conditions these detectors can be used in  
other fields in addition to direct flow  
analysis, e.g. in chromatography or  
clinical analysis.

The other meeting was the first interna-  
tional symposium to be held on Pattern  
Recognition in Analytical Chemistry. This  
was a particularly successful meeting and  
both lectures and discussions are presented  
in the second part of the book. The volume  
will provide much information and food for  
thought for many workers in various fields  
of analytical chemistry.

(Due to limitations of space, only the  
plenary and keynote lectures from the first  
conference and the topics of the second  
conference are listed below.)

## CONTENTS

### Part A - Electrochemical Detection in Flow Analysis

*Plenary Lectures:* Amperometric flow-  
through detection in liquid chromato-  
graphy (*W. Kemula, W. Kutner*).  
Potentiometric flow-through detectors and  
their clinical applications (*W.E. Morf,  
W. Simon*). Potentiometric and amperomet-  
ric detection in flow injection enzymatic  
determinations (*H.A. Mottoia et al.*).  
Behaviour of solid electrodes in anodic  
flow-through systems with respect to noise  
and stability (*H. Poppe, H.W. van  
Rooijen*).

*Keynote Lectures:* Enzyme reactors in  
analytical flow systems (*G. Johansson et  
al.*). Fundamentals of the electrochemical  
high sensitivity sensors for the detection of  
various contaminants in atmosphere  
(*U. Palm*). Some characteristics of flow  
and continuous analysis with ion-selective  
electrodes (*J.D.R. Thomas*). Automated  
polarographic and photometric system for  
serial analysis (*K. Tóth et al.*). Some  
aspects of application of ion-selective  
electrode detectors in flow analysis  
(*M. Trojanowitz*). Discussion Lectures (*15  
papers*). Panel discussion. Subject Index.

### Part B - Pattern Recognition in Analytical Chemistry

COBAC and Chemometrics (*2 papers*).  
Pattern Recognition and Structure  
Elucidation (*3 papers*). Applications of  
Pattern Recognition and Cluster Analysis  
Methods (*4 papers*). Characterization and  
Comparison of Different Methods of Pattern  
Recognition (*1 paper*). Subject Index.

1984 xxii + 628 pages  
US \$ 129.75 / Dfl. 350.00  
ISBN 0-444-99631-1

# ELSEVIER

P.O. Box 211  
1000 AE Amsterdam  
The Netherlands

P.O. Box 1663  
Grand Central Station  
New York, NY 10163



## Bibliography Section

---

### Liquid Column Chromatography

#### 1. REVIEWS AND BOOKS

- 1505 Balke, S.T.: *Quantitative Column Liquid Chromatography. A Survey of Chemometric Methods. J. Chromatogr. Libr. 29*, Elsevier, Amsterdam, 1984, 300 pp.
- 1506 Caldwell, K.D.: Filed-flow fractionation of particles. *Chem. Anal. (N.Y.)*, 73 (Mod. Methods Part Size Anal.) (1984) 211-250; *C.A.*, 101 (1984) 177997k - a review with 51 refs.
- 1507 Groves, M.J.: The application of particle characterization methods to submicron dispersions and emulsions. *Chem. Anal. (N.Y.)*, 73 (Mod. Methods Part Size Anal.) (1984) 43-91; *C.A.*, 101 (1984) 177994g - a review with 81 refs.
- 1508 Hamielec, A.: Detection systems for particle chromatography. *Chem. Anal. (N.Y.)*, 73 (Mod. Methods Part Size Anal.) (1984) 251-275; *C.A.*, 101 (1984) 177998m - a review with 34 refs.
- 1509 Harvey, M.C. and Stearns, S.D.: HPLC sample injection and column switching. In: *Liq. Chromatogr. Environ. Anal.*, J.F. Laurence (Editor), Humana, Clifton, 1984, 301-340 pp.; *C.A.*, 101 (1984) 221731v - a review with 45 refs.
- 1510 Hirota, T.: (Industrialization of chromatographic separation method). *Kemikaru Enjinivaringu*, 29 (1984) 558-564; *C.A.*, 101 (1984) 213173z - a review with 12 refs.
- 1511 Lochmueller, C.: Preparation of small bore columns. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 115-126; *C.A.*, 101 (1984) 221411r - a review with 7 refs.
- 1512 Poole, C.F. and Schuette, S.A.: *Contemporary Practice of Chromatography*. Elsevier, Amsterdam, 1984, 708 pp.; *C.A.*, 101 (1984) 203662u.
- 1513 Scott, R.P.W. (Editor): *Small Bore Liquid Chromatography Columns: Their Properties and Uses. Chem. Anal. 72*, J. Wiley, New York, 1984, 271 pp.; *C.A.*, 101 (1984) 221832d.
- 1514 Scott, R.P.W.: Introduction to small bore columns. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 1-22; *C.A.*, 101 (1984) 221735z - a review with 14 refs.
- 1515 Scott, R.P.W.: Small bore columns for high resolution. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 127-144; *C.A.*, 101 (1984) 221736a - a review with 5 refs.
- 1516 Shinoda, T.: (Ion-exchange column chromatography). *Kensa To Gijutsu*, 12 (1984) 731-738; *C.A.*, 101 (1984) 187138v - a review with no refs.

See also 1525, 1530, 1550, 1552, 1586, 1605, 1615, 1617, 1709, 1740, 1748, 1807, 1851, 1999, 2010, 2061, 2112 - 2114, 2211, 2221, 2233, 2249, 2250.

#### 2. FUNDAMENTALS, THEORY AND GENERAL

##### 2a. General

- 1517 Cretier, G. and Rocca, J.L.: Mass overload in liquid chromatography, experimental validity of the Haarhoff-Van der Linde treatment. *Chromatographia*, 18 (1984) 623-627.
- 1518 George, S.A. and Elgass, H.: Optimizing HPLC detection limits. *Am. Lab. (Fairfield)*, 16 (1984) 24-31; *C.A.*, 101 (1984) 183167f.
- 1519 Hurlbut, J.A. and Schonbeck, N.D.: Gel filtration chromatography: A laboratory experiment. *J. Chem. Educ.*, 61 (1984) 1021-1022; *C.A.*, 101 (1984) 229428x.

- 1520 Katz, E.D.: Source and control of extra-column dispersion. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 23-58; *C.A.*, 101 (1984) 203309j.
- 1521 Kurosu, Y., Yasukawa, K., Kawasaki, H., Takai, N. and Okuyama, T.: (Size classification method of packing materials for aqueous gel chromatography: instrumentation of classification system and application to dextran particles). *Bunseki Kagaku*, 33 (1984) 460-465.
- 1522 Simon, G.P.: Practical and theoretical exchange plate height. *Am. Lab. (Fairfield)*, 16 (1984) 82-90; *C.A.*, 101 (1984) 178149x.
- 1523 Tchaplá, A. and Colin, H.: Troubleshooting in HPLC. *Am. Lab. (Fairfield)*, 16 (1984) 26-32; *C.A.*, 101 (1984) 210001f.

See also 1647.

*2b. Thermodynamics and theoretical relationships*

- 1524 Conder, J.R.: Changes in peak width and concentration at the inlet and outlet of a chromatographic column. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 615-619.
- 1525 Dolan, J.W.: Chromatographic theory as a problem - isolation aid: Part I. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 668-669; *C.A.*, 101 (1984) 177993f - a review with 6 refs.
- 1526 Dondi, F. and Remelli, M.: Characterization of extracolumn and concentration-dependent distortion of chromatographic peaks by Edgeworth-Cramér series. *J. Chromatogr.*, 315 (1984) 67-73.
- 1527 Dorsey, J.G., Khaledi, M.G., Landy, J.S. and Lin, J.-L.: Gradient elution micellar liquid chromatography. *J. Chromatogr.*, 316 (1984) 183-191.
- 1528 Gemperline, P.J.: A priori estimates of the elution profiles of the pure components in overlapped liquid chromatography peaks using target factor analysis. *J. Chem. Inf. Comput. Sci.*, 24 (1984) 206-212; *C.A.*, 101 (1984) 221769p.
- 1529 Grushka, E.: Effect of high speed on peak capacity in liquid chromatography. *J. Chromatogr.*, 316 (1984) 81-93.
- 1530 Hansen, S.H., Helboe, P. and Lund, U.: Detection (in liquid column chromatography). *New Compr. Biochem.*, 8 (Sep. Methods) (1984) 161-166; *C.A.*, 101 (1984) 166465j.
- 1531 Jacobson, J., Frenz, J. and Horvath, C.: Measurement of adsorption isotherms by liquid chromatography. *J. Chromatogr.*, 316 (1984) 53-68.
- 1532 Kleinert, T. and Ecknig, W.: Prediction of retention data by using parameters of intermolecular interaction. I. A model for calculation of non-polar and polar interaction parameters. *J. Chromatogr.*, 315 (1984) 75-84.
- 1533 Knox, J.H. and Scott, H.P.: Theoretical models for size-exclusion chromatography and calculation of pore size distribution from size-exclusion chromatography data. *J. Chromatogr.*, 316 (1984) 311-332.
- 1534 Loevkvist, P., Joensson, J.A. and Pscheidl, H.: (Chromatographic reactions. 7. Experimental verification of the equations for product - reactant interference correction in reaction chromatograms). *Z. Chem.*, 24 (1984) 299-300; *C.A.*, 101 (1984) 210351v.
- 1535 Low, G.K.C., Haddad, P.R. and Duffield, A.M.: Proposed model for peak splitting in reversed-phase ion-pair high-performance liquid chromatography with computer prediction of eluted peak profiles. *J. Chromatogr.*, 336 (1984) 15-24.
- 1536 Melander, W.R., Chen, B.-K. and Horvath, C.: Mobile phase effects in reversed-phase chromatography. VII. Dependence of retention on mobile phase composition and column temperature. *J. Chromatogr.*, 318 (1985) 1-10.
- 1537 Sander, L.C. and Wise, S.A.: Influence of substrate parameters on column selectivity with alkyl bonded-phase sorbents. *J. Chromatogr.*, 316 (1984) 163-181.
- 1538 Souteyrand, C., Thibert, M., Caude, M. and Rosset, R.: Influence of water in liquid-solid chromatographic systems on retention data. II. Fixation of monolocalized solutes with class N solvents and silica gels. *J. Chromatogr.*, 316 (1984) 373-388.
- 1539 Taylor, R.B., Reid, R. and Hung, C.T.: Selectivity effects between ionic and neutral solutes using hydrophobic pairing ions. *J. Chromatogr.*, 316 (1984) 279-289.

- 1540 Vilenchik, L.Z., Kurenbin, O.I. and Belenkii, B.G.: (Optimization of the chromatographic process in liquid chromatography). *Izv. Akad. Nauk SSSR, Ser. Khim.*, (1984) 1 537-1550; *C.A.*, 101 (1984) 183148a.

For additional information see:

*C.A.*, 101 (1984) 178169d, 198715g, 213186f.

See also 1638.

### 2c. Relationship between structure and chromatographic behavior

- 1541 Ekström, B. and Jacobson, G.: Differences in retention behavior between small and large molecules in ion-exchange chromatography and reversed-phase chromatography. *Anal. Biochem.*, 142 (1984) 134-139.
- 1542 Jandera, P.: Reversed-phase liquid chromatography of homologous series. A general method for prediction of retention. *J. Chromatogr.*, 314 (1984) 13-36.
- 1543 Pierini, N.: (HPLC analysis of some positional isomers of amikacin and their determination in drug forms). *Boll. Chim. Farm.*, 123 (1984) 169-174; *C.A.*, 101 (1984) 177595c.
- 1544 Wahlund, K.-G.: Polyion ion-pair liquid chromatography. I. A new method for the regulation of the retention of ionic compounds in liquid chromatography. *J. Chromatogr.*, 314 (1984) 127-139.

See also 1532, 2101, 2111.

### 2d. Measurement of physico-chemical and related values

- 1545 Mueller, U., Timpe, H.J. and Baumann, H.: (High-pressure liquid chromatography - method for calculating photochromic parameters). *Z. Chem.*, 24 (1984) 187-188; *C.A.*, 101 (1984) 180949b.
- 1546 Waldmann-Meyer, H.: The theoretical basis of calibration parameters in exclusion chromatography. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. Nutr. Sci. Food Saf.) (1984) 257-260; *C.A.*, 101 (1984) 178195j.

See also 1885.

## 3. GENERAL TECHNIQUES

### 3a. Apparatus and accessories

- 1547 Antle, P.E., Schmit, J.A. and Schmit, E.L.: Method and system for liquid chromatography separations. *U.S. Pat.* US 4,468,331 (Cl. 210-659; B01D15/08), 28 Aug. 1984, Appl. 417,519, 13 Sep. 1982; 39 pp.; *C.A.*, 101 (1984) 183069a.
- 1548 Chalanyova, M., Macko, T., Kandrác, J. and Berek, D.: Influence of pressure on sorption equilibrium: HPLC column packing-mixed eluent. *Chromatographia*, 18 (1984) 668-672.
- 1549 Filipi, T.J.: Application of small bore columns. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 231-266; *C.A.*, 101 (1984) 203593x.
- 1550 Hatano, H.: (High performance columns). *Bunseki*, (1984) 721-725; *C.A.*, 101 (1984) 178001t - a review with 20 refs.
- 1551 Hitachi, Ltd.: Ion chromatograph. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,133,459 [84 133,459] (Cl. G01N31/08), 31 Jul. 1984, Appl. 83/7,324, 21 Jan. 1983; 5 pp.; *C.A.*, 101 (1984) 221696n.
- 1552 Kato, Y. and Hashimoto, T.: (Fillers for chromatography). *Bunseki*, (1984) 725-729; *C.A.*, 101 (1984) 178002u - a review with 7 refs.
- 1553 Liu, K., Wang, X., He, B., Zhao, W. and Jia, X.: (Application of an ion chromatographic apparatus in determination of inorganic anions in water and uranium leaching solution). *Youkuangye*, 2 (1983) 38-46; *C.A.*, 101 (1984) 221481p.
- 1554 Ruijten, H.M., van Amsterdam, P.H. and de Bree, H.: Conical pre-column as loading buffer for the main column. *J. Chromatogr.*, 314 (1984) 183-191.
- 1555 Schwartz, H. and Brownlee, R.G.: A dual syringe LC solvent delivery system for use with microbore columns. *Int. Lab.*, 14 (1984) 38-52.

- 1556 Scott, R.P.W.: Small bore columns for trace analysis. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 193-211; *C.A.*, 101 (1984) 203397m.
- 1557 Scott, R.P.W.: Small bore columns for fast analysis. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 145-161; *C.A.*, 101 (1984) 203592w.
- 1558 Scott, R.P.W. and Katz, E.: Gas or liquid conduits with low dispersion for use in chromatography devices. *Ger. Offen. Pat.* DE 3,407,065 (Cl. G01N31/08), 06 Sep. 1984, US Appl. 471,910, 03 Mar. 1983; 11 pp.; *C.A.*, 101 (1984) 221698q.
- 1559 Shimadzu Corp.: Liquid chromatograph. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,122,945 [84 122,945] (Cl. G01N31/08), 15 Jul. 1984, Appl. 82/230,157, 29 Dec. 1982; 2 pp.; *C.A.*, 101 (1984) 203566r.

For additional information see:

*C.A.*, 101 (1984) 173527j, 174330b, 178163x, 182724y, 183146y, 221410q, 221686j, 221841f.

See also 1511, 1513-1515.

### 3b. Detectors and detection reagents

- 1560 Dasgupta, P.K.: Viscosity detection with a pulseless pump for liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2367-2382.
- 1561 Gluckman, J.C. and Novotny, M.: New thermionic detector utilizing orthogonal nebulization for capillary column liquid chromatography. *J. Chromatogr.*, 314 (1984) 103-110.
- 1562 Gooijer, C., Velthorst, N.H. and Frei, R.W.: Phosphorescence in liquid solutions: a promising detection principle in liquid chromatography and flow injection analysis. *TrAC*, 3 (1984) 259-265.
- 1563 Grayeski, M.L. and Weber, A.J.: Investigation of instrument parameters for the application of peroxyoxalate chemiluminescence detection to microbore chromatography. *Anal. Lett.*, 17 (1984) 1539-1552.
- 1564 Hoshino, T., Senda, M., Hondo, T., Saito, M. and Tohei, S.: Application of photodiode array ultraviolet detector to unresolved peak analysis. *J. Chromatogr.*, 316 (1984) 473-486.
- 1565 Ishii, D., Goto, M. and Takeuchi, T.: Multi-channel detectors for micro high-performance liquid chromatography: examination of flow cell structures. *J. Chromatogr.*, 316 (1984) 441-449.
- 1566 Martin, R., Elgass, H. and George, S.A.: The influence of processing speed on spectral acquisition by a photodiode array detector. *Am. Lab. (Fairfield)*, 16 (1984) 34-40; *C.A.*, 101 (1984) 203602z.
- 1567 Niegreis, Z., Szűcz, L., Fekete, J., Horvác, G., Toth, K. and Pungor, E.: Modifications of the wall-jet electrochemical detector for liquid chromatography and flow analysis. *J. Chromatogr.*, 316 (1984) 451-459.
- 1568 Ogan, K.: Detector for use with small bore columns. *Chem. Anal. (N.Y.)*, 72 (Small Bore Liq. Chromatogr. Columns) (1984) 84-114; *C.A.*, 101 (1984) 203310c.
- 1569 Purdy, W.C.: Electroanalytical methods in clinical chemistry. *Chem. Int.*, (1984) 14-19; *C.A.*, 101 (1984) 166694h.
- 1570 Rougereau, A., Person, O., Gore, J. and Rougereau, G.: Interest in spectral analysis of chromatographic signals in HPLC. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. But. Sci. Food Saf.) (1984) 281-285; *C.A.*, 101 (1984) 187480a.
- 1571 Scholz, F., Henrion, G., Wolff, M. and Kersten, D.: (Time constants and response volumes of the analytical bubble electrode of an electrochemical HPLC detector). *Z. Chem.*, 24 (1984) 231-232; *C.A.*, 101 (1984) 20331k.
- 1572 Vemulapalli, G.K. and Gnanasambandan, T.: A spectroscopic study of dyes: mechanism of detection of nonabsorbing analytes in reverse-phase chromatography with the aid of chromophores. *Anal. Chim. Acta*, 164 (1984) 267-271.
- 1573 Vigh, G. and Leitold, A.: Indirect UV detection of non-absorbing solutes in reversed-phase high-performance liquid chromatography with the help of UV-active, non-ionic mobile phase constituents. *J. Chromatogr.*, 312 (1984) 345-356.
- 1574 Volf, R. and Stastny, M.: Device for detection of substances in liquid chromatography. *Czech. Pat.* CS 223,469 (Cl. G01N31/08), 01 May 1984, Appl. 81/5,434, 15 Jul. 1981; 6 pp.; *C.A.*, 101 (1984) 221840e.

- 1575 Weinberger, R.: Solvent and pH effects on peroxyoxalate chemiluminescence detection for liquid chromatography. *J. Chromatogr.*, 314 (1984) 155-165.

For additional information see:

C.A., 101 (1984) 182692m, 183115u, 221496x, 226334c.

See also 1611, 1646.

### 3c. Sorbents, carriers, column and layer performance, packing procedures

- 1576 Buszewski, B., Lodkowski, R., Suprynowicz, Z. and Nasuto, R.: (Packings for high-performance liquid chromatography on the basis of Polish silica gels. IV. Systems with chemically bonded cyanide liquid phase). *Chem. Anal. (Warsaw)*, 29 (1984) 41-48; C.A., 101 (1984) 217022x.
- 1577 Felix, G. and Bertrand, C.: HPLC on *n*-propyl picryl ether silica gel. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 714-715.
- 1578 Hageman, R.J.J.: Routine HPLC using short glass cartridges. *Int. Lab.*, 14 (1984) 28-37.
- 1579 Hanggi, D.A. and Carr, P.W.: A simple method of evaluating particle size distributions and settling rates for silica based chromatographic supports. *J. Liq. Chromatogr.*, 7 (1984) 2323-2349.
- 1580 Hertz, J. and Baltensperger, U.: Factor affecting performance in single-column ion chromatography. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 600-602; C.A., 101 (1984) 182805a.
- 1581 Hjerten, S. and Yang, D.: High-performance liquid chromatographic separations on dihydroxyboryl-agarose. *J. Chromatogr.*, 316 (1984) 301-309.
- 1582 Kinkel, J.N. and Unger, K.K.: Role of solvent and base in the silanization reaction of silicas for reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 193-200.
- 1583 Morel, D., Serpinet, J. and Untz, G.: Irreversible and reversible phase transitions of alkyl monolayers. Gas chromatographic evidence of polar solvent influence on the adsorbing properties of the layer. *Chromatographia*, 18 (1984) 611-614.
- 1584 Reed, G.D. and Loscombe, C.R.: An investigation into the use of semi-microbore reverse-phase 3  $\mu$ m columns in HPLC. *Chromatographia*, 18 (1984) 695-697.
- 1585 Tanaka, M., Kawaguchi, Y., Ninae, T. and Shono, T.: Preparation and retention behaviour of chemically bonded methylated-cyclodextrin stationary phases for liquid chromatography. *J. Chromatogr.*, 314 (1984) 193-200.
- 1586 Tarutani, T.: Chromatographic studies in the field of silicate chemistry. *J. Chromatogr.*, 313 (1984) 33-45 - a review with 30 refs.

For additional information see:

C.A., 101 (1984) 172317d, 182784t, 182785u, 187525u, 198662u, 203575t.

See also 1550, 1635, 1647, 1721, 1896, 2133, 2229.

### 3d. Quantitative analysis

- 1587 McCoy, R.W., Aiken, R.L., Pauls, R.E., Ziegel, E.R., Wolf, T., Fritz, G.T. and Marmion, D.M.: Results of a cooperative study comparing the precision of peak height and area measurements in liquid chromatography. *J. Chromatogr. Sci.*, 22 (1984) 425-431.

See also 1505, 1612.

### 3e. Preparative scale chromatography

- 1588 Cantwell, A.M., Calderone, R. and Sienko, M.: Process scale-up of a  $\beta$ -lactam antibiotic purification by high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 133-149.
- 1589 Meyer, V.R.: Preparative high-performance liquid chromatography as an aid in organic synthesis. *J. Chromatogr.*, 316 (1984) 113-124.

- 1590 Torres, A.R., Dunn, B.E., Edberg, S.C. and Peterson, E.A.: Preparative high-performance liquid chromatography of proteins on ion-exchange columns with carboxymethyl dextrans as displacers. *J. Chromatogr.*, 316 (1984) 125-132.

For additional information see:

*C.A.*, 101 (1984) 173553q.

### 3f. Programmed temperature, pressure, vapors, gradients

- 1591 Fielding, R.M.: A low-cost automated step-gradient HPLC system. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 532-535; *C.A.*, 101 (1984) 198251c.
- 1592 Hoshino, T.: Simple device for sequential linear gradient elution with a single, conventional, one-piston reciprocating pump. *J. Chromatogr.*, 316 (1984) 415-422.
- 1593 Issaq, H.J., McNitt, K.L. and Goldgaber, N.: A computer program for the selection of gradient elution in high performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2535-2543.
- 1594 Lim, C.K. and Peters, T.J.: Ammonium acetate: a general purpose buffer for clinical applications of high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 397-406.
- 1595 McCown, S.M., Morrison, B.E. and Southern, D.L.: Solvent problems in gradient elution LC. Part one, solvent purity. *Am. Lab. (Fairfield)*, 16 (1984) 82-88; *C.A.*, 101 (1984) 183153y.

### 3g. High performance procedures

- 1596 Billiet, H.A.H., Drouen, A.C.J.H. and de Galan, L.: Rapid optimization of the concentration of the ion-pairing reagent in ion-pairing reversed-phase liquid chromatography. *J. Chromatogr.*, 316 (1984) 231-240.
- 1597 Cooke, N.H.C., Olsen, K. and Archer, B.G.: Microbore versus standard HPLC: critical comparison of sample detectability using UV absorbance detectors. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 514-524; *C.A.*, 101 (1984) 203596a.
- 1598 Goldberg, A.P., Nowakowska, E., Antle, P.E. and Snyder, L.R.: Retention-optimization strategy for the high-performance liquid chromatographic ion-pair separation of samples containing basic compounds. *J. Chromatogr.*, 316 (1984) 241-260.
- 1599 Little, C.J., Stahel, O., Lindner, W. and Frei, R.W.: Column switching techniques in modern HPLC. *Am. Lab. (Fairfield)*, 16 (1984) 120-129; *C.A.*, 101 (1984) 221752c.
- 1600 Otterson, D.A.: Correction of errors in HPLC analyses caused by sensitivity fluctuations. *LC, Liq. Chromatogr. HPLC Mag.*, 3 (1984) 694-696; *C.A.*, 101 (1984) 203605c.

For additional information see:

*C.A.*, 101 (1984) 203311d, 203664w.

See also 1527, 1582, 1782.

## 4. SPECIAL TECHNIQUES

### 4a. Automation and computerization

- 1601 Andrews, M. and Cotter, R.: Computerized control and data handling in the HPLC laboratory. *Am. Lab. (Fairfield)*, 16 (1984) 32-40; *C.A.*, 101 (1984) 203606d.
- 1602 Berridge, J.C. and Morrissey, E.G.: Automated optimization of reversed-phase high-performance liquid chromatography separations. An improved method using the sequential simplex procedure. *J. Chromatogr.*, 316 (1984) 69-79.
- 1603 Gustine, D.L. and McCulloch, J.: Versatile microcomputer-controlled automated gradient analytical high-performance liquid chromatography system. *J. Chromatogr.*, 316 (1984) 407-414.

- 1604 Jinno, K. and Kawasaki, K.: Computer-assisted retention prediction system for reversed-phase micro high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 1-23.
- 1605 Neue, U.D., Gaudich, K. and Altepeter, B.: Use of computers in HPLC. *LaborPraxis*, 8 (1984) 744-750; *C.A.*, 101 (1984) 183083a - a review with 6 refs.
- 1606 Nickel, J.H. and Deming, S.N.: Use of window diagram techniques in automated LC methods development. *Am. Lab. (Fairfield)*, 16 (1984) 69-71; *C.A.*, 101 (1984) 183152x.
- 1607 Phillips, R.J. and Wilson, M.K.: On-line control charts for chromatography. *Am. Lab. (Fairfield)*, 16 (1984) 26-32; *C.A.*, 101 (1984) 183098j.
- 1608 Poehland, B.L.: A useful timing interface for HPLC. *Am. Lab. (Fairfield)*, 16 (1984) 108-111; *C.A.*, 101 (1984) 203609g.

See also 1593.

#### 4b. Combination of various chromatographic techniques

- 1609 Gonnet, C. and Maricky, M.: (Possibility of TLC-LC data transfer). *Analisis*, 12 (1984) 369-385; *C.A.*, 101 (1984) 221739d.

See also 1766, 2030, 2251.

#### 4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 1610 Apffel, J.A., Brinkman, A.T. and Frei, R.W.: Micro post-column extraction system for interfacing reversed-phase micro liquid chromatography and mass spectrometry. *J. Chromatogr.*, 312 (1984) 153-164.
- 1611 Bayer, E. and Albert, K.: Continuous-flow carbon-13 nuclear magnetic resonance spectroscopy. *J. Chromatogr.*, 312 (1984) 91-97.

#### 4d. Affinity chromatography

- 1612 Hogg, P.J. and Winzor, D.J.: Quantitative affinity chromatography: further developments in the analysis of experimental results from column chromatography and partition equilibrium studies. *Arch. Biochem. Biophys.*, 234 (1984) 55-60.
- 1613 Kvasnyuk, E.I., Kulak, T.I., Zaitseva, G.V., Mikhailopulo, I.A. and Pfleiderer, W.: (Synthesis of 2',3'-cyclic acetal derivatives of (2'-5')oligoadenylates and affinity sorbents based on them). *Bioorg. Khim.*, 10 (1984) 506-514; *C.A.*, 101 (1984) 171635u.
- 1614 Maingault, P., Hoinard, C., Crouzat-Reynes, G. and Guilloteau, D.: Immobilization of ligands for affinity chromatography. Coupling on a spacer arm gel with N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline as condensation agent: study of coupling conditions by means of a radioimmunologic method. *J. Chromatogr.*, 314 (1984) 445-449.
- 1615 Orezzi, P.: (Modern technology for the isolation of biologically active macromolecules. Affinity chromatography. II.). *Prod. Chim. Aerosol. Sel.*, 25 (1984) 10-16; *C.A.*, 101 (1984) 187100b - a review with 25 refs.
- 1616 Shimura, K. and Kasai, K.-I.: Introduction of  $\omega$ -carboxyl spacers onto cross-linked agarose gel beads by *o*-alkylation for the preparation of affinity adsorbents. *J. Chromatogr.*, 315 (1984) 161-166.
- 1617 Sturgeon, C.M. and Kennedy, J.F.: A quick-reference summary of recent literature on molecular immobilization and bioaffinity phenomena: Survey No. 33. *Enzyme Microb. Technol.*, 6 (1984) 427-428; *C.A.*, 101 (1984) 187145v.
- 1618 Zemek, J., Novak, I., Berek, D. and Kuniak, L.: (Carriers of biologically active substances). *Czech. Pat. CS*, 211, 176 (Cl. C12N11/14), 15 Mar. 1984, Appl. 80/3,770, 29 May 1980, 4 pp.; *C.A.*, 101 (1984) 186958a.

See also 1750, 1911, 1930, 1952, 1978.

#### 4f. Trace analysis and preseparation techniques

- 1619 Mantoura, R.F.C. and Llewellyn, C.A.: Trace enrichment of marine algal pigments for use with HPLC-diode array spectroscopy. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 632-635.

See also 2221, 2258.

## 4g. Separation of enantiomers

- 1620 Gal, J. and Murphy, R.C.: On the availability of 2,3,4,6-tetra-O-acetyl- $\beta$ -D-glucopyranosyl isothiocyanate, a chiral derivatizing agent in HPLC. *J. Liq. Chromatogr.*, 7 (1984) 2307-2314.
- 1621 Gal, J. and Sedman, A.J.: R- $\alpha$ -Methylbenzyl isothiocyanate, a new and convenient chiral derivatizing agent for the separation of enantiomeric amino compounds by high-performance liquid chromatography. *J. Chromatogr.*, 314 (1984) 275-281.
- 1622 Haky, J.E., Young, A.M., Domonkos, E.A. and Leeds, R.L.: Utilization of a systematic solvent selection method for the HPLC determination of a trace isomeric contaminant. *J. Liq. Chromatogr.*, 7 (1984) 2127-2141.
- 1623 Lindner, W., Leitner, C. and Uray, G.: Liquid chromatographic separation of enantiomeric alkanolamines via diastereomeric tartaric acid monoesters. *J. Chromatogr.*, 316 (1984) 605-616.
- 1624 Matlin, S.A. and Zhou, R.: Resolution of gossypol: Analytical and preparative HPLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 629-631.
- 1625 Nimura, N., Toyama, A. and Kinoshita, T.: Optical resolution of amino acid enantiomers by high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 547-552.
- 1626 Ōi, N.: Enantiomer separation by chromatography with novel chiral stationary phases. *Bunseki Kagaku*, 33 (1984) E401-E411 - a review with 43 refs.
- 1627 Okamoto, Y., Honda, S., Hatada, K., Okamoto, I., Toga, Y. and Kobayashi, S.: Chromatographic resolution of racemic compounds containing phosphorus or sulfur atom as chiral center. *Bull. Chem. Soc. Jpn.*, 57 (1984) 1681-1682; *C.A.*, 101 (1984) 171352z.
- 1628 Pettersson, C.: Chromatographic separation of enantiomers of acids with quinine as chiral counter ion. *J. Chromatogr.*, 316 (1984) 553-567.
- 1629 Pettersson, C. and Stuurman, H.W.: Direct separation of enantiomer of ephedrine and some analogues by reversed-phase liquid chromatography using (+)-di-n-butyltartrate as the liquid stationary phase. *J. Chromatogr. Sci.*, 22 (1984) 441-443.
- 1630 Pirkle, W.H., Hyun, M.H. and Bank, B.: A rational approach to the design of highly-effective chiral stationary phases. *J. Chromatogr.*, 316 (1984) 585-604.
- 1631 Wernicke, R.: (Separation possibilities of racemic substances by column chromatography). *GIT-Suppl.*, (1984) 58-63; *C.A.*, 101 (1984) 183081y.
- 1632 Yang, S.K., Weems, H.B., Mushtaq, M. and Fu, P.P.: Direct resolution of mono- and diol enantiomers of unsubstituted and methyl-substituted benz[*a*]anthracene and benzo[*a*]pyrene by high-performance liquid chromatography with a chiral stationary phase. *J. Chromatogr.*, 316 (1984) 569-584.

See also 1826, 2127, 2141.

## 4h. Other special techniques

- 1633 Antrim, R.F., Scherrer, R.A. and Yacynych, A.M.: Electrochromatography - a preliminary study of the effect of applied potential on a carbonaceous chromatographic column. *Anal. Chim. Acta*, 164 (1984) 283-286.
- 1634 Dilks, C.H., Jr., Yau, W.W. and Kirkland, J.J.: Sampling and flow effects in sedimentation field flow fractionation. *J. Chromatogr.*, 315 (1984) 45-66.
- 1635 Hirata, Y.: Comparison of chromatographic behaviour of silica and chemically bonded phases in supercritical fluid chromatography. *J. Chromatogr.*, 315 (1984) 31-37.
- 1636 Hirata, Y.: Supercritical fluid chromatography of various samples with different polarities. *J. Chromatogr.*, 315 (1984) 39-44.
- 1637 Leyendecker, D., Schmitz, P.P. and Klesper, E.: Chromatography with sub- and supercritical eluents. The influence of temperature, pressure and flow-rate on the behaviour of dimethyl and diethyl ether. *J. Chromatogr.*, 315 (1984) 19-30.
- 1638 Schoenmakers, P.J.: Thermodynamic model for supercritical fluid chromatography. *J. Chromatogr.*, 315 (1984) 1-18.
- 1639 Shafer, K.H., Pentoney, S.L., Jr. and Griffiths, P.R.: Supercritical fluid chromatography/diffuse reflectance Fourier transfer infrared spectrometry. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 707-709.
- 1640 Wright, B.W., Udseth, H.R., Smith, R.D. and Hazlett, R.N.: Supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry of marine diesel fuel. *J. Chromatogr.*, 314 (1984) 253-262.



- 1641 Zhang, T.-Y.: Horizontal flow-through coil planet centrifuge: some practical applications of countercurrent chromatography. *J. Chromatogr.*, 315 (1984) 287-297.

For additional information see:  
C.A., 101 (1984) 213202h.

See also 1714, 1864.

## 5. HYDROCARBONS AND HALOGEN DERIVATIVES

### 5a. Aliphatic hydrocarbons

- 1642 Getmanskaya, Z.I., Kiseleva, N.S., Ivanov, V.N. and Tember, G.A.: (Determination of hydrocarbons in higher fatty alcohols). *Zh. Anal. Khim.*, 39 (1984) 1504-1507; C.A., 101 (1984) 221816b.
- 1643 McCoy, R.W. and Paulis, R.E.: Non-aqueous reversed-phase LC separation of hydrocarbons from *Botryococcus braunii* alga. *J. Chromatogr. Sci.*, 22 (1984) 493-496.
- 1644 Shatts, V.D., Sakhartova, O.V., Brivkalne, L. and Belikov, V.A.: (Solution of elution conditions in reverse-phase chromatography, connectivity index and retention of hydrocarbons and the simplest oxygen-containing substances). *Zh. Anal. Khim.*, 39 (1984) 894-902; C.A., 101 (1984) 183130p.

### 5b. Cyclic hydrocarbons

- 1645 Chiu, P.-L., Mushtaq, M., Weems, H.B. and Yang, S.K.: Stereoselective hydroxylation at the aliphatic carbons of 7,8- and 9,10-dihydrobenzo[a]pyrenes by rat liver microsomes. *Biochem. Biophys. Res. Commun.*, 124 (1984) 114-120.
- 1646 Hino, A., Yamada, S., Nagamura, T. and Ogawa, T.: Laser two-photon photoionization detection of aromatic hydrocarbons in reversed-phase high performance liquid chromatography. *Bunseki Kagaku*, 33 (1984) E393-E396.
- 1647 Jinno, K. and Okamoto, M.: Effect of stationary phase properties and solute molecular size on retention of PAHs in reversed-phase liquid chromatography. *Chromatographia*, 18 (1984) 677-679.
- 1648 Nesnow, S., Leavitt, S., Easterling, R., Watts, R., Toney, S.H., Claxton, L., Sangalah, R., Toney, G.E., Wiley, J., Fraher, P. and Gold, A.: Mutagenicity of cyclopenta-fused isomers of benz[a]anthracene in bacterial and rodent cells and identification of the major rat liver microsomal metabolites. *Cancer Res.*, 44 (1984) 4993-5003.
- 1649 Obuchi, A., Aoyama, H., Ohi, A. and Ohuchi, H.: Determination of polycyclic aromatic hydrocarbons in diesel exhaust particulate matter and diesel fuel oil. *J. Chromatogr.*, 312 (1984) 247-259.

See also 1577, 2258.

### 5d. Complex hydrocarbon mixtures

- 1650 Cookson, D.J., Rix, C.J., Shaw, I.M. and Smith, B.E.: High-performance liquid chromatographic procedure for direct determination of the compound class composition of diesel and kerosine fuels using refractive index detection. *J. Chromatogr.*, 312 (1984) 237-246.
- 1651 Guieze, P. and Williams, J.M.: Determination of the molar mass of petroleum distillation residues using gel permeation chromatography. *J. Chromatogr.*, 312 (1984) 261-272.
- 1652 Tong, H.Y., Sweetman, J.A., Karasek, F.W., Jellum, E. and Thorsrud, A.K.: Quantitative analysis of polycyclic aromatic compounds in diesel exhaust particulate extracts by combined chromatographic techniques. *J. Chromatogr.*, 312 (1984) 183-202.

For additional information see:  
C.A., 101 (1984) 174198q, 194787j, 194887s, 213588p, 213593m.

## 6. ALCOHOLS

- 1653 Blank, M.L., Lee, T.-C., Cress, E.A., Malone, B., Fitzgerald, V. and Snyder, F.: Conversion of 1-alkyl-2-acetyl-*sn*-glycerols to platelet activating factor and related phospholipids by rabbit platelets. *Biochem. Biophys. Res. Commun.*, 124 (1984) 156-163.
- 1654 Karege, F.: Method for total 3-methoxy-4-hydroxyphenylglycol extraction from urine, plasma and brain tissue using bonded-phase materials: comparison with the ethyl acetate extraction method. *J. Chromatogr.*, 311 (1984) 361-368.
- 1655 Parkin, J.E. and Lau, H.T.: High-performance liquid chromatography of low-molecular-weight aliphatic alcohols using indirect photometric detection. *J. Chromatogr.*, 314 (1984) 488-494.

See also 1632.

## 7. PHENOLS

- 1656 Maslowska, J. and Pietek, W.: Separation of chlorphenols on a cation-exchanger in Ce(III) form. *Chromatographia*, 18 (1984) 704-706.
- 1657 Oomens, A.C., Schuurhuis, F.G. and Skelly, N.E.: Active TBC in butadiene by HPLC. *J. Liq. Chromatogr.*, 7 (1984) 2143-2149.
- 1658 Tomkins, B.A., Jenkins, R.A., Griest, W.H., Reagan, R.R. and Holladay, S.K.: Liquid chromatographic determination of phenol and cresols in total particulate matter of cigarette smoke. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 919-923.

For additional information see:  
*C.A.*, 101 (1984) 192895u.

See also 1675, 1789.

## 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

## 8a. Flavonoids

- 1659 Scholten, G.: (High-performance liquid chromatographic determination of bioflavonoids in citrus juices). *Fluess. Obst.*, 51 (1984) 519-522; *C.A.*, 101 (1984) 228615u.

See also 2207.

## 8b. Aflatoxins and other mycotoxins

- 1660 Ehrlich, K.C. and Lee, L.S.: Mycotoxins in grain dust: Method for analysis of aflatoxins, ochratoxin A, zearalenone, vomitoxin, and secalonic acid D. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 963-967.
- 1661 Gelderblom, W.C.A., Thiel, P.G., Marasas, W.F.O. and van der Merwe, K.J.: Natural occurrence of fusarin C, a mutagen produced by *Fusarium moniliforme*, in corn. *J. Agric. Food Chem.*, 32 (1984) 1064-1067.
- 1662 Goto, T., Manabe, M. and Matsuura, S.: (Analysis of mycotoxins in coffee. I. Analysis of aflatoxins in green coffee and roasted coffee). *Shokuhin Sogo Kenkyusho Kenkyu Hokoku*, (1983) 83-86; *C.A.*, 101 (1983) 189809p.
- 1663 King, R.R., McQueen, R.E., Levesque, D. and Greenhalgh, R.: Transformation of deoxynivalenol (vomitoxin) by rumen microorganisms. *J. Agric. Food Chem.*, 32 (1984) 1181-1183.
- 1664 Quian, G.-S. and Yang, G.C.: Rapid extraction and detection of aflatoxins B<sub>1</sub> and M<sub>1</sub> in beef liver. *J. Agric. Food Chem.*, 32 (1984) 1071-1073.
- 1665 Tedeschi, M., Bosi, P. and Russo, V.: (High pressure liquid chromatography (HPLC) determination of aflatoxin in concentrates and forages). *Zootec. Nutr. Anim.*, 10 (1984) 135-141; *C.A.*, 101 (1984) 189823p.

*8c. Other compounds with heterocyclic oxygen*

- 1666 Albro, P.W., Schweder, J.S., Harvan, D.J. and Corbett, B.J.: Characteristics of an extraction and purification procedure for chlorinated dibenzo-*p*-dioxins and dibenzofurans in soil and liver. *J. Chromatogr.*, 312 (1984) 165-182.
- 1667 Bishop, P.D. and Nagel, C.W.: Characterization of the condensation product of malvidin 3,5-diglucoside and catechin. *J. Agric. Food Chem.*, 32 (1984) 1022-1026.
- 1668 Marcy, J.E. and Rouseff, R.L.: High-performance liquid chromatographic determination of furalin in orange juice. *J. Agric. Food Chem.*, 32 (1984) 979-981.
- 1669 Mazza, G.: (Determination of coumarin in flavored alcoholic beverages by high-pressure liquid chromatography). *Riv. Vitic. Enol.*, 37 (1984) 316-323; *C.A.*, 101 (1984) 168953r.
- 1670 Thompson, J.H. and Brown, S.A.: Separations of some coumarins of higher plants by liquid chromatography. *J. Chromatogr.*, 314 (1984) 323-336.

## 9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 1671 Huang, J.-X., Stuart, J.D., Melander, W.R. and Horvath, C.: High-performance liquid chromatography of substituted *p*-benzoquinones and *p*-hydroquinones. I. Interplay of on-column redox reaction and the chromatographic retention process. *J. Chromatogr.*, 316 (1984) 151-161.
- 1672 Lam, S.K. and Margiasso, V.A.: Determination of formaldehyde in polymerized ragweed antigen by HPLC. *J. Liq. Chromatogr.*, 7 (1984) 2643-2651.
- 1673 Moriyasu, M., Kato, A. and Hashimoto, Y.: Kinetic studies of fast equilibrium by means of high-performance liquid chromatography. IX. HPLC separation of keto and enol tautomers of several ketones at low temperatures. *Chem. Lett.*, (1984) 1181-1184; *C.A.*, 101 (1984) 191025v.
- 1674 Persson, R.-A., Jansson, S.-O., Johansson, M.-L. and Lagerström, P.-O.: Influence of mobile phase additives in liquid chromatography of phenoxypropanolamines. *J. Chromatogr.*, 316 (1984) 291-300.
- 1675 Putman, L.J. and Butler, L.G.: Fractionation of condensed tannins by counter-current chromatography. *J. Chromatogr.*, 318 (1985) 85-93.
- 1676 Shono, T.: Crown ethers in analytical chemistry. *Bunseki Kagaku*, 33 (1984) E449-E458 - a review with 34 refs.
- 1677 Suemitsu, R., Yamada, Y., Sano, T. and Kitayama, M.: Analysis of naturally occurring reduced anthraquinones obtained from *Alternaria porri* (Ellis) Ciferri by high-performance liquid chromatography. *J. Chromatogr.*, 318 (1984) 139-143.

For additional information see:  
*C.A.*, 101 (1984) 164882u.

## 10. CARBOHYDRATES

*10a. Mono and oligosaccharides. Structural studies*

- 1678 Blake, J.D., Clarke, M.L. and Richards, G.N.: Determination of D-gluconic, 5-keto-D-gluconic, 2-keto-D-gluconic and 2,5-diketo-D-gluconic acids by high-performance liquid chromatography. *J. Chromatogr.*, 312 (1984) 211-219.
- 1679 Cheetham, N.W.H. and Teng, G.: Some applications of reversed-phase high-performance liquid chromatography to oligosaccharide separations. *J. Chromatogr.*, 336 (1984) 161-172.
- 1680 Conzelmann, A. and Kornfeld, S.:  $\beta$ -Linked N-acetylgalactosamine residues present at the nonreducing termini of O-linked oligosaccharides of a cloned murine cytotoxic T lymphocyte line are absent in a *Vicia villosa* lectin-resistant mutant cell line. *J. Biol. Chem.*, 259 (1984) 12528-12535.
- 1681 Haglund, A.C., Marsden, N.V.B. and Ostling, S.G.: Partitioning of oligoglucans in Sephadex G-15 in relation to their conformational structure. *J. Chromatogr.*, 318 (1985) 57-63.

- 1682 Honda, S. and Suzuki, S.: Common conditions for high-performance liquid chromatographic microdetermination of aldoses, hexosamines and sialic acids in glycoproteins. *Anal. Biochem.*, 142 (1984) 167-174.
- 1683 Iwata, S., Narui, T., Takahashi, K. and Shibata, S.: Separation of carbohydrates by I.C. in an aqueous, silica gel column. *Carbohydr. Res.*, 133 (1984) 157-162; *C.A.*, 101 (1984) 106946a.
- 1684 Leonard, J.L., Guyon, F. and Fabiani, P.: High-performance liquid chromatography of sugars on copper(II) modified silica gel. *Chromatographia*, 18 (1984) 600-602.
- 1685 McNicholas, P.A., Batley, M. and Redmond, J.W.: Reversed-phase high-performance liquid chromatography of hydrazones of 3-deoxy-D-manno-oct-2-ulosonic acid and neuraminic acids. *J. Chromatogr.*, 315 (1984) 451-456.
- 1686 Moriyasu, M., Kato, A., Okada, M. and Hashimoto, Y.: HPLC method for kinetic study of mutarotation of sugars. *Anal. Lett.*, 17 (1984) 1533-1538.
- 1687 Omichi, K. and Ikenaka, T.: Ion-exchange chromatography of fluorogenic derivatives of maltooligosaccharides of  $\alpha$ -amylase substrates. *J. Chromatogr.*, 336 (1984) 368-373.
- 1688 Pettersen, R.C., Schwandt, V.H. and Effland, M.J.: An analysis of the wood sugar assay using HPLC: A comparison with paper chromatography. *J. Chromatogr. Sci.*, 22 (1984) 478-484.
- 1689 Saucerman, J.R. and Winstead, C.E.: Liquid chromatographic determination of lactose purity: Collaborative study. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 899-901.
- 1690 Takeda, M., Maeda, M. and Tsuji, A.: (Fluorescence high performance liquid chromatography of uronic acids using dansylhydrazine as a prelabelling reagent). *Bunseki Kagaku*, 33 (1984) 681-683.
- 1691 Van den Berg, J.H.M., Horsels, H.W.M. and Deelder, R.S.: Column liquid chromatography of reducing carbohydrates by fluorometric reaction detection with a pressurized reactor outlet. *J. Liq. Chromatogr.*, 7 (1984) 2351-2365.

For additional information see:  
*C.A.*, 101 (1984) 193913k.

See also 2094.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 1692 Carrino, D.A. and Caplan, A.I.: Isolation and partial characterization of high-buoyant-density proteoglycans synthesized *in ovo* by embryonic chick skeletal muscle and heart. *J. Biol. Chem.*, 259 (1984) 12419-12430.
- 1693 Clarke, M.W., Olafson, R.W. and Pearson, T.W.: Purification of major variable-surface glycoproteins from African trypanosomes by reverse-phase high-performance liquid chromatography. *Anal. Biochem.*, 142 (1984) 360-368.
- 1694 Cullen, M.P., Turner, C. and Haycock, G.B.: Gel permeation chromatography with interference refractometry for the rapid assay of polydisperse dextrans in biological fluids. *J. Chromatogr.*, 337 (1985) 29-36.
- 1695 Hähne, K.H., Hamann, J. and Heeschen, W.: (Detection of the antibioticly effective glycopeptide. Complex Actaplanin in milk after oral application). *Milchwissenschaft*, 39 (1984) 473-475; *C.A.*, 101 (1984) 169214n.
- 1696 Koistinen, R.: Comparison of three methods for investigating placental protein 12(PP12)-like immunoreactive substance from preovulatory follicular fluid and purified PP12 from human placenta. *Clin. Chim. Acta*, 141 (1984) 235-240.
- 1697 Kuge, T., Kobayashi, K., Tanahashi, H., Igushi, T. and Kitamura, S.: Gel permeation chromatography of polysaccharides: universal calibration curve. *Agric. Biol. Chem.*, 2375-2376; *C.A.*, 101 (1984) 187230u.
- 1698 Morris, J.E.: Isolation of the major chondroitin sulfate/dermatan sulfate and heparan sulfate proteoglycans from embryonic chicken retina. *Arch. Biochem. Biophys.*, 235 (1984) 127-140.
- 1699 Radhakrishnamurthy-Jeansonne, N.E. and Berenson, G.S.: Heterogeneity of heparan sulfate chains in a proteoglycan from bovine lung. *Biochim. Biophys. Acta*, 802 (1984) 314-320.
- 1700 Scherz, H.: (Analysis of polysaccharides, used as food additives. VIII. Simple qualitative and semiquantitative determination of alginate in foods). *Z. Lebens.-Unters. Forsch.*, 179 (1984) 17-19; *C.A.*, 101 (1984) 209168j.

- 1701 Takeda, Y., Shirasaka, K. and Hizukuri, S.: Examination of the purity and structure of amylose by gel-permeation chromatography. *Carbohydr. Res.*, 132 (1984) 83-92; *C.A.*, 101 (1984) 165857b.
- 1702 Watanabe, N.: Amperometric detection of muramic acid in high-performance liquid chromatography with a post-column reaction. *J. Chromatogr.*, 316 (1984) 495-500.
- 1703 Young, N.M. and Jackson, G.E.D.: Anomalous behavior of lectins in size-exclusion high-performance liquid chromatography and gel electrophoresis. *J. Chromatogr.*, 336 (1984) 397-402.

For additional information see:

*C.A.*, 101 (1984) 208736f, 208737g.

See also 1521.

## 11. ORGANIC ACIDS AND LIPIDS

### 11a. Organic acids and simple esters

- 1704 Adams, R.F., Jones, R.L. and Conway, P.L.: High-performance liquid chromatography of microbial acid metabolites. *J. Chromatogr.*, 336 (1984) 125-137.
- 1705 Aragona, F. and de Angelis, M.: (Determination of urinary oxalate by ion-exchange chromatography). *Laboratorio*, 460 (1984) 253-257; *C.A.*, 101 (1984) 187234y.
- 1706 Ashoor, S.H. and Welty, J.: Liquid chromatographic determination of acetic acid in foods. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 885-887.
- 1707 Bojsova, E. and Singliar, M.: (HPLC analysis of mixtures of benzenecarboxylic acids and their methyl esters). *Petrochemia*, 24 (1984) 25-30; *C.A.*, 101 (1984) 221780k.
- 1708 Careaga, M.M. and Sprecher, H.: Synthesis of two hydroxy fatty acids from 7,10,13,16,19-docosapentaenoic acid by human platelets. *J. Biol. Chem.*, 259 (1984) 14413-14417.
- 1709 Chauhan, Y., Nagel, D., Issenberg, P. and Toth, B.: Identification of p-hydrazinobenzoic acid in the commercial mushroom *Agaricus bisporus*. *J. Agric. Food Chem.*, 32 (1984) 1067-1069.
- 1710 Fiebig, H.-J. and Seher, A.: Studien zur Stereospezifität der Biosynthese von Triacylglycerinen. *Fette, Seifen, Anstrichm.*, 86 (1984) 579-585.
- 1711 Gazdag, M., Szepesi, G. and Hernyes, M.: Reversed-phase ion-pair chromatography of organic acids on silica with cetrimide as cationic ion-pair reagent. *J. Chromatogr.*, 316 (1984) 267-277.
- 1712 Haddad, P.R., Alexander, P.W. and Trojanowicz, M.: High-performance liquid chromatography of organic acids with potentiometric detection using a metallic copper electrode. *J. Chromatogr.*, 315 (1984) 261-270.
- 1713 Hanai, T. and Hubert, J.: Chromatography of aromatic acids on ion exchangers. *J. Chromatogr.*, 316 (1984) 261-265.
- 1714 Kihara, K., Rokushika, S. and Hatano, H.: (Simple precolumn saponification and esterification with phenacyl reagents for microanalysis of fatty acid in fat and oil by high performance liquid chromatography). *Bunseki Kagaku*, 33 (1984) 647-652.
- 1715 Kok, W.T., Groenendijk, G., Brinkman, U.A.T. and Frei, R.W.: Determination of oxalic acid in biological matrices by liquid chromatography with amperometric detection. *J. Chromatogr.*, 315 (1984) 271-278.
- 1716 Livesey, G. and Edwards, T.E.: Quantification of branched-chain  $\alpha$ -keto acids as quinoxalinols: importance of excluding oxygen during derivatization. *J. Chromatogr.*, 337 (1985) 98-102.
- 1717 Low, C.-E., Pupillo, M.B., Bryant, R.W. and Bailey, J.M.: Inhibition of phytohemagglutinin-induced lymphocyte mitogenesis by lipoxynase metabolites of arachidonic acid; structure-activity relationships. *J. Lipid Res.*, 25 (1984) 1090-1095.
- 1718 Morishita, H., Iwashita, H., Osaka, N. and Kido, R.: Chromatographic separation and identification of naturally occurring chlorogenic acids by  $^1\text{H}$  nuclear magnetic resonance spectroscopy and mass spectrometry. *J. Chromatogr.*, 315 (1984) 253-260.

- 1719 Morrison, A.R., McLaughlin, L., Bloch, M. and Needleman, P.: A novel cyclooxygenase metabolite of arachidonic acid. *J. Biol. Chem.*, 259 (1984) 13579-13583.
- 1720 Morrison, A.R. and Crowley, J.R.: Identification of an unusual cyclooxygenase metabolite of arachidonic acid in rabbit renal medulla. *Arch. Biochem. Biophys.*, 234 (1984) 413-417.
- 1721 Naikwadi, K.P., Rokushika, S. and Hatanao, H.: Liquid chromatography of isomers of aromatic acids on microbore column packed with anion-exchange resin. *Chromatographia*, 18 (1984) 633-636.
- 1722 Netting, A.G. and Duffield, A.M.: High-performance liquid chromatographic separation of fatty acids as pentafluorobenzyl esters. *J. Chromatogr.*, 336 (1984) 115-123.
- 1723 Niwa, T., Yamada, K., Ohki, T. and Furukawa, H.: 3-Hydroxyhexanoic acid: an abnormal metabolite in urine and serum of diabetic ketoacidotic patients. *J. Chromatogr.*, 337 (1985) 1-7.
- 1724 Pfäffli, P., Härkönen, H. and Savolainen, H.: Urinary dimethylbenzoic acid excretion as an indicator of occupational exposure to white spirit. *J. Chromatogr.*, 337 (1985) 145-150.
- 1725 Robertson, W.G. and Scurr, D.S.: Prevention of ascorbic acid interference in the measurement of oxalic acid in urine by ion-chromatography. *Clin. Chim. Acta*, 140 (1984) 97-99.
- 1726 Ryan, P.J. and Honeyman, T.W.: Determination of fatty acids by high-performance liquid chromatography of dns-ethanolamine derivatives. *J. Chromatogr.*, 312 (1984) 461-466.
- 1727 Sato, T.: A new double column HPLC method for rapid separation of fatty acids. *Arch. Jpn. Chin.*, 53 (1984) 33-46; *C.A.*, 101 (1984) 166528g.
- 1728 Shimomura, Y., Taniguchi, K., Sugie, T., Murakami, M., Sugiyama, S. and Ozawa, T.: Analysis of the fatty acid composition of human serum lipids by high performance liquid chromatography. *Clin. Chim. Acta*, 143 (1984) 361-366.
- 1729 Stenson, W.F., Prescott, S.M. and Sprecher, H.: Leukotriene B formation by neutrophils from essential fatty acid-deficient rats. *J. Biol. Chem.*, 259 (1984) 11784-11789.
- 1730 Svendsen, J.S., Whist, J.E. and Sydnes, L.K.: Absolute configuration of 3-hydroxyadipic acid in human urine. *J. Chromatogr.*, 337 (1985) 9-19.
- 1731 Swarbrick, J., Lee, G., Brom, J. and Gensmantel, N.P.: Drug permeation through human skin. II: Permeability of ionizable compounds. *J. Pharm. Sci.*, 73 (1984) 1352-1355.
- 1732 Williamson, P.K. and Zurier, R.B.: Derivatization, separation and direct quantification of monohydroxy-eicosatetraenoic acids using reversed phase high performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2193-2201.
- 1733 Winter, M. and Herrmann, K.: Analysis of hydroxycinnamic acid esters and their glucosides by reversed-phase high-performance liquid chromatography after polyamide separation. *J. Chromatogr.*, 315 (1984) 243-251.
- 1734 Womersley, C., Drinkwater, L. and Crowe, J.B.: Separation of tricarboxylic acid cycle acids and other related organic acids in insect haemolymph by high-performance liquid chromatography. *J. Chromatogr.*, 318 (1985) 112-116.

For additional information see:

*C.A.*, 101 (1984) 194049v.

See also 1628, 1744, 1789, 2014, 2122, 2253.

#### 11b. Prostaglandins

- 1735 Johnson, D.M. and Taylor, W.F.: Degradation of fenprostalene in polyethylene glycol 400 solution. *J. Pharm. Sci.*, 73 (1984) 1414-1417.
- 1736 Lohmus, M., Niidas, P., Lopp, M. and Lille, U.: Quantitative analysis of prostacyclin by high performance liquid chromatography. *Eesti NSV Tead. Akad. Toim., Keem.*, 33 (1984) 181-186; *C.A.*, 101 (1984) 177602c.
- 1737 Plaisted, S.M., DeZwaan, J. and Snider, B.G.: High-performance liquid chromatographic determination of acid-catalyzed degradation products of methyl carboprost in a polymeric controlled-release device. *J. Chromatogr.*, 314 (1984) 369-377.

- 1738 Surrenti, C., Ricci, O.E., Casini, A., Ventura, L. and Nieri, S.: High performance liquid chromatographic method for prostaglandin E<sub>2</sub> determination in human gastric juice without derivatization. *J. Liq. Chromatogr.*, 7 (1984) 2409-2419.

For additional information see:  
C.A., 101 (1984) 184156p.

#### 11c. Lipids and their constituents

- 1739 Andrews, A.G.: Estimation of amniotic fluid phospholipids by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 139-150.
- 1740 Brautbar, N. and Coats, J.: Rapid separation and quantification of cell membrane and skeletal muscle phospholipids by HPLC and automatic phosphorus analysis. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 690-693; C.A., 101 (1984) 106870w - a review with 9 refs.
- 1741 Carunchio, V., Nicoletti, I., Frezza, L. and Sinibaldi, M.: High-performance liquid chromatography separation of phospholipids on chemically bonded silica gel. *Ann. Chim.*, 74 (1984) 331-339; C.A., 101 (1984) 166536h.
- 1742 Geeraert, E. and de Schepper, D.: Triglyceride analysis of fats in chocolate. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. Nutr. Sci. Food Saf.) (1984) 287-298; C.A., 101 (1984) 228595n.
- 1743 Graciani, C.E.: (Current status of the analysis of glycerides by high performance liquid chromatography). *Grasas Aceites (Seville)*, 35 (1984) 189-195; C.A., 101 (1984) 194069b - a review with 46 refs.
- 1744 Hamilton, J.G. and Comai, K.: Separation of neutral lipids and free fatty acids by high-performance liquid chromatography using low wavelength ultraviolet detection. *J. Lipid Res.*, 25 (1984) 1142-1148.
- 1745 Hurst, W.J. and Martin, R.A., Jr.: The analysis of phospholipids in soy lecithin by HPLC. *J. Am. Oil Chem. Soc.*, 61 (1984) 1462-1463.
- 1746 Igisu, H. and Suzuki, K.: Analysis of galactosylsphingosine (psychosine) in the brain. *J. Lipid Res.*, 25 (1984) 1000-1006.
- 1747 Kadowaki, H., Evans, J.E. and McCluer, R.H.: Separation of brain monosialoganglioside molecular species by high-performance liquid chromatography. *J. Lipid Res.*, 25 (1984) 1132-1139.
- 1748 Kuksis, A., Myher, J.J. and Marai, L.: Lipid methodology-chromatography and beyond. Part I. GC/MS and LC/MS of glycerolipids. *J. Am. Oil Chem. Soc.*, 61 (1984) 1582-1589.
- 1749 Kunze, D., Rüstow, B., Rabe, H. and Ullrich, K.P.: Diacylglycerol species in microsomes and mitochondria of normal and dystrophic human muscle. *Clin. Chim. Acta*, 140 (1984) 215-222.

See also 1653.

#### 11d. Lipoproteins and their constituents

- 1750 Cheung, M.C. and Albers, J.J.: Characterization of lipoprotein particles isolated by immunaffinity chromatography. Particles containing A-I and A-II and particles containing A-I but no A-II. *J. Biol. Chem.*, 259 (1984) 12201-12209.
- 1751 Okazaki, M., Konoshita, M., Naito, C. and Hara, I.: High-performance liquid chromatography of apolipoproteins in serum high-density lipoproteins. *J. Chromatogr.*, 336 (1984) 151-159.
- 1752 Vercaemst, R., Bury, J. and Rosseneu, M.: Isolation of human apolipoprotein E by high performance liquid chromatography. *J. Lipid Res.*, 25 (1984) 876.

See also 2045.

#### 12. ORGANIC PEROXIDES

- 1753 Chou, C.-K. and Locke, D.C.: Liquid chromatographic determination of benzoyl peroxide in acne preparations. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 913-915.

- 1754 Haslbeck, F. and Grosch, W.: Bildung von hydroperoxy-epidioxiden bei der Autoxidation von Linolsäurephenylester. *Fette, Seifen, Anstrichm.*, 86 (1984) 408-413.
- 1755 Koskas, J.P., Cillard, J. and Cillard, P.: Autoxidation of linoleic acid and behaviour of its hydroperoxides with and without tocopherols. *J. Am. Oil Chem. Soc.*, 61 (1984) 1466-1469.

See also 1717.

### 13. STEROIDS

#### 13a. Pregnane and androstane derivatives

- 1756 Asmus, P.A. and Landis, J.B.: Analysis of steroids in bulk pharmaceutical by liquid chromatography with light-scattering detection. *J. Chromatogr.*, 316 (1984) 461-472.
- 1757 Clair, P., Patricot, M.C., Mathian, B. and Ravol, A.: Androgen metabolism *in vitro* by human leukocytes. Variations with sex and age. *J. Steroid Biochem.*, 20 (1984) 377-381.
- 1758 Francis, F.E. and Kinsella, R.A., Jr.: Reversed-phase high-performance liquid chromatography of C<sub>21</sub> metabolites of progesterone. *J. Chromatogr.*, 336 (1984) 361-367.
- 1759 Kabadı, M.B., Valia, K.H. and Chien, Y.W.: Intravaginal controlled administration of flurogestone acetate. I.: Development of a stability-indicating liquid chromatographic method and stability kinetics of flurogestone acetate. *J. Pharm. Sci.*, 73 (1984) 1461-1464.
- 1760 MacFarlane, R.B.: Determination of corticosteroids in fish plasma by high performance liquid chromatography: Evaluation of the method using striped bass (*Morone saxatilis*). *Can. J. Fish. Aquat. Sci.*, 41 (1984) 1280-1286; *C.A.*, 101 (1984) 226103b.
- 1761 Mancilla, J. and Gil, L.: A simple, reliable and rapid HPLC method to separate and quantify androstenedione, testosterone and hydroxy-testosterones. *Anal. Lett.*, 17 (1984) 873-886.
- 1762 Nakamura, J.: (Determination of adrenal steroids by high-performance liquid chromatography. Determination of cortisol in urine). *Rinsho Kensa*, (1984) 498-503; *C.A.*, 101 (1984) 163730f.
- 1763 Powles, P., Robinson, D.T., Andrews, R.S. and Robinson, P.R.: Determination of trilostane and ketotrilostane in human plasma by high-performance liquid chromatography. *J. Chromatogr.*, 311 (1984) 434-442.
- 1764 Pugeat, M., Rocle, B., Chrousos, G.P., Dunn, J.F., Lipsett, M.B. and Nisula, B.C.: Plasma testosterone transport in primates. *J. Steroid Biochem.*, 20 (1984) 473-478.
- 1765 Scholler, R., Nahoul, K., Castanier, M., Rotman, J. and Salat-Baroux, J.: Testicular secretion of conjugated and unconjugated steroids in normal adults and in patients with varicocele. *J. Steroid Biochem.*, 20 (1984) 203-215.
- 1766 Shiverick, K.T., Ortiz, E., Fuhrman-Lane, C. and Crowley, P.: Effects of  $\beta$ -naphthoflavone and 3-methylcholanthrene administered to pregnant rats on steroid metabolism in the isolated basal zone of the placenta. *J. Pharmacol. Exp. Ther.*, 230 (1984) 761-767.
- 1767 Skrabalak, D.S., Covey, T.R. and Henion, J.D.: Qualitative detection of corticosteroids in equine biological fluids and the comparison of relative dexamethasone metabolite/dexamethasone concentration in equine urine by micro-liquid chromatography-mass spectrometry. *J. Chromatogr.*, 315 (1984) 359-372.
- 1768 Tokunaga, H., Kimura, T. and Kawamura, J.: Determination of glucocorticoids by liquid chromatography. III. Application to ointments and a cream containing cortisone acetate, dexamethasone acetate, fluorometholone, and betamethasone valerate. *Chem. Pharm. Bull.*, 32 (1984) 4012-4016.

#### 13b. Estrogens

- 1769 Batra, S.K. and Saumande, J.: High performance liquid chromatographic separation of estradiol-17 $\alpha$  and -17 $\beta$  in biological fluids; application to plasma, milk and urine of cows. *J. Liq. Chromatogr.*, 7 (1984) 2431-2446.



- 1770 Bond, A.M., Heritage, I.D. and Briggs, M.M.: Reversed-phase high-performance liquid chromatography for the determination of steroid hormones in oral contraceptives. *J. Chromatogr.*, 315 (1984) 313-320.
- 1771 Dohji, T., Fushimi, M., Kawabe, T., Kanuyama, F., Mori, M., Sugita, N. and Tanizawa, O.: Rapid measurement of oestradiol and oestriol by high-performance liquid chromatography after automatic pretreatment. *J. Chromatogr.*, 311 (1984) 249-255.
- 1772 Watanabe, K. and Yoshizawa, I.: Clinical analysis of steroids. XXXI. Assay of oestradiol 17-sulphate 4-hydroxylase activity by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 337 (1985) 114-120.

See also 1756.

### 13c. Sterols

- 1773 Swaczyna, H. and Montag, A.: Beitrag zur analytischen Erfassung der Cholesteryl-fettsäureester in biologischem Material. *Fette, Seifen, Anstrichm.*, 86 (1984) 436-446.
- 1774 Trzaskos, J.M., Bowen, W.D., Shafiee, A., Fischer, R.T. and Gaylor, J.L.: Cytochrome P-450-dependent oxidation of lanosterol in cholesterol biosynthesis. Microsomal electron transport and C-32 demethylation. *J. Biol. Chem.*, 259 (1984) 13402-13412.

### 13d. Bile acids and alcohols

- 1775 Carducci, C.N., Matejka, M., Ergüven, H., Labonia, N. and Mamianetti, A.: High-performance liquid chromatographic analysis of bile acids in hamster bile. *J. Chromatogr.*, 337 (1985) 91-97.
- 1776 Kasegawa, S., Uenoyama, R., Takeda, F., Chuma, J., Suzuki, K., Kamiyama, F., Yamazaki, K. and Baba, S.: A fully automatic method for analysis of individual bile acids in the serum using high-performance liquid chromatography for clinical use. *J. Liq. Chromatogr.*, 7 (1984) 2267-2287.
- 1777 Tal, D.M., Patrick, P.H. and Elliot, W.H.: Bile acids. LXX. Preparative separation of kryptogenin from companion saponinins by high performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2591-2603.
- 1778 Tietz, P.S., Thistle, J.L., Miller, L.J. and LaRusso, N.F.: Development and validation of a method for measuring the glycine and taurine conjugates of bile acids in bile by high performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 249-257.
- 1779 Wildgrube, H.J., Petri, J., Füssel, U., Stockhausen, H. and Lauer, H.: Untersuchungen mittels HPLC zum Gallensäurenmuster in der Galle unter biliärer Drainage. *Fette, Seifen, Anstrichm.*, 86 (1984) 603-606.

For additional information see:

*C.A.*, 101 (1984) 207216z, 226049p.

## 14. STEROID GLYCOSIDES AND SAPONINS

- 1780 Magnusson, J.O., Bergdahl, B., Bogentoft, C., Gustafsson, S. and Jonsson, U.E.: Increased metabolism to dihydrodigoxin after intake of a microencapsulated formulation of digoxin. *Eur. J. Clin. Pharmacol.*, 27 (1984) 197-202.

## 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

### 15a. Terpenes

- 1781 Dumon, B., Dorsaz, A.-C. and Hostettmann, K.: High-performance liquid chromatography of oleanane saponins. *J. Chromatogr.*, 315 (1984) 441-446.

- 1782 Hara, S., Dobashi, A., Eguchi, M., Sashida, Y. and Tsuda, T.: Liquid-solid chromatographic resolution of unsaturated terpenoid lactone isomers by packed glass microcapillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 701-702.
- 1783 Yang, T.-H., Zabriskie, T.M. and Poulter, C.D.: Investigation of isoprenoid benzoates and naphthoates by reversed-phase liquid chromatography. Isocratic elution characteristics of benzoates and naphthoates of C<sub>5</sub>-C<sub>20</sub> terpenoid alcohols. *J. Chromatogr.*, 312 (1984) 121-132.

#### 15b. Essential oils

- 1784 Hajji, S., Beliveau, J., Simon, D.Z., Salvador, R., Aube, C. and Conti, A.: A rapid method for the prefractionation of essential oils. Application to the essential oil of black spruce (*Picea mariana*, Mill. BSP.). *J. Liq. Chromatogr.*, 7 (1984) 2671-2677.
- 1785 Rouzet, M.: (The new concept of the chromatographic profile and the quality level of essential oils). *Labo-Pharma-Probl. Tech.*, 343 (1984) 462-466; *C.A.*, 101 (1984) 197922k.

#### 15c. Bitter substances

- 1786 Silvester, D.J.: Simultaneous determination of  $\alpha$ , $\beta$  and iso- $\alpha$  acids in hops and hop products. *J. Inst. Brew.*, 90 (1984) 319-322; *C.A.*, 101 (1984) 228474x.

### 16. NITRO AND NITROSO COMPOUNDS

- 1787 El-Bayoumy, K. and Hecht, S.S.: Metabolism of 1-nitro(U-4,5,9,10-<sup>14</sup>)pyrene in the F344 rat. *Cancer Res.*, 44 (1984) 4317-4322.
- 1788 Greibrokk, T., Iversen, B., Johansen, E.J., Ronningsen, H.-P. and Svendsen, H.: Separation of isomers of nitro-polycyclic aromatic hydrocarbons. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 671-678.
- 1789 Qiu, Z.Y., Huang, D.Y., Rokushika, S. and Hatano, H.: (Microbore packed column liquid chromatography of phenols and aromatic acids on poly(ethyleneimine) coated silica gel). *Bunseki Kagaku*, 33 (1984) 481-485.
- 1790 Sigvardson, K.W. and Birks, J.W.: Detection of nitro-polycyclic aromatic hydrocarbons in liquid chromatography by zinc reduction and peroxyoxalate chemiluminescence. *J. Chromatogr.*, 316 (1984) 507-518.

See also 1721.

### 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

See 1623.

#### 17a. Amines and polyamines

- 1791 Albert, L.S.R., Mitchell, S.D. and Gray, D.O.: Recovery of plant amines with carboxylic ion-exchange substrates and their subsequent analysis by thin-layer chromatography. *J. Chromatogr.*, 312 (1984) 357-385.
- 1792 Andersson, K., Hallgren, C., Levin, J.-O. and Nilsson, C.A.: Determination of aliphatic amines in air by reversed-phase high-performance liquid chromatography using 1-naphthyl isocyanate derivatives. *J. Chromatogr.*, 312 (1984) 482-488.
- 1793 Duncan, M.W., Smythe, G.A., Nicholson, M.V. and Clezy, P.S.: Comparison of high-performance liquid chromatography with electrochemical detection and gas chromatography-mass fragmentography for the assay of salsolinol, dopamine and dopamine metabolites in food and beverage samples. *J. Chromatogr.*, 336 (1984) 199-209.
- 1794 Furuta, H., Yamane, T. and Sugiyama, K.: Separation of cadaverine from putrescine, histamine and polyamines in rat kidney by phosphocellulose chromatography. *J. Chromatogr.*, 337 (1985) 103-109.

- 1795 Green, L.C., Skipper, P.L., Turesky, R.J., Bryant, M.S. and Tannenbaum, S.R.: *In vivo* dosimetry of 4-aminobiphenyl in rats via a cysteine adduct in hemoglobin. *Cancer Res.*, 44 (1984) 4254-4259.
- 1796 Hill, R.A.: Separation of methoxyanilines by competing-ion reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 227-230.
- 1797 Hohaus, E.: Liquid column-chromatographic separation and fluorimetric determination of primary *n*-alkylamines after derivatization with 2,2-diphenyl-1-oxa-3-oxonia-2-boratenaphthalene. *Fresenius' Z. Anal. Chem.*, 319 (1984) 533-539.
- 1798 McGovern, E.P. and Brewer, J.H.: High performance liquid chromatographic determination of phenylenediamines in process wastewaters using electrochemical detection. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 709-711.
- 1799 Melibin, G. and Smith, B.E.F.: Trace determination of aliphatic amines using high-performance liquid chromatography with chemiluminescence excitation and photon counting. *J. Chromatogr.*, 312 (1984) 203-210.
- 1800 Minchin, R.F. and Hanau, G.R.: Rapid and simple technique for the quantitation of polyamines in biological samples. *J. Liq. Chromatogr.*, 7 (1984) 2605-2610.

For additional information see:  
*C.A.*, 101 (1984) 183212s.

See also 1789.

#### 17b. Catecholamines and their metabolites

- 1801 Binder, S.R. and Sivorinovsky, G.: Measurement of urinary vanilmandelic acid and homovanillic acid by high-performance liquid chromatography with electrochemical detection following extraction by ion-exchange and ion-moderated partition. *J. Chromatogr.*, 336 (1984) 173-188.
- 1802 Ishimitsu, T., Hirose, S., Asahara, K. and Imaizumi, M.: The formation of 3-hydroxy-4-methoxyphenylalanine and 3-hydroxy-4-methoxyphenethylamine in plasma during L-DOPA therapy in patients with Parkinson's disease. *Chem. Pharm. Bull.*, 32 (1984) 3320-3322.
- 1803 Javors, M.A., Bowden, C.L. and Maas, J.W.:  $\beta$ -Methoxy-4-hydroxyphenylglycol, 5-hydroxyindoleacetic acid, and homovanillic acid in human cerebrospinal fluid. Storage and measurement by reversed-phase high-performance liquid chromatography and coulometric detection using 3-methoxy-4-hydroxyphenyllactic acid as an internal standard. *J. Chromatogr.*, 336 (1984) 259-269.
- 1804 Kemper, K., Hagemeyer, E., Boos, K.-S. and Schlimme, E.: Direct clean-up and analysis of urinary catecholamines. *J. Chromatogr.*, 336 (1984) 374-379.
- 1805 Kodama, K., Nakata, T. and Aoyama, M.: Direct determination of urinary vanillylmandelic acid and homovanillic acid by high-performance liquid chromatography on an anion-exchange column. *J. Chromatogr.*, 311 (1984) 369-374.
- 1806 Premel-Cabic, A., Turcant, A., Cailleux, A. and Allain, P.: (Determination of plasma noradrenaline by automatic high-pressure liquid chromatography with electrochemical detection). *Pathol. Biol.*, 32 (1984) 739-742; *C.A.*, 101 (1984) 222834t.
- 1807 Saionji, K.: (Determination of catecholamine in blood). *Rinsho Kensa*, (1984) 504-511; *C.A.*, 101 (1984) 204324x - a review with 6 refs.
- 1808 Weicker, H., Feraudi, M., Hägele, H. and Pluto, R.: Electrochemical detection of catecholamines in urine and plasma after separation with HPLC. *Clin. Chim. Acta*, 141 (1984) 17-25.
- 1809 Weicker, H., Weiss, F., Hack, H., Hägele, H. and Pluto, R.: (Plasma catecholamine detection and its practical application with electronic detector after HPLC). *Dtsch. Z. Sportmed.*, 35 (1984) 225-233; *C.A.*, 101 (1984) 184160k.
- 1810 Yonehara, N. and Clouet, D.H.: Effects of  $\delta$ , and  $\mu$  opiopeptides on the turnover and release of dopamine in rat striatum. *J. Pharmacol. Exp. Ther.*, 231 (1984) 38-42.
- 1811 Yoshiura, M., Iwamoto, T. and Iriyama, K.: Study on separation of biological materials adsorbed on alumina using reversed-phase, ion-pair high-performance liquid chromatography with electrochemical detection. *Jikeikai Med. J.*, 31 (1984) 55-62; *C.A.*, 101 (1984) 206947b.

For additional information see:

*C.A.*, 101 (1984) 184161m, 184164q, 184165r, 184166s, 184178x, 187207s.

See also 1654.

## 17c. Amine derivatives and amides (excluding peptides)

- 1812 Ben-Bassat, A.A., Wasserman, T. and Basch, A.: Determination of the mono and diethanolamides of palmitic acid and of soybean oil fatty acids by high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2545-2560.
- 1813 Blanke, S.R. and Blanke, R.V.: The Schotten-Baumann reaction as an aid to the analysis of polar compounds: Applications to the determination of tris(hydroxy-methyl)aminomethane (THAM). *J. Anal. Toxicol.*, 8 (1984) 231-233; *C.A.*, 101 (1984) 205412m.
- 1814 Caccamese, S., Iacona, V., Scarlata, G. and Toscano, R.M.: Substituent effects in high-performance liquid chromatography of diarylacrylonitriles. *J. Liq. Chromatogr.*, 7 (1984) 2631-2642.
- 1815 Kai, M., Miyazaki, T. and Ohkura, Y.: High-performance liquid chromatographic measurement of guanidino compounds of clinical importance in human urine and serum by pre-column fluorescence derivatization using benzoin. *J. Chromatogr.*, 311 (1984) 257-266.
- 1816 Lehtonen, P.: Reversed-phase retention behaviour of *Dns*-amides as a function of eluent composition and molecular structure in ethanol-water and methanol-water. *J. Chromatogr.*, 314 (1984) 141-153.
- 1817 Nagashima, H., Machida, W., Nakayama, N. and Utsumi, S.: (Quality test of diphenylcarbazine reagent and the stability of diphenylcarbazine solution). *Bunseki Kagaku*, 33 (1984) 533-537.
- 1818 Nondek, L. and Chvalovsky, V.: On-line pre-concentration and liquid chromatography of azaarenes using nitroaromatic sorbents. *J. Chromatogr.*, 312 (1984) 303-312.
- 1819 Onishi, E., Yamada, T., Yamada, K., Inoue, H., Seyama, Y. and Yamashita, S.: (Amygdalin assay in *Armenia semen* and its preparations). *Bunseki Kagaku*, 33 (1984) 477-481.

See also 1629, 1787, 2138, 2253.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

## 18a. Amino acids and their derivatives

- 1820 Allen, I.C. and Griffiths, R.: Reversed-phase high-performance liquid chromatographic method for determination of brain glutamate decarboxylase suitable for use in kinetic studies. *J. Chromatogr.*, 336 (1984) 385-391.
- 1821 Beers, M.F., Stern, M., Hurtig, H., Melvin, G. and Scarpa, A.: Simultaneous determination of L-DOPA and 3-O-methyldopa in human serum by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 380-384.
- 1822 Bhowm, A.S. and Bennet, J.C.: Identification of phenylthiohydantoin derivatives of substituted amino acids encountered during amino acid sequence analysis by high-performance liquid chromatography. *J. Chromatogr.*, 314 (1984) 467-470.
- 1823 Bidlingmeyer, B.A., Cohen, S.A. and Tarvin, T.L.: Rapid analysis of amino acids using pre-column derivatization. *J. Chromatogr.*, 336 (1984) 93-104.
- 1824 Buck, R.H. and Krummen, K.: Resolution of amino acid enantiomers by high-performance liquid chromatography using automated pre-column derivatization with a chiral reagent. *J. Chromatogr.*, 315 (1984) 279-285.
- 1825 Carisano, A.: Rapid and sensitive method for the determination of proline by reversed-phase high-performance liquid chromatography with automated pre-column fluorescence derivatization. *J. Chromatogr.*, 318 (1985) 132-138.
- 1826 Chen, T.-M. and Contario, J.J.: High-performance liquid chromatographic resolution of enantiomers by  $\gamma$ -vinyl- $\gamma$ -aminobutyric acid. *J. Chromatogr.*, 314 (1984) 495-498.
- 1827 Chin, C.C.Q.: Ion-exchange chromatography of some amino acid derivatives found in proteins. *Methods Enzymol.*, 106 (Posttransl. Modif., Part A) (1984) 17-21; *C.A.*, 101 (1984) i66529h.
- 1828 Cohen, K.A., Dolan, J.W. and Grillo, S.A.: Examination of theoretical principles of gradient elution as applied to reversed-phase high-performance liquid chromatography separation of phenylthiohydantoin amino acids. *J. Chromatogr.*, 316 (1984) 359-372.

- 1829 Cohen, S.A., Tarvin, T.L. and Bidlingmeyer, B.A.: Analysis of amino acids using precolumn derivatization with phenylisothiocyanate. *Int. Lab.*, 14 (1984) 68-75.
- 1830 Cooper, J.D.H., Ogden, G., McIntosh, J. and Turnell, D.C.: The stability of the *o*-phthalaldehyde/2-mercaptoethanol derivatives of amino acids: an investigation using high-pressure liquid chromatography with a precolumn derivatization technique. *Anal. Biochem.*, 142 (1984) 98-102.
- 1831 Cunico, R.L., Simpson, R., Correia, L. and Wehr, C.T.: High-sensitivity phenylthiohydantoin amino acid analysis using conventional and microbore chromatography. *J. Chromatogr.*, 336 (1984) 105-113.
- 1832 Felchoff, R.C., Ledden, D.J., Steffen, M.C., Steffen, J.M. and Musacchia, X.J.: Analysis of 1- and 3-methylhistidines, aromatic and basic amino acids in rat and human urine. *J. Chromatogr.*, 311 (1984) 267-276.
- 1833 Ganther, H.E., Kraus, R.J. and Foster, S.J.: Identification of selenocysteine by high-performance liquid chromatography and mass spectrometry. *Methods Enzymol.*, 107 (Posttransl. Modif.) (1984) 582-592; *C.A.*, 101 (1984) 207162d.
- 1834 Glajch, J.L., Gluckman, J.C., Charikofsky, J.G., Minor, J.M. and Kirkland, J.J.: Simultaneous selectivity optimization of mobile and stationary phases in reversed-phase liquid chromatography for isocratic separations of phenylthiohydantoin amino acid derivatives. *J. Chromatogr.*, 318 (1984) 23-39.
- 1835 Golkiewicz, W., Wolski, T., Bartuzi, G., Jasinski, T. and Stankowska, J.: Quantitative determination of trace amounts of L-alanine in triglycine sulphate crystals by HPLC. *Chromatographia*, 18 (1984) 701-703.
- 1836 Konomi, H., Hayashi, T., Takehana, Y. and Arima, M.: Rapid and sensitive amino acid analysis of human collagens using high-performance liquid chromatography. *J. Chromatogr.*, 311 (1984) 375-379.
- 1837 Krishnamurti, C.R., Heindze, A.M. and Galzy, G.: Application of reversed-phase high-performance liquid chromatography using pre-column derivatization with *o*-phthalaldehyde for the quantitative analysis of amino acids in adult and fetal sheep plasma, animal feeds and tissues. *J. Chromatogr.*, 315 (1984) 321-331.
- 1838 Lasley, M., Greenland, R.D. and Michaelson, I.A.: Determination of gamma-aminobutyric and glutamic acids in rat brain by liquid chromatography with electrochemical detection. *Life Sci.*, 35 (1984) 1921-1930; *C.A.*, 101 (1984) 204443k.
- 1839 Lindblad, W.J. and Diegelmann, R.F.: Chromatographic separation of preparative quantities of the stereoisomers of *trans*-2,3-*cis*-3,4-dihydroxy-L-proline. *J. Chromatogr.*, 315 (1984) 447-450.
- 1840 Lu, S.H. and Gracy, R.W.: Solid-phase protein and peptide sequencing using either 4-N,N-dimethylaminoazobenzene 4'-isothiocyanate or phenylisothiocyanate. *Arch. Biochem. Biophys.*, 235 (1984) 48-62.
- 1841 Lucero, F.G. and Sanchez, V.M.: (Analysis of amino acids by high-pressure liquid chromatography). *Politecnica*, 9 (1984) 161-167; *C.A.*, 101 (1984) 169209q.
- 1842 Martinez, J.A., Torres, A. and Larralde, J.: (New method for the determination of 3-methyl-histidine in human urine using high-pressure liquid chromatography). *Laboratorio*, 456 (1983) 639-644; *C.A.*, 101 (1984) 166542g.
- 1843 Minkler, P.E., Ingalls, S.T., Kormos, L.S., Weir, D.E. and Hoppel, C.L.: Determination of carnitine, butyrobetaine, and betaine as 4'-bromophenacyl ester derivatives by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 271-283.
- 1844 Miyaguchi, K., Honda, K. and Imai, K.: Microbore high-performance liquid chromatography and chemiluminescence detection of Dns-amino acids. *J. Chromatogr.*, 316 (1984) 501-505.
- 1845 Nelsestuen, G.L.:  $\gamma$ -Carboxyglutamic acid: Assay methods. *Methods Enzymol.*, 107 (Posttransl. Modif.) (1984) 503-507; *C.A.*, 101 (1984) 207157f.
- 1846 Pahuja, S.B., Albert, J. and Reid, T.W.: Use of an optimum wavelength to detect glutamic acid and its metabolites in human serum by reversed-phase HPLC. *J. Liq. Chromatogr.*, 7 (1984) 2261-2266.
- 1847 Reavis, F.J. and Contario, J.J.: High performance liquid chromatographic assay for alpha-difluoromethylornithine in rodent feed. *J. Liq. Chromatogr.*, 7 (1984) 2179-2191.
- 1848 Robert, J.C. and Serog, P.: Determination of 3-methyl-L-histidine in human urine by ion exchange high performance liquid chromatography. Applications to patients in postoperative surgical care. *Clin. Chim. Acta*, 142 (1984) 161-181.

- 1849 Seaver, S.S., Rudolph, J.L. and Gabriels, J.E., Jr.: A rapid HPLC technique for monitoring amino acid utilization in cell culture. *BioTechniques*, 2 (1984) 254-260; *C.A.*, 101 (1984) 206966g.
- 1850 Stimler, N.P.: High-performance liquid chromatographic quantitation of collagen biosynthesis in explant cultures. *Anal. Biochem.*, 142 (1984) 103-108.
- 1851 Walsh, K.A. and Sasagawa, T.: High-performance liquid chromatography probes for posttranslationally modified amino acids. *Methods Enzymol.*, 106 (Posttransl. Modif., Part A) (1984) 22-29; *C.A.*, 101 (1984) 166460d.
- 1852 Weinstein, S. and Grinberg, N.: Enantiomeric separation of underivatized  $\alpha$ -methyl- $\alpha$ -amino acids by high-performance liquid chromatography. *J. Chromatogr.*, 318 (1985) 117-121.
- 1853 Weissberger, L.E. and Armstrong, M.K.: Canavanine analysis of alfalfa extracts by high performance liquid chromatography using pre-column derivatization. *J. Chromatogr. Sci.*, 22 (1984) 438-440.

For additional information see:  
*C.A.*, 101 (1984) 197989n.

See also 1721, 1891.

*18b. Peptides and peptidic and proteinous hormones*

- 1854 Bindewald, R., Dahno, W., Buellesbach, E.E., Bodanszky, M. and Zahn, H.: 4-Sulfo benzyl ester - its use in peptide synthesis. *Int. J. Pept. Protein Res.*, 23 (1984) 376-383; *C.A.*, 101 (1984) 230993j.
- 1855 Chaiken, I.M., Kanmera, T., Sequeira, R.P. and Swaisgood, H.E.: High-performance liquid chromatography and studies of neurophysin-neurohypophysial hormone pathways. *J. Chromatogr.*, 336 (1984) 63-71.
- 1856 Cody, W.L., Wilkes, B.C. and Hruby, V.J.: Reversed-phase high-performance liquid chromatography studies of  $\alpha$ -MSH fragments. *J. Chromatogr.*, 314 (1984) 313-321.
- 1857 Doris, P.A.: Separation of biologically important angiotensin peptides by high-performance liquid chromatography on weak cationic exchange bonded phase. *J. Chromatogr.*, 336 (1984) 392-396.
- 1858 Emanuel, R.L., Williams, G.H. and Giese, R.W.: Recovery of standard  $^{125}\text{I}$ -peptides at the picogram and femtogram level by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 312 (1984) 285-292.
- 1859 Fejes-Toth, G., Naray-Fejes-Toth, A. and Frolich, J.C.: Measurement of urinary kinins by HPLC-radioimmunoassay. *Clin. Chim. Acta*, 140 (1984) 21-29.
- 1860 Fischman, A.J., Kastin, A.J. and Graf, M.V.: HPLC shadowing: artifacts in peptide characterization monitored by RIA. *Peptides*, 5 (1984) 1007-1010; *C.A.*, 101 (1984) 222833s.
- 1861 Hayakawa, K. and Tanaka, H.: High-performance liquid chromatographic determination of bovine and porcine insulins in a commercial injection. *J. Chromatogr.*, 312 (1984) 476-481.
- 1862 Hermann, K., Lang, R.E., Unger, T., Bayer, C. and Ganten, D.: Combined high-performance liquid chromatography-radioimmunoassay for the characterization and quantitative measurement of neuropeptides. *J. Chromatogr.*, 312 (1984) 273-284.
- 1863 Keel, B.A. and Grotjan, H.E., Jr.: Characterization of rat lutropin charge microheterogeneity using chromatofocusing. *Anal. Biochem.*, 142 (1984) 267-270.
- 1864 Knight, M., Ito, Y., Kask, A.M., Tamminga, C.A. and Chase, T.N.: Chromatography of ac-asp-tyr-met-gly-try-met-asp-NH<sub>2</sub> on the horizontal flour through coil planet centrifuge and the high-speed multi-layer coil planet centrifuge. *J. Liq. Chromatogr.*, 7 (1984) 2525-2533.
- 1865 Koenig, W., Bickel, M., Karch, K., Teetz, V. and Uhmann, R.: Analogs and fragments of secretin. *Peptides*, 5 (1984) 189-193; *C.A.*, 101 (1984) 231001w.
- 1866 Kuffer, A.D. and Herington, A.C.: Partial purification of a specific inhibitor of the insulin-like growth factors by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 87-92.
- 1867 Marchetti, P., Benzi, L., Cecchetti, P. and Navalesi, R.: A rapid separation of A<sub>14</sub>- $^{125}\text{I}$ -insulin from heterogeneous iodination mixtures by high performance liquid chromatography (HPLC). *J. Nucl. Med. Allied Sci.*, 20 (1984) 31-34; *C.A.*, 101 (1984) 204434h.

- 1868 Miller, J.J., Schultz, G.S. and Levy, R.S.: Rapid purification of radioiodinated peptides with Sep-Pak reversed phase cartridges and HPLC. *Int. J. Pept. Protein Res.*, 24 (1984) 112-122; *C.A.*, 101 (1984) 187200j.
- 1869 Minamino, N., Masuda, H., Kangawa, K. and Matsuo, H.: Regional distribution of neuromedin K and neuromedin L in rat brain and spinal cord. *Biochem. Biophys. Res. Commun.*, 124 (1984) 731-738.
- 1870 Ohashi, S., Kokubu, T. and Shiraki, M.: (Analysis and purification of somatostatin and its analogs by high performance liquid chromatography). *Kenkyu Hokoku-Sen'i Kobunshi Zairo Kenkyusho*, (1984) 1-10; *C.A.*, 101 (1984) 204423d.
- 1871 Okamoto, K., Yasumura, K., Fujitani, K., Kiso, Y., Kawauchi, H., Kawazoe, I. and Yajima, H.: Synthesis of the heptadecapeptide corresponding to the entire amino acid sequence of salmon melanin-concentrating hormone (MCH). *Chem. Pharm. Bull.*, 32 (1984) 2963-2970.
- 1872 Schettler, T., Aufm'Kolk, B., Atkinson, M.J., Radeke, H., Enters, C. and Hesch, R.D.: Analysis of immunoreactive and biologically active human parathyroid hormone peptides by high-performance liquid-chromatography. *Acta Endocrinol.*, 107 (1984) 60-69; *C.A.*, 101 (1984) 204425f.
- 1873 Shamoon, J.M. and Davies, I.A.I.: Separation of the enkephalins from proteins in an aqueous medium by chromatofocusing. *J. Chromatogr.*, 314 (1984) 499-505.
- 1874 Soparkar, C.N.S., Malison, R.T. and Burton, J.: Development of a system to simplify identification of peptides and their catabolites in a high-performance liquid chromatographic effluent. *J. Chromatogr.*, 337 (1985) 110-113.
- 1875 Stephenson, F.A. and Rogol, A.D.: Anti-insulin-like (diabetogenic) peptides in pituitary extracts: role of oxytocin. *Arch. Biochem. Biophys.*, 234 (1984) 214-229.
- 1876 Wettenhall, R.E.H. and Quinn, M.J.: Separation of tryptic phosphopeptides of ribosomal origin by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 51-61.
- 1877 Whittaker, B.A. and Allewell, N.M.: Analysis of self-association of bovine neurophysins by gel chromatography. *Arch. Biochem. Biophys.*, 234 (1984) 585-590.

For additional information see:

*C.A.*, 101 (1984) 222824q, 222819s, 206943x.

See also 1891.

18c. General techniques of elucidation of structure of proteins

- 1878 Borrás-Cuestra, F. and Truche, E.: The purification of myosin long subfragment 2 by DEAE-Sephacel CL-6B ion-exchange chromatography. *Anal. Biochem.*, 142 (1984) 84-87.
- 1879 Fullmer, C.S.: Identification of cysteine-containing peptides in protein digests by high-performance liquid chromatography. *Anal. Biochem.*, 142 (1984) 336-339.
- 1880 Kim, H.Y., Pilosof, D., Dyckes, D.F. and Vestal, M.L.: On-line peptide sequencing by enzymic hydrolysis, high performance liquid chromatography, and thermospray mass spectrometry. *J. Am. Chem. Soc.*, 106 (1984) 7304-7309; *C.A.*, 101 (1984) 226241v.
- 1881 Miyata, T., Iwanaga, S., Sakata, Y., Aoki, N., Takamatsu, J. and Kamiya, T.: Plasminogens Tochigi II. and Nagoya: Two additional molecular defects with Ala-600<sup>→</sup>Thr replacement found in plasmin light chain variants. *J. Biochem. (Tokyo)*, 96 (1984) 277-287.
- 1882 Parker, D.S., Raufman, J.-P., O'Donoghue, T.L., Bledsoe, M., Yoshida, H. and Pisano, J.J.: Amino acid sequence of helospectins, new members of the glucagon superfamily, found in *Gila monster* venom. *J. Biol. Chem.*, 259 (1984) 11751-11755.
- 1883 Shimomura, H., Kanai, Y. and Sanada, K.: Primary structure of cat osteocalcin. *J. Biochem. (Tokyo)*, 96 (1984) 405-411.
- 1884 Xia, Q.-C., Chang, D., Blacher, R. and Lai, C.-Y.: The primary structure of the COOH-terminal half of cholera toxin subunit A, containing the ADP-ribosylation site. *Arch. Biochem. Biophys.*, 234 (1984) 363-370.

See also 1840.

## 19. PROTEINS

## 19a. General techniques

- 1885 Asakawa, T.: (Estimation of the molecular weight of protein by gel filtration in 5M guanidine hydrochloride: comparison of 4 different gel matrixes and the molecular weights of abalone myosin light chains). *Hokkaido Kyoiku Daigaku Kiyo, Dai-2-Bu*, 34 (1983) 47-55; *C.A.*, 101 (1984) 187203n.
- 1886 Axelson, J.T., Bodley, J.W., Chen, J.-Y., Dunlop, P.C., Rosenthal, L.P., Viskup, R.W. and Walseth, T.F.: Anion-exchange chromatography of proteins on AG MP-1 using high-performance liquid chromatography equipment. *Anal. Biochem.*, 142 (1984) 373-377.
- 1887 Chang, J.P., Melander, W.R. and Horvath, C.: Reversed-phase chromatography of proteins with diphenyl-silica column and hydro-organic eluents containing two organic solvents. *J. Chromatogr.*, 318 (1985) 11-21.
- 1888A Dunn, B.M.: The study of ligand-protein interactions utilizing affinity chromatography. *Appl. Biochem. Biotechnol.*, 9 (1984) 261-264; *C.A.*, 101 (1984) 206861u - a review with 69 refs.
- 1889 Fujitaki, J.M. and Smith, R.A.: Techniques in the detection and characterization of phosphoramidate-containing proteins. *Methods Enzymol.*, 107 (Posttransl. Modif.) (1984) 23-36; *C.A.*, 101 (1984) 226249d.
- 1890 Galkin, A.V., Kovaleva, I.E. and Kalnov, S.L.: Adsorption chromatography on Toyopearl: a single-step alternative to salt fractionation of protein mixtures. *Anal. Biochem.*, 142 (1984) 252-257.
- 1891 Grego, B. and Hearn, M.T.W.: High-performance liquid chromatography of amino acids, peptides and proteins. LXIII. Reversed-phase high-performance liquid chromatographic characterisation of several polypeptide and protein hormones. *J. Chromatogr.*, 336 (1984) 25-40.
- 1892 Johansson, B.-L. and Stafström, N.: Column lifetime in fast protein liquid chromatography. *J. Chromatogr.*, 314 (1984) 396-401.
- 1893 Josic, D., Baumann, H. and Reutter, W.: Size-exclusion high-performance liquid chromatography and sodium dodecyl sulfate-polyacrylamide gel electrophoresis of proteins: a comparison. *Anal. Biochem.*, 142 (1984) 473-479.
- 1894 Lesins, V. and Ruckenstein, E.: Control of the interaction potential for improved resolution in potential barrier chromatography. *Separ. Sci.*, 19 (1984) 219-240.
- 1895 Meredith, S.C.: The determination of molecular weight of proteins by gel permeation chromatography in organic solvents. *J. Biol. Chem.*, 259 (1984) 11682-11685.
- 1896 Miller, N.T., Feibush, B. and Karger, B.L.: Wide-pore silica-based ether-bonded phases for separation of proteins by high-performance hydrophobic-interaction and size-exclusion chromatography. *J. Chromatogr.*, 316 (1984) 519-536.

See also 1590.

## 19b. Proteins of cells, viruses and subcellular particles

- 1897 Holbrock, N.J., Bodwell, J.E. and Munck, A.: Stabilization of glucocorticoid-receptor complexes in rat thymus cytosol by a factor from WEHI-7 cells. *J. Steroid Biochem.*, 20 (1984) 245-250.
- 1898 Krekauer, T.: Structural analysis of the charge heterogeneity of human interleukin 1. *Arch. Biochem. Biophys.*, 234 (1984) 371-376.
- 1899 Sato, M., Ohishi, N. and Yagi, K.: Localization and identification of covalently bound flavoproteins in rat liver mitochondria by prelabeling of their flavin moiety. *J. Biochem. (Tokyo)*, 96 (1984) 553-562.

See also 1924.

## 19c. Microbial and plant proteins

- 1900 Bjorn, M.J., Larrick, J., Piatak, M. and Wilson, K.J.: Characterization of translational inhibitors from *Phytolacca americana*. Amino-terminal sequence determination and antibody-inhibitor conjugates. *Biochim. Biophys. Acta*, 790 (1984) 154-163.



- 1901 Ruebner, F.R. and Bietz, J.A.: Separation of wheat gliadins by preparative reversed-phase high-performance liquid chromatography. *Cereal Chem.*, 61 (1984) 449-454; *C.A.*, 101 (1984) 209440s.
- 1902 Simpson, L.L.: Molecular basis for the pharmacological actions of *Clostridium botulinum* type C<sub>2</sub> toxin. *J. Pharmacol. Exp. Ther.*, 230 (1984) 665-669.
- 1903 Staswick, P.E., Hermodson, M.A. and Nielson, N.C.: The amino acid sequence of the A<sub>2</sub>B<sub>1a</sub> subunit of glycinin. *J. Biol. Chem.*, 259 (1984) 13424-13430.
- 1904 Yano, O., Fukuda, T., Abe, H. and Sudo, T.: Purification and characterization of a tuberculin active substance from *Mycobacterium bovis* BCG. *J. Biochem. (Tokyo)*, 96 (1984) 523-531.

For additional information see:  
*C.A.*, 101 (1984) 166551j.

See also 1886.

#### 19d. Proteins of blood, serum and blood cells

- 1905 Andersson, L.: Fractionation of human serum proteins by immobilized metal affinity chromatography. *J. Chromatogr.*, 315 (1984) 167-174.
- 1906 Birkenmeier, G., Tschechonien, B. and Kopperschlaeger, G.: Affinity chromatography and affinity partition of human serum pre-albumin using immobilized Remazol Yellow GGL. Evidence that albumin increases binding of pre-albumin to the dye. *FEBS Lett.*, 174 (1984) 162-166; *C.A.*, 101 (1984) 187434p.
- 1907 Ellis, G., Diamandis, E.P., Giesbrecht, E.E., Daneman, D. and Allen, L.C.: An automated "high-pressure" liquid-chromatographic assay for hemoglobin A<sub>1c</sub>. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1746-1752.
- 1908 Gentile, T.C., Dierks, S.E. and Watt, R.M.: Interaction of porcine immunoglobulin M with protein A of *Staphylococcus aureus*. *Biochim. Biophys. Acta*, 791 (1984) 102-111.
- 1909 Kshirsagar, B., Wilson, B. and Wiggins, R.C.: Polymeric complexes and fragments of albumin in normal human plasma. *Clin. Chim. Acta*, 143 (1984) 265-273.
- 1910 Tillyer, C.R., Dowding, B. and Tarnoky, A.L.: Chromatofocusing of three hereditary variants of serum albumin: Isolation of a new variant albumin Jaffna. *Clin. Chim. Acta*, 142 (1984) 131-135.
- 1911 Warden, B.A. and Giese, R.W.: Soluble antibody affinity chromatography technique investigated with ultratrac [<sup>25</sup>I]thyroxine. *J. Chromatogr.*, 314 (1984) 295-302.

For additional information see:  
*C.A.*, 101 (1984) 166721q, 187092a, 187376w, 189366s, 206920n, 206956d.

See also 1894.

#### 19f. Protamines, histones and other nuclear proteins

- 1912 Smulson, M.E.: Poly(ADP-ribosyl)ation of nucleosomal chromatin: Electrophoretic and immunofractionation methods. *Methods Enzymol.*, 106 (Posttransl. Modif., Part A) (1984) 512-522; *C.A.*, 101 (1984) 187414g.
- 1913 Wen, L. and Reeck, G.R.: Purification of high mobility group nonhistone chromosomal proteins by liquid chromatography on a column containing immobilized histone H5. *J. Chromatogr.*, 314 (1984) 436-444.

#### 19g. Chromoproteins and metalloproteins

- 1914 Abraham, E.C., Perry, R.E. and Stallings, M.: Reply to comments on application of affinity chromatography for separation and quantitation of glycosylated hemoglobins. *J. Lab. Clin. Med.*, 104 (1984) 137-138; *C.A.*, 101 (1984) 206962c.
- 1915 Bonomi, F. and Kurtz, D.M., Jr.: Chromatographic separation of extruded iron-sulfur cores from the apoproteins of *Clostridium pasteurianum* and spinach ferredoxine in aqueous Triton X-100/urea. *Anal. Biochem.*, 142 (1984) 226-231.
- 1916 Mason, J.D., Bourgeois, M.J. and Varma, S.K.: Comment on application of affinity chromatography for separation and quantitation of glycosylated hemoglobins. *J. Lab. Clin. Med.*, 104 (1984) 135-137; *C.A.*, 101 (1984) 206961b.

- 1917 Riley, C.T., Barbeau, B.K., Keim, P.S., Kezdy, F.J., Heinrikson, R.L. and Law, J.H.: The covalent protein structure of insecticyanin, a blue biliprotein from the hemolymph of the tobacco hornworm, *Manduca sexta* L. *J. Biol. Chem.*, 259 (1984) 13159-13165.
- 1918 Takabe, T., Ishikawa, H., Niwa, S. and Tanaka, Y.: Electron transfer reactions of chemically modified plastocyanin with P700 and cytochrome *f*. Importance of local changes. *J. Biochem. (Tokyo)*, 96 (1984) 385-393.

For additional information see:

C.A., 101 (1984) 166534f, 187429r, 187527w, 205879u, 206957e, 206965f, 206969k.

See also 1907.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 1919 Anderson, M., Griffin, M.C.A. and Moore, C.: Fixation of bovine casein micelles for chromatography on controlled pore glass. *J. Dairy Res.*, 51 (1984) 615-622; *C.A.*, 101 (1984) 209170d.
- 1920 Dettmer, R., Kaergel, H.J. and Stahl, J.: Preparation of 40S ribosomal subunit proteins of rat liver by combination of ion exchange chromatography with reversed phase liquid chromatography. *Biomed. Biochim. Acta*, 43 (1984) 933-941; *C.A.*, 101 (1984) 187239d.
- 1921 Isemura, S., Saitoh, E. and Sanada, K.: Isolation and amino acid sequence of SAP-1, an acidic protein of human whole saliva, and sequence homology with human  $\gamma$ -trace. *J. Biochem. (Tokyo)*, 96 (1984) 489-498.
- 1922 Parente, E.S. and Wetlaufer, D.B.: Effects of urea-thermal denaturation on the high-performance cation-exchange chromatography of  $\alpha$ -chymotrypsinogen-A. *J. Chromatogr.*, 314 (1984) 337-347.
- 1923 Reimerdes, E.H., Mehrens, H.A. and Hofer, A.: (HPLC determination of  $\beta$ -lactoglobulin in the study of heat-treated milk products). *Lebensmittelchem. Gerichtl. Chem.*, 38 (1984) 122-123; *C.A.*, 101 (1984) 228726f.

19i. *Proteins of neoplastic tissue*

See 1934.

19j. *Specific binding proteins*

- 1924 Govindan, M.V. and Gronemeyer, H.: Characterization of the rat liver glucocorticoid receptor purified by DNA-cellulose and ligand affinity chromatography. *J. Biol. Chem.*, 259 (1984) 12915-12924.
- 1925 Kirandi, R.Y., Pontes, E.J., Murphy, G.P. and Sandberg, A.A.: Correlation of estrogen and androgen receptor status in prostatic disease measured by high pressure liquid chromatography. *J. Steroid Biochem.*, 20 (1984) 401-406.
- 1926 Kitraki, E., Alexix, M.N. and Stylianopoulou, F.: Glucocorticoid receptors in developing rat brain and liver. *J. Steroid Biochem.*, 20 (1984) 264-269.
- 1927 Liao, S., Witte, D., Schilling, K. and Chang, C.: The use of hydroxylapatite-filter steroid receptor assay method in the study of the modulation of androgen receptor interaction. *J. Steroid Biochem.*, 20 (1984) 11-17.
- 1928 Puri, R.K., Dougherty, J.J. and Toft, D.O.: The avian progesterone receptor: Isolation and characterization of phosphorylated forms. *J. Steroid Biochem.*, 20 (1984) 23-29.
- 1929 Robinson, R.M. and Hermans, J.: Subunit interactions in human plasma fibronectin. *Biochem. Biophys. Res. Commun.*, 124 (1984) 718-725.
- 1930 Shoyab, M. and Boaze, R., Jr.: Isolation and characterization of a specific receptor for biologically active phorbol and ingenol esters. *Arch. Biochem. Biophys.*, 234 (1984) 197-205.
- 1931 Tsuchida, P., Mester, J., Renoir, J.M., Catelli, M.G., Binart, N., Buchou, T. and Baulieu, E.E.: Effects of calcium on the chick oviduct progesterone receptor. *J. Steroid Biochem.*, 20 (1984) 429-432.

- 1932 Weisz, A., Baxter, J.D. and Lan, N.C.: Interaction of sodium molybdate with highly purified glucocorticoid receptor. *J. Steroid Biochem.*, 20 (1984) 289-293.

For additional information see:

*C.A.*, 101 (1984) 187489k, 187526v, 204449s.

See also 1897.

#### 19k. Urinary proteins

- 1933 Ala-Houhala, I., Parviainen, M.T. and Pasternack, A.: A comparison of three different methods of concentration of urinary proteins. *Clin. Chim. Acta*, 142 (1984) 339-342.

See also 1934.

#### 19l. Other proteins

- 1934 Akazawa, K., Sumi, H., Maruyama, M. and Mihara, H.: Further purification and characterization of acid-stable protease inhibitor from ascites of an ovarian carcinoma patient. *Clin. Chim. Acta*, 141 (1984) 47-60.
- 1935 Barbin, G., Manthorpe, M. and Varon, S.: Purification of the chick eye ciliary neuronotrophic factor. *J. Neurochem.*, 43 (1984) 1468-1478; *C.A.*, 101 (1984) 226285n.
- 1936 Minamino, N., Kangawa, K. and Matsuo, H.: Neuromedin B is a major bombesin-like peptide in rat brain: regional distribution of neuromedin B and neuromedin C in rat brain, pituitary and spinal cord. *Biochem. Biophys. Res. Commun.*, 124 (1984) 925-932.
- 1937 O'Keefe, J.H., Sharry, L.F. and Jones, A.J.: Macroscale high-performance liquid chromatographic separation and instrumental identification of components of diethylaminoethyl murine epidermal growth factor. *J. Chromatogr.*, 336 (1984) 73-85.

For additional information see:

*C.A.*, 101 (1984) 184912g, 207108r.

See also 1894.

### 20. ENZYMES

- 1938 Geoffroy, P., Legrand, M., Hermann, C. and Fritig, B.: High-performance liquid chromatography of proteins. Purification of plant enzymes by ion-exchange chromatography. *J. Chromatogr.*, 315 (1984) 333-340.

#### 20a. Oxidoreductases

- 1939 Fujita, K., Takeya, C., Saito, T. and Sakurabayashi, I.: Macro lactate dehydrogenase: an LDH-immunoglobulin M complex that inhibits lactate dehydrogenase activity in a patients serum. *Clin. Chim. Acta*, 140 (1984) 183-195.
- 1940 Galvan, F., Marquez, A.J. and Vega, J.M.: Purification and molecular properties of ferredoxin-glutamate synthase from *Chlamydomonas reinhardtii*. *Planta*, 162 (1984) 180-187; *C.A.*, 101 (1984) 166078k.
- 1941 Kohno, T., Hosomi, S. and Mizoguchi, T.: Partial purification and some properties of mitochondrial aldehyde reductases from chicken liver. *Chem. Pharm. Bull.*, 32 (1984) 3118-3127.

For additional information see:

*C.A.*, 101 (1984) 166274w.

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 1942 Miyaura, S., Kubota, T. and Isono, H.: Comparison of hepatic glutathione S-transferases of male and female rats. *Chem. Pharm. Bull.*, 32 (1984) 2124-2127.
- 1943 Sloan, D.L., Ali, L.Z., Aybar-Batista, D., Yan, C. and Hess, S.: Enzymatic assay procedures that employ high-performance liquid chromatography: Differentiation between phosphoribosyltransferases for a common substrate. *J. Chromatogr.*, 312 (1984) 43-52.
- 1944 Wenham, P.R., Horn, D.B. and Smith, A.F.: Physical properties of  $\gamma$ -glutamyl transferase in human serum. *Clin. Chim. Acta*, 141 (1984) 205-218.

For additional information see:

C.A., 101 (1984) 206656f, 225542g.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 1945 Abdullaev, F.I.: (Different degree of inhibition by sodium selenite of DNA-dependent RNA-polymerase from wheat germ). *Biokhimiya (Moscow)*, 49 (1984) 1972-1976.
- 1946 Azzar, G., Persat, F., Degiuli, A. and Got, R.: Purification of a UTP: D-glucose-L-phosphate uridylyl-transferase from Golgi apparatus of cat liver by affinity chromatography on UTP-agarose. *Anal. Biochem.*, 142 (1984) 518-520.
- 1947 Hunzicker-Dunn, M. and Sutherland, D.B.: Elution of the catalytic subunits of the type I and type II forms of cyclic AMP-dependent protein kinase within the type I chromatographic peak. *J. Chromatogr.*, 312 (1984) 293-302.
- 1948 Karadsheh, N.S., Takegawa, S. and Miwa, S.: Rapid purification of human erythrocyte phosphofruktokinase. *Clin. Chim. Acta*, 143 (1984) 51-55.
- 1949 Miller, J. and Wei, R.: Purification of creatine kinase-BB isoenzymes from human and canine tissues. *Clin. Chim. Acta*, 142 (1984) 61-71.
- 1950 Risnik, V.V. and Gusev, N.B.: Some properties of the nucleotide-binding site of troponin T kinase-casein kinase type II from skeletal muscle. *Biochim. Biophys. Acta*, 790 (1984) 108-116.
- 1951 Thoen, C., Hove, L., Plot, E. and Slegers, H.: Purification and characterization of the messenger ribonucleoprotein-associated casein kinase TP of *Antennia salina* cryptobiotic gastrulae. *Biochim. Biophys. Acta*, 783 (1984) 105-113.
- 1952 Uchida, T. and Filburn, C.R.: Affinity chromatography of protein kinase C-phorbol ester receptor on polyacrylamide-immobilized phosphatidylserine. *J. Biol. Chem.*, 259 (1984) 12311-12314.
- 1953 Vaidya, H., Dietzler, D.N., Leykam, J.F. and Ladenson, J.H.: Purification of five creatine kinase-MM variants from human heart and skeletal muscle. *Biochim. Biophys. Acta*, 790 (1984) 230-237.
- 1954 Yasmineh, W.G. and Lewis, L.A.: Separation of CK isoenzymes on DEAE-Sephadex A-50 at neutral pH. *Clin. Chim. Acta*, 142 (1984) 113-121.

For additional information see:

C.A., 101 (1984) 225552k.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 1955 Khole, V., Akhmedzhanov, R., Yakubov, I.T., Rakhimov, M.M. and Tashmokhamedov, B.A.: Purification of porcine pancreatic phospholipase A: using affinity chromatography. *Indian J. Biochem. Biophys.*, 21 (1984) 281-282; C.A., 101 (1984) 168090h.
- 1956 Miura, K., Inoue, Y., Hashimoto, Y., Inoue, A. and Ueda, T.: Purification of chicken liver ribonucleases by affinity chromatography with UMP-Sepharose (nucleosides and nucleotides. LII). *Chem. Pharm. Bull.*, 32 (1984) 4054-4060.
- 1957 Smith, G.P., Harris, H. and Peters, T.J.: Studies of the biochemical and immunological properties of human neutrophil alkaline phosphatase with comparison to the established alkaline phosphatase isoenzymes. *Clin. Chim. Acta*, 142 (1984) 221-229.

- 1958 Yasmin, T. and Qadri, F.: Purification of placental alkaline phosphatase by sulphate-mediated chromatography on Cibacron Blue 3G-A. *J. Chromatogr.*, 315 (1984) 425-429.

For additional information see:

*C.A.*, 101 (1984) 166036v, 186956y, 206746k.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 1959 Hiraga, K., Inove, I., Manaka, H. and Tuboi, S.: Chromatographic differentiation of the mitochondrial and cytosolic fumarases of rat liver and bakers' yeast. *Biochem. Int.*, 9 (1984) 455-461; *C.A.*, 101 (1984) 225499y.
- 1960 Orlacchio, A., Maffei, C., Beccari, T. and Lisi, P.:  $\beta$ -N-Acetyl-D-glycosaminidase isoenzymes by chromatofocusing from serum and skin in diabetes. *Clin. Chim. Acta*, 141 (1984) 127-133.
- 1961 Uilmann, A.: One-step purification of hybrid proteins which have  $\beta$ -galactosidase activity. *Gene*, 29 (1984) 27-31; *C.A.*, 101 (1984) 186695n.
- 1962 Wang, Y., Sun, J. and Zhang, S.: (Isolation and purification of different molecular forms of glucoamylase from *Monascus rubiginosus* Sato with affinity chromatography). *Weishengwuxue Tongbao*, 11 (1984) 65-68; *C.A.*, 101 (1984) 225416u.

For additional information see:

*C.A.*, 101 (1984) 225419x.

20f. *Other hydrolases*

- 1963 Achstetter, T., Emter, O., Ehmann, C. and Wolf, D.H.: Proteolysis in eukaryotic cells. Identification of multiple proteolytic enzymes in yeast. *J. Biol. Chem.*, 259 (1984) 13334-13343.
- 1964 Dreyfus, G., Celis, H. and Ramirez, J.: Isolation of the mitochondrial F<sub>1</sub>-F<sub>0</sub> adenosine triphosphatase by Sepharose-hexylammonium chromatography: properties and reconstitution in liposomes. *Anal. Biochem.*, 142 (1984) 215-220.
- 1965 Inouye, Y., Nakamura, S., Hamada, M., Aikawa, K., Kitagaki, K., Sato, K. and Yasuda, E.: Affinity chromatography of alkaline proteinase S on N-carbobenzoxy-glycylleucylaminohyxy-Sepharose. *Chem. Pharm. Bull.*, 32 (1984) 4036-4042.
- 1966 Kawiak, J., Kawalec, M., Dotsenko, V.L. and Yarovaya, G.A.: Purification of human serum prekallikrein, some properties of the purified proenzyme and its stability. *Clin. Chim. Acta*, 141 (1984) 287-292.
- 1967 Kobayashi, S., Sasaki, M., Kiryu, S. and Sugiura, M.: Autolysis of semi-alkaline proteinase from *Aspergillus melleus*. *Chem. Pharm. Bull.*, 32 (1984) 3105-3110.
- 1968 Kreier, V.G., Rudenskaya, G.N., Landau, N.S., Smirnov, A.V., Timolchina, E.A., Egorov, N.S. and Stepanov, V.M.: (Extracellular chymotrypsin-like proteinase from *Streptomyces spheroides* strain 35). *Biokhimiya (Moscow)*, 49 (1984) 1890-1898.
- 1969 Mort, J.S. and Leduc, M.S.: The combined action of two enzymes in human serum can mimic the activity of cathepsin B. *Clin. Chim. Acta*, 140 (1984) 173-182.
- 1970 Rajgopal, S. and Vijayalakshmi, M.A.: Metal-ion mediated interaction of luciferase with tetraiodofluorescein. *J. Chromatogr.*, 315 (1984) 175-184.
- 1971 Safarik, I.: Isolation of trypsin by column chromatography on tea particles. *J. Chromatogr.*, 315 (1984) 478-480.
- 1972 Safarik, I.: Chromatography of proteases on agar column. *Biomed. Biochim. Acta*, 43 (1984) 1037-1039; *C.A.*, 101 (1984) 206552u.
- 1973 Soeda, S., Ohyama, M., Yamakawa, N., Shimeno, H. and Nagamatsu, A.: Two molecular species of proline endopeptidase in human plasma: isolation and characterization. *Chem. Pharm. Bull.*, 32 (1984) 4061-4069.

For additional information see:

*C.A.*, 101 (1984) 166277z, 225347x.

20g. *Lyxases*

- 1974 Cretin, C., Vidal, J., Suzuki, A. and Gadal, P.: Isolation of plant phosphoenolpyruvate carboxylase by high-performance size-exclusion chromatography. *J. Chromatogr.*, 315 (1984) 430-434.
- 1975 Ruault, C. and Bruyant, P.: Affinity chromatography of  $\delta$ -aminolevulinic acid dehydratase from radish seedlings. *Physiol. Veg.*, 22 (1984) 209-213; *C.A.*, 101 (1984) 186676g.
- 1976 Nakano, Y., Yamaguchi, M., Tsuruta, Y., Ohkura, Y., Aoyama, T. and Horioka, M.: Assay for histidine decarboxylase in rat stomach and brain by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 311 (1984) 390-395.

For additional information see:  
*C.A.*, 101 (1984) 186887b.

20h. *Isomerases*

- 1977 Lu, H.S., Yan, P.M. and Gracy, R.W.: Primary structure of human triphosphate isomerase. *J. Biol. Chem.*, 259 (1984) 11958-11968.

20j. *Complex mixtures and incompletely identified enzymes*

- 1978 Jung, K. and Pergande, M.: Affinity chromatography of urinary brush-border enzymes on concavalin-Sepharose. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1878-1879.

## 21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

- 1979 Bakkeren, J.A.J.M., de Abreu, R.A., Sengers, R.C.A., Gabreels, F.J.M., Maas, J.M. and Renier, W.O.: Elevated urine, blood and cerebrospinal fluid levels of uracil and thymine in a child with dihydrothymine dehydrogenase deficiency. *Clin. Chim. Acta*, 140 (1984) 247-256.
- 1980 Bouliou, R., Bory, C., Baltassat, P. and Divry, P.: Hypoxanthine and xanthine concentrations determined by high performance liquid chromatography in biological fluids from patients with xanthinuria. *Clin. Chim. Acta*, 142 (1984) 83-89.
- 1981 Cathcart, R., Schwieters, E., Saul, R.L. and Ames, B.N.: Thymine glycol and thymidine glycol in human and rat urine: a possible assay for oxidative DNA damage. *Proc. Natl. Acad. Sci. U.S.A.*, 81 (1984) 5633-5637; *C.A.*, 101 (1984) 187238c.
- 1982 Hara, S. and Ohkuma, T.: Role of mobile phase components for multi-functional solutes in silica gel liquid-solid chromatography. Resolution of protected deoxyribonucleotide derivatives for oligomer synthesis. *J. Chromatogr.*, 316 (1984) 389-396.
- 1983 Harkness, R.A., Coade, S.B. and Webster, A.D.B.: ATP, ADP and AMP in plasma from peripheral venous blood. *Clin. Chim. Acta*, 143 (1984) 91-98.
- 1984 Hsu, D.-S. and Chen, S.S.: Rapid analysis of adenosine, AMP, ADP, and ATP by anion-exchange column chromatography. *J. Chromatogr.*, 311 (1984) 396-399.
- 1985 Iriyama, K., Iwamoto, T. and Yoshiura, M.: Recovery of uric acid added to rabbit brain tissue: determination of uric acid by reversed-phase high performance liquid chromatography with electrochemical detection. *Jikeikai Med. J.*, 31 (1984) 71-77; *C.A.*, 101 (1984) 206948c.
- 1986 Iwamoto, T., Yoshiura, M. and Iriyama, K.: Urinary uric acid determination by reverse-phase high-performance liquid chromatography with electrochemical detection. *J. Liq. Chromatogr.*, 7 (1984) 2253-2260.
- 1987 Jacobson, M.K., Payne, D.M., Alvarez-Gonzales, R., Juarez-Salinas, H., Sims, J.L. and Jacobson, E.L.: Determination of *in vivo* levels of polymeric and monomeric ADP-ribose by fluorescence methods. *Methods Enzymol.*, 106 (Posttransl. Modif., Part A) (1984) 483-494; *C.A.*, 101 (1984) 166671y.

- 1988 Lugari, M.T., Maggiali, C.A. and Morini, G.: High-performance liquid chromatography of phytotoxic substances. II. Behaviour of imidazopyrimidines. *J. Chromatogr.*, 315 (1984) 384-388.
- 1989 Orr, G.A. and Blanchard, J.S.: High-performance ion-exchange separation of oxidized and reduced nicotinamide adenine dinucleotides. *Anal. Biochem.*, 142 (1984) 232-234.
- 1990 Safirman, C., Ionescu, A., Voiculescu, N. and Niculescu-Duvaz, I.: Simultaneous analysis of bases, nucleosides and nucleotides by high-performance liquid chromatography. *Rev. Roum. Biochim.*, 21 (1984) 199-205; *C.A.*, 101 (1984) 226097c.
- 1991 Scanlon, D., Haralambidis, J., Southwell, C., Turton, J. and Tregear, G.: Purification of synthetic oligodeoxyribonucleotides by ion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 189-198.
- 1992 Schilcher, R.B., Young, J.D. and Baker, L.H.: Reversed-phase high-performance liquid chromatographic determination of tricyclic nucleoside and tricyclic nucleoside 5'-phosphate in biological specimens. *J. Chromatogr.*, 337 (1985) 55-62.
- 1993 Schilsky, R.L. and Ordway, F.S.: Simultaneous determination of cytosine arabinoside, its nucleotides and metabolites by ion-pair high-performance liquid chromatography. *J. Chromatogr.*, 337 (1985) 63-71.
- 1994 Van Baal, J.M., van Leeuwen, M.B., Schouten, T.J. and de Abreu, R.A.: Sensitive high-performance liquid chromatographic determination of 6-mercaptapurine, 6-thioguanine, 6-mercaptapurine riboside and 6-thioguanosine in biological fluids. *J. Chromatogr.*, 336 (1984) 422-428.
- 1995 Vesely, J. and Piskala, A.: Effects of the  $\alpha$ -D-anomer of 5-aza-2'-deoxycytidine on L1210 mouse leukemic cells *in vitro* and *in vivo*. *Cancer Res.*, 44 (1984) 5765-5768.
- 1996 Yamamoto, T., Shimizu, H., Kato, T. and Nagatsu, T.: Simultaneous determination of guanine nucleotides in rat brain by high-performance liquid chromatography with dual-electrochemical detection. *Anal. Biochem.*, 142 (1984) 395-399.

For additional information see:

*C.A.*, 101 (1984) 187206r, 187208t, 106970d.

See also 1811, 2144.

#### 21b. Nucleic acids, RNA

- 1997 Sendhuphak, T., Patel, V. and Svensson, I.: Temperature gradient chromatography of transfer RNA on hydroxyapatite. *J. Chromatogr.*, 314 (1984) 408-412.

#### 21c. Nucleic acids, DNA

- 1998 Gottlieb, M., Chavko, M. and Pivec, L.: A rapid and efficient procedure for the isolation of DNA from nervous tissue on Sephacryl S-1000. *Biologia*, 39 (1984) 807-812; *C.A.*, 101 (1984) 207109s.
- 1999 Wells, R.D.: Review. High-performance liquid chromatography of DNA. *J. Chromatogr.*, 336 (1984) 3-14.

For additional information see:

*C.A.*, 101 (1984) 187487h.

#### 21f. Structural studies of nucleic acids

- 2000 Wenclawiak, B., Kleiböhmer, W. and Krebs, B.: High-performance liquid chromatographic investigations on the time-dependent reaction of *cis*-Pt(NH<sub>3</sub>)<sub>2</sub>Cl<sub>2</sub>, Pt(en)Cl<sub>2</sub> and Pt(*gn*)Cl<sub>2</sub> with RNA fragments. *J. Chromatogr.*, 296 (1984) 395-401.

See also 1999.

## 22. ALKALOIDS

- 2001 Browne, C.A., Sim, F.R., Rae, I.D. and Keeler, R.F.: Isolation of tetratogenic alkaloids by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 211-220.
- 2002 Diquet, B., Doare, L. and Gaudel, G.: New method for the determination of yohimbine in biological fluids by high-performance liquid chromatography with amperometric detections. *J. Chromatogr.*, 311 (1984) 449-455.
- 2003 Dorrbecker, B.R., Merick, S.H. and Kramer, P.A.: Improved micromethod for the high-performance liquid chromatographic determination of caffeine and para-xanthine in biological fluids. *J. Chromatogr.*, 336 (1984) 293-300.
- 2004 Klug, C., Baltés, W., Kroenert, W. and Weber, R.: (Ergot alkaloids in cereals - description of an analytical method). *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 245-246; *C.A.*, 101 (1984) 228612r.
- 2005 Lacey, E. and Brady, R.L.: Separation of colchicine and related hydrolysis and photodecomposition products by high-performance liquid chromatography, using copper ion complexation. *J. Chromatogr.*, 315 (1984) 233-241.
- 2006 Lee, M.G.: Determination of pseudomorphine in morphine injection by high performance liquid chromatography. *J. Chromatogr.*, 312 (1984) 473-475.
- 2007 Miceli, J.N., Aravind, M.K. and Ferrell, W.J.: Analysis of caffeine: comparison of the manual enzyme multiplied immunoassay (EMIT), automated EMIT, and high-performance liquid chromatography procedures. *Ther. Drug Monit.*, 6 (1984) 344-347; *C.A.*, 101 (1984) 221974b.
- 2008 Starkey, B.J. and Mould, G.P.: Evaluation of a rapid high-performance liquid chromatographic method for plasma theophylline analysis and its use in therapeutic drug monitoring. *Ther. Drug Monit.*, 6 (1984) 322-327; *C.A.*, 101 (1984) 221972z.
- 2009 Stolzenbach, J.C., Jarvi, E.J. and Larson, R.E.: The selective effects of 1,3-bis-(2-chloroethyl)-1-nitrosourea (BCNU) on P-450 mediated ethyl morphine metabolism as determined by high performance liquid chromatography. *Proc. West. Pharmacol. Soc.*, 27 (1984) 451-453; *C.A.*, 101 (1984) 203971u.
- 2010 Verpoorte, R. and Baerheim, S.A.: Gas-liquid chromatography and high-performance liquid chromatography. In: J. Verpoorte and S.A. Baerheim (Editors), *Chromatography of Alkaloids, Pt. B. J. Chromatogr. Libr.* 23, Elsevier, Amsterdam, 1984, 450 pp.
- 2011 Villar, A., Rios, J.L. and Gonzalez, J.M.: (Application of high-performance liquid chromatography to the analysis of *Nux vomica* alkaloids: Comparison with volumetric methods). *Ann. Pharm. Fr.*, 42 (1984) 149-154; *C.A.*, 101 (1984) 177588c.

For additional information see:

*C.A.*, 101 (1984) 177589d, 183350k, 216492p, 216504u.

See also 1793, 2206.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

## 23a. Porphyrins and other pyrroles

- 2012 Podcasy, J.D. and Weber, S.G.: Non-aqueous liquid chromatography of some metalloporphyrins on a reversed-phase column. *J. Chromatogr.*, 315 (1984) 111-118.

## 23b. Bile pigments

- 2013 Takahashi, H.: Mechanism of the formation of bilirubin stones. II. Analysis of conjugated and unconjugated bilirubin by high-performance liquid chromatography and measurements of calcium ion by ion-selective electrode in bile of patients with gallstones. *Arch. Jpn. Chr.*, 53 (1984) 3-32; *C.A.*, 101 (1984) 189172a.



## 23c. Indole derivatives

- 2014 Elghozi, J.L., Laude, D., Duprat, P. and Mignot, E.: Pizotifen increases 5-HIAA urinary excretion in male healthy volunteers. *Eur. J. Clin. Pharmacol.*, 27 (1984) 191-196.
- 2015 Kwarts, E., Kwarts, J. and Rutgers, H.: A simple paired-ion liquid chromatography assay for serotonin in cerebrospinal fluid, platelet-rich plasma, serum and urine. *Ann. Clin. Biochem.*, 21 (1984) 425-429; *C.A.*, 101 (1984) 184173s.
- 2016 Narasimhachari, N.: Quantitation of serotonin in human plasma, serum and cerebrospinal fluid samples by HPLC-EC using 6-hydroxytryptamine as an internal standard. *J. Liq. Chromatogr.*, 7 (1983) 2679-2689.
- 2017 Rausch, T., Helmlinger, J. and Hilgenberg, W.: High-performance liquid chromatographic separation and some properties of (E)- and (Z)-3-indole-acetaldoxime. *J. Chromatogr.*, 318 (1985) 95-102.
- 2018 Yamada, J., Sugimoto, Y. and Horisaka, K.: Simultaneous determination of tryptamine and its metabolites in mouse brain by high-performance liquid chromatography with fluorometric detection. *J. Chromatogr.*, 311 (1984) 385-389.

See also 1803, 1836.

## 23d. Pyridine derivatives

- 2019 Hilgers, H. and Schmitz, F.P.: Chromatographic separations of oligovinylpyridines. 1. Analytical-scale chromatography of radically oligomerized 2-vinylpyridine by HPLC and TLC. *J. Liq. Chromatogr.*, 7 (1984) 2513-2524.
- 2020 Nishio, H. and Segawa, T.: Determination of pipercolic acid in human blood plasma by high-performance liquid chromatography. *Clin. Chim. Acta*, 143 (1984) 57-63.

## 23e. Other N-heterocyclic compounds

- 2021 Fernandez, A., de Bertorello, M.M. and Longhi, M.R.: HPLC separation of tautomeric compounds of 4-aminoisoxazolyl-1,2-naphthoquinones. *J. Liq. Chromatogr.*, 7 (1984) 2203-2217.
- 2022 Hansen, S.E., Albeck, P. and Bundgaard, A.: A sensitive double isotopic, chromatographic method for the determination of histamine. I. Studies with authentic histamine. *Agents Actions*, 15 (1984) 125-130; *C.A.*, 101 (1984) 204440g.
- 2023 Hui, J.Y. and Taylor, S.L.: Reversed-phase ion-pair high-performance liquid chromatographic procedure for determination of histamine and its metabolites in rat urine. *J. Chromatogr.*, 312 (1984) 443-449.
- 2024 Ikeda, S. and Kotake, Y.: Urinary excretion of xanthurenic acid and zinc in diabetes: 1) Separation of xanthurenic acid-zinc complex by ion-exchange chromatography. *Acta Vitaminol. Enzymol.*, 6 (1984) 23-28; *C.A.*, 101 (1984) 126248j.
- 2025 Okamoto, Y., Honda, S., Yuki, H., Nakamura, H., Iitaka, Y. and Nozoe, T.: Resolution absolute configuration and photoracemization of chiral troponoid acetals, cyclohepta(2,1-b:2,3-b')di(1,4)benzoxazines. *Chem. Lett.*, (1984) 1149-1152; *C.A.*, 101 (1984) 230440b.
- 2026 Shalaby, A., Budvari-Barany, Z., Hanko-Novak, K. and Szasz, G.: HPLC study of some biologically active quinazolines. *J. Liq. Chromatogr.*, 7 (1984) 2493-2506.
- 2027 Wojtowicz, E.J.: Reverse-phase high-performance liquid chromatographic determination of halogenated 8-hydroxyquinoline compounds in pharmaceuticals and bulk drugs. *J. Pharm. Sci.*, 73 (1984) 1430-1433.
- 2028 Wrigglesworth, R., Inglis, W.D., Livingstone, D.B., Suckling, C.J. and Wood, H.C.S.: Specific enzyme inhibitors in vitamin biosynthesis. Part 6. Identification of an affinity chromatography ligand for the purification of riboflavin synthase. *J. Chem. Soc., Perkin Trans. 1*, (1984) 959-963; *C.A.*, 101 (1984) 166108v.

See also 1794, 1976.

## 24. ORGANIC SULPHUR COMPOUNDS

- 2029 Beckmann-Gioumatzidou, P. and Niebergall, H.: (Chemical behavior of diphenylthiourea in foods and simulated foods during migration. Part I.: Introduction investigating methods, results with aqueous foods and fats). *Dtsch. Lebenm.-Rundsch.*, 80 (1984) 237-241; *C.A.*, (1984) 169255b.
- 2030 Berthou, F., Dreano, Y. and Sandra, P.: Liquid and gas chromatographic separation of isomeric methylated dibenzothiophenes. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 679-686.
- 2031 Hicks, D.R. and Kraml, M.: Determination of tolrestat, a novel aldose reductase inhibitor, in serum and tissues. *Ther. Drug Monit.*, 6 (1984) 328-333; *C.A.*, 101 (1984) 222672p.
- 2032 McGovern, E.P., Swynnerton, N.F., Steele, P.D. and Mangold, D.J.: HPLC assay for 2-(3-aminopropylamino)ethanethiol (WR-1065) in plasma. *Int. J. Radiat. Oncol., Biol. Phys.*, 10 (1984) 1517-1520; *C.A.*, 101 (1984) 225829f.
- 2033 Sang, J.P. and Truscott, J.W.: Liquid chromatographic determination of glucosinolates in rapeseed as desulfoglucosinolates. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 829-833.
- 2034 Shustina, R. and Lesser, J.H.: The determination of methylene bis-thiocyanate by high performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2653-2658.

For additional information see:

*C.A.*, 101 (1984) 183147z, 193944w, 225828e.

See also 1628, 1994.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

- 2035 Swynnerton, N.F., McGovern, E.P., Nino, J.A. and Mangolo, D.J.: An improved HPLC assay for S-2-(3-aminopropylamino)ethyl phosphorothioate (WR-2721) in plasma. *Int. J. Radiat. Oncol., Biol. Phys.*, 10 (1984) 1521-1524; *C.A.*, 101 (1984) 225830z.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

## 26a. Organometallic compounds

- 2036 Felix, G., Bertrand, C. and Febrier, A.: Routine preparative HPLC of aromatic silyl compounds on caffeine coated on silica gel. *J. Liq. Chromatogr.*, 7 (1984) 2383-2400.
- 2037 Kremer, K.A.M. and Helquist, P.: Purification of air-sensitive organometallic compounds by a modified flash chromatography procedure. *Organometallics*, 3 (1984) 1743-1745; *C.A.*, 101 (1984) 211386x.
- 2038 Lakata, W.G., Lankmayr, E.P. and Müller, K.: Specification of organotin compounds by complex chromatography and reaction detection. *Fresenius' Z. Anal. Chem.*, 319 (1984) 563-568.
- 2039 Langseth, W.: Speciation of alkyltin compounds by high-performance liquid chromatography with a cyanopropyl-bonded silica column. *J. Chromatogr.*, 315 (1984) 351-357.

For additional information see:

*C.A.*, 101 (1984) 192299r, 192779j.

See also 1656, 2225.

## 26c. Coordination compounds

- 2040 Bond, A.M. and Wallace, G.G.: Preparation of metal dithiocarbamate complexes for chromatographic separation and multi-element determinations. *Anal. Chim. Acta*, 164 (1984) 223-232.

- 2041 Buckingham, D.A.: Reversed-phase high-performance ion-pair chromatography of cobalt(III) coordination complexes. *J. Chromatogr.*, 313 (1984) 93-127 - a review with 28 refs.
- 2042 Gooijer, C., Veltkamp, A.C., Baumann, R.A., Velthorst, N.H., Frei, R.W. and van der Vijgh, W.J.F.: Analysis of platinum complexes by liquid chromatography with quenched phosphorescence detection. *J. Chromatogr.*, 312 (1984) 337-344.
- 2043 Lethbridge, J.W. and Reeve, R.N.: High-performance liquid chromatography in the study of some reactions of chromium(III) complexes. *J. Chromatogr.*, 314 (1984) 387-395.

## 27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 2044 Augustin, J.: Simultaneous determination of thiamine and riboflavin in foods by liquid chromatography. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 1012-1015.
- 2045 Berr, F. and Kern, F., Jr.: Plasma clearance of chylomicrons labeled with retinyl palmitate in healthy human subjects. *J. Lipid Res.*, 25 (1984) 805-812.
- 2046 Cook, R.J., Misono, K.S. and Wagner, C.: Identification of the covalently bound flavin of dimethylglycine dehydrogenase and sarcosine dehydrogenase from rat liver mitochondria. *J. Biol. Chem.*, 259 (1984) 12475-12480.
- 2047 Finglas, P.M. and Faulks, R.M.: The HPLC analysis of thiamin and riboflavin in potatoes. *Food Chem.*, 15 (1984) 37-44; *C.A.*, 101 (1984) 189810g.
- 2048 Grace, M.L. and Bernhard, R.A.: Measuring vitamins A and D in milk. *J. Dairy Sci.*, 67 (1984) 1646-1654; *C.A.*, 101 (1984) 189807m.
- 2049 Gregory, III, J.F.: Determination of folacin in foods and other biological materials. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 1015-1019.
- 2050 Haines-Nutt, R.F. and Adams, P.: Stability of oral vitamin K - a comparison of an HPLC and derivative spectrophotometric method. *Anal. Proc. (London)*, 21 (1984) 241-243; *C.A.*, 101 (1984) 216487r.
- 2051 Rudson, T.S., Subramanian, S. and Allen, R.J.: Determination of pantothenic acid, biotin, and vitamin B<sub>12</sub> in nutritional products. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 994-998.
- 2052 Lam, F.-L., Holcomb, I.J. and Fusari, S.A.: Liquid chromatographic assay of ascorbic acid, niacinamide, pyridoxine, thiamine, and riboflavin in multi-vitamin-mineral preparations. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 1007-1011.
- 2053 Leo, M.A., Iida, S. and Lieber, C.S.: Retinoic acid metabolism by a system reconstituted with cytochrome P-450. *Arch. Biochem. Biophys.*, 234 (1984) 305-312.
- 2054 Lunte, C.E. and Kissinger, P.T.: Investigation of the behavior of oxidized pterins in liquid chromatographic systems. *J. Liq. Chromatogr.*, 7 (1984) 2561-2577.
- 2055 Maoka, T., Komori, T. and Matsuno, T.: Direct diastereomeric resolution of carotenoids. I. 3-Hydroxy-4-oxo  $\beta$ -end group. *J. Chromatogr.*, 318 (1985) 122-124.
- 2056 Milon, H. and Bur, H.: LC/MS applications to the analysis of liposoluble vitamins. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 455-457; *C.A.*, 101 (1984) 169184c.
- 2057 Mura, P., Tallineau, C., Reiss, D. and Pirion, A.: The rapid determination of neopterin in human urine by isocratic high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2289-2296.
- 2058 Nierenberg, D.W.: Determination of serum and plasma concentrations of retinol using high-performance liquid chromatography. *J. Chromatogr.*, 311 (1984) 239-248.
- 2059 Scharla, S., Schmidt-Gayk, H., Reichel, H. and Mayer, E.: A sensitive and simplified radioimmunoassay for 1,25-dihydroxyvitamin D<sub>3</sub>. *Clin. Chim. Acta*, 142 (1984) 325-338.
- 2060 Schieffer, G.W., Wheeler, G.P. and Cimino, C.O.: Determination of folic acid in commercial diets by anion-exchange solid-phase extraction and subsequent reversed-phase HPLC. *J. Liq. Chromatogr.*, 7 (1984) 2659-2669.
- 2061 Shukla, S.K.: Contribution of phytic acid high-performance liquid chromatography to nutrition and medicine. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. Nutr. Sci. Food Saf.) (1984) 27-33; *C.A.*, 101 (1984) 187120h - a review with 26 refs.

- 2062 Stancher, B. and Zonta, F.: Quantitative high-performance liquid chromatographic method for determining the isomer distribution of retinol (vitamin A<sub>1</sub>) and 3-dehydroretinol (vitamin A<sub>2</sub>) in fish oils. *J. Chromatogr.*, 312 (1984) 423-434.
- 2063 Tangney, C.C.: Individual carotenoid determinations in human plasma by high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2611-2630.
- 2064 Vanderslice, J.T., Brownlee, S.R. and Cortissoz, M.E.: Liquid chromatographic determination of vitamin B-6 in foods. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 999-1007.
- 2065 Vanderslice, J.T. and Higgs, D.J.: HPLC analysis with fluorometric detection of vitamin C in food samples. *J. Chromatogr. Sci.*, 22 (1984) 485-489.
- 2066 Will, O.H. and Ruddat, M.: C 18 reversed-phase HPLC analysis of carotenenes. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 610-612; *C.A.*, 101 (1984) 226089b.

For additional information see:

*C.A.*, 101 (1984) 166541f, 209187q.

See also 1811.

## 28. ANTIBIOTICS

- 2067 Barbhैया, R.H., Papp, E.A., van Harken, D.R. and Smyth, R.D.: Pharmacokinetics of mitomycin C in dogs: application of a high-performance liquid chromatographic assay. *J. Pharm. Sci.*, 73 (1984) 1220-1223.
- 2068 Bawdon, R.E., Novick, W.J., Hemsell, D.J. and Welch, W.D.: High-pressure liquid chromatographic assay of cefotaxime and desacetylcefotaxime in human myometrium. *J. Liq. Chromatogr.*, 7 (1984) 2483-2491.
- 2069 Demotes-Mainard, F.M., Vincon, G.A., Jarry, C.H. and Abin, H.C.: Micromethod for the determination of cefotaxime and desacetylcefotaxime in plasma and urine by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 438-445.
- 2070 Dwyer, J., Findeisen, C. and Skea, W.: Chromatographic purification of beta-lactam antibiotics. *Pharm. Technol.*, 8 (1984) 100-112; *C.A.*, 101 (1984) 230197c.
- 2071 Fiedler, H.-P.: Screening for new microbial products by high-performance liquid chromatography using a photodiode array detector. *J. Chromatogr.*, 316 (1984) 487-494.
- 2072 Harada, T., Iwamori, M., Nagai, Y. and Nomura, Y.: Analysis of aminoglycoside antibiotics as benzoyl derivatives by high-performance liquid chromatography and its applications to the quantitation of neomycin in the perilymph. *J. Chromatogr.*, 337 (1985) 187-193.
- 2073 Khier, A.A., Blaschke, G. and El Sadek, M.: Determination of some penicillin derivatives using high performance liquid chromatography. *Anal. Lett.*, 17 (1984) 1659-1666.
- 2074 Klett, R.P. and Chovan, J.P.: Modification of a new high-performance liquid chromatographic method for bleomycin to separate epi-, iso-, desamido-, and unmodified analogues. *J. Chromatogr.*, 337 (1985) 182-186.
- 2075 Kotake, A.N., Vogelzang, N.J., Larson, R.A. and Choporis, N.: New high-performance liquid chromatographic assay for plasma doxorubicin. *J. Chromatogr.*, 337 (1985) 194-200.
- 2076 Kubo, H., Kinoshita, T., Kobayashi, Y. and Tokunaga, K.: Microscale method for determination of tobramycin in serum using high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2219-2228.
- 2077 Malabarba, A., Strazzolini, P., Depaoli, A., Landi, M., Berti, M. and Cavalleri, B.: Teicoplanin, antibiotics from *Actinoplanes teichomyces* nov. sp. VI. Chemical degradation: Physico-chemical and biological properties of acid hydrolysis products. *J. Antibiot.*, 37 (1984) 988-999.
- 2078 Moncrieff, J.: Assay of ampicillin in serum at submicrogram levels by reverse phase high performance liquid chromatography. *S. Afr. J. Sci.*, 80 (1984) 233-235; *C.A.*, 101 (1984) 183320a.
- 2079 Oka, H. and Suzuki, M.: Improvement of chemical analysis of antibiotics. VII. Comparison of analytical methods for determination of impurities in tetracycline pharmaceutical preparations. *J. Chromatogr.*, 314 (1984) 303-311.

- 2080 Schachter, S.H., Spino, M., Tesoro, A. and MacLeod, S.M.: High performance liquid chromatographic analysis of cefoperazone in serum and urine. *J. Liq. Chromatogr.*, 7 (1984) 2421-2429.
- 2081 Takesako, K. and Beppu, T.: Studies on new antifungal antibiotics, guanidyl-fungins A and B. I. Taxonomy, fermentation, isolation and characterization. *J. Antibiot.*, 37 (1984) 1161-1169.
- 2082 Tokuma, Y., Shiozaki, Y. and Noguchi, H.: Determination of a new orally active cephalosporin in human plasma and urine by high-performance liquid chromatography using automated column switching. *J. Chromatogr.*, 311 (1984) 339-346.
- 2083 Villamar, Y., Gina, L. and Martinod, D.P.: (Determination of tetracyclines in pharmaceuticals by high-pressure liquid chromatography). *Politecnica*, 9 (1984) 141-160; *C.A.*, 101 (1984) 177636s.

For additional information see:

*C.A.*, 101 (1984) 177318q, 177319r, 209188r, 216513w.

See also 1543, 1588, 2142.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

- 2084 Voyksner, R.D., Bursley, J.T. and Pellizzari, E.D.: Analysis of selected pesticides by high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 312 (1984) 221-235.

### 29c. Carbamates

- 2085 Prince, J.L.: A rapid high-performance liquid chromatographic method for the simultaneous determination of oxamyl and its oximino metabolite. *J. Agric. Food Chem.*, 32 (1984) 1184-1186.

### 29d. Herbicides

- 2086 Alawi, M.A.: Determination of napropamide in rape, rape-seed and rape-straw by HPLC. *Fresenius' Z. Anal. Chem.*, 319 (1984) 524-526.
- 2087 Kulshrestha, G. and Khazanchi, R.: Reversed-phase high-performance liquid chromatographic method for the simultaneous microquantitative determination of the herbicide isoproturon and its possible degradation products in soil. *J. Chromatogr.*, 318 (1985) 144-148.

### 29f. Other types of pesticides and various agrochemicals

- 2088 Camilleri, P.: Alkaline hydrolysis of some pyrethroid insecticides. *J. Agric. Food Chem.*, 32 (1984) 1122-1124.
- 2089 Kon, R.T., Geissel, L. and Leavitt, R.A.: An HPLC method for the quantitative determination of asulam, acetylsulam and sulfanilamide in peaches. *Food Addit. Contam.*, 1 (1984) 67-71; *C.A.*, 101 (1984) 209166g.
- 2090 Quistad, G.B. and Staiger, L.E.: Photodegradation of fluvalinate. *J. Agric. Food Chem.*, 32 (1984) 1134-1138.
- 2091 Staiger, L.E. and Quistad, G.B.: Metabolism of [benzyl-U-ring-<sup>14</sup>C]fluvalinate by rats. *J. Agric. Food Chem.*, 32 (1984) 1130-1133.

## 30. SYNTHETIC AND NATURAL DYES

### 30a. Synthetic dyes

- 2092 Bailey, J.E., Kr.: Purification of D&C Red No. 33 preparative high-performance liquid chromatography. *J. Chromatogr.*, 314 (1984) 379-385.
- 2093 Etournaud, A. and Aubort, J.D.: (Analysis of artificial organic colors in cosmetics. II. Nail lacquers). *Mitt. Geb. Lebensmittelunters. Hyg.*, 75 (1984) 221-226; *C.A.*, 101 (1984) 177256t.

- 2094 Puttemans, M.I., Dryon, L. and Massart, D.L.: Extraction of organic acids by ion-pair formation with tri-*n*-octylamine. Part V. Simultaneous determination of synthetic dyes, benzoic acid, sorbic acid, and saccharin in soft drinks and lemonade syrups. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 880-885.
- 2095 Sjöberg, A.-M. and Olkkonen, C.: Determination of synthetic organic colours in lipsticks by thin-layer and high-performance liquid chromatography. *J. Chromatogr.*, 318 (1985) 149-154.
- 2096 Thiessen, J.J., Rappaport, P.L. and Eppel, J.G.: Indocyanine green pharmacokinetics in the rabbit. *Can. J. Physiol. Pharmacol.*, 62 (1984) 1078-1085; *C.A.*, 101 (1984) 207167j.

### 30b. Chloroplast and other natural pigments

- 2097 Amakawa, E., Hirata, K., Ogiwara, T. and Ohnishi, K.: (Determination of oil soluble natural dyes in foods by high performance liquid chromatography). *Bunseki Kagaku*, 33 (1984) 586-590.
- 2098 Hiraki, K., Hamanaka, T., Mitsui, T. and Kito, Y.: The absorbance spectrum of the brown holomembrane and the comparison of pI values of bacteriorhodopsin solubilized from purple membrane and from brown holo-membrane. *Biochim. Biophys. Acta*, 777 (1984) 232-240.
- 2099 Schaber, P.M., Hunt, J.E., Fries, R. and Katz, J.J.: High-performance liquid chromatographic study of the chlorophyll allomerization reaction. *J. Chromatogr.*, 316 (1984) 25-41.

For additional information see:  
*C.A.*, 101 (1984) 182627u.

See also 1619, 2053.

### 31. PLSTICS AND THEIR INTERMEDIATES

- 2100 Das, P.K., Hoover, J., Dodson, R.J., Ward, T.C. and McGrath, J.E.: Study of dilute solution properties of polystyrene (and substituted styrene)-*b*-polybutadiene diblock copolymers by variable temperature size exclusion chromatography. *Polym. Prepr. (Am. Chem. Soc., Div. Polym. Chem.)*, 25 (1984) 96-97; *C.A.*, 101 (1984) 212016p.
- 2101 Dubin, P.L., Levy, I.J. and Oteri, R.: Hydrophobic effects in exclusion chromatography on PW gel columns. *J. Chromatogr. Sci.*, 22 (1984) 432-434.
- 2102 Helfrich, J.P. and Andrews, M.W.: GPC distinguishes useful and non-useful polymer compositions. *Res. Dev.*, 26 (1984) 90-93; *C.A.*, 101 (1984) 192937j.
- 2103 Hoagland, D.A., Larson, K.A. and Prud'homme, R.K.: Hydrodynamic chromatography of high molecular weight water-soluble polymers. *Chem. Anal. (N.Y.)*, 73 (Mod. Methods, Part. Size Anal.) (1984) 277-301; *C.A.*, 101 (1984) 211967n.
- 2104 Kamyshina, L.G., Itskson, L.B. and Filippov, A.A.: (Study of copolymers of piperylene with vinyl monomers by exclusion chromatography). *Sintez. Modifik. i Fiz.-khim. Svoistva Nov. Lakokrasoch. Sistem*, M, (1983) 59-66; *C.A.*, 101 (1984) 211970h.
- 2105 Lai, S.-T. and Locke, D.C.: Pyrolysis-fluorescence spectroscopy, pyrolysis-mass spectrometry and pyrolysis-liquid chromatography of linear and cross-linked polystyrenes. *J. Chromatogr.*, 314 (1984) 283-293.
- 2106 Lai, S.-T., Sangermano, L. and Locke, D.C.: Phenyl-bonded phase liquid chromatography of styrene oligomers. *J. Chromatogr.*, 312 (1984) 313-326.
- 2107 Men, L.C., Na, H. and Rogers, L.B.: Solvent selectivity studies using isomers of polystyrene. *J. Chromatogr.*, 314 (1984) 55-63.
- 2108 Potter, N.M., Mehta, R.K.S. and Wyzgoski, M.G.: Determination of *p*-phenylenediamine antiozonant in polychloroprene rubber. *Rubber Chem. Technol.*, 57 (1984) 804-812; *C.A.*, 101 (1984) 212449g.
- 2109 Scheuring, D.R.: Size exclusion chromatography of polyelectrolytes in dimethylformamide. *J. Appl. Polym. Sci.*, 29 (1984) 2819-2828; *C.A.*, 101 (1984) 172078b.
- 2110 Shintani, H., Tsuji, K., Oba, T. and Koshimura, E.: (Determination of plasticizer in preserved human plasma and pretreatment method). *Bunseki Kagaku*, 33 (1984) 614-617.

- 2111 Timm, D.C., Tian, W.M., Larson, B.J. and Sudduth, R.D.: Thermoset resin microstructure by gel-permeation chromatography: an anhydride-cured epoxy. *J. Chromatogr.*, 316 (1984) 343-358.
- 2112 Vimalasiri, P.A.D.T., Haken, J.K. and Burford, R.P.: Chromatographic analysis of elastomer antidegradants and accelerators. *J. Chromatogr.*, 300 (1984) 303-355.

For additional information see:

C.A., 101 (1984) 172073w, 172080w, 172081x, 173077u, 173117a.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 2113 Kosatik, A.: (present status and possible chromatographic methods for determining medicines in biological material). *Acta Univ. Palacki, Olomouc, Fac. Med.*, 107 (1984) 151-158; C.A., 101 (1984) 163094b - a review with 43 refs.
- 2114 Takahagi, H.: Analysis of drugs. *Bunseki*, (1984) 767-769; C.A., 101 (1984) 216480h - a review with no refs.

### 32a. Synthetic drugs

- 2115 Alric, R., Arce-Corrales, L., Blayac, J.P. and Puech, R.: Statistical analysis of performance of a liquid chromatographic assay of anticonvulsants involving solvent-demixing extraction and reciprocal internal standardization. *Methods Find. Exp. Clin. Pharmacol.*, 6 (1984) 353-361; C.A., 101 (1984) 221964v.
- 2116 Asmus, P.A., Landis, J.B., Grant, M.E. and Havel, H.A.: Determination of minoxidil in bulk drug and pharmaceutical formulations by ion-pairing high-performance liquid chromatography. *J. Pharm. Sci.*, 73 (1984) 1290-1293.
- 2117 Babhair, S.A.: Determination of pirenzepine in dosage forms and in biological fluids. *J. Liq. Chromatogr.*, 7 (1984) 2401-2408.
- 2118 Bauer, M., Degude, C. and Mailhe, L.: Simultaneous determination of chlorhexidine, tetracaine and their degradation products by ion-pair liquid chromatography. *J. Chromatogr.*, 315 (1984) 457-464.
- 2119 Brower, J.F., Toler, D.Y. and Reepmeyer, J.C.: Determination of sodium levothyroxine in bulk, tablet, and injection formulations by high-performance liquid chromatography. *J. Pharm. Sci.*, 73 (1984) 1315-1317.
- 2120 Brown, N.D., Gray, R.R., Stermer-Cox, M.G., Doctor, B.P. and Hagedorn, I.: Stability study of HI-6 dichloride in various anticholinergic formulations. *J. Chromatogr.*, 315 (1984) 389-394.
- 2121 Carignan, G., Lodge, B.A. and Skakum, W.: General reversed-phase high-performance liquid chromatography procedure for the analysis of oral contraceptive formulations. *J. Chromatogr.*, 315 (1984) 470-477.
- 2122 Chang, H.L. and DeVries, J.W.: Short liquid chromatographic method for determination of zearalenone and alpha-zearalenol. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 741-744.
- 2123 Constanzo, S.J.: Selection of mixed ion-pair modifiers for high-performance liquid chromatographic mobile phases. *J. Chromatogr.*, 314 (1984) 402-407.
- 2124 Das Gupta, V.: Quantitation of metronidazole in pharmaceutical dosage forms using high-performance liquid chromatography. *J. Pharm. Sci.*, 73 (1984) 1331-1333.
- 2125 Fell, A.F., Clark, B.J. and Scott, H.P.: Computer-aided strategies for archive retrieval and sensitivity enhancement in the identification of drugs by photodiode array detection in high-performance liquid chromatography. *J. Chromatogr.*, 316 (1984) 423-440.
- 2126 Gibbs, V. and Zaidi, Z.: Evaluation of high-performance liquid chromatography and gas chromatography for quantitation of dextromethorphan hydrobromide in cough-cold syrup preparations. *J. Pharm. Sci.*, 73 (1984) 1248-1251.
- 2127 Hermansson, J.: Direct liquid chromatographic resolution of racemic drugs by means of  $\alpha_1$ -acid glycoprotein as the chiral complexing agent in the mobile phase. *J. Chromatogr.*, 316 (1984) 537-546.
- 2128 Jeyaraj, G.L. and Porter, W.R.: New method for the resolution of racemic warfarin and its analogues using low-pressure liquid chromatography. *J. Chromatogr.*, 315 (1984) 378-383.

- 2129 Little, C.J. and Stahel, O.: Role of column switching in semi-preparative liquid chromatography. Isolation of the sweetener stevioside. *J. Chromatogr.*, 316 (1984) 105-111.
- 2130 Macintosh, A.I. and Neville, G.A.: Liquid chromatographic determination of carbadox, desoxycarbadox, and nitrofurazones in pork tissues. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 958-962.
- 2131 Morawski, J. and Kyle, G.: Liquid chromatographic determination of zoalene in medicated feeds. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 861-862.
- 2132 Revett, S.D. and Tenneson, M.E.: Comparison of HPLC and spectrophotometric analysis of four sulfonamides present in a medicated animal feed premix. *Anal. Proc.*, 21 (1984) 248-250; *C.A.*, 101 (1984) 228574e.
- 2133 Richardson, H. and Bidlingmeyer, B.A.: Bare silica as a reverse-phase stationary phase: liquid chromatographic separation of antihistamines with buffered aqueous organic mobile phases. *J. Pharm. Sci.*, 73 (1984) 1480-1482.
- 2134 Ross, A.J., del Mauro, M.D., Sokoloff, H.K. and Casey, D.L.: Analysis of carprofen dosage forms and drug substance by high-performance liquid chromatography. *J. Pharm. Sci.*, 73 (1984) 1211-1215.
- 2135 Sreenivasan, K., Nair, P.U. and Rathinam, K.: A GPC method for analysis of low molecular weight drugs. *J. Liq. Chromatogr.*, 7 (1984) 2297-2305.
- 2136 Stewart, J.T. and Voltz, D.C.: Determination of *p*-hydroxyamphetamine hydrobromide in solution dosage form by liquid chromatography. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 598-599; *C.A.*, 101 (1984) 216515y.
- 2137 Tangtatsawasdi, P. and Krikorian, S.E.: Determination of the chemical constituents and spectral properties of commercial and NF reference standard potassium guaiacolsulfonate: implications of the findings on compendial analytical methodology. *J. Pharm. Sci.*, 73 (1984) 1238-1241.
- 2138 Tao, F.T., Thurber, J.S. and Dye, D.M.: High-performance liquid chromatographic determination of acetylcholine in a pharmaceutical preparation. *J. Pharm. Sci.*, 73 (1984) 1311-1313.
- 2139 Van Ackeren, J.L., Venable, R.M. and Wainer, I.W.: Separation and analysis of pilocarpine, isopilocarpine, and pilocarpic acid by reverse phase liquid chromatography: Collaborative study. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 924-926.

For additional information see:

*C.A.*, 101 (1984) 164873s, 185340f, 197911f, 198250b, 198273m, 198278s, 198297x, 216208a, 216511u.

See also 1624, 1629, 1674, 1967, 1995, 2027, 2094, 2245.

### 32b. Pharmacokinetics studies

- 2140 Albert, K.S., Raabe, A., Garry, M., Antal, E.J. and Gillespie, W.R.: Determination of ibuprofen in capillary and venous plasma by high-performance liquid chromatography with ultraviolet detection. *J. Pharm. Sci.*, 73 (1984) 1487-1489.
- 2141 Banfield, C. and Rowland, M.: Stereospecific fluorescence high-performance liquid chromatographic analysis of warfarin and its metabolites in plasma and urine. *J. Pharm. Sci.*, 73 (1984) 1392-1396.
- 2142 Barre, J., Houin, G. and Tillement, J.P.: Dose-dependent pharmacokinetic study of pefloxacin, a new antibacterial agent, in humans. *J. Pharm. Sci.*, 73 (1984) 1379-1382.
- 2143 Bury, R.W.: Liquid chromatographic assay of isoxicam in human plasma and urine. *J. Chromatogr.*, 337 (1985) 156-159.
- 2144 Didolkar, M.S., Covell, D.G., Jackson, A.J., Walker, A.P. and Kalidindi, S.R.: Pharmacokinetics of 5-fluorouracil following different routes of intrahepatic administration in the canine model. *Cancer Res.*, 44 (1984) 5105-5109.
- 2145 Diquet, B., Doare, L. and Simon, P.: Determination of clenbuterol in the high nanogram range in plasma of mice by high-performance liquid chromatography with amperometric detection. *J. Chromatogr.*, 336 (1984) 415-421.
- 2146 Eller, M.G. and Schoenwald, R.D.: Determination of ethoxzolamide in the iris/ciliary body of the rabbit eye by high-performance liquid chromatography: comparison of tissue levels following intravenous and topical administration. *J. Pharm. Sci.*, 73 (1984) 1261-1264.



- 2147 Hayes, A.G., Mehta, S. and Chang, T.: Determination of 4,5-dihydro-6-[4-(1H-imidazol-1-yl)-3(2H)-pyridazoline hydrochloride, a new cardiotoxic, in plasma and urine by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 446-451.
- 2148 Hinderling, P.H., Schmidlin, O. and Seydel, J.K.: Quantitative relationships between structure and pharmacokinetics of beta-adrenoceptor blocking agents in man. *J. Pharmacokin. Biopharm.*, 12 (1984) 263-287.
- 2149 Hoffmann, K.-J., Renberg, L. and Bäärnhielm, C.: Stereoselective disposition of RS-tocainide in man. *Eur. J. Drug Metab.*, 9 (1984) 215-222.
- 2150 Itoh, S., Tanabe, K., Furuichi, Y., Suzuka, T., Kubo, K., Yamazaki, M. and Kamada, A.: Ion-pair high-performance liquid chromatographic analysis of sulpyrine and its metabolites in rabbit plasma. *Chem. Pharm. Bull.*, 32 (1984) 3194-3198.
- 2151 Kannan, R., Ikeda, N., Wagner, R., Drachenberg, M. and Singh, B.N.: Serum and myocardial kinetics of amiodarone and its deethyl metabolite after intravenous administration in rabbits. *J. Pharm. Sci.*, 73 (1984) 1208-1211.
- 2152 Kärkkäinen, S.: High-performance liquid chromatographic determination of sotalol in biological fluids. *J. Chromatogr.*, 336 (1984) 313-319.
- 2153 Luzzi, P.A., Wenger, T.L., Klinger, J.K., Barchowski, A. and Strauss, H.C.: Simultaneous determination of lidocaine and its metabolites in plasma and myocardium. *J. Chromatogr.*, 311 (1984) 291-299.
- 2154 Mays, D.C., Sharp, D.E., Beach, C.A., Kershaw, R.A., Bianchine, J.R. and Gerber, N.: Improved method for the determination of aspirin and its metabolites in biological fluids by high-performance liquid chromatography: Applications to human and animal studies. *J. Chromatogr.*, 311 (1984) 301-309.
- 2155 Morkitt, G.S., Lee, R.M. and McDowall, R.D.: Improved HPLC analysis of oxmetidine and its metabolites in biological fluids. *Anal. Proc.*, 21 (1984) 246-248; *C.A.*, 101 (1984) 221954v.
- 2155 Musson, D.G., Vincek, W.C., Constanzer, M.L. and Detty, T.E.: Analytical methods for the determination of sulindac and metabolites in plasma, urine, bile, and gastric fluid by liquid chromatography using ultraviolet detection. *J. Pharm. Sci.*, 73 (1984) 1270-1273.
- 2157 Ng, K.-T., Holland, M.L. and Plutte, J.A.: Determination of linogiride in biological fluids by high-performance liquid chromatography. *J. Chromatogr.*, 311 (1984) 418-423.
- 2158 Osterdahl, B.-G., Johnsson, H. and Nordlander, I.: Rapid Extrelut column method for determination of levamisole in milk using high-performance liquid chromatography. *J. Chromatogr.*, 337 (1985) 151-155.
- 2159 Parkhurst, G.W., Nora, M.V., Thomas, R.W. and Carson, P.E.: High-performance liquid chromatographic-ultraviolet determination of primaquine and its metabolites in human plasma and urine. *J. Pharm. Sci.*, 73 (1984) 1329-1331.
- 2160 Perucca, E., Albrici, A., Gatti, G., Spalluto, R., Visconti, M. and Crema, A.: Pharmacokinetics of oxiracetam following intravenous and oral administration in healthy volunteers. *Eur. J. Drug Metab.*, 9 (1984) 267-274.
- 2161 Piotrovskii, V.K., Veiko, N.N., Ryabokon, O.S., Postolnikov, S.F. and Metelitsa, V.I.: Identification of a prazosin metabolite and some preliminary data on its kinetics in hypertensive patients. *Eur. J. Clin. Pharmacol.*, 27 (1984) 275-280.
- 2162 Rendi, M.A., Ellis, P.P. and Gal, J.: High-performance liquid chromatographic assay for pilocarpine in aqueous humor. *J. Chromatogr.*, 336 (1984) 337-344.
- 2163 Scaroni, C., Mazzoni, P.L., D'Amico, E., Benvenuti, C. and Hind, I.D.: Pharmacokinetics of oral and rectal flurbiprofen in children. *Eur. J. Clin. Pharmacol.*, 27 (1984) 367-369.
- 2164 Whaw, L.M., Bonner, H., Turrisi, A., Norfleet, A.L. and Glover, D.J.: A liquid chromatographic electrochemical assay for S-2-(3-aminopropylamino)ethyl-phosphorothioate (WR2721) in human plasma. *J. Liq. Chromatogr.*, 7 (1984) 2447-2465.
- 2165 Slack, J.A. and Goddard, C.: Antitumour imidazotetrazine. VII. Quantitative analysis of mitozolomide in biological fluids by high-performance liquid chromatography. *J. Chromatogr.*, 337 (1985) 178-181.
- 2166 Strong, H.A., Oates, J., Sembi, J., Renwick, A.G. and George, C.F.: Role of the gut flora in the reduction of sulfinpyrazone in humans. *J. Pharmacol. Exp. Ther.*, 230 (1984) 726-732.

- 2167 Strohshane, R.M., Koss, R.F., Biddlecome, C.E., Luczkowec, C. and Edelson, J.: Oral and intravenous pharmacokinetics of milrinone in human volunteers. *J. Pharm. Sci.*, 73 (1984) 1438-1441.
- 2168 Vajta, S., LeMoing, J.P. and Rovei, V.: Reversed-phase high-performance liquid chromatographic separation of <sup>14</sup>C-labelled toloxatone and its metabolites. *J. Chromatogr.*, 311 (1984) 329-337.
- 2169 Van Belle, S.J.P., Schoemaker, T.J., Verwey, S.L., Paalman, A.C.A. and McVie, J.G.: Ion-paired high-performance liquid chromatographic determination of mitoxantrone in physiological fluids. *J. Chromatogr.*, 337 (1985) 73-80.
- 2170 Wu, A.T., Massey, I.J. and Kushinsky, S.: A high-performance liquid chromatographic method for the simultaneous determination of nicardipine and its pyridine metabolite II in plasma. *J. Pharm. Sci.*, 73 (1984) 1444-1447.

For additional information see:

C.A., 101 (1984) 169195g, 183432p, 203785m, 203796r, 221953u.

See also 1992, 2067.

### 32c. Drug monitoring

- 2171 Adair, C.G., Burns, D.T., Crookard, A.D., Desai, Z.R. and Harriot, M.: Modified extraction and chromatography of the measurement of plasma melphalam by ion-pair high-performance chromatography. *J. Chromatogr.*, 336 (1984) 429-433.
- 2172 Alton, K.B., Leitz, F., Bariletto, S., Jaworsky, L., Desrivieres, D. and Patrick, J.: High-performance liquid chromatographic assay for labetalol in human plasma using a PRP-1 column and fluorometric detection. *J. Chromatogr.*, 311 (1984) 319-328.
- 2173 Bore, P., Rahmani, R., Cano, J.-P., Just, S. and Barbet, J.: Radioimmunoassays of 7-hydroxymethotrexate and methotrexate. *Clin. Chim. Acta*, 141 (1984) 135-149.
- 2174 Boutagy, J., Rumble, F.M. and Shenfield, G.M.: A rapid liquid chromatographic method for determination of flecainide in human blood plasma using ultraviolet detection. *J. Liq. Chromatogr.*, 7 (1984) 2579-2590.
- 2175 Charles, B.G. and Ravenscroft, P.J.: Measurement of gliclazide in plasma by radial compression reversed-phase liquid chromatography. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1789-1791 - Nova-Pak C<sub>18</sub>, Bondapak C<sub>18</sub>/Corasil.
- 2176 Diquet, B., Nguyen-Huu, J.J. and Boutron, H.: Determination of pindolol in human plasma by high-performance liquid chromatography with amperometric detection. *J. Chromatogr.*, 311 (1984) 430-433.
- 2177 Glazer, R.I. and Knode, M.C.: Neplanocin A. A cyclopentenyl analog of a adenosine with specificity for inhibiting RNA methylation. *J. Biol. Chem.*, 259 (1984) 12964-12969.
- 2178 Grech-Belanger, O., Turgeon, J. and Gilbert, M.: High-performance liquid chromatographic assay for mexiletine enantiomers in human plasma. *J. Chromatogr.*, 337 (1985) 172-177.
- 2179 Hale, P.W., Jr. and Poklis, A.: Determination of diastereoisomeric pairs of thioridazine 5-sulfoxide by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 452-455.
- 2180 Hardy, R.W., Erlichman, C. and Soldin, S.J.: High-performance liquid chromatographic measurement of cyclophosphamide in serum. *Ther. Drug Monit.*, 6 (1984) 313-318; C.A., 101 (1984) 221970x.
- 2181 Heazlewood, R.L. and Lemass, W.J.: Simple high-performance liquid chromatographic assay for the routine monitoring of clonazepam in plasma. *J. Chromatogr.*, 336 (1984) 229-233.
- 2182 Hermansson, J. and Ericksson, M.: Determination of (R) and (S)-disopyramide in human plasma using a chiral  $\alpha_1$ -acid glycoprotein column. *J. Chromatogr.*, 336 (1984) 321-328.
- 2183 Hughes, M.A., Meredith, P.A. and Elliott, H.L.: The determination of trimazosin and its metabolite CP 23445 in whole blood by high performance liquid chromatography using fluorescence detection. *J. Pharmacol. Methods*, 12 (1984) 29-34; C.A., 101 (1984) 163108j.
- 2184 Janis, R.A., Krol, G.J., Noe, A.J. and Pan, M.: Radioreceptor and high-performance liquid chromatographic assays for the calcium channel antagonist nitrendipine in serum. *J. Clin. Pharmacol.*, 23 (1983) 266-273; C.A., 101 (1984) 183321b.

- 2185 Kapur, P.A., Law, T. and Watson, E.: Simultaneous quantitation of verapamil, norverapamil, and N-dealkylated metabolites in human plasma following oral administration. *J. Chromatogr.*, 337 (1985) 160-165.
- 2186 Kobayashi, A., Sugita, S. and Nakazawa, K.: High-performance chromatographic determination of imipramine and desimipramine in human serum. *J. Chromatogr.*, 336 (1984) 410-414.
- 2187 Lensmeyer, G.L. and Evanson, M.A.: Stabilized analysis of antidepressant drugs by solvent-recycled liquid chromatography: Procedure and proposed resolution mechanisms for chromatography. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1774-1779 - Zorbax cyanopropyl.
- 2188 Litowicz, H., Olanoff, L. and Hoppel, C.L.: Determination of ibuprofen in human plasma by high-performance chromatography. *J. Chromatogr.*, 311 (1984) 443-448.
- 2189 Littlewood, T.J., Hutchings, A.L., Bentley, D.P. and Spragg, B.P.: High-performance liquid chromatographic determination of etoposide in plasma using electrochemical detection. *J. Chromatogr.*, 336 (1984) 434-437.
- 2190 Mezei, J., Küttel, S., Szentmiklósi, P., Marton, S. and Racz, I.: A new method for high-performance liquid chromatographic determination of droxerone in plasma. *J. Pharm. Sci.*, 73 (1984) 1489-1491.
- 2191 Mihaly, G.W., Nicholl, D.D., Edwards, G., Ward, S.A., Orme, M.L'E., Warrell, D.A. and Breckenridge, A.M.: High-performance liquid chromatographic analysis of amodiaquine in human plasma. *J. Chromatogr.*, 337 (1985) 166-171.
- 2192 Narasimhachari, N., Dorey, R.C., Landa, B.L. and Friedel, R.O.: Improved high-performance liquid chromatographic method for the quantitation of *cis*-thiothixene in plasma samples using *trans*-thiothixene as internal standard. *J. Chromatogr.*, 311 (1984) 424-429.
- 2193 Osman, M.A., Pinchbeck, F.M., Cheng, L.K. and Wright, C.J.: Simultaneous determination of fluzinamide and three of its active metabolites in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 329-336.
- 2194 Parviainen, M.T., Harmoinen, A., Baer, G. and Jakela, H.: Assay of serum thiothixene concentrations by high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2229-2235.
- 2195 Puttemans, M., Bogaert, M., Hoogewijs, G., Dryon, L., Massart, D.L. and Vanhaelst, L.: Determination of cinnarizine in whole blood and plasma by reversed phase HPLC and its application to a pharmacokinetic study. *J. Liq. Chromatogr.*, 7 (1984) 2237-2251.
- 2196 Ray, J.E. and Day, R.O.: High-performance liquid chromatographic determination of a new anti-inflammatory agent, nabumetone, and its major metabolite in plasma using fluorimetric detection. *J. Chromatogr.*, 336 (1984) 234-238.
- 2197 So, N., Chandra, D.P., Alexander, I.S., Webster, V.J. and O'Gorman-Hughes, D.W.: Determination of serum methotrexate and 7-hydroxymethotrexate concentrations. Method evaluation showing advantages of high-performance liquid chromatography. *J. Chromatogr.*, 337 (1985) 81-90.
- 2198 Stanski, D.R., Hudson, R.J., Homer, T.D., Saidman, L.J. and Meathe, E.: Pharmacodynamic modeling of thiothixene anesthesia. *J. Pharmacokin. Biopharm.*, 12 (1984) 223-240.
- 2199 Strojny, N., Puglisi, C.V. and de Silva, J.A.F.: Determination of the anti-allergic agent, N-[4-(1H-imidazol-1-yl)butyl]-2-(1-methylethyl)-11-oxo-11H-pyrido[2,1b]quinazoline-8-carboxamide, in plasma by reversed-phase high-performance liquid chromatographic analysis using fluorometric detection. *J. Chromatogr.*, 336 (1984) 301-311.
- 2200 Tan, Y.K. and Soldin, S.J.: Determination of salbutamol in human serum by reversed-phase high-performance liquid chromatography with amperometric detection. *J. Chromatogr.*, 311 (1984) 311-317.
- 2201 Tsuneyoshi, T., Dawamoto, A. and Keozuka, J.: Optimizing a liquid chromatographic mobile phase for simultaneous analysis of eight antiepileptic drugs. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1889-1890 -  $\mu$ Bondapak C<sub>18</sub>.
- 2202 Wilson, J.F., Newcombe, R.G., Marshall, R.W., Williams, J. and Richens, A.: Analysis of assay errors in drug measurements from the health control inter-laboratory quality assessment schemes. *Clin. Chim. Acta*, 143 (1984) 203-216.

For additional information see:

C.A., 101 (1984) 183360p, 221993g, 222008b.

## 32d. Toxicological applications

- 2203 Brenneisen, R.: (Psychotropic drugs. II. Determination of cannabinoids in *Cannabis sativa* L. and cannabis products with high-pressure liquid chromatography (HPLC). *Pharm. Acta Helv.*, 59 (1984) 247-259; *C.A.*, 101 (1984) 224151s.
- 2204 Oshima, Y., Machida, M., Sasaki, K., Tamaoki, Y. and Yasumoto, T.: Liquid chromatographic-fluorometric analysis of paralytic shellfish toxins. *Agric. Biol. Chem.*, 48 (1984) 1707-1711; *C.A.*, 101 (1984) 185309c.

See also 1724.

## 32e. Plant extracts

- 2205 Brimer, L. and Dalgaard, L.: Cyanogenic glycosides and cyanohydrins in plant tissues. Qualitative and quantitative determination by enzymatic post-column cleavage and electrochemical detection after separation by high-performance liquid chromatography. *J. Chromatogr.*, 303 (1984) 77-88.
- 2206 Burton, G., Veleiro, A.S. and Gros, E.G.: Reversed-phase chromatographic separation of withanolides from *Acnistus breviflorus*. *J. Chromatogr.*, 315 (1984) 435-440.
- 2207 Freytag, W.E.: Bestimmung von Hypericin und Nachweis von Pseudohypericin in *Hypericum perforatum* L. durch HPLC. *Dtsch. Apoth.-Ztg.*, 124 (1984) 2383-2386.
- 2208 Vanhaelen-Pastre, R. and Vanhaelen, M.: Qualitative and quantitative determinations of hallucinogenic components of *Psilocybe* mushrooms by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 312 (1984) 467-472.
- 2209 Wagner, H., Feil, B. and Bladt, S.: *Viscum album*, die Mistel. Analyse und Standardisierung von Arzneidroge und Phytopräparaten durch HPLC und andere chromatographische Verfahren (III). *Dtsch. Apoth.-Ztg.*, 124 (1984) 1429-1432.

For additional information see:

*C.A.*, 101 (1984) 198269q, 209225a, 212947t.

See also 1777, 1819.

## 32f. Clinico-chemical applications and profiling body fluids

- 2210 Kawanishi, H., Nishiki, M., Tsuchiya, T. and Ezaki, H.: High performance gel-chromatography as a parameter for the progress of hepatic failure of dogs. *Hiroshima J. Med. Sci.*, 33 (1984) 57-63; *C.A.*, 101 (1984) 189171z.

See also 1725, 1728, 1749, 1808, 1848, 1859, 1939, 1960, 1969, 1979, 1983, 1993, 2020, 2057, 2239.

## 33. INORGANIC COMPOUNDS

- 2211 Schmuckler, G.: Recent developments in ion chromatography. *J. Chromatogr.*, 313 (1984) 47-57 - a review with 27 refs.

## 33a. Cations

- 2212 Adachi, T., Yoshida, H., Izawa, K. and Hashitani, H.: (Successive determination of micro quantities of titanium and aluminium in zirconium by cation exchange separation in hydrofluoric acid-boric acid media). *Bunseki Kagaku*, 33 (1984) 455-459.
- 2213 Dadone, A., Mazzucotelli, A., Baffi, F. and Frache, R.: The determination of trace amounts of rare-earth activators in rare-earth oxide sulfide phosphors by high pressure liquid chromatography and a 4-(2-pyridylazo)resorcinol spectrophotometric detection. *Ann. Chim. (Rome)*, 74 (1984) 553-563; *C.A.*, 101 (1984) 182980d.

- 2214 Eskew, D.L., Welch, R.M. and Cary, E.E.: A simple plant nutrient solution purification method for effective removal of trace metals using controlled pore glass-8-hydroxyquinoline chelation column chromatography. *Plant Physiol.*, 76 (1984) 103-105; *C.A.*, 101 (1984) 190343p.
- 2215 Fang, Z., Xu, S. and Zhang, S.: The determination of trace amounts of heavy metals in waters by a flow-injection system including ion-exchange preconcentration and flame atomic absorption spectrometric detection. *Anal. Chim. Acta*, 164 (1984) 41-50.
- 2216 Fukasawa, T., Kawakubo, S., Okabe, T. and Mizuike, A.: (Catalytic determination of vanadium by micro ion exchange separation-flow injection method and its application to rain water). *Bunseki Kagaku*, 33 (1984) 609-614.
- 2217 Heddur, R.B. and Khopkar, S.M.: Extraction chromatographic separation of germanium with trioctylphosphine oxide. *Anal. Lett.*, 17 (1984) 1753-1762.
- 2218 Ichinoki, S., Morita, T. and Yamazaki, M.: Simultaneous determination of heavy metals in bovine liver and oyster tissue by solvent extraction-reversed phase high-performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2467-2482.
- 2219 Matsushita, S.: Simultaneous determination of anions and metal cations by single-column ion chromatography with ethylenediaminetetraacetate as eluent and conductivity and ultra-violet detection. *J. Chromatogr.*, 312 (1984) 327-336.
- 2220 Nakajima, M., Kimura, K., Hayata, E. and Shono, T.: Ion chromatography on poly(crown-ether)-modified silica possessing high affinity for sodium. *J. Liq. Chromatogr.*, 7 (1984) 2115-2125.
- 2221 Nickless, G.: Trace metal determination by chromatography. *J. Chromatogr.*, 313 (1984) 129-159 - a review with 244 refs., partly on LC.
- 2222 Nisamanepong, W., Ibrahim, M., Gilbert, T.W. and Caruso, J.A.: Speciation of arsenic and cadmium compounds by reversed-phase ion-pair LC with single-wavelength inductively coupled plasma detection. *J. Chromatogr. Sci.*, 22 (1984) 473-477.
- 2223 Piao, C.Y., Deguchi, T., Sanemasa, I. and Nagai, H.: (Determination of ultra-trace amounts of cadmium concentrated with anion-exchange resin by differential pulse anodic stripping voltammetry). *Bunseki Kagaku*, 33 (1984) 524-528.
- 2224 Sato, C. and Taga, M.: (Separation and concentration of trace heavy metals in foods with chelating resin). *Bunseki Kagaku*, 33 (1984) 500-503.
- 2225 Upadhyay, R.K., Bajpai, A.K. and Rathore, K.: Chromatographic analysis of binary mixtures of isomeric complexes. *Chromatographia*, 18 (1984) 618-620.
- 2226 Wnclawiak, B., Schultze, P. and Uebis, V.: Micro reversed phase liquid chromatography of cadmium, nickel, zinc, copper, cobalt, mercury diethyldithiocarbamates at picogram level. *Mikrochim. Acta*, 2 (1984) 251-262; *C.A.*, 101 (1984) 221508c.

For additional information see:

*C.A.*, 101 (1984) 182834j, 197195a, 199823c, 200023a, 203406p, 203461c, 221557t.

See also 1676, 2040, 2235.

### 33b. Anions

- 2227 Andrasko, J.: Anion chromatography on a conventional reversed-phase column using two ultraviolet detectors. *J. Chromatogr.*, 314 (1984) 429-435.
- 2228 Barber, W.E. and Carr, P.W.: UV visualization of inorganic anions by reversed-phase ion-exchange chromatography: factors that control sensitivity and detection. *J. Chromatogr.*, 316 (1984) 211-225.
- 2229 Barron, R.E. and Fritz, J.S.: Effect of functional group structure and exchange capacity on the selectivity of anion exchangers for divalent anions. *J. Chromatogr.*, 316 (1984) 201-210.
- 2230 Butler, E.C.V. and Gershey, R.M.: Application of ion-exchange chromatography with an ion-selective electrode detector to iodine determination in natural waters. *Anal. Chim. Acta*, 164 (1984) 153-161.
- 2231 Chang, C.A. and Fong, K.L.: Substitution-inert metal complex mobile phases in non-suppressed anion chromatography. *J. Chromatogr.*, 312 (1984) 99-107.
- 2232 Dreux, M., Lafosse, M., Pequignot, M., Morin-Allory, L. and Douady, M.: A rapid method for quantitative analysis of lead sulfate in the manufacturing control of lead acid batteries. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 712-713.

- 2233 Haddad, P.R. and Heckenberg, A.L.: Determination of inorganic anions by high-performance liquid chromatography. *J. Chromatogr.*, 300 (1984) 357-394.
- 2234 Jancar, J.C., Constant, M.D. and Herwig, W.C.: Determination of inorganic anions in beer by ion chromatography. *J. Amer. Soc. Brew. Chem.*, 42 (1984) 90-93; *C.A.*, 101 (1984) 70907d.
- 2235 Jones, V.K. and Tarter, J.G.: Single injection ion chromatographic analysis of both anions and cations. *J. Chromatogr.*, 312 (1984) 456-460.
- 2236 Kordorouba, V., Pelletier, M., Balikungeri, A. and Haerdi, W.: (Ion-exchange chromatography coupled with conductometric and electrochemical detectors: application to the determination of nitrite, nitrate, chloride, and sulfate). *Chimia*, 38 (1984) 253-255; *C.A.*, 101 (1984) 197803x.
- 2237 McClure, J.E. and Stehman, P.L.: Determination of isocyanic acid in air by high performance liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2151-2161.
- 2238 Okada, T. and Kuwamoto, T.: Determination of silicate by non-suppressed ion chromatography. *Anal. Lett.*, 17 (1984) 1743-1751.
- 2239 Pillion, D.J., Neumeier, T.T. and Meezan, E.: Serum sulfate levels in patients with cystic fibrosis. *Clin. Chim. Acta*, 142 (1984) 241-247.
- 2240 Saitoh, H. and Oikawa, K.: Simultaneous determination of nitrite and nitrate ions in foods by ion chromatography with ultraviolet spectrophotometric detector. *Bunseki Kagaku*, 33 (1984) E441-E444.
- 2241 Van Wees, A.M.P., Rijk, M.A.H., Rijnaars, M.W. and De Vos, R.H.: Chromatographic methods for the determination of inorganic bromide in vegetables. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. Nutr. Sci. Food Saf.) (1984) 19-25; *C.A.*, 101 (1984) 228593k.

For additional information see:

*C.A.*, 1 01 (1984) 182792u, 182895c, 183065w, 203342q, 221808a.

#### 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 2242 Suzuki, K.: Simultaneous monitoring of several radionuclides in a radio-liquid chromatography system. *Int. J. Appl. Radiat. Isot.*, 35 (1984) 801-804; *C.A.*, 101 (1984) 203393g.

#### 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

##### 35a. Surfactants

- 2243 Kwan, C.C. and Lin, S.T.: Identification of ABS and LAS by high performance liquid chromatography. *Chieh Mien Ko' Hsueh*, 24 (1984) 16-27; *C.A.*, 101 (1984) 213072r.
- 2244 Nakamura, E. and Namiki, H.: (Separation of cationic surfactants from a large amount of anionic surfactants with anionic exchange). *Bunseki Kagaku*, 33 (1984) 600-603.

##### 35b. Antioxidants and preservatives

- 2245 Gagliardi, L., Amato, A., Basili, A., Cavazzutti, G., Gattavecchia, E. and Tonelli, D.: Determination of preservatives in cosmetic products by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 315 (1984) 465-469.

##### 35c. Food analysis

- 2246 Games, D.E., Alcock, N.J., Horman, I., Lewis, E., McDowall, M.A. and Moncur, A.: Combined LC/MS and its application in food science. *ACS Symp. Ser.*, 21 (Chromatogr. Mass Spectrom. Nutr. Sci. Food Saf.) (1984) 263-280; *C.A.*, 101 (1984) 228594m.

- 2247 Kovar, J. and Loyer, M.: Determination of bitrex, quassia powder and sucrose octaacetate next to diethyl phthalate and camphor in specially denatured alcohols by liquid chromatography. *J. Liq. Chromatogr.*, 7 (1984) 2163-2177.
- 2248 Madhyastha, M.S. and Bhat, R.V.: Minicolumn chromatography for the detection of argemone oil in edible oils. *J. Food Sci. Technol.*, 21 (1984) 20-21; *C.A.*, 101 (1984) 169181z.
- 2249 Schwedt, G.: (HPLC versus GC in food analysis). *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 183-189; *C.A.*, 101 (1984) 209143x - a review with 40 refs.
- 2250 Schwedt, G.: (Special HPLC techniques in food analysis). *Koryo*, 143 (1984) 77-82; *C.A.*, 101 (1984) 209149d - a review with 23 refs.

See also 1695, 2234.

### 35d. Various technical products

- 2251 Sheu, Y.-H.E., Philip, C.V., Anthony, R.G. and Soltes, E.J.: Separation of functionalities in pyrolytic tar by gel permeation chromatography - gas chromatography. *J. Chromatogr. Sci.*, 22 (1984) 497-505.

For additional information see:

*C.A.*, 101 (1984) 174199r, 176429q, 203417t.

See also 2232.

### 35e. Compounds with distinct biological activity and diverse chemical nature

- 2252 Austin, E.R., Bradford, T.J. and Lupin, M.S.: High-performance liquid chromatographic determination and hydrolysis studies of phenyl phosphorodiamidate, a urease inhibitor. *J. Agric. Food Chem.*, 32 (1984) 1090-1095.
- 2253 Vaughan, G.T. and Milborrow, B.V.: Resolution of *RS*-abscisic acid and the separation of abscisic acid metabolites from plant tissue by high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 221-228.

See also 1900.

## 36. CELLS AND CELLULAR PARTICLES

- 2254 Ehwald, R. and Fuhr, G.: (Vesicular separation, filling and carrier material). *Ger. Offen. Pat.* DE 3,347,512 (Cl. B01D57/00), 19 Jul. 1984, DD Appl. 247,250, 14 Jan. 1983; 9 pp.; *C.A.*, 101 (1984) 187503k.
- 2255 Johansson, G., Akerlund, H.-E. and Olde, B.: Liquid-liquid extraction of membranes from calf brain using conventional and centrifugal counter-current distribution techniques. *J. Chromatogr.*, 311 (1984) 277-289.
- 2256 Sharma, S. and Babitch, J.A.: Affinity chromatography of membrane fragments. Separation of carbonic anhydrase-enriched and depleted brain membranes. *J. Chromatogr.*, 312 (1984) 435-442.

For additional information see:

*C.A.*, 101 (1984) 1 87517t.

## 37. ENVIRONMENTAL ANALYSIS

- 2257 Adams, J. and Giam, C.S.: Chromatographic retention of azarenes on Florisil. *Int. J. Environ. Anal. Chem.*, 18 (1984) 195-207; *C.A.*, 101 (1984) 183160y.

*37b. Air pollution*

2258 McCown, S.M.: Characterization of extracts of airborne particles. Part I: Size exclusion chromatography. *Int. Lab.*, 14 (1984) 76-86.

For additional information see:  
*C.A.*, 101 (1984) 176564e.

See also 1792.

*37c. Water pollution*

See 1553, 1798, 2030, 2215, 2216, 2223, 2230.

*37d. Soil pollution*

See 1666.



## Gas Chromatography

### 1. REVIEWS AND BOOKS

- 469 Angele, H.-P.: *Dictionary of Chromatography English-German-French-Russian*. Hüthig Verlag, Heidelberg, 1984, 144 pp.
- 470 Berezkin, V.G. and Zolotarev, P.P.: (Theory of capillary gas-liquid-solid chromatography). *Usp. Khim.*, 53 (1984) 1891-1924 - a review with 140 refs.
- 471 Meyer, V.: Es gibt nicht Neues (mehr?) in der Chromatographie - aber mit den heutigen Kenntnissen lässt sich jedes (?) Trennproblem noch schneller oder präziser lösen. *Swiss Chem.*, 6, No. 12 (1984) 21-34.
- 472 Nickless, G.: Trace metal determination by chromatography. *J. Chromatogr.*, 313 (1984) 129-159 - a review with 244 refs., partly on GC.
- 473 Uden, P.C.: Inorganic gas chromatography. *J. Chromatogr.*, 313 (1984) 3-31 - a review with 200 refs.
- 474 Voorhees, K.J. (Editor): *Analytical Pyrolysis. Techniques and Applications*. Butterworths, London, 1984, X + 486 pp.
- 475 Zabokritskii, M.P., Chizhkov, V.P. and Rudenko, B.A.: (Development of circular gas chromatography). *Usp. Khim.*, 53 (1984) 1572-1594 - a review with 159 refs.

See also 508, 514, 548.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

- 476 Delley, R.: Series for the exponentially modified Gaussian peak shape. *Anal. Chem.*, 57 (1985) 388.
- 477 Krupcik, J., Garaj, J., Cellar, P. and Guiochon, G.: Calculation of the peak capacity in capillary gas chromatography. *J. Chromatogr.*, 312 (1984) 1-10.
- 478 Lamparczyk, H. and Radecki, A.: The role of electric interactions in the retention index concept; implications in quantitative structure-retention studies. *Chromatographia*, 18 (1984) 615-618.
- 479 Larin, A.V.: (Model of adsorption equilibrium layer in chromatography. 1. Formulation of the problem, general regularities governing nonideal chromatography for various sorption isotherms). *Izv. Akad. Nauk SSSR, Ser. Khim.*, (1984) 1212-1216.
- 480 Littler, J.S. and Scott, C.J.P.: A low-cost chromatograph data-collection system. *Biochem. Soc. Trans.*, 12 (1984) 991-993; *C.A.*, 101 (1984) 142978c.
- 481 Martin, M. and Guiochon, G.: Analogy between the depolymerization and separation processes. Application to the statistical evaluation of complex chromatograms. *Anal. Chem.*, 57 (1985) 289-295.
- 482 Sprouse, J.F. and Varano, A.: Development of a GC retention index library. *Int. Lab.*, 14, No. 9 (1984) 54-73.

See also 470, 523.

#### 2b. Thermodynamics and theoretical relationships

- 483 Conder, J.R.: Changes in peak width and concentration at the inlet and outlet of a chromatographic column. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 615-619.
- 484 Zolotarev, P.P., Maksimycheva, M.A. and Ugrozov, V.V.: (Theory of chromatographic process in capillary columns with regard to adsorption on boundaries gas-liquid and liquid-solid support. *Zh. Fiz. Khim.*, 58 (1984) 2519-2524.

*2c. Relationship between structure and chromatographic behavior*

- 485 Fernandez-Sanchez, E., Garcia-Dominguez, J.A., Menendez, V. and Pertierra-Rimada, E.: Indirect determination of specific retention volumes in gas chromatography. Use of retentions of the McReynolds probes relative to *n*-decane. *J. Chromatogr.*, 312 (1984) 69-74.
- 486 Kleinert, T. and Ecknig, W.: Prediction of retention data by using parameters of intermolecular interaction. I. A model for calculation of non-polar and polar interaction parameters. *J. Chromatogr.*, 315 (1984) 75-84.
- 487 Kleinert, T. and Ecknig, W.: Prediction of retention data by using parameters of intermolecular interaction. II. Application of the model to gas-liquid chromatographic systems. *J. Chromatogr.*, 315 (1984) 85-93.
- 488 Rudenko, B.A., Bulycheva, Z.Yu., Topunov, V.N. and Itsikson, L.B.: (Principles of the changes of retention indexes for polycyclic aromatic hydrocarbons in relation to their structure and stationary phase polarity). *Zh. Anal. Khim.*, 39 (1984) 700-706.

See also 529, 574, 578, 619, 629.

*2d. Measurement of physico-chemical and related values*

- 489 Belfer, A.J. and Locke, D.C.: Non-steady-state gas chromatography for activity coefficient measurement. *Anal. Chem.*, 56 (1984) 2485-2489.
- 490 Bidleman, T.F.: Estimation of vapor pressures for nonpolar organic compounds by capillary gas chromatography. *Anal. Chem.*, 56 (1984) 2490-2496.
- 491 Cooper, W.T. and Hayes, J.M.: Characterization of adsorption at kaolinite surfaces by heterogeneous gas-solid chromatography. *J. Chromatogr.*, 314 (1984) 111-125.
- 492 Deng, G., Wanf, L. and Chen, Y.T.: (Determination of the thermodynamic functions for complexation reactions of silver(I), nickel(II), and zinc(II) with unsaturated hydrocarbons by the gas-liquid chromatographic method. *Gaodeng Xueixiao Huaxue Xuebao*, 5 (1984) 532-534; *C.A.*, 101 (1984) 138251t.
- 493 Fiseiskii, Yu.K. and Zhukhovitskii, A.A.: (Chromatographic method of investigation of heterogenous processes solid-gas on an example of interaction of carbon dioxide with active charcoal). *Zh. Fiz. Khim.*, 58 (1984) 2792-2796.
- 494 Ioffe, B.V. and Larionov, V.V.: (Gas chromatographic headspace analysis for volatile solvents over a wide concentration range). *Zh. Anal. Khim.*, 39 (1984) 693-699.
- 495 Kim, Y.-H., Woodrow, J.E. and Seiber, J.N.: Evaluation of a gas chromatographic method for calculating vapor pressures with organophosphorus pesticides. *J. Chromatogr.*, 314 (1984) 37-53.
- 496 Mironov, A.A. and Khudyakov, V.L.: (Gas chromatographic determination of vapour pressure of low volatile compounds). *Zh. Prikl. Khim.*, 57 (1984) 1732-1735.
- 497 Morel, D., Serpinet, J. and Untz, G.: Irreversible and reversible phase transition of alkyl monolayers. Gas chromatographic evidence of polar solvent influence on the adsorbing properties of the layer. *Chromatographia*, 18 (1984) 611-614.
- 498 Schoene, K., Böhmer, W. and Steinhanses, J.: Determination of vapour pressures down to 0.01 Pa by headspace gas-chromatography. *Fresenius' Z. Anal. Chem.*, 319 (1984) 903-906.
- 499 Shekurov, N.N., Semenov, A.V. and Bereznoy, A.N.: (Chromatographic measurement of diffusion coefficients of vapour of liquids in argon and carbon dioxide). *Zh. Fiz. Khim.*, 58 (1984) 1535-1537.
- 500 Sweeney, C.W.: Solubilities and partial molar enthalpies of solution for polar gas-liquid systems determined by gas chromatography. *Chromatographia*, 18 (1984) 663-667.

See also 504, 581, 662, 668.

## 3. GENERAL TECHNIQUES

## 3a. Apparatus and accessories

- 501 Coutant, R.W., Lewis, R.G. and Mulik, J.D.: Passive sampling devices with reversible adsorption. *Anal. Chem.*, 57 (1985) 219-223.
- 502 Mehran, M.F., Cooper, W.J., Mehran, M. and Diaz, R.: Effluent stream splitting to two different detectors. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 639-640.
- 503 Pankow, J.F. and Isabelle, L.M.: Interface for the direct coupling of a second gas chromatograph to a gas chromatograph/mass spectrometer for use with a fused silica capillary/column. *Anal. Chem.*, 56 (1984) 2997-2999.
- 504 Sidorov, P.F. and Khudyakov, V.L.: (Application of Tswet-200 gas chromatograph to physico-chemical measurements). *Zh. Fiz. Khim.*, 58 (1984) 1579.
- 505 Wells, G.: On-column injection technique for use with 100  $\mu\text{m}$  I.D. capillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 697-699.

See also 518, 655, 672, 767, 770, 772.

## 3b. Detectors and detection reagents

- 506 Brissey, G.M., Henry, D.E., Giss, G.N., Yang, P.W., Griffiths, P.R. and Wilkins, C.L.: Comparison of gas chromatography/Fourier transform infrared spectrometric Gram-Schmidt reconstructions from different interferometers. *Anal. Chem.*, 56 (1984) 2002-2006.
- 507 Dressler, M.: (Flame photometric detector for the Chrom 5 gas chromatograph). *Chem. Listy*, 78 (1984) 645-651.
- 508 Dressler, M.: (New detectors in gas chromatography). *Chem. Listy*, 78 (1984) 487-509.
- 509 Gierczak, C.A., Heindorf, M.A. and Allison, J.: Electron-impact-induced fluorescence - the basis for a universal/selective detector for gas chromatography. *Anal. Chem.*, 56 (1984) 2966-2970.
- 510 Grimsrud, E.P.: The effect of trialkylamines on the response of the electron-capture detector to acridine. *J. Chromatogr.*, 312 (1984) 49-58.
- 511 Hernandez-Gil, N., Wentworth, W.E., Limerio, T. and Chen, E.C.M.: Use of electron-capture data at short pulse intervals for study of electron-capture mechanisms. *J. Chromatogr.*, 312 (1984) 31-47.
- 512 LaBrosse, J.L. and Anderegg, R.J.: The mass spectrometer as a chlorine-selective chromatographic detector. I. Description and evaluation of the technique. *J. Chromatogr.*, 314 (1984) 83-92.
- 513 LaBrosse, J.L. and Anderegg, R.J.: The mass spectrometer as a chlorine-selective chromatographic detector. II. Applications to chemical systems. *J. Chromatogr.*, 314 (1984) 93-102.
- 514 Maeda, Y. and Munemori, M.: (Highly selective gas chromatography detectors for chlorine and sulfur compounds). *Kagaku (Kyoto)*, 39 (1984) 282-283; *C.A.*, 101 (1984) 122267s.
- 515 Miljanic, S.S. and Radak, B.B.: Gas analysis - an improved mathematical model of thermal conductivity detectors. *Glas. Hem. Drus. Beograd*, 49 (1984) 123-127; *C.A.*, 101 (1984) 142919j.
- 516 Nazareth, A., O'Connell, K., Sentissi, A. and Giese, R.W.: Evidence for surface effects in an electron-capture detector. *J. Chromatogr.*, 314 (1984) 219-232.
- 517 Skogerboe, K.J. and Yeung, E.S.: Quantitative gas chromatography without analyte identification by ultrasonic detection. *Anal. Chem.*, 56 (1984) 2684-2686.
- 518 Zhou, L., Zhu, D., Wang, Q., Wang, G., Ye, F., Li, Y. and Lu, P.: (Valveless switching technique and multifunction (four-in-one) detector for gas chromatography). *Fenxi Huaxue*, 12 (1984) 463-467; *C.A.*, 101 (1984) 122289a.

See also 502, 572, 586, 598, 627, 632, 644, 645, 711, 768.

*3c. Sorbents, carriers, column and layer performance, packing procedures*

- 519 Bingjiu Xu and Vermeulen, N.P.E.: Free-release static coating of glass capillary columns: coating with medium polar and polar stationary phases. *Chromatographia*, 18 (1984) 642-644.
- 520 Buchman, O., Cao, G.-Y. and Peng, C.T.: Structure assignment by retention index in gas-liquid radiochromatography of substituted cyclohexenes. *J. Chromatogr.*, 312 (1984) 75-90.
- 521 Delemans, A.N.M. and Boeren, E.G.: Rapid and reproducible injection onto micro-more columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 703-706.
- 522 Dhanesar, S.C. and Poole, C.F.: Preparation and properties of open tubular columns coated with tetra-*n*-butylammonium tetrafluoroborate. *Anal. Chem.*, 56 (1984) 2509-2512.
- 523 Dondi, F. and Remelli, M.: Characterization of extracolumn and concentration-dependent distortion of chromatographic peaks by Engeworth-Cramer series. *J. Chromatogr.*, 315 (1984) 67-73.
- 524 Etler, O. and Vigh, G.: Immobilization of stationary phase films by gamma radiation. Part 2. Medium-polarity OV-1701-Vi phase. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 700-701.
- 525 Marshall, M.A. and Mottola, H.A.: Silane isomer effect on the capacity of silica-immobilized 8-quinolinol. *Anal. Chem.*, 57 (1985) 375-376.
- 526 Nikitina, N.S., Tarasevich, Yu.I., Nikulichev, Yu.G. and Mysak, A.E.: (Use of sorbents on the basis of cetylpyridinium montmorillonite in petrochemistry). *Neftekhimiya*, 24 (1984) 700-704.
- 527 Rudenko, B.A. and Dzhabarov, F.Z.: (Chromatography in water vapour stream on column with porous polymeric sorbents). *Zh. Anal. Khim.*, 39 (1984) 2073-2077.
- 528 Rutten, G., van de Ven, A., de Haan, J., van de Ven, L. and Rijks, J.: A CP-MAS NMR study of some deactivation methods in capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 607-614.
- 529 Stolyarov, B.V. and Kartsova, L.A.: (Comparative experimental estimation of polarity and selectivity of stationary phases in gas chromatography by means of Rohrschneider-McReynolds constants and on the basis of thermodynamic characteristics). *Zh. Anal. Khim.*, 39 (1984) 883-889.
- 530 Triska, J., Vodicka, L., Hulik, R. and Kuras, M.: (Application of quartz capillary columns in gas chromatographic analysis of complex hydrocarbon mixtures). *Ropa, Uhle*, 26 (1984) 712-717.
- 531 Vigh, G. and Etler, O.: Immobilization of stationary phase films by gamma irradiation. Part 1. Nonpolar phases, regular and thick-film capillaries. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 620-624.
- 532 Witkiewicz, Z., Szulc, J. and Dabrowski, R.: Disc-like liquid crystalline stationary phases from the triphenylene derivatives group. *J. Chromatogr.*, 315 (1984) 145-159.

See also 475, 483, 553, 566, 567, 605, 763.

*3d. Quantitative analysis*

- 533 Aranovich, G.L.: (Method of interpretation of chromatograms having overlapped peaks). *Zavod. Lab.*, 50, No. 9 (1984) 15-17.
- 534 Eckschlager, K., Stuchlik, J., Prochlik, J. and Vecernikova, E.: (Utilizable information from the results of chromatographic determination of fatty acid esters). *Chem. Listy*, 78 (1984) 595-603.
- 535 Guichard, E.A. and Ducruet, V.J.: Quantitative study of volatiles in model system by a headspace technique. *J. Agric. Food Chem.*, 32 (1984) 838-840.
- 536 Ioffe, B.V., Kostkina, M.I. and Vitenberg, A.G.: Preparation of standard vapor-gas mixtures for gas chromatography: discontinuous gas extraction. *Anal. Chem.*, 56 (1984) 2500-2503.
- 537 Keough, T., Strife, R.J., Rodriguez, P.A. and Sanders, R.A.: Separation and use of the perdeuterated analogue as an internal standard for the analysis of ethylene dibromide. *J. Chromatogr.*, 312 (1984) 450-455.
- 538 Koponen, J.: (Determination of impurities in carbon dioxide by gas chromatography. Review of calibration techniques in gas analysis). *Kem.-Kemi*, 11 (1984) 313-316; *C.A.*, 101 (1984) 122135x.

- 539 Krylov, V.A., Saiganskii, Yu.M. and Sokolova, G.V.: (Systematic error in the determination of reactive chlorine-containing substances caused by impurities in the mobile and stationary phases. *Zh. Anal. Khim.*, 39 (1984) 671-677.
- 540 Rabinovich, A.B., Lerman, A.G., Grinberg, A.A., Bogoslovskii, Yu.N. and Aksel, Yu.Z.: (Automated treatment of chromatograms of petroleum products in qualitative gas-chromatographic analysis). *Zavod. Lab.*, 50, No. 8 (1984) 3-6.
- 541 Vitenberg, A.G., Kostkina, M.I. and Ioffe, B.V.: Preparation of standard vapor-gas mixtures for gas chromatography: continuous gas extraction. *Anal. Chem.*, 56 (1984) 2496-2500.
- 542 Zanker, E.A.: Correction factor for gas volume. *Int. Lab.*, 14, No. 9 (1984) 90-92 - useful for GC too.

See also 521.

#### 3f. Programmed temperature, pressure, vapors, gradients

- 543 Davies, N.W.: Temperature programming and flow rates in capillary gas chromatography. *Anal. Chem.*, 56 (1984) 2600-2602.
- 544 Nonaka, A.: (Gas-solid chromatography with high pressure stream carrier). *Bunseki Kagaku*, 33 (1984) 630-631.
- 545 Saxton, W.L.: Emergence temperatures as physical constants for measuring analyte retention in programmed temperature gas chromatography. *J. Chromatogr.*, 312 (1984) 59-68.

#### 4. SPECIAL TECHNIQUES

##### 4b. Combination of various chromatographic techniques

See 584, 640, 753.

##### 4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 546 Chien, M.: Analysis of complex mixtures by gas chromatography/mass spectrometry using a pattern recognition method. *Anal. Chem.*, 57 (1985) 348-352.
- 547 Davies, N.W.: Determination and optimization of flow rates in vacuum capillary gas chromatography. *Anal. Chem.*, 56 (1984) 2618-2620.
- 548 Hill, R.E. and Whelan, D.T.: Mass spectrometry and clinical chemistry. *Clin. Chim. Acta*, 139 (1984) 231-294 - a review with 474 refs., very many on GC/MS.

See also 575, 580, 583, 584, 598, 601, 612, 621, 626, 633, 634, 637, 640, 648, 657, 658, 686, 690, 696, 707, 726, 736, 754, 774.

##### 4e. Functional analysis

- 549 Hara, T. and Okui, F.: Pyrolytic sulfurization gas chromatography. XVI. Pyrolytic sulfurization reaction at atmospheric pressure and its application to the identification of carbon, hydrogen, oxygen, and nitrogen in organic components. *Bull. Chem. Soc. Jpn.*, 57 (1984) 1499-1504; *C.A.*, 101 (1984) 122304b.
- 550 Pella, E., Bedoni, L., Colombo, B. and Giazzi, G.: Data analysis in elemental gas chromatography. *Anal. Chem.*, 56 (1984) 2504-2509.

See also 753, 755.

##### 4f. Trace analysis and pre-separation techniques

- 551 Leuenberger, C. and Pankow, J.F.: Tenax GC cartridges in adsorption/solvent extraction of aqueous organic compounds. *Anal. Chem.*, 56 (1984) 2518-2522.
- 552 Liddle, P.A.P. and Bossard, A.: A case of artefact formation when using hydrogen as carrier gas in capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 646-647.

- 553 Williams, E.J. and Sievers, R.E.: Synthesis and characterization of a new sorbent for use in the determination of volatile, complex-forming organic compounds in air. *Anal. Chem.*, 56 (1984) 2523-2528.

See also 472, 501, 536, 541, 586, 734, 770.

#### 4g. Separation of enantiomers

- 554 Ishikawa, N.: The usefulness of optically active perfluorinated compounds. *J. Fluorine Chem.*, 25 (1984) 17-20; *C.A.*, 101 (1984) 122268t.
- 555 Rowland, S.J., Larcher, A.V., Alexander, R. and Kagi, R.I.: Gas chromatography and gas chromatography-mass spectrometry analysis of diastereomeric acyclic isoprenoid esters using fused-silica capillary columns. *J. Chromatogr.*, 312 (1984) 395-402.
- 556 Scheidt, F. and Raskopf, H.: Gas-chromatographische Trennung von enantiomerischen Alkoholen. *LaborPraxis*, 8 (1984) 332-338.
- 557 Tolman, V., Vlasakova, V. and Zivny, K.: Simple method for the separation of diastereomers of 4-fluoroglutamic acid by gas-liquid chromatography. *J. Chromatogr.*, 315 (1984) 421-424.
- 558 Watabe, K. and Gil-Av, E.: Effect of dilution by chiral solvents on enantiomer separation with N-lauroyl-L-valine *tert.*-butylamine. *Anal. Chem.*, 57 (1985) 362-364.

See also 589.

#### 4h. Other special techniques

- 559 Conditt, M.K. and Sievers, R.E.: Microanalysis of reaction products in sealet tube wet air oxidations by capillary gas chromatography. *Anal. Chem.*, 56 (1984) 2620-2622.
- 560 Grob, K., Grob, G. and Habich, A.: Overcoming background contamination in closed loop stripping analysis (CLSA). *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 340-342.
- 561 Pino, J.A., McMurry, J.E., Jurs, P.C., Lavine, B.K. and Harper, A.M.: Application of pyrolysis/gas chromatography/pattern recognition to the detection of cystic fibrosis heterozygotes. *Anal. Chem.*, 57 (1985) 295-302.
- 562 Southern, T.G., Iacchelli, A., Cuthiel, D. and Selucky, M.L.: Simulated distillation of coal-derived liquids using combined gas chromatography-vacuum thermogravimetry. *Anal. Chem.*, 57 (1985) 303-308.

See also 474, 527, 546, 582, 599, 660, 690.

### 5. HYDROCARBONS AND HALOGEN DERIVATIVES

#### 5a. Aliphatic hydrocarbons

- 563 Amirov, K.M., Zeninskaya, F.Z., Chepezina, E.K. and Zakharova, N.V.: (Gas chromatographic analysis of liquified gas on packed capillary column). *Khim. Tekhnol. Topl. Masel*, No. 11 (1984) 31-32.
- 564 Mironova, O.F., Rostotskaya, N.M. and Savinov, I.M.: (The use of pyrochromatography for determination of hydrocarbons in natural minerals). *Zh. Anal. Khim.*, 39 (1984) 1881-1885.
- 565 Saltveit, M.E., Jr.: Variations among gas chromatographic measurements of ethylene standards. *HortScience*, 19 (1984) 488-490; *C.A.*, 101 (1984) 147081q.
- 566 Wasiak, W.: Gas chromatographic investigation of interactions of olefines with chemically bonded transitional metal complexes. *Chem. Anal. (Warsaw)*, 29 (1984) 211-220.

See also 526, 568, 609, 721, 746.

*5b. Cyclic hydrocarbons*

- 567 Cellar, P., Kolek, E. and Remen, J.: (Analysis of aromatics on glass capillary columns wetted with high polar stationary phase TCEP). *Ropa, Uhlie*, 26 (1984) 361-371.
- 568 Krupcik, J., Cellar, P., Kocan, A., Pietryga, T. and Hudec, P.: (Analysis of cyclic and aromatic hydrocarbons with 8 carbon atoms by capillary gas chromatography). *Ropa, Uhlie*, 26 (1984) 531-538.
- 569 Moser, H. and Arm, H.: Separation of 3- to 6-ring polycyclic aromatic hydrocarbons by capillary gas chromatography with a liquid crystal as stationary phase. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 637-638.

See also 520, 745, 756, 768.

*5c. Halogen derivatives*

- 570 Bjørseth, A., Carlberg, G.E., Baumann Ofstad, E., Rambaek, J.P. and Halvorsen, C.: Determination of halogenated hydrocarbons by combined use of neutron activation analysis and capillary gas chromatography with electron-capture detection. *Anal. Chim. Acta*, 160 (1984) 257-262.
- 571 Fu, R., Wu, W. and Tian, L.: (Separation of isomers of dichloro- and dibromobenzene by using liquid crystals as the stationary phase in chromatography). *Huaxue Shiji*, 6 (1984) 81-85; *C.A.*, 101 (1984) 143210h.
- 572 Ramus, T.L., Hein, S.J. and Thomas, L.C.: Determination of chlorinated hydrocarbons by gas chromatography using response factor calibration. *J. Chromatogr.*, 314 (1984) 243-251.
- 573 Stepanenko, V.E., Peremitin, I.V. and Ogloblina, I.P.: (Interpretation of pyrograms of chlorohydrocarbons). *Zh. Anal. Khim.*, 39 (1984) 707-710.

See also 537, 704, 723, 769, 772.

*5d. Complex hydrocarbon mixtures*

See 530, 540, 749, 753, 754, 776.

## 6. ALCOHOLS

- 574 Andronikashvili, T.G., Gogitidze, N.M., Hradil, J. and Svec, F.: (Characteristics of the chromatographic elution of C<sub>1</sub>-C<sub>5</sub> alcohols on cation exchanger polymers). *Izv. Akad. Nauk Gruz. SSR, Ser. Khim.*, 10 (1984) 67-69; *C.A.*, 101 (1984) 122292w.
- 575 Brooks, C.J.W., Cole, W.J. and Barrett, G.M.: Studies of cyclic di-tert.-butylsilylene derivatives of diols and hydroxy acids by gas chromatography-mass spectrometry. *J. Chromatogr.*, 315 (1984) 119-133.

See also 556, 652, 735, 742.

## 7. PHENOLS

- 576 Bao, Z., Zhao, Q. and Jiang, T.: (Determination of phenols in water by gas chromatography). *Huanjing Huaxue*, 3, No. 3 (1984) 66-70; *C.A.*, 101 (1984) 116474r.
- 577 Bomhard, A., Schaller, K.H. and Triebig, G.: Capillar-Gas-Chromatographie mit ECD- und MS-Detektion zur quantitativen Bestimmung von Pentachlorphenol im menschlichen Plasma und Harn. *Fresenius' Z. Anal. Chem.*, 319 (1984) 516-519.
- 578 Korhonen, I.O.O.: Gas-liquid chromatographic analyses. XXXI. Retention increments of isomeric chlorophenols on low-polarity (SE-30) and polar (FFAP) capillary columns. *J. Chromatogr.*, 315 (1984) 185-200.
- 579 Needham, L.L., Head, S.L. and Cline, R.E.: Determination of phenols and cresols in urine by gas chromatography. *Anal. Lett.*, 17 (1984) 1555-1565.

- 580 Schraufstetter, B., Leupold, G. and Drawert, F.: Gas-chromatographische Bestimmung phenolischer Verbindungen. Teil 1. Entwicklung einer selektiven und spezifischen Derivatisierungsmethode für flüchtige Phenolderivate. *Fresenius' Z. Anal. Chem.*, 319 (1984) 510-515.
- 581 Xie, T.M. and Dyrssen, D.: Simultaneous determination of partition coefficients and acidity constants of chlorinated phenols and guaiacols by gas chromatography. *Anal. Chim. Acta*, 160 (1984) 21-30.

See also 709, 737.

#### 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

##### *8b. Aflatoxins and other mycotoxins*

- 582 Soederstroem, B. and Frisvad, J.C.: Separation of closely related asymmetric penicillia by pyrolysis gas chromatography and mycotoxin production. *Mycologia*, 76 (1984) 408-419; *C.A.*, 101 (1984) 126416n.

See also 741.

##### *8c. Other compounds with heterocyclic oxygen*

- 583 Oehme, M. and Kirschmer, P.: Isomer-selective determination of tetrachlorodibenzo-*p*-dioxines using hydroxyl negative ion chemical ionization mass spectrometry combined with high-resolution gas chromatography. *Anal. Chem.*, 56 (1984) 2754-2759.
- 584 Schmid, E.R., Allmaier, G., Jurenitsch, J., Kubelka, W. and Klus, H.: Nachweis von Dibenzofuranen im Zigarettenrauchkondensat von Virginiatabak mittels Kapillargaschromatographie-Massenspektrometrie nach Wasserdampfdestillation sowie dünnenschicht- und hochleistungsflüssigkeitschromatographischer Abtrennung. *Mikrochim. Acta*, II (1984) 463-471.
- 585 Zimbo, M. and Jensen, R.K.: Identification and determination of 16-carbon 2,5-dialkyloxolanes in autooxidized *n*-hexadecane samples by capillary gas chromatography and mass spectrometry. *Anal. Chem.*, 57 (1985) 315-319.

See also 639.

#### 9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 586 Andrawes, F.F.: Detection of traces of formaldehyde in pure air by gas chromatography and helium ionization detection. *J. Chromatogr. Sci.*, 22 (1984) 506-508.
- 587 Gold, A., Utterback, D.F. and Millington, D.S.: Quantitative analysis of gas-phase formaldehyde molecular species at equilibrium with formalin solution. *Anal. Chem.*, 56 (1984) 2879-2882.
- 588 Kennedy, E.R., O'Connor, P.F. and Gagnon, Y.T.: Determination of acrolein in air as an oxazolidine derivative by gas chromatography. *Anal. Chem.*, 56 (1984) 2120-2123.
- 589 König, W.A., Schmidt, E. and Krebber, R.: Gas chromatographic enantiomer separation of chiral ketones - order of elution and configurational stability of oxime derivatives. *Chromatographia*, 18 (1984) 698-700.
- 590 Peltonen, K., Pfäffli, P. and Itkonen, A.: Determination of aldehydes in air as dimethone derivatives by gas chromatography with electron-capture detection. *J. Chromatogr.*, 315 (1984) 412-416.

See also 648, 757, 771, 773.



## 10. CARBOHYDRATES

## 10a. Mono and oligosaccharides. Structural studies

- 591 Bacic, A., Harris, P.J., Hak, E.W. and Clarke, A.E.: Capillary gas chromatography of partially methylated alditol acetates on a high-polarity bonded-phase vitreous-silica column. *J. Chromatogr.*, 315 (1984) 373-377.
- 592 Brondz, I. and Olsen, I.: Carbohydrates of whole defatted cells as a basis for differentiation between *Actinobacillus actinomycetemcomitans* and *Haemophilus aphrophilus*. *J. Chromatogr.*, 311 (1984) 31-38.
- 593 Johnson, S.L. and Mayersohn, M.: Quantitation of xylose from plasma and urine by capillary column gas chromatography. *Clin. Chim. Acta*, 137 (1984) 13-20.
- 594 Lehrfeld, J.: Simultaneous gas-liquid chromatographic determination of aldonic acids and aldoses. *Anal. Chem.*, 57 (1985) 346-348.
- 595 Neeser, J.-R. and Schweizer, T.F.: A quantitative determination by capillary gas-liquid chromatography of neutral and amino sugars (as O-methyl oxime acetates), and a study of hydrolytic conditions for glycoproteins and polysaccharides in order to increase sugar recoveries). *Anal. Biochem.*, 142 (1984) 58-67.
- 596 Niwa, T., Yamada, K., Ohki, T., Saito, A. and Mori, M.: Identification of 6-deoxyallitol and 6-deoxygulitol in human urine. Electron-impact mass spectra of eight isomers of 6-deoxyhexitol. *J. Chromatogr.*, 336 (1984) 345-350.
- 597 Yamamoto, Y., Inou, T., Otani, Y. and Yokota, A.: A new method for the quantitative analysis of xylitol by gas chromatography. *Iryo*, 38 (1984) 593-596; *C.A.*, 101 (1984) 126151x.

See also 716, 717, 738.

## 11. ORGANIC ACIDS AND LIPIDS

## 11a. Organic acids and simple esters

- 598 Lingeman, H., Haan, H.B.P. and Hulshoff, A.: Rapid and selective derivatization method for the nitrogen-sensitive detection of carboxylic acids in biological fluids prior to gas chromatographic analysis. *J. Chromatogr.*, 336 (1984) 241-248.
- 599 Molnar-Perl, I., Fabian-Vonsik, V. and Pinter-Szakacs, M.: Esterification of C<sub>2</sub>-C<sub>16</sub> dicarboxylic acids to n-butyl esters in aqueous solutions for their gas chromatographic analysis. *Chromatographia*, 18 (1984) 637-641.
- 600 Molnar-Perl, I., Fabian-Vonsik, V. and Pinter-Szakacs, M.: Gas chromatographic analysis of aromatic carboxylic acids in the presence of C<sub>1</sub>-C<sub>5</sub> fatty acids and C<sub>2</sub>-C<sub>7</sub> dicarboxylic acids esterified in aqueous solutions as the n-butyl esters. *Chromatographia*, 18 (1984) 673-676.
- 601 Sadovskaya, V.L., Akhmed-Zade, A.Sh., Kogtev, L.S., Rosynov, B.V. and Dyatlovitskaya, E.V.: (Gas-liquid chromatography/mass spectrometry analysis of sialic acids from disialosyllactosyl ceramides of calf thymus). *Bioorg. Khim.*, 10 (1984) 1114-1118; *C.A.*, 101 (1984) 125329z.
- 602 Szocil, A., Dziwinski, E. and Linkiewicz, M.: (Gas chromatography and mass spectrometry analysis of main products obtained in the esterification process of technical grade ethylene glycol by acetic acid). *Chem. Anal. (Warsaw)*, 29 (1984) 121-126.

See also 575, 653, 688, 695, 712, 713.

## 11c. Lipids and their constituents

- 603 Borra, C., Cosmi, G., Di Corcia, A. and Samperi, R.: Reliable measurement of non-esterified long-chain fatty acid pattern in blood plasma. *J. Chromatogr.*, 311 (1984) 9-15.
- 604 Crips, S., Eaton, R.F. and Tinsley, H.M.: Scheme for the identification of sperm whale oil and its products in commercial formulations and in leather articles. *Analyst (London)*, 109 (1984) 1497-1502.

- 605 Fedyanin, A.A., Sokolov, V.P., Shabalina, T.N. and Prikhod'ko, A.A.: (Use of Apiezon M and L with addition of phosphoric acid in gas chromatographic analysis). *Khim. Tekhnol. Topl. Masel*, No. 6 (1984) 36-37.
- 606 Kolarovic, L., Traitler, H. and Ducret, P.: On-line gas chromatographic evaluation of iodine values in edible fats and oils. *J. Chromatogr.*, 314 (1984) 233-241.
- 607 Murata, T.: (Analysis of triglyceride mixtures by gas chromatography mass spectrometry II). *Shimadzu Rev.*, 41, No. 3 (1984) 41-46.
- 608 Peladan, F. and Monteil, H.: (Gas chromatographic study of the volatile fatty acids produced by 14 *Pseudomonas* species). *Ann. Microbiol. (Paris)*, 135A (1984) 399-410; *C.A.*, 101 (1984) 126495n.
- 609 Sulpice, J.C. and Ferezou, J.: Squalene isolation by HPLC and quantitative comparison by HPLC and GLC. *Lipids*, 19 (1984) 631-635; *C.A.*, 101 (1984) 126154a.

See also 708, 718, 729, 733, 743.

#### 11d. Lipoproteins and their constituents

- 610 Caboni, M.F., Lercker, G. and Ghe, A.M.: Analysis of phospholipids in cow's milk by high-temperature injection gas chromatography and high-performance liquid chromatography. *J. Chromatogr.*, 315 (1984) 223-231.
- 611 Myher, J.J. and Kuksis, A.: Resolution of alkenylacylglycerol moieties of natural glycerophospholipids by gas-liquid chromatography on polar capillary columns. *Can. J. Biochem. Cell Biol.*, 62 (1984) 352-362; *C.A.*, 101 (1984) 126111j.

### 13. STEROIDS

#### 13a. Pregnane and androstane derivatives

- 612 Mikaya, A.I., Antonova, A.V., Zaikin, V.G., Prostakov, N.S., Vul'fson, N.S. and Torgov, I.V.: (Investigation of steroid alcohols by the method of reaction gas chromatography-mass spectrometry). *Dokl. Akad. Nauk SSSR*, 279 (1984) 396-398.
- 613 Vanluchene, E., Vandekerchove, D., Sandra, P. and David, P.: Hormonal steroid analysis on immobilized RSL-300 FSOT columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 644-645.

#### 13c. Sterols

- 614 Cantafora, A., Arca, M., Montali, A., Ciocca, S., Angelico, F. and Fazio, S.: (Gas chromatographic method for the determination of fecal neutral sterols). *Riv. Ital. Sostanze Grasse*, 61 (1984) 105-109; *C.A.*, 101 (1984) 147075r.

### 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

#### 15a. Terpenes

See 535, 552, 555, 731, 758.

#### 15b. Essential oils

- 615 Kisiel, W. and Janeczko, Z.: Terpenoids from *Crepis capillaria* (L.) Wallr. *Collect. Czech. Chem. Commun.*, 49 (1984) 2661-2664.
- 616 Nishida, R. and Acree, T.E.: Isolation and characterization of methyl epijasmone from lemon (*Citrus limon*, Burm.). *J. Agric. Food Chem.*, 32 (1984) 1001-1003.
- 617 Tani, S., Fujiwara, H. and Hidetoshi, K.: Studies on constituents of *Angelica dahurica*, II. Identification of  $\gamma$ -nonlactone and  $\gamma$ -decalactone by GC and GC/MS as a part of the odor components. *J. Nat. Prod.*, 47 (1984) 734; *C.A.*, 101 (1984) 126920x.

- 618 Zoghbi, M. das Gracas, B., Ramos, L.S., Maia, J.G.S., Da Silva, M.L. and Luz, A.I.R.: Volatiles sulfides of the Amazonian garlic bush. *J. Agric. Food Chem.*, 32 (1984) 1009-1010.

#### 16. NITRO AND NITROSO COMPOUNDS

- 619 Doherty, P.J., Hoes, R.M., Robbat, A., Jr. and White, C.M.: Relationship between gas chromatographic retention indices and molecular connectivities of nitrated polycyclic aromatic hydrocarbons. *Anal. Chem.*, 56 (1984) 2697-2701.

See also 685, 698, 699.

#### 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

##### 17a. Amines and polyamines

- 620 Audunsson, G. and Methiasson, L.: Direct analysis of free amines in salt solutions at sub-ppm levels by gas-liquid chromatography. *J. Chromatogr.*, 315 (1984) 299-312.
- 621 Carlucci, G., Airolidi, L. and Fanelli, R.: Quantitative analysis of aromatic amines in human urine by gas chromatography-mass spectrometry-selected-ion monitoring. *J. Chromatogr.*, 311 (1984) 141-147.
- 622 Crisologo, N., Dye, D. and Bayne, W.F.: Electron-capture capillary gas chromatographic determination of phenylpropanolamine in human plasma following derivatization with trifluoroacetic anhydride. *J. Pharm. Sci.*, 73 (1984) 1313-1315.
- 623 Holtzslaw, J.R., Rose, S.L., Wyatt, J.R., Rounbehler, D.P. and Fine, D.H.: Simultaneous determination of hydrazine, methylhydrazine and 1,1-dimethylhydrazine in air by derivatization/gas chromatography. *Anal. Chem.*, 56 (1984) 2952-2956.
- 624 Krikorian, S.E., Ukpo, G.E., Force, A.P. and Edwards, C.W.: Role of thermal dissociation in the direct gas-liquid chromatographic determination of amine maleate salts. *Anal. Chem.*, 57 (1985) 312-315.
- 625 Masłowska, J. and Bazylak, G.: (A rapid method for the gas chromatographic analysis of ethanalamines as trifluoroacetyl derivatives). *Chem. Anal. (Warsaw)*, 29 (1984) 127-131.
- 626 Ng, L.-K.: Separation and analysis of ethylenediamines as their *tert.*-butyldimethylsilyl derivatives by gas-liquid chromatography and mass spectrometry. *J. Chromatogr.*, 314 (1984) 455-461.
- 627 Yamamoto, S., Kobayashi, T., Suemoto, Y. and Makita, M.: An improved gas chromatographic method for the determination of urinary acetylpolyamines. *Chem. Pharm. Bull.*, 32 (1984) 1878-1884.

See also 690, 740.

##### 17b. Catecholamines and their metabolites

- 628 Origitano, T.C. and Collins, M.A.: Gas chromatographic analysis of endogenous catecholamines, phenolic amines and derived isoquinolines using short glass capillary columns and electron-capture detection. *J. Chromatogr.*, 311 (1984) 17-29.

##### 17c. Amine derivatives and amides (excluding peptides)

- 629 Oszczapowicz, J., Osek, J. and Dolecka, E.: Retention indices of dimethylformamidines, dimethylacetamidines and tetramethylguanidines on a non-polar column. *J. Chromatogr.*, 315 (1984) 95-100.
- 630 Zenkevich, I.G. and Malamakhov, A.S.: (Group chromato-mass spectrometric identification of alkylnitriles). *Zh. Anal. Khim.*, 39 (1984) 1864-1868.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. *Amino acids and their derivatives*

- 631 Borodina, V.L., Krylov, A.I. and Rogozkin, V.A.: (Rapid gas liquid chromatographic assay of amino acids). *Lab. Delo*, No. 7 (1984) 395-398; *C.A.*, 101 (1984) 126128v.

See also 557, 687, 714, 732.

18b. *Peptides and peptidic and proteinous hormones*

- 632 Sentissi, A., Joppich, M., O'Connell, K., Nazareth, A. and Giese, R.W.: Pentafluorobenzenesulfonyl chloride: a new electrophoric derivatizing reagent with application to tosyl peptide determination by gas chromatography with electron capture detection. *Anal. Chem.*, 56 (1984) 2512-2517.

## 20. ENZYMES

20a. *Oxidoreductases*

See 706.

20f. *Other hydrolases*

- 633 Bui, K., Fradet, H., Thiery, A., Maestracci, M., Arnaud, A. and Galzy, P.: Use of nuclear magnetic resonance and gas-liquid chromatography for the study of microbial nitrile-hydratases and amidases. *Anal. Chim. Acta*, 163 (1984) 315-322.

## 21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

- 634 Mohamed, G.B., Nazareth, A., Hayes, M.J., Giese, R.W. and Vouros, P.: Gas chromatography-mass spectrometry characteristics of methylated perfluoroacyl derivatives of cytosine and 5-methylcytosine. *J. Chromatogr.*, 314 (1984) 211-217.
- 635 Nazareth, A., Joppich, M., Abdel-Baky, S., O'Connell, K., Sentissi, A. and Giese, R.W.: Electrophore-labeling and alkylation of standards of nucleic acid pyrimidine bases for analysis by gas chromatography with electron-capture detection. *J. Chromatogr.*, 314 (1984) 201-210.

See also 689.

## 22. ALKALOIDS

- 636 Sewell, G.J., Soper, C.J. and Parfitt, R.T.: Extraction and gas-liquid chromatography of microbial N-dealkylation systems. *Anal. Chim. Acta*, 163 (1984) 237-242.

See also 624, 677.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

## 23c. Indole derivatives

- 637 Beck, O. and Pevet, P.: Analysis of melatonin, 5-methoxytryptophol and 5-methoxy-indoleacetic acid in the pineal gland and retina of hamster by capillary column gas chromatography-mass spectrometry. *J. Chromatogr.*, 311 (1984) 1-8.

## 23e. Other N-heterocyclic compounds

- 638 Hojabri, H., Dadgar, D. and Glennon, J.D.: Gas-liquid chromatographic analysis with electron-capture detection of diclofensine in human plasma following derivatization. *J. Chromatogr.*, 311 (1984) 189-193.
- 639 Zenkevich, I.G. and Yandovsky, V.N.: (Chromato-mass spectrometric study of substituted 4-acyl-1,3,4-oxadiazolines). *Khim. Geterotsikl. Soed.*, (1984) 623-631.

See also 510, 691, 693.

## 24. ORGANIC SULPHUR COMPOUNDS

- 640 Mikaya, A.I., Trusova, E.A., Zaikin, A.G., Zegel'man, L.A., Urin, A.B. and Volinsky, N.P.: Reaction gas chromatography/mass spectrometry. Part IX. Post-column hydrodesulfurization in capillary GC/MS as an aid in structure elucidation of cyclic sulfides within mixtures. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 625-628.
- 641 Nishioka, M., Bradshaw, J.S., Lee, M.L., Tominaga, Y., Tedjamulia, M. and Castle, R.N.: Capillary column gas chromatography of sulfur heterocycles in heavy oils and tars using a biphenylpolysiloxane stationary phase. *Anal. Chem.*, 57 (1985) 309-312.
- 642 Petrovskii, A.L. and Sinitsyna, V.I.: (Gas-chromatographic measurements of evict in water and plant tissues). *Gig. Sanit.*, No. 6 (1984) 57-58; *C.A.*, 101 (1984) 105664b.
- 643 Rygle, K.J., Feulmer, G.P. and Scheideman, R.F.: Gas chromatographic analysis of mercaptan odorants in liquified petroleum gas. *J. Chromatogr. Sci.*, 22 (1984) 514-519.

See also 724, 739.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

See 701.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

## 26a. Organometallic compounds

- 644 Bykhovskiy, M.Ya., Braude, A.Yu., Gorovoy, B.M. and Katsis, L.F.: (Detection of tetraalkyllead compounds in gasoline by chromatographic-atomic absorption method). *Khim. Tekhnol. Topl. Masel*, No. 5 (1984) 34-35.
- 645 Chakraborti, D., de Jonghe, W.R.A., van Mol, W.E., Cleuvenbergen, R.J.A. and Adams, F.C.: Determination of ionic alkyllead compounds in water by gas chromatography/atomic absorption spectrometry. *Anal. Chem.*, 56 (1984) 2692-2697.
- 646 Hattori, Y., Kobayashi, A., Takemoto, S., Takami, K., Kuge, Y., Sugimae, A. and Nakamoto, M.: Determination of trialkyltin, dialkyltin, and triphenyltin compounds in environmental water and sediments. *J. Chromatogr.*, 315 (1984) 341-349.

See also 473.

*28b. Boranes, silanes and related non-metallic compounds*

See 473.

*28c. Coordination compounds*

- 647 Bol'shova, T.A., Nikitin, Yu.S., Shapovalova, E.N. and Viryasov, M.B.: (Gas chromatographic determination of aluminium and copper in industrial samples). *Zh. Anal. Khim.*, 39 (1984) 1786-1792.
- 648 Dilli, S. and Robards, K.: Spectroscopic properties and gas chromatographic behaviour of aryl  $\beta$ -diketones and selected chelates. *J. Chromatogr.*, 312 (1984) 109-120.
- 649 Masłowska, J. and Starzynski, S.: Gas chromatographic behaviour of some metal acetylacetonates. *Mikrochim. Acta*, I (1984) 487-492.
- 650 Rybakova, B.A. and Bondarenko, M.A.: (Gas chromatographic determination of aluminium in soil). *Zh. Anal. Khim.*, 39 (1984) 1428-1431.

See also 473.

## 27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON PEPTIDIC)

- 651 Serebryakov, E.P., Suslova, L.M., Bogdanova, I.A. and Rozynov, B.V.: (Use of capillary gas-liquid chromatography and capillary gas-liquid chromatography-mass spectrometry for the analysis of products from the microbiological production of gibberellins. *Izv. Akad. Nauk SSSR, Ser. Khim.*, (1984) 1061-1068.

See also 565.

## 28. ANTIBIOTICS

- 652 Park, M.K., Cho, Y.H. and Yang, J.S.: (Determination of  $\beta$ -lactam antibiotics by gas chromatography with flame photometric detector (I)). *Yakhak Hoechi*, 28 (1984) 25-27; *C.A.*, 101 (1984) 137104k.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

*29a. Chlorinated insecticides*

- 653 Schaffner, C. and Giger, W.: Determination of nitrilotriacetic acid in water by high-resolution gas chromatography. *J. Chromatogr.*, 312 (1984) 413-421.
- 654 Suzuki, M.: Selected ion monitoring mass spectrometric method for the determination of hexachlorocyclohexane isomers in soils. *J. Chromatogr.*, 312 (1984) 403-411.

See also 513, 516, 551, 655, 725, 737, 766.

*29b. Phosphorus insecticides*

- 655 Stan, H.-J. and Goebel, H.: Evaluation of automated splitless and manual on-column injection techniques using capillary gas chromatography for pesticide residue analysis. *J. Chromatogr.*, 314 (1984) 413-420.

See also 495, 733.

*29c. Carbamates*

- 656 Chmiel, Z.: (Determination of traces ethylenethiourea in plant material by gas-liquid chromatography). *Chem. Anal. (Warsaw)*, 29 (1984) 97-104.

## 29d. Herbicides

- 657 Bardalaye, P.C., Wheeler, W.B. and Templeton, J.L.: Derivatization of Oryzalin for characterization by gas chromatography-mass spectrometry. *J. Chromatogr.*, 314 (1984) 450-454.
- 658 Bardalaye, P.C., Wheeler, W.B. and Templeton, J.L.: Gas chromatographic and mass spectrometric determination of ametryn and its N-dealkylated products. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 904-909.

## 29e. Fungicides

See 705, 730.

## 29f. Other types of pesticides and various agrochemicals

- 659 Sura, D.J., Simon, R.H. and Beyerlein, F.H.: Simultaneous determination of pynamin forte, resmethrin and piperonyl butoxide in insecticide formulations by gas chromatography. *J. Chromatogr.*, 314 (1984) 471-475.

See also 642, 707.

## 31. PLASTICS AND THEIR INTERMEDIATES

- 660 Blasius, E. and Keller, M.: Pyrolyse-gas-chromatographische und pyrolyse-massenspektrometrische Untersuchungen an polymeren Kronenethern. *Fresenius' Z. Anal. Chem.*, 318 (1984) 390-397.
- 661 Bratchikov, A.V., Berendeev, B.A. and Ivanchev, S.S.: (Gas-liquid chromatography of products from the hydrogenation pyrolysis of polyethylene). *Zh. Anal. Khim.*, 39 (1984) 903-908.
- 662 Budovskaya, L.D., Ivanova, V.N., Karapetyan, G.O., Kosyakov, V.I., Tikhonova, L.Y. and Tikhvatulin, A.S.: (Study of diffusion in monomer-polymeric gel system by gas-liquid chromatography). *Zh. Prikl. Khim.*, 57 (1984) 1730-1732.
- 663 Cai, Y. and Piao, S.: (Determination of residual solvent in polyisoprene elastomer by headspace gas chromatography). *Hecheng Xiangjiao Gongye*, 7 (1984) 207-209; *C.A.*, 101 (1984) 112210d.
- 664 Hawley-Fedder, R.A., Parsons, M.L. and Karasek, F.W.: Products obtained during combustion of polymers under simulated incinerator conditions. I. Polyethylene. *J. Chromatogr.*, 314 (1984) 263-273.
- 665 Hawley-Fedder, R.A., Parsons, M.L. and Karasek, F.W.: Products obtained during combustion of polymers under simulated incinerator conditions. II. Polystyrene. *J. Chromatogr.*, 315 (1984) 201-210.
- 666 Hawley-Fedder, R.A., Parsons, M.L. and Karasek, F.W.: Products obtained during combustion of polymers under simulated incinerator conditions. III. Polyvinyl chloride. *J. Chromatogr.*, 315 (1984) 211-231.
- 667 Li, F. and He, J.: (Chromatographic technique for measuring the activity of benzene and toluene in polystyrene at infinite dilution). *Gaofenzi Tongxun*, No. 2 (1984) 157-160; *C.A.*, 101 (1984) 111753w.
- 668 Matsumura, K.: (Measurement of infinite dilution activity coefficient of solvent in polymer by gas-liquid chromatography). *Yagaku Kagaku Ronbunshu*, 10 (1984) 516-519; *C.A.*, 101 (1984) 111709m.
- 669 Morozova, A.I. and Goloshchekina, N.I.: (Gas-chromatographic determination of various types of stabilizers when they are present together in industrial rubbers). *Prom-st Sintet. Kauchika, Shin i Rezinotekhn. Izdelii*, Moskva, No. 2 (1984) 29-32; *C.A.*, 101 (1984) 132192c.
- 670 Tsuge, S. and Ohtani, H.: Pyrolysis-gas chromatographic studies in the microstructures of stereospecific polypropylenes. In: *Analytical Pyrolysis*, K.J. Voohees (Editor), Butterworth, London, 1984, pp. 407-427.
- 671 Vimalasiri, P.A.D.T., Haken, J.K. and Burford, R.P.: Chromatographic analysis of elastomer antidegradants and accelerators. *J. Chromatogr.*, 300 (1984) 303-355.
- 672 Xu, Z.: (Simple filament pyrolysis GC for the quantitative analysis of polymers). *Fenxi Huaxue*, 12 (1984) 467-470; *C.A.*, 101 (1984) 131225d.

- 673 Yang, J. and Hu, Z.: (Determination of the microstructure of polybutadiene by pyrolytic gas chromatography). *Fenxi Huaxue*, 12 (1984) 161-165; *C.A.*, 101 (1984) 111628j.
- 674 Yang, X.: (Rapid identification of plasticizers in PVC with pyrolysis gas chromatography). *Huaxue Shijie*, 25, No. 3 (1984) 93-94; *C.A.*, 101 (1984) 131682a.

See also 744.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

### 32. Synthetic drugs

- 675 Dementieva, N.N.: (Gas chromatographic identification of ephedrine hydrochloride, phenobarbital and theophylline in drug mixture). *Farmatsiya (Moscow)*, 33, No. 1 (1984) 37-39.
- 676 Gibbs, V. and Zaidi, Z.: Evaluation of high-performance liquid chromatography and gas chromatography for quantitation of dextromethorphan hydrobromide in cough-cold syrup preparations. *J. Pharm. Sci.*, 73 (1984) 1248-1251.
- 677 Neumann, H.: Analysis of opium and crude morphine samples by capillary gas chromatography. Comparison of impurity profiles. *J. Chromatogr.*, 315 (1984) 404-411.
- 678 Quaglio, M.P. and Bellini, A.M.: Determination of nomifensine in pharmaceutical formulations and simultaneous GLC determination of nomifensine and benzodiazepines in human plasma. *Farmaco, Ed. Prat.*, 39 (1984) 222-232; *C.A.*, 101 (1984) 116794v.
- 679 Raffelsberger, B.: (Gas chromatography in the quality control of drugs). *Pharm. Ind.*, 46 (1984) 657-663; *C.A.*, 101 (1984) 137083c.
- 680 Saucerman, J.R., Winstead, C.E. and Jones, T.M.: Quantitative gas chromatographic headspace determination of choline in adult and infant formula products. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 982-985.
- 681 Scherbina, O.N., Starchevskii, M.K. and Kramarenko, V.F.: (Analysis of anti-depressants by gas chromatography). *Farm. Zh. (Kiev)*, No. 2 (1984) 45-48; *C.A.*, 101 (1984) 116783r.
- 682 Zavrazhnaya, T.A. and Kuleshova, M.I.: (Gas chromatography of a drug mixture containing ethylmorphine hydrochloride, terpin hydrate and diphenhydramine). *Farmatsiya (Moscow)*, 33, No. 3 (1984) 35-37; *C.A.*, 101 (1984) 137118t.

See also 620, 624, 629, 728, 750.

### 32c. Drug monitoring

- 683 Bialer, M., Friedman, M. and Rubinstein, A.: Rapid gas chromatographic assay for monitoring valproic acid and valpromide in plasma. *J. Pharm. Sci.*, 73 (1984) 991-993.
- 684 Burch, J.E., Roberts, S.G. and Raddats, M.A.: Amitriptyline and its basic metabolites determined in plasma by gas chromatography. *J. Chromatogr.*, 308 (1984) 165-179.
- 685 Caddy, B. and Idowu, O.R.: Determination of 1-(2-chloroethyl)-3-(trans-4-methylcyclohexyl)-1-nitrosourea by reaction with 2,4-dinitro- $\beta$ -phenylethylamine. *Anal. Chim. Acta*, 160 (1984) 249-256.
- 686 Cohen, A.I., Devlin, R.G., Ivashkiv, E., Funke, P.T. and McCormick, T.: Determination of orally coadministered nadolol and its deuterated analogue in human serum and urine by gas chromatography with selected ion monitoring mass spectrometry. *J. Pharm. Sci.*, 73 (1984) 1571-1575.
- 687 Cohen, A.I., Ivashkiv, E., McCormick, T. and McKinstry, D.N.: Identification and determination of the S-methyl metabolite of captopril in human plasma by selected-ion monitoring gas chromatography-mass spectrometry. *J. Pharm. Sci.*, 73 (1984) 1493-1495.
- 688 Degel, F., Heidrich, R., Schmid, R.D. and Weidemann, G.: Quantitative determination of valproic acid by means of gas chromatographic headspace analysis. *Clin. Chim. Acta*, 139 (1984) 29-36.



- 689 Desage, M., Soubeyrand, J., Soun, A. and Brazier, J.L.: Automated theophylline assay using gas chromatography and a mass-selective detector. *J. Chromatogr.*, 336 (1984) 285-291.
- 690 Eiceman, G.A., Laesure, C.S. and Selim, S.L.: Quantitative investigation of rapid injector port derivation of amphetamine using trifluoroacetic anhydride with packed and capillary column GC and GC/MS methods. *J. Chromatogr. Sci.*, 22 (1984) 509-513.
- 691 Heizmann, P. and Geschke, R.: Determination of the antimalarial mefloquine in human plasma by gas chromatography with electron-capture detection. *J. Chromatogr. Sci.*, 311 (1984) 411-417.
- 692 Huuskonen, H., Koulu, L. and Wilen, G.: Quantitative determination of methoxsalen in human serum, suction blister fluid and epidermis by gas chromatography mass spectrometry. *Photodermatology*, 1 (1984) 137-140; *C.A.*, 101 (1984) 146835b.
- 693 Johnson, J.D., Carlson, G.L., Fox, J.M., Miller, A.M., Chang, S.F. and Conard, G.J.: Quantitation of flecainide acetate, a new antiarrhythmic agent, in biological fluids by gas chromatography with electron-capture detection. *J. Pharm. Sci.*, 73 (1984) 1469-1471.
- 694 Macheras, P. and Rosen, A.: GLC analysis following oxidation of phenytoin. An inexpensive method for routine determination of the drug in plasma. *Pharmazie*, 39 (1984) 322-325; *C.A.*, 101 (1984) 103486w.
- 695 Mathieu, P., Greffe, J., Lemoine, P. and Szesztak, M.: Determination of urinary homovanillic acid (HVA) using capillary gas chromatography. *Clin. Chim. Acta*, 139 (1984) 99-105.
- 696 Min, B.H. and Garland, W.A.: Quantitation of cibenzoline in human plasma by gas chromatography-negative-ion chemical-ionization mass spectrometry. *J. Chromatogr.*, 336 (1984) 403-409.
- 697 Nitzsche, W., Boerner, I. and Riethling, A.K.: (A simple micromethod for gas chromatographic determination of diazepam and N-demethyldiazepam in patients' serum). *Zentralbl. Pharm., Pharmakother. Laboratoriumsdiagn.*, 123 (1984) 137-140; *C.A.*, 101 (1984) 122437x.
- 698 Noonan, P.K., Kanfer, I., Riegelman, S. and Benet, L.Z.: Determination of picogram nitroglycerin plasma concentrations using capillary gas chromatography with on-column injection. *J. Pharm. Sci.*, 73 (1984) 923-927.
- 699 Straehl, P. and Galeazzi, R.L.: Determination of isosorbide 5-mononitrate in human plasma by capillary column gas chromatography. *J. Pharm. Sci.*, 73 (1984) 1317-1319.
- 700 Susanto, F. and Reinauer, H.: Gas-chromatographische Bestimmung von  $\beta$ -Rezeptorenblockern in Plasma durch einen Elektroneneinfangdetektor. *Fresenius' Z. Anal. Chem.*, 318 (1984) 425-427.
- 701 Talha, M.R.Z. and Rogers, H.J.: Rapid gas chromatographic determination of ifosfamide in biological fluids. *J. Chromatogr.*, 311 (1984) 194-198.
- 702 Xu, Z., Lu, M., Li, Z. and Han, S.: (Determination of phenobarbital in serum by methylation gas chromatography). *Yaowu Fenxi Zazhi*, 4 (1984) 96-98; *C.A.*, 101 (1984) 106680r.

See also 638, 678, 727.

### 32d. Toxicological applications

- 703 Allen, A.C., Cooper, D.A., Moore, J.M., Gloger, M. and Neumann, H.: Illicit heroin manufacturing byproducts: capillary gas chromatographic determination and structural elucidation of narcotine- and norlaudanosine-related compounds. *Anal. Chem.*, 56 (1984) 2940-2947.
- 704 Lavreshin, A.N.: (Determination of halothane in the cerebral tissue). *Farmatsiya, (Moscow)*, 33, No. 1 (1984) 43-45.
- 705 Sosnovskii, E.V., Likhtman, T.V., Rudenko, B.A. and Baronova, N.I.: (Simultaneous determination of trace amounts of ethylene oxide and methyl bromide in medical products by gas-liquid chromatography). *Gig. Sanit.*, No. 6 (1984) 56-57; *C.A.*, 101 (1984) 116702p.
- 706 Strang, C., Levine, S.P., Orlan, B.P., Gouda, T.A. and Saner, W.A.: High resolution gas chromatographic analysis of cytochrome P-488 inducing polychlorinated biphenyl congeners in hazardous waste. *J. Chromatogr.*, 314 (1984) 482-487.

See also 577, 756, 761.

32e. *Plant extracts*

- 707 Groneman, A.F., Posthumus, M.A., Tuinstra, L.G.M.T. and Traag, W.A.: Identification and determination of metabolites in plant cell biotechnology by gas chromatography and gas chromatography/mass spectrometry. *Anal. Chim. Acta*, 163 (1984) 43-54.
- 708 Ivanov, V.D., Bobylev, R.V. and Ladygina, E.Y.: (Fatty acid composition of lipids of *Viburnum opulus* L.). *Farmatsiya (Moscow)*, 33, No. 4 (1984) 26-28.
- 709 Valentine, J.L., McKenzie, L. and Kovarik, F.: Gas chromatographic determination of nordihydroguaiaretic acid in *Larrea divaricata*. *Anal. Lett.*, 17 (1984) 1617-1626.

32f. *Clinico-chemical applications and profiling body fluids*

- 710 Brooks, J.B., Nunez-Montiel, O.L., Basta, M.T. and Hierholzer, J.C.: Studies of stools from pseudomembranous colitis, rotaviral, and other diarrheal syndromes by frequency-pulsed electron capture gas-liquid chromatography. *J. Clin. Microbiol.*, 20 (1984) 549-560; *C.A.*, 101 (1984) 147090s.
- 711 Brooks, J.B., Nunez-Montiel, O.L., Wycoff, B.J. and Moss, C.W.: Frequency-pulsed electron capture gas-liquid chromatographic analysis of metabolites produced by *Clostridium difficile* in broth enriched with amino acids. *J. Clin. Microbiol.*, 20 (1984) 539-548; *C.A.*, 101 (1984) 147089y.
- 712 Golden, K.D., Kean, E.A. and Terry, S.I.: Jamaican vomiting sickness: a study of two adult cases. *Clin. Chim. Acta*, 142 (1984) 293-298.
- 713 Jakobs, C., Sweetman, L. and Nyhan, W.L.: Hydroxy acid metabolites of branched-chain amino acids in amniotic fluid. *Clin. Chim. Acta*, 140 (1984) 157-166.
- 714 Marcucci, F., Colombo, L. and Mussini, E.: Gas chromatographic quantitative determination of 1- and 3-methylhistidine in urine and muscles: comparison with glass capillary determination. *J. Chromatogr.*, 336 (1984) 356-360.
- 715 Morgan, M.A.: Gas-liquid chromatography in the clinical microbiology laboratory. *Lab. Med.*, 15 (1984) 544-550; *C.A.*, 101 (1984) 146983y.
- 716 Sabinski, F. and Wosiewicz, U.: The sugar spectrum of human cholesterol gallstones, mixed and pigment gallstones: combined quantitative analysis of neutral sugars, N-acetylhexosamines, hexuronic and N-acetylneuraminic acids by capillary gas-liquid chromatography. *J. Clin. Chem. Clin. Biochem.*, 22 (1984) 453-459; *C.A.*, 101 (1984) 108388a.
- 717 Smith, S.L., Novotny, M. and Karmen, A.: Evaluation of certain polyols in the cerebrospinal fluid of patients with multiple sclerosis. *J. Chromatogr.*, 336 (1984) 351-355.
- 718 Wysocki, S.J., Jenkins, D.T. and Hähnel, R.: Simultaneous assessment of fetal lung maturity and sebaceous gland function by gas chromatography. *Clin. Chim. Acta*, 137 (1984) 141-149.

See also 548, 593, 596, 601, 603, 608, 621, 627.

## 33. INORGANIC COMPOUNDS

33b. *Anions*

- 719 Guo, Y., Tan, W. and Li, Y.: (Determination of trace cyanide in water and atmosphere by homogeneous catalysis-extraction-gas chromatography. *Huanjing Huaxue*, 3, No. 3 (1984) 57-62; *C.A.*, 101 (1984) 115955m.

33c. *Permanent and rare gases*

- 720 Soerensen, J. and Wilson, T.R.S.: A headspace technique for oxygen measurements on deep-sea sediment cores. *Limnol. Oceanogr.*, 29 (1984) 650-652; *C.A.*, 101 (1984) 136676m.

See also 533.

## 33d. Volatile inorganic compounds

- 721 Mariich, L.I., Lenkevich, Zh.K., Krasnozhenenko, D.A., Kuvikova, I.A. and Kasimova, L.Z.: (Chromatographic determination of coke oven gas composition). *Koks Khim.*, No. 8 (1984) 26-30.

See also 473, 500, 538, 740.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 520, 537.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

## 35c. Food analysis

- 722 Acree, T.R., Barnard, J. and Cunningham, D.G.: A procedure for the sensory analysis of gas chromatographic effluents. *Food Chem.*, 14 (1984) 273-286; *C.A.*, 101 (1984) 109074g.
- 723 Cairns, T., Siegmund, E.G., Doose, G.M., Hundley, H.K., Barry, T. and Petzinger, G.: Confirmation of ethylene dibromide in fruits and grains by mass spectrometry. *Anal. Chem.*, 56 (1984) 2138-2141.
- 724 Chen, C.-C., Chen, S.-D., Chen, J.-J. and Wu, C.-M.: Effect of pH value on the formation of volatiles of Shiitake (*Lentinus edodes*). *J. Agric. Food Chem.*, 32 (1984) 999-1001.
- 725 Daft, J.L.: Gas chromatographic determination of chemical residues in food using a rugged high-resolution mixed-bed column. *Anal. Chem.*, 56 (1984) 2687-2692.
- 726 Del Rosario, R., de Lumen, B.O., Habu, T., Flath, R.A., Mon, T.R. and Teranishi, R.: Comparison of headspace volatiles from winged beans and soybeans. *J. Agric. Food Chem.*, 32 (1984) 1011-1015.
- 727 Ekström, L.-G. and Kuivinen, J.: Gas chromatographic determination of clopidol in chicken tissues. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 955-957.
- 728 Formica, G.: Gas chromatographic determination of residues of bromopropylate and two of its degradation products in honey. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 896-898.
- 729 Gensic, J.L., Szuhaj, B.F. and Endres, J.G.: Automated gas chromatographic system for volatile profile analysis of fats and oils. *J. Am. Oil Chem. Soc.*, 61 (1984) 1246-1249; *C.A.*, 101 (1984) 109057d.
- 730 Gilvydis, D.M. and Walters, S.M.: Determination of captan, folpet, and captafol in fruits and vegetables, using two multiresidue methods. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 909-912.
- 731 Heidlas, J., Lehr, M., Idstein, H. and Schreier, P.: Free and bound terpene compounds in papaya (*Carica papaya*, L.) fruit pulp. *J. Agric. Food Chem.*, 32 (1984) 1020-1021.
- 732 Heresztyn, T.: Methyl and ethyl amino acid esters in wine. *J. Agric. Food Chem.*, 32 (1984) 916-918.
- 733 Luke, B.G. and Richards, J.C.: Recent advances in cleanup of fats by sweep co-distillation. Part 2. Organophosphorus residues. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 902-904.
- 734 MacNamara, K.: Rapid determination of major congeners in distilled spirits by direct analysis on bonded capillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 641-643.
- 735 Mattyasovszky, P.: (Determination of the methanol and ethanol content of wine by gas chromatography). *Borgardasag*, 32 (1984) 66-69; *C.A.*, 101 (1984) 149690m.
- 736 Mick, W. and Schreier, P.: Additional volatiles of bleak tea aroma. *J. Agric. Food Chem.*, 32 (1984) 924-929.
- 737 Neidert, E. and Saschenbrecker, P.: Improved Storch tube for assisted and sweep co-distillation cleanup of pesticides, polychlorinated biphenyls, and pentachlorophenol from animal fats. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 773-775.

- 738 Saura-Calixto, F., Canellas, J. and Garcia-Raso, A.: Gas chromatographic analysis of sugars and sugar-alcohols in the mesocarp, endocarp, and kernel of almond fruit. *J. Agric. Food Chem.*, 32 (1984) 1018-1020.
- 739 Sosulski, F.W. and Dabrowski, K.J.: Determination of glucosinolates in canola meal and protein products by desulfation and capillary gas-liquid chromatography. *J. Agric. Food Chem.*, 32 (1984) 1172-1175.
- 740 Tonogai, Y., Ito, Y. and Harada, M.: (Putrefaction of food. II. Determination of volatile amines and ammonia in raw fish and fish products by gas chromatography). *Shokuhin Eiseigaku Zasshi*, 25 (1984) 149-157; *C.A.*, 101 (1984) 149944x.
- 741 Trucksess, M.W., Brumley, W.C. and Nesheim, S.: Rapid quantitation and confirmation of aflatoxins in corn and peanut butter, using a disposable silica gel column, thin layer chromatography, and gas chromatography/mass spectrometry. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 973-975.
- 742 Van Rillaer, W.G. and Beernaert, H.: Rapid determination of chlorobutanol in milk by glass capillary gas chromatography. *Z. Lebensm.-Unters. Forsch.*, 178 (1984) 465-467; *C.A.*, 101 (1984) 109071d.
- 743 Woo, A.H., Kollodge, S. and Lindsay, R.C.: Modified techniques for improved gas chromatographic quantification of free fatty acids in dairy foods. *J. Dairy Sci.*, 67 (1984) 1517-1520; *C.A.*, 101 (1984) 128061k.

See also 553.

#### 35d. Various technical products

- 744 Chekal, V.N., Kushnir, N.K., Sirotkina, N.N., Bryuzgina, T.S., Molyavko, L.I. and Vykhrestyuk, T.A.: (Gas chromatographic determination of volatile components from polymeric materials used for footwear). *Gig. Sanit.*, No. 6 (1984) 79-80; *C.A.*, 101 (1984) 105233k.
- 745 Erickson, E.D., Smith, S.R. and Johnson, J.H.: Analysis of contaminants on the inner surface of copper tubing. *Anal. Lett.*, 17 (1984) 1705-1713.
- 746 Hine, B.T.: Simplified determination of the normal paraffin content of petroleum fractions. *Chromatographia*, 18 (1984) 679-682.
- 747 Kutazynski, M. and Lipman, J.: Untersuchungen der Exploitationseigenschaften von Motorenölen. Anwendung der gaschromatographischen Analyse. *Erdöl Kohle, Erdgas, Petrochem.*, 37 (1984) 363-366.
- 748 Lazaris, A.Y., Gromova, G.E., Shmuilovich, S.M., Pinchuk, N.M. and Badryzlova, M.P.: (Gas chromatographic determination of impurities in ethyl cyanoacrylate). *Zh. Anal. Khim.*, 39 (1984) 719-722.
- 749 Lunska, M.K.: (High-speed gas-chromatographic determination of the comprehensive composition of wide gasoline fractions of unfractionated petroleum and condensates). *Zavod. Lab.*, 50, No. 8, (1984) 6-14.
- 750 Matsui, F., Lovering, E.G., Watson, J.R., Black, D.B. and Sears, R.W.: Gas chromatographic method for solvent residues in drug raw materials. *J. Pharm. Sci.*, 73 (1984) 1664-1666.
- 751 Miki, Y. and Sugimoto, Y.: (Gas chromatographic analysis of coal liquid). *Nenryo Kyokaiishi*, 63 (1984) 28-40; *C.A.*, 101 (1984) 113660n.
- 752 Shen, M. and Huang, K.: (Studies of the characteristics of coals and chars by gas chromatography. I. Micropores of coals and chars pyrolyzed under nitrogen). *Huaxue Xuebao*, 12 (1984) 157-163; *C.A.*, 101 (1984) 113578s.
- 753 Sheu, Y.-H.E., Philip, C.V., Anthony, R.G. and Soltes, E.J.: Separation of functionalities in pyrolytic tar by gel permeation chromatography-gas chromatography. *J. Chromatogr. Sci.*, 22 (1984) 497-505.
- 754 Triska, J., Kuras, M., Vodicka, L. and Safar, M.: Determination of the composition of a high-boiling condensate from natural gas by capillary gas chromatography and mass spectrometry. *Fresenius' Z. Anal. Chem.*, 318 (1984) 407-409.
- 755 Uchino, H., Yokoyama, S., Satou, M. and Sanada, Y.: (Chemical structure of coal-derived liquids. Estimation of donatable hydrogen in coal solvent by HPLC and GC/MS). *Nenryo Kyokaiishi*, 63 (1984) 15-27; *C.A.*, 101 (1984) 113663r.
- 756 Wright, C.W., Weimer, W.C. and Springer, D.L.: Chromatographic chemical characterization of solvent refined coal I and II liquids for toxicological testing. *Chromatographia*, 18 (1984) 603-610.

See also 540, 562, 641, 643.

*35e. Compounds with distinct biological activity and diverse chemical nature*

- 757 Bonnet, M., Coumans, M., Hofinger, M., Ramaut, J.L. and Gaspar, T.: High-performance gas chromatography of 1,4-naphthoquinones from *Droseraceae*. *Chromatographia*, 18 (1984) 621-622.
- 758 Buttery, R.G. and Ling, L.G.: Corn leaf volatiles: identification using Tenax trapping for possible insect attractants. *J. Agric. Food Chem.*, 32 (1984) 1104-1106.
- 759 Engman, H., Mayfield, H.T., Mar, T. and Bertsch, W.: Classification of bacteria by pyrolysis-capillary column gas chromatography-mass spectrometry and pattern recognition. *J. Anal. Appl. Pyrolysis*, 6 (1984) 137-156; *C.A.*, 101 (1984) 106871d.
- 760 Motte, J.C., Monseur, X., Termonia, M., Hofman, M., Alaerts, G., De Meyer, A., Dourte, P. and Walravens, J.: Computer monitoring of sugars, acids and volatile compounds in fermentation. *Anal. Chim. Acta*, 163 (1984) 275-280.
- 761 Tripathi, D.N., Malhotra, R.C. and Bhattacharya, A.: Gas chromatographic-mass spectrometric identification of  $\omega$ -chloroacetophenone, *o*-chlorobenzylidenemalononitrile and dibenz[*b,f*]-1:4-oxazepine. *J. Chromatogr.*, 315 (1984) 417-420.
- 762 Van der Kaaden, A., Boon, J.J., de Leeuw, J.W., de Lange, F., Schuyf, P.J.W., Schulten, H.R. and Bahr, U.: Comparison of analytical pyrolysis techniques in the characterization of chitin. *Anal. Chem.*, 56 (1984) 2160-2165.

See also 561, 636.

*35f. Complex mixtures and non-identified compounds*

- 763 Pakhomova, V.I. and Vigdergauz, M.S.: (Use of liquid-crystal azoxy ethers for the gas-chromatographic determination of organic impurities in an aqueous medium). *Zavod. Lab.*, 50, No. 6 (1984) 2-4.
- 764 Selivokhin, P.I., Rumyantseva, N.D. and Komkova, G.S.: (Gas chromatographic determination of ethyl acetate, dimethylformamide, cyclohexanone and glycerine in water). *Kozh.-Obuvn. Prom.*, No. 5 (1984) 29-30; *C.A.*, 101 (1984) 116449m.
- 765 Tukmanov, R.G. and Miroshnichenko, G.V.: (Gas chromatographic analysis of ethylbenzene oxidation products). *Zavod. Lab.*, 50, No. 8 (1984) 14-15.

See also 778.

## 36. CELLS AND CELLULAR PARTICLES

See 561, 592.

## 37. ENVIRONMENTAL ANALYSIS

*37a. General papers and reviews*

- 766 Onuska, F.I.: Pesticide residue analysis by open tubular column gas chromatography: trials, tribulations, and trends. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 660-670 - 96 refs.

*37b. Air pollution*

- 767 Berg, S. and Jonsson, A.: Two-dimensional gas chromatography for determination of volatile compounds in ambient air. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 687-695.
- 768 Clark, A.I., McIntyre, A.E., Lester, J.N. and Perry, R.: A comparison of photoionization detection gas chromatography with a Tenax GC sampling tube procedure for the measurement of aromatic hydrocarbons in ambient air. *Int. J. Environ. Anal. Chem.*, 17 (1984) 315-326.
- 769 Fabian, P. and Gömer, D.: The vertical distribution of halocarbons in the stratosphere. *Fresenius' Z. Anal. Chem.*, 319 (1984) 890-897.

- 770 Lewis, R.G., Mulik, J.D., Coutant, R.W., Wooten, G.W. and McMillin, C.R.: Thermally desorbable passive sampling device for volatile organic chemicals in ambient air. *Anal. Chem.*, 57 (1985) 214-219.
- 771 Lugari, M.T.: (Determination of epichlorohydrin in air by means of gas-solid chromatography). *Acta Nat. Ateneo Parmense*, 20 (1984) 35-38; *C.A.*, 101 (1984) 115966r.
- 772 McClenny, W.A., Fleil, J.D., Holdren, M.W. and Smith, R.N.: Automated cryogenic preconcentration and gas chromatographic determination of volatile organic compounds in air. *Anal. Chem.*, 56 (1984) 2947-2957.
- 773 Nakayama, S. and Ishiguro, T.: (Determination of aldehydes in ambient air by a high-resolution GC-MS-SIM method). *Nippon Kankyo Eisei Senta Shoho*, 10 (1984) 102-106; *C.A.*, 101 (1984) 115957p.
- 774 Qiao, S.-J., Jiang, Y.-M., Ge, N.-C. and Wu, R.-M.: (Determination of volatile organic compounds in ambient air by capillary column gas chromatography-mass spectrometry). *Chinese J. Chromatogr.*, No. 1 (1984) 49-51.
- 775 Sotnikov, E.E., Babanov, N.I. and Volkov, S.A.: Detection and estimation of the chemical composition of aerosols by pyrolytic gas chromatography). *Zh. Anal. Khim.*, 39 (1984) 1869-1873.
- 776 Tong, H.Y. and Karasek, F.W.: Quantitation of polycyclic aromatic hydrocarbons in diesel exhaust particulate matter by high-performance liquid chromatography fractionation and high-resolution gas chromatography. *Anal. Chem.*, 56 (1984) 2129-2134.

See also 588, 613, 719, 761.

#### 37c. Water pollution

- 777 Janda, V., Krijt, K. and Hrivnak, J.: (Determination of organic contaminants in waters by microextraction and capillary gas chromatography methods). *Vodni Hospod.*, B, 34 (1984) 118-120; *C.A.*, 101 (1984) 136705v.
- 778 Rostad, C.E., Pereira, W.E. and Ratcliff, S.M.: Bonded-phase extraction column isolation of organic compounds in ground-water at a hazardous waste site. *Anal. Chem.*, 56 (1984) 2856-2860.
- 779 Smit, Z.: (Gas chromatographic-mass spectrometric computer analysis of incinerator wastewaters). *Kem. Ind.*, 33 (1984) 173-178; *C.A.*, 101 (1984) 116260t.

See also 551, 576, 645, 646, 653, 719, 764.

#### 37d. Soil pollution

See 646, 654, 720.

## Planar Chromatography

### 1. REVIEWS AND BOOKS

- 479 Fairbrother, J.E.: Advances in TLC: part 2 - applications. *Pharm. J.*, 233 (1984) 23-28; *C.A.*, 101 (1984) 157735v - a review with 115 refs.
- 480 Sherma, J. and Fried, B.: Flat bed techniques. In: Z. Deyl (Editor), *Separation Methods*, Elsevier, Amsterdam 1984, pp. 363-413.
- 481 Turina, S.: *Tankoslojna kromatografija* (Thin-layer chromatography). Savez kemicara i tehnologa Hrvatske, and Kemija u Industriji, Zagreb, 1984, 112 pp.

See also 485, 492, 499.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

- 482 Petrovic, S.M., Loncar, E. and Kolarov, L.: Retention behaviour and molecular structure of the solute in thin-layer chromatography. *Chromatographia*, 18 (1984) 683-691.

See also 491, 493.

#### 2b. Thermodynamics and theoretical relationships

- 483 Oscik-Mendyk, B., Jaroniec, M. and Rozylo, J.K.: Determination of parameters characterizing energetic heterogeneity of the solid surface and difference in molecular sizes of solutes and solvents from chromatographic data. *Chem. Anal. (Warsaw)*, 29 (1984) 29-39.

#### 2c. Relationship between structure and chromatographic behavior

See 634.

### 3. GENERAL TECHNIQUES

- 484 Volynets, M.P.: (Thin-layer chromatographic analysis.) *U.S.S.R. Pat.* SU 1,093,969 (Cl. G01N31/08), 23 May 1984, Appl. 3,460,426, 29 Apr. 1982; *C.A.*, 101 (1984) 183066x.

#### 3a. Apparatus and accessories

- 485 Berezkin, V.G., Vinogradova, R.G., Romanov, F.I., Chechevichkin, V.N., Rysev, O.A., Pavlushkov, G.G., Fedotova, M.D. and Ermakova, E.P.: (Modern equipment for thin-layer chromatography.) *Zh. Anal. Khim.*, 39 (1984) 1369-1394; *C.A.*, 101 (1984) 221733x - a review with 120 refs.
- 486 Jones, D.W. and Gabor, M.J.: Rack for developing multiple chromatograms. *U.S. Pat.* US 4,469,660 (Cl.422-70; G01N31/08), 04 Sep. 1984, Appl. 354,159, 05 Mar. 1982; 7 pp.; *C.A.*, 101 (1984) 183062t.
- 487 Kalasz, H.: Processes dominating forced-flow thin-layer chromatography. *Chromatographia*, 18 (1984) 628-632.

See also 497.

### 3c. Sorbents, carriers, column and layer performance, packing procedures

- 488 Aginskii, V.N. and Sorokina, G.I.: (Thin-layer chromatographic plate.) *U.S.S.R. Pat. SU 1,109,636* (Cl. G01N31/08), 23 Aug. 1984, Appl. 3,607,587, 21 Jun. 1983; *C.A.*, 101 (1984) 183070u.
- 489 Johnson, E.K. and Nurok, D.: Computer simulation as an aid to optimizing continuous-development two-dimensional thin-layer chromatography. *J. Chromatogr.*, 302 (1984) 135-147.
- 490 Kalasz, H. and Horvath, C.: Effect of operating conditions in displacement thin-layer chromatography. *ACS Symp. Ser.*, 16 (New Approaches Liq. Chromatogr.) (1984); *C.A.*, 101 (1984) 122291v.
- 491 Petrovic, S.M., Bogavac, Z. and Loncar, E.: (Mobile phase flow in partition and adsorption thin-layer chromatography.) *Zb. Priir. Nauke*, 65 (1983) 161-164; *C.A.*, 101 (1984) 103108z.
- 492 Rogers, D.: 2-D TLC: enhanced resolution and capability. *Am. Lab. (Fairfield)*, 16, No. 5 (1984) 65-73; *C.A.*, 101 (1984) 182691k - a review with 29 refs.
- 493 Slifkin, M.A. and Singh, H.: Masking effects in "charge-transfer" thin-layer chromatography. *J. Chromatogr.*, 303 (1984) 190-192 - effect of various concentrations of 10 impregnants on the  $R_f$  of pyrene on silica gel.

See also 507, 532.

### 3d. Quantitative analysis

- 494 Berkhan, E.W.: (Some special features of chromatogram densitometry.) *GIT-Suppl.*, No. 5 (1984) 52-57; *C.A.*, 101 (1984) 183094e.
- 495 Morris, M.D.: Thermal lens detectors for high performance chromatographies. *Proc. SPIE-Int. Soc. Opt. Eng.*, 426 (Laser-Based Ultrasensitive Spectrosc. Detect. 5) (1983) 116-120; *C.A.*, 101 (1984) 122279x.
- 496 Prosek, M., Medja, A., Katic, M. and Kaiser, R.E.: Quantitative evaluation of TLC. Part 7: Scanning with Micro-D-Cam. *Comput. Appl. Lab.*, 2, No. 4 (1984) 249-251; *C.A.*, 101 (1984) 203600x.
- 497 Ripphahn, J. and Sielaff, G.: (Device for quantitative evaluation of thin-layer chromatograms.) *Ger. Pat. Offen.* DE 3,247,355 (Cl. G01N35/00), 28 Jun. 1984, Appl. 22 Dec. 1982; 21 pp.; *C.A.*, 101 (1984) 183207u.
- 498 Siouffi, A.M.: (Quantitative analysis in thin-layer chromatography.) *Inf. Chim.*, 250 (1984) 209-213; *C.A.*, 101 (1984) 122272q - a review with 14 refs.

See also 668.

### 3e. Preparative scale chromatography

- 499 Szekely, G.: (Preparative layer chromatography.) *Anal. Taschenb.*, 3 (1983) 263-277; *C.A.*, 101 (1984) 187194k.

### 3f. Programmed temperature, pressure, vapors, gradients

- 500 Burger, K.: (Use of the PMD technique in quantitative thin-layer chromatography.) *GIT-Suppl.*, No. 5 (1984) 29-31; *C.A.*, 101 (1984) 162979g.

See also 599.

## 4. SPECIAL TECHNIQUES

### 4a. Automation and computerization

See 489.

### 4b. Combination of various chromatographic techniques

- 501 Gonnet, C. and Marichy, M.: (Possibility of TLC-LC data transfer.) *Analysis*, 12 (1984) 369-385; *C.A.*, 101 (1984) 221739d - a review with 58 refs.



*4c. Combination with other physico-chemical techniques (MS, IR etc.)*

See 704.

*4g. Separation of enantiomers*

502 Ol, N.: Enantiomer separation by chromatography with novel chiral stationary phases. *Bunseki Kagaku*, 33 (1984) E401-E411 - a review with 43 refs.

See also 599.

*4h. Other special techniques*

503 Woiwode, W.: (Three-dimensional representation of thin-layer chromatograms.) *GIT Fachs. Lab.*, 28 (1984) 498-500 and 502-503; *C.A.*, 101 (1984) 183145x.

See also 575.

## 5. HYDROCARBONS AND HALOGEN DERIVATIVES

*5b. Cyclic hydrocarbons*

504 Butler, H.T.: A screening method for the analysis of polycyclic aromatic hydrocarbons by high performance thin-layer chromatography. Wayne State Univ., Detroit, MI, 1983, 191 pp.; *Avail. Univ. Microfilms Int.*, Order No. DA8405954; *From Diss. Abstr. Int. B* 1984, 44 (12, Pt. 1), 376i-3762; *C.A.*, 101 (1984) 83273u.

505 Hofstraat, J.W., Engelsma, M., Cofino, W.P., Hoorweg, G.P., Gooijer, C. and Velthorst, N.H.: Highly resolved fluorescence spectrometry of pyrene on a thin-layer chromatographic plate. *Anal. Chim. Acta*, 159 (1984) 359-363; *C.A.*, 101 (1984) 162973a.

506 Matysik, G. and Soczewinski, E.: (Chromatographic investigations of aromatic substances in fly ash.) *Chem. Anal. (Warsaw)*, 29 (1984) 247-250.

507 Poole, C.F., Butler, H.T., Coddens, M.E., Khatib, S. and Vandervennet, R.: Comparison of methods for separating polycyclic aromatic hydrocarbons in high-performance thin-layer chromatography. *J. Chromatogr.*, 302 (1984) 149-158.

See also 493.

## 7. PHENOLS

508 Tuscik, F. and Kozubek, A.: Determination of cereal 5-n-alkylresorcinol homologs by thin-layer chromatography on aluminium oxide. *Chem. Anal. (Warsaw)*, 29 (1984) 79-84.

See also 538.

## 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

See 530.

*8a. Flavonoids*

See 694.

## 8b. Aflatoxins and other mycotoxins

- 509 Chalela, G., Schwantes, H.O. and Funk, W.: Fertigsäulen-Extraktion und quantitative HPTLC Bestimmung der Aflatoxine B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub> und G<sub>2</sub> in Pilzextraktlösungen. *Fresenius' Z. Anal. Chem.*, 319 (1984) 527-532.
- 510 Tikhova, D. and Peneva, V.: (Determination of aflatoxin M<sub>1</sub> in milk by thin-layer chromatography.) *Khranit. Prom-st.*, 33, No. 5 (1984) 20-21; *C.A.*, 101 (1984) 149955b.
- 511 Trucksess, M.W., Brumley, W.C. and Nesheim, S.: Rapid quantitation and confirmation of aflatoxins in corn and peanut butter, using a disposable silica gel column, thin-layer chromatography and gas chromatography/mass spectrometry. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 973-975.

## 8c. Other compounds with heterocyclic oxygen

- 512 Inamdar, P.K., Kanitkar, P.V., Reden, J. and de Souza, N.J.: Quantitative determination of forskolin by TLC and HPLC. *Planta Med.*, 50 (1984) 30-34; *C.A.*, 101 (1984) 157744x.
- 513 Kanamori, H., Sakamoto, I., Mizuta, M., Hashimoto, K. and Tanaka, O.: Studies on the mutagenicity of *Swertiae Herba*. I. Identification of the mutagenic components. *Chem. Pharm. Bull.*, 32 (1984) 2290-2295.

See also 698.

## 9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 514 De Angelis, G., Girelli, A.M. and Messina, A.: (Thin-layer chromatographic separation of some aldehydes and their derivatives.) *Galvanotec. Processi Plasma*, 34, No. 12 (1983) 233-236; *C.A.*, 101 (1984) 116441c.
- 515 Duez, P., Vanhaelen, M., Vanhaelen-Pastre, R., Manocq, M. and Molle, L.: Comparison between high-performance thin-layer chromatography fluorometry and high-performance liquid chromatography for the determination of sennosides A and B in *Senna (Cassia Spp.)* pods and leaves. *J. Chromatogr.*, 303 (1984) 391-395.
- 516 Maktaz, E.D., Botvinova, L.E. and Kruchinina, A.A.: (Method for the determination of small concentrations of glutaraldehyde in natural waters.) *Khim. Tekhnol. Vody*, 6 (1984) 329-331; *C.A.*, 101 (1984) 197801v.
- 517 Urbanski, J. and Balasiewicz, W.: (Determination of small amounts of epoxy compounds using dinitroarenesulphonic acids by thin-layer chromatography.) *Chem. Anal. (Warsaw)*, 29 (1984) 71-78.
- 518 Zhang, X. and Xu, L.: (Pulse polarographic determination of anthraquinones in *Polygonum cillinerve (Nakai Ohwi.) Yacoue Xuebao*, 19 (1984) 519-523; *C.A.*, 101 (1984) 198270h.

See also 530, 595.

## 10. CARBOHYDRATES

## 10a. Mono and oligosaccharides. Structural studies

- 519 Hunter, S.W., Fujiwara, T., Murphy, R.C. and Brennan, P.J.: N-Acylkansosamine. A novel N-acylamino sugar from the trehalose-containing lipooligosaccharide antigens of *Mycobacterium kansasii*. *J. Biol. Chem.*, 259 (1984) 9729-9734.
- 520 Ito, M. and Yamagata, T.: The linkage of teleost skin keratan sulfate to protein. *Biochim. Biophys. Acta*, 801 (1984) 381-387.
- 521 Kuroki, G., Lizotte, P.A. and Poulton, J.E.: Catabolism of (R)-amygdalin and (R)-vicianin by partially purified  $\beta$ -glycosidases from *Prunus serotina* Ehrh. and *Davallia trichomanoides*. *Z. Naturforsch.*, 39 C (1984) 232-239.
- 522 Macucha, P. and Chudziak, A.: (Determination of saccharides in plant materials by the method of thin-layer chromatography.) *Polnohospodarstvo*, 30 (1984) 774-781; *C.A.*, 101 (1984) 206951y.

- 523 Markovic, O. and Slezarik, A.: Product analysis of the action of *Trichoderma reesei* polygalacturonase by thin-layer chromatography. *J. Chromatogr.*, 312 (1984) 492-496.
- 524 Mizoguchi, A., Takasaki, S., Maeda, S. and Kobata, A.: Changes in asparagine-linked sugar chains of human promyelocytic leukemic cells (HL-60) during monocytoid differentiation and myeloid differentiation. Decrease of high-molecular-weight oligosaccharides in acidic fraction. *J. Biol. Chem.*, 259 (1984) 11949-11957.
- 525 Pettersen, R.C., Schwandt, V.H. and Effland, M.J.: An analysis of the wood sugar assay using HPLC: A comparison with paper chromatography. *J. Chromatogr. Sci.*, 22 (1984) 478-484.
- 526 Savelyev, A.N., Yakovleva, M.F. and Frisov, L.M.: (Carbohydrate composition and some properties of glucoamylase from *Aspergillus awamori*.) *Biokhimiya (Moscow)*, 49 (1984) 1754-1761.
- 527 Spiro, R.G. and Bhojro, V.D.: Occurrence of  $\alpha$ -D-galactosyl residues in the thyroglobulins from several species. Localization in the saccharide chains of the complex carbohydrate units. *J. Biol. Chem.*, 259 (1984) 9858-9866.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 528 Cserhati, T., Szente, L. and Szejtli, J.: Complex-forming eluent additives in reversed-phase thin-layer chromatography of methylated  $\beta$ -cyclodextrins. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 635-636.

11. ORGANIC ACIDS AND LIPIDS

11a. *Organic acids and simple esters*

- 529 Andary, C., Roussel, J.L., Rascol, J.P. and Privat, G.: Micromethode d'analyse des esters heterosidiques de l'acide cafeique. *J. Chromatogr.*, 303 (1984) 312-317.
- 530 Bognar, A.L., Paliyath, G., Rogers, L. and Kolattukudy, P.E.: Biosynthesis of alkanes by particulate enzyme preparations from pea leaves (*Pisum sativum*). *Arch. Biochem. Biophys.*, 235 (1984) 7-17.
- 531 Huang, X., Wang, J., Wang, H. and Yang, Y.: (TLC densitometric assay of chlorogenic acid in *Artemisia scoparia*.) *Zhongyao Tongbao*, 9, No.5 (1984) 225-226; *C.A.*, 101 (1984) 216503t.
- 532 Lewis, S. and Wilson, I.D.: Factors affecting the ion-pair reversed-phase thin-layer chromatography of organic acids of paraffin-coated and  $C_{18}$  bonded silica gel. *J. Chromatogr.*, 312 (1984) 133-140.
- 533 Morrison, A.R. and Crowley, J.R.: Identification of an unusual cyclooxygenase metabolite of arachidonic acid in rabbit renal medulla. *Arch. Biochem. Biophys.*, 234 (1984) 413-417.
- 534 Nesterova, I.P. and Roshka, G.K.: (Determination of stereoisomers of 7,9-dodecadien-1-yl acetate.) *U.S.S.R. Pat.* SU 1,097,937 (Cl. G01N31/08), 15 Jun. 1984, Appl. 3,454,326, 18 Jun. 1982; *C.A.*, 101 (1984) 122334m.
- 535 Radowitz, W. and Müller, H.: Dünnschicht-Chromatographie von Di- und Polycarbonsäuren auf schmalen Sorptionsmittelbändern in profillierten Dünnschichtträgern. *J. Chromatogr.*, 299 (1984) 456-459.
- 536 Radowitz, W., Müller, H., Mannsfeld, M. and Fiebig, W.: Thin-layer chromatography of di- and polycarboxylic acids. *Z. Chem.*, 24 (1984) 267-269; *C.A.*, 101 (1984) 203635n.
- 537 Ryan, P.J. and Honeyman, T.W.: Determination of fatty acids by high-performance liquid chromatography of dns-ethanolamine derivatives. *J. Chromatogr.*, 312 (1984) 461-466.
- 538 Skrzypczak, L., Nowak, G. and Ellnain-Wojtaszek, M.: (Spectrophotometric determination of the glycoside ester in goldenrod (*Solidago*.) *Acta Pol. Pharm.*, 40 (1983) 637-641; *C.A.*, 101 (1984) 177597e.
- 539 Vlădea, R., Zver, M. and Simon, M.: Chromatographic analysis of benzoic acid esters with diols. *Bul. Stiint. Teh. Inst. Politeh. "Traian Vuia" Timisoara, Ser. Chim.*, 28, No. 1-2 (1983) 89-92; *C.A.*, 101 (1984) 143216q.

See also 540, 570, 592, 693.

## 11b. Prostaglandins

- 540 Bednar, M.M., Schwartzman, M., Ibrahim, N.G., McGigg, J.C. and Mullane, K.M.: Conversion of arachidonic acid to two novel products by a cytochrome P450-dependent mixed-function oxidase in polymorphonuclear leucocytes. *Biochem. Biophys. Res. Commun.*, 123 (1984) 581-588.
- 541 Bruno, P., Caselli, M., Garappa, C. and Traini, A.: HPTLC separation of PGF<sub>2α</sub>, PGE<sub>1</sub>, PGE<sub>2</sub>, PGA<sub>1</sub> prostaglandins and quantitative determination *in situ* by induced fluorescence. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 7 (1984) 593-595.
- 542 Oshima, T., McCluskey, E.R., Honda, A. and Needleman, P.: Pharmacological manipulation of canine cyclooxygenase and thromboxane synthetase *in vivo*: differential renal and platelet recovery rates. *J. Pharmacol. Exp. Ther.*, 229 (1984) 598-602.

## 11c. Lipids and their constituents

- 543 Bernard, J., Kerouault, B. and de Kinkelin, P.: High-performance thin-layer chromatography of lipids from different fish cell lines and from viral hemorrhagic septicemia virus. *Ann. Virol.*, 135 E (1984) 177-182; *C.A.*, 101 (1984) 187198q.
- 544 Blaszczyk, M., Hansson, G.C., Karlsson, K.-A., Larson, G., Stromberg, N., Thurin, J., Hejlyu, M., Steplewski, A. and Koprowski, H.: Lewis blood group antigens defined by monoclonal anti-colon carcinoma antibodies. *Arch. Biochem. Biophys.*, 233 (1984) 161-168.
- 545 Cheresh, D.A., Varki, A.P., Varki, N.M., Stallcup, W.B., Levine, J. and Reisfeld, R.A.: A monoclonal antibody recognizes an O-acylated sialic acid in a human melanoma-associated ganglioside. *J. Biol. Chem.*, 259 (1984) 7453-7459.
- 546 Das, A.K. and Hajra, A.R.: Estimation of acyldihydroxyacetone phosphate and lyso-phosphatide in animal tissues. *Biochim. Biophys. Acta*, 796 (1984) 178-189.
- 547 Fishman, P.H., Bradley, R.M., Rebois, R.V. and Brady, R.O.: The role of gangliosides in the interaction of human chorionic gonadotropin and cholera toxin with murine Leydig tumor cells. *J. Biol. Chem.*, 259 (1984) 7983-7989.
- 548 Fredman, P., Magnani, J.L., Nirenberg, M. and Ginsburg, V.: Monoclonal antibody A2B5 reacts with many gangliosides in neuronal tissue. *Arch. Biochem. Biophys.*, 233 (1984) 661-666.
- 549 Fukushi, Y., Nudelma, E., Levery, S.B. and Hakomori, S.-i.: Novel fucolipids accumulating in human adenocarcinoma. III. A hybridoma antibody (FH6) defining a human cancer-associated difucoganglioside (VI<sup>3</sup>NeuAcV<sup>3</sup>III<sup>3</sup>Fuc<sub>n</sub>Lc<sub>g</sub>). *J. Biol. Chem.*, 259 (1984) 10511-10517.
- 550 Herbette, L., Blasie, J.K., Defoor, P., Fleischer, S., Bick, R.J., van Winkle, W.B., Tate, C.A. and Entman, M.L.: Phospholipid asymmetry in the isolated sarco-plasmic reticulum membrane. *Arch. Biochem. Biophys.*, 234 (1984) 235-242.
- 551 Igisu, H. and Suzuki, K.: Analysis of galactosylsphingosine (psychosine) in the brain. *J. Lipid Res.*, 25 (1984) 1000-1006.
- 552 Jee, M.H. and Ritchie, A.S.: Two-dimensional thin-layer chromatography technique for use in lipid analysis. *J. Chromatogr.*, 299 (1984) 460-464.
- 553 Juquelin, H. and Cassagne, C.: Assay of long-chain acyl-CoAs in a complex reaction mixture. *Anal. Biochem.*, 142 (1984) 329-335.
- 554 Kannagi, R., Levery, S.B. and Hakomori, S.-i.: Hybrid type glycolipids (lacto-ganglio series) with a novel branched structure. Their presence in undifferentiated murine leukemia cells and their dependence on differentiation. *J. Biol. Chem.*, 259 (1984) 8444-8451.
- 555 Kasai, N., Naiki, M. and Yu, R.K.: Autoradiography of ganglioside antigens separated by high-performance thin-layer chromatography with their antibodies. *J. Biochem. (Tokyo)*, 96 (1984) 261-264.
- 556 Kester, M. and Privitera, C.A.: Phospholipid composition of dystrophic chicken erythrocyte plasmalemmae. I. Isolation of a unique lipid in dystrophic erythrocyte membranes. *Biochim. Biophys. Acta*, 778 (1984) 112-120.
- 557 Kunze, D., Rüstow, B., Rabe, H. and Ullrich, K.-P.: Diacylglycerol species in microsomes and mitochondria of normal and dystrophic human muscle. *Clin. Chim. Acta*, 140 (1984) 215-222.
- 558 Li, Y.-T., Hirabayashi, Y., DeGasperis, R., Yu, R.K., Ariga, T., Koerner, T.A.W. and Li, S.Ch.: Isolation and characterization of a novel phytosphingosine-containing G<sub>M2</sub> ganglioside from mullet roe (*Mugil cephalus*). *J. Biol. Chem.*, 259 (1984) 8980-8985.

- 559 Millan, F., Vioque, E. and Maza, M.P.: Polar lipids of sunflower meal and isolates. *J. Am. Oil Chem. Soc.*, 61 (1984) 1347-1350.
- 560 Miller, G.J., Edgman, L.A. and Field, R.A.: Structures of triacylglycerols in bovine bone marrow. *J. Agric. Food Chem.*, 32 (1984) 982-984.
- 561 Morita, S., Narita, H., Matoba, T. and Kito, M.: Synthesis of triacylglycerol by lipase in phosphatidylcholine reverse micellar system. *J. Am. Oil Chem. Soc.*, 61 (1984) 1571-1574.
- 562 Nakamura, K. and Handa, S.: Coomassie brilliant blue staining of lipids on thin-layer plates. *Anal. Biochem.*, 142 (1984) 406-410.
- 563 Niwa, Y., Sakane, T. and Taniguchi, S.: Phospholipid transmethylation in the membrane of human neutrophils and lymphocytes. *Arch. Biochem. Biophys.*, 234 (1984) 7-14.
- 564 Okamoto, T., Moroyama, T., Morita, T., Yoshiga, K., Takada, K. and Okuda, K.: Differentiation of cultured epidermal keratinocytes related to sterol metabolism and its retardation by chemical carcinogens. *Biochim. Biophys. Acta*, 805 (1984) 143-151.
- 565 Peuchant, E., Covi, G. and Jensen, R.: Faecal lipid chromatography - identification of an unusual fraction in relation to colon cancer. *Clin. Chim. Acta*, 141 (1984) 151-168.
- 566 Peuchant, E., Covi, G. and Jensen, R.: Faecal lipid chromatography. I. Quantitative determination with Chromarods. *J. Chromatogr.*, 310 (1984) 297-305.
- 567 Sekine, M., Ariga, T., Miyatake, T., Kase, R., Suzuki, A. and Yamakawa, T.: Gangliosides and neutral glycolipids in guinea pig adrenal glands. *J. Biochem. (Tokyo)*, 96 (1984) 237-244.
- 568 Towbin, H., Shoenberger, C., Ball, R., Braun, D.G. and Rosenfelder, G.: Glycophospholipid-blotting: an immunological detection procedure after separation by thin-layer chromatography. *J. Immunol. Methods*, 72 (1984) 471-479; *C.A.*, 101 (1984) 206924s.
- 569 Tsushima, S., Yoshioka, Y., Taniga, S., Nomura, H., Nojima, S. and Hozumi, M.: Syntheses and biological activities of N-alkyl- and N-alkenylcarbamoyl phospholipids. *Chem. Pharm. Bull.*, 32 (1984) 2700-2713.
- 570 Yamamoto, T.: (Colorimetric determination of dispersed oils from river water by thin-layer chromatography.) *Bunseki Kagaku*, 33 (1984) 519-523.
- 571 Yambao, T.J., Tawwater, B., Chuachingco, J., Carrillo, A. and Schwartz, D.: Effect of meconium on the detection of phosphatidylglycerol. *Am. J. Obstet. Gynecol.*, 150 (1984) 426-430; *C.A.*, 101 (1984) 206977m.

## 12. ORGANIC PEROXIDES

- 572 Haslbeck, F. and Grosch, W.: Bildung von Hydroperoxy-epidioxiden bei der Autoxidation von Linolsäurephenylester. *Fette, Seifen, Anstrichm.*, 86 (1984) 408-413.

## 13. STEROIDS

- 573 Kamano, Y. and Satoh, H.: (Thin-layer chromatography of the halogenated steroids.) *Tokyo Ika Daigaku Kiyo*, 10 (1984) 51-55; *C.A.*, 101 (1984) 171587e.

### 13a. Pregnane and androstane derivatives

- 574 Deng, Y., Zhou, Q. and Zhang, Ch.: (Separation and identification of the major impurities in prednisone acetate.) *Yuyao Gongye*, No. 6 (1984) 16-18; *C.A.*, 101 (1984) 216525b.
- 575 Stahl, E. and Glatz, A.: Extraction of natural substances with supercritical gases. 10. Communication: Qualitative and quantitative determination of solubilities of steroids in supercritical carbon dioxide. *Fette, Seifen, Anstrichm.*, 86 (1984) 346-348.

## 13c. Sterols

- 576 Neawbanij, M., Seib, P.A., Burroughs, R., Seitz, L.M. and Chung, D.S.: Determination of ergosterol using thin-layer chromatography and ultraviolet spectroscopy. *Cereal Chem.*, 61 (1984) 385-388; *C.A.*, 101 (1984) 209105x.
- 577 Randolph, R.K. and St.Clair, R.W.: Pigeon aortic smooth muscle cells lack a functional low density lipoprotein receptor pathway. *J. Lipid Res.*, 25 (1984) 888-902.

## 14. STEROID GLYCOSIDES AND SAPONINS

- 578 Andrzejewska, E.: (Detection of saponins in preparations of soybean proteins used in the food industry.) *Rocz. Panstw. Zakl. Hig.*, 35 (1984) 135-138.
- 579 Dyatlovitskaya, F.G., Maktaz, E.D., Botvinova, L.E. and Gorshkova, L.I.: (Quantitative determination of saponin in water.) *U.S.S.R. Pat. SU 1,105,809* (Cl. G01N41/08), 30 Jul. 1984, Appl. 3,565,186, 15 Mar. 1983; *C.A.*, 101 (1984) 157432u.
- 580 Sobiczewska, M. and Soltyk, K.: (Chromatographic and densitometric determination of active compounds in pharmaceutical preparations. V. Determination of  $\alpha$ -acetyl-digitoxin.) *Acta Pol. Pharm.*, 40 (1983) 603-608; *C.A.*, 101 (1984) 177598f.
- 581 Xu, L. and Liu, A.: (Determination of diosgenin in *Dioscorea*.) *Yaoxue Xuebao*, 19, No. 2 (1984) 141-145; *C.A.*, 101 (1984) 78926e.

## 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

## 15a. Terpenes

- 582 Kaiser, B.: (Derivatization and thin-layer chromatographic analysis of paper extracts for forensic purposes.) *Krim. Forensische Wiss.*, (1984) 202-206; *C.A.*, 101 (1984) 185343j.
- 583 Villar, A., Rios, J.L., Simeon, S. and Zafra-Polo, M.C.: New reagent for the detection of sesquiterpene lactones by thin-layer chromatography. *J. Chromatogr.*, 303 (1984) 306-308.
- 584 Wu, C. and Zhang, G.: (Quantitative analysis of sesquiterpene lactone in *Loranthus parasiticus* (L.) Merr. parasiting on *Coriaria sinica* Maxim. and in seeds of *Coriaria sinica* Maxim.) *Yaoxue Xuebao*, 19, No. 1 (1984) 56-62; *C.A.*, 101 (1984) 97732e.

See also 632.

## 15b. Essential oils

- 585 Kapetanovic, S., Djugumovic, S. and Ramic, S.: (Isolation of rose oils by dry distillation.) *Parfums, Cosmet., Aromes*, 56 (1984) 77-78; *C.A.*, 101 (1984) 116563u.
- 586 Yin, L., Luo, W., Fang, Ch., He, Q. and Cai, D.: (Assay of limonene in orange oil by colorimetry and thin-layer densitometry.) *Zhongcaoyao*, 15, No. 6 (1984) 250-253; *C.A.*, 101 (1984) 157459h.

## 15c. Bitter substances

- 587 Webster, J., Beck, W. and Ternal, B.: Toxicity and bitterness in Australian *Dioscorea bulbifera* L. and *Dioscorea hispida* Dennst. from Thailand. *J. Agric. Food Chem.*, 32 (1984) 1087-1090.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

## 17a. Amines and polyamines

- 588 Albert, L.S.R., Mitchell, S.D. and Gray, D.O.: Recovery of plant amines with carboxylic ion-exchange substrates and their subsequent analysis by thin-layer chromatography. *J. Chromatogr.*, 312 (1984) 357-385.
- 589 Brown, K.K. and Poole, C.F.: Fluorescence stability of 1-aminopyrene on silica-gel HPTLC plates. *LC, Liq. Chromatogr. HPLC Mag.*, 2 (1984) 526-527 and 530; *C.A.*, 101 (1984) 183164c.

See also 490, 716.

## 17b. Catecholamines and their metabolites

- 590 Sarbu, C., Marutoiu, C. and Liteanu, C.: (New method for the separation and detection of catecholamines by thin-layer chromatography.) *Farmacia (Bucharest)*, 32, No. 2 (1984) 97-102; *C.A.*, 101 (1984) 147055j.

See also 681.

## 17c. Amine derivatives and amides (excluding peptides)

- 591 Blass, K.G.: Investigation of picramic acid and methylguanidine formation during the heated Jaffe' reaction. *Mikrochem. J.*, 30 (1984) 147-153; *C.A.*, 101 (1984) 166532d.
- 592 Chauhan, Y., Nagel, D., Issenberg, P. and Toth, B.: Identification of *p*-hydrazino-benzoic acid in the commercial mushroom *Agaricus bisporus*. *J. Agric. Food Chem.*, 32 (1984) 1067-1069.
- 593 Chen, F. and Hou, L.: (Determination of synephrine in citrus plants.) *Yaowu Fenxi Zazhi*, 4, No. 3 (1984) 169-171; *C.A.*, 101 (1984) 97731d.
- 594 Kerzhner, B.K., Kofanov, V.I. and Vrabel, T.L.: (Determination of azobenzene.) *U.S.S.R. Pat.* SU 1,104,417 (Cl. G01N31/08), 23 Jul. 1984, Appl. 3,506,841, 22 Oct. 1982; *C.A.*, 101 (1984) 183216w.
- 595 Potesil, T. and Potesilova, H.: Thin-layer chromatography of enamino ketones. I. *J. Chromatogr.*, 312 (1984) 387-393 -  $R_f$  values for 16 compounds.
- 596 Wohlfahrt, R. and Niebergall, H.: Determination of N,N-diphenylguanidine and *o*-tolylbiguanidine in milk. *Lebensmittelchem. Gerichtl. Chem.*, 38 (1984) 123-124.

See also 521, 651.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

## 18a. Amino acids and their derivatives

- 597 Bellon, G.H., Malgras, A., Chastang, F. and Borel, J.P.: Evaluation of the hydroxyproline isomers in blood serum. *Clin. Chim. Acta*, 143 (1984) 309-313.
- 598 Durupthy, O., Durupthy, A. and Dubusc, M.: (Paper chromatography and electrophoresis of  $\alpha$ -amino acids.) *Bull. Union Physiciens*, 78 (1984) 1043-1049; *C.A.*, 101 (1984) 109775m.
- 599 Grinberg, N. and Weinstein, S.: Enantiomeric separation of Dns-amino acids by reversed-phase thin-layer chromatography. *J. Chromatogr.*, 303 (1984) 251-255.
- 600 Hodisan, T., Moraru, E. and Liteanu, C.: (Use of stationary-phase mixtures for the separation of amino acids.) *Rev. Chim. (Bucharest)*, 35 (1984) 458; *C.A.*, 101 (1984) 221770g.
- 601 Littmann, S.: Detection of glutamate additives in sausage. *Lebensmittelchem. Gerichtl. Chem.*, 38 (1984) 120-121.
- 602 Luo, Z.: (Selection of optimal paper chromatographic system for 14 amino acids.) *Yaowu Xuebao*, 19 (1984) 599-605; *C.A.*, 101 (1984) 206958f.
- 603 Rojowska, M. and Soczewinski, E.: An ion-pairing liquid-liquid partition system for the separation of amino acids by thin-layer chromatography. *Chem. Anal. (Warsaw)*, 29 (1984) 255-257.

- 604 Schwartz, T.W.: Fluorescence detection of picomole amounts of the phenylthiohydantoin derivative of histidine in thin-layer chromatography. *J. Chromatogr.*, 299 (1984) 513-515.

See also 637.

*18b. Peptides and peptidic and proteinous hormones*

- 605 Low, T.L.K. and Mercer, R.C.: Isolation and structural studies of porcine, ovine and murine thymosin  $\beta_4$  by high-performance liquid chromatography. *J. Chromatogr.*, 301 (1984) 221-239.
- 606 Roesel, R.A., Coryell, M.E., Blankenship, P.R. and Hommes, F.A.:  $\gamma$ -Glutamyl-ornithine excretion in patients with hyperornithinemia. *Clin. Chim. Acta*, 140 (1984) 133-138.
- 607 Stephenson, F.A. and Rogol, A.D.: Anti-insulin-like (diabetogenic) peptides in pituitary extracts: Role of oxytocin. *Arch. Biochem. Biophys.*, 234 (1984) 214-229.
- 608 Tada, M., Shinoda, I. and Okai, H.: L-Ornithyltaurine, a new salty peptide. *J. Agric. Food Chem.*, 32 (1984) 992-996.

See also 643.

*18c. General techniques of elucidation of structure of proteins*

- 609 Vashkevich, I.I., Matveitseva, I.V., Avvakumov, G.V. and Strelchyonok, O.A.: (Comparative study of human transcortin isolated from normal donor blood and retroplacental blood.) *Biokhimiya (Moscow)*, 49 (1984) 1977-1985.

19. PROTEINS

*19a. Structural and muscle proteins*

- 610 Burtnick, L.D.: Modification of actin with fluorescein isothiocyanate. *Biochim. Biophys. Acta*, 791 (1984) 57-62.

*19j. Specific binding proteins*

- 611 Meares, C.F., McCall, M.J., Reardan, D.T., Goodwin, D.A., Diamanti, C.I. and McTigue, M.: Conjugation of antibodies with bifunctional chelating agents: isothiocyanate and bromoacetamide reagents, methods of analysis and subsequent addition of metal ions. *Anal. Biochem.*, 142 (1984) 68-78.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

*21a. Purines, pyrimidines, nucleosides, nucleotides*

- 612 Jia, Ch. and Dou, Y.: (Analysis of nucleic acid bases by thin-layer chromatography and dual wavelength scanning densitometry.) *Yichuan*, 6, No. 4 (1984) 3-5; *C.A.*, 101 (1984) 187454v.
- 613 Kudelin, B.K. and Kaminskii, Yu.L.: (Relative efficiency of counting tritium-labeled preparation on thin-layer radiochromatograms.) *Radiokhimiya*, 26 (1984) 479-482.
- 614 Tomankova, H., Zyka, J. and Pileckova, Z.: An analytical study of 5-aza-2'-deoxycytidine. *Microchem. J.*, 29 (1984) 333-340; *C.A.*, 101 (1984) 78934f.

*21f. Structural studies of nucleic acids*

- 615 Green, D.A. and Deutsch, W.A.: Direct determination of uracil in [ $^{32}\text{P}$ ,uracil- $^3\text{H}$ ] poly(dA, dT) and bisulfite-treated phage PM2 DNA. *Anal. Biochem.*, 142 (1984) 497-503.



- 616 Vasil'ev, V.K.: (Determination of nucleotide and isoplith composition of DNA by thin-layer chromatogram scanning in UV light.) *Bull. Eksp. Biol. Med.*, 98, No. 1 (1984) 117-119; *C.A.*, 101 (1984) 126146z.

## 22. ALKALOIDS

- 617 Cifani, M., Monti, M. and Modica, O.: (Determination of atropine sulfate in injectable aqueous solutions.) *Rass. Chim.*, 35 (1983) 413-419; *C.A.*, 101 (1984) 198259m.
- 618 Dimov, B.: (Quantitative determination of thalicarpine in drugs.) *Farmatsiya (Sofia)*, 34, No. 2 (1984) 37-40; *C.A.*, 101 (1984) 157747a.
- 619 Racz, I., Flachy, J., Szabo Tabori, M., Stadlerne Szoke, A., Vikmon, A. and Szejtli, J.: (Interaction between benzylisoquinoline alkaloids and barbiturates. Reaction of papaverine hydrochloride with phenobarbital sodium. Part II. Avoiding of the incompatibility by applying  $\beta$ -cyclodextrin inclusion complex.) *Acta Pharm. Hung.*, 54 (1984) 154-159; *C.A.*, 101 (1984) 177453e.
- 620 Sun, W., Mu, X. and Yang, Z.: (Assay of total alkaloids and aconitine in the root of *Aconitum carmichaeli* and *Aconitum kusnezoffii*.) *Zhongyao Tongbao*, 9 (1984) 125-127; *C.A.*, 101 (1984) 97733f.
- 621 Wang, M. and Deng, X.: (Thin-layer chromatographic detection of opium constituents in tinctura camphorae composita.) *Zhongyao Tongbao*, 9 (1984) 218-219; *C.A.*, 101 (1984) 216502s.
- 622 Zhou, Z. and Zhang, G.: (Analysis of Cephalotaxus alkaloids as drugs. II. TLC separation and determination of two epimers of partially synthesized homoharringtonine.) *Yaowu Fenxi Zazhi*, 4, No. 2 (1984) 70-74; *C.A.*, 101 (1984) 177594b.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

## 23b. Bile pigments

- 623 Saxerholt, H., Midtvedt, T. and Gustafsson, B.E.: Methods for determination of conjugated bilirubin in rat feces. *Scand. J. Clin. Lab. Invest.*, 44 (1984) 565-571; *C.A.*, 101 (1984) 207124t.
- 624 Turjman, N. and Jacob, C.: Diet, nutrition intake and metabolism in population at high and low risk for colon cancer. Amberlite XAD-2 in the determination of human fecal bile acids. *Am. J. Clin. Nutr.*, 40 (1984) 957-960.

## 23c. Indole derivatives

- 625 Islam, I., Misra, D.D., Singh, R.N.P. and Sharma, J.P.: A study of the reaction of N-chlorosuccinimide with indoles and its analytical application. *Talanta*, 31 (1984) 642-644; *C.A.*, 101 (1984) 221813y.
- 626 Vandaelen-Fastre, R. and Vanhaelen, M.: Qualitative and quantitative determinations of hallucinogenic components of psilocybe mushrooms by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 312 (1984) 467-472.
- 627 Zahn, H.: (Semiquantitative determination of 5-hydroxyindoleacetic acid by thin-layer chromatography of untreated urine.) *Aerztl. Lab.*, 30 (1984) 279-283; *C.A.*, 101 (1984) 187229a.

See also 716.

## 23d. Pyridine derivatives

- 628 Hilgers, H. and Schmitz, P.: Chromatographic separations of oligovinylpyridines 1. Analytical-scale chromatography of radically oligomerized 2-vinylpyridine by HPLC and TLC. *J. Liq. Chromatogr.*, 7 (1984) 2513-2524.

## 23e. Other N-heterocyclic compounds

- 629 Jusiak, J., Mirosław, M., Pytlarz, J. and Soczewinski, E.: Thin-layer chromatographic isolation of synthetic products: isomeric coloured monoderivatives of 10,11-dimethyl-7H-benzimidazo-[2,1a]-benz(de)isoquinolin-7-one. *Chem. Anal. (Warsaw)*, 29 (1984) 221-230.

See also 716.

## 24. ORGANIC SULPHUR COMPOUNDS

- 630 Matissek, R., Dross, A. and Häussler, M.: Zur Analytik mikrobiocider Isothiazolone. II. Identifizierung mittels Dünnschicht-Chromatographie. *Fresenius' Z. Anal. Chem.*, 319 (1984) 520-523.

See also 656, 658, 666.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

- 631 Bystryakov, V.P. and Obtemperanskaya, S.I.: (Photometric determination of alkali metal or ammonium salts of organic thio and dithio acids of phosphorus(V).) *Zh. Anal. Khim.*, 39 (1984) 1316-1322; *C.A.*, 101 (1984) 221801t.
- 632 Ekström, T.J., Chojnacki, T. and Dallner, G.: Metabolic labeling of dolichol and dolichyl phosphate in isolated hepatocytes. *J. Biol. Chem.*, 259 (1984) 10460-10468.
- 633 Harwood, H.J., Jr., Schneider, M. and Stacpoole, P.W.: Measurement of human leukocyte microsomal HMG - CoA reductase activity. *J. Lipid Res.*, 25 (1984) 967-978.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

## 26a. Organometallic compounds

- 634 Timerbaev, A.R. and Petrukhin, O.M.: Liquid adsorption chromatography of chelates. The effect of structure on the thin-layer chromatographic behavior of chelates. *Anal. Chim. Acta*, 159 (1984) 229-244; *C.A.*, 101 (1984) 142989g.

See also 657, 702, 709.

## 26c. Coordination compounds

See 706, 707.

## 27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 635 Bolos, J., Cabre, E., Prat, J. and Vilas, V.: (Studies on the degradation of cholecalciferol (vitamin D<sub>3</sub>). III. Oxidative degradation of vitamin D<sub>3</sub> on silica gel and alumina supports.) *Cienc. Ind. Farm.*, 3, No. 3 (1984) 68-75; *C.A.*, 101 (1984) 97751k.
- 636 Kimura, T. and Kajita, T.: (Determination of vitamin C by thin-layer chromatography.) *Kaseigaku Kenkyu*, 30, No. 2 (1984) 156-158; *C.A.*, 101 (1984) 126113m.
- 637 Tu, S.-I., Byler, D.M. and Cavanaugh, J.R.: Nitrite inhibition of acyl transfer by coenzyme A via the formation of an S-nitrosothiol derivative. *J. Agric. Food Chem.*, 32 (1984) 1057-1060.

See also 553, 681.

## 28. ANTIBIOTICS

- 638 Chang, T.T., Lee, T.M. and Borders, D.B.: Identification of components on the bleomycin complex by direct TLC/FABMS. *J. Antibiot.*, 37 (1984) 1098-1100.
- 639 Harada, K.-I., Kimura, I., Takami, E. and Suzuki, M.: Structural investigation of the antibiotic sporaviridin. X. Isolation and characterization of components of N-acetylsporaviridins. *J. Antibiot.*, 37 (1984) 976-983.
- 640 Heil, K., Peter, F. and Cielezsky, V.: Thin-layer bioautographic assay for the detection of salinomycin sodium in rabbit tissues. *J. Agric. Food Chem.*, 32 (1984) 997-998.
- 641 Ikeda, H., Inoue, M., Tanaka, H. and Omura, S.: Interspecific protoplast fusion among macrolide producing *Streptomyces*. *J. Antibiot.*, 37 (1984) 1224-1230.
- 642 Khier, A.A., Blaschke, G. and El Sadek, M.: Spectrodensitometric determination of some penicillin derivatives. *Anal. Lett.*, 17 (1984) 1667-1675.
- 643 Kido, Y., Hakamado, T., Anno, M., Miyagawa, E., Motoki, Y., Wakamiya, T. and Shiba, T.: Isolation and characterization of J5B2, a new phosphorus containing inhibitor of angiotensin I converting enzyme produced by *Actinomadura* sp. *J. Antibiot.*, 37 (1984) 965-969.
- 644 Medianu, M. and Baciu, E.: (Identification and determination of the purity of cephamandole by thin-layer chromatography.) *Rom. Pat.* RO 80,827 (Cl. G01N31/08), 30 Nov. 1982, Appl. 101,494, 24 Jun. 1980; 2 pp.; *C.A.*, 101 (1984) 103346a.
- 645 Moldovan, A., Covalschi, E., Pop, I. and Cojocaru, M.: (Thin-layer chromatographic method for identification of oxytetracycline.) *Rom. Pat.* RO 82,726 (Cl. G01N33/15), 30 Oct. 1983, Appl. 105,434, 01 Oct. 1981; 2 pp.; *C.A.*, 101 (1984) 116805z.
- 646 Moldovan, A., Covalschi, E., Pop, I. and Cojocaru, M.: (Chromatographic method for determining free chloramphenicol in the semisuccinate of chloramphenicol). *Rom. Pat.* RO 82,727 (Cl. G01N33/15), 30 Oct. 1983, Appl. 105,455, 01 Oct. 1981; 2 pp.; *C.A.*, 101 (1984) 116806a.
- 647 Owles, P.J.: Identification of monensin, narasin, salinomycin and lasalocid in pre-mixes and feeds by thin-layer chromatography. *Analyst (London)*, 319 (1984) 1331-1333.
- 648 Shoji, J., Hino, H., Masunaga, R., Hattori, T., Wakisaka, Y. and Kondo, E.: Isolation of L-cycloserine from *Erwinia uredovora*. *J. Antibiot.*, 37 (1984) 1198-1203.
- 649 Takesako, K. and Beppu, T.: Studies on new antifungal antibiotics, guanidylfungins A and B. I. Taxonomy, fermentation, isolation and characterization. *J. Antibiot.*, 37 (1984) 1161-1169.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

## 29b. Phosphorus insecticides

- 650 Drobyazko, V.P. (Thin-layer chromatographic determination of O-ethyl-O-phenylchlorothiophosphate in reservoir water.) *Gigiena Naselen. Mest, Kiev*, No. 23 (1984) 60-62; *C.A.*, 101 (1984) 136710t.
- 651 Kovacs, Gy.H.: Detection of phosmethylan and its major metabolites by thin-layer chromatography. *J. Chromatogr.*, 303 (1984) 309-311.
- 652 Sarbu, C., Marutoiu, C. and Liteanu, C.: (Separation and detection of some organophosphorus pesticides using thin-layer chromatography.) *Rev. Chim. (Bucharest)*, 35 (1984) 539-542; *C.A.*, 101 (1984) 124715k.

## 29c. Carbamates

See 658.

## 29d. Herbicides

- 653 Kostowska, B.: (Thin-layer chromatography for determination of herbicide residues in soil). In: J. Fabiszewski (Editor), *Bioindyk. Skazen Przem. Roln., Mater. Pokonf.*, 1980, Ossolineum, Wroclaw, 1983, 393-399 pp.; *C.A.*, 101 (1984) 124696e - a review with 17 refs.

- 654 Krishnamurthy, G.: Simple thin-layer chromatographic estimation of isoproturon residues. *Indian J. Pharm. Chem.*, 1, No. 1 (1983) 6-7; *C.A.*, 101 (1984) 145852t.
- 655 Madejski, Z., Ledwozyw, A. and Walkuska, G.: (Simple method for determining simazine and atrazine in biological materials by thin-layer chromatography.) *Med. Weter.*, 40 (1984) 309-311.

See also 657.

### 29e. Fungicides

- 656 Ankumah, R.O. and Marshall, W.D.: Persistence and fate of ethylenethiourea in tomato sauce and paste. *J. Agric. Food Chem.*, 32 (1984) 1194-1198.
- 657 Devi, Y.P. and Kumar, N.V.N.: Simple and rapid portable chromatographic method for separation and detection of phenylmercuric acetate in seeds and water. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 771-772.
- 658 Vasileva, P., Anestiev, A., Maneva, D., Kovacheva, E., Nicheva, A. and Stamatova, V.: (Determination of ethylenethiourea in commercial products of ethylenebis(dithiocarbamate) fungicides using thin-layer chromatography.) *Nauchni Tr.-Vissh Inst. Khranit. Vkusova Prom-st.*, Plovdiv, 30, No. 2 (1983) 141-149; *C.A.*, 101 (1984) 145856x.

### 29f. Other types of pesticides and various agrochemicals

- 659 Khan, S.U., Zhang, L.-Z. and Akhtar, M.H.: Bound residues of deltamethrin in bean plants. *J. Agric. Food Chem.*, 32 (1984) 1141-1144.
- 660 Neicheva, A. and Vasileva-Aleksandrova, P.: (Thin-layer chromatographic determination of the pesticides Gardona, Afugan, Rubigan and Torque simultaneously present in vegetable products.) *Nauchni-Tr. Vissh Inst. Khranit. Vkusova Prom-st.*, Plovdiv, 30, No. 2 (1983) 157-164; *C.A.*, 101 (1984) 149961a.
- 661 Quistad, G.B. and Staiger, L.E.: Photodegradation of fluvalinate. *J. Agric. Food Chem.*, 32 (1984) 1134-1138.
- 662 Shustrov, V.S., Zelenina, M.F. and Kulintsova, E.V.: (Determination of ekamet content in vegetables and fruits by thin-layer chromatography.) *Vopr. Pitan.*, No. 3 (1984) 70-71; *C.A.*, 101 (1984) 149953z.
- 663 Staiger, L.E. and Quistad, G.B.: Metabolism of [benzyl-U-ring-<sup>14</sup>C] fluvalinate by rats. *J. Agric. Food Chem.*, 32 (1984) 1130-1133.

## 30. SYNTHETIC AND NATURAL DYES

### 30a. Synthetic dyes

- 664 Etournaud, A. and Aubort, J.D.: (Analysis of artificial organic colors in cosmetics. II. Nail lacquers.) *Mitt. Geb. Lebensmittelunters. Hyg.*, 75 (1984) 221-226; *C.A.*, 101 (1984) 177256t.
- 665 Mikhailova, V., Sucha, L. and Suchanek, M.: Purification of Xylenol Orange by preparative paper chromatography and examination of its zirconium complex. *Talanta*, 31 (1984) 645-647; *C.A.*, 101 (1984) 162758j.
- 666 Richfield-Fratz, N.: Thin-layer chromatographic detection and spectrophotometric determination of the trisodium salt of 1,3,6-pyrenetrisulfonic acid in D&C green No. 8. *J. Assoc. Off. Anal. Chem.*, 67 (1984) 762-763.
- 667 Sykulski, J. and Jaskulska, T.: (Identification of synthetic dyes in some dragees produced by Polfa.) *Farm. Pol.*, 40, No. 2 (1984) 91-93; *C.A.*, 101 (1984) 116632r.

### 30b. Chloroplast and other natural pigments

- 668 Nishikawa, Y.: Studies on photoluminescence analysis; thermally activated delayed fluorometry. *Bunseki Kagaku*, 33 (1984) E413-E425 - a review with 10 refs.
- 669 Yoshitake, Y., Gohda, S., Yamazaki, H., Morishige, K., Nishikawa, Y. and Shigematsu, T.: (Ultramicro determination of chlorophylls a, b and pheophytins a, b by derivative fluorometry; availability of excitation derivative spectrum.) *Bunseki Kagaku*, 33 (1984) 667-672.

- 670 Zhang, M., Huang, Ch. and Zhang, Y.: (Determination of carotene in vegetables by paper chromatography.) *Yingyang Xuebao*, 6, No. 2 (1984) 177-181; *C.A.*, 101 (1984) 189829v.

### 31. PLASTICS AND THEIR INTERMEDIATES

- 671 Gedam, P.H.: Vinyl monomers from hydrogenated sardine oil - their preparation and characterization. *Fette, Seifen, Anstrichm.*, 86 (1984) 404-407.  
 672 Ludwig, F.J., Sr. and Bailie, A.G., Jr.: Liquid chromatographic separation of p-alkylphenol-formaldehyde cyclic and linear oligomers. *Anal. Chem.*, 56 (1984) 2081-2085.

See also 628.

### 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 673 Pachaly, P.: (*Thin-Layer Chromatography in the Pharmacy: Rapid and Simple Identification of Common Pharmaceuticals, Drugs, Extracts and Tinctures*. 2nd Ed.). Wiss. Verlagsges., Stuttgart, 1983, 199pp.; *C.A.*, 101 (1984) 137130r.  
 674 Tittel, G.: (Quality control in the pharmaceutical laboratory: criteria for the choice of different instrumental analytical methods.) *Pharm. Ind.*, 46 (1984) 296-304; *C.A.*, 101 (1984) 97717d.

#### 32a. Synthetic drugs

- 675 Ahmad, T., Spectrophotometric determination of oxidation products of promethazine. *J. Pharm. (Univ. Karachi)*, 1, No. 2 (1983) 89-92; *C.A.*, 101 (1984) 216510t.  
 676 Bakavoli, M., Navaratnam, V. and Nair, N.K.: Two-dimensional thin-layer chromatographic identification of twelve 1,4-benzodiazepines. *J. Chromatogr.*, 299 (1984) 465-470.  
 677 De Martiis, F., Ciranni-Signoretti, E., de Marchi, G., Lunardelli, M., Sekules, G. and Zanotti-Gerosa, A.: (Impurity enrichment by phase partition for the study of drug purity: Preliminary note.) *Boll. Chim. Farm.*, 122 (1983) 462-484; *C.A.*, 101 (1984) 78928g.  
 678 Eiden, F. and Braatz-Greeske, K.: (Analysis of calcium antagonists. III. Verapamil, diltiazem and perhexiline (1).) *Pharm. Ztg.*, 129 (1984) 678-685; *C.A.*, 101 (1984) 78929h.  
 679 Ekiert, L., walko, T. and Bojarski, J.: (Usefulness of thin-layer chromatography for analysis of controlled drugs on a pharmacy.) *Farm. Pol.*, 40 (1984) 218-220; *C.A.*, 101 (1984) 198255g.  
 680 Fuerst, W., Buschner, I., Ludwig, W., Steinbrueck, E. and Wagenfuehr, R.: (Stability of drugs.) *Wiss. Z.-Martin-Luther-Univ. Halle-Wittenberg, Math.-Naturwiss. Reihe*, 33, No. 2 (1984) 23-35; *C.A.*, 101 (1984) 216270q.  
 681 Mao, Z. and Zhang, Q.: (Micellar solution as mobile phase in liquid chromatography. I. Use in thin-layer chromatographic separation of drugs.) *Fenxi Huaxue*, 12 (1984) 455-458; *C.A.*, 101 (1984) 78939m.  
 682 Minina, S.A., Gromova, L.I. and Lukoseviciene, R.: (Ethaden - an injectable solution of purine derivative.) *Khim.-Farm. Zh.*, 18 (1984) 504-506; *C.A.*, 101 (1984) 78735s.  
 683 Ni, Q., Chang, L. and Yu, R.: (Thin-layer densitometric determination of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid.) *Yaowu Fenxi Zazhi*, 4, No. 3 (1984) 167-169; *C.A.*, 101 (1984) 97754p.  
 684 Radulovic, D., Pokrajac, M. and Primorac, M.: (Determination of phenazone salicylate, pheniramine hydrogen maleate and caffeine in a mixture.) *Arh. Farm.*, 34, No. 2 (1984) 73-78; *C.A.*, 101 (1984) 198273m.  
 685 Surmava, N.S. and Ioramashvili, G.G.: (Analysis of nitroglycerin, nitrosorbide and erinit by thin-layer chromatography.) *Izyskanie, Razrab. Tekhnol. i Metodov Analiza Nov. Lekarstv. Sredstva*, Tbilisi, (1983) 138-146; *C.A.*, 101 (1984) 216534d.

- 686 Svatek, E.: (Determination of chlorothepin and neuroleptics of the dibenzo<sup>[b,f]</sup>thiepin series.) *Czech. Pat. CS 213,017* (Cl. C07D409/04), 01 Jan. 1984, Appl. 80/5,710, 20 Aug. 1980; 4 pp.; *C.A.*, 101 (1984) 78953m.
- 687 Zlatanov, L., Ekova, M. and Zikolov, P.: (Thin-layer chromatographic analysis of the dosage forms of Pyraminal and Sedaphen tablets.) *Farmatsiya (Sofia)*, 34, No. 1 (1984) 1-6; *C.A.*, 101 (1984) 137110j.

See also 593, 711, 713.

### 32c. Drug monitoring

- 688 Almeida, M.G. and Sznelwar, R.B.: (Thin-layer chromatographic identification of mazindol in urine.) *Rev. Farm. Bioquim. Univ. Sao Paulo*, 20 (1984) 87-93.
- 689 Derendorf, H., Drehsen, G. and Rohdewald, P.: Antipyrine - new light on an old drug. *Pharm. Res.*, No. 5 (1984) 225-229; *C.A.*, 101 (1984) 198066w.
- 690 Neugebauer, M.: Some new urinary metabolites of famprofazone and morazone in man. *J. Pharm. Biomed. Anal.*, 2 (1984) 53-60.
- 691 Stumph, M.J. and Noall, M.W.: Simplified detection of hydrochlorothiazide in urine by thin-layer chromatography. *J. Anal. Toxicol.*, 8, No. 4 (1984) 170-172; *C.A.*, 101 (1984) 103485v.

### 32d. Toxicological applications

- 692 De Zeeuw, R.A.: Chromatography in analytical toxicology - state of the art and future perspectives. *J. Pharm. Biomed. Anal.*, 1 (1983) 435-449 - a review with 30 refs.

### 32e. Plant extracts

- 693 He, H., Qin, Z., Zhang, D. and Jin, J.: (Paper chromatographic-ultraviolet spectrophotometric determination of Dan Shen-su in *Salvia miltiorhiza* injection.) *Yaowu Fenxi Zazhi*, 4, No. 4 (1984) 212-214; *C.A.*, 101 (1984) 198262g.
- 694 Liu, A. and Xu, L.: (Analysis of active ingredients in traditional Chinese herbal drugs. Assay of icariin in *Epimedium*.) *Yaowu Fenxi Zazhi*, 4, No. 2 (1984) 81-84; *C.A.*, 101 (1984) 116781p.
- 695 Liu, Y., Su, S. and Zhu, T.: (Antibacterial components in *Potentilla discolor*.) *Zhongcaoyao*, 15 (1984) 333; *C.A.*, 101 (1984) 197997p.
- 696 Nair, G.A. and Ramiah, N.: Physicochemical methods of identification and estimation of substitutes/adulterants in single drug mixtures and finished products. Part I: Identification of *Hemidesmus indicus* and *Ichnocarpus frutescens* in raw drug mixture. *J. Sci. Res. Plants Med.*, 3, No. 2-3 (1982) 57-60; *C.A.*, 101 (1984) 216488s.
- 697 Ramiah, N. and Thankamma, A.: Physicochemical methods of identification and estimation of substitutes in the single drug mixture and finished products. Part II. Identification of *Rubia cordifolia* and its adulterant in the raw drugs mixture. *J. Sci. Res. Plants Med.*, 3, No. 4 (1982) 104-108; *C.A.*, 101 (1984) 198264j.
- 698 Stahl, E. and Jahn, H.: (Identification test and assay for ratanhia tincture.) *Arch. Pharm. (Weinheim)*, 317 (1984) 573-576; *C.A.*, 101 (1984) 97725e.
- 699 Vanhaelen, M. and Vanhaelen-Fastre, R.: Quantitative determination of biologically active constituents in crude extracts of medicinal plants by thin-layer chromatography densitometry. II. *Eleutherococcus senticosus* Maxim., *Panax ginseng* Meyer and *Picrorrhiza kurroa* Royle. *J. Chromatogr.*, 312 (1984) 497-503.

See also 512, 515, 538.

### 32f. Clinico-chemical applications and profiling body fluids

See 545, 547, 549, 554, 557, 565, 566, 571, 597, 606, 624, 627.

## 33. INORGANIC COMPOUNDS

## 33a. Cations

- 700 Djeli, A., Turina, S. and Kovacicsek, F.: (Anodic sampling of aluminium alloys. Determination of copper.) *Kem. Ind.*, 33, No. 1 (1984) 1-12; *C.A.*, 101 (1984) 182858v.
- 701 Maneva, D.: (Chromatographic study of chloro complexes of antimony(III).) *Nauchni Tr.-Vishsh Inst. Khranit. Vkusova Prom-st.*, Plovdiv, 30, No. 2 (1983) 135-140; *C.A.*, 101 (1984) 221504y.
- 702 Ohsawa, K.: (Application of the reactivity of porous metals to analytical chemistry.) *Hoshi Yakka Daigaku Kiyo*, No. 25 (1983) 53-66; *C.A.*, 101 (1984) 83101m.
- 703 Shadrin, O.A.: (Separation of zirconium and hafnium by thin-layer chromatography.) *Organ. Reagenty v Analit. Khimii*, Perm, No. 5 (1983) 132-136; *C.A.*, 101 (1984) 142995f.
- 704 Sheng, Z., Lei, J. and Qiao, G.: (Preparation of samples by paper chromatography for the mass spectrometric determination of rare-earth element isotopes.) *Diqiu Huaxue*, No. 2 (1984) 166-169; *C.A.*, 101 (1984) 143080r.
- 705 Shimizu, T., Tadokoro, K., Suganuma, A. and Hirose, M.: Chromatography of inorganic ions on sulfoethyl cellulose layer in mixed sulfuric acid-organic solvent media. *Chromatographia*, 18 (1984) 692-694.
- 706 Soundararajan, G. and Subbaiyan, M.: Chromium (III) dithiocarbamates - a thin-layer chromatographic study and characterization of some new binuclear mixed ligand dithiocarbamates. *Indian J. Chem.*, 22A (1983) 1058-1061; *C.A.*, 101 (1984) 82964h.
- 707 Timerbaev, A.R. and Patrukhin, O.M.: (Liquid adsorption chromatography of metal chelates. Influence of the structure of  $\beta$ -diketones on the chromatographic behavior of their complexes with trivalent metals.) *Zh. Anal. Khim.*, 39 (1984) 1177-1188; *C.A.*, 101 (1984) 182793v.
- 708 Turina, N. and Turina, S.: Non-destructive determination of chromium in steels by means of thin-layer chromatography. *Materialpruefung*, 26, No. 5 (1984) 150-152; *C.A.*, 101 (1984) 143057p.
- 709 Upadhyay, R.K., Bajpai, A.K. and Rathore, K.: Chromatographic analysis of binary mixtures of isomeric complexes. *Chromatographia*, 18 (1984) 618-620.

## 33b. Anions

- 710 De Vries, G. and Brinkman, U.A.T.: A sensitive and selective reaction for nitrate-application in thin-layer chromatography. *Mikrochim. Acta*, 2 (1984) 47-52; *C.A.*, 101 (1984) 122177n.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 711 Ando, A., Sanada, S., Ando, I., Hiraki, T. and Hisada, K.: (Rapid quality-control procedures for  $^{99m}\text{Tc}$  radiopharmaceuticals.) *Radioisotopes*, 33, No. 4 (1984) 226-229; *C.A.*, 101 (1984) 198307a.
- 712 Imre, J.: Kinetic examination of ligand exchange reaction between  $^{99m}\text{Tc}$ -gluconate and dimercaptosuccinic acid. *J. Radioanal. Nucl. Chem.*, 87 (1984) 291-300; *C.A.*, 101 (1984) 216382c.
- 713 Knoepfadel, I., Reich, E. and Boegl, W.: (Testing of radiochemical purity of ten radiopharmaceuticals.) *Nuklearmedizin, Suppl. (Stuttgart)*, 20 (1984) 108-109; *C.A.*, 101 (1984) 78811p.
- 714 Yang, L. and Lu, J.: (Radioelectrophoretic and paper chromatographic study of radionuclide iodine.) *Hejlsku*, No. 1 (1984) 57-58, 25; *C.A.*, 101 (1984) 203390d.

See also 485, 613.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35a. *Surfactants*

715 Jordanova, I. and Lolova, D.: (Separation and identification of mixtures of surfactants in synthetic detergents by thin-layer chromatography.) *Khim. Ind. (Sofia)*, 56 (1984) 254-256; *C.A.*, 101 (1984) 213074t.

35b. *Antioxidants and preservatives*

See 630.

35c. *Food analysis*

716 Ramantanis, S., Fassbender, C.P. and Wenzel, S.: Determination of histamine, tyramine and tryptamine in dry sausage by thin-layer chromatography. *Arch. Lebensmittelhyg.*, 35 (1984) 80-82.

See also 578, 601.

35d. *Various technical products*

717 Kubassek, E. and Stoeklein, W.: (Studies on the identification and differentiation of lacquer binding substances by thermolysis-thin-layer chromatography.) *Arch. Kriminol.*, 173, No. 5-6 (1984) 151-164; *C.A.*, 101 (1984) 185345m.

See also 671.

## 37. ENVIRONMENTAL ANALYSIS

37b. *Air pollution*

See 702.

37c. *Water pollution*

718 United Kingdom Dept. of the Environment (UK): High performance liquid chromatography, ion chromatography, thin-layer and column chromatography of water samples 1983. Methods for the examination of waters and associated materials. *Methods Exam. Waters Assoc. Mater.*, 1984, 99 pp.; *C.A.*, 101 (1984) 78392c - a review with 29 refs.

See also 514, 516, 570, 650, 654, 657.

37d. *Soil pollution*

See 653, 654.



## Electrophoresis

### 1. REVIEWS AND BOOKS

- 443 Deyl, Z. and Horejsi, J.: Electromigration techniques. *New Compr. Biochem.*, 8 (Sep. Methods) (1984) 415-496; *C.A.*, 101 (1984) 166609j.
- 444 Holloway, C.J. (Editor): Analytical and preparative isotachopheresis. *Proceedings of the 3rd International Symposium on Isotachopheresis, Goslar, Germany, June 1-4, 1982*. De Gruyter, Berlin, 1984, 404 pp.; *C.A.*, 101 (1984) 203531a.

See also 686, 693, 700.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

- 445 Berger, I. and Ohlenschaeger, G.: (Basis of electrophoresis and special electrophoretic separation methods. Part V.). *MTA-J.*, 6 (1984) (378-384; *C.A.*, 101 (1984) 206888h.
- 446 Jorgenson, J.W.: Trends in analytical scale separations. *Science (Washington)*, 226 (1984) 254-261; *C.A.*, 101 (1984) 221737b.

#### 2b. Thermodynamic and theoretical relationships

- 447 Ksenzhek, O.S., Shembel, E.M., Koganov, M.M., Shustov, V.A. and Tkachenko, K.V.: (Transitional processes in electrophoretic separation of a mixture of substances). *Mol. Biol.*, 36 (1984) 43-51; *C.A.*, 101 (1984) 166603c.
- 448 Mazanov, A.L. and Gavryushkin, A.V.: (Mathematical processing of experimental data from free-flow electrophoresis. Analysis of the distribution of material along the cross-section of the flow chamber). *Mol. Biol.*, 36 (1984) 34-43; *C.A.*, 101 (1984) 166602b.
- 449 Roberts, G.O.: Analysis of electrophoresis performance. *NASA Contract. Rep. 1984*, NASA-CR-171034, NAS 1.26:171034, RAI-84-F-3, 60 pp.; *C.A.*, 101 (1984) 178194h.

#### 2d. Measurement of physico chemical and related values

See 511.

### 3. GENERAL TECHNIQUES

#### 3a. Apparatus and accessories

- 450 Deeley, J.O.T., Bater, A.J. and Pritchard, J.A.V.: A video image correlation technique for the measurement of electrophoretic mobility. *Biochim. Biophys. Acta*, 802 (1984) 55-66.
- 451 Hediger, M.A.: Apparatus and method for preparative gel electrophoresis. *Anal. Biochem.*, 142 (1984) 445-454.
- 452 Ide, G.J.: Techniques for rapid vertical gel electrophoresis. *Am. Biotechnol. Lab.*, 2 (1984) 44-51; *C.A.*, 101 (1984) 206862v.
- 453 Moskalenko, A.A., Machold, O. and Erokhin, Yu.E.: (Device for electrophoresis in polyacrylamide gel slabs). *Fiziol. Rast.*, 31 (1984) 988-996; *C.A.*, 101 (1984) 226043g.
- 454 Rutschmann, M., Berg, E., Kuehn, L. and Dahlmann, B.: An economic volt-hour integrator, compatible with commercial and homemade electrophoresis power supplies. *Anal. Biochem.*, 142 (1984) 515-517.

- 455 Thormann, W., Arn, D. and Schumacher, E.: Detection of transient and steady states in electrophoresis: Description and applications of a new apparatus with 255 potential gradient detectors along the separation trough. *Electrophoresis (Weinheim)*, 5 (1984) 323-337.
- 456 Watanabe, C. and Yamamoto, M.: (Analytical device for gel electrophoresis). *Ger. Offen. Pat. DE 3,343,744* (Cl. G01N27/26), 07 Jun. 1984, JP Appl. 82/211,914, 02 Dec. 1982, 8 pp.; *C.A.*, 101 (1984) 187501h.

### 3b. Detection procedures and detectors

- 457 Budowle, B.: Increasing the sensitivity of detection of the electrophoretic marker group-specific component on agarose gels by double-staining with Coomassie Brilliant Blue R 250 and silver. *J. Forensic Sci.*, 29 (1984) 224162w.
- 458 Harrison, H.H.: Improved record keeping and photography of silver-stained two-dimensional electrophoretograms by way of "XRD images". *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1981-1984.
- 459 Kronberg, H., Zimmer, H.-G. and Neuhoff, V.: A "high-performance" 2D gel scanner. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2059-2062.
- 460 Walbroehl, Y. and Jorgenson, J.W.: On-column UV absorption detector for open tubular capillary zone electrophoresis. *J. Chromatogr.*, 315 (1984) 135-143.

See also 488, 520, 633, 635.

### 3c. Electrophoresis in stabilized media

- 461 Fuji Photo Film Co., Ltd.: Medium for electrophoresis. *Jpn. Kokai Tokkyo Koho Pat. JP 59,126,236 [84 126,236]* (Cl. G01N27/26), 20 Jul. 1984, Appl. 83/1,323, 08 Jan. 1983, 5 pp.; *C.A.*, 101 (1984) 226348k.
- 462 Takagi, T.: (Sodium dodecylsulfate-polyacrylamide gel electrophoresis method). *Gendai Kagaku*, 162 (1984) 64-69; *C.A.*, 101 (1984) 211993t.

## 4. SPECIAL TECHNIQUES

### 4b. Preparative and continuous procedures

See 451, 509.

### 4c. Isoelectric focusing

- 463 An der Lan, B., Ben-Or, S., Allenmark, S., Sullivan, J.V., Fitze, P. and Jackiw, A.: Gel electrofocusing in tubes containing Sephadex. *Electrophoresis (Weinheim)*, 5 (1984) 343-348.
- 464 Giulian, G.G., Moss, R.L. and Greaser, M.: Analytical isoelectric focusing using a high-voltage vertical slab polyacrylamide gel system. *Anal. Biochem.*, 142 (1984) 421-436.

See also 493-495, 571, 579, 666-668, 673, 704, 711.

### 4d. Isotachopheresis

- 465 Abelev, G.I. and Karamova, E.R.: Counterflow immunoisotachopheresis on cellulose acetate membranes. *Anal. Biochem.*, 142 (1984) 437-444.
- 466 Bocek, P.: Some theoretical and practical aspects of cationic isotachopheresis. In: *Anal. Prep. Isotachopheresis, Proc., Int. Symp. Isotachopheresis, 3rd 1982*, C. Holloway (Editor), de Gruyter, Berlin, 1984, 31-46 pp.; *C.A.*, 101 (1984) 177992e.
- 467 Bocek, P. and Gebauer, P.: Some problems encountered in the selection of electrolyte systems in isotachopheresis. *Electrophoresis (Weinheim)*, 5 (1984) 338-342.
- 468 Deml, M., Pospichal, J. and Bocek, P.: Simple instrument for capillary isotachopheresis in nonaqueous solvents. In: *Anal. Prep. Isotachopheresis Proc., Int. Symp. Isotachopheresis, 3rd 1982*, C.J. Holloway (Editor), de Gruyter, Berlin, 1984, 11-16 pp.; *C.A.*, 101 (1984) 203614e.

- 469 Zhu, A.: (Isotachopheresis and its biomedical application). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 58 (1984) 53-56; *C.A.*, 101 (1984) 187136t.

See also 444, 478, 500, 501, 674, 692, 694, 700, 703.

#### 4e. Two dimensional electrophoresis

- 470 Altland, K. and Altland, A.: Pouring reproducible gradients in gels under computer control: new devices for simultaneous delivery of two independent gradients, for more flexible slope and pH range of immobilized pH gradients. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2098-2103.
- 471 Mariash, C.N. and Seelig, S.: Quantitation of two dimensional gel electrophoresis. *Serono Symp. Publ. Raven Press*, 14 (Comput. Endocrinol.) (1984) 201-213; *C.A.*, 101 (1984) 187353m.
- 472 Ohashi, M. and Toda, T.: (Studies on the microcomputer-aided analysis of two-dimensional cellulose acetate membrane electropherogram). *Seibutsu Butsuri Kagaku*, 28 (1984) 1-6; *C.A.*, 101 (1984) 206857x.
- 473 Pardowitz, I., Zimmer, H.-G. and Neuhoff, V.: Spot identification in two-dimensional patterns by a least-squares template matching. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1985-1988.
- 474 Staccioli, A.J., D'Andrea, A.L. and Castagnino, J.M.: (Use of horizontal thin-layer agarose isoelectrofocusing as the first dimension in two-dimensional electrophoresis). *Acta Biochim. Clin. Latinoam.*, 18 (1984) 277-286; *C.A.*, 101 (1984) 166612e.

See also 458, 459, 493, 507, 508, 513, 514, 516-518, 520, 522, 524, 528, 531, 533, 534, 537, 539, 549, 553, 555, 556, 560, 563, 568, 569, 573, 577, 580, 583, 587, 610-612, 631, 632, 634, 636, 637, 640.

#### 4g. Other special techniques

- 475 Devyatykh, G.G., Krilov, V.A., Lazukina, O.P., Doronina, L.N. and Golubev, A.V.: (Study of electrophoresis in the tetrachlorides of carbon, silicon, germanium, and tin). *Kolloidn. Zh.*, 46 (1984) 1019-1021; *C.A.*, 101 (1984) 217004t.
- 476 Shimura, K. and Kasai, K.-I.: Affinophoresis of trypsin with an anionic affinophore. *Biochim. Biophys. Acta*, 802 (1984) 135-140.

See also 574, 578.

## 10. CARBOHYDRATES

### 10a. Mono and oligosaccharides. Structure studies

- 477 Lederkremer, G.Z. and Parodi, A.J.: 3-O-Methylation of mannose residues. A novel reaction in the processing of N-linked oligosaccharides occurring in *Mucor rouxii*. *J. Biol. Chem.*, 259 (1984) 12514-12518.
- 478 Repasova, L. and Polonsky, J.: (Isotachopheretic analysis of degradation products of some monosaccharides). *Ropa, Uhlis*, 26 (1984) 341-348; *C.A.*, 101 (1984) 203650p.

### 10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 479 Koistinen, R.: Comparison of three methods for investigating placental protein 12(PP12)-like immunoreactive substance from preovulatory follicular fluid and purified PP12 from human placenta. *Clin. Chim. Acta*, 141 (1984) 235-240.
- 480 Sorensen, S. and Trentemoller, S.: Elimination of pregnancy-specific  $\beta_1$ -glycoprotein (SP<sub>1</sub>) containing complexes by mercaptoethanol. *Clin. Chim. Acta*, 142 (1984) 137-143.
- 481 Young, N.M. and Jackson, G.E.D.: Anomalous behavior of lectins in size-exclusion high performance liquid chromatography and gel electrophoresis. *J. Chromatogr.*, 336 (1984) 397-402.

See also 534.

## 11. ORGANIC ACIDS AND LIPIDS

## 11a. Organic acids and simple esters

- 482 Frahn, J.L.: Frahn, J.L.: Paper electrophoresis of hydroxycarboxylic acids as their borate complexes with special reference to viridifloric, trachelanthic, lasiocarpic and heliotric acids. The importance of the "gem-dialkyl" effect in complex formation. *J. Chromatogr.*, 314 (1984) 167-181.

## 11d. Lipoproteins and their constituents

- 483 Cheung, M.C. and Albers, J.J.: Characterization of lipoprotein particles isolated by immunoaffinity chromatography. Particles containing A-I and A-II and particles containing A-I but no A-II. *J. Biol. Chem.*, 259 (1984) 12201-12209.
- 484 Eriksen, N. and Benditt, E.: Trauma, high density lipoproteins, and serum amyloid protein A. *Clin. Chim. Acta*, 140 (1984) 139-149.
- 485 Forgez, P., Chapman, M.J., Rall, S.C., Jr. and Camus, M.-C.: The lipid transport system in the mouse, *Mus musculus*: isolation and characterization of apolipoproteins B, A-I, A-II, and C-III. *J. Lipid Res.*, 25 (1984) 954-966.
- 486 Gwyne, J.T., Hughes, T. and Hess, B.: Characterization of high density lipoprotein binding activity in rat adrenocortical cells. *J. Lipid Res.*, 25 (1984) 1059-1071.
- 487 Hrisoho, R.: Problems and possibilities in the determination of lipoproteins. *Period. Biol.*, 86 (1984) 133-142; *C.A.*, 101 (1984) 207111m.
- 488 Khlyustov, V.N. and Rezaev, A.A.: (Use of the densitometer BIAN-170 to evaluate the electrophoretic pattern of lipoproteins on a flat layer of polyacrylamide gel). *Lab. Delo*, (1984) 573-574; *C.A.*, 101 (1984) 187459a.
- 489 Kolehmainen, E., Kovaja-Mikkonen, A. and Piha, R.S.: Comparison of different myelin isolation methods by use of nonequilibrium pH gradient gel electrophoresis. *Neurochem. Res.*, 9 (1984) 1253-1265; *C.A.*, 101 (1984) 207168k.
- 490 Kortz, W.J., Schirmer, B.D., Mansbach, II, C.M., Shelburne, F., Toglia, M.R. and Quarfordt, S.H.: Hepatic uptake of chylomicrons and triglyceride emulsions in rats fed diets of differing fat. *J. Lipid Res.*, 25 (1984) 799-804.
- 491 Maguire, G.F., Little, J.A., Kakis, A. and Breckneridge, W.C.: Apolipoprotein C-II deficiency associated with nonfunctional mutant forms of apolipoprotein C-II. *Can. J. Biochem.*, 62 (1984) 847-852.
- 492 Melchior, G.W., Baker, H.N., Abee, C.R. and Roheim, P.S.: Density gradient characterization of the high density lipoproteins in cholesterol-fed hyper- and hyporesponding patas monkeys (*Erythrocebus patas*). *J. Lipid Res.*, 25 (1984) 979-990.
- 493 Nicolosi, R.J. and Zannis, V.I.: Apolipoprotein A-I of primates. *J. Lipid Res.*, 25 (1984) 879-887.
- 494 Owen, J.S., Goodall, H., Mistry, P., Harry, D.S., Day, R.C. and McIntyre, N.: Abnormal high density lipoproteins from patients with liver disease regulate cholesterol metabolism in cultured human skin fibroblasts. *J. Lipid Res.*, 25 (1984) 919-931.
- 495 Patel, S.T., Newman, H.A.I., Yates, A.J., Thibert, P. and Falko, J.M.: Serum lipids and lipoprotein composition in spontaneously diabetic BB Wistar rats. *J. Lipid Res.*, 25 (1984) 1072-1083.
- 496 Patterson, B.W., Kilgore, L.L., Chun, P.W. and Fisher, W.R.: Structural studies on apolipoprotein B: controllable heterogeneity of the complex formed with the surfactant, Triton X-100. *J. Lipid Res.*, 25 (1984) 763-769.
- 497 Randolph, R.K. and St. Clair, R.W.: Pigeon aortic smooth muscle cells lack a functional low density lipoprotein receptor pathway. *J. Lipid Res.*, 25 (1984) 888-902.
- 498 Yamamoto, K., Byrne, R., Edelstein, C., Shen, B. and Scanu, A.M.: *In vitro* effect of Triton WR-1339 on canine plasma high density lipoproteins. *J. Lipid Res.*, 25 (1984) 770-779.

See also 58.

## 13. STEROIDS

## 13a. Pregnane and androstane derivatives

- 499 Pugeat, M., Rocle, B., Chrousos, G.P., Dunn, J.F., Lipsett, M.B. and Nisula, B.C.: Plasma testosterone transport in primates. *J. Steroid Biochem.*, 20 (1984) 473-478.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

## 17a. Amines and polyamines

- 500 Hansen, L., Sollenberg, J. and Wiberg, K.: Determination of butylamine in air samples by isotachopheresis. *J. Chromatogr.*, 312 (1984) 489-491.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

## 18a. Amino acids and their derivatives

- 501 Kodama, H., Sasaki, K., Mikasa, H., Cavallini, D. and Ricci, G.: Quantitative analysis of cystathionine and perhydro-1,4-thiazepine-3,5-dicarboxylic acid in the urine of a patient with cystathioninuria using isotachopheresis. *J. Chromatogr.*, 311 (1984) 183-188.

## 18b. Peptides and peptidic and proteinous hormones

- 502 Lamy, F.M., Lecocq, R.E., Contor, L.S. and Dumont, J.E.: Carbamylcholine and thyrotropin activate distinctive pathways of protein phosphorylation in dog thyroid. *Biochim. Biophys. Acta*, 802 (1984) 301-305.
- 503 Roesel, R.A., Coryell, M.E., Blankenship, P.R. and Hommes, F.A.:  $\gamma$ -Glutamyl-ornithine excretion in patients with hyperornithinemia. *Clin. Chim. Acta*, 140 (1984) 133-138.
- 504 Vidyapina, L.Ya., Norievskaya, L.I., Soboleva, N.N. and Trofimov, V.I.: (Polyacrylamide gel electrophoresis of insulin preparations sterilized by irradiation at low temperature). *Khim.-Farm. Zh.*, 18 (1984) 990-993; *C.A.*, 101 (1984) 177428a.

## 18c. General techniques of elucidation of structure of proteins

- 505 Byshevsky, A.Sh., Umuthayeva, M.K. and Chiryatyev, Ye.A.: (Amino acid composition of the fibrin self-assembly inhibitor from tissues and blood plasma of the rat). *Biokhimiya (Moscow)*, 49 (1984) 1934-1939.
- 506 Polakis, P.G. and Wilson, J.E.: Proteolytic dissection of rat brain hexokinase: Determination of the cleavage pattern during limited digestion with trypsin. *Arch. Biochem. Biophys.*, 234 (1984) 341-352.

See also 638.

## 19. PROTEINS

## 19a. General techniques

- 507 Anderson, L. and Anderson, N.: Some perspectives on two-dimensional protein mapping. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1898-1905.
- 508 Anderson, N.L., Hofmann, J.-P., Gemmell, A. and Taylor, J.: Global approaches to quantitative analysis of gene-expression patterns observed by use of two-dimensional gel electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2031-2036.

- 509 Cutts, J.L., Sweet, G.H. and Tegtmeier, G.E.: The use of silver stain in sodium dodecyl sulfate polyacrylamide gel electrophoresis of immunoprecipitates obtained by crossed immunoelectrophoresis and liquid precipitation. *Electrophoresis (Weinheim)*, 5 (1984) 349-353.
- 510 Fujitaki, J.M. and Smith, R.A.: Techniques in the detection and characterization of phosphoramidate-containing proteins. *Methods Enzymol.*, 107 (Posttransl. Modif.) (1984) 23-36; *C.A.*, 101 (1984) 226249d.
- 511 Gunzer, G.: Titration curves in ultrathin polyacrylamide and agarose gels. *Electrophoresis (Weinheim)*, 5 (1984) 370-372.
- 512 Hierholzer, J.C., Coombs, R.A. and Anderson, L.J.: Spectrophotometric quantitation of peroxidase stained protein bands following gel electrophoresis and the Western blot transfer technique with respiratory syncytial virus. *J. Virol. Methods*, 8 (1984) 265-268; *C.A.*, 101 (1984) 187398e.
- 513 Hodges, S.C. and Hirata, A.A.: Effect of heat and sodium dodecyl sulfate on solubilization of proteins before two-dimensional polyacrylamide gel electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2003-2007.
- 514 Hruschka, W.R.: Computerized comparison of two autoradiographs. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2037-2039.
- 515 Josic, D., Baumann, H. and Reutter, W.: Size-exclusion high-performance liquid chromatography and sodium dodecyl sulfate-polyacrylamide gel electrophoresis of proteins: a comparison. *Anal. Biochem.*, 142 (1984) 473-479.
- 516 Latter, G.I., Burbeck, S., Fleming, J. and Leavitt, J.: Identification of polypeptides on two-dimensional electrophoresis gels by amino acid composition. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1925-1932.
- 517 Lemkin, P.F., Sonderegger, P. and Lipkin, L.E.: Identification of coordinate pairs of polypeptides: a technique for screening of putative precursor product pairs in 2D gels. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1965-1971.
- 518 Lubit, B.W.: Dansylated proteins as internal standards in two-dimensional electrophoresis and Western blot analysis. *Electrophoresis (Weinheim)*, 5 (1984) 358-361.
- 519 Marshall, T.: Silver staining of human body fluid proteins following two-dimensional electrophoresis in the absence of protein denaturants. *Electrophoresis (Weinheim)*, 5 (1984) 377-379.
- 520 Merrill, C.R. and Harrington, M.G.: "Ultrasensitive" silver stains: Their use exemplified in the study of normal human cerebrospinal fluid proteins separated by two-dimensional electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1938-1942.
- 521 Tzeng, M.C. and Tian, S.S.: Chromophoric prelabeling of proteins for sodium dodecyl sulfate-polyacrylamide gel electrophoresis with 4-N,N-dimethylaminoazobenzene 4'-isothiocyanate. *J. Chim. Biochem. Soc.*, 13 (1984) 25-29; *C.A.*, 101 (1984) 226293p.
- 522 Valiron, O., Lefkovits, I., Garderet, P. and Steinberg, C.: A metrological study of autoradiographs from two-dimensional gel electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1943-1946.
- 523 Zapolski, E.J., Podrasky, F., Ledley, R.S. and Gersten, D.M.: Demonstration of proteins in electrophoresis gels using radioactive stains. *Electrophoresis (Weinheim)*, 5 (1984) 354-357.

See also 458, 635.

19b. *Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)*

- 524 Anderson, N.L. and Gemmell, M.A.: Protein-pattern changes and morphological effects due to methionine starvation or treatment with 5-aza-cytidine of the phorbol-ester-sensitive cell lines HL-60, CCL-119 and U-937. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1956-1964.
- 525 Bates, W.R. and Kidder, G.M.: Synthesis of putative microtubule-associated proteins by mouse blastocysts during early outgrowth *in vitro*. *Can. J. Biochem.*, 62 (1984) 885-893.
- 526 Berkhout, T.A., Schiphorst, M.E., Wirtz, K.W.A. and Sixma, J.J.: Identification of membrane proteins of human blood platelets with a hydrophobic photolabel. *Biochim. Biophys. Acta*, 778 (1984) 298-304.

- 527 Bricker, T.M. and Sherman, L.A.: Triton X-114 phase fractionation of membrane proteins of the cyanobacterium *Anacystis nidulans* R2. *Arch. Biochem. Biophys.*, 235 (1984) 204-211.
- 528 Colbert, R.A., Amatruda, J.M. and Young, D.A.: Changes in the expression of hepatocyte protein gene-products associated with adaptation of cells to primary culture. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2053-2058.
- 529 Dazord, A., Langlois-Gallet, D. and Saez, J.M.: Effects of ACTH on protein synthesis in rat adrenal analyzed by two dimensional gel electrophoresis. *J. Steroid Biochem.*, 20 (1984) 357-362.
- 530 Duncan, R. and Hershey, J.W.B.: Heat shock-induced translational alterations in HeLa cells. Initiation factor modifications and the inhibition of translation. *J. Biol. Chem.*, 259 (1984) 11882-11889.
- 531 Errat, J.A., Douglas, P.E., Moranelli, F. and Seligy, V.L.: The induction of  $\alpha$ -amylase by starch in *Aspergillus oryzae*: evidence for controlled mRNA expression. *Can. J. Biochem.*, 62 (1984) 678-690.
- 532 Fleming, J.E., Melnikoff, P.S. and Bensch, K.G.: Identification of mitochondrial proteins on two-dimensional electrophoresis gels of extracts of adult *Drosophila melanogaster*. *Biochim. Biophys. Acta*, 802 (1984) 340-345.
- 533 Garrels, J.I. and Franza, B.R., Jr.: Identification of protein markers for transformed cells by two-dimensional gel electrophoresis. *Banbury Rep.*, 16 (1984) 275-284; *C.A.*, 101 (1984) 208377q.
- 534 Haley, J.E. and Gouras, P.: Two-dimensional electrophoresis of proteins from cultured human retinal-pigment epithelial cells: Internal references, cataloging, and glycoproteins. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1906-1913.
- 535 Hamauzu, Z. and Hayashi, A.: Determination of the molecular weights of fractionated glutenin polypeptides from Ferguson plots on sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *Agric. Biol. Chem.*, 48 (1984) 2361-2362; *C.A.*, 101 (1984) 166703k.
- 536 Keates, R.A.B.: Microtubule associated proteins in microtubule preparations made with and without glycerol. *Can. J. Biochem.*, 62 (1984) 803-813.
- 537 Kettman, J. and Lefkovits, I.: An approach to molecular analysis of T-cell clones by two-dimensional gel electrophoresis: is there interclonal and intraclonal heterogeneity. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1950-1955.
- 538 Kettman, J. and Lefkovits, I.: An attempt to assess the overall diversity of murine T cells using two-dimensional gel electrophoresis. *Eur. J. Immunol.*, 14 (1984) 769-777; *C.A.*, 101 (1984) 189413e.
- 539 Klose, J. and Zeindl, E.: An attempt to resolve all the various proteins in a single human cell type by two-dimensional electrophoresis: I. Extraction of all cell proteins. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2014-2020.
- 540 Maytin, E.V., Balduzzi, P.C., Notter, M.F.D. and Young, D.A.: Changes in the synthesis and phosphorylation of cellular proteins in chick fibroblasts transformed by two avian sarcoma viruses. *J. Biol. Chem.*, 259 (1984) 12135-12143.
- 541 Piga, A., Taheri, R.A., Yaxley, J.C.: Higher tyrosine protein kinase activity in resting lymphocytes than in proliferating normal or leukaemic blood cells. *Biochem. Biophys. Res. Commun.*, 124 (1984) 766-773.
- 542 Ramagopal, S. and Ennis, H.L.: Conservation and variation of ribosomal proteins in several species of the cellular slime molds *Dictyostelium* and *Polysphondylium*. *Biochim. Biophys. Acta*, 805 (1984) 300-305.
- 543 Reinganum, C.: Polyacrylamide gel electrophoresis of baculovirus proteins: A simplified and sensitive modification for differentiating between isolates. *J. Invertebr. Pathol.*, 44 (1984) 134-139; *C.A.*, 101 (1984) 207057y.
- 544 Sarkar, R. and Bose, S.: Electrophoretic characterization of rice varieties using single seed (salt soluble) proteins. *Theor. Appl. Genet.*, 68 (1984) 415-419; *C.A.*, 101 (1984) 167367r.
- 545 Sato, B., Nishizawa, Y., Nakao, M., Noma, K., Kishimoto, S. and Matsumoto, K.: Estrogen induces secretory proteins in transformed mouse Leydig cells *in vivo* but not *in vitro*. *Biochem. Biophys. Res. Commun.*, 124 (1984) 277-282.
- 546 Sternweis, P.C. and Robishaw, J.D.: Isolation of two proteins with high affinity for guanine nucleotides from membranes of bovine brain. *J. Biol. Chem.*, 259 (1984) 13806-13813.
- 547 Stozharov, A.N.: (Isolation and characterization of actin-like protein from liver mitochondria). *Biokhimiya (Moscow)*, 49 (1984) 1774-1784.

- 548 Thomas, P.E., Reidy, J., Reik, L.M., Ryan, D.E., Koop, D.R. and Levin, W.: Use of monoclonal antibody probes against rat hepatic cytochromes P-450c and P-450d to detect immunochemically related isozymes in liver microsomes from different species. *Arch. Biochem. Biophys.*, 235 (1984) 239-253.
- 549 Young, D.A.: Advantages of separations on "giant" two-dimensional gels for detection of physiologically relevant changes in the expression of protein gene-products. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2104-2108.

See also 512, 551, 583.

#### 19c. Microbial and plant proteins

- 550 Jellum, E., Tingelstad, V. and Olsen, I.: Differentiation between *Actinobacillus actinomycetemcomitans* and *Haemophilus aphrophilus* by high-resolution, two-dimensional protein electrophoresis. *Int. J. Syst. Bacteriol.*, 34 (1984) 478-483; *C.A.*, 101 (1984) 226447s.
- 551 Kapoor, M. and Chow, W.L.: A two-dimensional electrophoretic analysis of the heat-shock response exhibited by *Neurospora-crassa* cells. *Can. J. Biochem.*, 62 (1984) 691-698.
- 552 Le'John, H.B. and Braithwaite, C.E.: Heat and nutritional shock induced proteins of the fungus *Achlya* are different and under independent transcriptional control. *Can. J. Biochem.*, 62 (1984) 837-846.
- 553 Pallotta, D., Barden, A., Martel, R., Kirouac-Brunet, J., Bernier, F., Lord, A. and Lemieux, G.: Plasma membranes from *Physarum polycephalum* plasmodia: purification, characterization, and comparison with amoebal plasma membranes. *Can. J. Biochem.*, 62 (1984) 831-836.
- 554 Rahma, E.H. and Narasinga Rao, M.S.: Effect of debittering treatment on the composition and protein components of lupin seed (*Lupinus termis*) flour. *J. Agric. Food Chem.*, 32 (1984) 1026-1030.
- 555 Ridder, G., Von Barga, E., Burgard, D., Pickrum, H. and Williams, E.: Quantitative analysis and pattern recognition of two-dimensional electrophoresis gels. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1919-1924.
- 556 Saravia, N.G., Gemmell, M.A., Nance, S.L. and Anderson, N.L.: Two-dimensional electrophoresis used to differentiate the causal agents of american tegumentary leishmaniasis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2048-2052.
- 557 Spiker, S.: High-mobility group chromosomal proteins of wheat. *J. Biol. Chem.*, 259 (1984) 12007-12013.
- 558 Verstrete, D.R. and Winter, A.J.: Comparison of sodium dodecyl sulfate-polyacrylamide gel electrophoresis profiles and antigenic relatedness among outer membrane proteins of 49 *Brucella abortus* strains. *Infect. Immun.*, 46 (1984) 182-187; *C.A.*, 101 (1984) 189407f.

See also 531, 535.

#### 19d. Proteins of blood, serum and blood cells

- 559 Altland, K., Banzhoff, A., Hackler, R. and Rossmann, U.: Improved rehydration procedure for polyacrylamide gels in presence of urea: Demonstration of inherited human prealbumin variants by isoelectric focusing in an immobilized pH gradient. *Electrophoresis (Weinheim)*, 5 (1984) 379-381.
- 560 Blangarin, P., Deviller, P., Kindbeiter, K. and Madjar, J.-J.: Gamma heavy chain disease studied by two-dimensional electrophoresis and immuno-blotting techniques. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2021-2025.
- 561 Brennan, S.O., Owen, M.C., Boswell, D.R., Lewis, J.H. and Carrell, R.W.: Circulating proalbumin associated with a variant proteinase inhibitor. *Biochim. Biophys. Acta*, 802 (1984) 24-28.
- 562 Carroll, P.A., MacDonald, E.B. and Doublas, R.: An electrophoretic mobility study on the effect of time on the enzymic treatment of human erythrocytes. *Aust. J. Med. Lab. Sci.*, 5 (1984) 60-62; *C.A.*, 101 (1984) 187354n.
- 563 Daufeld, J.A. and Harrison, H.H.: Quality control and technical outcome of iso-dalt two-dimensional electrophoresis in a clinical laboratory setting. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1972-1980.
- 564 Eberhardt, S. and Kobilinsky, L.: The electrophoretic analysis of the third component of complement (C 3) in dried bloodstains. *J. Forensic Sci.*, 29 (1984) 774-779; *C.A.*, 101 (1984) 164871q.



- 565 Feldman, S.R. and Pizzo, S.: Comparison of the binding of chicken  $\alpha$ -macroglobulin and ovomacroglobulin to the mammalian  $\alpha_2$ -macroglobulin receptor. *Arch. Biochem. Biophys.*, 235 (1984) 267-275.
- 566 Fischer, S., Fagard, R., Gacon, G., Genetet, N., Plaw, J.P. and Blaineau, C.: Stimulation of tyrosine phosphorylation in lectin treated human leucocytes. *Biochem. Biophys. Res. Commun.*, 124 (1984) 682-689.
- 567 Ginsberg, M.H. and Jaques, B.: Platelet membrane proteins. *Methods Hematol.*, 8 (Meas. Platelet Funct.) (1983) 158-176; *C.A.*, 101 (1984) 187116m.
- 568 Grometti, C.S. and Anderson, N.G.: Protein changes in activated human platelets. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2078-2083.
- 569 Harrington, M.G. and Merrill, C.R.: Two-dimensional electrophoresis and "ultra-sensitive" silver staining of cerebrospinal fluid proteins in neurological diseases. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1933-1934.
- 570 Lande, W.M., Thiemann, P.V.W., Fisher, K.A. and Mentzer, W.C.: Two-dimensional electrophoretic analysis of human erythrocyte cytolindrin. *Biochim. Biophys. Acta*, 778 (1984) 105-111.
- 571 Laurent, P., Em erson, D.L., Allen, R.C. and Arnaud, P.: Recent findings on the isoelectric points of human C-reactive protein. *Marker Proteins Inflammation*, 2 (1984) 43-46; *C.A.*, 101 (1984) 189235y.
- 572 Mahany, T., Gersten, G.M., Park, C.M., Ramwell, P.W. and Ledley, R.S.: Sex differences in blood protein pattern: A computer-assisted electrophoretic analysis of mid-molecular weight range proteins of human serum. *Comput. Biol. Med.*, 14 (1984) 345-355; *C.A.*, 101 (1984) 226-205m.
- 573 Marshall, T., Williams, K.M. and Vesterberg, O.: Two-dimensional electrophoresis of proteins in human serum: improved resolution by use of narrow pH gradients and prolonged electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2008-2013.
- 574 Nissen, M.H., Plesner, T. and Rorth, M.: Modification of  $\beta_2$ -microglobulin in serum from patients with small cell carcinoma of the lung - correlation with the clinical course. *Clin. Chim. Acta*, 141 (1984) 41-50.
- 575 Oettgen, H.C., Kappler, J., Tax, W.J.M. and Terhorst, C.: Characterization of the two heavy chains of the T3 complex on the surface of human T lymphocytes. *J. Biol. Chem.*, 259 (1984) 12039-12048.
- 576 Papadopoulos, N.M., Costello, R., Kay, A.D., Cutler, N.R. and Rapoport, S.I.: Combined immunochemical and electrophoretic determinations of proteins in paired serum and cerebrospinal fluid samples. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1814-1816 - agarose gel.
- 577 Polack, B., Valiron, O., Concord, E., Freyssinet, J.M. and Hudry-Clergeon, G.: Molecular characterization of an abnormal fibrinogen by two-dimensional electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2093-2097.
- 578 Pontet, F. and Rousselet, F.: Monoclonal 7SIgM: a rapid screening technique. *Clin. Chim. Acta*, 141 (1984) 85-91.
- 579 Shinomiya, K.: (Effect of factors altering the electrophoretic migration of  $\alpha_2$ Gc-globulin on an isoelectric focusing diagram of type Gc). *Forensic Sci. Int.*, 25 (1984) 255-263; *C.A.*, 101 (1984) 166613f.
- 580 Sprecher, D.L., Taam, L. and Brewer, H.B., Jr.: Two-dimensional electrophoresis of human plasma apolipoproteins. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2084-2092.
- 581 Taketa, K., Ichikawa, E., Taga, H. and Hirai, H.: Electrophoresis and electro-affinity transfer with specific antibodies to  $\alpha$ -fetoprotein for detection of circulating immune complexes of  $\alpha$ -fetoprotein. *Acta Med. Okayama*, 38 (1984) 409-413; *C.A.*, 101 (1984) 189360k.
- 582 Wang, W. and Guo, W.: (Comparison of three methods for the determination of serum albumin). *Beifang Yixue*, (1983) 23-24, 22; *C.A.*, 101 (1984) 166702j.
- 583 Willard-Gallo, K.E., Humblet, Y. and Symann, M.: Leukocyte membrane proteins in chronic lymphocytic leukemia, as studied by two-dimensional gel electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2069-2077.

See also 519, 541, 622, 626, 639.

#### 19e. Structural and muscle proteins

- 584 Bretscher, A.: Smooth muscle caldesmon. Rapid purification and F-actin cross-linking properties. *J. Biol. Chem.*, 259 (1984) 12873-12880.

- 585 Chizzonite, R.A. and Zak, R.: Regulation of myosin isoenzyme composition in fetal and neonatal rat ventricle by endogenous thyroid hormones. *J. Biol. Chem.*, 259 (1984) 12628-12632.
- 586 King, N.L.: Species identification of cooked meats by enzyme-staining of isoelectric focusing gels. *Meat Sci.*, 11 (1984) 59-72; *C.A.*, 101 (1984) 169190b.
- 587 Ledvora, R.F., Barany, M. and Barany, K.: Myosin light chain phosphorylation and tension development in stretch-activated arterial smooth muscle. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2063-2068.
- 588 Nakamura, S. and Nonomura, Y.: A simple and rapid method to remove light chain phosphatase from chicken gizzard myosin. *J. Biochem. (Tokyo)*, 96 (1984) 575-578.
- 589 Sekine, T., Hikita, S. and Muno, D.: Photocross-linking from SH<sub>1</sub> of the myosin heavy chain to light chains through the dinitrophenyl group attached to SH<sub>1</sub>. *J. Biochem. (Tokyo)*, 96 (1984) 571-573.
- 590 Van Eldik, L.J. and Wolchok, S.R.: Conditions for reproducible detection of calmodulin and S100 $\beta$  in immunoblots. *Biochem. Biophys. Res. Commun.*, 124 (1984) 752-759.
- 591 Yamauchi, T. and Fujisawa, H.: Calmodulin-dependent protein kinase (kinase II) which is involved in the activation of tryptophan 5-monooxygenase catalyzes phosphorylation of tubulin. *Arch. Biochem. Biophys.*, 234 (1984) 89-96.

See also 577.

19f. *Protamines, histones and other nuclear proteins*

- 592 Bernier, I. and Jolles, P.: Purification and characterization of a basic 23 kDa cytosolic protein from bovine brain. *Biochim. Biophys. Acta*, 790 (1984) 174-181.
- 593 Chambers, S.A.M. and Shaw, B.R.: Levels of histone H4 diacetylation decrease dramatically during sea urchin embryonic development and correlate with cell doubling rate. *J. Biol. Chem.*, 259 (1984) 13458-13463.
- 594 Lin, J., Liu, R., Li, M. and Wu, H.: (Studies on the regulation of ovalbumin gene in the chromatin of Beijing duck. I. Comparative analysis of the chromosomal proteins from the liver and oviduct of laying and nonlaying Beijing duck). *Yichuan Xuebao*, 11 (1984) 218-225; *C.A.*, 101 (1984) 187469d.
- 595 Smith, B.J., Harris, M.R., Sigournay, C.M. and Wood, J.N.: On the occurrence of polymers of H1, H1<sup>0</sup> and H5 in extracts of whole tissues. Artificial production during protein preparation. *Biochim. Biophys. Acta*, 791 (1984) 50-56.
- 596 Smulson, M.E.: Poly(ADP-ribosyl)ation of nucleosomal chromatin: electrophoretic and immunofractionation methods. *Methods Enzymol.*, 106 (Posttransl. Modif., Part A) (1984) 512-522; *C.A.*, 101 (1984) 187414g.
- 597 Wen, L. and Reeck, G.R.: Purification of high mobility group nonhistone chromosomal proteins by liquid chromatography on a column containing immobilized histone H5. *J. Chromatogr.*, 314 (1984) 436-444.

19g. *Chromoproteins and metalloproteins*

- 598 Aleyassine, H.: Determination of glycosylated hemoglobin by affinity electrophoresis on agarose gel. *Clin. Chim. Acta*, 142 (1984) 123-130.
- 599 Dubell, J.A. and Perrotta, G.: Hemoglobin Raleigh and glycosylated hemoglobin. *Lab. Med.*, 15 (1984) 604-606; *C.A.*, 101 (1984) 187429r.
- 600 Duffy, L.K. and Coppenhauer, D.H.: Citrate agar electrophoresis of Lemur hemoglobins: relationship to DPG binding. *Hemoglobin*, 8 (1984) 427-432; *C.A.*, 101 (1984) 186336w.
- 601 Martin, B.J., Knight, P.V., Kesson, C.M., O'Donnell, J.R. and Young R.E.: Glycosylated hemoglobin: its value in screening for diabetes mellitus in the elderly. *J. Clin. Exp. Gerontol.*, 6 (1984) 87-94; *C.A.*, 101 (1984) 166604d.
- 602 Regoeczi, E., Chindemi, P.A. and Debanne, M.T.: Partial resialylation of human a sialotransferrin types 1 and 2 in the rat. *Can. J. Biochem.*, 62 (1984) 853-858.
- 603 Takabe, T., Ishikawa, H., Niwa, S. and Tanaka, Y.: Electron transfer reactions of chemically modified plastocyanin with P-700 and cytochrome *f*. Importance of local charges. *J. Biochem. (Tokyo)*, 96 (1984) 385-393.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 604 Barbin, G., Manthorpe, M. and Varon, S.: Purification of the chick eye ciliary neurotrophic factor. *J. Neurochem.*, 43 (1984) 1468-1478; *C.A.*, 101 (1984) 226285n.
- 605 Butnev, V.Yu. and Pankov, Yu.A.: (Multiple forms of hypophyseal prolactin. A new glycosylated form of prolactin possessing an increased biological activity). *Biokhimiya (Moscow)*, 49 (1984) 1828-1839.
- 606 Creamer, L.K. and Richardson, T.: Anomalous behavior of bovine  $\alpha_{S1}$ - and  $\beta$ -caseins on gel electrophoresis in sodium dodecyl sulfate buffers. *Arch. Biochem. Biophys.*, 234 (1984) 476-486.
- 607 Goueli, S.A. and Ahmed, K.: Phosphorylation of prostatic nuclear matrix proteins is under androgenic control. *Arch. Biochem. Biophys.*, 234 (1984) 646-650.
- 608 Härkönen, P.L., Martikainen, P.M., Kostian, M.-L. and Santti, R.S.: Effect of glucose on the major testosterone-maintained protein in the cultured rat ventral prostate. *J. Steroid Biochem.*, 20 (1984) 505-508.
- 609 Nordmann, J.J., Schmid, D.W., Chauveau, J. and Legros, J.-J.: Neurophysin heterogeneity. Difference between newly formed and aged neurosecretory granules. *J. Biol. Chem.*, 259 (1984) 13111-13116.
- 610 Tsai, Y.C., Harrison, H.H., Lee, C., Daufeldt, J.A., Oliver, L. and Grayhack, J.T.: Systematic characterization of human prostatic fluid proteins with two-dimensional electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2026-2030.

See also 528, 529, 594, 637.

19i. *Proteins of neoplastic tissue*

- 611 Motte, P., Bidart, J.-M., Delarue, J.-C., Comoy, E., Moingeon, P. and Bohuon, C.: Two-dimensional electrophoretic analysis of cytosols from human breast tumors: optimal migration conditions. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1947-1949.
- 612 Stasny, J., Prasad, R. and Fosslie, E.: Tissue proteins in breast cancer, as studied by use of two-dimensional electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1914-1918.

19j. *Specific binding proteins*

- 613 Auricchio, F., Migliaccio, A., Castoria, G., Rotondi, A. and Lastoria, G.: Direct evidence of *in vitro* phosphorylation-dephosphorylation of the estradiol-17 receptor. Role of  $Ca^{2+}$ -calmodulin in the activation of hormone binding sites. *J. Steroid Biochem.*, 20 (1984) 31-35.
- 614 Casanova, J., Horowitz, Z.D., Copp, R.P., McIntyre, W.R., Pascual, A. and Samuels, H.H.: Photoaffinity labeling of thyroid hormone nuclear receptors. Influence of *n*-butyrate and analysis of the half-lives of the 57,000 and 47,000 molecular weight receptor forms. *J. Biol. Chem.*, 259 (1984) 12084-12091.
- 615 Dicker, P.D., Tsai, S.Y., Weigel, N.L., Tsai, M.-J., Schrader, W.T. and O'Malley, B.W.: Monoclonal antibody to the hen oviduct progesterone receptor produced following *in vitro* immunization. *J. Steroid Biochem.*, 20 (1984) 43-50.
- 616 Govindan, M.V. and Gronemeyer, H.: Characterization of the rat liver glucocorticoid receptor purified by DNA-cellulose and ligand affinity chromatography. *J. Biol. Chem.*, 259 (1984) 12915-12924.
- 617 Johnston, P.A., Adams, D.O. and Hamilton, T.A.: Fc-receptor mediated protein phosphorylation in murine peritoneal macrophages. *Biochem. Biophys. Res. Commun.*, 124 (1984) 197-202.
- 618 Johnstone, R.M., Adam, M., Turbide, C. and Larrick, J.: Phosphorylation of the transferrin receptor in isolated sheep reticulocyte plasma membranes. *Can. J. Biochem.*, 62 (1984) 927-934.
- 619 Kendrick, N.C., Bishop, Ch.W. and DeLuca, H.F.: Multiple forms of vitamin D-dependent calcium-binding protein in rat kidney. *J. Biol. Chem.*, 259 (1984) 12691-12695.
- 620 Nakajima, F., Imashuku, S., Wilimas, J., Champion, J.E. and Green, A.A.: Distribution and properties of type I and type II binding proteins in the cyclic adenosine 3':5'-monophosphate-dependent protein kinase system in Wilms' tumor. *Cancer Res.*, 44 (1984) 5182-5187.

- 621 Pang, D.T., Lewis, S.D., Sharma, B.R. and Shafer, J.A.: Relationship between the subunit structure of insulin receptor and its competence to bind insulin and undergo phosphorylation. *Arch. Biochem. Biophys.*, 234 (1984) 629-638.
- 622 Paul, J.I. and Hynes, R.O.: Multiple fibronectin subunits and their post-translational modifications. *J. Biol. Chem.*, 259 (1984) 13477-13487.
- 623 Puri, R.K., Dougherty, J.J. and Toft, D.O.: The avian progesterone receptor: Isolation and characterization of phosphorylated forms. *J. Steroid Biochem.*, 20 (1984) 23-29.
- 624 Shackelford, D.A. and Trowbridge, I.S.: Induction of expression and phosphorylation of the human interleukin 2 receptor by a phorbol diester. *J. Biol. Chem.*, 259 (1984) 11706-11712.
- 625 Shoyab, M. and Boaze, R., Jr.: Isolation and characterization of a specific receptor for biologically active phorbol and ingenol esters. *Arch. Biochem. Biophys.*, 234 (1984) 197-205.

See also 565, 590.

#### 19k. Urinary proteins

- 626 Chung, T.G., Saito, A., Ogawa, H., Moriyama, A., Okubo, I. and Sasaki, M.: Isolation and purification of human serum  $\beta_2$ -microglobulin from the hemodialysis ultrafiltrate of patients with chronic renal failure. *Clin. Chim. Acta*, 141 (1984) 247-251.
- 627 Fleming, J.J.: Comparison of tubular proteinuria, using sodium dodecyl sulphate polyacrylamide gel electrophoresis, in patients during methotrexate or aminoglycoside treatment or with cadmium or Balkan nephropathy. *Clin. Chim. Acta*, 140 (1984) 267-277.
- 628 Perini, J.M., Mizon, C., Dehon, B., Fialdes, P., Lefebvre, I., Mizon, J. and Roussel, P.: Urinary protein determination using Coomassie Brilliant Blue in the presence of sodium dodecyl sulphate. *Clin. Chim. Acta*, 143 (1984) 321-328.

See also 639, 669.

#### 19l. Other proteins

- 629 Billings, P.B. and Hoch, S.O.: Characterization of U small nuclear RNA-associated proteins. *J. Biol. Chem.*, 259 (1984) 12850-12856.
- 630 Davis, J.Q. and Bennett, V.: Brain ankyrin. A membrane-associated protein with binding sites for spectrin, tubulin, and the cytoplasmic domain of the erythrocyte anion channel. *J. Biol. Chem.*, 259 (1984) 13550-13559.
- 631 Gehamu, S., Reynier, S., Caudie, C. and Quincy, C.: Two dimensional electrophoresis of CSF proteins: electrophoresis quality control. *Marker Proteins Inflammation*, 2 (1984) 401-405; *C.A.*, 101 (1984) 207050r.
- 632 Jacobowitz, D.M. and Heydorn, W.E.: Two-dimensional gel electrophoresis used in neurobiological studies of proteins in discrete areas of the rat brain. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1996-2002.
- 633 Litin, B.S. and Herschler, J.: Silver staining of human aqueous humor proteins resolved by gel electrophoresis. *Graefes Arch. Clin. Exp. Ophthalmol.*, 221 (1984) 290-292; *C.A.*, 101 (1984) 207056x.
- 634 Narayan, R.K., Heydorn, W.E., Creed, G.J., Kornblith, P.L. and Jacobowitz, D.M.: Proteins in normal, irradiated, and postmortem human brain quantitatively compared by using two-dimensional gel electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1989-1995.
- 635 Plan, E., Seneterre, J.B. and Quincy, C.: A high resolution agarose gel electrophoresis system (Panagel) with silver staining in the study of cerebrospinal fluid (CSF) immunoglobulin G. *Marker Proteins Inflammation*, 2 (1984) 395-400; *C.A.*, 101 (1984) 189358r.
- 636 Pluschke, G. and Lefkovits, I.: Two-dimensional gel pattern of proteins synthesized *de novo* in lymphoid organs of the mouse. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2043-2047.
- 637 Reza Ziai, M., Jackson, P. and Thompson, R.J.: A novel human kidney-specific protein detected by two-dimensional electrophoresis: Isolation, radioimmunoassay, and immunohistochemical localization. *Electrophoresis (Weinheim)*, 5 (1984) 362-369.

- 638 Steinberg, R.A.: Homology between regulatory subunits of type I cyclic AMP-dependent protein kinases from bovine and murine cells. *Arch. Biochem. Biophys.*, 234 (1984) 546-551.
- 639 Thompson, E.J. and Keir, G.: Improved detection of oligoclonal and Bence-Jones proteins by  $\kappa/\lambda$  immunoblotting. *Clin. Chim. Acta*, 143 (1984) 329-335.
- 640 Trnka, P.L., Pergament, E. and Anderson, N.G.: "Map" of proteins resolved from human chorionic villi by two-dimensional electrophoresis. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 2040-2042.
- 641 Ueno, K. and Natori, S.: Identification of storage protein receptor and its precursor in the fat body membrane of *Sarcophaga peregrina*. *J. Biol. Chem.*, 259 (1984) 12107-12111.

See also 565, 569, 576, 592.

## 20. ENZYMES

- 642 Geoffroy, P., Legrand, M., Hermann, C. and Fritig, B.: High-performance liquid chromatography of proteins. Purification of plant enzymes by ion-exchange chromatography. *J. Chromatogr.*, 315 (1984) 333-340.

### 20a. Oxidoreductases

- 643 Fujita, K., Takeya, C., Saito, T. and Sakurabayashi, I.: Macro lactate dehydrogenase: an LDH-immunoglobulin M complex that inhibits lactate dehydrogenase activity in a patients serum. *Clin. Chim. Acta*, 140 (1984) 183-195.
- 644 Golan-Goldhirsh, A. and Whitaker, J.R.: Effect of ascorbic acid, sodium bisulfite, and thiol compounds on mushroom polyphenol oxidase. *J. Agric. Food Chem.*, 32 (1984) 1003-1009.
- 645 Nagamine, M. and Okochi, K.: Occurrence of two forms of H<sub>2</sub>M<sub>2</sub> isoenzyme of lactate dehydrogenase. *Clin. Chim. Acta*, 140 (1984) 47-58.

### 20b. Transferases (excluding E.C. 2.7.-.-)

- 646 Chen, Y.F. and Haskill, S.: Characterization of  $\gamma$ -glutamyltranspeptidase in murine cervical cancer by biochemical and immunological techniques. *Cancer Res.*, 44 (1984) 4548-4552.
- 647 Farrell, S.O., Fiol, C.J., Reddy, J.K. and Bieber, L.L.: Properties of purified carnitine acyltransferases of mouse liver peroxisomes. *J. Biol. Chem.*, 259 (1984) 13089-13095.
- 648 Moore, W.T., Jr., Murtaugh, M.P. and Davies, P.J.A.: Retinoic acid-induced expression of tissue transglutaminase in mouse peritoneal macrophages. *J. Biol. Chem.*, 259 (1984) 12794-12802.
- 649 Wenham, P.R., Horn, D.B. and Smith, A.F.: Physical properties of  $\gamma$ -glutamyltransferase in human serum. *Clin. Chim. Acta*, 141 (1984) 205-218.

### 20c. Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)

- 650 Chandler, W.L., Clayson, K.J., Longstreth, W.T., Jr. and Fine, J.S.: Creatine kinase isoenzymes in human cerebrospinal fluid and brain. *Clin. Chem. (Winston-Salem, N.C.)*, 30 (1984) 1804-1806 - cellulose acetate.
- 651 Desjardins, P.R.E. and Pesclovitch, R.: Quantitation of creatine kinase MB using an agarose electrophoresis method; importance of enzyme reagent concentration. *Clin. Biochem.*, 17 (1984) 236-241; *C.A.*, 101 (1984) 165970h.
- 652 Foster, J.L., Guttman, J.J., Hall, L.M. and Rosen, O.M.: *Drosophila* cAMP-dependent protein kinase. *J. Biol. Chem.*, 259 (1984) 13049-13055.
- 653 Runzicker-Dunn, M. and Sutherland, D.B.: Elution of the catalytic subunits of the type I and type II forms of cyclic AMP-dependent protein kinase within the type I chromatographic peak. *J. Chromatogr.*, 312 (1984) 293-302.
- 654 Kraaijenhagen, R.J., van der Heijden, M.C.M., Streefkerk, M., Rijksen, G., de Gast, G.C. and Staal, G.E.J.: Hexokinase, phosphofructokinase and pyruvate kinase isozymes in lymphocyte subpopulations. *Clin. Chim. Acta*, 140 (1984) 65-76.

- 655 Miller, J. and Wei, R.: Purification of creatine kinase-BB isoenzymes from human and canine tissues. *Clin. Chim. Acta*, 142 (1984) 61-71.
- 656 Rihn, B., Scheftel, J.M., Girardot, R. and Monteil, H.: A new purification procedure for *Clostridium difficile* Enterotoxin. *Biochem. Biophys. Res. Commun.*, 124 (1984) 690-695.
- 657 Tanabe, K., Yamaguchi, T., Saneyoshi, M., Yamaguchi, M., Matsukage, A. and Takahashi, T.: Conservation of molecular structure of DNA polymerase  $\beta$  in vertebrates probed by trypsin peptide mapping. *J. Biochem. (Tokyo)*, 96 (1984) 365-370.
- 658 Thomas, J.M., Crisp, M. and Hodess, M.E.: Sialic acid residues contribute to the heterogeneity of human serum ribonuclease: demonstration by isoelectric focusing and neuraminidase treatment of serum. *Clin. Chim. Acta*, 142 (1984) 73-81.

See also 638.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 659 Jecziorowska, A., Jakubowski, D., Armatys, A. and Kaluzewski, B.: Comparison of two methods for amniotic fluid cholinesterases identification in the qualitative test for prenatal diagnosis of neural tube defects. *Clin. Chim. Acta*, 143 (1984) 315-320.
- 660 Klements, R. and Lundberg, B.: Purification of lysosomal cholesteryl ester hydrolase from rat liver by preparative isoelectric focusing. *Lipids*, 19 (1984) 692-698; *C.A.*, 101 (1984) 186701m.
- 661 Moss, D.W. and Edwards, R.K.: Improved electrophoretic resolution of bone and liver alkaline phosphatases resulting from partial digestion with neuraminidase. *Clin. Chim. Acta*, 143 (1984) 177-182.
- 662 Pourci, M.L., Cherruau, B. and Lacour, B.: Determination of placental alkaline phosphatase phenotypes by starch-gel and acrylamide gel electrophoresis. *Clin. Chim. Acta*, 140 (1984) 1-8.
- 663 Stinson, R.A.: Size and stability to sodium dodecyl sulfate of alkaline phosphatases from their three established human genes. *Biochim. Biophys. Acta*, 790 (1984) 268-274.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 664 Alhadeff, J.A., Prorok, J.J., Dura, P.A., Plucinsky, M.C. and Beesburg, R.Y.: A typical  $\beta$ -hexosaminidase in sera of cancer patients with liver metastases. *Cancer Res.*, 44 (1984) 5422-5426.
- 665 Besancon, A.M., Gautron, S., Poenaru, L. and Dreyfus, J.C.: Effects of antisera raised against native and denatured human  $\alpha$ -glucosidase and  $\beta$ -hexosaminidases on native enzyme activity. *Clin. Chim. Acta*, 140 (1984) 239-246.
- 666 Sutton, J.G.: Isoelectric points (pI) of the isoenzymes of phosphoglucomutase (PGM<sub>1</sub> and PGM<sub>2</sub>) observed by isoelectric focusing, and some theoretical considerations. *J. Forensic Sci. Soc.*, 24 (1984) 111-119; *C.A.*, 101 (1984) 164859s.
- 667 Troeger, H.D., Tutsch-Bauer, E. and Urban, R.: (PGM<sub>1</sub> subtyping in single hairs with polyacrylamide gel isoelectric focusing). *Beitr. Gerichtl. Med.*, 42 (1984) 241-244; *C.A.*, 101 (1984) 185348q.

20f. *Other hydrolases*

- 668 Sinha, P. and Gossrau, R.: Isoelectric focusing (IEF) and band detection with fluorogenic protease substrates. *Histochemistry*, 81 (1984) 165978s.
- 669 Van Triet, A.J.: Ultrathin-layer isoelectric focusing in agarose gels and visualization of urinary alanine aminopeptidase with a modified agar overlay technique. *Electrophoresis (Weinheim)*, 5 (1984) 374-376.

See also 476.

20g. *Syases*

- 670 Kelley, P.M. and Freeling, M.: Anaerobic expression of maize fructose -1,6-diphosphate aldolase. *J. Biol. Chem.*, 259 (1984) 14180-14183.

## 20j. Complex mixtures and incompletely identified enzymes

- 671 Tsukamoto, M.: Technical notes on acrylamide gel electrophoresis used for comparing isozymes of mosquito larvae. *J. Voeh*, 6 (1984) 193-204; C.A., 101 (1984) 186621k.

## 21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

## 21a. Purines, pyrimidines, nucleosides, nucleotides

- 672 Kitaoka, Y.: Study on the separation mechanism of electrophoresis. XVII. Comparison of the experimental zone mobility-pH curves of the bases of nucleic acid on pure cellulose paper with the calculated ones. *Bull. Chem. Soc. Jpn.*, 57 (1984) 1856-1858; C.A., 101 (1984) 226203j.
- 673 Li, Z., Ding, X. and Xu, K.: (Determination of adenosine triphosphate content by isotachopheresis). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 58 (1984) 72-73; C.A., 101 (1984) 187362p.
- 674 Scanlon, D., Haralambidis, J., Southwell, C., Turton, J. and Tregear, G.: Purification of synthetic oligodeoxyribonucleotides by ion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 336 (1984) 189-198.

## 21b. Nucleic acids, RNA

- 675 Altman, A., Cohen, B.N., Weissbach, H. and Brot, N.: Transcriptional activity of isolated maize chloroplasts. *Arch. Biochem. Biophys.*, 235 (1984) 26-33.
- 676 De Groot, C.J., van Zonneveld, A.J., Mooren, P.G., Zonneveld, D., van den Dool, A., van den Bogaert, A.J.W., Lammers, W.H., Moorman, A.F.M. and Charles, R.: Regulation of mRNA levels of rat liver carbamoyl phosphate synthetase by glucocorticosteroids and cyclic AMP as estimated with a specific cDNA. *Biochem. Biophys. Res. Commun.*, 124 (1984) 882-888.
- 677 Forsdyke, D.R.: Rapid qualitative changes in mRNA populations in cultured human lymphocytes: comparison of the effects of cycloheximide and concanavalin A. *Can. J. Biochem.*, 62 (1984) 859-864.
- 678 Kuroda, M.I. and Yanofsky, C.: Evidence for the transcript secondary structures predicted to regulate transcription attenuation in the *trp* operon. *J. Biol. Chem.*, 259 (1984) 12838-12843.
- 679 Reddy, R., Henning, D., Subrahmanyam, C.S. and Busch, H.: Primary and secondary structure of 7-3 (K) RNA of Novikoff hepatoma. *J. Biol. Chem.*, 259 (1984) 12265-12270.
- 680 Vournakis, J.N. and Vary, C.P.H.: The role of mRNA structure in the regulation of protein synthesis: implications for studies of development. *Dev. Genet.*, 4 (1984) 313-332; C.A., 101 (1984) 166658z.

## 21c. Nucleic acids, DNA

- 681 Kelley-Geraghty, D.C. and Harrison, J.J.: A simple method for preparation and use of small, nick-translated DNA hybridization probes. *BioTechniques*, 2 (1984) 214-217; C.A., 101 (1984) 207146b.
- 682 Ogawa, H., Gomi, T., Horii, T., Ogawa, H. and Fujioka, M.: Molecular cloning of cDNA for rat glycine methyltransferase. *Biochem. Biophys. Res. Commun.*, 124 (1984) 44-50.
- 683 Pramanik, A. and Schwartz, I.: The gene encoding translation initiation factor 3 is highly conserved in gram-negative bacteria. *Arch. Biochem. Biophys.*, 235 (1984) 276-282.
- 684 Takahashi, S. and Nagano, Y.: Rapid procedure for isolation of plasmid DNA and application to epidemiological analysis. *J. Clin. Microbiol.*, 20 (1984) 608-613; C.A., 101 (1984) 187470x.
- 685 Tavianini, M.A., Hayes, T.E., Magazin, M.D., Minth, C.D. and Dixon, J.E.: Isolation, characterization, and DNA sequence of the rat somatostatin gene. *J. Biol. Chem.*, 259 (1984) 11798-11803.
- 686 Wells, R.D.: Review. High-performance liquid chromatography of DNA. *J. Chromatogr.*, 336 (1984) 3-14.

- 687 Xu, Y.: (A simple and effective method for the electrophoretic separation, transport and molecular hybridization of small DNA fragments). *Xibao Shengwuxue Zazhi*, 5 (1983) 37-38; *C.A.*, 101 (1984) 166615h.
- 688 Xuan, J., Zhu, L. and Yie, Z.: (Recovery of DNA from agarose gel using glass powder adsorption method and its application to the isolation of yeast plasmids). *Zhongguo Kexue Jishu Daxue Xuebao*, 14 (1984) 268-274; *C.A.*, 101 (1984) 187466a.
- 689 Zwollo, P., Stein, G.S. and Stein, J.L.: Variations in the organization of human genomic DNA segments containing H1 histone genes. *Biochem. Biophys. Res. Commun.*, 124 (1984) 988-993.

21f. *Structural studies of nucleic acids*

- 690 Olsson, A., Moks, T., Uhlen, M. and Gaal, A.B.: Uniformly spaced banding pattern in DNA sequencing gels by use of field-strength gradient. *J. Biochem. Biophys. methods*, 10 (1984) 83-91; *C.A.*, 101 (1984) 226219u.

See also 686

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23e. *Other N-heterocyclic compounds*

- 691 Pesakhovich, L.V., Kartashova, G.S., Babenysheva, E.Yu. and Babenyshev, R.G.: (Study of nitrogen-containing bases by paper electrophoresis). *Khim.-Farm. Zh.*, 18 (1984) 755-756; *C.A.*, 101 (1984) 177623k.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 692 Shiogai, Y. and Yagi, T.: Isotachophoretic analysis of acidic alkyl phosphates. In: C.J. Holloway (Editor), *Anal. Prep. Isotachophoresis, Proc., Int. Symp. Isotachophoresis, 3rd 1982*, de Gruyter, Berlin, 1984, 95-102 pp.; *C.A.*, 101 (1984) 203510t.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. *Coordination compounds*

- 693 Blasius, E., Müller, K. und Ziegler, K.: Elektrophoretische Verfahren zur Trennung und Isolierung von Polyanionen und Gemischtligandkomplexen aus homologen Reihen. Ein Übersichtreferat unter spezieller Berücksichtigung eigener Ergebnisse. *J. Chromatogr.*, 313 (1984) 161-188 - a review with 80 refs.
- 694 Gebauer, P. and Bocek, P.: Isotachophoresis of complexes. Unstable zones in cationic systems. In: C.J. Holloway (Editor), *Anal. Prep. Isotachophoresis, Proc., Int. Symp. Isotachophoresis, 3rd 1982*, de Gruyter, Berlin, 1984, 47-53 pp.; *C.A.*, 101 (1984) 178213p.
- 695 Maslowska, J. and Gronowska, E.: Separation of mixtures of metal complexes with substantial food dyes by paper electrophoresis. *Dtsch. Lebensm.-Rundsch.*, 80 (1984) 207-210; *C.A.*, 101 (1984) 189802f.
- 696 Orcil, L., Turq, P., Musikas, C., Pruliere, Y. and Chemla, M.: Electrophoresis and ligand exchange for nitrate complexes of nitrosylruthenium. *J. Phys. Chem.*, 88 (1984) 5265-5269; *C.A.*, 101 (1984) 178330z.

28. ANTIBIOTICS

- 697 Hashizume, T., Park, W. and Matsushashi, M.: The affinity of imipenem (N-formimidoylthienamycin) for the penicillin-binding proteins of *Staphylococcus aureus*. Binding and release. *J. Antibiot.*, 37 (1984) 1049-1053.



## 31. PLASTICS AND THEIR INTERMEDIATES

- 698 Pollack, G.M., Slaughter, R.L., Buchanan, J.F. and Shen, D.D.: High-performance liquid chromatographic procedure for the determination of di-(2-ethylhexyl)-phthalate in human blood specimens. Problems of variable-extraction yield and the use of standard addition for calibration. *J. Chromatogr.*, 311 (1984) 101-108.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

## 32d. Toxicological applications

- 699 White, J.M.: An evaluation of E&D typing by isoelectric focusing. *J. Forensic Sci. Soc.*, 24 (1984) 177-178; *C.A.*, 101 (1984) 164867t.

See also 698.

## 32f. Clinico-chemical applications and profiling body fluids

See 469, 484, 503, 560, 563, 569, 626-628, 639, 643, 645, 659, 661, 662, 665.

## 33. INORGANIC COMPOUNDS

- 700 Bocek, P. and Foret, F.: Isotachophoresis in inorganic chemistry. *J. Chromatogr.*, 313 (1984) 189-222 - a review with 75 refs.

## 33a. Cations

- 701 Hirokawa, T., Aoki, N. and Kiso, Y.: Complex forming equilibria in isotachophoresis. VI. Simulation of isotachophoretic equilibria of lanthanoids of isotachophoretic equilibria of lanthanoids and determination of mobilities and stability constants of acetate and  $\alpha$ -hydroxyisobutyrate complexes. *J. Chromatogr.*, 312 (1984) 11-29.
- 702 Singh, S., Yadava, P.C., Yadava, H.L., Singh, R.K., Gupta, M. and Yadava, K.L.: Paper electrophoresis in the study of mixed ligand complexes in solution (copper(II), uranyl(II), cobalt(II), zinc(II)-nitrilotriacetate-serinate systems). *Natl. Acad. Sci. Lett. (India)*, 6 (1983) 229-232; *C.A.*, 101 (1984) 178579n.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 523.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

## 35c. Food analysis

- 703 Arneht, W.: (Isotachophoretic analysis of additives). *Fleischwirtschaft*, 64 (1984) 1098-1102; *C.A.*, 101 (1984) 228611q.
- 704 Ukishima, Y., Narita, H., Masui, T. and Nara, M.: (Application of thin layer isoelectric focusing to food analysis. I. Identification of fish species of sliced escolar and castor oil fish). *Eisei Kagaku*, 30 (1984) 189-193; *C.A.*, 101 (1984) 228622u.

## 35d. Various technical products

- 705 Seng, H.P.: (Measurement method for determining electrophoretic mobilities and study of the zeta potential of untreated and surface-modified silicon dioxide particles in aqueous dispersions). *TPI, Text. Frax. Int.*, 39 (1984) 795-798; *C.A.*, 101 (1984) 178188j.

## 36. CELLS AND CELLULAR PARTICLES

- 706 Akagawa, H., Kawaguchi, K. and Ichihara, M.: Plasmids of *Streptomyces kasugaensis* MB 273: their pock formation, their dispensable endonuclease cleavage sites for pock formation and transformation of *S. kasugaensis* by them. *J. Antibiot.*, 37 (1984) 1016-1025.
- 707 Ceccarelli, E.A., Arana, J.L. and Viale, A.M.: Preparative purification of the subunits of chloroplast and *Rhodospirillum rubrum* coupling factors by flat-bed electrofocusing in granulated gels. *J. Biochem. Biophys. Methods*, 10 (1984) 103-109; *C.A.*, 101 (1984) 226220n.
- 708 Leo, M.A., Iida, S. and Lieber, C.S.: Retinoic acid metabolism by a system reconstituted with cytochrome P-450. *Arch. Biochem. Biophys.*, 234 (1984) 305-312.
- 709 Nabeshima, S., Hotta, Y. and Okanishi, M.: Construction of plasmid vectors from *Streptomyces kasugaensis* plasmids pSK<sub>1</sub> and pSK<sub>2</sub>. *J. Antibiot.*, 37 (1984) 1026-1037.
- 710 Tulp, A.: Density gradient electrophoresis of mammalian cells. *Methods Biochem. Anal.*, 30 (1984) 141-198; *C.A.*, 101 (1984) 207075c.
- 711 Zerda, K.S. and Gerba, C.P.: Agarose isoelectrofocusing of intact virions. *J. Virol. Methods*, 9 (1984) 1-6; *C.A.*, 101 (1984) 187352k.

See also 450.

## 37. ENVIRONMENTAL ANALYSIS

## 37a. General papers and reviews

- 712 Menezes, M.R. and Qasim, S.Z.: Use of electrophoresis and immunoelectrophoresis in taxonomic and pollution studies. *Proc.-Indian Acad. Sci., Anim. Sci.*, 93 (1984) 179-198; *C.A.*, 101 (1984) 205341n.

## PUBLICATION SCHEDULE FOR 1985

*Journal of Chromatography* (incorporating *Chromatographic Reviews*) and *Journal of Chromatography, Biomedical Applications*

MONTH	N 1984	D 1984	J 1985	F	M	A	M	J	The publication schedule for further issues will be published later
Journal of Chromatography	312 314	315 316 317	318/1 318/2 319/1	319/2 319/3 320/1	320/2 321/1 321/2 322/1	322/2 322/3 323/1 323/2	324/1 324/2 325/1	325/2	
Chromatographic Reviews		313				334/1			
Bibliography Section				335/1		335/2		335/3	
Biomedical Applications		336/1 336/2	337/1	337/2 338/1	338/2	339/1	339/2 340 341/1	341/2	

### INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 295, No. 2, pp. 555-558. A free reprint can be obtained by application to the publisher.)

**Types of Contributions.** The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Short communications and Notes. Short communications are preliminary announcements of important new developments and will, whenever possible, be published with maximum speed. Notes are usually descriptions of short investigations and reflect the same quality of research as Full-length papers, but should preferably not exceed four printed pages. For review articles, see page 2 of cover under Submission of Papers.

**Submission.** Every paper must be accompanied by a letter from the senior author, stating that he is submitting the paper for publication in the *Journal of Chromatography*. Please do not send a letter signed by the director of the institute or the professor unless he is one of the authors.

**Manuscripts.** Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (*e.g.*, Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

**Introduction.** Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

**Summary.** Full-length papers and Review articles should have a summary of 50-100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes are published without a summary.)

**Illustrations.** The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the legends being typed (with double spacing) together on a *separate sheet*. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

**References.** References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press", "submitted for publication", "in preparation" or "personal communication".

**Dispatch.** Before sending the manuscript to the Editor please check that the envelope contains three copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

**Proofs.** One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

**Reprints.** Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

**Advertisements.** Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

# INSTRUMENTUNE-UP

## A Computer Program for Improving the Performance of Common Laboratory Instruments

Authors: S.N. Deming and  
S.L. Morgan

- based on the sequential simplex method of optimization
- adjust as many as ten continuous variables simultaneously
- available for the Apple II series and IBM-PC
- clear, fully descriptive manual with tutorial
- full source code listings
- easy to use
- US \$ 150.00

### AVAILABLE FROM

Elsevier Scientific Software (JIC)  
52 Vanderbilt Avenue  
New York, NY 10017 USA  
Phone: (212) 370 5520  
Telex: 420643

or  
Elsevier Scientific Software  
P.O. Box 330  
1000 AH Amsterdam  
THE NETHERLANDS  
Phone: (020) 5803 911  
Telex: 18582

*Write to us for further  
information on our other  
programs.*

No shipping  
charge if  
paid in  
advance

HPLC

GC

UV



AAS IR



Apple is a registered trademark  
of Apple Computer, Inc.  
IBM-PC is a registered trademark of IBM.