

JOURNAL OF

CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

EDITOR, Michael Lederer (Switzerland)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Berkeley, CA)

EDITORIAL BOARD

W. A. Aue (Halifax)
 V. G. Berezkin (Moscow)
 V. Betina (Bratislava)
 A. Beyenue (Honolulu, HI)
 P. Boček (Brno)
 P. Boulanger (Lille)
 A. A. Boulton (Saskatoon)
 G. P. Cartoni (Rome)
 E. P. Demole (Geneva)
 S. Dilli (Kensington, N.S.W.)
 G. Duyckaerts (Liège)
 L. Fishbein (Jefferson, AR)
 R. W. Frei (Amsterdam)
 A. Frigerio (Milan)
 C. W. Gehrke (Columbia, MO)
 E. Gil-Av (Rehovot)
 G. Guiochon (Palaiseau)
 I. M. Hais (Hradec Králové)
 J. K. Haken (Kensington, N.S.W.)
 S. Hjertén (Uppsala)
 E. C. Horning (Houston, TX)
 Cs. Horváth (New Haven, CT)
 J. F. K. Huber (Vienna)
 A. T. James (Sharnbrook)
 J. Janák (Brno)
 E. sz. Kováts (Lausanne)
 K. A. Kraus (Oak Ridge, TN)
 E. Lederer (Gif-sur-Yvette)
 A. Liberti (Rome)
 H. M. McNair (Blacksburg, VA)
 Y. Marcus (Jerusalem)
 G. B. Marini-Bettolo (Rome)
 A. J. P. Martin (Lausanne)
 Č. Michalec (Prague)
 R. Neher (Basel)
 G. Nickless (Bristol)
 J. Novák (Brno)
 N. A. Parris (Wilmington, DE)
 R. L. Patience (Brighton)
 P. G. Righetti (Milan)
 O. Samuelson (Göteborg)
 R. Schwarzenbach (Düsseldorf)
 G. Semenza (Zürich)
 L. R. Snyder (Yerkes, Heights, NY)
 A. Zlatkis (Houston, TX)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), K. Macek (Prague)

ELSEVIER

JOURNAL OF CHROMATOGRAPHY

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis (including the publication of normal values); screening and profiling procedures with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; combinations of chromatographic and electrophoretic methods with other physicochemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all aspects of chromatography, electrophoresis and related methods are published.

Submission of Papers. Papers in English, French and German may be submitted, in three copies. Manuscripts should be submitted to: The Editor of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors and will appear in *Chromatographic Reviews* or *Biomedical Applications*. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

Subscription Orders. Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

Publication. The *Journal of Chromatography* (incl. *Biomedical Applications, Chromatographic Reviews* and *Cumulative Author and Subject Indexes, Vols. 301-325*) has 34 volumes in 1985. The subscription prices for 1985 are:

J. Chromatogr. (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 301-325*) + *Biomed. Appl.* (Vols. 312-345): Dfl. 5440.00 plus Dfl. 748.00 (postage) (total ca. US\$ 2291.75)

J. Chromatogr. (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 301-325*) only (Vols. 312-335): Dfl. 4320.00 plus Dfl. 528.00 (postage) (total ca. US\$ 1795.50)

Biomed. Appl. only (Vols. 336-345):

Dfl. 1750.00 plus Dfl. 220.00 (postage) (total ca. US\$ 729.75).

Journals are automatically sent by airmail at no extra costs to Australia, Brasil, Canada, China, Hong Kong, India, Israel, Japan, Malaysia, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan and the U.S.A. Back volumes of the *Journal of Chromatography* (Vols. 1 through 311) are available at Dfl. 219.00 (plus postage). Claims for issues not received should be made within three months of publication of the issue. If not, they cannot be honoured free of charge. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 916-1250.

Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index.

See page 3 of cover for Publication Schedule, Information for Authors and information on Advertisements.

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1985

0021-9673/85/\$03.30

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1950 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works.

Special written permission must be obtained from the publisher for such copying.

Printed in The Netherlands

CONTENTS

Bibliography Section

Liquid Column Chromatography	B397
Gas Chromatography	B453
Planar Chromatography	B479
Electrophoresis	B497

Bibliography Section

Liquid Column Chromatography

1. REVIEWS AND BOOKS

- 3138 Adams, R.F.: Ion-pair chromatography of pharmaceuticals. *Chromatogr. Sci.*, 31 (1985) 141-205; *C.A.*, 102 (1985) 119711x - a review with 218 refs.
- 3139 Balke, S.T.: Quantitative size exclusion chromatography. In: J. Vlachopoulos (Editor), *Quant. Charact. Plast. Rubber, Proc. Symp.*, McMaster Univ., Hamilton, 1984, pp. 1-11; *C.A.*, 102 (1985) 149996m - a review with 23 refs.
- 3140 Brown, P.R.: Chromatography. *Chromatogr. Sci.*, 26 (HPLC Nucleic Acid Res.) (1984) 49-80; *C.A.*, 102 (1985) 92256p - a review with 40 refs.
- 3141 Chengdu University of Science and Technology. (*Handbook of Analytical Chemistry, Vol. 4: Chromatographic Analysis, I*). Huaxue Gongye Publ. House, Beijing, 1984, 724 p.; *C.A.*, 102 (1985) 159737s.
- 3142 Colley, P.: Methods development in HPLC. *Lab. Pract.*, 34 (1985) 82-87; *C.A.*, 102 (1985) 105169q - a review with 14 refs.
- 3143 Cooke, M.: Microbore and fast LC. *Lab. Pract.*, 34 (1985) 53-59; *C.A.*, 102 (1985) 105168p - a review with 4 refs.
- 3144 Fujita, K.: (Supercritical fluid chromatography). *Fragrance J.*, 12 (1984) 50-54; *C.A.*, 102 (1985) 155250e - a review with 12 refs.
- 3145 Hearn, M.T.W. (Editor): *Chromatographic Science Series, Vol. 31: Ion-Pair Chromatography: Theory and Biological and Pharmaceutical Application*. Marcel Dekker, New York, 1985, 294 p.; *C.A.*, 102 (1985) 120555f.
- 3146 Hearn, M.T.W.: Introduction to ion-pair chromatography of simple bases and acids. *Chromatogr. Sci.*, 31 (Ion Pair Chromatogr.) (1985) 1-26; *C.A.*, 102 (1985) 101080f - a review with 95 refs.
- 3147 Heckendorf, A.H., Ashare, E. and Rausch, C.: Process scale chromatography. The new frontier in high performance liquid chromatography. *ACS Symp. Ser.*, 271 (Purif. Ferment. Prod.) (1985) 91-103; *C.A.*, 102 (1985) 97416a - a review with no refs.
- 3148 Henschen, A., Hupe, K.P., Lottspeich, F. and Voelter, W. (Editors): *High Performance Liquid Chromatography in Biochemistry*. VCH Verlagsgesellschaft, Weinheim, 1985, XII / 564 p.
- 3149 Janak, J.: (Chromatography in nature). In: K.I. Sakodinskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 268-276; *C.A.*, 102 (1985) 101078m.
- 3150 Kato, Y.: (High-performance gel chromatography.) *Seikagaku*, 56 (1984) 1481-1490; *C.A.*, 102 (1985) 128016b - a review with 26 refs.
- 3151 Kikta, E.J., Jr.: Development and practical use of a high performance preparative liquid chromatographic system. *Sep. Purif. Methods*, 13 (1984) 109-139; *C.A.*, 102 (1985) 120242b - a review with 10 refs.
- 3152 Kraak, J.C.: Packing microbore HPLC columns. *LC Mag.*, 3 (1985) 88-90; *C.A.*, 102 (1985) 138185v - a review with 3 refs.
- 3153 MacDonald, J.C. (Editor): *Inorganic Chromatographic Analysis*. Wiley, Chichester, 1985, 400 p.
- 3154 Matorina, N.N.: (Use of complexation in ion exchange chromatography). In: K.I. Sakodinskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 43-53; *C.A.*, 102 (1985) 120234a - a review with 50 refs.
- 3155 Munson, J.W.: High-performance liquid chromatography: theory, instrumentation and pharmaceutical applications. *Drugs Pharm. Sci.*, 11 (Pharm. Anal. Pt. B) (1984) 15-154; *C.A.*, 102 (1985) 84947z - a review with 527 refs.
- 3156 Sakodinskii, K.I. (Editor): (*Applied Chromatography*). Nauka, Moscow, 1984, 302 p.; *C.A.*, 102 (1985) 105366b.
- 3157 Saladadze, K.M., Kopylova, V.D. and Kargman, V.B.: (Use of complexes in chromatography). In: K.I. Sakodinskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 32-42; *C.A.*, 102 (1985) 120233z - a review with 35 refs.

- 3158 Schill, G.: (Charged particles for bioanalysis and product control). *Sven. Farm. Tidskr.*, 88 (1984) 12-17; *C.A.*, 102 (1985) 137876j - a review with 21 refs.
- 3159 Schwarzenbach, R.: Adsorption chromatographic separations on buffered silica gel. *J. Chromatogr.*, 334 (1985) 35-48.
- 3160 Sha, H. and Dong, F.: (Introduction of a separation technique by low-pressure columns chromatography). *Yaotue Tongbao*, 19 (1984) 478-480; *C.A.*, 102 (1985) 119710w - a review with no refs.
- 3161 Vigderganz, M.S. and Kozyuro, V.I.: (Chromatography and petroleum genesis). In: K.I. Sakodinskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 277-286; *C.A.*, 102 (1985) 97891b - a review with 37 refs.
- 3162 Volkov, S.A. and Zel'venskii, V.Yu.: (Preparative molecular gas and liquid chromatography). In: K.I. Sakodinskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 95-108; *C.A.*, 102 (1985) 134102t.
- 3163 Yashin, Ya.I.: (Chromatographic methods and a universal system of chemical analysis). *Zh. Anal. Khim.*, 40 (1985) 201-214; *C.A.*, 102 (1985) 142294x - a review with 122 refs.

For additional information see:

C.A., 102 (1985) 120233z, 142286w, 142287x.

See also 3187, 3189, 3222, 3224, 3230, 3231, 3258, 3268, 3273, 3280, 3286, 3310, 3313, 3350, 3409, 3416, 3470, 3499, 3515, 3550, 3740, 3743, 3746, 3758, 3766, 3771, 3803, 3831, 3832, 3836, 3863, 3880, 3881, 3973, 3980, 4010.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 3164 Atamna, I., Grushka, E., Colin, H. and Guiochon, G.: Optimization by isochronal analysis I. Changes in mobile phase composition and velocity. *Chromatographia*, 19 (1984) 48-54.
- 3165 Brown, P.R.: Sample preparation. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 31-48; *C.A.*, 102 (1985) 92342p.
- 3166 Delaney, M.F.: Chromatographic calibration. *LC Mag.*, 3 (1985) 264-268; *C.A.*, 102 (1985) 159770x.
- 3167 Dezaro, D.A., Dvorn, D., Horn, C. and Hartwick, R.A.: Time optimization for routine separations, using high-speed microbore HPLC. *Chromatographia*, 20 (1985) 87-96.
- 3168 Dolan, J.W.: Peak shape. *LC Mag.*, 3 (1985) 18-21; *C.A.*, 102 (1985) 142525y.
- 3169 Engelhardt, H., Müller, H. and Dreyer, B.: Is there a "true" dead volume for HPLC columns? *Chromatographia*, 19 (1984) 240-245.
- 3170 Gutnikov, G. and Hung, L.-B.: Convenient estimation of the mobile phase volume for water-rich eluents in reversed-phase liquid chromatography. *Chromatographia*, 19 (1984) 260-265.
- 3171 Jandera, P.: A method for characterization and optimization of reversed-phase liquid chromatographic separations based on the retention behaviour in homologous series. *Chromatographia*, 19 (1984) 101-112.
- 3172 Nyiredy, S., Meier, B., Erdelmaier, C.A.J. and Sticher, O.: "PRISMA": A geometrical design for solvent optimization in HPLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 186-188.
- 3173 Spanjer, M.C. and de Ligny, C.L.: Substituent interaction effects in aromatic molecules in RP-HPLC with acetonitrile water and tetrahydrofuran-water eluents. *Chromatographia*, 20 (1985) 120-124.
- 3174 Tehrani, A.Y.: Enhanced mass sensitivity and resolution in microbore liquid chromatography by improvements in detection and liquid flow path. *LC Mag.*, 3 (1985) 42-48; *C.A.*, 102 (1985) 159794h.
- 3175 Tomellini, S.A., Hartwick, R.A. and Woodruff, H.B.: Computer-based numerical integration for the calculation of retention times in gradient high-performance liquid chromatography. *Anal. Chem.*, 57 (1985) 811-816.

- 3176 Van Hare, D.R. and Rogers, L.B.: Separation function for measuring the information in complex chromatograms. *Anal. Chem.*, 57 (1985) 628-632.

For additional information see:

C.A., 102 (1985) 120231x, 120232y, 124659r, 138208e, 138334t, 142539f.

See also 3265, 3279.

2b. Thermodynamics and theoretical relationships

- 3177 Brandts, P.M., Gelsema, W.J. and deLigny, C.L.: Influence of additives to the eluent on hydrophobic interaction chromatography of simple compounds. I. Sorption isotherms of *n*-alcohols on octyl-agarose. *J. Chromatogr.*, 322 (1985) 399-410.
- 3178 Giddings, J.C.: Optimized field-flow fractionation system based on dual stream splitters. *Anal. Chem.*, 57 (1985) 945-947.
- 3179 Gill, W.N. and Benson, K.: Elution curves with double peaks in mixed convection horizontal flows. *AIChE J.*, 31 (1985) 161-164; *C.A.*, 102 (1985) 97439k.
- 3180 Hanai, T., Jukurogi, A. and Hubert, J.: Retention vs van der Waals volume, π -energy and hydrogen-bonding energy effects and enthalpy in liquid chromatography. *Chromatographia*, 19 (1984) 266-268.
- 3181 Jaroniec, M., Dawidowicz, A. and Jaroniec, J.A.: A simple linear dependence of the logarithm of the capacity ratio upon mobile phase composition in the reversed-phase liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 441-448.
- 3182 Kalasz, H.: Peak and cycle capacity of recycling chromatography. *Chromatographia*, 20 (1985) 125-128.
- 3183 Laub, R.J. and Madden, S.J.: Solute retention in column liquid chromatography. IV. Extension of the Langmuir sorption-isotherm function to include stepped variation of retentions with composition of multicomponent mobile phases. *J. Liq. Chromatogr.*, 8 (1985) 155-171.
- 3184 Laub, R.J. and Madden, S.J.: Solute retention in column liquid chromatography. V. The column dead volume. *J. Liq. Chromatogr.*, 8 (1985) 173-186.
- 3185 Laub, R.J. and Madden, S.J.: Solute retention in column liquid chromatography. VI. Enthalpy-entropy compensation: the column temperature and mobile-phase composition. *J. Liq. Chromatogr.*, 8 (1985) 187-205.
- 3186 Laub, R.J. and Madden, S.J.: Solute retention in column liquid chromatography. VII. Reduction of mass-transfer non-equilibrium and analysis time. *J. Liq. Chromatogr.*, 8 (1985) 271-280.
- 3187 Melander, W.R. and Horvath, C.: Theory of ion-pair chromatography. *Chromatogr. Sci.*, 31 (Ion-Pair chromatogr.) (1985) 27-75; *C.A.*, 102 (1985) 101081g - a review with 83 refs.
- 3188 Rozylo, J.K., Jaroniec, M. and Jaroniec, J.A.: Effects of solute-solvent interactions in liquid adsorption chromatography with mixed mobile phase. *J. Liq. Chromatogr.*, 8 (1985) 651-661.
- 3189 Tomlinson, E. and Riley, C.M.: Thermodynamics and extrathermodynamics of functional groups in ion-pair chromatography. *Chromatogr. Sci.*, 31 (Ion-Pair Chromatogr.) (1985) 77-139; *C.A.*, 102 (1985) 101082h - a review with 117 refs.
- 3190 Underhill, D.W.: Pulse residence in short chromatographic column. *Anal. Chem.*, 57 (1985) 826-829.

For additional information see:

C.A., 102 (1985) 120325f, 120428s, 159796k.

See also 3240, 3287, 3315, 3741.

2c. Relationship between structure and chromatographic behavior

- 3191 Jenke, D.R.: Modeling of analyte behavior in indirect photometric chromatography. *Anal. Chem.*, 56 (1984) 2674-2681.
- 3192 Shalaby, A., Budvari-Barany, Zs., Szasz, G., Hanko-Novak, K. and Hermecz, I.: Adsorption HPLC investigation of nitrogen-bridged compounds. *J. Liq. Chromatogr.*, 8 (1985) 381-386.

2d. Measurement of physico-chemical and related values

- 3193 Johansson, G.: Determination of ionic charge by liquid-liquid partition. *J. Chromatogr.*, 322 (1985) 425-432.
- 3194 Trumbore, C.N., Grehlinger, M., Stowe, M. and Kelleher, F.M.: Further experiments on a new, fast method for determining molecular weight of diffusing species in a liquid phase. *J. Chromatogr.*, 322 (1985) 443-454.
- 3195 Weber, S.G. and Orr, J.D.: Establishment and determination of interfacial potentials and stationary phase dielectric constant in reversed-phase liquid chromatography. *J. Chromatogr.*, 322 (1985) 433-441.

See also 3492, 3741.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 3196 Dezaro, D. and Hartwick, R.A.: Microbore columns. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 113-117; *C.A.*, 102 (1985) 92345s.
- 3197 Freebairn, K.W. and Know, J.H.: Dispersion measurements on conventional and miniaturised HPLC systems. *Chromatographia*, 19 (1984) 37-47.
- 3198 Gupta, P.K. and Nikelly, J.G.: A pneumatic pulse dampener for liquid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 177-180.
- 3199 Jahr, D.: HPLC/MS-Transfer mit Hilfe eines beheizten Stickstoffstromes. *Fresenius' Z. Anal. Chem.*, 320 (1985) 369-370.
- 3200 Joshua, H. and Schwartz, R.E.: Submicroliter injections with a modified auto-sampler. *LC Mag.*, 3 (1985) 50-51; *C.A.*, 102 (1985) 142536c.
- 3201 Kourilova, D., Slais, K. and Krejci, M.: Modified peak compression sampling in fast micro-HPLC. *Chromatographia*, 19 (1984) 297-300.
- 3202 Leeke, G., Chu, C. and Dailey, N.: Chromatographic column. *PCT Int. Pat. Appl.* WO 85 00,020 (Cl. B01D15/08), 03 Jan. 1985, US Appl. 505,532, 17 Jun. 1983; 37 p.; *C.A.*, 102 (1985) 97392q.
- 3203 Little, C.J. and Stahel, O.: Increased sample throughput in HPLC using sample switching. *Chromatographia*, 19 (1984) 322-326.
- 3204 Majors, R.E.: Integral guard column/analytical column combinations. *LC Mag.*, 3 (1985) 10-14; *C.A.*, 102 (1985) 142546f.
- 3205 Ranger, C.B.: An automated ion analyzer. *Am. Lab. (Fairfield)*, 17 (1985) 92-97; *C.A.*, 102 (1985) 89113j.
- 3206 Roumeliotis, P., Chatziathanassiou, M. and Unger, K.K.: Study of the efficiency of assembled packed microbore columns in HPLC. *Chromatographia*, 19 (1984) 145-150.
- 3207 Shimadzu Corp.: Recycling liquid chromatograph. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,180,359 [84,180,359] (Cl. G01N31/08), 13 Oct. 1984, Appl. 83/54,879, 30 Mar. 1983; 4 pp.; *C.A.*, 102 (1985) 105375d.
- 3208 Snyder, L.R. and Antle, P.E.: Selecting columns for reversed-phase HPLC. Part II. Column and packing configuration. *LC Mag.*, 3 (1985) 98-109; *C.A.*, 102 (1985) 138186w.
- 3209 Zelinka, R.J. and Sims, C.W.: Temperature control system for liquid chromatographic columns employing a thin film heater sensor. *U.S. Pat.* US 4,484,061 (Cl. 219-301; H05B1/02), 20 Nov. 1984, Appl. 377, 627, 13 May 1982; 9 pp.; *C.A.*, 102 (1985) 89342h.

For additional information see:

C.A., 102 (1985) 124801f, 124812k, 123813m, 142498s, 142513t.

See also 3314.

3b. Detectors and detection reagents

- 3210 Alexander, P.W., Haddad, P.R. and Trojanowicz, M.: Potentiometric detection in ion chromatography using a metallic copper indicator electrode. *Chromatographia*, 20 (1985) 179-184.

- 3211 Assenza, S.P.: Detection systems. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 139-160; *C.A.*, 102 (1985) 92346t.
- 3212 Berger, T.A.: Self-cleaning electrochemical detector and cell for flowing stream analysis. *U.S. Pat.* US 4,496,454 (Cl.204-402; G01 N31/08), 29 Jan. 1985, Appl. 543,663, 19 Oct. 1983; 14 pp.; *C.A.*, 102 (1985) 105388k.
- 3213 Davis, J.C. and Peterson, D.P.: Hollow fiber postcolumn reactor for liquid chromatography. *Anal. Chem.*, 57 (1985) 768-771.
- 3214 Fujimoto, C., Uematsu, G. and Jinno, K.: The use of deuterated solvents in high-performance liquid chromatography - Fourier transform infrared spectrometry. *Chromatographia*, 20 (1985) 112-116.
- 3215 Gregg, M.R.: Increased electrochemical detector sensitivity by electrode surface modification. *Chromatographia*, 20 (1985) 129-133.
- 3216 Heisz, O.: (Detection methods in ion-chromatography (indirect and direct UV-detection, direct conductivity detection)). *GIT Fachz. Lab.*, 29 (1985) 113-118; *C.A.*, 102 (1985) 159622a.
- 3217 Herne, P., Renson, M. and Crommen, J.: Indirect UV detection of non-ionic substances in liquid chromatography by addition of a UV-absorbing uncharged compound to the mobile phase. *Chromatographia*, 19 (1984) 274-279.
- 3218 Imai, K., Toyooka, T. and Miyano, H.: Fluorogenic reagents for primary and secondary amines and thiols in high-performance liquid chromatography. A review. *Analyst (London)*, 109 (1984) 1365-1373; *C.A.*, 102 (1985) 105405p.
- 3219 Iwaniw, D.C. and Josephy, P.D.: Simultaneous multi-wavelength UV-visible detection for HPLC using a diode-array spectrophotometer - a versatile software package. *J. Liq. Chromatogr.*, 8 (1985) 387-394.
- 3220 Kim, H., Park, C., Rwang, E. and Choi, Q.W.: Microprocessor based laser induced fluorometry. I. Development of system and application to liquid chromatography. *Bull. Korean Chem. Soc.*, 5 (1984) 253-259; *C.A.*, 102 (1985) 105425v.
- 3221 Kroening, J.: RI-Detector for liquid chromatography, especially high-performance liquid chromatography. *Ger. (East) Pat.* DD 214,210 (Cl. G01N21/41), 03 Oct. 1984, Appl. 248,624, 09 Mar. 1983; 8 pp.; *C.A.*, 102 (1985) 89435r.
- 3222 Lingeman, H., Underberg, W.J.M., Takadate, A. and Hulshoff, A.: Fluorescence detection in high performance liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 789-874 - a review with 672 refs.
- 3223 Okazaki, S., Takimoto, H. and Suzuki, Y.: (Deposition of eluent of high performance liquid chromatography on porous quartz rod by electrospray and detection of eluates by hydrogen flame ionization detector). *Bunseki Kagaku*, 34 (1985) 180-183.
- 3224 Palmisano, F. and Zamboni, P.G.: Electrochemical detection techniques in high performance liquid chromatography: a critical review. *Ann. Chim. (Rome)*, 74 (1984) 633-671; *C.A.*, 102 (1985) 89040h.
- 3225 Pang, T.K.J. and Morris, M.D.: Pump/probe thermal lens spectroscopy with polarization - encoded laser beams. *Appl. Spectrosc.*, 39 (1985) 90-93; *C.A.*, 102 (1985) 89111g.
- 3226 Poppe, H.: Optimization of detectors for modern liquid chromatography. *J. Pharm. Biomed. Anal.*, 2 (1984) 233-240; *C.A.*, 102 (1985) 89019h.
- 3227 Shimadzu Corp.: Electrochemical detector for liquid chromatography. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,180,354 [84,180,354] (Cl. G01N27/46), 13 Oct. 1984, Appl. 83/54,881, 30 Mar. 1983; 5 pp.; *C.A.*, 102 (1985) 105374c.
- 3228 Tenygl, J.: Electrochemical sensors and detectors with renewable electrode surfaces. In: T.H. Ryan (Editor), *Electrochem. Detect.*, (Proc. Symp.) 1981, Plenum, New York, 1983, pp. 89-103; *C.A.*, 102 (1985) 142290t.
- 3229 Trojanek, A.: A new, modified flow-through polarographic detector. *J. Chromatogr.*, 323 (1985) 406-409.
- 3230 Trojanek, A.: Voltammetric detectors for HPLC and other analytical flow-through systems. In: T.H. Ryan (Editor), *Electrochem. Detect.*, (Proc. Symp.) 1981, Plenum, New York, 1984, pp. 23-41; *C.A.*, 102 (1985) 142526z - a review with 45 refs.
- 3231 Volke, J.: Voltammetry of organic molecules at solid electrodes. In: H.T. Ryan (Editor), *Electrochem. Detect.*, (Proc. Symp.) 1981, Plenum, New York, 1984, pp. 105-131; *C.A.*, 102 (1985) 142527a - a review with 28 refs.

3232 Yeung, E.S.: New detection schemes in liquid chromatography. *J. Pharm. Biomed. Anal.*, 2 (1984) 255-263; *C.A.*, 102 (1985) 89395c.

For additional information see:

C.A., 102 (1985) 89404e, 102287r, 105394j, 120331e, 122817s, 124841w, 128021z.

See also 3388, 3488, 3501, 3545, 3807, 4017.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 3233 Baptista, J., Gupta, I. and Krepinsky, J.J.: Modification of a commercial preparative HPLC system allowing for UV detection of small amounts of materials with high extinction coefficients. *Chromatographia*, 20 (1985) 117-119.
- 3234 Bien-Vogelsang, U., Deege, A., Figge, H., Köhler, J. and Schomburg, G.: Syntheses of stationary phases for reversed-phase LC using silanization and polymer coating. *Chromatographia*, 19 (1984) 170-179.
- 3235 Blasius, E., Janzen, K.-P., Simon, H. and Zender, J.: Mit zyklischen Polyethern beschichtete bzw. substituierte Kieselgele zur Ionen-Chromatographie. *Fresenius' Z. Anal. Chem.*, 320 (1985) 435-438.
- 3236 Cassidy, R.M. and Elchuk, S.: Fixed-site ion exchange for liquid chromatographic determination of multifunctional carboxylic acids. *Anal. Chem.*, 57 (1985) 615-620.
- 3227 Crombeen, J.P., Heemstra, S. and Kraak, J.C.: Solvent generated liquid-liquid systems on unmodified silica. *Chromatographia*, 19 (1984) 219-224.
- 3238 Daicel Chemical Industries, Ltd.: Low-molecular weight cellulose acetate with high crystallinity. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,166,501 [84,166,501] (Cl. C08B3/06), 19 Sep. 1984, Appl. 83/39,554, 10 Mar. 1983; 6 pp.; *C.A.*, 102 (1985) 97219p.
- 3239 Den, T.S. and Ketttrup, A.A.: Synthesis of phenylalkyl bonded stationary phases and their application in the HPLC of aromatic hydrocarbons. *Chromatographia*, 19 (1984) 231-235.
- 3240 Djerki, R.A., Laub, R.J. and Milonjic, S.K.: Solute retention in column liquid chromatography. VIII. Preparation and properties of metal-modified silica. *J. Liq. Chromatogr.*, 8 (1985) 281-298.
- 3241 Dowling, S.D. and Seitz, W.R.: Fluorescence study of ion pair interactions on hydrocarbon bonded surfaces. *Anal. Chem.*, 57 (1985) 602-605.
- 3242 Diedler, H.P. and Reuschenbach, H.P.: Precolumn switching in HPLC quantitation of small amounts of microbial metabolites as an alternative method to off-line extraction. *Chromatographia*, 19 (1984) 246-250.
- 3243 Fuji Photo Film Co., Ltd.: (Porous carriers for chromatography). *Jpn. Kokai Tokkyo Koho Pat.* JP 59,195,153 [84,195,153] (Cl. G01N31/08), 06 Nov. 1984, Appl. 83/70,602, 21 Apr. 1983, 9 pp.; *C.A.*, 102 (1985) 109385e.
- 3244 Guyon, F., Caude, M. and Rosset, R.: (Retention mechanisms and applications of copper silicate gels in liquid chromatography). *Analisis*, 12 (1984) 321-330; *C.A.*, 102 (1985) 124846z.
- 3245 Howard, W.A., Hsu, T.-B., Rogers, L.B. and Nelson, D.A.: Characterization of a chiral tripeptide stationary phase for the liquid chromatographic separation of chiral dipeptides. *Anal. Chem.*, 57 (1985) 606-610.
- 3246 Hsu, S.-H., Fazio, S.D., Tomellini, S.A., Crowther, J.B. and Hartwick, R.A.: In situ silane synthesis and bonding of monomeric stationary phases for high-performance liquid chromatography. *Chromatographia*, 20 (1985) 161-163.
- 3247 Huber, J.F.K., Pawłowska, M. and Markl, P.: Solvent-generated liquid-liquid chromatography with aqueous ternary systems. *Chromatographia*, 19 (1984) 19-28.
- 3248 Jorgenson, J.W., Guthrie, E.J., St.Claire, R.L., III., Dluznieski, P.R. and Knecht, L.A.: New techniques for liquid chromatography in open-tubular columns. *J. Pharm. Biomed. Anal.*, 2 (1984) 191-196; *C.A.*, 102 (1985) 89394b.
- 3249 Karapetyan, S.A., Yakushina, L.M., Vasiyarov, G.G. and Brazhnikov, V.V.: Slurry packing of high performance columns for liquid chromatography. Part 2. The effect of pressure. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 148-149.
- 3250 Li, W., Wang, J., Chen, L. and Hu, Z.: Studies on the organic fluoro-bonded phase as HPLC packing. In: P.-C. Lu and E. Bayer (Editors), *Proc. Sino-West Ger. Symp. Chromatogr. 1981*, Sci. Press, Beijing, 1983, pp. 447-462; *C.A.*, 102 (1985) 89376x.

- 3251 Lällman, C., Genieser, H.-G. and Jastorff, B.: Structural investigations on reversed-phase silicas. Determination of ligand functionality. *J. Chromatogr.*, 323 (1985) 273-280.
- 3252 Lyle, S.J. and Pearson, C.H.G.: Surface anion exchangers for ion chromatographic determinations. *Anal. Proc. (London)*, 22 (1985) 22-23; *C.A.*, 102 (1985) 114681c.
- 3253 Marino, E.L., Gonzales Lopez, F., Rodriguez Barbero, J., Gonzales Molinello, A. and Dominquez-Gil, A.: (Preparation of reversed-phase HPLC columns by a wet packing method). *Cienc. Ind. Farm.*, 3 (1984) 269-272; *C.A.*, 102 (1985) 128135q.
- 3254 Nevejans, F. and Verzele, M.: Porous polystyrene packings: characterization through pore structure determination. *Chromatographia*, 20 (1985) 173-178.
- 3255 Ohlson, S., Hansson, L., Larsson, P.O. and Mosbach, K.: (Use of high pressure liquid chromatography in the separation of enzymes and antigens). *Swed. Pat.*, SE 435,136 (Cl. G01N31/08), 10 Sep. 1984, Appl. 78/7,588, 04 Jul. 1978, 16 pp.; *C.A.*, 102 (1985) 128367s.
- 3256 Ohmacht, R. and Matus, Z.: Hydrothermal treatment of silica gel. *Chromatographia*, 19 (1984) 473-476.
- 3257 Rudzinski, W.E., Montgomery, T.L., Frye, J.S., Hawkins, B.L. and Maciel, G.E.: Synthesis, solid-state nuclear magnetic resonance characterization and chromatographic evaluation of a diphenylphosphine-octadecylsilane hybrid bonded phase. *J. Chromatogr.*, 323 (1985) 281-296.
- 3258 Smidl, P. and Pecka, K.: (Possibilities of utilization of charge-transfer sorbents in liquid chromatography and model descriptions of their chromatographic characteristics). *Sb. Vys. Sk. Chem.-Technol. Praxe, Technol. Pativ*, D49 (1984) 149-171; *C.A.*, 102 (1985) 105404n - a review with 18 refs.
- 3259 Stahlberg, J. and Almgren, M.: Polarity of chemically modified silica surfaces and its dependence on mobile-phase composition by fluorescence spectrometry. *Anal. Chem.*, 57 (1985) 817-821.
- 3260 Suffolk, B.R. and Gilpin, R.K.: Infrared spectrometric studies of cyanoalkyl ligands immobilized on chromatographic surfaces. *Anal. Chem.*, 57 (1985) 596-601.
- 3261 Sybilska, D. and Smolkova-Keulemansova, E.: Applications of inclusion compounds in chromatography. In: J.L. Atwood, J.E.D. Davies and D.D. MacNicol (Editors), *Inclusion Compounds*, Academic, London, 1984, pp. 173-243; *C.A.*, 102 (1985) 155265p.
- 3262 Verzele, M. and Van de Velde, N.: Anthracene silica gel, a new polycyclic-aromatic-bonded stationary phase for HPLC. *Chromatographia*, 20 (1985) 239-241.
- 3263 Verzele, M., De Coninck, M., Dewaele, C. and Geeraert, E.: On-column endcapping and derivatization in reversed-phase high-performance chromatography. *Chromatographia*, 19 (1984) 443-447.
- 3264 Wawrzynowicz, T., Soczewinski, E. and Czapinska, K.: Formation and migration of zones in overloaded preparative liquid-solid chromatography. *Chromatographia*, 20 (1985) 223-227.
- 3265 Welsch, T., Frank, H., Zwanziger, H., Liebisch, S. and Engewald, W.: Classification of reversed-phase materials by means of selected chromatographic data. *Chromatographia*, 19 (1984) 457-461.

For additional information see:

C.A., 102 (1985) 96468g, 97382m, 115480y, 115481z, 115875f, 142376a, 142530w, 149988k, 151477m, 154895g.

See also 3159, 3167, 3170, 3201, 3296, 3321, 3329, 3548, 3895.

3d. Quantitative analysis

- 3266 Scoble, H.A.: Quantitative analysis in liquid chromatography. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 99-111; *C.A.*, 102 (1985) 92344r.

See also 3744, 3803.

3e. Preparative scale chromatography

- 3267 Bailly, M. and Tondeur, D.: Reversibility and performance in productive chromatography. *Chem. Eng. Process.*, 18 (1984) 293-302; *C.A.*, 102 (1985) 84920k.
3268 Lescq, J.: Preparative gel permeation chromatography. *J. Liq. Chromatogr.*, 8 (1985) 875-923 - a review with 174 refs.

For additional information see:
C.A., 102 (1985) 115854y.

See also 3151, 3277.

3f. Programmed temperature, pressure, vapors, gradients

- 3269 Japan Spectroscopic Co., Ltd.: Gradient device for liquid chromatography. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,160,759 [84,160,759] (Cl. G01N31/08), 11 Sep. 1984, Appl. 83/38,199, 04 Mar. 1983; 8 pp.; *C.A.*, 102 (1985) 89314a.
3270 Perrone, P.A.: Mobile phase control. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (2984) 161-178; *C.A.*, 102 (1985) 109159j.
3271 Schwartz, H.E. and Berry, V.V.: Gradient elution for micro HPLC. Principles and instrumentation. *LC Mag.*, 3 (1985) 110-124; *C.A.*, 102 (1985) 120240z.

3g. High performance procedures

- 3272 Frei, R.W.: New sample handling strategies in HPLC. *Swiss. Chem.*, 6 (1984) 55-64; *C.A.*, 102 (1985) 89366u.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 3273 De Galan, L.: Computer aided optimization in high-performance liquid chromatography. *TrAC*, 4 (1985) 62-65.
3274 McCrazy, T.J., Jr.: Quality assurance programs via size-exclusion chromatography. the WSTATISTIC concept. *Am. Lab. (Fairfield)*, 17 (1985) 86-90; *C.A.*, 102 (1985) 79526g.
3275 Rainville, B.: A generalized chromatography data acquisition and reporting system. *Comput. Appl. Lab.*, 2 (1984) 305-306; *C.A.*, 102 (1985) 89372t.
3276 Smit, H.C.: Data analysis in chromatography. *NATO ASI Ser. C.*, 138 (Chemo-metrics) (1984) 225-250; *C.A.*, 102 (1985) 89367v.
3277 Tehrani, A.Y.: Automating an existing analytical chromatograph for preparative HPLC. *Int. Lab.*, 15 (1985) 65-72.

For additional information see:
C.A., 102 (1985) 116264t.

See also 3175.

4b. Combination of various chromatographic techniques

See 3264, 3327, 3896.

4c. Combination with other physico-chemical techniques (MS, IR, etc.)

- 3278 Alborn, H. and Stenhagen, G.: Direct coupling of packed fused-silica liquid chromatographic columns to a magnetic sector mass spectrometer and application to polar thermolabile compounds. *J. Chromatogr.*, 323 (1985) 47-66.
3279 Arpino, P.J.: Ten years of liquid chromatography-mass spectrometry. *J. Chromatogr.*, 323 (1985) 3-11.
3280 Bruins, A.P.: Developments in interfacing microbore high-performance liquid chromatography with mass spectrometry (a review). *J. Chromatogr.*, 323 (1985) 99-111.

- 3281 Catlow, D.A.: Applications of thermospray ionisation liquid chromatography-mass spectrometry to compounds of pharmaceutical interest. *J. Chromatogr.*, 323 (1985) 163-170.
- 3282 Chapman, J.R.: Liquid chromatography-mass spectrometry interfacing on a magnetic sector mass spectrometer. Techniques and applications. *J. Chromatogr.*, 323 (1985) 153-161.
- 3283 Conroy, C.M., Griffiths, P.R. and Jinno, K.: Interface of a microbore high-performance liquid chromatograph with a diffuse reflectance Fourier transform infrared spectrometer. *Anal. Chem.*, 57 (1985) 822-825.
- 3284 Hirter, P., Walther, H.J. and Dätwyler, P.: Micro column liquid chromatography-mass spectrometry using a capillary interface. *J. Chromatogr.*, 323 (1985) 89-98.
- 3285 Johnson, C.C., Hellgeth, J.W. and Taylor, L.T.: Reversed-phase liquid chromatography with Fourier transform infrared spectrometric detection using a flow cell interface. *Anal. Chem.*, 57 (1985) 610-615.
- 3286 Karger, B.L. and Vouros, P.: A chromatographic perspective of high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 323 (1985) 13-31.
- 3287 Katz, E.D. and Scott, R.P.W.: Peak dispersion in liquid chromatography - atomic adsorption spectrometry system. *Analyst (London)*, 110 (1985) 253-258.
- 3288 Lant, M.S., Martin, L.E. and Oxford, J.: Quantitative and qualitative analysis of ranitidine and its metabolites by high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 323 (1985) 143-152.
- 3289 Maris, F.A., Geerdink, R.B., Frei, R.W. and Brinkman, U.A.T.: On-line trace enrichment for improved sensitivity in liquid chromatography with direct liquid introduction mass spectrometric detection. *J. Chromatogr.*, 323 (1985) 111-120.
- 3290 Niessen, W.M.A. and Poppe, H.: Open-tubular liquid chromatography-mass spectrometry using direct liquid introduction. *J. Chromatogr.*, 323 (1985) 37-46.
- 3291 Quilliam, M.A. and Yaraskabitch, J.M.: *Tert.*-Butyldiphenylsilyl derivatization for liquid chromatography and mass spectrometry. *J. Liq. Chromatogr.*, 8 (1985) 449-461.
- 3292 Schmelzeisen-Redeker, G., McDowall, M.A., Giessmann, U., Levsen, K. and Röllgen, F.W.: Studies with a laboratory-constructed thermospray liquid chromatography-mass spectrometer interface. *J. Chromatogr.*, 323 (1985) 127-133.
- 3293 Tiebach, R., Blass, W. and Kellert, M.: Design and construction of an interface for direct liquid introduction coupling of a microbore high-performance liquid chromatograph to a quadrupole mass spectrometer. *J. Chromatogr.*, 323 (1985) 121-126.
- 3294 Van der Greef, J., Tas, A.C., ten Noever de Brauw, M.C., Höhn, M., Meijerhoff, G. and Rapp, U.: Performance of a moving belt liquid chromatography-mass spectrometry interface. *J. Chromatogr.*, 323 (1985) 81-87.
- 3295 Whitehouse, C.M., Dreuer, R.N., Yamashita, M. and Fenn, J.B.: Electrospray interface for liquid chromatographs and mass spectrometers. *Anal. Chem.*, 57 (1985) 675-679.

For additional information see:
C.A., 102 (1985) 89402c, 159764y.

See also 3199, 3304, 3323, 3337, 3397, 3410, 3498, 3798, 3903, 4018, 4021, 4039.

4d. Affinity chromatography

- 3296 Burns, M.A., Kvesitadze, G.I. and Graves, D.J.: Dried calcium alginate/magnetite spheres: a new support for chromatographic separations and enzyme immobilization. *Biotechnol. Bioeng.*, 27 (1985) 137-145; *C.A.*, 102 (1985) 108916s.
- 3297 DuVal, G., Swaisgood, H.E. and Horton, H.R.: Preparation and characterization of thionyl chloride-activated succinimidopropyl-glass as a covalent immobilization matrix. *J. Appl. Biochem.*, 6 (1984) 240-250; *C.A.*, 102 (1985) 92311c.
- 3298 Gershoni, J.M.: (Transfer of macromolecules from a chromatographic substrate to an immobilization matrix). *Fr. Demande Pat.* FR 2,540,629 (Cl. G01N27/26), 10 Aug. 1984, US Appl. 464,609, 07 Feb. 1983, 58 pp.; *C.A.*, 102 (1985) 109393f.
- 3299 Gianazza, E., Emerson, D.L. and Boutin, B.: Combined pseudo-ligand affinity chromatography as a general method for plasma protein purification. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1117-1120; *C.A.*, 102 (1985) 128116j.

- 3300 Hemdan, E.S. and Porath, J.: Development of immobilized metal affinity chromatography. I. Comparison of two iminodiacetate gels. *J. Chromatogr.*, 323 (1985) 247-254.
- 3301 Hemdan, E.S. and Porath, J.: Development of immobilized metal affinity chromatography. II. Interaction of amino acids with immobilized nickel iminodiacetate. *J. Chromatogr.*, 323 (1985) 255-264.
- 3302 Hemdan, E.S. and Porath, J.: Development of immobilized metal affinity chromatography. III. Interaction of oligopeptides with immobilized nickel iminodiacetate. *J. Chromatogr.*, 323 (1985) 265-272.
- 3303 Rajgopal, S. and Vijayalakshmi, M.A.: Role of metal ions in triazine dye affinity chromatography: the metal mediated interaction of triazine dyes with firefly luciferase. *Enzyme Microb. Technol.*, 6 (1984) 555-559; *C.A.*, 102 (1985) 127659b.

For additional information see:

C.A., 102 (1985) 94310a, 127699q.

See also 3374, 3429, 3551, 3573, 3574, 3583, 3664, 3671, 3673, 3711, 3725, 3763, 3776.

4f. Trace analysis and preseparation techniques

- 3304 Wan, C.-C., Chiang, S. and Corsini, A.: Two-column method for preconcentration of trace metals in natural waters on acrylate resin. *Anal. Chem.*, 57 (1985) 719-723.

See also 4042.

4g. Separation of enantiomers

- 3305 Gūbitz, G. and Mihellyes, S.: Direct separation of 2-hydroxy acid enantiomers by high-performance liquid chromatography on chemically bonded chiral phases. *Chromatographia*, 19 (1984) 257-259.
- 3306 Ichida, A., Shibata, T., Okamoto, I., Yuki, Y., Namkoshi, H. and Toga, Y.: Resolution of enantiomers by HPLC on cellulose derivatives. *Chromatographia*, 19 (1984) 280-284.
- 3307 Pirkle, W.H. and Hyun, M.H.: α -Arylalkylamine-derived chiral stationary phases. Evaluation of urea linkages. *J. Chromatogr.*, 322 (1985) 295-307.
- 3308 Pirkle, W.H. and Hyun, M.H.: Preparation and use of hydantoin-based chiral stationary phases. *J. Chromatogr.*, 322 (1985) 309-320.
- 3309 Pirkle, W.H., Hyun, M.H., Tsipouras, A., Hamper, B.C. and Banks, B.: A rational approach to the design of highly effective chiral stationary phases for the liquid chromatographic separation of enantiomers. *J. Pharm. Biomed. Anal.*, 2 (1984) 173-181; *C.A.*, 102 (1985) 131232z.

For additional information see:

C.A., 102 (1985) 138388p.

See also 3401, 3504.

4h. Other special techniques

- 3310 Bartle, K.D.: Supercritical fluid chromatography. *Lab. Pract.*, 34 (1985) 59-60; *C.A.*, 102 (1985) 124613w - a review with 4 refs.
- 3311 Borowko, M.: Liquid adsorption chromatography with multicomponent mobile phase. *J. Colloid Interface Sci.*, 102 (1984) 519-526; *C.A.*, 102 (1985) 33136b.
- 3312 Grevillot, G., Bailly, M. and Tondeur, D.: (A new class of productive separation methods: parametric chromatography). *Inf. Chim.*, 255 (1984) 245-251; *C.A.*, 102 (1985) 89357s.
- 3313 Hostettmann, K., Hostettmann, M. and Marston, A.: Isolation of natural products by droplet counter-current chromatography and related methods. *Nat. Prod. Rep.*, 1 (1984) 471-481; *C.A.*, 102 (1985) 74942e - a review with 93 refs.
- 3314 Ito, Y.: Multi-layer coil countercurrent chromatograph with adjustable revolutionary radius. *U.S. Pat.* US 4,487,693 (Cl. 210-198. 2; B01D15/08), 11 Dec. 1984, US Appl. 416,107, 09 Sep. 1982; 6 pp.; *C.A.*, 102 (1985) 80825k.

- 3315 Terabe, S., Otsuka, K. and Ando, T.: Electrokinetic chromatography with micellar solution and open-tubular capillary. *Anal. Chem.*, 57 (1985) 834-841.

See also 3144, 3178, 3263.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 3316 Lundanes, E. and Greibrokk, T.: Reversed-phase separation of alkanes in high-boiling fractions of crude oil. *J. Chromatogr.*, 322 (1985) 347-351.

For additional information see:
C.A., 102 (1985) 105443z.

See also 4027.

5b. Cyclic hydrocarbons

- 3317 Chen, C. and Gurka, D.P.: Cumene hydroperoxide effected hydroperoxidation by cytochrome P-450. *Arch. Biochem. Biophys.*, 238 (1985) 187-194.
- 3318 Chen, C., Ruo, T.-I. and Gurka, D.P.: Hydroperoxidation by cytochrome P-450 oxygenase: metabolism of 9-methylfluorene. *Arch. Biochem. Biophys.*, 238 (1985) 195-205.
- 3319 Felix, G., Bertrand, C. and van Gastel, F.: A new caffeine bonded phase for separation of polyaromatic hydrocarbons and petroleum asphaltenes by high-performance liquid chromatography. *Chromatographia*, 20 (1985) 155-160.
- 3320 Fetzter, J.C. and Biggs, W.R.: Solvated structure-retention relationships of peropyrene-type polycyclic aromatic hydrocarbons. *J. Chromatogr.*, 322 (1985) 275-286.
- 3321 Jinno, K. and Okamoto, M.: The influence of the pore size of bonded phases containing phenyl groups on the retention of polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography. *Chromatographia*, 20 (1985) 242-248.
- 3322 Kline, W.F., Wise, S.A. and May, W.E.: The application of perdeuterated polycyclic aromatic hydrocarbons (PAH) as internal standards for the liquid chromatographic determination of PAH in a petroleum crude oil and other complex mixtures. *J. Liq. Chromatogr.*, 8 (1985) 223-237.
- 3323 Krost, K.J.: Analysis of polynuclear aromatic mixtures by liquid chromatography/mass spectrometry. *Anal. Chem.*, 57 (1985) 763-765.
- 3324 Radke, M., Willsch, H., Garrigues, P., de Sury, R. and Ewald, M.: Identification of dimethyl- and ethylphenanthrenes in HPLC-fractions of rock and coal extracts by capillary gas chromatography and high resolution spectrofluorometry at 15 K. *Chromatographia*, 19 (1984) 355-361.

For additional information see:

C.A., 102 (1985) 107702g, 151707m, 151728u, 154528q.

See also 3239, 3325, 3329, 3472, 4027.

5c. Halogen derivatives

- 3325 Baker, M.T., Nelson, R.M. and van Dyke, R.A.: The formation of chlorobenzene and benzene by the reductive metabolism of lindane in rat liver microsomes. *Arch. Biochem. Biophys.*, 236 (1985) 506-514.

5d. Complex-hydrocarbon mixtures

- 3326 Allen, T.W., Hurtubise, R.J. and Silver, H.F.: Comparison of hydrocarbon composition in complex coal-liquid samples by liquid chromatography and field-ionization mass spectrometry. *Anal. Chem.*, 57 (1985) 666-671.

- 3327 Lucke, R.B., Later, D.W., Wright, C.W., Chess, E.K. and Weimer, W.C.: Integrated, multiple-stage chromatographic method for the separation and identification of polycyclic aromatic hydrocarbons in complex coal liquids. *Anal. Chem.*, 57 (1985) 633-639.

For additional information see:

C.A., 102 (1985) 151682z, 151756b, 151757c.

See also 4027.

6. ALCOHOLS

- 3328 Schinelli, S., Santagostino, G., Frattini, P., Cucchi, M.L. and Corona, G.L.: Assay of 3-methoxy-4-hydroxyphenylglycol in human plasma using high-performance liquid chromatography with amperometric detection. *J. Chromatogr.*, 338 (1985) 396-400.

See also 3363, 3486.

7. PHENOLS

- 3329 Cooper, H.A. and Hurtubise, R.J.: Mobile phase optimization for the reversed-phase liquid chromatography of complex hydroxyl aromatic mixtures. *J. Chromatogr.*, 324 (1985) 1-18.
- 3330 Hayes, G.E. and Hillman, D.E.: Determination of 2,6-di-*tert.*-butyl-4-methylphenol in aviation turbine fuel by liquid chromatography with electrochemical detection. *J. Chromatogr.*, 322 (1985) 376-379.
- 3331 Nisseron, S., Chauvette, C., Battard, J.C. and Porthault, M.: (Liquid chromatography separation of polyphenols. Application to tobacco extract analysis). *Analusis*, 12 (1984) 523-534; *C.A.*, 102 (1985) 75941r.
- 3332 Pellinen, J. and Salkinoja-Salonen, M.: Aqueous size exclusion chromatography of industrial lignins. *J. Chromatogr.*, 322 (1985) 129-138.

See also 3348.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 3333 Tamma, R.V., Miller, G.C. and Everett, R.: High-performance liquid chromatographic analysis of coumarins and flavonoids from section *Tridentatae* of *Artemisia*. *J. Chromatogr.*, 322 (1985) 236-239.
- 3334 Villar, A., Manes, S. and Llopis, A.: (Comparison among three different methods for determining *Helianthemum squamatum* L.). *Ann. Pharm. Fr.*, 42 (1984) 349-351; *C.A.*, 102 (1985) 109195t.

See also 3172.

8b. Aflatoxins and other mycotoxins

- 3335 Armstrong, D.W., Alak, A., DeMond, W., Hinze, W.L. and Riehl, T.E.: Separation of mycotoxins, polycyclic aromatic hydrocarbons, quinones, and heterocyclic compounds on cyclodextran bonded phases: an alternative LC packing. *J. Liq. Chromatogr.*, 8 (1985) 261-269.
- 3336 Russell, T.E. and Lee, L.S.: Effect of modular storage of Arizona seed cotton on levels of aflatoxins in seed. *J. Am. Oil Chem. Soc.*, 62 (1985) 515-517.

- 3337 Voyksner, R.D., Hagler, W.M., Jr., Tyczkowska, K. and Haney, C.A.: Thermospray high performance liquid chromatographic/mass spectrometric analysis of some *Fusarium* mycotoxins. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 119-125.

For additional information see:
C.A., 102 (1985) 77351x.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 3338 Okayama, S.: Reversed-phase high-performance liquid chromatography of prenyl-quinones in green leaves using an electrochemical detector. *Plant Cell Physiol.*, 25 (1984) 1445-1449; C.A., 102 (1985) 92313e.
- 3339 Poli, G., Dianzani, M.U., Cheeseman, K.H., Slater, T.F., Lang, J. and Esterbauer, H.: Separation and characterization of the aldehydic products of lipid peroxidation stimulated by carbon tetrachloride or ADP-iron in isolated rat hepatocytes and rat liver microsomal suspension. *Biochem. J.*, 227 (1985) 629-638.
- 3340 Tani, K. and Suzuki, Y.: (Thermodynamic investigation of retention behavior of aldehyde and ketone derivatives in reversed phase liquid chromatography). *Bunseki Kagaku*, 34 (1985) 156-161.
- 3341 Wainwright, M.S., Chapling, R.P. and Leonardi, F.: Quantitation of 1,2- and 1,4-naphthoquinone in phthalic anhydride by HPLC. *Chromatographia*, 20 (1985) 96-98.

See also 3317, 3318, 3348.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 3342 Akanuma, H., Yamanouchi, T., Ono, H., Nomura, K. and Akanuma, Y.: Sorbitol determination by liquid chromatography: application to red blood cells of diabetic rats. *J. Biochem. (Tokyo)*, 97 (1985) 579-588.
- 3343 Anderton, W.J. and Wilkinson, S.G.: Structural studies of a mannitol teichoic acid from the cell wall of bacterium N.C.T.C. 9742. *Biochem. J.*, 226 (1985) 587-599.
- 3344 Blanken, W.M., Bergh, M.L.E., Koppe, P.L., van den Eijnden, D.H.: High-pressure liquid chromatography of neutral oligosaccharides: effects of structural parameters. *Anal. Biochem.*, 145 (1985) 322-330.
- 3345 Bonn, G.: High-performance liquid chromatographic elution behaviour of oligosaccharides, monosaccharides and sugar degradation products on series-connected ion-exchange resin columns using water as the mobile phase. *J. Chromatogr.*, 322 (1985) 411-424.
- 3346 Bruce, J.S., McLean, M.W., Long, W.F. and Williamson, F.B.: *Flavobacterium heparinum* 3-O-sulphatase for N-substituted glucosamine 3-O-sulphate. *Eur. J. Biochem.*, 148 (1985) 359-365.
- 3347 Duarte-Coelho, A.C., Dumoulin, E.D. and Guerin, J.T.: High-performance liquid chromatographic determination of sucrose, glucose, fructose in complex products of distilleries. *J. Liq. Chromatogr.*, 8 (1985) 59-73.
- 3348 Felici, M., Artemi, F., Luna, M. and Speranza, M.: Determination of laccase activity with various aromatic substrates by high-performance liquid chromatography. *J. Chromatogr.*, 320 (1985) 435-439.
- 3349 Fiedler, H. and Faillard, H.: Separation and determination of neuraminic acids in nanogram quantities by liquid chromatography - a comparative study with different amino phases. *Chromatographia*, 20 (1985) 231-234.
- 3350 Furneaux, R.H.: Carbohydrate chemistry. Separatory and analytical methods. *Carbohydr. Chem.*, 16 (1985) 249-260; C.A., 102 (1985) 124820m - a review with 116 refs.
- 3351 Gundlach, M.W. and Conrad, H.E.: Glycosyl transferases in chondroitin sulphate biosynthesis. Effect of acceptor structure on activity. *Biochem. J.*, 226 (1985) 705-714.

- 3352 Hounsell, E.F., Lawson, A.M., Feeney, J., Godi, H.C., Pickering, N.J., Stoll, M.S., Lui, S.C. and Peizi, T.: Structural analysis of the O-glycosidically linked core-region oligosaccharides of human meconium glucoproteins which express oncofoetal antigens. *Eur. J. Biochem.*, 148 (1985) 367-377.
- 3353 Jelinek-Kelly, S., Akiyama, T., Saunier, B., Tkacz, J.S. and Herscovics, A.: Characterization of a specific α -mannosidase involved in oligosaccharide processing in *Saccharomyces cerevisiae*. *J. Biol. Chem.*, 260 (1985) 2253-2257.
- 3354 Kojima, N., Araki, Y. and Ito, E.: Structural studies on the linkage unit of ribitol teichoic acid of *Lactobacillus plantarum*. *Eur. J. Biochem.*, 148 (1985) 29-34.
- 3355 Kuptsevich, Yu.E., Stal'naya, I.D., Sosedov, O.N., Nakhapetyan, L.A., Pronin, A.Ya. and Larionov, O.G.: (Chromatographic isolation of fructose and glucose from their aqueous solution). *Prikl. Biokhim. Mikrobiol.*, 21 (1985) 129-134; *C.A.*, 102 (1985) 132374j.
- 3356 Lyon, G.D. and Barker, H.: The measurement of chlorogenic acid in potato leaf extracts by high-pressure liquid chromatography. *Potato Res.*, 27 (1984) 291-195; *C.A.*, 102 (1985) 58657k.
- 3357 Mutsaers, J.H.G.M., van Halbeek, H., Kamerling, J.P. and Vliegenthart, J.F.G.: Determination of the structure of the carbohydrate chains of prostaglandin endoperoxide synthase from sheep. *Eur. J. Biochem.*, 147 (1985) 569-574.
- 3358 Owens, J.A. and Robinson, J.S.: Isolation and quantitation of carbohydrates in sheep plasma by high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 303-314.
- 3359 Romero, P.A., Saunier, B. and Herscovics, A.: Comparison between 1-deoxynojirimycin and N-methyl-1-deoxynojirimycin as inhibitors of oligosaccharide processing in intestinal epithelial cells. *Biochem. J.*, 226 (1985) 733-740.
- 3360 Sarkar, M. and Mookerjee, S.: Effect of dexamethasone on the synthesis of dolichol-linked saccharides and glycoproteins in hepatocytes prepared from control and inflamed rats. *Biochem. J.*, 227 (1985) 675-682.
- 3361 Stikkelman, R.M., Tjioe, T.T., van der Wiel, J.P. and van Rantwijk, F.: High-performance liquid chromatographic separation of glucose-1-phosphate, fructose, sucrose and inorganic orthophosphate. *J. Chromatogr.*, 322 (1985) 220-222.
- 3362 Van Tilbeurgh, H., Pettersson, G., Bhikabhai, R., De Boeck, H. and Claeysens, M.: Studies of the cellulosic system of *Trichoderma reesei* QM 9414. Reaction specificity and thermodynamics of cellobiohydrolase II. *Eur. J. Biochem.*, 148 (1985) 329-334.
- 3363 Vidal-Valverde, C., Martin-Villa, C., Olmedilla, B. and Blanco, I.: High-performance liquid chromatographic systems to separate and quantify a mixture of nine sugars and four polyols. *J. Liq. Chromatogr.*, 8 (1985) 75-94.

For additional information see:
C.A., 102 (1985) 75107y, 111593q.

See also 3365, 3369, 3373, 3709.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 3364 Bartholomew, J.S., Handley, C.J. and Lowther, D.A.: The effects of trypsin treatment on proteoglycan biosynthesis by bovine articular cartilage. *Biochem. J.*, 227 (1985) 429-437.
- 3365 Bezouska, K., Taborsky, O., Kubrycht, J., Pospisil, M. and Kocourek, J.: Carbohydrate-structure-dependent recognition of desialylated serum glycoproteins in the liver and leucocytes. Two complementary systems. *Biochem. J.*, 227 (1985) 345-354.
- 3366 Cammue, B., Stinissen, H.M. and Peumans, W.J.: A new type of cereal lectin from leaves of couch grass (*Agropyrum repens*). *Eur. J. Biochem.*, 148 (1985) 315-322.
- 3367 Carlsson, S.R.: Changes in glycan branching and sialylation of the Thy-1 antigen during normal differentiation of mouse T-lymphocytes. *Biochem. J.*, 226 (1985) 519-525.
- 3368 Carre, B., Brillouet, J.-M. and Thibault, J.-F.: Characterization of polysaccharides from white lupin (*Lupinus albus* L.) cotyledons. *J. Agric. Food Chem.*, 33 (1985) 285-292.
- 3369 Cheng, P.W., Wingert, W.E., Little, M.R. and Wei, R.: Mucin biosynthesis. Properties of a bovine tracheal mucin β -6-N-acetylglucosaminyltransferase. *Biochem. J.*, 227 (1985) 405-412.

- 3370 Corfield, A.P., Clamp, J.R. and Wagner, S.A.: The metabolism of sialic acids in isolated rat colonic mucosal cells. *Biochem. J.*, 226 (1985) 163-174.
- 3371 Enrich, C. and Gahmberg, C.G.: Characterization of plasma-membrane glycoproteins from functional domains of the rat hepatocyte. *Biochem. J.*, 227 (1985) 565-572.
- 3372 Hellerstein, M.K., Sasak, V., Ordovas, J. and Munro, H.N.: Isolation of alpha 1-acid glycoprotein from human plasma using high-performance liquid chromatography. *Anal. Biochem.*, 146 (1985) 366-371.
- 3373 Hughes, R.C. and Mills, G.: Hybrid sialylated N-glycans are minor constituents of normal BHK-cell glycoproteins and a prominent feature in glycoproteins of some ricin-resistant cell lines. *Biochem. J.*, 226 (1985) 487-498.
- 3374 Klinger, M.M., Margolis, R.U. and Margolis, R.K.: Isolation and characterization of the heparan sulfate proteoglycans of brain. Use of affinity chromatography on lipoprotein lipase-agarose. *J. Biol. Chem.*, 260 (1985) 4082-4090.
- 3375 Kortt, A.A.: Characterization of the acidic lectins from winged bean seed (*Psophocarpus tetragonolobus* (L.) DC). *Arch. Biochem. Biophys.*, 236 (1985) 544-554.
- 3376 Krusius, T., Fukuda, M., Dell, A. and Ruoslahti, E.: Structure of the carbohydrate units of human amniotic fluid fibronectin. *J. Biol. Chem.*, 260 (1985) 4110-4116.
- 3377 Kumarasamy, R. and Blough, H.A.: Galactose-rich glycoproteins are on the cell surface of herpes virus-infected cells. 1. Surface labeling and serial lectin binding studies of Asn-linked oligosaccharides of glycoprotein gC. *Arch. Biochem. Biophys.*, 236 (1985) 593-602.
- 3378 Lederer, K., Huber, C., Dunky, M., Fink, J.K., Ferber, H.P. and Nitsch, E.: Studies on hydroxyethyl starch. Part I. Molecular characterization by size exclusion chromatography coupled with low-angle light scattering. *Arzneim.-Forsch.*, 35 (1985) 610-614.
- 3379 Murata, K. and Yokoyama, Y.: A high-performance liquid chromatography for constituent disaccharides of chondroitin sulfate and dermatan sulfate isomers. *Abstr. Biochem.*, 146 (1985) 327-335.
- 3380 Nääntö-Salonen, K., Larjava, H., Aalto, M. and Kivimäki, T.: Urinary glycosaminoglycans in aspartylglycosaminuria: evidence for disturbed proteoglycan metabolism. *Clin. Chim. Acta*, 146 (1985) 111-118.
- 3381 O'Neill, M.A. and Selvendran, R.R.: Hemicellulosic complexes from the cell walls of runner bean (*Phaseolus coccineus*). *Biochem. J.*, 227 (1985) 475-481.
- 3382 Shafiri, B.G., Bascom, C.C., Khurana, V.K. and Johnson, T.C.: Use of a urea and guanidine-HCl-propanol solvent system to purify a growth inhibitory glycopeptide by high-performance liquid chromatography. *J. Chromatogr.*, 324 (1985) 173-180.
- 3383 Takemoto, H., Hase, S. and Ikenaka, T.: Microquantitative analysis of neutral and amino sugars as fluorescent pyridylamino derivatives by high-performance liquid chromatography. *Anal. Biochem.*, 145 (1985) 245-250.
- 3384 Turner, R.E. and Cowman, M.K.: Cationic dye binding by hyaluronate fragments: dependence on hyaluronate chain length. *Arch. Biochem. Biophys.*, 237 (1985) 253-260.
- 3385 Vannucchi, S., Ruggiero, M. and Chiarugi, V.: Complexing of heparin with phosphatidylcholine. A possible supramolecular assembly of plasma heparin. *Biochem. J.*, 227 (1985) 57-65.
- 3386 Wilchek, M., Miron, T. and Kohn, J.: New methods for activation of polysaccharides for protein immobilization and affinity chromatography. *Ann. N. Y. Acad. Sci.*, 434 (Enzyme Eng.) (1984) 254-256; *C.A.*, 102 (1985) 92488r.

For additional information see:

C.A., 102 (1985) 75258y, 92520v, 92531z, 115361k.

See also 3354, 3549, 3559, 3588, 3629, 3653, 3686.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 3387 Allen, K.R., Khan, R. and Watson, D.: Use of a diode array detector in investigation of neonatal organic aciduria. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 561-563.
- 3388 Andrew, B.E.: Observations of aromatic acid eluents in nonsuppressed anion chromatography at equilibrium pH. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 189-191.
- 3389 Brash, A.R., Porter, A.T. and Maas, R.L.: Investigation of the selectivity of hydrogen abstraction in the nonenzymatic formation of hydroxyeicosatetraenoic acids and leukotrienes by autoxidation. *J. Biol. Chem.*, 260 (1985) 4210-4216.
- 3390 Bryant, R.W., Schewe, T., Rapoport, S.M. and Bailey, J.M.: Leukotriene formation by a purified reticulocyte lipoxygenase enzyme. Conversion of arachidonic acid and 15-hydroperoxyeicosatetraenoic acid to 14,15-leukotriene A₄. *J. Biol. Chem.*, 260 (1985) 3548-3555.
- 3391 Daish, P. and Leonard, J.V.: Rapid profiling of plasma organic acids by high performance liquid chromatography. *Clin. Chim. Acta*, 149 (1985) 87-91.
- 3392 Foucault, A., Amsterdamsky, C. and Rossat, R.: (Determination of impurities in 11-aminoundecanoic acid by ion-pair chromatography). *Analysis*, 12 (1984) 307-311; *C.A.*, 102 (1985) 124860z.
- 3393 Haginaka, J., Yusuda, H., Uno, T. and Nakagawa, T.: Degradation of clavulanic acid in aqueous alkaline solution: isolation and structural investigation of degradation products. *Chem. Pharm. Bull.*, 33 (1985) 218-224.
- 3394 Halarnkar, P.P., Nelson, J.H., Heisler, C.R. and Blomquist, G.J.: Metabolism of propionate and acetate in the cockroach *Periplaneta americana*. *Arch. Biochem. Biophys.*, 236 (1985) 526-534.
- 3395 Maas, R.L., Ingram, C.H., Porter, A.T., Oates, J.A., Taber, D.F. and Brash, A.R.: Investigation of the chemical conversion of hydroperoxyeicosatetraenoate to leukotriene epoxide using stereospecifically labeled arachidonic acid. Comparison with the enzymatic reaction. *J. Biol. Chem.*, 260 (1985) 4217-4228.
- 3396 Mentasti, E., Gennaro, M.C., Sarzanini, C., Baiocchi, C. and Savigliano, M.: Derivatization, identification and separation of carboxylic acids in wines and beverages by high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 177-189.
- 3397 Robinson, J.L., Tsimidou, M. and Macrae, R.: Evaluation of the mass detector for quantitative detection of triglycerides and fatty acid methyl esters. *J. Chromatogr.*, 324 (1985) 35-51.
- 3398 Serve, L., Combaut, G. and Pioveti, L.: Isolement, identification et dosage de l'acide (hydroxy-4-phenyl)-3-propionique par chromatographie liquide haute-performance des composés phénoliques de *Loiseleuria procumbens* Desf. (*Ericaceae*). *J. Chromatogr.*, 322 (1985) 257-260.
- 3399 Setty, B.N.Y., Stuart, M.J. and Walenga, R.W.: Formation of 11-hydroxyeicosatetraenoic acid and 15-hydroxyeicosatetraenoic acid in human umbilical arteries is catalysed by cyclooxygenase. *Biochim. Biophys. Acta*, 833 (1985) 484-494.
- 3400 Soberman, R.J., Harper, T.W., Betteridge, D., Lewis, R.A. and Austen, K.F.: Characterization and separation of the arachidonic acid 5-lipoxygenase and linoleic acid ω -6-lipoxygenase (arachidonic acid 15-lipoxygenase) of human polymorphonuclear leukocytes. *J. Biol. Chem.*, 260 (1985) 4508-4515.
- 3401 Sumitomo Chemical Co., Ltd.: (Liquid chromatographic analysis of stereoisomers of α -phenylfatty acid esters). *Jpn. Kokai Tokyo Koho Pat.* JP 59,122,947 [84,122,947] (Cl. G01N31/08), 16 Jul. 1984, Appl. 1982/231,039, 28 Dec. 1982, 5 pp.; *C.A.*, 102 (1985) 108244w.
- 3402 Vicente, T.S., Waysek, E.H. and Cort, W.M.: Determination of ascorbyl palmitate by high performance liquid chromatography. *J. Am. Oil Chem. Soc.*, 62 (1985) 745-747.
- 3403 Vratny, P. and Mudrik, Z.: Liquid chromatography of organic acids in silage extracts using dual detection. *J. Chromatogr.*, 322 (1985) 352-357.

For additional information see:

C.A., 102 (1985) 91285k, 92366z.

See also 3236, 3305, 3341, 3348, 3508, 3905, 3930.

11b. Prostaglandins

- 3404 Wong, P.Y.-K., Pieroni, J.P., Chao, P.H.-W., Sarubbi, D., Marion, D.N., Albanese, C.T. and Vaughan, E.D., Jr.: Deficiency in 15-hydroxyprostaglandin dehydrogenase activity after unilateral ureteral obstruction of the dog kidney. *J. Pharmacol. Exp. Ther.*, 232 (1985) 470-474.

For additional information see:
C.A., 102 (1985) 90196v.

11c. Lipids and their constituents

- 3405 Abe, M., Kawazoe, Y., Tsunematsu, H. and Shigematsu, N.: Peritoneal macrophages of guinea pig possibly lack LTC₄ synthetase. *Biochem. Biophys. Res. Commun.*, 127 (1985) 15-23.
- 3406 Ali, M.A., Gafur, M.A., Rahman, M.S. and Ahmed, G.M.: Variations in rat content and lipid class composition in ten different mango varieties. *J. Am. Oil Chem. Soc.*, 62 (1985) 520-523.
- 3407 Braco, L. and Abad, C.: Phosphatidylcholine-gramicidin A interaction study in non-aqueous solvent with a new HPLC-SEC column. *J. Liq. Chromatogr.*, 8 (1985) 545-554.
- 3408 Brown, H.G. and Snyder, H.E.: Adsorption of soy oil phospholipids on silica. *J. Am. Oil Chem. Soc.*, 62 (1985) 753-756.
- 3409 Deffense, E.: Fractionation of palm oil. *J. Am. Oil Chem. Soc.*, 62 (1985) 376-385.
- 3410 Erdahl, W.L. and Privett, O.S.: Analysis of lipids by high performance liquid chromatography - chemical ionization mass spectrometry. *J. Am. Oil Chem. Soc.*, 62 (1985) 786-792.
- 3411 Figlewicz, D.A., Nolan, C.E., Singh, I.N. and Jungalwala, F.B.: Pre-packed reverse phase columns for isolation of complex lipids synthesized from radioactive precursors. *J. Lipid Res.*, 26 (1985) 140-144.
- 3412 Gravotta, D. and Maccioni, H.J.F.: Gangliosides and sialosylglycoproteins in coated vesicles from bovine brain. *Biochem. J.*, 225 (1985) 713-721.
- 3413 Gross, R.W.: Identification of plasmalogen as the major phospholipid constituent of cardiac sarcoplasmic reticulum. *Biochemistry*, 24 (1985) 1662-1668.
- 3414 Kaluzny, M.A., Duncan, L.A., Merritt, M.V. and Epps, D.E.: Rapid separation of lipid classes in high yield and purity using bonded phase columns. *J. Lipid Res.*, 26 (1985) 135-140.
- 3415 Kawai, G. and Ikeda, Y.: Structure of biologically active and inactive cerebro-sides prepared from *Schizophyllum commune*. *J. Lipid Res.*, 26 (1985) 338-343.
- 3416 Kuksis, A., Myher, J.J. and Marai, L.: Lipid methodology-chromatography and beyond. Part III. Analyses of natural and ²H-labeled glycerophospholipids by GC/MS and LC/MS with specific enzymic hydrolyses. *J. Am. Oil Chem. Soc.*, 62 (1985) 767-773.
- 3417 Mansson, J.-E., Rosengren, B. and Svennerholm, L.: Separation of gangliosides by anion-exchange chromatography on Mono QTM. *J. Chromatogr.*, 322 (1985) 465-472.
- 3418 Pind, S., Kuksis, A., Myher, J.J. and Marai, L.: Deacylation of endogenously deuterated rat liver microsomal phospholipids by endogenous phospholipases. *Can. J. Biochem. Cell Biol.*, 63 (1985) 137-144.
- 3419 Singleton, J.A. and Pattee, H.E.: Retention behavior of triglycerides on reverse phase columns using pseudophase liquid chromatography. *J. Am. Oil Chem. Soc.*, 62 (1985) 739-742.
- 3420 Sonnino, S., Kirschner, G., Ghidoni, R., Acquotti, D. and Tettamanti, G.: Preparation of GM1 ganglioside molecular species having homogeneous fatty acid and long chain base moieties. *J. Lipid Res.*, 26 (1985) 248-257.
- 3421 Teng, J.I. and Smith, L.L.: Improved high-performance liquid chromatography of sphingomyelin. *J. Chromatogr.*, 322 (1985) 240-245.
- 3422 Teng, J.I. and Smith, L.L.: High-performance liquid chromatography of cardiolipin. *J. Chromatogr.*, 339 (1985) 35-44.

- 3423 Watson, S.P., Reep, B., McConnell, R.T. and Lapetina, E.G.: Collagen stimulates [³H]inositol triphosphate formation in indomethacin-treated human platelets. *Biochem. J.*, 226 (1985) 831-837.

For additional information see:
C.A., 102 (1985) 92329q, 94411j.

See also 3606.

11d. Lipoproteins and their constituents

- 3424 Alpers, D.H., Lock, D.R., Lancaster, N., Poksay, K. and Schonfeld, G.: Distribution of apolipoproteins A-I and B among intestinal lipoproteins. *J. Lipid Res.*, 26 (1985) 1-10.
- 3425 Bisgaier, C.L., Sachdev, O.M.P., Megna, L. and Glickman, R.M.: Distribution of apolipoprotein A-IV in human plasma. *J. Lipid Res.*, 26 (1985) 11-25.
- 3426 Bojanovski, D., Gregg, R.E., Ghiselli, G., Schaefer, E.J., Light, J.A. and Brewer, H.B., Jr.: Human apolipoprotein A-I isoprotein metabolism: proapo AI conversion to mature apo AI. *J. Lipid Res.*, 26 (1985) 185-193.
- 3427 Dvorin, E., Mantulin, W.W., Rohde, M.F., Gotto, A.M., Jr., Pownall, H.J. and Sherrill, B.C.: Conformational properties of human and rat apolipoprotein A-IV. *J. Lipid Res.*, 26 (1985) 38-46.
- 3428 Hopkins, G.J., Chang, L.B.F. and Barter, P.J.: Role of lipid transfer in the formation of a subpopulation of small high density lipoproteins. *J. Lipid Res.*, 26 (1985) 218-229.
- 3429 Picardo, M. and Cryer, A.: Interactions of plasma lipoproteins with glycosaminoglycans in association with fibronectin *in vitro*. *Biochem. Soc. Trans.*, 13 (1985) 215-216; *C.A.*, 102 (1985) 128128q.
- 3430 Robbs, S.L., Ryan, R.O., Schmidt, J.O., Keim, P.S. and Law, J.H.: Lipophorin of the larval honeybee, *Apis mellifera* L. *J. Lipid Res.*, 26 (1985) 241-247.
- 3431 Weinberg, R.B. and Spector, M.S.: Human apolipoprotein A-IV: displacement from the surface of triglyceride-rich particles by HDL₂ - associated C - apoproteins. *J. Lipid Res.*, 26 (1985) 26-37.

12. ORGANIC PEROXIDES

- 3432 Funk, M.O., Jr. and Baker, W.J.: Determination of organic peroxides by high performance liquid chromatography with electrochemical detection. *J. Liq. Chromatogr.*, 8 (1985) 663-675.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 3433 Cavina, G., Gallinella, B., Porra, R. and Valvo, L.: Identification and determination of corticosteroids in adrenal gland extracts for pharmaceutical use by HPLC. *Chromatographia*, 19 (1984) 206-215.
- 3434 Dibbelt, L. and Kuss, E.: Isocratic reversed-phase high-performance liquid chromatography of free and sulphoconjugated steroids. *J. Chromatogr.*, 322 (1985) 371-375.
- 3435 Dow, P.R., Davis, J.C., Gow, J.G., Wade, A.P. and Rose, M.E.: Metabolism of testosterone by human semen. *J. Steroid Biochem.*, 22 (1985) 371-376.
- 3436 Duval, D., Predine, J., Charpentier, B. and Emiliozzi, R.: Synthesis of 7 α - and β -carboxymethyl derivatives of cortisol, corticosterone, deoxycorticosterone and cortisone. Immunogenic properties of cortisol, corticosterone and deoxycorticosterone derivatives. *J. Steroid Biochem.*, 22 (1985) 67-78.
- 3437 Gomez-Sanchez, C.E., Kirk, D.N., Farrant, R.D. and Milewich, L.: 18-Substituted steroids: synthesis of 18-hydroxycortisol (11 β ,17 α ,18,21-tetrahydroxy-4-pregnene-3,20-dione) and 18-hydroxycortisone (17 α ,18,21-trihydroxy-4-pregnene-3,11,20-trione). *J. Steroid Biochem.*, 22 (1985) 141-146.

- 3438 Gutenberger, S.K., Olson, D.P. and Kagel, R.A.: Comparison of reversed-phase high performance liquid chromatography and competitive protein binding assay in the quantification of cortisol in bovine plasma. *J. Liq. Chromatogr.*, 8 (1985) 107-124.
- 3439 Johnson, K., Amidon, G.L. and Pogany, S.: Solution kinetics of a water-soluble hydrocortisone prodrug: hydrocortisone-21-lysinate. *J. Pharm. Sci.*, 74 (1985) 87-89.
- 3440 Mahato, S.B., Banerjee, S. and Sahu, N.P.: Metabolism of progesterone and testosterone by a *Bacillus* sp. *Steroids*, 43 (1984) 545-558.
- 3441 Ofner, P., Douglas, W.H.J., Spilman, S.D., Vena, R.L., Krinsky-Feibush, P. and LeQuesne, P.W.: Hydroxylation of [³H]5 α -androstane-3 β ,17 β -diol by whole tissue, epithelial cells and fibroblast from the same hyperplastic human prostate. *J. Steroid Biochem.*, 22 (1985) 391-397.
- 3442 Rao, P.N. and Domadaran, K.M.: Synthesis of a precursor for the preparation of 9 α ,11 α -tritiated 5 α -androstane-3 α ,17 β -diol 17 glucuronide. *Steroids*, 43 (1984) 343-350.
- 3443 Schmidt, N.A., Borburgh, H.J., Penders, T.J. and Weykamp, C.W.: Steroid profiling - an update. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 637-639.
- 3444 Schoneshofer, M., Kage, A., Weber, B., Lenz, I. and Kottgen, E.: Determination of urinary free cortisol by "on-line" liquid chromatography. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 564-568.
- 3445 Weinberger, R., Koziol, T. and Millington, G.: Improved dansylation procedure for the determination of ketosteroids by liquid chromatography. *Chromatographia*, 19 (1984) 452-456.
- 3446 Yeo, K.H.J. and Whitau, W.J.: ¹²⁵I Radioimmunoassay for 17 α -hydroxyprogesterone in plasma, for diagnosing and managing congenital adrenal hyperplasia. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 454-456.

See also 3449, 3452, 3634, 3642, 3795.

13b. Estrogens

- 3447 Bain, J.D., Kasman, L.H., Bercovitz, A.B. and Lasley, B.L.: A comparison of three methods of hydrolysis for estrogen conjugates. *Steroids*, 43 (1984) 603-619.
- 3448 Larner, J.M., MacLusky, N.J. and Hochberg, R.B.: The naturally occurring C-17 fatty acid esters of estradiol are long-acting estrogens. *J. Steroid Biochem.*, 22 (1985) 407-413.
- 3449 Oka, K., Ikitsu, T., Minagawa, K., Hara, S. and Noguchi, M.: Efficient chromatographic fractionation of steroids in human serum through regulation of liquid-liquid distribution ratios. *J. Chromatogr.*, 339 (1985) 253-261.
- 3450 Roos, R.W. and Lau-Cam, C.A.: Liquid chromatographic analysis of conjugated and esterified estrogens in tablets. *J. Pharm. Sci.*, 74 (1985) 201-204.
- 3451 Symes, E.K., Coulson, W.F. and Ralphs, D.N.L.: The synthesis of 16 α -[¹³¹I]iodo-oestradiol and evaluation of its use as a radiotracer for oestrogen receptor positive breast tumours. *J. Steroid Biochem.*, 22 (1985) 155-160.
- 3452 Yamaki, J., Yamamoto, T. and Okada, H.: Aromatization of androstenedione by normal and neoplastic endometrium of the uterus. *J. Steroid Biochem.*, 22 (1985) 63-66.

For additional information see:

C.A., 102 (1985) 154623s.

13c. Sterols

- 3453 Ksebati, M.B. and Schmitz, F.J.: 24 ξ -Methyl-5 α -cholestane-3 β ,5,6 β ,22R,24-pentol 6-acetate: new polyhydroxylated sterol from the soft coral *Asterospicularia randalli*. *Steroids*, 34 (1984) 639-649.
- 3454 Tait, A.D. and Hodge, L.C.: Steroid biosynthesis by a sesterpene pathway in the rat adrenal gland *in vitro*. *J. Steroid Biochem.*, 22 (1985) 237-242.

13d. *Bile acids and alcohols*

- 3455 Abbott, D.A., Schlarman, D.E., Patrick, P.H., Tal, D.M. and Elliot, W.H.: Bile acids, LXXII. High-performance liquid chromatographic analysis of bile acid coenzyme A derivatives. *Anal. Biochem.*, 146 (1985) 437-441.
- 3456 Kimura, M., Hatono, S., Une, M., Fukuoka, C., Kuramoto, T. and Hoshita, T.: Synthesis, intestinal absorption and metabolism of sarcosine conjugated ursodeoxycholic acid. *Steroids*, 43 (1984) 677-687.
- 3457 Kuroki, S., Shimazu, K., Kuwabara, M., Une, M., Kihira, K., Kuramoto, T. and Hoshita, T.: Identification of bile alcohols in human bile. *J. Lipid Res.*, 26 (1985) 230-240.
- 3458 Sekisui Chemical Co., Ltd.: (Quantitative determination of bile acids). *Jpn. Kokai Tokkyo Koho Pat. JP [59,197,858]* (Cl. G01N31/08), 09 Nov. 1984, Appl. 83/73,308, 25 Apr. 1983, 5 pp.; *C.A.*, 102 (1985) 109384d.
- 3459 Swobodnik, W., Klüppelberg, U., Wechsler, J.G., Volz, M., Normandin, G. and Ditschuneit, H.: Rapid and accurate reversed-phase high-performance liquid chromatographic determination of conjugated bile acids in human bile for routine clinical applications. Therapeutic control during gallstone dissolution therapy. *J. Chromatogr.*, 339 (1985) 263-271.

13e. *Ecdysones and other insect steroid hormones*

- 3460 Lachaise, F. and Lafont, R.: Ecdysteroid metabolism in a crab: *Carcinus maenas* L. *Steroids*, 43 (1984) 243-259.
- 3461 Thompson, M.J., Svoboda, J.A. and Weirich, G.F.: Ecdysteroids in developing ovaries and eggs of the tobacco hornworm. *Steroids*, 43 (1984) 333-341.

13f. *Other steroids*

- 3462 Xu, C.-J. and Lin, J.-T.: Comparison of silica-, C₁₈-, and NH₂-HPLC columns for the separation of neutral steroid saponins from *Dioscorea* plants. *J. Liq. Chromatogr.*, 8 (1985) 361-368.
- 3463 Yoshizawa, I. and Kameyama, M.: Clinical analysis of steroids. XXXII. New method for the determination of hapten number of the antigen prepared for the radioimmunoassay of steroidal sulphates using ion chromatography. *J. Chromatogr.*, 338 (1985) 404-409.

14. STEROID GLYCOSIDES AND SAPONINS

For additional information see:

C.A., 102 (1985) 75306n.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. *Terpenes*

- 3464 Croteau, R. and Shaskus, J.: Biosynthesis of monoterpenes: demonstration of a geranyl pyrophosphate: (-)-bornyl pyrophosphate cyclase in soluble enzyme preparations from tansy (*Tanacetum bulgare*). *Arch. Biochem. Biophys.*, 235 (1985) 535-543.

See also 3454.

15b. *Bitter substances*

- 3465 Narziss, L. and Scheller, L.: (Composition of bitter substances in hops and hop products and their variation during the brewing process. Part 1.: Description of HPLC-methods of analysis and initial results of comparison of determination of bitter substances by MEBAK and HPLC methods). *Monatschr. Brauwiss.*, 37 (1984) 496-504; *C.A.*, 102 (1985) 130343z.

16. NITRO AND NITROSO COMPOUNDS

- 3466 Bender, E.C.: Analysis of smokeless powders using UV/TEA detection. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 309-320; *C.A.*, 102 (1985) 90910y.
- 3467 Bowermaster, J. and McNair, H.M.: Detection of explosive residues by microbore HPLC. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 321-327; *C.A.*, 102 (1985) 90911z.
- 3468 Cantu, A.A., Washington, W.D., Strobel, R.A. and Tontarski, R.E.: Evaluation of FTIR as a detector for the HPLC analysis of explosives. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 349-363; *C.A.*, 102 (1985) 107584v.
- 3469 Haebeler, A.F. and Scott, T.: High-performance liquid chromatographic analysis of nitrophenols. In: L.H. Keith (Editor), *Adv. Identif. Anal. Org. Pollut. Water*, Ann Arbor Sci., Ann Arbor, 1981, pp. 359-370; *C.A.*, 102 (1985) 137456x.
- 3470 Kissinger, P.T.: Liquid chromatography/electrochemistry determination of explosives: improved performance using low dead volume multiple electrode transducers. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 45-48; *C.A.*, 102 (1985) 90834b.
- 3471 Krull, I.S., Selavka, C., Ding, X.D., Bratin, K. and Fouier, G.: The trace analysis for explosive and related compounds via liquid chromatography-electrochemistry (LCEC). *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 11-29; *C.A.*, 102 (1985) 97782s.
- 3472 Lindner, W., Posch, W., Wolfbeis, O.S. and Tritthart, P.: Analysis of nitro-PAHs in diesel exhaust particulate extracts with multicolumn HPLC. *Chromatographia*, 20 (1985) 213-218.
- 3473 Reutter, D.J. and Buechele, R.C.: Ion chromatograph of explosives and explosive residues. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 199-207; *C.A.*, 102 (1985) 90906b.
- 3474 Riddell, R.H. and Mills, T.: Analysis of explosive by HPLC-FTIR. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 289-307; *C.A.*, 102 (1985) 90909e.
- 3475 Tricker, A.R., Perkins, M.J., Massey, R.C., Bishop, C., Key, P.E. and McWeeney, D.J.: Incidence of some non-volatile N-nitroso compounds in cured meats. *Food Addit. Contam.*, 1 (1984) 245-252; *C.A.*, 102 (1985) 111565g.
- 3476 Yinon, J. and Hwang, D.-G.: Metabolic studies of explosives. II. High-performance liquid chromatography-mass spectrometry of metabolites of 2,4,6-trinitrotoluene. *J. Chromatogr.*, 339 (1985) 127-137.
- 3477 Yinon, J.: Analysis of explosives by LC/MS. *Proc. Int. Symp. Anal. Detect. Explos., Fed. Bur. Invest.*, Washington, 1983, pp. 227-234; *C.A.*, 102 (1985) 107579x.

See also 4041.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 3478 Hultin, T.A. and Weber, W.W.: Genetic differences in 2-aminofluorene pharmacokinetics between intact C57BL/6J and A/J mice. *Drug Metab. Disp.*, 13 (1985) 148-150.
- 3479 Kimoto, E., Kuraya, M. and Morishige, F.: (Polyamine levels in the urine and erythrocytes of cancer patients). *Fukuoka Daigaku Rigaku Shuho*, 14 (1984) 89-92; *C.A.*, 102 (1985) 92350q.
- 3480 Kremmer, T., Boldizar, M. and Holczinger, L.: Application of Pharmacia automated FPLC system and PepRPC HR 5/5 bonded phase column for determination of dansylated polyamines. *Chromatographia*, 20 (1985) 79-82.
- 3481 Seiler, N. and Knödgen, B.: Determination of polyamines and related compounds by reversed-phase high-performance liquid chromatography: improved separation systems. *J. Chromatogr.*, 339 (1985) 45-57.

- 3482 Ward, C.J.P., Radzik, D.M. and Kissinger, P.T.: Detection of toxic compounds in polyurethane food bags by liquid chromatography/electrochemistry. *J. Liq. Chromatogr.*, 8 (1985) 677-690.

For additional information see:
C.A., 102 (1985) 75073j.

17b. Catecholamines and their metabolites

- 3483 Armbruster, F.P., Schmidt-Gayk, H. and Hitzler, W.: (Determination of catecholamines in urine by high performance liquid chromatography (HPLC) and fluorometric detection). *Aerztl. Lab.*, 30 (1984) 343-347; *C.A.*, 102 (1985) 72947m.
- 3484 Bartlett, W.A.: A comparison and clinical applications of ammonium acetate and phosphate based mobile phases for the separation of catecholamines on reversed-phase columns. *J. Liq. Chromatogr.*, 8 (1985) 719-751.
- 3485 De Jong, J., van Valkenburg, C.F.M. and Tjaden, U.R.: Selective retention of catecholamines and their derivatives in reversed-phase ion-pair partition chromatography. *J. Chromatogr.*, 322 (1985) 43-53.
- 3486 Howes, L.G., Miller, S. and Reid, J.L.: Simultaneous assay of 3,4-dihydroxyphenylethylene glucol and norepinephrine in human plasma by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 338 (1985) 401-403.
- 3487 Kemper, K., Hagemeyer, E., Ahrens, D., Boos, K.-S. and Schlimme, E.: Group-selective prefractionation and analysis of urinary catecholamines by on-line HPLC-HPLC chromatography. *Chromatographia*, 19 (1984) 288-291.
- 3488 Mori, K. and Imai, K.: Sensitive high-performance liquid chromatography system with fluorometric detection of three urinary catecholamines in the same range. *Anal. Biochem.*, 146 (1985) 283-286.
- 3489 Parker, E.M. and Cubeddu, L.X.: Evidence for autoreceptor modulation of endogenous dopamine release from rabbit caudate nucleus *in vitro*. *J. Pharmacol. Exp. Ther.*, 232 (1985) 492-500.
- 3490 Salzman, S.K., Eckman, C.L. and Hirofujii, E.: Determination of spinal cord monoamines and metabolites using three micron columns and dual electrochemical detection. *J. Liq. Chromatogr.*, 8 (1985) 345-360.

For additional information see:
C.A., 102 (1985) 90199y, 137894p.

See also 3201.

17c. Amine derivatives and amides (excluding peptides)

- 3491 Ikarashi, Y., Sasahara, T. and Maruyama, Y.: Determination of choline and acetylcholine levels in rat brain regions by liquid chromatography with electrochemical detection. *J. Chromatogr.*, 322 (1985) 191-199.
- 3492 Jirna, T., Fleischmann, B., Burghardt, G., Beyrich, T., Martin, E. and Kühmstedt, H.: HPLC-Untersuchungen zum Verteilungsverhalten von Guanyl- und N-Phenylguanylhydrazonderivaten. *Pharmazie*, 40 (1985) 34-36.
- 3493 Lehtonen, P.: Use of molecular connectivity indices to predict LC retention of dansylamides in six different eluent systems. *Chromatographia*, 19 (1984) 316-321.
- 3494 Raghuvveeran, C.D.: Reversed-phase ion-pair chromatographic separation of acetylcholine and choline. *J. Liq. Chromatogr.*, 8 (1985) 537-544.
- 3495 Watanabe, Y., Shindo, S. and Mori, A.: Identification of 2-guanidinoethanol in human urine. *Eur. J. Biochem.*, 147 (1985) 465-468.

See also 3170, 3739, 3902.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 3496 Abecassis, J., David-Eteve, C. and Soun, C.: The separation of 24 OPA-AA of natural origin and quantitative analysis of tyrosine by means of HPLC. *J. Liq. Chromatogr.*, 8 (1985) 135-153.
- 3497 Badoud, R. and Pratz, G.: Simple and rapid quantitative determination of lysinoalanine and protein hydrolysate amino acids by high-performance liquid chromatography after derivatization with dansyl chloride. *Chromatographia*, 19 (1984) 155-164.
- 3498 Games, D.E. and Ramsey, E.D.: High-performance liquid chromatography-mass spectrometry of derivatized and underivatized amino acids. *J. Chromatogr.*, 323 (1985) 67-79.
- 3499 Hearn, M.T.W.: Ion-pair chromatography of amino acids, peptides and proteins. *Chromatogr. Sci.*, 31 (Ion-pair chromatogr.) (1985) 207-257; *C.A.*, 102 (1985) 128024c - a review with 145 refs.
- 3500 Henshall, A., Pickering, M.J. and Soto, D.: (Analysis of amino acids by HPLC with a ternary gradient system). *Spectra 2000*, 12 (1984) 29-32; *C.A.*, 102 (1985) 75081k.
- 3501 MacDonald, A. and Nieman, T.A.: Flow injection and liquid chromatography detector for amino acids based on a postcolumn reaction with luminol. *Anal. Chem.*, 57 (1985) 936-940.
- 3502 Marfey, P. and Ottesen, M.: Determination of D-amino acids. I. Hydrolysis of DNP-L-amino acid methyl esters with carboxypeptidase-Y. *Carlsberg Res. Commun.*, 49 (1984) 585-590; *C.A.*, 102 (1985) 92284w.
- 3503 Polmerini, C.A., Fini, C., Floridi, A., Morelli, A. and Vedovelli, A.: High-performance liquid chromatographic analysis of free hydroxyproline and proline in blood plasma and of free and peptide-bound hydroxyproline in urine. *J. Chromatogr.*, 339 (1985) 285-292.
- 3504 Pirkle, W.H. and Hyun, M.H.: Reversed-phase chromatographic resolution of N-(3,5-dinitrobenzoyl)- α -amino acids on chiral stationary phases. *J. Chromatogr.*, 322 (1985) 287-293.
- 3505 Robert, J.C., Soumarmon, A. and Lewin, M.J.M.: Determination of O-phosphothreonine, O-phosphoserine, O-phosphotyrosine and phosphate by high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 315-324.
- 3506 Shih, F.F.: Analysis of glutamine, glutamic acid and pyroglutamic acid in protein hydrolysates by high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 248-256.
- 3507 Sparks, D.L. and Slevin, J.T.: Determination of tyrosine, tryptophan and their metabolic derivatives by liquid chromatography-electrochemical detection: application to postmortem samples from patients with Parkinson's and Alzheimer's disease. *Life Sci.*, 36 (1985) 449-457; *C.A.*, 102 (1985) 92322g.
- 3508 Stephens, T.W., Higgins, A.J., Cook, G.A. and Harris, R.A.: Two mechanisms produce tissue-specific inhibition of fatty acid oxidation by oxfenicine. *Biochem. J.*, 227 (1985) 651-660.
- 3509 Tomarelli, R.M., Yuhas, R.J., Fisher, A. and Weaver, J.R.: An HPLC method for the determination of reactive (available) lysine in milk and infant formulas. *J. Agric. Food Chem.*, 33 (1985) 316-318.
- 3510 Tsuchiya, H., Hayashi, T., Tatsumi, M., Fukita, T. and Takagi, N.: Simplified procedure for specific determination of imino acids in human blood plasma by high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 59-65.
- 3511 Tsunasawa, S., Kondo, J. and Sakiyama, F.: Isocratic separation of PTH-amino acids at picomole level by reversed-phase HPLC in the presence of sodium dodecylsulfate. *J. Biochem. (Tokyo)*, 97 (1985) 701-704.
- 3512 Zamir, L.O., Tiberio, R., Fiske, M., Berry, A. and Jensen, R.A.: Enzymatic and nonenzymatic dehydration reaction of L-arogenate. *Biochemistry*, 24 (1985) 1607-1612.

For additional information see:

C.A., 102 (1985) 75059j, 84494z, 106434j, 111552a, 111606w, 128137s.

See also 3687.

18b. Peptides and peptidic and proteinous hormones

- 3513 Akaji, K., Fujii, N., Yajima, H., Hayashi, K., Mizuta, K., Aono, M. and Morita, M.: Studies on peptides. CXXVII. Synthesis of a tripentacontapeptide with epidermal growth factor activity. *Chem. Pharm. Bull.*, 33 (1985) 184-201.
- 3514 Argiolas, A. and Pisano, J.J.: Bombolitin, a new class of mast cell degranulating peptides from the venom of the bumblebee *Megabombus pennsylvanicus*. *J. Biol. Chem.*, 260 (1985) 1437-1444.
- 3515 Dizdaroglu, M.: Weak anion-exchange high-performance liquid chromatography of peptides. *J. Chromatogr.*, 334 (1985) 49-69.
- 3516 Goldstein, S., Stivaletta, L.A. and Philips, L.S.: Separation of somatomedins and somatomedin inhibitors by size exclusion high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 388-393.
- 3517 Grego, B., van Driel, I.R., Stearne, P.A., Goding, J.W., Nice, E.C. and Simpson, R.J.: A microbore high-performance liquid chromatography strategy for the purification of polypeptides for gas-phase sequence analysis. Structural studies on the murine transferrin receptor. *Eur. J. Biochem.*, 148 (1985) 485-491.
- 3518 Kai, M., Miyazaki, T., Sakamoto, Y. and Ohkura, Y.: Use of benzoin as pre-column fluorescence derivatization reagent for the high-performance liquid chromatography of angiotensins. *J. Chromatogr.*, 322 (1985) 473-477.
- 3519 Kato, H., Enjyoji, K.-i., Miyata, T., Hayashi, I., Oh-ishi, S. and Iwanaga, S.: Demonstration of arginyl-bradykinin moiety in rat HMW kininogen: direct evidence for liberation of bradykinin by rat glandular kallikreins. *Biochem. Biophys. Res. Commun.*, 127 (1985) 289-295.
- 3520 Margolis, S.A. and Dizdaroglu, M.: Separation and purification of diastereomers of angiotensin I by weak anion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 117-128.
- 3521 Marriq, C., Lejeune, P.-J., Rolland, M. and Lissitzky, S.: Use of guanidine hydrochloride in the purification by reversed-phase high-performance liquid chromatography of thyroxinyl- and triiodothyronylpeptides derived from thyroglobulin. *J. Chromatogr.*, 323 (1985) 395-401.
- 3522 Norman, J.A. and Chang, J.-Y.: Proteolytic conversion of [Met]⁶-enkephalin-Arg⁶-Gly⁷-Leu⁸ by brain synaptic membranes. Characterization of formed peptides and mechanism of proteolysis. *J. Biol. Chem.*, 260 (1985) 2653-2656.
- 3523 Pallai, P.V., Struthers, R.S. and Goodman, M.: Partial retro-inverso analogues of somatostatin: pairwise modifications at residues 7 and 8 and at residues 8 and 9. *Biochemistry*, 24 (1985) 1933-1941.
- 3524 Parker, P.J., Katan, M., Waterfield, M.D. and Leader, D.P.: The phosphorylation of eukaryotic ribosomal protein S6 by protein kinase C. *Eur. J. Biochem.*, 148 (1985) 579-586.
- 3525 Ransom, J.H., Evans, C.H., McCabe, R.P., Pomato, N., Heinbaugh, J.A., Chin, M. and Hanna, M.G., Jr.: Leukoregulin, a direct-acting anticancer immunological hormone that is distinct from lumphotoxin and interferon. *Cancer Res.*, 45 (1985) 851-862.
- 3526 Schuldiner, A.R., Newland, R.J. and Rosenblatt, M.: N-Cyclo-[Leu⁵]enkephalin: a rational approach for the synthesis of conformationally restricted cyclic pentapeptides. *Arch. Biochem. Biophys.*, 238 (1985) 111-117.
- 3527 Smal, J., Closset, J., Hennen, G. and de Meyts, P.: Receptor-binding and down-regulatory properties of 22000-M_r human growth hormone and its natural 20000-M_r variant on IM-9 human lymphocytes. *Biochem. J.*, 225 (1985) 283-289.
- 3528 Smith, H.W., Jr., Atkins, L.M., Binkley, D.A., Richardson, W.G. and Miner, D.J.: A universal HPLC determination of insulin potency. *J. Liq. Chromatogr.*, 8 (1985) 419-439.
- 3529 Sutton, R. and Ferguson, S.J.: Tyrosine-311 of a β chain is the essential residue specifically modified by 4-chloro-7-nitrobenzofurazan in bovine heart mitochondrial ATPase. *Eur. J. Biochem.*, 148 (1985) 551-554.
- 3530 Werner, H., Amarant, T., Millar, R.P., Fridkin, M. and Koch, Y.: Immunoreactive and biologically active somatostatin in human and sheep milk. *Eur. J. Biochem.*, 148 (1985) 353-357.
- 3531 Yamamoto, R., Kimura, S., Hattori, S., Matsuura, A. and Hayakawa, T.: Immuno-enzymometric assay for insulin involving column chromatography and insulin immobilized on Sepharose. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 628-630.

- 3532 Zull, J.E. and Chuang, J.: Characterization of parathyroid hormone fragments produced by cathepsin D. *J. Biol. Chem.*, 260 (1985) 1608-1613.

For additional information see:

C.A., 102 (1985) 75074k, 90182n, 90200s, 119620s, 125708t, 125943r.

See also 3302, 3566, 3579, 3582, 3593, 3621, 3774, 3775, 3899.

19c. General techniques of elucidation of structure of proteins

- 3533 Frankis, R.C., Weise, M.J., Nair, R.M.G. and Paddick, G.V.: Globin proteins of the normal and anaemic duck. *Arch. Biochem. Biophys.*, 238 (1985) 178-186.
- 3534 Hayashi, H., Ohe, Y., Hayashi, T. and Iwai, K.: Improved procedures for automated liquid phase sequence analysis of protein and peptide. *J. Biochem. (Tokyo)*, 97 (1985) 441-448.
- 3535 Hiken, J.F. and Lawrence, J.C., Jr.: Rat skeletal muscle glycogen synthase: Phosphorylation of the purified enzyme by cAMP-dependent and -independent protein kinases. *Arch. Biochem. Biophys.*, 236 (1985) 59-71.
- 3536 Mendez, E., Matas, R. and Sotiano, F.: Complete automatization of peptide maps by reversed-phase liquid chromatography using o-phthalaldehyde pre-column derivatization. *J. Chromatogr.*, 323 (1985) 373-382.
- 3537 Murai, H., Hara, S., Ikenaka, T., Oda, K. and Murao, S.: Amino acid sequence of Streptomyces Metallo-Proteinase Inhibitor from *Streptomyces nigrescens* TK-23. *J. Biochem. (Tokyo)*, 97 (1985) 173-180.
- 3538 Norioka, N., Okada, T., Hamazume, Y., Mega, T. and Ikenaka, T.: Comparison of the amino acid sequences of hen plasma-, yolk-, and white-riboflavin binding proteins. *J. Biochem. (Tokyo)*, 97 (1985) 19-28.
- 3539 Stüber, K., Deutscher, J., Sobek, H.M., Hengstenberg, W. and Beyreuther, K.: Amino acid sequence of the amphiphilic phosphocarrier protein factor III^{Lac} of the lactose specific phosphotransferase system of *Staphylococcus aureus*. *Biochemistry*, 24 (1985) 1164-1168.

See also 3594, 3608.

19. PROTEINS

19a. General techniques

- 3540 Belen'kii, B.G. and Mal'tsev, V.G.: (Aqueous high-performance exclusion liquid chromatography of biopolymers, its problems and prospects). *Prikl. Khromatogr.*, (1984) 54-64; *C.A.*, 102 (1985) 109078g - a review with 35 refs.
- 3541 Chen, X.C., Kasai, H. and Okuyama, T.: (Electrophoretic elution of Coomassie-Blue stained protein from polyacrylamide gels and its chromatographic analysis). *Bunseki Kagaku*, 34 (1985) 137-142.
- 3542 Cohen, K.A., Grillo, S.A. and Dolan, J.W.: A comparison of protein retention and selectivity on large-pore reversed-phase HPLC columns. *LC Mag.*, 3 (1985) 37-40; *C.A.*, 102 (1985) 128149x.
- 3543 Engelhardt, H. and Müller, H.: Optimal conditions for the reversed-phase chromatography of proteins. *Chromatographia*, 19 (1984) 77-84.
- 3544 Goheen, S.C. and Stevens, A.: New techniques for separating proteins in hydrophobic interaction HPLC. *BioTechniques*, 3 (1985) 48-54; *C.A.*, 102 (1985) 128150r.
- 3545 Hara, T., Toriyama, M. and Ebuchi, T.: The determination of a small amount of biological constituents by the use of chemiluminescence. IV. A highly sensitive detector for the HPLC of protein. *Bull. Chem. Soc. Jpn.*, 58 (1985) 109-114; *C.A.*, 102 (1985) 128053m.
- 3546 Kadoya, T., Fukumoto, K., Manabe, T. and Okuyama, T.: (High performance-multi-sample analysis of proteins by micro-slab polyacrylamide gel electrophoresis). *Bunseki Kagaku*, 34 (1985) 151-156.
- 3547 Kadoya, T., Isobe, T., Amano, Y., Kato, Y., Nakamura, K. and Okuyama, T.: High performance anion-exchange chromatography of proteins. *J. Liq. Chromatogr.*, 8 (1985) 635-650.

- 3548 Kato, Y., Nakamura, K. and Hashimoto, T.: Recovery of proteins in high performance ion exchange chromatography. *J. High Resolut. Chromatogr. Chromatogr. Comm.*, 8 (1985) 154-155.
- 3549 Leyboldt, J.K., Frigon, R.P. and Henderson, L.W.: Chromatogram broadening of proteins and dextrans in size exclusion chromatography. *J. Appl. Polym. Sci.*, 29 (1984) 3533-3546; *C.A.*, 102 (1985) 89380u.
- 3550 Mizutani, T.: Adsorption chromatography of biopolymers on porous glass. *J. Liq. Chromatogr.*, 8 (1985) 925-983 - a review with 102 refs.
- 3551 Qadri, F.: The reactive triazine dyes: their usefulness and limitations in protein purification. *Trends Biotechnol.*, 3 (1985) 7-12; *C.A.*, 102 (1985) 128044j.
- 3552 Redeuilh, G., Secco, C. and Baulieu, E.-E.: The use of the biotinyl estradiol-avidin system for the purification of "nontransformed" estradiol receptor by biohormonal affinity chromatography. *J. Biol. Chem.*, 260 (1985) 3996-4002.
- 3553 Sulkowski, E.: Purification of proteins by IMAC. *Trends Biotechnol.*, 3 (1985) 1-7; *C.A.*, 102 (1985) 126043h.
- 3554 Warren, F.V., Jr. and Bidlingmeyer, B.A.: On the need for "wide pores" in the reversed-phase liquid chromatographic separation of proteins. *J. Liq. Chromatogr.*, 8 (1985) 619-634.
- 3555 Winter, A., Karlsson, E., Mbugua, P., Moberg, U. and Pernow, C.: High performance hydrophobic interaction chromatography of proteins: application to the purification of black mamba venom. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1077-1080; *C.A.*, 102 (1985) 107554k.

See also 3255.

19b. *Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)*

- 3556 Aggarwal, B.B., Henzel, E.J., Moffat, B., Kohr, W.J. and Harkins, R.N.: Primary structure of human lymphotoxin derived from 1788 lymphoblastoid cell line. *J. Biol. Chem.*, 260 (1985) 2334-2344.
- 3557 Heukeshoven, J. and Dernick, R.: Reverse-phase high-performance liquid chromatography of virus proteins and other hydrophobic proteins. *Chromatographia*, 19 (1984) 95-100.
- 3558 Ikaigai, H., Nakae, T. and Kato, Y.: Analysis of membrane proteins by ion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 212-219.
- 3559 Morton, P.A. and Steiner, S.M.: Extracellular and cellular protein of rat cells with O-glycosidically linked fucose. *Biochem. J.*, 225 (1985) 59-65.
- 3560 Stevenson, G., Leavesley, D.I., Lagnado, C.A., Heuzenroeder, M.W. and Manning, P.A.: Purification of the 25-kDa *Vibrio cholerae* major outer-membrane protein and the molecular cloning of its gene: *omp V*. *Eur. J. Biochem.*, 148 (1985) 385-390.
- 3561 Takagi, K., Ichikawa, Y. and Nagata, K.: Changes in K⁺, Na⁺-sensitive actin gelation factor during the differentiation of myeloid leukemia cells. *J. Biochem. (Tokyo)*, 97 (1985) 605-616.
- 3562 Vernon, L.P., Evett, G.E., Zeikus, R.D. and Gray, W.R.: A toxic thionin from *Pyricularia pubera*: Purification, properties, and amino acid sequence. *Arch. Biochem. Biophys.*, 238 (1985) 18-29.

19c. *Microbial and plant proteins*

- 3563 Fernandez-Luna, J.L., Lopez-Otin, C., Soriano, F. and Mendez, E.: Complete amino acid sequence of the *Aspergillus* cytotoxin mitogillin. *Biochemistry*, 24 (1985) 861-867.
- 3564 Gatenhouse, J.A., Gilroy, J., Hoque, M.S. and Croy, R.R.D.: Purification, properties and amino acid sequence of a low-M_r abundant seed protein from pea (*Pisum sativum* L.). *Biochem. J.*, 225 (1985) 239-247.
- 3565 Ishikawa, C., Watanabe, K., Sakata, N., Nakagaki, C., Nakamura, S. and Takahashi, K.: Azuki beans (*Vigna angularis*) protease inhibitors: isolation and amino acid sequences. *J. Biochem. (Tokyo)*, 97 (1985) 55-70.
- 3566 Reiss, T. and Link, G.: Characterization of transcriptionally active DNA-protein complexes from chloroplasts and etioplasts of mustard (*Sinapsis alba* L.). *Eur. J. Biochem.*, 148 (1985) 207-212.

- 3567 Robert, L.S., Nozzolillo, C. and Altosaar, I.: Homology between legumin-like polypeptides from cereals and pea. *Biochem. J.*, 226 (1985) 847-852.
- 3568 Simpson, L.L. and Hoch, D.H.: Neuropharmacological characterization of fragment B from tetanus toxin. *J. Pharmacol. Exp. Ther.*, 232 (1985) 223-227.

See also 3632.

19d. *Proteins of blood, serum and blood cells*

- 3569 Aggarwal, B.B., Kohr, W.J., Hass, P.E., Moffat, B., Spencer, S.A., Henzel, W.J., Bringman, T.S., Nedwin, G.E., Goeddel, D.V. and Harkins, R.N.: Human tumor necrosis factor. Production, purification, and characterization. *J. Biol. Chem.*, 260 (1985) 2345-2354.
- 3570 Cheng, C.Y., Musto, N.A., Gunsalus, G.L. and Bardin, C.W.: The role of the carbohydrate moiety on the size heterogeneity and immunologic determinants of human testostosterone-estradiol-binding globulin. *J. Steroid Biochem.*, 22 (1985) 127-134.
- 3571 Chung, T.G., Saito, A., Ogawa, H., Moriyama, A., Ohkubo, I., Sasaki, M. and Takahashi, T.: Efficient purification of human plasma β_2 -microglobulin from the haemodialysate of a patient with chronic renal failure by use of high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 67-74.
- 3572 Griffith, M.J., Noyes, C.M. and Church, F.C.: Reactive size peptide structural similarity between heparin cofactor II and antithrombin III. *J. Biol. Chem.*, 260 (1985) 2218-2225.
- 3573 Gunzer, G. and Hennrich, H.: Chromatography of plasma proteins on immobilized Cibacron Blue, Procion Red and Procion Green: use for purification of α_1 -proteinase inhibitor. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1109-1112; *C.A.*, 102 (1985) 127692g.
- 3574 Hitcock-DeGregori, S.E. and Yienger, B.E.: Ligand-independent binding of serum proteins to Sepharose 4B activated using cyanogen bromide and blocked with ethanalamine. *BioTechniques*, 2 (1984) 326-332; *C.A.*, 102 (1985) 92312d.
- 3575 Jun, S.-H. and Ruckenstein, E.: Separation of immunoglobulins by potential barrier chromatography. *Separ. Sci.*, 19 (1984) 531-543.
- 3576 Kato, K., Naruo, K.-i., Koyama, M., Kawahara, K., Hinuma, S., Tada, H., Siguno, H. and Tsukamoto, K.: Purification and partial sequence analysis of human interleukin-2 derived from peripheral blood leukocytes. *Biochem. Biophys. Res. Commun.*, 127 (1985) 182-190.
- 3577 Kodama, K., Kato, H. and Iwanaga, S.: Isolation of bovine platelet cationic proteins which inhibit the surface-mediated activation of Factor XII and pre-kallikrein. *J. Biochem. (Tokyo)*, 97 (1985) 139-151.
- 3578 Kruthof, E.K.O., Schleuning, W.-D. and Bachmann, F.: Human tissue-type plasminogen activator. Production in continuous serum-free cell culture and rapid purification. *Biochem. J.*, 226 (1985) 631-636.
- 3579 Lambert, M., Svoboda, M., Furnelle, J. and Christophe, J.: Solubilization from rat pancreatic plasma membranes of a cholecystokinin (CCK) agonist-receptor complex interacting with guanine nucleotide regulatory proteins coexisting in the same macromolecular system. *Eur. J. Biochem.*, 147 (1985) 611-617.
- 3580 Refsum, H., Helland, S. and Ueland, P.M.: Radioenzymic determination of homocysteine in plasma and urine. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 624-628.
- 3581 Short, M.T., Westholm, F.A., Schiffer, M. and Stevens, F.J.: Comparison of chromatographic characteristics of a series of homologous Bence-Jones proteins during size-exclusion chromatography by high-performance liquid chromatography and by Sephadex. *J. Chromatogr.*, 323 (1985) 418-423.
- 3582 Thorstenson, R., Sterky, C. and Norberg, R.: Preparation of highly purified F-actin-depolymerizing factor of human serum. *Eur. J. Biochem.*, 147 (1985) 637-640.
- 3583 Traas, D.W., Hoegge-de Nobel, B. and Nieuwenhuizen, W.: Factors influencing the separation of Glu-plasminogen affinity forms I and II by affinity chromatography. *Thromb. Haemostasis*, 52 (1984) 347-349; *C.A.*, 102 (1985) 127706q.
- 3584 Vuento, M., Kerkolainen, M., Kuusela, P. and Hólttä, E.: Isolation of a novel cell-attachment and spreading-promoting protein from human serum. *Biochem. J.*, 227 (1985) 421-427.

- 3585 Weerasinghe, K.M., Scully, M.F. and Kakkar, V.V.: A rapid method for the isolation of coagulation factor XII from human plasma. *Biochim. Biophys. Acta*, 839 (1985) 57-61.
- 3586 Wong, L.T., Xu, Z.J. and Hsia, C.J.C.: Simple purification procedure of rat α -fetoprotein by a combination of Cibacron Blue gel affinity chromatography and anion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 410-416.

For additional information see:

C.A., 102 (1985) 76875j, 92521w, 94021g.

See also 3299, 3372, 3385, 3601, 3622, 3630, 3651, 3726.

19e. Structural and muscle proteins

- 3587 Butkowski, R.J., Wieslander, J., Wisdom, D.J., Barry, J.F., Noelken, M.E. and Hudson, B.G.: Properties of the globular domain of type IV collagen and its relationship to the goodpasture antigen. *J. Biol. Chem.*, 260 (1985) 3739-3747.
- 3588 Crawford, S.W., Featherstone, J.A., Holbrook, K., Yong, S.L., Bornstein, P. and Sage, H.: Characterization of a type VI collagen-related M_r -140000 protein from cutis-laxa fibroblasts in culture. *Biochem. J.*, 227 (1985) 491-502.
- 3589 Heinegard, D., Wieslander, J., Sheehan, J., Paulsson, M. and Sommarin, Y.: Separation and characterization of two populations of aggregating proteoglycans from cartilage. *Biochem. J.*, 225 (1985) 95-106.
- 3590 Jukkola, A., Risteli, J., Autio-Harmanen, H. and Risteli, L.: Effects of experimental nephrosis on basement-membrane components and enzymes of collagen biosynthesis in rat kidney. *Biochem. J.*, 226 (1985) 243-250.
- 3591 Li, L., Wang, H., Tang, J., Qian, X., Xue, J., Lu, S. and Chen, H.: (Study on the determination of molecular weight of silk fibroin by silica gel chromatography). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 60 (1984) 71-73; C.A., 102 (1985) 109199x.
- 3592 Pearlstone, J.R. and Smillie, L.B.: The interaction of rabbit skeletal muscle troponin-T fragments with troponin-I. *Can. J. Biochem. Cell Biol.*, 63 (1985) 212-218.
- 3593 Risnik, V.V., Verin, A.D. and Gusev, N.B.: Comparison of the structure of two cardiac troponin T isoforms. *Biochem. J.*, 225 (1985) 549-552.
- 3594 Rushbrook, J.I.: Purification of myosin light chains by high-performance liquid chromatography. *Anal. Biochem.*, 146 (1985) 336-342.
- 3595 Said, H.M., Newsom, A.E., Tippins, B.L. and Mathews, R.A.: Reversed-phase high-performance liquid chromatography of some ultra-heterogeneous and covalently-modified proteins from human hair. *J. Chromatogr.*, 324 (1985) 65-73.
- 3596 Slezek, R.J., Kaplan, E.D. and Anello, R.D.: Superior resolution of γ -crystallins from microdissected eye lens by cation-exchange high-performance liquid chromatography. *Biochem. Biophys. Res. Commun.*, 127 (1985) 153-160.
- 3597 Tayler, C.M. and Grant, M.E.: Assembly of chick and bovine lens-capsule collagen. *Biochem. J.*, 226 (1985) 527-536.
- 3598 Tyler, J.A.: Chondrocyte-mediated depletion of articular cartilage proteoglycans *in vitro*. *Biochem. J.*, 225 (1985) 493-507.

See also 3364, 3629, 4022.

19f. Protamines, histones and other nuclear proteins

- 3599 D'Anna, J.A., Thayer, M.M., Tobey, R.A. and Gurley, L.R.: G_1 - and S-phase syntheses of histones H1 and H1^o in mitotically selected CHO cells: utilization of high-performance liquid chromatography. *Biochemistry*, 24 (1985) 2005-2010.
- 3600 Elton, T.S. and Reeves, R.: Microheterogeneity of the mammalian high-mobility group proteins 14 and 17 investigated by reverse-phase high-performance liquid chromatography. *Anal. Biochem.*, 146 (1985) 448-460.
- 3601 Hoepfner, R.W. and Muller, M.T.: Topoisomerase I is the predominant nuclear protein from avian erythrocytes that can be covalently linked to DNA. *Biochem. J.*, 226 (1985) 873-878.
- 3602 Martinage, A., Briand, G., van Dorsselaer, A., Turner, C.H. and Sautiere, P.: Primary structure of histone H2B from gonads of the starfish *Asterias rubens*. Identification of an N-dimethylproline residue at the amino-terminal. *Eur. J. Biochem.*, 147 (1985) 351-359.

19g. Chromoproteins and metalloproteins

- 3603 Bonnerot, C., Galle, A.M., Jolliot, A. and Kader, J.-C.: Purification and properties of plant cytochrome b₅. *Biochem. J.*, 226 (1985) 331-334.
- 3604 Bornheim, L.M., Kotake, A.N. and Correia, M.A.: Differential haemin-mediated restoration of cytochrome P-450 N-demethylases after inactivation by allylisopropylacetamide. *Biochem. J.*, 227 (1985) 277-286.
- 3605 Cirotto, C., Allegrucci, M., Cartechini, M.G., Compagnucci, P., Santeusano, F. and Bolli, G.: Improved column-chromatographic isolation of glycosylated hemoglobin S. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 631-633.
- 3606 Coppenhaver, D.H., Monk, J.E. and Duffy, I.K.: Use of HPLC techniques and monoclonal antibodies in the study of Lemur hemoglobins. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1037-1040; *C.A.*, 102 (1985) 109337r.
- 3607 Debec, A., Mokdad, R. and Wegnez, M.: Metallothioneins and resistance to cadmium poisoning in *Drosophila* cells. *Biochim. Biophys. Res. Commun.*, 127 (1985) 143-152.
- 3608 Ferris, R.J. and Smith, D.B.: The cross-linking of human Met-hemoglobin with [¹⁴C]dimethyl adipimidate. *Can. J. Biochem. Cell Biol.*, 63 (1985) 195-203.
- 3609 Holm, K.A. and Kupfer, D.: Isolation by ion-exchange high performance chromatography of rabbit liver cytochrome P-450 with regioselectivity for ω -hydroxylation of prostaglandins. *J. Biol. Chem.*, 260 (1985) 2027-2030.
- 3610 Huisman, T.H.J. and Wilson, J.B.: The use of HPLC procedures in the study of human hemoglobin variants. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1029-1036; *C.A.*, 102 (1985) 109080b.
- 3611 Humfeld, S. and Reinauer, H.: (High-pressure liquid chromatographic analysis of glycosylated hemoglobins). *Laboratoriumsmedizin*, 8 (1984) 358-390; *C.A.*, 102 (1985) 128108h.
- 3612 Kandler, R.L., Constantinidis, I. and Satterlee, J.D.: Evaluation of the extent of heterogeneity in the *Glycera dibranchiata* monomer haemoglobin fraction by the use of n.m.r. and ion-exchange chromatography. *Biochem. J.*, 226 (1985) 131-138.
- 3613 Nalecz, M.J., Bolli, R. and Azzi, A.: Molecular conversion between monomeric and dimeric states of the mitochondrial cytochrome b-c₁ complex: Isolation of active monomers. *Arch. Biochem. Biophys.*, 236 (1985) 619-628.
- 3614 San George, R.C. and Nagel, R.L.: Dimeric hemoglobins from the arcid blood clam, *Noetia ponderosa*. Structure and functional properties. *J. Biol. Chem.*, 260 (1985) 4331-4337.
- 3615 Suzuki, T., Furukohri, T. and Gotoh, T.: Subunit structure of extracellular hemoglobin from the polychaete *Tylorrhynchus heterochaetus* and amino acid sequence of the constituent polypeptide chain (IIC). *J. Biol. Chem.*, 260 (1985) 3145-3154.

For additional information see:
C.A., 102 (1985) 75050z, 75058h.

See also 3686.

19h. Proteins of glands, gland products and various zymogens (including milk proteins)

- 3616 Beg, O.U., von Bahr-Lindström, H., Zaidi, Z.H. and Jörnvall, H.: The primary structure of α -lactalbumin from camel milk. *Eur. J. Biochem.*, 147 (1985) 233-239.
- 3617 Boonstra, A. and Kijlstra, A.: Separation of human tear proteins by high performance liquid chromatography. *Curr. Eye Res.*, 3 (1984) 1461-1469; *C.A.*, 102 (1985) 109148e.
- 3618 Olafson, R.W.: Thymus metallothionein: regulation of zinc-thionein in the aging mouse. *Can. J. Biochem. Cell Biol.*, 63 (1985) 91-95.
- 3619 Singer, S.S., Galaska, E.G., Freeser, T.A., Benak, R.L., Ansel, A.Z. and Moloney, A.: Enzymatic sulfation of steroids. XIX. Cortisol sulfotransferase activity, glucocorticoid sulfotransferases, and tyrosine aminotransferase induction in chicken, gerbil, and hamster liver. *Can. J. Biochem. Cell Biol.*, 63 (1985) 23-32.

See also 3602.

19i. *Proteins of neoplastic tissue*

- 3620 Bernard, D.J., Maurizis, J.-C., Chassagne, J., Chollet, P. and Plagne, R.: Comparison of class II HLA antigen expression in normal and carcinomatous human breast cells. *Cancer Res.*, 45 (1985) 1152-1158.
- 3621 Cockle, S.A. and Young, N.M.: The thiol groups of mouse immunoglobulin A. Incomplete formation of the C_q1-domain disulphide bridge. *Biochem. J.*, 225 (1985) 113-125.

See also 3559.

19j. *Specific binding proteins*

- 3622 Beale, D. and Hopley, J.G.: Fragmentation and reduction of bovine secretory component. Preparation of a biologically active fragment and some evidence for a multiple-domain structure. *Biochem. J.*, 226 (1985) 661-667.
- 3623 Blanchardie, P., Lustenberger, P., Orsonneau, J.L. and Bernard, S.: Binding of rat liver glucocorticoid receptor by heparin ultrogel. *Protides Biol. Fluids*, 32 (1984), Pub. 1985) 1129-1132; *C.A.*, 102 (1985) 128118m.
- 3624 Bontemps, J., Grandfils, C., Dandrifosse, G. and Schoffeniels, E.: Sodium channel purification by ion-exchange and affinity chromatography. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1105-1107; *C.A.*, 102 (1985) 109194s.
- 3625 Brinkmann, A.O., Bolt, J., de Boer, W., Lindh, L.M., Mulder, E. and van der Molen, H.J.: Characterization of steroid receptors using ion exchange fast protein liquid chromatography (FPLC). *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1125-1128; *C.A.*, 102 (1985) 128117k.
- 3626 Brinkman, A.O., Bolt-de Vries, J., de Boer, W., Lindh, L.M., Mulder, E. and van der Molen, H.J.: Characterization of steroid hormone receptors with ion-exchange fast protein liquid chromatography. *J. Steroid Biochem.*, 22 (1985) 85-90.
- 3627 Coquil, J.F., Brunelle, G. and Guedon, J.: Occurrence of the methylisobutyl-xanthine-stimulated cyclic GMP binding protein in various rat tissues. *Biochem. Biophys. Res. Commun.*, 127 (1985) 226-231.
- 3628 Doherty, F.J. and Mayer, R.J.: Degradation of erythrocyte-microinjected and scrape-loaded homologous cytosolic proteins by 3T3-L1 cells. *Biochem. J.*, 226 (1985) 685-695.
- 3629 Ingham, K.C., Landwehr, R. and Engel, J.: Interaction of fibronectin with Clq and collagen. Effects of ionic strength and denaturation of the collagenous component. *Eur. J. Biochem.*, 148 (1985) 219-224.
- 3630 Jönsson, U., Malmqvist, M. and Rönnerberg, I.: Immobilization of immunoglobulins on silica surfaces. Stability. *Biochem. J.*, 227 (1985) 363-371.
- 3631 Kajita, Y., Rickards, C.R., Buckland, P.R., Howells, R.D. and Rees Smith, B.: Analysis of thyrotropin receptors by photoaffinity labelling. Orientation of receptor subunits in the cell membrane. *Biochem. J.*, 227 (1985) 413-420.
- 3632 Khanaka, H., Laine, B., Sautiere, P. and Guillaume, J.: Characterization and primary structures of DNA-binding HU-type proteins from *Rhizobiaceae*. *Eur. J. Biochem.*, 147 (1985) 343-349.
- 3633 Knyba, R.E., Wang, D.Y. and Fantl, V.E.: A solid-phase radioimmunoassay of serum dehydroepiandrosterone sulphate using a monoclonal antibody. *J. Steroid Biochem.*, 22 (1985) 427-429.
- 3634 Lewis, J.G. and Elder, P.A.: Fractionation of cortisol antisera by immunoadsorption chromatography: characterisation and use in an enzyme-linked immunosorbent assay (ELISA). *J. Steroid Biochem.*, 22 (1985) 387-390.
- 3635 Liao, G., Ong, D.E. and Chytil, F.: Partial characterization of nuclear binding sites for retinol delivered by cellular retinol binding protein. *Arch. Biochem. Biophys.*, 237 (1985) 354-360.
- 3636 Lustenberger, P., Blanchardie, P., Orsonneau, J.L. and Bernard, S.: Purification of glucocorticoid receptor from rabbit liver by steroid affinity chromatography. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1121-1124; *C.A.*, 102 (1985) 128077x.
- 3637 Mak, P. and Callard, G.V.: Characterization of estrogen receptors in the hamster brain. *J. Steroid Biochem.*, 22 (1985) 355-361.
- 3638 McMorris, J.K. and Wood, E.J.: Analysis of cellular retinoic acid-binding protein in normal human skin. *Biochem. Soc. Trans.*, 13 (1985) 262-263; *C.A.*, 102 (1985) 128296t.

- 3639 Nakao, K., Myers, J.E. and Faber, L.E.: Development of a monoclonal antibody to the rabbit 8.5S uterine progesterin receptor. *Can. J. Biochem. Cell Biol.*, 63 (1985) 33-40.
- 3640 Pavlik, E.J., Nelson, K., van Nagell, J.R., Jr., Robinson, J.C., Hanson, M.B., Donaldson, E.S., Flanigan, R.C. and Kenady, D.E.: Steroid receptor analysis by size-exclusion liquid chromatography: considerations for the clinical laboratory. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 537-545.
- 3641 Peale, F.V., Jr., Bond, J., Hilf, R. and Bambara, R.: An analysis of the decrease in the assayed level of charged bovine estrogen receptor observed at physiological ionic strength. *J. Steroid Biochem.*, 22 (1985) 161-167.
- 3642 Rossini, G.P.: RNase A effects on sedimentation and DNA binding properties of dexamethasone-receptor complexes from HeLa cell cytosol. *J. Steroid Biochem.*, 22 (1985) 47-56.
- 3643 Senjo, M., Ishibashi, T., Imai, Y., Takahashi, K. and Ono, T.: Isolation and characterization of fatty acid-binding protein from rat brain. *Arch. Biochem. Biophys.*, 236 (1985) 662-668.

For additional information see:

C.A., 102 (1985) 111277q, 128022a.

See also 3376, 3517, 3527, 3578, 3686, 3703.

19L. Other proteins

- 3644 DiAugustine, R.P., Walker, M.P., Klapper, D.G., Grove, R.I., Willis, W.D., Harvan, D.J. and Hernandez, O.: β -Epidermal growth factor is the des-asparaginy¹ form of the polypeptide. *J. Biol. Chem.*, 260 (1985) 2807-2811.
- 3645 Endo, Y., Suzuki, R. and Kumagai, K.: Induction of ornithine decarboxylase in the liver and spleen of mice by interleukin 1-like factors produced from a macrophage cell line. *Biochim. Biophys. Acta*, 838 (1985) 343-350.
- 3646 Jabusch, J.R. and Deutsch, H.F.: Localization of lysines acetylated in ubiquitin reacted with p-nitrophenyl acetate. *Arch. Biochem. Biophys.*, 238 (1985) 170-177.
- 3647 Johns, E.A., Soerensen, S.H. and Cooper, E.H.: Separation of cerebrospinal fluid proteins by anion exchange and reverse phase chromatography. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1097-1100; C.A., 102 (1985) 109193r.
- 3648 Matrisian, L.M., Planck, S.R., Finch, J.S. and Magun, B.E.: Heterogeneity of ¹²⁵I-labeled epidermal growth factor. *Biochim. Biophys. Acta*, 839 (1985) 139-146.
- 3649 Narczewska, B., Czyrski, J.A. and Ingot, A.D.: Properties of purified bovine platelet-derived growth factor stimulating proliferation of human and mouse fibroblasts. *Can. J. Biochem. Cell Biol.*, 63 (1985) 187-194.
- 3650 Quackenbush, E.J., Cruz, T.F., Moscarello, M.A. and Letarte, M.: Identification of three antigens in human brain associated with similar antigens on human leukaemic cells. *Biochem. J.*, 225 (1985) 291-299.
- 3651 Rao, V.N. and Bhargava, P.M.: Isolation, characterization and possible mode of action of antiserminplasmin, a new protein that inhibits the antimicrobial activity of seminalplasmin. *Biochem. J.*, 227 (1985) 609-619.
- 3652 Sullivan, R. and Klagsbrun, M.: Purification of cartilage-derived growth factor by heparin affinity chromatography. *J. Biol. Chem.*, 260 (1985) 2399-2403.
- 3653 Swann, D.A., Silver, P.H., Slayter, H.S., Stafford, W. and Shore, E.: The molecular structure and lubricating activity of lubricin isolated from bovine and human synovial fluids. *Biochem. J.*, 225 (1985) 195-201.
- 3654 Walsh, M.J. and Tourtellotte, W.W.: New proteins unique to cerebrospinal fluid (CSF) identified by two-dimensional electrophoresis (2DE). *Protides Biol. Fluids*, 32 (1984, Publ. 1985) 961-963; C.A., 102 (1985) 109269v.

For additional information see:

C.A., 102 (1985) 90577v, 92454b, 128142q.

20. ENZYMES

- 3655 Halfpenny, A.P.: Enzyme assays by HPLC. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 285-302; *C.A.*, 102 (1985) 127638u.

20a. Oxidoreductases

- 3656 Antoun, G.R., Brglez, I. and Williamson, D.G.: A 17 β -hydroxysteroid dehydrogenase of female rabbit liver cytosol. Purification and characterization of multiple forms of the enzyme. *Biochem. J.*, 225 (1985) 383-390.
- 3657 Arp, D.J.: *Rhizobium Japonicum* hydrogenase: purification to homogeneity from soybean nodules, and molecular characterization. *Arch. Biochem. Biophys.*, 237 (1985) 504-512.
- 3658 Bolwell, G.P., Robbins, M.P. and Dixon, R.A.: Metabolic changes in elicitor-treated bean cells. Enzymic responses associated with rapid changes in cell wall components. *Eur. J. Biochem.*, 148 (1985) 571-578.
- 3659 Calvet, V.E., Gil, G. and Hegardt, F.G.: Modulation of rat liver hydroxymethylglutaryl-CoA reductase by protein phosphatases: purification of non-specific hydroxymethylglutaryl-CoA reductase phosphatases. *Arch. Biochem. Biophys.*, 236 (1985) 753-765.
- 3660 Chaudhuri, S. and Coggins, J.R.: The purification of shikimate dehydrogenase from *Escherichia coli*. *Biochem. J.*, 226 (1985) 217-223.
- 3661 Creaser, E.H., Porter, R.L., Britti, K.A., Pateman, J.A. and Doy, C.H.: Purification and preliminary characterization of alcohol dehydrogenase from *Aspergillus nidulans*. *Biochem. J.*, 225 (1985) 449-454.
- 3662 Cvetanovic, M., Moreno de la Garza, M., Domes, V. and Kunau, W.-H.: Purification and characterization of 2-enoyl-CoA reductase from bovine liver. *Biochem. J.*, 227 (1985) 49-56.
- 3663 Davisson, V.J. and Schulz, A.R.: The purification and steady-state kinetic behaviour of rabbit heart mitochondrial NAD(P)⁺ malic enzyme. *Biochem. J.*, 225 (1985) 335-342.
- 3664 Ishibashi, T. and Imai, Y.: Affinity purification of alkylglycerolmonooxygenase from rat microsomes by chimyl alcohol-Sepharose 4B column chromatography. *J. Lipid Res.*, 26 (1985) 393-395.
- 3665 Moreno de la Garza, M., Schultz-Borchard, Y., Crabb, J.W. and Kunau, W.-H.: Peroxisomal β -oxidation system of *Candida tropicalis*. Purification of a multifunctional protein possessing enoyl-CoA hydratase, 3-hydroxyacyl-CoA dehydrogenase and 3-hydroxyacyl-CoA epimerase activities. *Eur. J. Biochem.*, 148 (1985) 285-291.
- 3666 Nakagawa, H., Kotani, T., Ohtaki, S., Nakamura, M. and Yamazaki, I.: Purification of thyroid peroxidase by monoclonal antibody-assisted immunoaffinity chromatography. *Biochem. Biophys. Res. Commun.*, 127 (1985) 8-14.
- 3667 Narine, D.R., Bacchetti, S. and Chan, W.W.-C.: An assay for ribonucleotide reductase based on ion-exchange chromatography of the reaction product. *Anal. Biochem.*, 145 (1985) 331-338.
- 3668 Stapleton, S.R. and Porter, J.W.: Purification of nucleotide-requiring enzymes by immunoaffinity chromatography. *Biochem. J.*, 226 (1985) 653-659.
- 3669 Verduyn, C., van Kleef, R., Frank, J., Schreuder, H., van Dijken, J.P. and Scheffers, W.A.: Properties of the NAD(P)H-dependent xylose reductase from the xylose-fermenting yeast *Pichia stipitis*. *Biochem. J.*, 226 (1985) 669-677.
- 3670 Yokota, A., Haga, S. and Kitaoaka, S.: Purification and some properties of glyoxylate reductase (NADP⁺) and its functional location in mitochondria in *Euglena gracilis* z. *Biochem. J.*, 227 (1985) 211-216.

For additional information see:
C.A., 102 (1985) 75311k.

See also 3582, 3689, 3792.

20b. Transferases (excluding E.C. 2.7.-.-)

- 3671 Alin, P., Jansson, H., Guthenberg, C., Danielson, U.H., Tahir, M.K. and Mannervik, B.: Purification of major basic glutathione transferase isoenzymes from rat liver by use of affinity chromatography and fast protein liquid chromatofocusing. *Anal. Biochem.*, 146 (1985) 313-320.

- 3672 Cook, N.D. and Peters, T.J.: Purification of γ -glutamyltransferase by phenyl boronate affinity chromatography. Studies on the acceptor specificity of transpeptidation by rat kidney γ -glutamyltransferase. *Biochem. Biophys. Acta*, 828 (1985) 205-212.
- 3673 Cook, N.D., Smith, G.D. and Peters, T.J.: Use of serine-borate affinity chromatography for the purification of γ -glutamyltransferase. *Biochem. Soc. Trans.*, 13 (1985) 222-223; *C.A.*, 102 (1985) 108663g.
- 3674 Furukawa, K. and Roth, S.: Co-purification of galactosyltransferases from chick-embryo liver. *Biochem. J.*, 227 (1985) 573-582.
- 3675 Harper, D.B. and Kennedy, J.T.: Purification and properties of S-adenosyl-methionine: aldoxime O-methyltransferase from *Pseudomonas* sp. N.C.I.B. 11652. *Biochem. J.*, 226 (1985) 147-153.
- 3676 Hobkirk, R., Girard, L.R., Durham, N.J. and Khalil, M.W.: Behavior of mouse placental and uterine estrogen sulfotransferase during chromatography and other procedures. *Biochim. Biophys. Acta*, 828 (1985) 123-129.
- 3677 Mikkelsen, J., Hojrup, P., Rasmussen, M.M., Roepstorff, P. and Knudsen, J.: Amino acid sequence around the active-site serine residue in the acyltransferase domain of goat mammary fatty acid synthetase. *Biochem. J.*, 227 (1985) 21-27.
- 3678 Robertson, I.G.C., Jensson, H., Guthenberg, C., Tahir, M.K., Jernström, B. and Mannervik, B.: Differences in the occurrence of glutathione transferase isoenzymes in rat lung and liver. *Biochem. Biophys. Res. Commun.*, 127 (1985) 80-86.
- 3679 Rohrmann, K., Niemann, R. and Buddecke, E.: Two N-acetylgalactosaminyltransferases are involved in the biosynthesis of chondroitin sulfate. *Eur. J. Biochem.*, 148 (1985) 463-469.
- 3680 Stockman, P.K., Beckett, G.J. and Hayes, J.D.: Identification of a basic hybrid glutathione S-transferase from human liver. Glutathione S-transferase δ is composed of two distinct subunits (B₁ and B₂). *Biochem. J.*, 227 (1985) 457-465.
- 3681 Taniguchi, N., Yokosawa, N., Ono, M., Minoshita, K., Makita, A. and Sekiya, C.: Chromatography of γ -glutamyl transferases from ascites hepatoma AH-66 cells and human primary hepatoma on *Phaseolus vulgaris* erythroagglutinating lectin agarose. *J. Chromatogr.*, 339 (1985) 394-398.
- 3682 West, T.P., Maldonado, I. and Kantrowitz, E.R.: Affinity and hydrophobic chromatography of *Escherichia coli* aspartate transcarbamoylase. *Biochim. Biophys. Acta*, 839 (1985) 32-39.
- 3683 Yamaguchi, N., Sugimoto, M. and Kawai, K.: Two types of human pancreatic gamma-glutamyl transpeptidase. *Clin. Chim. Acta*, 147 (1985) 75-83.

See also 3351, 3688.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 3684 Alpert, C.-A., Frank, R., Stüber, K., Deutscher, J. and Hengstenberg, W.: Phosphoenolpyruvate-dependent protein kinase enzyme I of *Streptococcus faecalis*: purification and properties of the enzyme and characterization of its active center. *Biochemistry*, 24 (1985) 959-964.
- 3685 Helland, D.E., Raae, A.J., Fadnes, P. and Kleppe, K.: Properties of a DNA repair endonuclease from mouse plasmacytoma cells. *Eur. J. Biochem.*, 148 (1985) 471-477.
- 3686 Horn, F., Gschwendt, M. and Marks, F.: Partial purification and characterization of the calcium-dependent and phospholipid-dependent protein kinase C from chick oviduct. *Eur. J. Biochem.*, 148 (1985) 533-538.
- 3687 Inagaki, M., Watanabe, M. and Hidaka, H.: N-(2-Aminoethyl)-5-isoquinoline-sulfonamide, a newly synthesized protein kinase inhibitor, functions as a ligand in affinity chromatography. Purification of Ca²⁺-activated, phospholipid-dependent and other protein kinases. *J. Biol. Chem.*, 260 (1985) 2922-2925.
- 3688 Jennissen, H.P., Petersen-Von Gehr, J.K.H. and Botzet, G.: Activation and inhibition of phosphorylase kinase by monospecific antibodies against preparatively isolated alpha, beta and gamma subunits. *Eur. J. Biochem.*, 147 (1985) 619-630.

- 3689 Nelson, L.D., Brown, N.D. and Wiesmann, W.P.: Simultaneous assay of choline kinase and choline oxidase in tissue by high-performance cation-exchange chromatography and continuous radioactive detection. *J. Chromatogr.*, 324 (1985) 203-208.
- 3690 Roggen, E. and Slegers, H.: Isolation and characterization of cytoplasmic poly(A) polymerase from cryptobiotic gastrulae of *Artemia salina*. *Eur. J. Biochem.*, 147 (1985) 225-232.
- 3691 Takeuchi, F., Tsubouchi, R. and Shibata, Y.: Effect of tryptophan metabolites on the activities of rat liver pyridoxal kinase and pyridoxamine 5-phosphate oxidase *in vitro*. *Biochem. J.*, 227 (1985) 537-544.
- 3692 Trevillyan, J.M., Nordstrom, A. and Linna, T.J.: High tyrosine-specific protein kinase activity in normal human peripheral blood lymphocytes. *Biochim. Biophys. Acta*, 845 (1985) 1-9.
- 3693 Williams, M.B. and Jones, H.P.: Calmodulin-dependent NAD kinase of human neutrophils. *Arch. Biochem. Biophys.*, 237 (1985) 80-87.

For additional information see:
C.A., 102 (1985) 74543a.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 3694 Cheesbrough, T.M. and Kolattukudy, P.E.: Purification and characterization of a fatty acyl-CoA hydrolase from the uropygial glands of Peking ducks (*Anas domestica*). *Arch. Biochem. Biophys.*, 237 (1985) 208-216.
- 3695 Cisar, L.A. and Bensadoun, A.: Enzyme-linked immunosorbent assay for rat hepatic triglyceride lipase. *J. Lipid Res.*, 26 (1985) 380-386.
- 3696 Czupryn, M. and Toczko, K.: Lack of nucleosomal structure in a DNase-I-solubilized transcriptionally active chromatin fraction of *Physarum polycephalum*. *Eur. J. Biochem.*, 147 (1985) 575-580.
- 3697 Ide, H. and Nakazawa, Y.: Phosphatidate phosphatase in rat liver: the relationship between the activities with membrane-bound phosphatidate and aqueous dispersion of phosphatidate. *J. Biochem. (Tokyo)*, 97 (1985) 45-54.
- 3698 Kominami, T., Miki, A. and Ikehara, Y.: Electrophoretic characterization of hepatic alkaline phosphatase released by phosphatidylinositol-specific phospholipase C. A comparison with liver membrane and serum-soluble forms. *Biochem. J.*, 227 (1985) 183-189.
- 3699 Larson, J.D. and Kolattukudy, P.E.: Isolation and characterization of an acyl-CoA thioesterase from dark-grown *Euglena gracilis*. *Arch. Biochem. Biophys.*, 237 (1985) 27-37.
- 3700 Maurich, V., Moneghini, M., Pitotti, A. and Vio, L.: A simple high-performance liquid chromatographic method for estimating human serum angiotensin-converting enzyme activity. *J. Pharm. Biomed. Anal.*, 3 (1985) 51-57.
- 3701 Natalo, P. and Daniele, A.: Iduronate sulfatase from human placenta. *Biochim. Biophys. Acta*, 839 (1985) 285-261.
- 3702 Onali, P., Strada, S.J., Chang, L., Epstein, P.M., Hersh, E.M. and Thompson, W.J.: Purification and characterization of high-affinity cyclic adenosine 5'-monophosphate phosphodiesterases from human acute myelogenous leukemic cells. *Cancer Res.*, 45 (1985) 1384-1391.
- 3703 Pelech, S. and Cohen, P.: The protein phosphatases involved in cellular regulation. 1. Modulation of protein phosphatases-1 and 2A by histone H1, protamine, polylysine and heparin. *Eur. J. Biochem.*, 148 (1985) 245-251.
- 3704 Tung, H.Y.L., Alemany, S. and Cohen, P.: The protein phosphatases involved in cellular regulation. 2. Purification, subunit structure and properties of protein phosphatases-2A₀, 2A₁, and 2A₂ from rabbit skeletal muscle. *Eur. J. Biochem.*, 148 (1985) 253-263.

See also 3679.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 3705 Beem, E.P., Goormachtig, P.F.J., Hooghwinkel, G.J.M., Lisman, J.J.W. and Overdijk, B.: Preparative isolation of the polypeptide chains of human liver β -N-acetylhexosaminidase A by fast protein liquid chromatography-ion-exchange chromatography. *J. Chromatogr.*, 323 (1985) 439-442.

- 3706 De Wolf, M.J.S., van Dessel, G.A.P., Lagrou, A.R., Hilderson, H.J.J. and Dierick, W.S.H.: Topography, purification and characterization of thyroidal NAD⁺ glycohydrolase. *Biochem. J.*, 226 (1985) 415-427.
- 3707 Hino, Y. and Rothman, J.E.: Glucosidase II, a glycoprotein of the endoplasmic reticulum membrane. Proteolytic cleavage into enzymatically active fragments. *Biochemistry*, 24 (1985) 800-805.
- 3708 Kyosaka, S., Murata, S., Nakamura, F. and Tanaka, M.: Purification and kinetic properties of guinea pig liver β -mannosidase. *Chem. Pharm. Bull.*, 33 (1985) 256-263.
- 3709 Midorikawa, M., Okada, S., Kato, T., Yutaka, T. and Yabuuchi, H.: Diagnosis of Pompe's disease using pyridylaminomaltooligosaccharides as substrates of alpha-1,4-glucosidase. *Clin. Chim. Acta*, 147 (1985) 97-102.
- 3710 Yagi, F., Hatanaka, M., Tadera, K. and Kobayashi, A.: β -D-Glucosidase from seeds of Japanese cycad, *Cycas revoluta* Thunb.: Properties and substrate specificity. *J. Biochem. (Tokyo)*, 97 (1985) 119-126.

See also 3642, 3679.

20f. Other hydrolases

- 3711 Babnik, J., Kopitar, M., Drobnic-Kosorok, M. and Turk, V.: Immunoaffinity chromatography of intracellular urokinase inhibitor isolated from pig leukocytes. *Acta Pharm. Jugosl.*, 34 (1984) 261-267; *C.A.*, 102 (1985) 127799x.
- 3712 Bicsak, T. and Harper, E.: Purification of nonspecific protease-free collagenase from *Clostridium histolyticum*. *Anal. Biochem.*, 145 (1985) 286-291.
- 3713 Bull, H.G., Thornberry, N.A. and Cordes, E.H.: Purification of angiotensin-converting enzyme from rabbit lung and human plasma by affinity chromatography. *J. Biol. Chem.*, 260 (1985) 2963-2972.
- 3714 Evans, C.H.: The lanthanide-enhanced affinity chromatography of clostridial collagenase. *Biochem. J.*, 225 (1985) 553-556.
- 3715 Gagnon, J. and Arlaud, G.J.: Primary structure of the A chain of human complement-classical-pathway enzyme C1r. N-Terminal sequences and alignment of autolytic fragments and CNBr-cleavage peptides. *Biochem. J.*, 225 (1985) 135-142.
- 3716 Garnier, M., Vacheron, M.-J., Guinand, M. and Michel, G.: Purification and partial characterization of the extracellular γ -D-glutamyl-(L)meso-diaminopimelate endopeptidase I, from *Bacillus sphaericus* NCTC 9602. *Eur. J. Biochem.*, 148 (1985) 539-543.
- 3717 Harris, R.B. and Wilson, I.B.: Sequencing of an active-site peptide of angiotensin I-converting enzyme containing an essential glutamic acid residue. *J. Biol. Chem.*, 260 (1985) 2208-2211.
- 3718 Mantle, D., Lauffart, B., McDermott, J.R., Kidd, A.M. and Pennington, R.J.T.: Purification and characterization of two Cl⁻-activated aminopeptidases hydrolysing basic termini from human skeletal muscle. *Eur. J. Biochem.*, 147 (1985) 307-312.
- 3719 Mason, R.W., Green, G.D.J. and Barrett, A.J.: Human liver cathepsin L. *Biochem. J.*, 226 (1985) 233-241.
- 3720 Nagasawa, S., Kobayashi, C., Maki-Suzuki, T., Yamashita, N. and Koyama, J.: Purification and characterization of the C3 convertase of the classical pathway of human complement system by size exclusion high-performance liquid chromatography. *J. Biochem. (Tokyo)*, 97 (1985) 493-499.
- 3721 Orthner, C.L.: Characterization of proteases in AHF concentrates: effect on factor VIII: von Willebrand protein as assessed by high pressure gel permeation chromatography. *J. Lab. Clin. Med.*, 104 (1984) 816-828; *C.A.*, 102 (1985) 84468u.
- 3722 Pivel, J.P., Munoz, E. and Marquet, A.: Hydrophobic interaction chromatography of *Micrococcus lysodeikticus* F₁-ATPase. A method to detect conformational flexibility of the molecule. *J. Biochem. Biophys. Methods*, 10 (1984) 211-219; *C.A.*, 102 (1985) 92112p.
- 3723 Sherwood, R.F., Melton, R.G., Alwan, S.M. and Hughes, P.: Purification and properties of carboxypeptidase G₂ from *Pseudomonas* sp. strain RS-16. Use of a novel triazine dye affinity method. *Eur. J. Biochem.*, 148 (1985) 447-453.
- 3724 Shroyer, L.A. and Varandani, P.T.: Purification and characterization of a rat liver cytosol neutral thiol peptidase that degrades glucagon, insulin and isolated insulin A and B chains. *Arch. Biochem. Biophys.*, 236 (1985) 205-219.

- 3725 Taira, H., Mizutani, S., Kurauchi, O., Narita, O. and Tomoda, Y.: Rapid purification of human placental angiotensin I converting enzyme by captopril affinity chromatography. *J. Chromatogr.*, 339 (1985) 399-403.
- 3726 Villiers, M.-B., Thielens, N.M. and Colomb, M.G.: Soluble C3 proconvertase and convertase of the classical pathway of human complement. Conditions of stabilization *in vitro*. *Biochem. J.*, 226 (1985) 429-436.
- 3727 Willenbrock, F. and Brocklehurst, K.: Preparation of cathepsins B and H by covalent chromatography and characterization of their catalytic sites by reaction with a thiol-specific two-protonic-state reactivity probe. Kinetic study of cathepsins B and H extending into alkaline media and a rapid spectroscopic titration of cathepsin H at pH 3-4. *Biochem. J.*, 227 (1985) 511-519.

For additional information see:

C.A., 102 (1985) 108930s, 130331u.

See also 3303.

20g. Lyases

- 3728 Bishop, P.B., Young, J., Peng, T. and Richards, J.F.: An inhibitor of ornithine decarboxylase in the thymus and spleen of dexamethasone-treated rats. *Biochem. J.*, 226 (1985) 105-112.
- 3729 Kondo, M. and Urata, G.: Radiochemical microassay of δ -aminolevulinic acid dehydratase activity in whole blood and bone marrow. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 427-429.
- 3730 Lambert, J.M., Boocock, M.R. and Coggins, J.R.: The 3-dehydroquinase synthase activity of the pentafunctional *arom* enzyme complex of *Neurospora crassa* is Zn^{2+} -dependent. *Biochem. J.*, 226 (1985) 817-829.
- 3731 Lowe, D. and Tubbs, P.K.: 3-Hydroxy-3-methylglutaryl-coenzyme A synthase from ox liver. Properties of its acetyl derivative. *Biochem. J.*, 227 (1985) 601-607.

See also 3665.

20i. Ligases

- 3732 Holland, R., Hardie, D.G., Clegg, R.A. and Zammit, V.A.: Evidence that glucagon-mediated inhibition of acetyl-CoA carboxylase in isolated adipocytes involves increased phosphorylation of the enzyme by cyclic AMP-dependent protein kinase. *Biochem. J.*, 226 (1985) 139-145.

See also 3677.

20j. Complex mixtures and incompletely identified enzymes

- 3733 Cook, L., Schafer-Mitchell, M., Angle, C. and Stohs, S.: Assay of human erythrocyte pyrimidine and deoxypyrimidine 5'-nucleotidase by isocratic reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 293-301.

For additional information see:

C.A., 102 (1985) 75302h.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

See 3540, 3550.

21a. Purines, pyrimidines, nucleosides, nucleotides

- 3734 Addison, W.R., Gillam, I.C., Hayashi, S. and Tener, G.M.: The nucleotide sequence of tRNA^{Val}_{3a} and tRNA^{Val}_{3b} from *Drosophila melanogaster*. *Can. J. Biochem. Cell Biol.*, 63 (1985) 176-182.

- 3735 Avigliano, L., Carelli, V., Casini, A., Finazzi-Agro, A. and Liberatore, F.: Oxidation of NAD dimers by horseradish peroxidase. *Biochem. J.*, 226 (1985) 391-395.
- 3736 Barthe, G.A. and Stewart, I.: Enzyme immunoassay (EIA) of endogenous cytokinins in *Citrus*. *J. Agric. Food Chem.*, 33 (1985) 293-297.
- 3737 Boulieu, R., Bory, C. and Gonnet, C.: High-performance liquid chromatographic method for the analysis of purine and pyrimidine bases, ribonucleosides and deoxyribonucleosides in biological fluids. *J. Chromatogr.*, 339 (1985) 380-387.
- 3738 Brechbuehler, T. and Holinger, B.: (HPLC as a reference method for determination of uric acid). *Bull. Schweiz. Ges. Klin. Chem.*, 25 (1984) 143-148; *C.A.*, 102 (1985) 92331j.
- 3739 Brubaker, W.F., Jr. and Prusoff, W.H.: Preparative and analytical high-performance liquid chromatographic methods in the synthesis and analysis of decomposition of nitrosourea nucleosides. *J. Chromatogr.*, 322 (1985) 455-464.
- 3740 Burgoyne, R.F.: Cyclic nucleotides. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 267-283; *C.A.*, 102 (1985) 109070y - a review with 45 refs.
- 3741 Carney, C. and Graham, E.: Correlation between octanol solvent distribution and liquid chromatographic retention for some 7- and 9-substituted 1-methylisoguanines. *Arzneim.-Forsch.*, 35 (1985) 228-233.
- 3742 Cordewener, J., Haaker, H., van Ewijk, P. and Veeger, C.: Properties of the MgATP and MgADP binding sites on the Fe protein of nitrogenase from *Azotobacter vinelandii*. *Eur. J. Biochem.*, 148 (1985) 499-508.
- 3743 Crowther, J.B.: Oligonucleotides. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 195-203; *C.A.*, 102 (1985) 109068d - a review with 66 refs.
- 3744 DeGregorio, M.W., Holleran, W.M., Benz, C.C. and Cadman, E.C.: Quantitative analysis of 5-fluorouracil in human serum by high-performance liquid chromatography. *Anal. Lett.*, 18 (1985) 51-55.
- 3745 Devash, Y., Reichman, M., Sela, I., Reichenbach, N.L. and Suhadolnik, R.J.: Plant oligoadenylates: enzymatic synthesis, isolation, and biological activities. *Biochemistry*, 24 (1985) 593-599.
- 3746 Dwyer, M.E.: Nucleotide coenzymes. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 303-315; *C.A.*, 102 (1985) 108502d - a review with 58 refs.
- 3747 Eckstein, H. and Schott, H.: The use of multidimensional chromatography for the isolation of synthetic oligodeoxyribonucleotides on a preparative scale. *Chromatographia*, 19 (1984) 236-239.
- 3748 El Rassi, Z. and Horvath, Cs.: High-performance liquid chromatography of nucleic acid constituents: chromatographic examination of novel stationary phases. *Chromatographia*, 19 (1984) 9-18.
- 3749 Galieue-Zouitina, S., Bailleul, B. and Loucheux-Lefebvre, M.-H.: Adducts from *in vivo* action of the carcinogen 4-hydroxyaminoquinoline 1-oxide in rats and from *in vitro* reaction of 4-acetoxyaminoquinoline 1-oxide with DNA and polynucleotides. *Cancer Res.*, 45 (1985) 520-525.
- 3750 Grondal-Zocchi, G. and Verly, W.G.: Deoxyribonuclease IV from rat liver chromatin and the excision of apurinic sites from depurinated DNA. *Biochem. J.*, 225 (1985) 535-542.
- 3751 Iwamoto, M., Yoshida, S. and Hirose, S.: (High performance liquid chromatographic determination of pyrimidine nucleobases and 5-fluorouracil labeled by fluorescent reagent). *Yakugaku Zasshi*, 104 (1984) 1251-1256; *C.A.*, 102 (1985) 109153c.
- 3752 Mack, D.O., Reed, V.L. and Smith, L.D.: Effect of pH, temperature, and ionic strength on reversed-phase ion-pair high performance liquid chromatography of purine nucleotide monophosphate. *J. Liq. Chromatogr.*, 8 (1985) 591-602.
- 3753 McKeag, M.: Free nucleotides in biological samples. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 215-246; *C.A.*, 102 (1985) 109160c.
- 3754 Mills, G.C. and Mills, J.S.: Urinary excretion of methylthioadenosine in immunodeficient children. *Clin. Chim. Acta*, 147 (1985) 15-23.
- 3755 Ohkuma, T. and Hara, S.: Mobile phase optimization for multi-functional solutes in liquid-solid chromatography. Resolution of synthetic intermediates of oligodeoxyribonucleotides. *J. Chromatogr.*, 323 (1985) 227-236.
- 3756 Okuda, K., Suntainalerts, P., Miyoshi, S., Urabe, I., Yamada, Y. and Okada, H.: Preparation and characterization of NADP derivatives alkylated at 2'-phosphate and 6-amino groups. *Eur. J. Biochem.*, 147 (1985) 241-247.
- 3757 Okuda, K., Urabe, I. and Okada, H.: Coenzymic activity of NADP derivatives alkylated at 2'-phosphate and 6-amino groups. *Eur. J. Biochem.*, 147 (1985) 249-253.

- 3758 Perrone, P.A. and Brown, P.R.: Ion-pair chromatography of nucleic acid derivatives. *Chromatogr. Sci.*, 31 (Ion-Pair Chromatogr.) (1985) 259-282; *C.A.*, 102 (1985) 128025d - a review with 30 refs.
- 3759 Schott, H.: Preparative isolation of oligodeoxynucleotides. *Chromatographia*, 19 (1984) 67-76.
- 3760 Scoble, H.A.: Structures, properties and chromatographic behavior of nucleic acid constituents. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 17-27; *C.A.*, 102 (1985) 109309h.
- 3761 Sebti, S.M., Pruess-Schwartz, D. and Baird, W.M.: Species- and length of exposure-dependent differences in the benzo[*a*]pyrene: DNA adducts formed in embryo cell cultures from mice, rats, and hamsters. *Cancer Res.*, 45 (1985) 1594-1600.
- 3762 Smith, C., Schmidt, P.G., Petsch, J. and Agris, P.F.: Nuclear magnetic resonance signal assignments of purified [¹³C]methyl-enriched yeast phenylalanine transfer ribonucleic acid. *Biochemistry*, 24 (1985) 1434-1440.
- 3763 Tokuda, M., Kamei, M., Yui, S. and Koyama, F.: Rapid resolution of nucleotide sugars by lectin affinity high-performance liquid chromatography. *J. Chromatogr.*, 323 (1985) 434-438.
- 3764 Webster, D.R., Boston, G.D. and Paton, D.M.: Simultaneous measurement of adenosine 5'-triphosphate and its degradation products by reverse-phase ion-pair chromatography. *J. Liq. Chromatogr.*, 8 (1985) 603-618.
- 3765 Yi, C., Fasching, J.L. and Brown, P.R.: Mobile phase and temperature studies in the reversed-phase liquid chromatography of inosine and guanosine compounds. *J. Chromatogr.*, 339 (1985) 75-86.
- 3766 Zakaria, M.: Nucleic acid constituents in disease processes. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 365-388; *C.A.*, 102 (1985) 110711q - a review with 53 refs.

For additional information see:

C.A., 102 (1985) 75049f, 75110u, 77338y, 79287e, 109168m, 109166j, 124878m, 127668d, 130340w.

See also 3566, 3774, 3820, 3823, 3824, 3829, 3938.

21b. Nucleic acids, RNA

- 3767 Alonso, J., Nagues, M.V. and Cuchillo, C.M.: Separation of RNA derivatives by high-performance anion-exchange liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 299-313.
- 3768 Delamarche, C. and Buckingham, R.H.: Does UGA suppressor tRNA^{TRP} from *Escherichia coli* have a unique CCA anticodon sequence? *Eur. J. Biochem.*, 148 (1985) 271-275.
- 3769 Lorber, B. and Giege, R.: High-performance liquid chromatographic analysis of crystals of tRNA, aminoacyl-tRNA synthetase, and their complex. *Anal. Biochem.*, 146 (1985) 402-404.
- 3770 Rauch, M., Loosfelt, H., Philibert, D. and Milgrom, E.: Mechanism of action of an antiprogesterone, RU486, in the rabbit endometrium. Effects of RU486 on the progesterone receptor and on the expression of the uteroglobin gene. *Eur. J. Biochem.*, 148 (1985) 213-218.
- 3771 Simpson, R.C.: Nucleic acids. *Chromatogr. Sci.*, 28 (HPLC Nucleic Acid Res.) (1984) 181-193; *C.A.*, 102 (1985) 109067c - a review with 39 refs.

See also 3748, 3774.

21c. Nucleic acids, DNA

- 3772 Chatterjee, B. and Rao, G.R.K.: A simple method for purification of mtDNA. *Indian J. Biochem. Biophys.*, 21 (1984) 378-380; *C.A.*, 102 (1985) 126303t.
- 3773 Helms, C., Graham, M.Y., Dutchik, J.E. and Olson, M.V.: A new method for purifying lambda DNA from phage lysates. *DNA*, 4 (1985) 39-49; *C.A.*, 102 (1985) 75264x.
- 3774 Oberbäumer, I., Laurent, M., Schwarz, U., Sakurai, Y., Yamada, Y., Voçeli, G., Voss, T., Siebold, B., Glanville, R.W. and Kühn, K.: Amino acid sequence of the non-collagenous globular domain (NC1) of the $\alpha 1(\text{IV})$ chain of basement membrane collagen as derived from complementary DNA. *Eur. J. Biochem.*, 147 (1985) 217-224.

- 3775 Voordouw, G., Walker, J.E. and Brenner, S.: Cloning of the gene encoding the hydrogenase from *Desulfovibrio vulgaris* (Hildenborough) and determination of the NH₂-terminal sequence. *Eur. J. Biochem.*, 148 (1985) 509-514.

See also 3685, 3759, 3771.

21d. Nucleoproteins

See 3750.

21f. Structural studies of nucleic acids

- 3776 Cox, R.A. and Smulian, N.J.: Determining nucleotide sequences in cells and isolating nucleic acids from cells. *Brit. UK Pat. Appl.* GB 2,139,349 (Cl. GOIN33/58), 07 Nov. 1984, GB Appl. 83/11,905, 29 Apr. 1983, 13 pp.; *C.A.*, 102 (1985) 109396j.
- 3777 Hidaka, S., Tsunasawa, S., Yoon, J.-O., Narita, K., Takanami, Y., Kubo, S. and Miura, K.-I.: Messenger RNA structure participating in the initiation of synthesis of cucumber mosaic virus coat protein. *J. Biochem. (Tokyo)*, 97 (1985) 161-171.
- 3778 Katayama-Fujimura, Y., Komatsu, Y., Kuraishi, H. and Kaneko, T.: Estimation of DNA base composition by high performance liquid chromatography of its nuclease P1 hydrolysate. *Agric. Biol. Chem.*, 48 (1984) 3169-3172; *C.A.*, 102 (1985) 92326m.

See also 3734.

22. ALKALOIDS

- 3779 Cundy, K.C., Sato, M. and Crooks, P.A.: Stereospecific *in vivo* N-methylation of nicotine in the guinea pig. *Drug Metab. Disp.*, 13 (1985) 175-185.
- 3780 Hamann, Y., Tisse, C. and Estienne, J.: (Study on theobromine levels in cocoa beans using high-performance liquid chromatography). *Ann. Palsif. Expert. Chim. Toxicol.*, 77 (1984) 271-276; *C.A.*, 102 (1985) 77343w.
- 3781 Lepom, P. and Robowsky, K.-D.: Determination of the alkaloid perloleone in grasses by high-performance liquid chromatography. *J. Chromatogr.*, 822 (1985) 261-264.
- 3782 Porst, H. and Kny, L.: Zur Stabilität von Pilocarpinhydrochlorid in Augentropfen. *Pharmazie*, 40 (1985) 23-29.
- 3783 Wahlländer, A., Renner, E. and Karlaganis, G.: High-performance liquid chromatographic determination of dimethylxanthine metabolites of caffeine in human plasma. *J. Chromatogr.*, 338 (1985) 369-375.

For additional information see:
C.A., 102 (1985) 105674a.

See also 3167, 3923.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

- 3784 Francis, J.E. and Smith, A.G.: Porphyrin analysis by reversed-phase high-performance liquid chromatography: biomedical applications. *TrAC*, 4 (1985) 80-86.
- 3785 Jackson, A.H., Rao, K.R.N., Smith, S.G. and Lash, T.D.: HPLC analysis of di- and tri-carboxylic porphyrins in porphyric patients. *Biochem. J.*, 227 (1985) 327-331.

- 3786 Kobayashi, M., Saitoh, K. and Suzuki, N.: Separation of metal tetrakis(*p*-tolyl) porphine complexes by reversed-phase high-performance liquid chromatography. *Chromatographia*, 20 (1985) 72-74.

For additional information see:
C.A., 102 (1985) 119716c.

23b. Bile pigments

- 3787 Itoh, S. and Onishi, S.: Kinetic study of the photochemical changes of (ZZ)-bilirubin IX α bound to human serum albumin. Demonstration of (EZ)-bilirubin IX α as an intermediate in photochemical changes from (ZZ)-bilirubin IX α to (EZ)-cyclobilirubin IX α . *Biochem. J.*, 226 (1985) 251-258.
- 3788 Leakey, J.E.A., Althaus, Z.R., Bailey, J.R. and Slikker, W., Jr.: Dexamethasone increases UDP-glucuronyltransferase activity towards bilirubin, oestradiol and testosterone in foetal liver from rhesus monkey during late gestation. *Biochem. J.*, 225 (1985) 183-188.
- 3789 Spivak, W. and Carey, M.C.: Reverse-phase HPLC separation, quantification and preparation of bilirubin and its conjugates from native bile. Quantitative analysis of the intact tetrapyrroles based on HPLC of their ethyl anthranilate azo derivatives. *Biochem. J.*, 225 (1985) 787-805.

23c. Indole derivatives

- 3790 Asahi Chemical Industry Co., Ltd.: Separation of indoles. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,164,775 [84,164,775] (Cl. CO7D20/04), 17 Sep. 1984, Appl. 83/39,180, 11 Mar. 1983; 8 pp.; *C.A.*, 102 (1985) 97295k.
- 3791 Hong, Y.K., Gilbert, R.D. and Fornes, R.E.: Quantitative determination of indole-3 carboxyaldehyde in aqueous extracts of cotton bracts by HPLC. *Text. Res. J.*, 55 (1985) 17-19; *C.A.*, 102 (1985) 92328p.
- 3792 Nissinen, E. and Linko-Löppönen, S.: High-performance liquid chromatographic assay for kinetic and inhibition properties of monamine oxidase form A. *J. Liq. Chromatogr.*, 8 (1985) 395-405.

23d. Pyridine derivatives

- 3793 Carmella, S.G. and Hecht, S.S.: High-performance liquid chromatographic analysis of metabolites of the nicotine-derived nitrosamines, N'-nitrosomonicotinic acid and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone. *Anal. Biochem.*, 145 (1985) 239-244.
- 3794 Queree, E.A., Dickson, S.J. and Shwa, S.M.: Extraction and quantification of paraquat in liver and hemolyzed blood. *Z. Anal. Toxicol.*, 9 (1985) 10-14; *C.A.*, 102 (1985) 107598c.
- 3795 Tobes, M.C., Hays, S.J., Gildersleeve, D.L., Wieland, D.M. and Beierwaltes, W.H.: Adrenal cortical 11 β -hydroxylase and side-chain cleavage enzymes. Requirement for the A- or B-pyridyl ring in metyrapone for inhibition. *J. Steroid Biochem.*, 22 (1985) 103-110.

See also 3709.

23e. Other N-heterocyclic compounds

- 3796 Komiyama, S., Yamaura, Y., Nakazawa, H., Fujita, M. and Kabasawa, Y.: (Determination of ibotenic acid and muscinol in *Amanita muscaria* by high performance liquid chromatography). *Bunseki Kagaku*, 34 (1985) 161-165.
- 3797 Koreisha, M.A., Tkachuk, L.A. and Furtune, L.A.: (Histamine determination in wines). *Savod. Vinograd Vinodel. Mold.*, (1984) 42-43; *C.A.*, 102 (1985) 111353m.

For additional information see:
C.A., 102 (1985) 89425n, 119394w.

See also 3192.

24. ORGANIC SULPHUR COMPOUNDS

- 3798 Christensen, R.G. and White, V.E.: Determination of dibenzothiophene in oils by liquid chromatography-tandem mass spectrometry. *J. Chromatogr.*, 323 (1985) 33-36.
- 3799 Czajkowska-Lazowska, J.: (Determination of aniline in sulfanilic acid with gas and liquid chromatography methods). *Przem. Chem.*, 63 (1984) 547-548; *C.A.*, 102 (1985) 105444a.
- 3800 Godeneche, D., Madelmont, J.C., Moreau, M.F., Duprat, J., Chabard, J.L., Plagne, R. and Meyniel, G.: Metabolic disposition of 2-chloroethyl nitrosocarbamoyl-cysteamine in rats. *Drug Metab. Disp.*, 13 (1985) 220-226.
- 3801 Heaney, R.K.: Chromatographic analysis of glucosinolates-A potential aid to the plant breeder. *Anal. Proc.*, 21 (1984) 482-484; *C.A.*, 102 (1985) 92319m.
- 3802 Lunte, S.M. and Kissinger, P.T.: Detection of thiols and disulfides in liver samples using liquid chromatography/electrochemistry. *J. Liq. Chromatogr.*, 8 (1985) 691-706.
- 3803 Perrett, D. and Rudge, S.R.: The determination of thiols and related compounds using high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 3-27.
- 3804 Smith, R.M., Madahar, K.C., Salt, W.G. and Smart, N.A.: Determination of trace levels of ethylenethiourea by HPLC following derivatisation with phenacyl halides. *Chromatographia*, 19 (1984) 411-414.

See also 3218, 3954.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 3805 Kojima, N., Araki, Y. and Ito, E.: Structural studies on the acidic polysaccharide of *Bacillus cereus* AHU 1356 cell walls. *Eur. J. Biochem.*, 148 (1985) 479-484.
- 3806 Montague, W., Morgan, N.G., Rumford, G.M. and Prince, C.A.: Effect of glucose on polyphosphoinositide metabolism in isolated rat islets of Langerhans. *Biochem. J.*, 227 (1985) 483-489.
- 3807 Priebe, S.R. and Howell, J.A.: Post-column reaction detection system for the determination of organophosphorus compounds by liquid chromatography. *J. Chromatogr.*, 324 (1985) 53-63.

For additional information see:

C.A., 102 (1985) 90183p, 151205w.

See also 3242, 3361, 3505, 3524, 3816.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 3808 Leadbetter, M.G. and Allen, E.H.: Factors influencing on-column hydrolysis of thiacetarsamide during reversed-phase liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 13-29.

26c. Coordination compounds

For additional information see:

C.A., 102 (1985) 142379d.

See also 3983.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 3809 Barua, A.B. and Olson, J.A.: Preparation of retinamides by use of retinoyl fluoride. *J. Lipid Res.*, 26 (1985) 258-262.
- 3810 Bieri, J.G., Brown, F.D. and Smith, J.C., Jr. (1): Determination of individual carotenoids in human plasma by high performance liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 473-484.
- 3811 Bui Nguyen, M.H.: Ascorbic acid and related compounds. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 267-301; *C.A.*, 102 (1985) 128123j.
- 3812 Clamon, G., Chabot, G.G., Valeriote, F., Davilla, E., Vogel, C., Gorowski, E. and Birch, R.: Phase I study and pharmacokinetics of weekly high-dose 13-*cis*-retinoic acid. *Cancer Res.*, 45 (1985) 1874-1878.
- 3813 Clarke, A.D. and Rowbury, C.S.: Removal of lipids before liquid chromatography of vitamin D in serum. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 657-658.
- 3814 Cook, L., Prasad, M.K., vietn, K. and Cintl, D.L.: Hepatic microsomal short-chain β -hydroxyacyl-CoA dehydrase distinct from the fatty acid elongation component: substrate specificity of the membrane-extracted enzyme. *Arch. Biochem. Biophys.*, 236 (1985) 26-35.
- 3815 Coors, Y. and Montag, C.: (Separation of tocopherols and tocotrienols on chemically modified silica gel phases). *Lebensmittelchem. Gerichtl. Chem.*, 39 (1985) 6-7; *C.A.*, 102 (1985) 130546t.
- 3816 Creek, K.E., Rimoldi, D., Silverman-Jones, C.S. and De Luca, L.M.: Synthesis of retinyl phosphate mannose *in vitro*. Non-enzymic breakdown and reversibility. *Biochem. J.*, 227 (1985) 695-703.
- 3817 Curtius, H.-C., Heintel, D., Ghisla, S., Kuster, T., Leimbacher, W. and Niederwieser, A.: Tetrahydrobiopterin biosynthesis. Studies with specifically labeled (^2H)NAD(P)H and $^2\text{H}_2\text{O}$ and of the enzymes involved. *Eur. J. Biochem.*, 148 (1985) 413-419.
- 3818 Danan, J.-L. and Mathieu, H.: Regulation of rat yolk sac 25-hydroxy- and 1,25-dihydroxyvitamin D₃-hydroxylase activities. *J. Biol. Chem.*, 260 (1985) 3259-3264.
- 3819 Driskell, W.J., Bashor, M.M. and Neese, J.W.: Loss of vitamin A in long-term stored, frozen sera. *Clin. Chim. Acta*, 147 (1985) 25-30.
- 3820 Han, C.D.: (High performance liquid chromatographic determination of xanthinol nicotinate). *Yakuhak Hoechi*, 28 (1984) 321-325; *C.A.*, 102 (1985) 109169n.
- 3821 Hara, T. and Taniguchi, M.: Relationship between changes in properties and contents of riboflavin derivatives of NADPH-cytochrome P-450 reductase in the liver microsomes of riboflavin-deficient rats. *J. Biochem. (Tokyo)*, 97 (1985) 473-482.
- 3822 Hengen, N. and de Vries, J.S.: Nicotinic acid and nicotinamide. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1984) 341-384; *C.A.*, 102 (1985) 128125m.
- 3823 Iriyama, K., Yoshiura, M. and Iwamoto, T.: Electrochemical detection of ascorbic and uric acids in the eluate from reversed-phase high-performance liquid chromatography with newly developed rigid-type porous polymer packing (polymethylacrylate gels). *J. Liq. Chromatogr.*, 8 (1985) 333-344.
- 3824 Iriyama, K., Yoshiura, M. and Iwamoto, T.: Determination of serum ascorbic and uric acids by liquid chromatography with electrochemical detection. *Jikeikai Med. J.*, 31 (1984) 457-462; *C.A.*, 102 (1985) 109183n.
- 3825 Jones, G., Seamark, D.A., Trafford, D.J.H. and Makin, H.L.J.: Vitamin D: Cholecalciferol, ergocalciferol and hydroxylated metabolites. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 73-128; *C.A.*, 102 (1985) 128122h.
- 3826 Kawasaki, T. and Sanemori, H.: Vitamin B₁: thiamins. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 385-411; *C.A.*, 102 (1985) 109196u.
- 3827 Koskinen, T. and Valtonen, P.: Comparison of HPLC separation of vitamin D₃ metabolites and their isotachysterol₃ derivatives. *J. Liq. Chromatogr.*, 8 (1985) 463-472.
- 3828 Kountourellis, J.E., Raptouli, A., Botsoglou, N.A. and Georgarakis, M.: Determination of vitamin A and E in pharmaceutical preparations by HPLC method. *Pharmazie*, 40 (1985) 191-194.
- 3829 Kutnink, M.A., Skala, J.H., Sauberlich, H.E. and Omaye, S.T.: Simultaneous determination of ascorbic acid, isoascorbic acid (erythorbic acid) and uric acid in human plasma by high-performance liquid chromatography with amperometric detection. *J. Liq. Chromatogr.*, 8 (1985) 31-46.

- 3830 Lambert, W.E., Nelis, H.J., de Ruyter, M.G.M. and DeLeenheer, A.P.: Vitamin A: Retinol, carotenoids and related compounds. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 1-72; *C.A.*, 102 (1985) 128121g.
- 3831 Lefevre, M.F.L., Claeys, A.E. and de Leenheer, A.P.: Vitamin K: Phylloquinone and menaquinones. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 201-265; *C.A.*, 102 (1985) 109081c - a review with 188 refs.
- 3832 Marletta, M.A. and Light, D.R.: Flavins. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 413-433; *C.A.*, 102 (1985) 109082d - a review with 68 refs.
- 3833 McCormack, J.J. and Newman, R.A.: Chromatographic studies of folic acid and related compounds. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 341-384; *C.A.*, 102 (1985) 128124k.
- 3834 Moysan, J.F., Berthou, P. and Floch, H.H.: (Separation of hydroxylated vitamin D₃ metabolites by high-performance liquid chromatography). *Pathol. Biol.*, 32 (1984) 825-827; *C.A.*, 105 (1985) 106428k.
- 3835 Napoli, J.L., Pramanik, B.C., Williams, J.B., Dawson, M.I. and Hobbs, P.D.: Quantification of retinoic acid by gas-liquid chromatography-mass spectrometry: total versus all-*trans*-retinoic acid in human plasma. *J. Lipid Res.*, 26 (1985) 387-392.
- 3836 Nelis, H.J., de Bevere, V.O.R.C. and DeLeenheer, A.P.: Vitamin E: Tocopherols and tocotrienols. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 129-200; *C.A.*, 102 (1985) 128028g - a review with 216 refs., partly on LC.
- 3837 Nierenberg, D.W.: Serum and plasma β -carotene levels measured an improved method of high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 273-284.
- 3838 Periquet, B., Bailly, A., Ghisolfi, J. and Thouvenot, J.P.: Determination of retinyl palmitate in homogenates and subcellular fractions of rat liver by liquid chromatography. *Clin. Chim. Acta*, 147 (1985) 41-49.
- 3839 Rammell, C.G. and Hoogenboom, J.L.: Separation of tocotols by HPLC an amino-cyano polar phase column. *J. Liq. Chromatogr.*, 8 (1985) 707-717.
- 3840 Samuels, L.L., Moccio, D.M. and Sirotiak, F.M.: Similar differential for total polyglutamylated and cytotoxicity among various folate analogues in human and murine tumor cells *in vitro*. *Cancer Res.*, 45 (1985) 1488-1495.
- 3841 Seki, T., Shingu, K. and Kito, Y.: Chiral discrimination of 5,6-epoxy-3-dehydroretinal by aporetinochrome and cattle opsin. *Eur. J. Biochem.*, 147 (1985) 255-262.
- 3842 Sisco, W.R. and DiPeo, T.J.: Stability-indicating reversed-phase high-performance liquid chromatographic assay for fenretinide drug substance. *J. Chromatogr.*, 322 (1985) 380-385.
- 3843 Takahashi, N., Suda, S., Shinki, T., Horiuchi, N., Shiina, Y., Tanioka, Y., Koizumi, H. and Suda, T.: The mechanism of end-organ resistance to $1\alpha,25$ -dihydroxycholecalciferol in the common marmoset. *Biochem. J.*, 227 (1985) 555-563.
- 3844 Van Niekerk, P.J. and Burger, A.E.C.: The estimation of the composition of edible oil mixtures. *J. Am. Oil Chem. Soc.*, 62 (1985) 531-538.
- 3845 Vanderslice, J.T., Brownlee, S.G., Cortissoz, M.E. and Maire, C.E.: Vitamin B₆ analysis: sample preparation, extraction procedures and chromatographic separations. *Chromatogr. Sci.*, 30 (Mod. Chromatogr. Anal. Vitam.) (1985) 435-475; *C.A.*, 102 (1985) 128126n.

For additional information see:
C.A., 102 (1985) 75065h, 75075m.

28. ANTIBIOTICS

- 3846 Barends, D.M., Blauw, J.S., Mijsbergen, C.W., Covers, C.J.L.R. and Hulshoff, A.: Pre-column derivatization of aminoglycosides with 1-fluoro-2,4-dinitrobenzene. *J. Chromatogr.*, 322 (1985) 321-331.
- 3847 Brendel, E., Zschunke, M. and Meineke, I.: High-performance liquid chromatographic determination of cefonicid in human plasma and urine. *J. Chromatogr.*, 339 (1985) 359-365.

- 3848 Brückner, H. and Przybylski, M.: Methods for the rapid detection, isolation and sequence determination of "peptaibols" and other alb-containing peptides of fungal origin. I. Gliodeliquescin A from *Gliocladium deliquescens*. *Chromatographia*, 19 (1984) 188-199.
- 3849 Hashimoto, N. and Tanaka, H.: Epimerization kinetics of moxalactam, its derivatives, and carbenicillin in aqueous solution. *J. Pharm. Sci.*, 74 (1985) 68-71.
- 3850 Jehl, F., Gallion, C., Debs, J., Brogard, J.M., Monteil, H. and Minck, R.: High-performance liquid chromatographic method for determination of ciprofloxacin in biological fluids. *J. Chromatogr.*, 339 (1985) 347-357.
- 3851 Jensen, S.E., Westlake, D.W.S. and Wolfe, S.: Deacetoxycephalosporin C synthetase and deacetoxycephalosporin C hydroxylase are two separate enzymes in *Streptomyces clavuligerus*. *J. Antibiot.*, 38 (1985) 263-265.
- 3852 Mahoney, W.C. and Orf, J.W.: Derivatives of cyclosporin compatible with antibody-based assays. I. The generation of [¹²⁵I]-labeled cyclosporin. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 459-462.
- 3853 Musson, D.G., Maglietto, S.M. and Bayne, W.F.: Determination of the antibiotic fludalanine in plasma and urine by high-performance liquid chromatography using a packed-bed, post-column reactor with *o*-phthalaldehyde and 2-mercaptoethanol. *J. Chromatogr.*, 338 (1985) 357-367.
- 3854 Rahman, A., Goodman, A., Foo, W., Harvey, J., Smith, F.P. and Schein, P.S.: Clinical pharmacology of daunorubicin in phase I patients with solid tumors: Development of an analytical methodology for daunorubicin and its metabolites. *Semin. Oncol.*, 11 (1984) 36-44; *C.A.*, 102 (1985) 105630h.
- 3855 Ryan, F.J., Austin, M.A. and Mathies, J.C.: Simple and precise method for liquid chromatographic determination of chloramphenicol in serum using a phase separation extraction. *Ther. Drug Monit.*, 6 (1984) 465-470; *C.A.*, 102 (1985) 89574k.
- 3856 Sitrin, R.D., Chan, G., DePhillips, P., Dingerdissen, J., Valenta, J. and Snader, K.: Preparative reversed-phase high performance liquid chromatography. A recovery and purification process for nonextractable polar antibiotics. *ACS Symp. Ser.*, 271 (Purif. Ferment. Prod.) (1985) 71-89; *C.A.*, 102 (1985) 94253j.
- 3857 Stanton, G.F., Raymond, V., Wittes, R.E., Schulman, P., Budman, D., Baratz, R., Williams, L., Petroni, G.R., Geller, N.L., Hancock, C., Kreis, W. and Young, C.W.: Phase I and clinical pharmacological evaluation of 4'-deoxydorubicin in patients with advanced cancer. *Cancer Res.*, 45 (1985) 1862-1868.
- 3858 Wilms, H. and Molnar, I.: Rapid measurement of cyclosporin A plasma levels by HPLC in allograft transplant recipients. *Chromatographia*, 19 (1984) 462-465.

For additional information see:
C.A., 102 (1985) 84471q.

See also 3911.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

- 3859 LeBorgne, L.D.: Use of chromatographic data handling system within a pesticide research laboratory. *Anal. Proc.*, 22 (1985) 21-22; *C.A.*, 102 (1985) 127113u.

29d. Herbicides

- 3860 Nielen, M.W.F., Koomen, G., Frei, R.W. and Brinkman, U.A.T.: Electrochemical detection of phenylurea herbicides in liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 315-332.

For additional information see:
C.A., 102 (1985) 74404f.

29e. Fungicides

- 3861 Hogendoorn, E.A., Goewie, C.E., van den Broek, H.H. and Greve, P.A.: Comparison of the applicability of gas and liquid chromatography to the analysis of residues of the fungicides dichloran, vinclozolin, meclozolin, iprodione, carbendazim and thiabendazole in carrot. *Meded. Fac. Landbouwwet., Rijksuniv. Gent*, 49 (1984) 1219-1230; *C.A.*, 102 (1985) 90874q.

29f. Other types of pesticides and various agrochemicals

- 3862 Kovacs, G.H.: High-performance liquid chromatographic analysis of the photo-degradation products of phosmethylan. *J. Chromatogr.*, 322 (1985) 265-266.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 3863 Ellis, R.A.: The applications of gel permeation chromatography in the paint and allied industries. Part 1. *Pigm. Resin Technol.*, 13 (1984) 4-6; *C.A.*, 102 (1985) 115151s - a review with many refs.
- 3864 Kups, W. and Kacprzak, G.: (Use of high-performance liquid chromatography in analysis of dye industry intermediates. IV. Methods for analysis of sulfonation and nitration products in the synthesis of 2-amino-4,8-naphthalenedisulfonic acid (C-acid)). *Biul. Inf.: Barwniki Srodki Pomocnicze*, 28 (1984) 48-53; *C.A.*, 102 (1985) 150913p.
- 3865 Tatum, J.P.: The development of an easily dispersing organoclay. *Polym. Paint Colour J.*, 174 (1984) 821-829; *C.A.*, 102 (1985) 133586s.

For additional information see:

C.A., 102 (1985) 150903k.

30b. Chloroplast and other natural pigments

See 3842.

31. PLASTICS AND THEIR INTERMEDIATES

- 3866 Bauer, J. and Bauer, M.: (Determination of the molecular weight distribution of branched poly(phenylquinoxalines) by gel permeation chromatography and viscometry). *Acta Polym.*, 36 (1985) 16-21; *C.A.*, 102 (1985) 79520a.
- 3867 Glöckner, J. and van den Berg, J.H.M.: Gradient elution chromatography of polymers on reversed-phase columns with tetrahydrofuran as an eluent component. *Chromatographia*, 19 (1984) 55-61.
- 3868 Gloeckner, G., Albrecht, V. and Francuskiewicz, F.: (Characterization of styrene-acrylonitrile copolymers by exclusion chromatography and turbidimetric titration of the fractions obtained. I. Test mixtures). *Angew. Makromol. Chem.*, 127 (1984) 153-169; *C.A.*, 102 (1985) 79524e.
- 3869 Haidar, B., Vidal, A., Balard, H. and Donnet, J.B.: Structural differences exhibited by networks prepared by chemical and photochemical reactions. III. Characterization by inverse GPC. *J. Appl. Polym. Sci.*, 29 (12, Pt. 2) 4309-4320; *C.A.*, 102 (1985) 96727r.
- 3870 Lai, S.-T. and Sangermano, L.: Molecular weight determination of polychromophore polymers using high-performance liquid chromatography and size-exclusion chromatography with UV detection. *J. Chromatogr.*, 322 (1985) 338-346.
- 3871 Lai, S.-T. and Sangermano, L.: Multi-mode liquid chromatography of polystyrene on TMS-bonded phase. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 152-153.
- 3872 Malawer, E.G., DeVasto, J.K., Frankoski, S.P. and Montana, A.J.: Aqueous size exclusion chromatography of poly(vinylpyrrolidone): The chromatographic method. In: G.A. Digenis and J. Ansell (Editors). *Proc. Int. Symp. Povidone*, Univ. Ky., Coll. Pharm., Lexington, 1983, pp. 503-517; *C.A.*, 102 (1985) 96281r.

- 3873 Schulz, W.W., Kaladas, J. and Schulz, D.N.: Compositional and molecular weight analysis of polyether macromonomers by chromatographic techniques. *J. Polym. Sci., Polym. Chem. Ed.*, 22 (1984) 3795-3804; *C.A.*, 102 (1985) 114250m.

For additional information see:

C.A., 102 (1985) 79877x, 96283t, 114254r, 114893y, 114895a, 137758x, 150082s.

See also 3274.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 3874 Li, J., Hillier, E. and Cotter, R.: Computerized HPLC detection in pharmaceutical research. *Am. Lab. (Fairfield)*, 17 (1985) 93-97; *C.A.*, 102 (1985) 154862u.

32a. Synthetic drugs

- 3875 Ayres, J.W., Panomvana, D. and Block, J.H.: Preparation and characterization of potential prodrugs of dyphylline. *J. Pharm. Sci.*, 74 (1985) 184-187.
- 3876 Busse, G.P. and Palcos, M.C.: Purity control of the radiopharmaceutical thiamine pyrophosphate-tin-technetium-99m. *J. Radioanal. Nucl. Chem.*, 88 (1985) 399-402; *C.A.*, 102 (1985) 100779d.
- 3877 Denat, J.P., Poey, J., Puig, P. and Bourbon, P.: (Determination of twenty-two antidepressant drugs by HPLC). *Analusis*, 13 (1985) 19-24; *C.A.*, 102 (1985) 105602a.
- 3878 De Schutter, J.A., de Croo, F., van der Weken, G., van den Bossche, W. and de Moerloose, P.: Stability study and quantitative determination of mebeverine hydrochloride in tablets by means of reversed-phase high-performance liquid chromatography. *Chromatographia*, 20 (1985) 185-192.
- 3879 Doadrio, V.A., Doadrio, A., Lastres, J.L. and Cadorniga, R.: (Analysis of analgesic formulations by high-pressure liquid chromatography). *An. R. Acad. Farm.*, 50 (1984) 353-363; *C.A.*, 102 (1985) 137928c.
- 3880 Doyle, T.D. and Wainer, I.W.: The resolution of enantiomeric drugs using HPLC chiral stationary phases. *Pharm. Technol.*, 9 (1985) 28-32; *C.A.*, 102 (1985) 119715b - a review with 12 refs.
- 3881 Erge, R., Müller, R.K. and Wehran, H.-J.: HPLC-Systeme zur Trennung toxikologisch relevanter organischer Verbindungen (vor allem Arzneimittelwirkstoffe). *Pharmazie*, 40 (1985) 153-173.
- 3882 Fasching, C.E. and Peterson, L.R.: High pressure liquid chromatography of (BAY o 9867) ciprofloxacin in serum samples. *J. Liq. Chromatogr.*, 8 (1985) 555-562.
- 3883 Flanagan, R.J. and Jane, I.: High-performance liquid chromatographic analysis of basic drugs on silica columns using non-aqueous ionic eluents. I. Factors influencing retention, peak shape and detector response. *J. Chromatogr.*, 323 (1985) 173-189.
- 3884 Floor, B.J., Klein, A.E., Muhammad, N. and Ross, D.: Stability-indicating liquid chromatographic determination of etoposide and benzyl alcohol in injectable formulations. *J. Pharm. Sci.*, 74 (1985) 197-200.
- 3885 Fox, A. and Fink, D.W.: Determination of ivermectin in feeds by high-performance liquid chromatography. *Analyst (London)*, 110 (1985) 259-261.
- 3886 Gau, W., Ploschke, H.J., Schmidt, K. and Weber, B.: Determination of ciprofloxacin (BAY o 9867) in biological fluids by high-performance liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 485-497.
- 3887 Gordon, S.M., Freeston, L.K., Collins, A.J. and Bain, R.: Determination of emepronium bromide in tablets by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 246-247.
- 3888 Holak, W.: Analysis of mercury-containing drugs by high-performance liquid chromatography with atomic absorption detection. *J. Liq. Chromatogr.*, 8 (1985) 563-569.
- 3889 Hsieh, J.Y.-K., Maglietto, B.K. and Bayne, W.F.: Separation, identification, and quantification of N-acetyl cilastatin in human urine. *J. Liq. Chromatogr.*, 8 (1985) 513-520.

- 3890 Hung, C.T. and Perrier, D.G.: Determination of trimethoprim and sulphamethoxazole in serum by reversed-phase and ion pair HPLC. *J. Liq. Chromatogr.*, 8 (1985) 521-536.
- 3891 Jane, I., McKinnon, A. and Flanagan, R.J.: High-performance liquid chromatographic analysis of basic drugs on silica columns using non-aqueous ionic eluents. II. Application of UV, fluorescence and electrochemical oxidation detection. *J. Chromatogr.*, 323 (1985) 191-225.
- 3892 Juenge, E.C., Kreienbaum, M.A. and Gurka, D.F.: Assay of nitrofurantoin oral suspensions contaminated with 3-(5-nitrofururylideneamino)hydantoic acid. *J. Pharm. Sci.*, 74 (1985) 100-102.
- 3893 Newcombe, D.W.: Estimation of dithranol in an iontophoretic formulation by HPLC. *Pharm. J.*, 233 (1984) 800-801; *C.A.*, 102 (1985) 119744k.
- 3894 Nordic Committee on Food Analysis: Detection of saccharin, cyclamate and dulcine in soft drinks. *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 453-454; *C.A.*, 102 (1985) 77348b.
- 3895 Okamoto, M., Futamura, A., Goto, S., Tamaoki, S., Yamashita, H. and Wada, A.: Behaviour of antiepileptic drugs in high-performance liquid chromatography on six kinds of silica gel modified with four types of phenyl groups. *Chromatographia*, 19 (1984) 347-351.
- 3896 Pedersen, A.K. and FitzGerald, G.A.: Preparation and analysis of deuterium-labeled aspirin: application to pharmacokinetic studies. *J. Pharm. Sci.*, 74 (1985) 188-192.
- 3897 Smith, R.M., Hurdley, T.G., Gill, R. and Moffat, A.C.: The application of retention indices using the alkylarylketone scale to the separation of the barbiturates by HPLC. I. The effect of the eluent. *Chromatographia*, 19 (1984) 401-406.
- 3898 Smith, R.M., Hurdley, T.G., Gill, R. and Moffat, A.C.: The application of retention indices using the alkylarylketone scale to the separation of the barbiturates by HPLC. II. The effect of the stationary phase. *Chromatographia*, 19 (1984) 407-410.
- 3899 Tomori, E., Szell, E. and Barabas, E.: High-performance liquid chromatography of a new tripeptide aldehyde (GYKI-14 166), correlation between the structure and activity. *Chromatographia*, 19 (1984) 437-442.
- 3900 Torel, J., Cillard, J., Cillard, P. and Vie, M.: Simultaneous analysis of three antimicrobial agents in feed premixes by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 323 (1985) 447-450.
- 3901 Tsilifonis, D.C., Wilk, K., Reisch, R., Jr. and Daly, R.E.: High performance liquid chromatographic assay of verapamil hydrochloride in dosage forms. *J. Liq. Chromatogr.*, 8 (1985) 499-511.
- 3902 Uetrecht, J.P.: Reactivity and possible significance of hydroxylamine and nitroso metabolites of procainamide. *J. Pharmacol. Exp. Ther.*, 232 (1985) 420-425.
- 3903 Voyksner, R.D., Burse, J.T. and Hines, J.W.: Analysis of candidate anticancer drugs by thermospray high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 323 (1985) 383-394.
- 3904 Wyhowski de Bukanski, B. and Masse, M.O.: Analysis of hexamidine, dibromohexamidine, dibromopropamidine and chlorhexidine in cosmetic products by high-performance liquid chromatography. *Int. J. Cosmet. Sci.*, 6 (1984) 283-291; *C.A.*, 102 (1985) 154617t.
- 3905 Yarwood, R.J., Moore, W.D. and Collett, J.H.: Liquid chromatographic analysis of ethacrynic acid and degradation products in pharmaceutical systems. *J. Pharm. Sci.*, 74 (1985) 220-223.

For additional information see:

C.A., 102 (1985) 84484w, 84506e, 84508g, 119726f, 119750j, 137902q, 137913u,
137916x, 137920w, 154661c, 154874z, 154875a, 154877c, 154881z.

See also 3138, 3215, 3281, 3739.

32b. Pharmacokinetic studies

- 3906 Abdel-Rahim, M., Ezra, D., Peck, C. and Lazar, J.: Liquid-chromatographic assay of cimetidine in plasma and gastric fluid. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 621-623.

- 3907 Ackermann, B.L., Watson, J.T., Newton, J.F., Jr., Hook, J.B. and Braselton, W.E., Jr.: Application of fast atom bombardment mass spectrometry to biological samples: analysis of urinary metabolites of acetaminophen. *Biomed. Mass Spectrom.*, 11 (1984) 502-511; *C.A.*, 102 (1985) 72318g.
- 3908 Briele, H.A., Djuric, M., Jung, D.T., Mortell, T., Patel, M.K. and Das Gupta, T.K.: Pharmacokinetics of melphalan in clinical isolation perfusion of the extremities. *Cancer Res.*, 45 (1985) 1885-1889.
- 3909 Brown, R.R., Stroschane, R.M. and Benziger, D.P.: High-performance liquid chromatographic assay for trilostane and its major metabolite, 17-ketotriloostane, in human plasma. *J. Chromatogr.*, 339 (1985) 440-444.
- 3910 Clarke, G.S. and Robinson, M.L.: HPLC analysis of cephadrine in human serum and urine. *J. Clin. Hosp. Pharm.*, 8 (1983) 373-374; *C.A.*, 102 (1985) 105603b.
- 3911 Daghestani, A.N., Ariin, Z.A., Leyland-Jones, B., Gee, T.S., Kempin, S.J., Mertelmann, R., Budman, D., Schulman, P., Baratz, R., Williams, L., Clarkson, B.D. and Young, C.: Phase I and II clinical and pharmacological study of 4-demethoxydaunorubicin (Idarubicin) in adult patients with acute leukemia. *Cancer Res.*, 45 (1985) 1408-1412.
- 3912 Debruyne, D., Moulin, M.A., Bricard, H. and Bigot, M.-C.: Liquid chromatographic determination of noxytiolin and 1-methyl-2-thiourea in serum: application to pharmacokinetic studies in rabbits and humans. *J. Pharm. Sci.*, 74 (1985) 224-226.
- 3913 De Schryver, E.P., de Reu, L. and Willems, J.L.: Determination of methyl paraoxon in dog plasma by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 389-395.
- 3914 De Vries, J.X., Simon, M., Zimmermann, R. and Harenberg, J.: Identification of phenprocoumon metabolites in human urine by high-performance liquid chromatography and gas chromatography-mass spectrometry. *J. Chromatogr.*, 338 (1985) 325-334.
- 3915 Dittrich, P., Ostrowski, J., Beubler, E., Schraven, E. and Kukovetz, W.: HPLC-Bestimmung von Troxerutin in Plasma und Harn nach oraler Gabe am Menschen. *Arzneim.-Forsch.*, 35 (1985) 765-767.
- 3916 Fischer, L.J., Green, M.D. and Harman, A.W.: Studies on the fate of the glutathione and cysteine conjugates of acetaminophen in mice. *Drug Metab. Disp.*, 13 (1985) 121-126.
- 3917 Garrett, E.R. and El-Koussi, A., El-Din, A.: Pharmacokinetics of morphine and its surrogates V: Naltrexone and naltrexone conjugate pharmacokinetics in the dog as a function of dose. *J. Pharm. Sci.*, 74 (1985) 50-56.
- 3918 Guyon, F.: (Analysis of traces of drugs by high-performance liquid chromatography: Principles and parameters). *Analisis*, 12 (1984) 432-437; *C.A.*, 102 (1985) 72259p.
- 3919 Harvey, V.J., Joel, S.P., Johnston, A. and Slevin, M.L.: High-performance liquid chromatography of etoposide in plasma and urine. *J. Chromatogr.*, 339 (1985) 419-423.
- 3920 Hengy, H. and Kölle, E.-U.: Determination of levobunolol and dihydrolevobunolol in blood and urine by high-performance liquid chromatography using fluorescence detection. *J. Chromatogr.*, 338 (1985) 444-449.
- 3921 Jung, D. and Ul Zafar, N.: Micro high-performance liquid chromatographic assay of acetaminophen and its major metabolites in plasma and urine. *J. Chromatogr.*, 339 (1985) 198-202.
- 3922 Karnes, H.T., Riley, C.M., Curry, S.H. and Schulman, S.G.: Analysis of N-benzoyl-L-tyrosyl-p-aminobenzoic acid (bentiromide) metabolites in urine by ion-pair high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 377-388.
- 3923 Koster, A.S., Frankhuijzen-Sierevogel, A.C. and Noordhoek, J.: Glucuronidation of morphine and six β_2 -sympathomimetics in isolated rat intestinal epithelial cells. *Drug Metab. Disp.*, 13 (1985) 232-238.
- 3924 Kunka, R.L., Yong, C.-L., LadiK, C.F. and Bates, T.R.: Liquid chromatographic determination of propoxyphene and norpropoxyphene in plasma and breast milk. *J. Pharm. Sci.*, 74 (1985) 103-104.
- 3925 Lloyd, C.W., Martin, W.J., Nagle, J. and Hauser, A.R.: Determination of cimetidine and metabolites in plasma by reversed-phase high-performance liquid chromatographic radial compression technique. *J. Chromatogr.*, 339 (1985) 139-147.

- 3926 Meredith, C.G., Maldonado, A.L. and Spøeg, K.V., Jr.: The effect of ketoconazole on hepatic oxidative drug metabolism in the rat *in vivo* and *in vitro*. *Drug Metab. Disp.*, 13 (1985) 156-162.
- 3927 Miyamoto, G., Sasabe, H., Odomi, M. and Shimizu, T.: High-performance liquid chromatographic procedure for the determination of a new positive inotropic agent, 3,4-dihydro-6-[4-(3,4-(dimethoxybenzoyl)-1-piperazinyl)]-2(1H)-quinolinone, in human plasma and urine. *J. Chromatogr.*, 338 (1985) 450-455.
- 3928 Montay, G. and Tassel, J.P.: Improved high-performance liquid chromatographic determination of pefloxacin and its metabolite morfloxacin in human plasma and tissue. *J. Chromatogr.*, 339 (1985) 214-218.
- 3929 Mori, Y., Kuroda, N., Sakai, Y., Yokoya, F., Toyoshi, K. and Baba, S.: Species differences in the metabolism of suprofen in laboratory animals and man. *Drug Metab. Disp.*, 13 (1985) 239-245.
- 3930 Nave, J.-F., d'Orchymont, H., Ducep, J.-B., Piriou, F. and Jung, M.J.: Mechanism of the inhibition of cholesterol biosynthesis by 6-fluoromevalonate. *Biochem. J.*, 227 (1985) 247-254.
- 3931 Panesar, R., Edwards, C. and Purkiss, R.: A rapid, reversed phase liquid chromatographic technique for the simultaneous determination of carbamazepine and its 10,11-epoxide. *J. Clin. Hosp. Pharm.*, 9 (1984) 349-351; *C.A.*, 102 (1985) 105587z.
- 3932 Reece, P.A., Stafford, I., Prager, R.H., Walker, G.J. and Zacest, R.: Synthesis, formulation, and clinical pharmacological evaluation of hydralazine pyruvic acid hydrazone in two healthy volunteers. *J. Pharm. Sci.*, 74 (1985) 193-196.
- 3933 Runci, F.M., Cerratani, D., Cerri, D. and Segre, G.: Pharmacokinetics in man of glycolamide, a low-dose oral antidiabetic drug. *Farmaco, Ed. Prat.*, 39 (1984) 424-430; *C.A.*, 102 (1985) 89624b.
- 3934 Soto-Otero, R., Mendez-Alvarez, E. and Sierra-Marcuno, G.: Simultaneous determination of ethoxaizimide, phenobarbital, phenytoin, and carbamazepine in brain tissue by HPLC. *J. Liq. Chromatogr.*, 8 (1985) 753-763.
- 3935 Suzuki, T., Hashimura, Y. and Takeyama, S.: *In vitro* metabolism of the new cardiotonic agent denopamine (TA-064) by rat and rabbit liver preparations. Oxidation, methylation, and glucuronidation. *Drug Metab. Disp.*, 13 (1985) 246-254.
- 3936 Vincek, W.C., Constanzer, M.L., Hesse, II, G.A. and Bayne, W.F.: Analytical method for the quantification of famotidine, an H₂-receptor blocker, in plasma and urine. *J. Chromatogr.*, 338 (1985) 438-443.
- 3937 Weidolf, L., Hoffmann, K.J., Carlsson, S. and Borg, K.O.: Synthesis and preparative liquid chromatographic purification of reference compounds of three metabolites of the vasodilating drug felodipine. *Acta Pharm. Suec.*, 21 (1984) 209-222; *C.A.*, 102 (1985) 89568m.
- 3938 Zimm, S., Etinger, L.J., Holcenberg, J.S., Kamen, B.A., Vietti, T.J., Belasco, J., Cogliano-Shutta, N., Balis, F., Lavi, L.E., Collins, J.M. and Poplack, D.G.: Phase I and clinical pharmacological study of mercaptopurine administered as a prolonged intravenous infusion. *Cancer Res.*, 45 (1985) 1869-1873.
- 3939 Zuleski, F.R., Kirkland, K.M., Melgar, M.D. and Malbica, J.O.: Tracazolate metabolites in rat tissue. *Drug Metab. Disp.*, 13 (1985) 139-147.

For additional information see:

C.A., 102 (1985) 72268r, 89684w, 92220x, 124967q, 125036x, 154870v, 154872x.

32c. Drug monitoring

- 3940 Ackerly, C.C., Hartshorn, J., Tong, W.P. and McCormack, J.J.: A rapid and sensitive method for determination trimetrexate from biological fluids. *J. Liq. Chromatogr.*, 8 (1985) 125-134.
- 3941 Akiyama, H., Kudo, S., Odomi, M. and Shimizu, T.: High-performance liquid chromatographic procedure for the determination of a new antithrombotic and vasodilating agent, cilostazol, in human plasma. *J. Chromatogr.*, 338 (1985) 456-459.
- 3942 Björkman, S.: Determination of the enantiomers of indoprofen in blood plasma by high-performance liquid chromatography after rapid derivatization by means of ethyl chloroformate. *J. Chromatogr.*, 339 (1985) 339-346.
- 3943 Brassinne, C., Laduron, C., Sculier, J.P. and Coune, A.: High-performance liquid chromatographic determination of 2-[3'-(methoxycarbonylamino)-phenyl]-3-phenyl-6-methoxycarbonylamino-4-(3H)-quinazolinone (NSC-251635) in human serum. *J. Chromatogr.*, 339 (1985) 445-450.

- 3944 Camsonne, R., Moulin, M.A., Albessard, F. and Perault, M.: A simple fluorescence high-performance liquid chromatographic assay for dihydroquinidine in serum. *Ther. Drug Monit.*, (1984) 471-473; *C.A.*, 102 (1985) 105572r.
- 3945 Carey, P.F., Martin, L.E. and Evans, M.B.: High-performance liquid chromatographic methods for the determination of ranitidine and its metabolites in biological fluids. *Chromatographia*, 19 (1984) 200-205.
- 3946 Chan, K., Lok, S. and Teoh, R.: The simultaneous determination of five antiepileptic drugs in plasma by high performance liquid chromatography. *Methods Find. Exp. Clin. Pharmacol.*, 6 (1984) 701-704; *C.A.*, 102 (1985) 72290s.
- 3947 Colussi, D., Marfil, F. and Sioufi, A.: Simultaneous determination of pirprofen and its metabolite, the pyrrole derivative, in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 157-162.
- 3948 Fogel, P., Mamer, O.A., Chouinard, G. and Farrell, P.G.: Determination of plasma bupropion and its relationship to therapeutic effect. *Biomed. Mass Spectrom.*, 11 (1984) 629-632; *C.A.*, 102 (1985) 105605d.
- 3949 Harrison, P.M., Tonkin, A.M. and McLean, A.J.: Simple and rapid analysis of atenolol and metoprolol in plasma using solid-phase extraction and high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 429-433.
- 3950 Harrison, P.M., Tonkin, A.M. and McLean, A.J.: Determination of 4-amino-3-(*p*-chlorophenyl)butyric acid (baclofen) in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 424-428.
- 3951 Kuhn, W. and Nau, H.: Automated high-pressure liquid chromatographic assay for antiepileptic drugs and their major metabolites by direct injection of serum samples. *Ther. Drug Monit.*, (1984) 478-483; *C.A.*, 102 (1985) 72282r.
- 3952 Leelavathi, D.E., Dressler, D.E., Soffer, E.F., Yachetti, S.D. and Knowles, J.A.: Determination of promethazine in human plasma by automated high-performance liquid chromatography with electrochemical detection and by gas chromatography-mass spectrometry. *J. Chromatogr.*, 339 (1985) 105-115.
- 3953 Lehr, K.-H. and Damm, P.: Quantification of ciclopirox by high-performance liquid chromatography after pre-column derivatization. An example of efficient clean-up silica-bonded cyano phases. *J. Chromatogr.*, 339 (1985) 451-456.
- 3954 Lieder, P.H. and Borch, R.F.: Triethylxonium tetrafluoroborate derivatization and HPLC analysis of diethylthiocarbamate in plasma. *Anal. Lett.*, 18 (1985) 57-66.
- 3955 Mizuki, T., Kageura, M., Dan, K. and Nagata, T.: (Quantification of phencyclidine in blood by mass fragmentography). *Nippon Hoigaku Zasshi*, 38 (1984) 424-427; *C.A.*, 102 (1985) 73646z.
- 3956 Morris, R.G.: Estimation of plasma hydroxychloroquine by high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 338 (1985) 422-427.
- 3957 Novak, E.A., Stanley, M., McIntyre, I.M. and Hryhorczuk, L.M.: High-performance liquid chromatographic method for quantification of cyproheptadine in serum or plasma. *J. Chromatogr.*, 339 (1985) 457-461.
- 3958 Platt, D., Mühlberg, W. and Rieck, W.: The effect of age on clinical pharmacokinetics of piracetam. *Arzneim.-Forsch.*, 35 (1985) 533-535.
- 3959 Ronai-Lukacs, S., Kozma, M. and Vereczkey, L.: High-performance liquid chromatographic method for quantitative determination of Yutac^R, a new antiarrhythmic agent, in dog plasma. *J. Chromatogr.*, 338 (1985) 428-432.
- 3960 Schuster, O., Hugemann, B., Gikalov, I., Schiemann, O. and Fenner, H.: Untersuchungen zur klinischen Pharmakokinetik von Allopurinol. I. Mitt. Allopurinol-Absorptionsorte und Dosisproportionalität der Allopurinol/Oxipurinol-Bioverfügbarkeit. *Arzneim.-Forsch.*, 35 (1985) 760-765.
- 3961 Smithers, J.A., Lang, J.F. and Okerholm, R.A.: Quantitative analysis of vigabatrin in plasma and urine by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 341 (1985) 232-238.
- 3962 Snedden, W., Fernandez, P.G., Galway, B.A. and Kim, B.K.: Specific HPLC assay for serum nifedipine. *Clin. Invest. Med.*, 7 (1984) 173-178; *C.A.*, 102 (1985) 89599x.
- 3963 Stiller, R.L., Brandon, B.W. and Cook, D.R.: Determination of atracurium in plasma by high-performance liquid chromatography. *Anesth. Analg.*, 64 (1985) 58-62; *C.A.*, 102 (1985) 105591w.
- 3964 Sweeney, D.J., Greig, N.H. and Rapoport, S.I.: High-performance liquid chromatographic analysis of melphalan in plasma, brain and peripheral tissue by *o*-phthalaldehyde derivatization and fluorescence detection. *J. Chromatogr.*, 339 (1985) 434-439.

- 3965 Tsuchihara, T., Tabuchi, F., Unate, M., Okamura, Y., Shigemasa, C., Abe, K. and Mashiba, H.: Determination of thiamazole in serum by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 339 (1985) 149-156.
- 3966 Von Stetten, O., Arnold, P., Aumann, M. and Guserle, R.: Direct measurement of pentoxifylline and its hydroxymetabolite from plasma using HPLC with column switching techniques. *Chromatographia*, 19 (1984) 415-417.
- 3967 Wad, N.: Rapid extraction method for ethosuximide and other antiepileptics in serum for determination by high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 460-462.
- 3968 Walmsley, L.M., Wilkinson, P.A., Brodie, R.R. and Chasseaud, L.F.: Determination of naftidrofuryl in human plasma by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 338 (1985) 433-437.
- 3969 Wang, S.T. and Peter, F.: The Abbott TDx fluorescence polarization immunoassay and liquid chromatography compared for five anticonvulsant drugs in serum. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 493-494.
- 3970 Yamada, K., Yamato, C. and Sato, T.: Improved assay procedure for trippamide in blood. *J. Chromatogr.*, 339 (1985) 210-213.
- 3971 Yonezawa, K., Sato, K. and Kobayashi, A.: High-performance liquid chromatography of a new β -blocker, 4-[3-(*tert.*-butylamino)-2-hydroxypropoxy]-*N*-methylisocarbostyryl hydrochloride, in plasma using fluorometric detection. *J. Chromatogr.*, 339 (1985) 219-222.
- 3972 Yoshida, H., Morita, I., Tamai, G., Masujima, T., Tsuru, T., Takai, N. and Imai, H.: Some characteristics of a protein-coated ODS column and its use for the determination of drugs by the direct injection analysis of plasma samples. *Chromatographia*, 19 (1984) 466-472.
- 3973 Yuan, Y.: (Selection and management of columns and mobile phases in the monitoring of drug levels in blood by high-pressure liquid chromatography). *Yaoux Tongbao*, 19 (1984) 348-351; *C.A.*, 102 (1985) 124898t - a review with 9 refs.
- 3974 Zecca, L., Trivulzio, S., Pinelli, A., Colombo, R. and Tofanetti, O.: Determination of glibenclamide, chlorpropamide and tolbutamide in plasma by high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 339 (1985) 203-209.

For additional information see:

C.A., 102 (1985) 89598w, 105571q, 105597c, 124985u, 124997z.

See also 3744, 3858.

32d. Toxicological applications

- 3975 Nakahara, Y. and Sekine, H.: Automatic extraction using the mini-column liquid chromatography method for analysis of drugs of abuse in biological fluids. *Chromatographia*, 19 (1984) 131-136.

See also 3881.

32e. Plant extracts

- 3976 Meier, B., Sticher, O. and Bettschart, A.: Weidenrinden-Qualität. Gesamt-salicylbestimmung in Weidenrinden und Weidenpräparaten mit HPLC. *Dtsch. Apoth.-Ztg.*, 125 (1985) 341-347.

For additional information see:

C.A., 102 (1985) 137883j, 154854t.

32f. Clinico-chemical applications and profiling body fluids

- 3977 Fabre, G., Fabre, I., Gewirtz, D.A. and Goldman, I.D.: Characteristics of the formation and membrane transport of 7-hydroxymethotrexate in freshly isolated rabbit hepatocytes. *Cancer Res.*, 45 (1985) 1086-1091.
- 3978 Matherly, L.H., Voss, M.K., Anderson, L.A., Fry, D.W. and Goldman, I.D.: Enhanced polyglutamylated aminopterin relative to methotrexate in the Ehrlich ascites tumor cell *in vitro*. *Cancer Res.*, 45 (1985) 1073-1078.

- 3979 Schoots, A.C., Homan, H.R., Gladdines, M.M., Cramers, C.A.M.G., de Smer, R. and Ringoir, S.M.G.: Screening of UV-absorbing solutes in uremic serum by reversed phase HPLC. Change of blood levels in different therapies. *Clin. Chim. Acta*, 146 (1985) 37-51.

For additional information see:
C.A., 102 (1985) 75301q.

See also 3155, 3342, 3380, 3387, 3391, 3441, 3443, 3447, 3451, 3452, 3459, 3479, 3484, 3495, 3503, 3507, 3610, 3653, 3709, 3737, 3754, 3766, 3785, 3837, 3838, 3930.

33. INORGANIC COMPOUNDS

- 3980 Reeve, R.N.: Inorganic liquid chromatography - an industrially useful technique progressing to maturity. *Chem. Ind. (London)*, (1985) 119-124; C.A., 102 (1985) 105174n - a review with 12 refs.

33a. Cations

- 3981 Basta, N.T. and Tabatabai, M.A.: Determination of total potassium, sodium, calcium and magnesium in plant materials by ion chromatography. *Soil Sci. Soc. Am. J.*, 49 (1985) 76-81; C.A., 102 (1985) 128134p.
- 3982 Benson, J.R. and MacBlane, D.: Cation chromatography using polymeric columns. *LC Mag.*, 3 (1985) 137-139; C.A., 102 (1985) 142380x.
- 3983 Götze, H.-J. and Bialkowski, D.: Separation of some rare earths EDTA complexes by ion-pair chromatography. *Fresenius' Z. Anal. Chem.*, 320 (1985) 370.
- 3984 Heddur, R.B. and Khopkar, S.M.: Reversed phase extraction chromatographic separation of antimony(III) with trioctyl phosphine oxide. *J. Liq. Chromatogr.*, 8 (1985) 95-106.
- 3985 Hoshino, H. and Yotsuyanagi, T.: Selective determination of trace level chromium(III) by ion-pair reversed-phase high-performance liquid chromatography based on color formation with 4-(2-pyridylazo)resorcinol in the presence of triethanolamine. *Anal. Chem.*, 57 (1985) 625-628.
- 3986 Inoue, S., Hoshi, S. and Mathubara, M.: Inorganic and organic mercury with silver diethyldithiocarbamate. *Talanta*, 32 (1985) 142452x.
- 3987 Lajunen, L.H.J., Eijani, E. and Niemi, P.: Reversed-phase high-performance liquid chromatography of mercury compounds as diethyldithiocarbamate complexes. *Finn. Chem. Lett.*, (1984) 146-150; C.A., 102 (1985) 142433s.
- 3988 Miyazaki, M., Hayakawa, K. and Choi, S.-G.: Simultaneous determination of sodium, ammonium, potassium, rubidium, caesium, magnesium and calcium ions by a conventional high-performance liquid chromatographic system with a common ion-exchange column. *J. Chromatogr.*, 323 (1985) 443-446.
- 3989 Narayanan, P. and Khopkar, S.M.: Separation of zirconium by extraction chromatography with Amberlite LA-1 from malonic acid. *J. Liq. Chromatogr.*, 8 (1985) 765-776.
- 3990 Rüter, J., Fislage, U.P. and Neidhart, B.: Post column derivatization with a lead dioxide solid phase reactor as part of a continuous chromatographic detection system: speciation measurements of chromium. *Chromatographia*, 19 (1984) 62-66.
- 3991 Varshney, K.G., Agrawal, S., Varshney, K. and Anwar, S.: Use of zirconium(IV) arsenophosphate columns for cation exchange separation of metal ions interfering in the spectrophotometric determination of uranium with sodium diethyl dithiocarbamate. *J. Liq. Chromatogr.*, 8 (1985) 575-582.
- 3992 Yan, D. and Schwedt, G.: Ionen-chromatographische Multi-Element-Analyse. *Fresenius' Z. Anal. Chem.*, 320 (1985) 325-329.

For additional information see:

C.A., 102 (1985) 89126r, 89205r, 99624r, 124693x, 137442q, 137472z, 142381y, 142468g, 151675z, 156681h, 159616b.

See also 3153, 3236, 3995, 4007.

33b. Anions

- 3993 Baltensperger, U. and Hertz, J.: Determination of anions and cations in atmospheric aerosols by single column ion chromatography. *J. Chromatogr.*, 324 (1985) 153-161.
- 3994 Brandt, G. and Kettrup, A.: Ion-chromatographic behaviour of carbonate species. *Fresenius' Z. Anal. Chem.*, 320 (1985) 485-489.
- 3995 Braungart, M. and Rüssel, H.: Separation of molybdoheteropoly acids of phosphorus, arsenic silicon and germanium as ion-associates by HPLC. Application to quantitative determination in water. *Chromatographia*, 19 (1984) 185-187.
- 3996 Coerdts, W. and Mainka, E.: Bestimmung der anorganischen Anionen in Stäuben und Filterrückständen von Müllverbrennungsanlagen. *Fresenius' Z. Anal. Chem.*, 320 (1985) 503-506.
- 3997 Eek, L. and Ferrer, N.: Sensitive determination of nitrite and nitrate by ion-exchange chromatography. *J. Chromatogr.*, 322 (1985) 491-497.
- 3998 Fuchs, R.G., Lisson, E., Schwarz, B. and Bächmann, K.: Analyse von Anionen in Aerosolen der Luft. *Fresenius' Z. Anal. Chem.*, 320 (1985) 498-502.
- 3999 Fuji Electric Corporate Research and Development, Ltd.: Anion determination by liquid chromatography. *Jpn. Kokai Tokkyo Koho Pat.* JP 59,174,756 [84,174,756] (Cl. G01N31/08), 03 Oct. 1984, Appl. 83/50,178, 25 Mar. 1983; 4 pp.; *C.A.*, 102 (1985) 105392g.
- 4000 Gustafson, F.J., Markell, C.G. and Simpson, S.M.: Determination of chloride, bromide, and iodide in silver halides by ion exchange and ion interaction chromatography. *Anal. Chem.*, 57 (1985) 621-624.
- 4001 Hershcovitz, H., Halevi, G. and Schmuckler, G.: The efficiency of aqueous aromatic eluents in the chromatographic separation of ions. In: D. Naden and M. Streat (Editors), *Ion Exch. Technol.*, Horwood, Chichester, 1984, pp. 500-508; *C.A.*, 102 (1985) 142377b.
- 4002 Hori, M., Furuya, T. and Kobayashi, Y.: (Simple method for the evaluation of conversion efficiency of carbonyl halide into *sym*-diphenylurea in the determination of carbonyl halide with aniline absorbing solution). *Bunseki Kagaku*, 34 (1985) 211-214.
- 4003 Luckas, B.: Bestimmung anorganischen Anionen in Lebensmitteln mit Hilfe der Ionen-Chromatographie. *Fresenius' Z. Anal. Chem.*, 320 (1985) 519-524.
- 4004 Mannino, S., Iodigiani, P. and Castiglioni, E.: (Determination of nitrates in wines using ionic interaction chromatography). *Riv. Vitic. Enol.*, 37 (1984) 553-558; *C.A.*, 102 (1985) 94250f.
- 4005 McCormick, M.J. and Dixon, L.M.: Determination of sulphite in fixers and photographic effluents by ion chromatography. *J. Chromatogr.*, 322 (1985) 478-483.
- 4006 Moss, P.E. and Stephen, E.I.: The simultaneous determination of chloride, bromide, and iodide by HPLC. *Anal. Proc. (London)*, 22 (1985) 5-6; *C.A.*, 102 (1985) 124757w.
- 4007 Okada, T. and Kuwamoto, T.: Potassium hydroxide eluent for nonsuppressed anion chromatography of cyanide, sulfide, arsenite, and other weak acids. *Anal. Chem.*, 57 (1985) 829-833.
- 4008 Pimminger, M., Puxbaum, H., Kossina, I. and Weber, M.: Simultane Bestimmung von einigen anorganischen und organischen Anionen durch ein ionenchromatographische Drei-Säulen-System. *Fresenius' Z. Anal. Chem.*, 320 (1985) 445-450.
- 4009 Rössner, B. and Schwedt, G.: Analysenverfahren zur Bestimmung anorganischen Ionen. V. Vergleiche zur Leistungsfähigkeit ionen-chromatographischer Analysensysteme. *Fresenius' Z. Anal. Chem.*, 320 (1985) 566-572.
- 4010 Schwedt, G.: Tenn- und Anreicherungsverfahren in der anorganischen Anionen-analytik (Übersichtsbericht). *Fresenius' Z. Anal. Chem.*, 320 (1985) 423-428.
- 4011 Schweizer, A. and Schwedt, G.: Anionen-Chromatographie von Hydrogencarbonat, Chlorid und Sulfat in Mineralwässern mit Methodenvergleichen. *Fresenius' Z. Anal. Chem.*, 320 (1985) 480-484.
- 4012 Steudel, R., Strauss, R. and Koch, L.: (Sulfur compounds. Part 90. Quantitative HPLC analysis and thermodynamics of sulfur melt). *Angew. Chem.*, 97 (1985) 58-59; *C.A.*, 102 (1985) 89177h.
- 4013 Wagner, F., Valenta, P. and Nürnberg, H.W.: Ionen-chromatographische Bestimmung der Anionen Cl^- , NO_3^- und SO_4^{2-} in Regenwasser. *Fresenius' Z. Anal. Chem.*, 320 (1985) 470-476.
- 4014 Weiss, J. and Göbl, M.: Analyse anorganischer Schwefelverbindungen mit Hilfe der Ionen-Chromatographie. *Fresenius' Z. Anal. Chem.*, 320 (1985) 439-444.

- 4015 Wilken, R.-D. and Kock, H.H.: Determination of Cl^- , NO_3^- and SO_4^{2-} in pore waters of sediments. *Fresenius' Z. Anal. Chem.*, 320 (1985) 477-479.

For additional information see:

- C.A., 102 (1985) 81160b, 89195n, 89350j, 105259u, 105390e, 105391h, 154472s, 159621z, 159623b.

See also 3235, 3361, 3388.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 4016 Ammann, K. and Knoechel, A.: Determination of short-lived activation products in neutron-irradiated sodium through application of hydrated antimony pentoxide. *J. Radioanal. Nucl. Chem.*, 88 (1985) 397-398; C.A., 102 (1985) 89261f.
- 4017 Van Nieuwkerk, H.J., Das, H.A., Brinkman, U.A.T. and Frei, R.W.: Low-level radiometric detection in LC using solvent segmentation and an effluent storage loop. *Chromatographia*, 19 (1984) 137-144.

For additional information see:

- C.A., 102 (1985) 89133r, 121752e.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35a. Surfactants

- 4018 Levsen, K., Wagner-Redeker, W., Schäfer, K.H. and Dobberstein, P.: On-line liquid chromatography-mass spectrometry analysis of non-ionic surfactants. *J. Chromatogr.*, 323 (1985) 135-141.

35b. Antioxidants and preservatives

- 4019 Armstrong, K.E. and Wattenberg, L.W.: Metabolism of 3-*tert.*-butyl-4-hydroxy-anisole to 3-*tert.*-butyl-4,5-dihydroxyanisole by rat liver microsomes. *Cancer Res.*, 45 (1985) 1507-1510.
- 4020 Kitada, Y., Ueda, Y., Yamamoto, M., Shinomiya, K. and Nakazawa, H.: Determination of phenolic antioxidants in edible oil by high-performance liquid chromatography with amperometric detector. *J. Liq. Chromatogr.*, 8 (1985) 47-57.
- 4021 Vargo, J.D. and Olson, K.L.: Identification of antioxidant and ultraviolet light stabilizing additives in plastics by liquid chromatography/mass spectrometry. *Anal. Chem.*, 57 (1985) 672-675.

For additional information see:

- C.A., 102 (1985) 96791g.

35c. Food analysis

- 4022 Ashoor, S.H. and Knox, M.J.: Identification of fish species by high-performance liquid chromatography. *J. Chromatogr.*, 324 (1985) 199-202.
- 4023 Galensa, R., Siewek, F. and Ara, V.: (High-performance liquid chromatographic detection of grapefruit juice addition to orange juice). *Lebensmittelchem. Gerichtl. Chem.*, 39 (1985) 5; C.A., 102 (1985) 130545s.
- 4024 Sullivan, J.J., Wekell, M.M. and Kentala, L.L.: Application of HPLC for the determination of PSP toxins in shellfish. *J. Food Sci.*, 50 (1985) 26-29; C.A., 102 (1985) 130529q.
- 4025 Swaczyna, H.: (Determination of saccharin in foods). *Lebensmittelchem. Gerichtl. Chem.*, 39 (1985) 12-14; C.A., 102 (1985) 130547u.

See also 3475, 3797, 3894, 4004.

35d. Various technical products

- 4026 Goulleman, K.: (Some new problems for using chromatographs for control of technological processes). In: K.I. Sakodynskii (Editor), *Prikl. Khromatogr.*, Nauka, Moscow, 1984, pp. 108-118; *C.A.*, 102 (1985) 97589j.
- 4027 Lancas, F.M. and McNair, H.M.: Characterization of high-ash Brazilian (Mina do Leao) coal-derived liquids by high performance liquid chromatography group type separation. *J. Liq. Chromatogr.*, 8 (1985) 239-259.
- 4028 Monin, J.C. and Vignat, A.: (Detection of associations by hydrogen bridge, in asphaltenes by steric exclusion chromatography). *Rev. Inst. Fr. Pet.*, 39 (1984) 821-827; *C.A.*, 102 (1985) 81352r.
- 4029 Musha, K., Nagata, C. and Tanaka, S.: (Rapid analysis of lubricating oil additives by reversed-phase high performance liquid chromatography). *Bunseki Kagaku*, 34 (1985) T26-T31 - RT for 50 compounds.
- 4030 Musha, K., Nagata, C. and Tanaka, S.: (Rapid analysis of lubricating oil additives by normal-phase and adsorption high performance liquid chromatography). *Bunseki Kagaku*, 34 (1985) T40-T44 - RT for 44 compounds.
- 4031 Sol, B., Romero, E., Carbognani, L., Sanchez, V. and Suere, L.: (Comparison between HPLC and TLC-FID (thin-layer chromatography with a flame ionization detector) for quantitative analysis of heavy petroleum fractions). *Rev. Tec. INTEVEP*, 4 (1984) 127-132; *C.A.*, 102 (1985) 89344q.

For additional information see:

C.A., 102 (1985) 81337q, 81349v, 84766q, 96840x, 97978k, 97983h, 98088g, 116165m, 116220a, 126749u, 131004b, 151673x, 151860f.

See also 3470, 3473, 3474.

35e. Compounds with distinct biological activity and diverse chemical nature

- 4032 Ernstsens, A. and Jensen, E.: High performance liquid chromatography of cytokinins. *J. Liq. Chromatogr.*, 8 (1985) 369-379.
- 4033 Gallagher, R.T. and Hawkes, A.D.: High-performance liquid chromatography with stop-flow ultraviolet spectral characterization of lolitrem neurotoxins from perennial ryegrass. *J. Chromatogr.*, 322 (1985) 159-167.
- 4034 Nunes, J.R.V., Costa, P.M.A. and Sabino de Oliveira, J.: (Identification of the substance(s) responsible for the sexual odor of backfat in uncastrated male swine). *Rev. Soc. Bras. Zootec.*, 13 (1984) 111-132; *C.A.*, 102 (1985) 107060w.
- 4035 Simonini, N., Ronca-Testoni, S., Ronca, G. and Salvetti, A.: New radiometric and HPLC methods to determine ACE inhibition by antihypertensive drugs. *Radioakt. Isot. Klin. Forsch.*, 16 (1984) 205-211; *C.A.*, 102 (1985) 108520h.
- 4036 Wainer, I.W., Crabos, M. and Cloix, J.F.: Rapid large-scale isolation of biologically active molecules using reversed-phase "flash" chromatography: initial purification of endogenous Na⁺,K⁺-ATPase inhibitors from human urine. *J. Chromatogr.*, 338 (1985) 417-421.

For additional information see:

C.A., 102 (1985) 119718e.

36. CELL AND CELLULAR PARTICLES

- 4037 Svensson, P., Schröder, W., Akerlund, H.E. and Albertsson, P.-A.: Fractionation of thylakoid membrane components by extraction in aqueous polymer two-phase systems containing detergent. *J. Chromatogr.*, 323 (1985) 363-372.
- 4038 Tsuruda, T.: (Separation of B and T lymphocytes). *Jpn. Kokai Tokkyo Koho Pat. JP 59,216,584* [84,216,584] (Cl. C12N5/00), 06 Dec. 1984, Appl. 83/89,921, 24 May 1983; 4 pp.; *C.A.*, 102 (1985) 111322a.

37. ENVIRONMENTAL ANALYSIS

37b. Air pollution

See 3998, 4013.

37c. Water pollution

- 4039 Christensen, R.G., Hertz, H.S. and Reeder, D.J.: Developments in the analysis of priority pollutants by liquid chromatography/mass spectrometry and immunoassay procedures. In: L.H. Keith (Editor), *Adv. Identif. Anal. Org. Pollut. Water*, Ann Arbor Sci., Ann Arbor, 1981, pp. 447-453; *C.A.*, 102 (1985) 137460u.
- 4040 Hayase, K., Shitashima, Y. and Tsubota, H.: Application of reversed-phase liquid chromatography to dissolved organic matter in estuarine seawater. *J. Chromatogr.*, 322 (1985) 358-362.
- 4041 Hoffsommer, J.C. and Glover, D.J.: Detection and analysis of polynitrophenols in water by reversed-phase ion-pair liquid chromatography. *Proc. Int. Symp. Anal. Detect. Explos.*, (1983) 41-43; *C.A.*, 102 (1985) 137443r.
- 4042 Nielen, M.W.F., Brinkman, U.A.T. and Frei, R.W.: Industrial waste-water analysis by liquid chromatography with precolumn technology and diode-array detection. *Anal. Chem.*, 57 (1985) 806-810.

For additional information see:

C.A., 102 (1985) 119290j, 137440n.

See also 3469, 3995.

37d. Soil pollution

- 4043 Basta, N.T. and Tabatabai, M.A.: Determination of exchangeable bases in soils by ion chromatography. *Soil Sci. Soc. Am. J.*, 49 (1985) 84-89; *C.A.*, 102 (1985) 112151f.

Gas Chromatography

1. REVIEWS AND BOOKS

- 1030 Ahuja, S. (Editor): *Ultrahigh Resolution Chromatography*. ACS Symposium Series No. 250. Am. Chem. Soc., 1984, VIII + 231 p. - 13 papers on GC also LC SFC.
- 1031 Asshauer, J.: Trends in der Anwendung chromatographischer Trennmethoden. *Fresenius' Z. Anal. Chem.*, 310 (1985) 689-691 - a review with 11 refs. - also GC.
- 1032 Borek, V., Kubacek, J. and Rehakova, V.: (Immobilized stationary phases in the capillary gas chromatography). *Chem. Listy*, 79 (1985) 364-389 - a review with 158 refs.
- 1033 De Leenheer, A.P., Lambert, W.E. and De Ruyter, M.G.M. (Editors): *Modern Chromatographic Analysis of the Vitamins*. Chromatogr. Sci. Ser., Vol. 30, M. Dekker, New York, 1985, 576 p. - 12 contributions.
- 1034 Itsikson, L.B., Berezkin, V.G. and Haken, J.K.: Soviet polysiloxane stationary phases for gas chromatography. *J. Chromatogr.*, 334 (1985) 1-33 - a review with 133 refs.
- 1035 Jaeger, H. (Editor): *Glass Capillary Chromatography in Clinical Medicine and Pharmacology*. M. Dekker, New York, 1985, 656 p.
- 1036 Katsanos, N.A. and Karaiskakis, G.: Reversed-flow gas chromatography applied to physicochemical measurements. In: J.C. Giddings, E. Grushka, J. Cazes and P.R. Brown (Editors), *Advances in Chromatography*, Vol. 24, M. Dekker, New York, 1984, pp. 125-180 - a review with 43 refs.
- 1037 Kiselev, V.A. and Jashin, J.J.: *Gas- und Fluessigkeitschromatographie*. Akademie Verlag, Berlin, 1984, 400 p.
- 1038 Krull, I.S. and Driscoll, J.N.: Multiple detection in gas chromatography. In: J. C. Giddings, E. Grushka, J. Cazes and P.R. Brown (Editors), *Advances in Chromatography*, Vol. 24, M. Dekker, New York, 1984, pp. 247-316 - a review with 51 refs.
- 1039 Lee, M.L., Yang, F.J. and Bartle, K.D.: *Open Tubular Column Gas Chromatography. Theory and Practice*. Wiley, London, 1984, 445 p.
- 1040 Leibnitz, E. and Struppe, H.G. (Editors): *Handbuch der Gaschromatographie*. 3rd Edition. Geest and Portig, Leipzig, 1984, 828 p.
- 1041 Shlyakhov, A.F.: (*Gas Chromatography in Organic Geochemistry*). Nedra, Moscow, 1984, 222 p.
- 1042 Yashin, Ya.I.: (Chromatographic methods and a universal system of chemical analysis). *Zh. Anal. Khim.*, 40 (1985) 201-214 - a review with 31 refs. - GC + LC.

See also 1131.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 1043 Van Hare, D.R. and Rogers, L.B.: Separation function for measuring the information in complex chromatograms. *Anal. Chem.*, 57 (1985) 628-632 - applicable for GC, too.
- 1044 Wainwright, M.S., Nieass, C.S., Haken, J.K. and Chaplin, R.P.: Use of retention plots of *n*-alkyl benzenes for determining dead times in liquid and gas chromatography. *J. Chromatogr.*, 321 (1985) 287-293.

2b. Thermodynamics and theoretical relationships

- 1045 Fedorov, E.F.: (Phenomenological model of retention and band broadening in gas chromatographic process). *Zh. Fiz. Khim.*, 59 (1985) 677-682.
- 1046 Huang, J.-C.: Linear relationship in the thermodynamics of gas-liquid chromatography. *J. Chromatogr.*, 321 (1985) 458-461.

- 1047 Purnell, J.H., Rodriguez, M. and Williams, P.S.: Appropriate approach to correction for carrier compressibility effects in coupled packed gas chromatographic columns. *J. Chromatogr.*, 323 (1985) 402-405.
- 1048 Purnell, J.H. and Williams, P.S.: General theory for correction for compressibility effects in binary coupled gas chromatographic columns and the procedure for window diagram optimisation of relative lengths. *J. Chromatogr.*, 321 (1985) 249-254.
- 1049 Underhill, D.W.: Pulse residence in short chromatographic column. *Anal. Chem.*, 57 (1985) 826-829.
- 1050 Weidlich, U. and Gmehling, J.: Extension of UNIFAC by headspace gas chromatography. *J. Chem. Eng. Data*, 30 (1985) 95-101; *C.A.*, 102 (1985) 51662z.
- 1051 Zolotarev, P.P. and Maksimychева, M.A.: (On the dynamic dispersion of an impurity in capillary tubes of different cross-section forms). *Zh. Fiz. Khim.*, 59 (1985) 404-408.

See also 1152.

2c. Relationship between structure and chromatographic behavior

- 1052 Bulycheva, Z.Yu., Rudenko, B.A., Dylevskaya, L.V. and Kutenev, V.F.: (On a relationship between gas-chromatographic retention and connectivity indices of high orders for polycyclic aromatic hydrocarbons). *Zh. Anal. Khim.*, 40 (1985) 330-335.
- 1053 Chen, W., Chen, X. and Wang, Y.: (Application of molecular connectivity indexes to predict retention values in gas chromatography). *Fenxi Huaxue*, 12 (1984) 688-695; *C.A.*, 102 (1985) 72054t.
- 1054 Golovnya, R.V. and Grigoreva, D.N.: (A universal form of the equation for calculation of specific retention volumes, retention indices and differential molar free energies of dissolution for members of homologous series of organic substances). *Zh. Anal. Khim.*, 40 (1985) 316-329.
- 1055 Korhonen, I.O.O. and Lind, M.A.: Gas-liquid chromatographic analyses. XXXIV. Separation and retention indices with retention increments of some nitrated polynuclear aromatic hydrocarbons on a low-polarity (SE 30) capillary column. *J. Chromatogr.*, 322 (1985) 71-81.
- 1056 Korhonen, I.O.O. and Lind, M.A.: Gas-liquid chromatographic analyses. XXXV. Capillary column studies of C₁-C₁₂ n-alkyl esters of benzoic and monochlorobenzoic acids. *J. Chromatogr.*, 322 (1985) 83-96.
- 1057 Korhonen, I.O.O. and Lind, M.A.: Gas-liquid chromatographic analyses. XXXVI. Separation of ethyl, 2-chloroethyl, 2,2-dichloroethyl and 2,2,2-trichloroethyl esters of aliphatic C₂-C₂₀ n-alkanoic acids on SE-30 and OV-351 capillary columns with temperature programming. *J. Chromatogr.*, 322 (1985) 97-106.
- 1058 Liszi, J. and Nemeth, B.: (Studies of dipolar interactions based on partition gas chromatographic data). *Magy. Kem. Foly.*, 90 (1984) 487-490; *C.A.*, 102 (1985) 45431g.
- 1059 Saura-Calixto, F., Garcia-Raso, A. and Garcia-Raso, J.: Heats of formation-gas chromatographic retention relationships for aliphatic hydrocarbons and alkylbenzenes. *J. Chromatogr.*, 322 (1985) 35-42.
- 1060 Wang, F. and Jiang, D.: (Application of the homologous factor to evaluate the stationary liquid for gas-liquid chromatography - prediction of McReynold's constants for polyethylene glycol stationary liquid). *Huaxue Xuebao*, 42 (1984) 1089-1091; *C.A.*, 102 (1985) 32984q.

See also 1159, 1161, 1167, 1171, 1175, 1187, 1189, 1198.

2d. Measurement of physico-chemical and related values

- 1061 Chiang, A.S., Dixon, A.G. and Ma, Y.H.: The determination of zeolite crystal diffusivity by gas chromatography - I. Theoretical. *Chem. Eng. Sci.*, 39 (1984) 1451-1459; *C.A.*, 102 (1985) 51329w.
- 1062 Chiang, A.S., Dixon, A.G. and Ma, Y.H.: The determination of zeolite crystal diffusivity by gas chromatography - II. Experimental. *Chem. Eng. Sci.*, 39 (1984) 1461-1468; *C.A.*, 102 (1985) 51330q.
- 1063 Gornak, A.I.: (Gas-chromatographic study of the thermodynamics of adsorption of C₁₋₄ hydrocarbons on some clay adsorbents). *Vestsi Akad. Navuk BSSR, Ser. Khim. Navuk*, No. 4 (1984) 47-51; *C.A.*, 101 (1984) 236004j.

- 1064 Hall, P.G., Heaton, P. and Rosseinsky, D.R.: Adsorption and conductivity studies in oxychlorination catalysis. Part 2. Gas-chromatography with catalytic copper (I,II) chlorides. *J. Chem. Soc. Faraday Trans.*, 80 (1984) 2785-2802; *C.A.*, 102 (1985) 67968q.
- 1065 Hussam, A. and Carr, P.W.: Rapid and precise method for the measurement of vapor/liquid equilibria by headspace gas chromatography. *Anal. Chem.*, 57 (1985) 793-801.
- 1066 Hyun, S.H. and Danner, R.P.: Gas adsorption isotherms by use of perturbation chromatography. *Ind. Eng. Chem. Fundam.*, 24 (1985) 95-101.
- 1067 Hyver, K.J.: Chromatographic investigation of multicomponent gas-solid adsorption systems. *Univ. Microfilms*, Order No. DA8415703 (1984) pp. 104; *C.A.*, 102 (1985) 55369g.
- 1068 Karaiskakis, G., Niotis, A. and Katsanos, N.A.: Characterization of gases by the reversed-flow GC technique. *J. Chromatogr. Sci.*, 22 (1984) 554-558.
- 1069 Milonjic, S.K. and Kopećni, M.M.: A gas chromatographic study of the adsorption of organics on thermally treated silicas. *Chromatographia*, 19 (1984) 342-346.
- 1070 Pacakova, V., Konas, M. and Kotvaldova, V.: Reaction gas chromatography: Study of the photodecomposition of selected substances. *Chromatographia*, 20 (1985) 164-172.
- 1071 Parcher, J.F., Bell, M.L. and Lin, Ping J.: Determination of the solubility of gases in liquids by gas-liquid chromatography. In: J.C. Giddings, E. Grushka, J. Cazes and P.R. Brown (Editors), *Advances in Chromatography*, Vol. 24, M. Dekker, New York, 1984, pp. 227-246.
- 1072 Rybolt, T.R. and Pierotti, R.A.: Chromatographic determination of the second gas-solid virial coefficients for argon, nitrogen, and carbon dioxide. *Am. Inst. Chem. Eng. J.*, 30 (1984) 510-513; *C.A.*, 102 (1985) 67872d.
- 1073 Wasik, S.P., Schwarz, F.P., Tewari, Y.B., Miller, M.M. and Purnell, J.H.: A headspace method for measuring activity coefficients, partition coefficients, and solubilities of hydrocarbons in saline solutions. *J. Res. Natl. Bur. Stand. (J.S.)*, 89 (1984) 273-277; *C.A.*, 102 (1985) 85205t.

See also 1036, 1154, 1218, 1246, 1274, 1292, 1294, 1306, 1371.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1074 Avila, W.B., Hamilton, M.A. and Holwitt, E.A.: An inexpensive syringe for gas chromatography. *J. Chem. Educ.*, 61 (1984) 1109; *C.A.*, 102 (1985) 45138s.
- 1075 Coleman, P. and Ettore, L.S.: Analysis of gases containing inorganic and organic compounds using a combination of a thick-film capillary column and a packed adsorption column. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 112-118.
- 1076 Grob, K. and Habich, A.: Headspace gas analysis: The role and the design of concentration traps specifically suitable for capillary gas chromatography. *J. Chromatogr.*, 321 (1985) 45-58.
- 1077 Jerman, J.H. and Terry, S.C.: Gas chromatography system and detector. *U.S. Pat. US 4,471,647* (Cl.73-23; G01N27/18), 18 Sep. 1984, Appl. 141,269, 18 Apr. 1980, pp. 7; *C.A.*, 102 (1985) 39139b.
- 1078 Marshall, J.L. and Crowe, B.: Evaluation and optimisation of a splitter injector for capillary chromatography. *Chromatographia*, 19 (1984) 335-341.
- 1079 McCullough, P.R. and Pacholec, P.: Simplified cool on-column injection with wide-bore capillaries. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 141-142.
- 1080 Mistryukov, E.A. and Korshevets, I.K.: "Inverse" injection system for gas-liquid chromatography with capillary columns. *J. Chromatogr.*, 322 (1985) 206-211.
- 1081 Poy, P. and Cobelli, L.: Automatic headspace and programmed temperature vaporizer (PTV) operated in cryo-enrichment mode in high resolution gas chromatography. *J. Chromatogr. Sci.*, 23 (1985) 114-119.
- 1082 Roeraade, J., Flodberg, G. and Blomberg, S.: New injection syringe for gas chromatography. *J. Chromatogr.*, 322 (1985) 55-62.

- 1083 Wassgren, A.B. and Bergstroem, G.: Revolving fraction collector for preparative capillary gas chromatography in the 100- μ g to 1-ng range. *J. Chem. Ecol.*, 10 (1984) 1543-1550; *C.A.*, 102 (1985) 42276z.
- 1084 Whiton, R.S. and Morgan, S.L.: Modified interface for pyrolysis gas chromatography with capillary columns. *Anal. Chem.*, 57 (1985) 778-780.
- 1085 Wu, J. and Lu, W.: (Joining of quartz capillaries). *Fenxi Huaxue*, 12 (1984) 863-864; *C.A.*, 102 (1985) 38839t.
- 1086 Yang, F.J. and Hinshaw, J.V., Jr.: Solute focusing technique for on-column injection in capillary gas chromatography. *U.S. Pat.* US 4,477,266 (Cl. 55-67; B01D15/08), 16 Oct. 1984, Appl. 532,321, 15 Sep. 1983, pp. 7; *C.A.*, 101 (1984) 239640z.
- 1087 Yang, P.W.J., Ethridge, E.L., Lane, J.L. and Griffiths, P.R.: Optimization of GC/FT-IR measurements. I: Construction of light-pipes. *Appl. Spectrosc.*, 38 (1984) 813-816; *C.A.*, 102 (1985) 36360f.
- 1088 Yang, P.W.J. and Griffiths, P.R.: Optimization of GC/FT-IR measurements. II. Optical design. *Appl. Spectrosc.*, 38 (1984) 816-821.
- 1089 Yatazawa, M., Sasakawa, H., Kimura, I. and Ihokura, K.: An improved portable gas chromatograph for the measurement of nitrogen-fixing activity. *Soil Sci. Plant Nutr. (Tokyo)*, 30 (1984) 503-508; *C.A.*, 102 (1985) 77713s.

See also 1123, 1126, 1149, 1247, 1314.

3b. Detectors and detection reagents

- 1090 Balm, M.A.: An ion mobility detector for gas chromatography. *Univ. Microfilms*, Order No. DA8413864 (1984) pp. 255; *C.A.*, 101 (1984) 239607u.
- 1091 Cicciooli, P. and Hayes, J.M.: Experimental parameters affecting hypercoulometric response in gas-phase coulometry. *Anal. Chem.*, 57 (1985) 320-328.
- 1092 De Mora, S.J., Hewitt, C.N. and Harrison, R.M.: Environmental applications of gas chromatography-atomic-absorption spectroscopy. *Anal. Proc. (London)*, 21 (1984) 415-418 - a review with 32 refs.
- 1093 Farzane, N.G., Ilyasov, L.V. and Sultanov, R.F.: (Study of a diffusion detector with thermochemical sensors). *Izv. Vyssh. Uchebn. Zaved., Neft Gaz*, 27, No. 7 (1984) 71-74; *C.A.*, 102 (1985) 72038r.
- 1094 Jurgensen, H. and Winefordner, J.D.: Use of active nitrogen in analytical chemiluminescence spectrometry. *Talanta*, 31 (1984) 777-782 - a review with 53 refs.
- 1095 Knorr, F.J., Eatherton, R.L., Siems, W.F. and Hill, H.H., Jr.: Fourier transform ion mobility spectrometry. *Anal. Chem.*, 57 (1985) 402-406.
- 1096 Lin, B. and Zhang, L.: (Study of a nonalkali source in a gas chromatography thermionic detector). *Fenxi Huaxue*, 12 (1984) 780-783; *C.A.*, 102 (1985) 39197u.
- 1097 Middleditch, B.S., Romatif-Silvestre, D., Weisner, S. and Zlatkis, A.: An improved energy generator for the study of reactions of thermal-energy electrons with organic compounds. *Chromatographia*, 20 (1985) 149-154.
- 1098 Piringier, O. and Wolff, E.: Methode und Detektor für die Analyse von Gasen und Flüssigkeiten. *Ger. Offen. Pat.*, DE 3,314,578 (Cl. G01N31/08), 31 Oct. 1984, Appl. 22, Apr. 1983, 9 pp.; *C.A.*, 102 (1985) 39119v.
- 1099 Rice, G.W., D'Silva, A.P.D. and Fassel, U.A.: An atmospheric-pressure, argon-afterglow detector for gas chromatography. *Anal. Chim. Acta*, 166 (1984) 27-38.
- 1100 Rotocki, P. and Lasa, J.: Electron capture detector performance parameters in view of the response presentation forms. *Chromatographia*, 19 (1984) 362-370.
- 1101 Vanluchene, E. and Vandekerckhove, D.: Tunable electron capture detector applied to the capillary GC analysis of steroid MO-TMS ethers. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 146-148.
- 1102 Wells, G.: Design and performance of a mass-flow-modulated detector for gas chromatography. *J. Chromatogr.*, 319 (1985) 263-272.
- 1103 Yang, F.J.F.: Ionizations detector. *Ger. Pat.* DE 3,414,557 (Cl. G01N31/08), 25 Oct. 1984, Appl. 486,611, 20 Apr. 1983, 15 pp.; *C.A.*, 102 (1985) 55418x.
- 1104 Zainullin, R.F. and Berezkin, V.G.: (Flame-photometric detector for the selective determination of tetraethyllead). *Zavod. Lab.*, 50 (1984) 21-23; *C.A.*, 101 (1984) 213627a.

See also 1038, 1087, 1088, 1165, 1172, 1186, 1232, 1236, 1244, 1267, 1271, 1283, 1284, 1312, 1349, 1401, 1405.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 1105 Adlard, E.R. and Davies, R.E.: Wide-bore capillary columns for gas chromatography. *Chromatographia*, 20 (1985) 195-196.
- 1106 Ahnoff, M. and Johansson, L.: Preparation and evaluation of capillary columns with phases with 5-33% phenyl substitution. *Chromatographia*, 19 (1984) 151-154.
- 1107 Apfel, M.A., Finkelmann, H., Janini, G.M., Laub, R.J., Luehmann, B.-H., Price, A., Roberts, W.L., Shaw, T.J. and Smith, C.A.: Synthesis and properties of high-temperature mesomorphic polysiloxane solvents: Biphenyl- and terphenyl-based nematic systems. *Anal. Chem.*, 57 (1985) 651-658.
- 1108 Bartuska, M. and Viska, J.: (Supports for gas chromatography). *Czech. Pat. CS 215,610 (Cl.B01D15/08)*, 15 May 1984, Appl. 78/7,152, 2 Nov. 1978, 4 pp.; *C.A.*, 101 (1984) 232532g.
- 1109 Benecke, I. and Schomburg, G.: Crosslinked chiral phases in GC capillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 191-192.
- 1110 Evseeva, Z.A., Panina, L.I., Sakodynskii, K.I., Kargman, V.B. and Galitskaya, N.B.: (Cooper polycomplexonates as selective sorbents for gas chromatography). *Zh. Anal. Khim.*, 40 (1985) 312-315.
- 1111 Grob, K., Jr. and Neukom, H.P.: Method for testing retention gaps and data on the gas chromatographic retention power of differently deactivated capillary tubes. *J. Chromatogr.*, 323 (1985) 237-246.
- 1112 Gruenes, R. and Sawodny, W.: Polymeric Schiff base complexes as solid phases in gas chromatography. *J. Chromatogr.*, 322 (1985) 63-69.
- 1113 Jones, B.A., Bradshaw, J.S., Nishioka, M. and Lee, M.L.: Synthesis of smectic liquid-crystalline polysiloxanes from biphenylcarboxylate esters and their use as stationary phases for high-resolution gas chromatography. *J. Org. Chem.*, 49 (1984) 4947-4951; *C.A.*, 102 (1985) 7514d.
- 1114 Kirsh, S.I., Fomicheva, T.N., Karabanov, N.T. and Vigdergauz, M.S.: (Stationary phase for gas chromatography). *U.S.S.R. Pat. SU 1,097,941 (Cl. G01N31/08)*, 15 Jun. 1984, Appl. 3,537,531, 7 Jan. 1983; *C.A.*, 101 (1984) 239570b.
- 1115 Kramer, J.K.G., Fouchard, R.C. and Jenkins, K.J.: Differences in chromatographic properties of fused silica capillary columns, coated, crosslinked, bonded, or crosslinked and bonded with polyethylene glycols (Carbowax 20M) using complex fatty acid methyl ester mixtures. *J. Chromatogr. Sci.*, 23 (1985) 54-56.
- 1116 Lyanevskii, E.P., Shibaev, A.A. and Nerovnya, L.K.: (Gas preparation unit for gas chromatograph). *U.S.S.R. Pat. SU 1,122,967 (Cl. G01N31/08)*, 7 Nov. 1984, Appl. 3,616,578, 8 Jul. 1983; *C.A.*, 102 (1985) 89327g.
- 1117 Malik, A., Berezkin, V.G. and Gavrichev, V.S.: Fused silica capillary micro-packed columns in gas chromatography. *Chromatographia*, 19 (1984) 327-334.
- 1118 Panse, D.G., Naikwadi, K.P., Jadhav, A.L., Bapat, B.V. and Ghatge, B.B.: Use of liquid crystals as stationary phases for the quantitative estimation of acid and base catalyzed reaction products. *Indian J. Technol.*, 22 (1984) 112-114; *C.A.*, 102 (1985) 39241d.
- 1119 Suprynowicz, Z., Buda, M.M., Mardarowicz, M. and Witkiewicz, Z.: Glass capillary columns with liquid crystalline stationary phases for gas chromatography. The influence of the pretreatment of the inside tube wall. *Chromatographia*, 19 (1984) 418-421.
- 1120 Witkiewicz, Z., Grajek, H. and Szulc, J.: Liquid crystalline stationary phases with a cyclohexyl ring in the molecule. *J. Chromatogr.*, 312 (1984) 141-152.
- 1121 Xu, B. and Vermeulen, N.P.E.: Free release static coating of glass capillary columns; rapid coating at lower temperatures and elevated pressures. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 181-185.

See also 1034, 1048, 1060, 1343.

3d. Quantitative analysis

- 1122 Cowper, C.J. and Wallis, P.A.: Accuracy and precision of natural gas analysis. *Chromatographia*, 19 (1984) 85-94.
- 1123 Huynh, C.K. and Vu Duc, T.: Errors from evaporation of small volume solutions in GC determination. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 198-199.
- 1124 Kolb, B., Pospisil, P. and Auer, M.: Quantitative headspace analysis of solid samples; a classification of various sample types. *Chromatographia*, 19 (1984) 113-122.

- 1125 Mayfield, H.T.: Application of pattern recognition to gas chromatography and gas chromatography/mass spectrometry. *Univ. Microfilms*, Order No. DA8423499 (1984) pp. 290.
- 1126 Schomburg, G., Haeusig, U., Husmann, H. and Behlau, H.: Sampling onto capillary columns. Difficulties with various types of samples. A simple accessory to split injections for avoidance of discrimination. *Chromatographia*, 19 (1984) 29-36.
- 1127 Stolyarov, B.V. and Nagimullina, A.G.: (Principal procedures of quantitative gas chromatographic analysis. Presentation and certification of the results). *Vestn. Leningr. Univ., Fiz., Khim.*, No. 4 (1984) 55-60; *C.A.*, 102 (1985) 89419p.

3e. Preparative scale chromatography

- 1128 Bratchikov, A.V., Berendeev, B.A. and Ivanchev, S.S.: (Gas-chromatographic analysis of polyethylene pyrolysis products). *Plast. Massy*, No. 12 (1984) 34-35; *C.A.*, 102 (1985) 62773ii.
- 1129 Burton, V.E., Orr, T.R., Brearly, A.M. and Kaiser, M.A.: Automated preparative gas chromatography with retention time updating. *Anal. Instrum. (N.Y.)*, 13 (1984) 205-210; *C.A.*, 102 (1985) 27061g.
- 1130 Schomburg, G., Koetter, H., Stoffels, D. and Reissig, W.: Automated instrumentation for multidimensional preparative scale GC (PSGC). *Chromatographia*, 19 (1984) 382-390.
- 1131 Zabokritski, M.P., Chizhkov, V.P. and Rudenko, B.A.: Preparative-scale separation of close isomers and isotope-substituted compounds by high resolution circulation gas chromatography. Part. 2. Application. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 170-176 - a review with 58 refs.

See also 1083, 1193.

3f. Programmed temperature, pressure, vapors, gradients

See 1187.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 1132 Osis, J., Andersons, A. and Shimanskaya, M.V.: (Reaction gas chromatography of nitrogen-containing substances. II. Some aspects of study of contact reactions by the pulse method). *Latv. PSR Zinat. Akad. Vestis, Kim. Ser.*, 6 (1984) 675-682; *C.A.*, 102 (1985) 51578c.
- 1133 Prchal, M. and Hejda, Z.: (Use of microprocessor-controlled gas chromatograph in continuous regime). *Chem. Prum.*, 34 (1984) 646-649.

See also 1130, 1141, 1247, 1304, 1376.

4b. Combination of various chromatographic techniques

See 1262, 1313, 1359, 1317.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 1134 Ashworth, D.J., Adams, D.O., Giang, B.Y., Cheng Tung-hai, M. and Lee, R.Y.: Carbon-13 nuclear magnetic resonance spectrometric and gas chromatography/mass spectrometric characterization of lipids in corn suspension cells. *Anal. Chem.*, 57 (1985) 710-715.
- 1135 Halket, J.M. and Schulten, H.-R.: Thick-film capillary column gas chromatography-field ionization mass spectrometry. A complementary technique for the rapid analysis of volatiles. *J. Chromatogr.*, 322 (1985) 200-205.
- 1136 Hathorne, S.B. and Miller, D.J.: Identifying alkylbenzene isomers with chemical ionization-proton exchange mass spectrometry. *Anal. Chem.*, 57 (1985) 694-698.

- 1137 Hummel, H.E.: The tandem gas chromatography-behavior bioassay. In: H.E. Hummel and Th.A. Miller (Editors), *Techniques of Pheromone Research*, Springer, New York, 1984, pp. 191-216.
- 1138 Rudewitz, P. and Munson, B.: Neutral reactions in gas chromatography/chemical ionization mass spectrometry. *Anal. Chem.*, 57 (1985) 786-789.
- 1139 Sattarov, G., Kist, A.A., Davydov, A.V. and Khatamov, Sh.: (Neutron activation analysis using thermochromatography. I. Factors effecting the chlorination of samples and thermochromatographic separation of chlorides of elements). *Radio-khimiya*, 26 (1984) 789-793; *C.A.*, 102 (1985) 89135t.
- 1140 Struble, D.L. and Arn, H.: Combined gas chromatography and electroantennogram recording of insect olfactory responses. In: H.E. Hummel and Th.A. Miller (Editors), *Techniques of Pheromone Research*, Springer, New York, 1984, pp. 161-178.
- 1141 Wadhams, L.J.: The coupled gas chromatography-single cell recording technique. In: H.E. Hummel and Th.A. Miller (Editors), *Techniques of Pheromone Research*, Springer, New York, 1984, pp. 179-189.

See also 1087, 1088, 1142, 1163, 1169, 1180, 1188, 1207, 1213, 1227, 1237, 1241, 1242, 1257, 1258, 1264, 1268, 1275, 1278, 1280, 1283, 1303, 1314, 1317, 1318, 1335, 1351, 1358, 1361, 1379, 1380, 1386, 1389, 1402.

4e. Functional analysis

- 1142 Bergstroem, J. and Bergstroem, G.: Hydrogenation in the ng- μ g range using pre-adsorbed hydrogen on fixed Pd catalyst. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 144-145.
- 1143 Leonhardt, B.A. and DeVilbiss, E.D.: Separation and double-bond determination on nanogram quantities of aliphatic monosubstituted alcohols, aldehydes and carboxylic acid methyl esters. *J. Chromatogr.*, 322 (1985) 484-490.
- 1144 Rueter, J., Fislage, U.P. and Neidhart, B.: Oxidation von Alkoholen und Aldehyden mit einem PbO₂-Festbettreaktor - eine neue Moeglichkeit der Derivatierung in der Chromatographie? *Fresenius' Z. Anal. Chem.*, 320 (1985) 699-701.
- 1145 Tsiomo, S.N., Ainshtein, A.A., Chekmareva, L.P., Baranova, G.G., Efimov, N.K. and Gorbunov, A.I.: (Determination of active hydrogen in sodium alkoxy-aluminium hydrides by means of gas chromatographic method). *Zavod. Lab.*, 85, No. 3 (1985) 14-16.
- 1146 Valdez, D.: Silylation of dilute hydroxy compounds in aqueous solutions. *J. Chromatogr. Sci.*, 23 (1985) 126-131.
- 1147 Ventura, K., Komarek, K. and Churacek, J.: Method and apparatus for the determination of functional groups by reaction gas chromatography using the frontal technique. *Czech. Pat.* CS 211,473 (CL.G01N31/08), 15 Apr. 1984, Appl. 78/3,156, 17 May 1978, 8 pp.; *C.A.*, 102 (1985) 72091c.

See also 1176, 1239, 1384.

4f. Trace analysis and preseparation techniques

- 1148 Acree, T.E., Barnard, J. and Cunningham, D.G.: The analysis of odor-active volatiles in gas chromatographic effluents. In: P. Schreier (Editor), *Analysis of Volatiles: Methods and Applications*, De Gruyter, Berlin, 1984, pp. 251-267.
- 1149 Curvers, J., Noij, T., Cramers, C. and Rijks, J.: A continuous preconcentration/extraction method for organic trace analysis by capillary gas chromatography. *Chromatographia*, 19 (1984) 225-230.
- 1150 Hanson, R.L., Clark, C.R., Carpenter, R.L. and Hobbs, C.H.: Comparison of Tenax-GC and XAD-2 as polymer adsorbents for sampling combustion exhaust gases. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 79-93; *C.A.*, 102 (1985) 31052x.
- 1151 Ioffe, B.V., Bystrova, G.I. and Zenkevich, I.G.: (Headspace analysis by discrete gas extraction with intermediate preconcentration). *Zh. Anal. Khim.*, 40 (1985) 306-311.
- 1152 Kalmanovskii, V.I.: (A contribution to the theory of the limit of admixture chromatographic determination). *Dokl. Akad. Nauk*, 281 (1985) 375-378.

See also 1069, 1076, 1081, 1219, 1238, 1401, 1414.

4g. Separation of enantiomers

- 1153 Koppenhoefer, B., Allmehdinger, H. and Nicholson, G.: Derivative-free enantiomer separation of hydroxy and carbonyl compounds by gas chromatography on Chirasil-Val. *Angew. Chem.*, 97 (1985) 46-48; *C.A.*, 102 (1985) 77957z.
- 1154 Koppenhoefer, B. and Bayer, E.: Chiral recognition in the resolution of enantiomers by GLC. *Chromatographia*, 19 (1984) 123-130.
- 1155 Schurig, V.: Gas-chromatographic separation of enantiomers on free-metal-complex stationary phases. *Angew. Chem.*, 96 (1984) 733-752; *C.A.*, 102 (1985) 16831g.

See also 1109, 1220, 1247, 1250, 1253, 1263.

4h. Other special techniques

- 1156 Bittrich, H.-H., Feldhaus, R. and Liebert, J.: Gaschromatographisch simulierte Destillation sowie Molmassenbestimmung und ihre Anwendung zur Charakterisierung von technischen Kohlenwasserstofffraktionen. *Chem. Tech. (Leipzig)*, 37 (1985) 164-165.
- 1157 Luke, L.A. and Ray, J.E.: Simulated distillation of atmospheric residues using short Pyrex capillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 183-195.

See also 1124, 1297.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 1158 Al-Thamir, W.K.: Analysis of natural gas by micro packed capillary column gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 143.
- 1159 Anders, G., Anders, K. and Engewald, W.: Identification of non-branched alkenyl-cycloalkanes with a terminal double bond from retention index increments. *Chromatographia*, 20 (1985) 83-86.
- 1160 Kraus, G. and Sojak, L.: (Separation for gas chromatographic determination of C₉-C₁₃ alkanes and n-alkanes). *Ger. (East) Pat.* DD 211,280 (Cl. B01D15/08), 11 Jul. 1984, Appl. 244,778, 11 Nov. 1982, 5 pp.; *C.A.*, 102 (1985) 89437t.
- 1161 Sonnet, P.E. and Heath, R.R.: Aryl substituted diastereometric alkenes: Gas chromatographic behavior on a non-polar versus a liquid crystal phase. *J. Chromatogr.*, 321 (1985) 127-136.

See also 1059, 1075, 1373, 1376, 1401.

5b. Cyclic hydrocarbons

- 1162 Lucke, R.B., Later, D.W., Wright, C.W., Chess, E.K. and Weimer, W.C.: Integrated, multiple-stage chromatographic method for the separation and identification of polycyclic aromatic hydrocarbons in complex coal liquid. *Anal. Chem.*, 57 (1985) 633-639.
- 1163 Radke, M., Willsch, H., Garrigues, P., de Sury, R. and Ewald, M.: Identification of dimethyl- and ethylphenanthrenes in HPLC-fractions of rock and coal extracts by capillary gas chromatography and high resolution spectrofluorimetry at 15K. *Chromatographia*, 19 (1984) 355-361.
- 1164 Sojak, L., Kraus, G. and Ostrovsky, I.: Hochleistungs-Gaschromatographie an Flüssigkristallglaskapillaren VII. Trennung von Alkylbenzen bis C₉. *J. Chromatogr.*, 323 (1985) 414-417.

See also 1044, 1052, 1059, 1136, 1328, 1389, 1390, 1399.

5c. Halogen derivatives

- 1165 Dumas, T. and Bond, E.J.: Analysis of methyl bromide at ultra low concentration levels. *J. Agric. Food Chem.*, 33 (1985) 276-278.
- 1166 Ghaoui, L., Dessai, E., Wentworth, W.E., Weisner, S. and Zlatkis, A.: Analysis of perfluoroalkanes and fluorobenzenes using an Al₂O₃ porous-layer open-tubular columns. *Chromatographia*, 20 (1985) 75-78.
- 1167 Korhonen, I.O.O.: Gas-liquid chromatographic analyses, XXXII. Incremental effects of hydroxy, methoxy and acetoxy groups introduced into isomeric chlorobenzenes. *J. Chromatogr.*, 321 (1985) 115-125.

See also 1374, 1388, 1391, 1393, 1396, 1400, 1401, 1405, 1409, 1411, 1415.

5d. Complex hydrocarbon mixtures

- 1168 Behar, F. and Pelet, R.: Characterization of asphaltenes by pyrolysis and chromatography. *J. Anal. Appl. Pyrolysis*, 7 (1984) 121-135; *C.A.*, 102 (1985) 64576z.
- 1169 Bergmann, W., Heller, W., Hermanto, A.R., Schallies, M. and Bayer, E.: Posidonomia shales (FRG) and their relation to humic substances. *Chromatographia*, 19 (1984) 165-169.
- 1170 Warman, K.: Improved two-dimensional gas chromatographic method for the separation of products from the analytical pyrolysis of coal. *J. Anal. Appl. Pyrolysis*, 7 (1984) 137-143; *C.A.*, 102 (1985) 64625q.

See also 1378, 1403.

6. ALCOHOLS

- 1171 Afanas'ev, A.M., Demishev, V.N., Kalyazin, E.P. and Kovalev, G.V.: Chromatography of diols. Regularities in the retention of linear diprimary diols in gas-solid and gas-liquid chromatography. *Chromatographia*, 20 (1985) 102-108.
- 1172 Afanas'ev, A.M., Demishev, V.N., Kalyazin, E.P. and Silaev, M.M.: (Effect of diol structure on relative sensitivity coefficients of a flame-ionization detector). *Zh. Anal. Khim.*, 40 (1985) 336-339.
- 1173 Curro, P. and Micali, G.: (Determination of ethyl alcohol in nonalcoholic beverages). *Rass. Chim.*, 36, No. 2 (1984) 97-99; *C.A.*, 102 (1985) 44483p.
- 1174 Kissa, E.: Determination of 2H-hexafluoropropanol-2 in air. *J. Chromatogr.*, 319 (1985) 407-411.
- 1175 Korhonen, I.O.O. and Lind, M.A.: Gas-liquid chromatographic analyses XXXVII. Capillary column studies of benzoyl and monochlorobenzoyl esters of lower saturated branched-chain alcohols. *J. Chromatogr.*, 323 (1985) 331-342.
- 1176 Lakszner, K., Szepesy, L. and Vida, L.: Comparison and evaluation of derivatization methods for gas chromatographic determination of various propane-diols. *Chromatographia*, 19 (1984) 304-309.
- 1177 Pfaeffli, P., Tossavainen, A. and Savolainen, H.: Comparison of inhaled furfuryl alcohol vapour with urinary furoic acid excretion in exposed foundry workers by chromatographic techniques. *Analyst (London)*, 110 (1985) 377-379.
- 1178 Ui, S., Masuda, H. and Muraki, H.: Separation and quantitation of 2,3-butane-diol isomers ((-), (+), and meso) by a combined use of enzyme and gas chromatography. *Agric. Biol. Chem.*, 48 (1984) 2837-2838; *C.A.*, 102 (1985) 42441z.

See also 1143, 1191, 1239, 1368, 1372, 1404.

7. PHENOLS

- 1179 Cline, R.E. and Needham, L.L.: Determination of 19 chlorophenols by packed-column gas chromatography. *J. Anal. Toxicol.*, 8 (1984) 282-284; *C.A.*, 102 (1985) 41055q.
- 1180 Uchimura, Yu. and Shinohara, R.: (Determination of mono-, di-, and tri-(α -methylbenzyl)phenol in environmental samples by gas chromatography mass spectrometry with stable isotopes as internal standards). *Bunseki Kagaku*, 34 (1985) 119-123.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 1181 Ustinnikov, B.A., Makeev, D.M. and Genel, S.A.: (Determination of coumarin in alcoholic beverages by a gas chromatography method). *Ferment. Spirit. Prom-st.*, No. 8 (1984) 11-13; *C.A.*, 102 (1985) 44302d.

8b. Aflatoxins and other mycotoxins

- 1182 Brueckner, H. and Przybylski, M.: Methods for the rapid detection, isolation and sequence determination of "peptaibols" and other alb-containing peptides of fungal origin. I. Gliodeliqueacin A from *Gliocladium deliquescens*. *Chromatographia*, 19 (1984) 188-199.

8c. Other compounds with heterocyclic oxygen

- 1183 Gilbert, J., Startin, J.R. and Crews, C.: Optimisation of conditions for the trimethylsilylation of trichothecene mycotoxins. *J. Chromatogr.*, 319 (1985) 376-381.
- 1184 Ballschmiter, K., Buchert, H., Class, T., Kraemer, W., Magg, H., Munder, A., Reuter, U., Schaefer, W., Swerev, M., Wittlinger, R. and Zoller, W.: Isomeren-spezifische Bestimmung der Polychlordibenzodioxine (PCDD) und Polychlordibenzofurane (PCDF). *Fresenius' Z. Anal. Chem.*, 320 (1985) 711-717.
- 1185 Bata, A., Vanyi, A. and Lasztity, R.: Rapid analytical method for the quantitative determination of trichothecene toxins in food and feeds. *Acta Vet. Hung.*, 32 (1984) 51-56; *C.A.*, 102 (1985) 60848s.
- 1186 Haas, D.L. and Caruso, J.A.: Moderate-power helium plasma as an element-selective detector for gas chromatography of dioxins and other halogenated compounds. *Anal. Chem.*, 57 (1985) 846-851.
- 1187 Hale, M.D., Hileman, F.D., Mazer, T., Snell, T.L., Noble, R.W. and Brooks, J.J.: Mathematical modeling of temperature programmed capillary gas chromatographic retention indexes for polychlorinated dibenzofurans. *Anal. Chem.*, 57 (1985) 640-648.
- 1188 Korfmacher, W.A., Rowland, K.R., Mitchum, R.K., Daly, J.J., McDaniel, R.C. and Plummer, M.V.: Analysis of snake tissue and snake eggs for 2,3,7,8-tetrachlorodibenzo-p-dioxin via fused silica GC combined with atmospheric pressure ionization MS. *Chemosphere*, 13 (1984) 1229-1233; *C.A.*, 102 (1985) 73695q.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 1189 Korhonen, I.O.O.: Gas-liquid chromatographic analyses XXXIII. Retention increments for *o*-chloro and *o*-methoxy substitution in isomeric chloroanisoles. *J. Chromatogr.*, 321 (1985) 467-474.
- 1190 Lopez-Soriano, F.J. and Argiles, J.M.: Simultaneous determination of ketone bodies in biological samples by gas chromatographic headspace analysis. *J. Chromatogr. Sci.*, 23 (1985) 120-123.
- 1191 Ui, S., Masuda, H. and Muraki, H.: Separation and quantitation of acetoin isomers (D(-) and L(+)) by a combined use of enzyme and gas chromatography. *Agric. Biol. Chem.*, 48 (1984) 2835-2836; *C.A.*, 102 (1985) 42440y.

See also 1145, 1328, 1402.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 1192 Evtushenko, E.V. and Ovodov, Yu.S.: (Gas-liquid chromatography of carbohydrates). *Khim. Prir. Soedin.*, 4 (1984) 411-428; *C.A.*, 102 (1985) 79208e.
- 1193 Kjøppen, B. and Dalgaard, L.: Headspace gas chromatographic determination of β -galactosidase activity using electron-capture detection. *J. Chromatogr.*, 321 (1985) 385-391.

- 1194 Latosh, M.V.: (Gas chromatographic identification of polyols in products of carbohydrate hydrogenolysis). *Zh. Anal. Khim.*, 39 (1984) 1491-1495.
- 1195 Van der Kaaden, A., Boon, J.J. and Haverkamp, J.: The analytical pyrolysis of carbohydrates. 2. Differentiation of homopolyhexoses according to their linkage type, by pyrolysis-mass spectrometry and pyrolysis-gas chromatography/mass spectrometry. *Biomed. Mass Spectrom.*, 11 (1984) 486-492; *C.A.*, 102 (1985) 424iBx.

See also 1362.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 1196 Carre, B., Brillouet, J.-M. and Thibault, J.-F.: Characterization of polysaccharides from white lupin (*Lupinus albus* L.) cotyledons. *J. Agric. Food Chem.*, 33 (1985) 285-292.

11. ORGANIC ACIDS AND LIPIDS

11a. *Organic acids and simple esters*

- 1197 Gray, G. and Olson, A.C.: Packed and capillary column gas chromatographic analysis of fecal samples for volatile fatty acids. *J. Agric. Food Chem.*, 33 (1985) 192-195.
- 1198 Haken, J.K. and Korhonen, I.O.O.: Gas chromatography of homologous esters XXVIII. Retention increments of aliphatic C₁-C₁₈ n-alkyl esters of butanoic acid and its monochloro derivatives on SE-30 and OV-351 capillary columns. *J. Chromatogr.*, 320 (1985) 325-334.
- 1199 Julkunen-Tiitto, R.: Phenolic constituents in the leaves of northern willows: Method for the analysis of certain phenolics. *J. Agric. Food Chem.*, 33 (1985) 213-217.
- 1200 Oliw, E.H.: Analysis of epoxyeicosatrienoic acids by gas chromatography-mass spectrometry using chlorohydrin adducts. *J. Chromatogr.*, 339 (1985) 175-181.
- 1201 Penttila, I., Huhtikangas, A., Herranen, J. and Moilanen, O.: Gas chromatographic determination of serum branched-chain α -keto acids derivatized by extractive alkylation. *J. Chromatogr.*, 338 (1985) 265-272.
- 1202 Zhu, A. and Xu, Q.Y.: Derivatization at the liquid-solid interface. Application to the trace analysis of organic acids in aqueous samples. *J. Chromatogr.*, 314 (1984) 421-428.

See also 1056, 1057, 1143, 1222, 1235, 1336, 1359, 1360, 1386, 1413.

11b. *Prostaglandins*

- 1203 Aly, A., Green, K. and Johansson, C.: Prostaglandin E₂ in basal gastric secretion and during stimulation of muscarinic receptors in man. Measurements with gas chromatography-mass spectrometry. *Acta Physiol. Scand.*, 122 (1984) 583-588; *C.A.*, 102 (1985) 1125f.
- 1204 Barrow, S.E., Heavey, D.J., Ennis, M., Chappell, C.G., Blair, I.A. and Dollery, C.T.: Measurement of prostaglandin D₂ and identification of metabolites in human plasma during intravenous infusion. *Prostaglandins*, 28 (1984) 743-754; *C.A.*, 102 (1985) 40034v.
- 1205 Juvancz, Z., Vajda, M. and Simonidesz, V.: Gas chromatography of some prostaglandins. *Chromatographia*, 19 (1984) 285-287.
- 1206 Schweer, H., Kammer, J. and Seyberth, H.W.: Simultaneous determination of prostanooids in plasma by gas chromatography-negative-ion chemical-ionization mass spectrometry. *J. Chromatogr.*, 338 (1985) 273-280.
- 1207 Steffenrud, S. and Borgeat, P.: Derivatization of leukotrienes for gas chromatography-mass spectrometry. *Prostaglandins*, 28 (1984) 593-596; *C.A.*, 102 (1985) 72943g.
- 1208 Zipser, R.D., Morrison, A., Laffi, G. and Duke, R.: Assay methods for 6-keto-prostaglandin F_{1 α} in human urine. Comparison of chromatographic techniques with radioimmunoassay and gas chromatography-negative-ion chemical-ionization mass spectrometry. *J. Chromatogr.*, 339 (1985) 1-9.

11c. Lipids and their constituents

- 1209 Kuksis, A., Myher, J.J. and Marai, L.: Lipid methodology - chromatography and beyond. Part. I. GC/MS and LC/MS of glycerolipids. *J. Am. Oil Chem. Soc.*, 61 (1984) 1582-1589; *C.A.*, 102 (1985) 42252p.
- 1210 Makdessi, S.A., Andrieu, J.-L. and Bacconin, A.: Assay of lipids in dog myocardium using capillary gas chromatography and derivation with boron trifluoride and methanol. *J. Chromatogr.*, 339 (1985) 25-34.
- 1211 Stern, D.J., Flath, R.A., Mon, T.R., Teranishi, R., Lundin, R.E. and Benson, M.E.: Crude oleic acid volatiles. *J. Agric. Food Chem.*, 33 (1985) 180-184.

See also 1115, 1124.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 1212 Masse, R., Laliberte, C. and Tremblay, L.: Gas chromatography-mass spectrometry of epimeric 19-norandrostane-3-ol-17-ones as the trimethylsilyl ether, methyl-oxime-trimethylsilyl ether and trimethylsilyl-enol trimethylsilyl ether derivatives. *J. Chromatogr.*, 339 (1985) 11-23.
- 1213 Miyazaki, H., Ishibashi, M., Itoh, M. and Yamashita, K.: Diethylsilyl ether and diethylsiliconide derivatives in gas chromatography/mass spectrometry of hydroxylated steroids. *Biomed. Mass Spectrom.*, 11 (1984) 377-382; *C.A.*, 102 (1985) 46183q.

See also 1101.

13c. Sterols

- 1214 Lusby, W.R., Thompson, M.J. and Kochansky, J.: Analysis of sterol esters by capillary gas chromatography-electron impact and chemical ionization-mass spectrometry. *Lipids*, 19 (1984) 888-901; *C.A.*, 102 (1985) 58808k.

13d. Bile acids and alcohols

- 1215 Hasegawa, T., Nakashima, T., Sano, A., Nakagawa, Y., Seto, Y., Okuno, T. and Takino, T.: (Determination of C-6 hydroxylated bile acid in human urines with gas chromatography/mass spectrometry). *Iyo Masu Kenkyukai Koenshu*, 9 (1984) 179-182; *C.A.*, 102 (1985) 76374v.
- 1216 Nakashima, T., Hasegawa, T., Sano, A., Nakagawa, Y., Seto, Y., Okuno, T. and Takino, T.: Analysis of trihydroxy bile acids in human materials with gas chromatography-mass spectrometry. *Kyoto-Furitsu Ika Daigaku Zasshi*, 93 (1984) 927-932; *C.A.*, 102 (1985) 58812q.

See also 1337.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 1217 Bazyl'chick, V.V., Fedorov, P.I. and Polyakova, N.P.: Gas-liquid chromatographic study of monoterpene hydrocarbons of conifer balsams and ring opening products of pinane and carane structure. *J. Chromatogr.*, 321 (1985) 240-245.
- 1218 Koscielski, T., Sybalska, D., Belniak, S. and Jurczak, J.: Gas-liquid chromatography system with α -cyclodextrin as an analytical tool for the studies of stereoselective hydrogenation of α -pinene. *Chromatographia*, 19 (1984) 292-286.
- 1219 Roberts, J.M., Fehsenfeld, F.C., Albritton, D.L. and Sievers, R.E.: Sampling and analysis of monoterpene hydrocarbons in the atmosphere with Tenax gas chromatographic porous polymer. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 371-387; *C.A.*, 102 (1985) 31056b.

- 1220 Schurig, V. and Leyrer, U.: Enantiomer composition and absolute configuration of terpenene-4-ol from the bark beetle *Polygraphus poligraphus*. *Naturwissenschaften*, 72 (1985) 211.
- 1221 Vorob'eva, N.S., Zemskova, Z.K., Pekhk, T.I. and Petrov, A.A.: (Equilibrated composition and properties of cedrane epimers). *Neftekhimiya*, 25 (1985) 3-7.

15b. Essential oils

- 1222 Amagaya, S., Sugishita, E., Ogiwara, Y., Ogawa, S., Okada, K. and Aizawa, T.: Separation and quantitative analysis of 18 α -glycyrrhetic acid and 18 β -glycyrrhetic acid in *Glycyrrhiza Radix* by gas-liquid chromatography. *J. Chromatogr.*, 320 (1985) 430-434.
- 1223 Berger, R.G., Drawert, P., Kollmannsberger, H., Nitz, S. and Schraufstetter, B.: Novel volatiles in pineapple fruit and their sensory properties. *J. Agric. Food Chem.*, 33 (1985) 232-235 - 19 new constituents.
- 1224 Chen, M.: (Assay of magnolol in Hou Xiang Zheng Qi liquor by gas chromatography). *Zhongcaoyao*, 15 (1984) 459-460; *C.A.*, 102 (1985) 12479a.
- 1225 Gupta, P.N., Naqvi, A., Misra, L.N., Sen, T. and Nigam, M.C.: Gas chromatographic evaluation of the essential oils of different strains of *Amomum subulatum* growing wild in Sikkim. *Parfuem. Kosmet.*, 65 (1984) 528-529; *C.A.*, 102 (1985) 31918j.
- 1226 Habu, T., Flath, R.A., Mon, T.R. and Morton, J.F.: Volatile compounds of rooibos tea (*Aspalathus linearis*). *J. Agric. Food Chem.*, 33 (1985) 249-254 - identified 99 components.
- 1227 Idstein, H. and Schreier, P.: Volatile constituents from guava (*Psidium guajava*, L.) fruit. *J. Agric. Food Chem.*, 33 (1985) 138-143.
- 1228 Mosandl, A., Heusinger, G., Wistuba, D. and Schurig, V.: Analysis of a chiral aroma compound by complexation gas chromatography. *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 385-386; *C.A.*, 102 (1985) 77330q.
- 1229 Fu, Z., Shi, Y., Yang, Y., Zhang, J. and Lu, Y.: (Chemical constituents of the essential oils of *Caryopteris bungei*. I. GC/MS analyses of the hydrocarbon fraction of *Caryopteris incana*, *C. trichosphaera*, *C. forrestii* and *C. forrestii* var. *minor*). *Huaxue Xuebao*, 42 (1984) 1103-1105; *C.A.*, 102 (1985) 42920e.
- 1230 Ramaut, J.L., Hofinger, M., Dimbi, R., Corvisier, M. and Lewalle, J.: Main constituents of the essential oil of *Warionia Saharae* Benth and Coss. *Chromatographia*, 20 (1985) 193-196.
- 1231 Willson, C.W.III, Shaw, P.E., Knight, R.J., Nagy, S. and Klim, H.: Volatile constituents of carambola (*Averrhoa carambola* L.). *J. Agric. Food Chem.*, 33 (1985) 199-201 - 41 new constituents.

See also 1135, 1381.

16. NITRO AND NITROSO COMPOUNDS

- 1232 Begutter, H., Klus, H. and Ultsch, I.: Kapillargaschromatographische Bestimmung fluechtiger und tabakspezifischer N-nitrosamine mittels des Thermo-Energy-Analysers. *J. Chromatogr.*, 321 (1985) 475-479.
- 1233 Hartung, A., Kraft, J., Schulze, J., Kiess, H. and Lies, K.-H.: The identification of nitrated polycyclic aromatic hydrocarbons in Diesel particulate extracts and their potential formation as artifacts during particulate collection. *Chromatographia*, 19 (1984) 269-273.
- 1234 Hartung, A., Kraft, J., Schulze, J. and Lies, K.-H.: Identifizierung und quantitative Bestimmung von Nitroderivaten der polycyclischen aromatischen Kohlenwasserstoffe in Dieselpartikel-Extrakten. *Fresenius' Z. Anal. Chem.*, 320 (1985) 702-703.
- 1235 Kozlova, L.M., Klavina, Z. and Levchenkova, I.D.: (Gas-liquid chromatography of nitroalkylsalicylic acids). *Latv. PSR Zinat. Akad. Vestis, Kim. Ser.*, 4 (1984) 467-470; *C.A.*, 101 (1984) 239603q.
- 1236 Sioufi, A. and Pommier, F.: Quantitative determination of nitroglycerin in human plasma by capillary gas chromatography with electron-capture detection. *J. Chromatogr.*, 339 (1985) 117-126.

See also 1055, 1058, 1363.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 1237 Avery, M.J. and Junk, G.A.: Gas chromatography/mass spectrometry determination of water-soluble primary amines as their pentafluorobenzaldehyde imines. *Anal. Chem.*, 57 (1985) 790-792.
- 1238 Dalene, M., Lundh, T. and Mathiasson, L.: N-permethylation of polyamines at trace levels for gas chromatographic analysis. *J. Chromatogr.*, 322 (1985) 169-176.
- 1239 Jacob, K., Schnabl, G. and Vogt, W.: Gas chromatographic analysis of bifunctional amines after derivatization with methyldichlorophosphine and sulfur. *Chromatographia*, 19 (1984) 216-218.
- 1240 Kataoka, H., Ohishi, K., Inoue, N. and Makita, M.: (Determination of taurine in animal tissue by gas chromatography). *Bunseki Kagaku*, 34 (1985) 128-132.
- 1241 Quaglia, M.G., Mazeo, P. and Secco, F.: Determination of benzylamine in bethanidine by gas chromatography-mass spectrometry. *J. Pharm. Biomed. Anal.*, 2 (1984) 129-131; *C.A.*, 102 (1985) 32422e.
- 1242 Roberts, L.J., II., Aulsebrook, K.A. and Oates, J.A.: Comparative evaluation of the radioenzymatic method for the determination of urinary histamine with a mass spectrometric assay. *J. Chromatogr.*, 338 (1985) 41-49.
- 1243 Rosenberg, C. and Savolainen, H.: Detection of urinary amine metabolites in toluene diisocyanate exposed rats. *J. Chromatogr.*, 323 (1985) 429-433.
- 1244 Schmidt, B., Claus, E. and Schmidt, F.: Probleme der gaschromatographischen Analyse substituierter aromatischer Stickstoffverbindungen mit dem Flammenionisationsdetektor. *Chem. Tech. (Leipzig)*, 37 (1985) 73-75.
- 1245 Wollin, A. and Navert, H.: Quantitation of histamine and some of its basic methylated metabolites in biological materials by gas-liquid chromatography. *Anal. Biochem.*, 145 (1985) 73-79.

See also 1338.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1246 Boehm, M.F. and Bada, J.L.: The racemization rate of selenomethionine and methionine in yeast at 100°C and neutral pH. *Anal. Biochem.*, 145 (1985) 273-276.
- 1247 Gerhardt, J., Nicholson, G., Frank, H. and Bayer, E.: Automated pre-column derivatization in gas chromatography amino acid analysis via enantiomer labeling: An application of Autoderivat 100. *Chromatographia*, 19 (1984) 251-253.
- 1248 Liebich, H.M. and Foerst, C.: N-methylation and N,N-dimethylation of amino acids. An artifact production in the analysis of organic acids using diazomethane as derivatizing agent. *J. Chromatogr.*, 338 (1985) 33-40.
- 1249 Liebich, H.M. and Foerst, C.: Urinary excretion of N-acetylamino acids. *J. Chromatogr.*, 338 (1985) 187-191.
- 1250 Lyubeznova, M.R., Belyaeva, K.V., Ferapontov, V.A., Karpeiskaya, E.I. and Klabinovskii, E.I.: (Enantiometric analysis of amino acid derivatives on glass capillary columns). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 11 (1984) 2482-2486.
- 1251 MacKenzie, S.L. and Tenaschuk, D.: Analysis of γ -carboxyglutamic acid by gas-liquid chromatography. *J. Chromatogr.*, 319 (1985) 404-406.
- 1252 MacKenzie, S.L. and Tenaschuk, D.: Gas-liquid chromatographic assay for asparagine and glutamine. *J. Chromatogr.*, 322 (1985) 228-235.
- 1253 Wang, Q., Frank, H., Wang, G., Zhou, L., Bayer, E. and Lu, P.: (Separation of enantiomers of amino acids by gas chromatography - applications of valveless column switching technique and Chirasil-Val phase). *Fenxi Huaxue*, 12 (1984) 662-665; *C.A.*, 102 (1985) 55372c.

18b. *Peptides and peptidic and proteinous hormones*

- 1254 Shinohara, Y., Baba, S. and Kasuya, A.: Quantitative determination of methyltestosterone and methyltestosterone-d₃ in serum by gas chromatography-mass spectrometry. *J. Chromatogr.*, 338 (1985) 281-288.

See also 1182.

20. ENZYMES

20e. *Oxidoreductases*

- 1255 Trevors, J.T.: Rapid gas chromatographic method to measure hydrogen peroxide oxidoreductase (catalase) activity in soil. *Soil Biol. Biochem.*, 16 (1984) 525-526; *C.A.*, 102 (1985) 77707t.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

- 1256 Land, G., Shortman, N. and Ridout, G.: The determination of 2,6-diamino-9-(2-hydroxyethoxymethyl)-9H-purine (A134U) and 2-amino-9-(2-hydroxyethoxymethyl)-9H-purine (A515U) in human plasma and urine by gas chromatography. *Chromatographia*, 19 (1984) 310-315.
- 1257 Lewis, S. and Yudkoff, M.: Gas chromatographic-mass spectrometric determination of isotopic enrichment of 6-¹⁵NH₂ in adenine nucleotides. *Anal. Biochem.*, 145 (1985) 354-361.

21c. *Nucleic acids, DNA*

- 1258 Dizdaroglu, M.: Application of capillary gas chromatography-mass spectrometry to chemical characterization of radiation-induced base damage of DNA: Implication for assessing DNA repair processes. *Anal. Biochem.*, 144 (1985) 593-603.

22. ALKALOIDS

- 1259 Froidi, R., Gambaro, V., Mariani, R., Pisoni, F. and Procaccianti, P.: Rapid quantitation of cocaine and benzoylecgonine in urine by "on column" capillary gas chromatography after "extralut" extraction. *Farmaco, Ed. Prat.*, 39 (1984) 417-423; *C.A.*, 102 (1985) 57293b.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23d. *Pyridine derivatives*

- 1260 Golovnya, R.V., Zhuravleva, I.L. and Polanuer, B.M.: (Complexing of alkylpyridines with sodium phosphate under gas chromatography conditions). *Izv. Akad. Nauk SSSR, Ser. Khim.*, 11 (1984) 2487-2491.

See also 1365.

23e. *Other N-heterocyclic compounds*

- 1261 Isakova, L.A. and Litvinenko, G.S.: (Stereochemistry of nitrogenous heterocycles. 57. Gas-chromatographic separation of epimeric equatorial 2-methyl-decahydro-4-quinolins). *Izv. Akad. Nauk Kaz. SSR, Ser. Khim.*, No. 5 (1984) 68-71; *C.A.*, 102 (1985) 39212v.

- 1262 Kamata, K. and Motohashi, N.: Separation of methyl-substituted benz[e]acridines by gas-liquid chromatography and high-performance liquid chromatography. *J. Chromatogr.*, 319 (1985) 331-340.

See also 1245, 1319, 1324, 1365, 1369, 1384.

24. ORGANIC SULPHUR COMPOUNDS

- 1263 Bayer, E., Kuesters, E., Nicholson, G.J. and Frank, H.: Gas chromatographic separation of enantiomeric sulphur compounds on Chirasil-Val. *J. Chromatogr.*, 320 (1985) 393-396.
- 1264 Giang, B.Y.: The effect of heat on the GC-MS analysis of thiols. *Anal. Lett.*, 18/A2 (1985) 193-202.
- 1265 Mikaya, A.I., Trusova, E.A., Zaikin, V.G., Volinskiĭ, N.P., Karaulova, E.N. and Gal'pern, G.D.: Reaction gas chromatography/mass spectrometry. 4-Structure elucidation of cyclic sulfides by gas chromatography/mass spectrometry with the use of on-line hydrodesulfurization. *Org. Mass Spectrom.*, 19 (1984) 428-432; *C.A.*, 102 (1985) 78173c.

See also 1350, 1370, 1384.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 1266 Kriz, J., Adamcova, E., Triska, J. and Vodicka, L.: Capillary gas chromatography of isopropyl phenyl phosphates on quartz columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 195-197.
- 1267 Sugimae, A., Kuge, Y. and Nakamoto, M.: (Electron capture detector response for organophosphorus compounds). *Nippon Kagaku Kaishi*, No. 2 (1985) 193-197.

See also 1309.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 1268 Baussand, P., Foster, P., Besson, J., Laverlochere, J. and Meinhrat, A.O.: Dosage simultane de differents derives organiques et mineraux du plomb par le couplage chromatographie en phase gazeuse-spectrometrie d'absorption atomique. *Analisis*, 13 (1985) 53-58.
- 1269 Dilli, S. and Robards, K.: Volatility studies of metal chelates. VI. Gas chromatographic behaviour of aryl β -diketones and their metal chelates. *J. Chromatogr.*, 322 (1985) 1-22.
- 1270 Dilli, S. and Robards, K.: Volatility studies of metal chelates. VII. Gas chromatographic behaviour of chelates derived from the aromatic β -diketones 1-phenylbutane-1,3-dione and 4,4,4-trifluoro-1-(pentafluorophenyl) butane-1,3-dione. *J. Chromatogr.*, 322 (1985) 23-33.
- 1271 Hewitt, C.N. and Harrison, R.M.: A sensitive, specific method for the determination of tetraalkyllead compounds in air by gas chromatography/atomic absorption spectrometry. *Anal. Chim. Acta*, 167 (1985) 277-287.
- 1272 Ivanova, N.T., Khromykh, N.N. and Bochkarev, V.N.: (Development of some methodical aspects for direct GLC analysis of lower trialkylaluminiums). *Zh. Anal. Khim.*, 40 (1985) 340-345.

See also 1104, 1394.

26b. Boranes, silanes and related non-metallic compounds

- 1273 Siu, K.W.M., Roberts, S.Y. and Berman, S.S.: Derivatization and determination of arsenic in marine samples by gas chromatography with electron capture detection. *Chromatographia*, 19 (1984) 398-400.
- 1274 Chen, H., Wu, P., Xin, X., Dai, A. and Zhang, Y.: (Studies on the thermal stability of coordination compounds by gas chromatography. VIII. Thermal decomposition of supported potassium hexacyanoferrate ($K_3[Fe(CN)_6]$). *Fenzi Kexue Yu Huaxue Yanjiu*, 4 (1984) 265-268; *C.A.*, 102 (1985) 16549w.
- 1275 Kowalska, E.T. and Kowalski, W.J.: Gas chromatographic and NMR spectroscopic study of the interactions between the tris β -diketone chelates of europium and aliphatic nucleophiles. *Chromatographia*, 19 (1984) 301-303.
- 1276 Kritsotakis, K. and Tobschall, H.J.: Gas-chromatographische Trennung der Edelmetalle Au, Pt, Pd, Rh and Ir als Bis (trifluoroethyl)-dithiocarbamato-Chelate. *Fresenius' Z. Anal. Chem.*, 320 (1985) 152-155.
- 1277 Travnikov, S.S., Fedoseev, E.V., Davydov, A.V. and Myasoedov, B.F.: Thermo-chromatographic separation of americium and neptunium hexafluoroacetylacetonates in the flow of a carrier gas saturated with hexafluoroacetylacetonone vapor. *J. Radioanal. Nucl. Chem.*, 93 (1985) 227-236; *C.A.*, 102 (1985) 89130n.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 1278 Buehrlen, U., Emmerich, H. and Rembold, H.: Titer of juvenile hormone III in *Drosophila hydei* during metamorphosis determined by GC-MS-MIS. *Z. Naturforsch.*, 39C (1984) 1150-1154; *C.A.*, 102 (1985) 76042k.
- 1279 Coldwell, R.D., Trafford, D.J.H., Makin, H.L.J., Varley, M.J. and Kirk, D.N.: Specific mass fragmentographic assay for 25,26-dihydroxyvitamin D in human plasma using a deuterated internal standard. *J. Chromatogr.*, 338 (1985) 289-302.
- 1280 Mauchamp, B., Couillaud, F. and Malosse, C.: Gas chromatography-mass spectrometry analysis of juvenile hormone released by insect *Corpora allata*. *Anal. Biochem.*, 145 (1985) 251-256.
- 1281 Rakitin, V.Yu. and Karyagin, V.V.: (Gas-chromatographic determination of 4-chlorophenoxyacetic acid, an agent for stimulating tomato fruit formation). *Fiziol. Rast. (Moscow)*, 31 (1984) 1191-1197; *C.A.*, 102 (1985) 57276y.
- 1282 Rembold, H. and Lackner, B.: Convenient method for the determination of picomole amounts of juvenile hormone. *J. Chromatogr.*, 323 (1985) 355-361.

See also 1033.

28. ANTIBIOTICS

See 1182.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. Chlorinated insecticides

- 1283 Schneider, J.F., Reedy, G.T. and Ettinger, D.G.: GC/matrix isolation /FTIR applications: Analysis of PCBs. *J. Chromatogr. Sci.*, 23 (1985) 49-53.

See also 1329, 1417.

29b. Phosphorus insecticides

See 1410.

29d. Herbicides

- 1284 Cessna, A.: Gas chromatographic analysis of the herbicide bentazon in leeks. *J. Agric. Food Chem.*, 33 (1985) 108-110.
- 1285 Machev, A., Kostadinova, P. and Chomova, R.: (An improved gas-chromatographic method for determination of the herbicide triclopyr in the soil and in plant samples). *Gradinar. Losar. Nauka*, 21, No. 4 (1984) 40-44; *C.A.*, 102 (1985) 19459c.
- 1286 Novitskaya, T.V., Novitskii, V.F. and Pertsovskii, A.L.: (Gas-chromatographic determination of the herbicide illoxan in plants, grain, and soil). *Gig. Sanit.*, No. 10 (1984) 51-52; *C.A.*, 102 (1985) 19452v.
- 1287 Primak, A.P., Krivolutskii, K.V. and Tulupova, S.V.: (Chromatographic determination of fusilade in beet). *Khim. Sel'sk. Khoz.*, No. 10 (1984) 50-51; *C.A.*, 102 (1985) 33933h.

29e. Fungicides

- 1288 Taccheo, M.B., Spessotto, C., Bresin, B. and Bagarolo, L.: Multiresidue method for captan, folpet, captafol, vinclozolin and iprodione on Italian apples and pears by capillary gas-liquid chromatography with electron-capture detection. *Pestic. Sci.*, 15 (1984) 612-615; *C.A.*, 102 (1985) 73993k.

29f. Other types of pesticides and various agrochemicals

- 1289 De Voogt, P., Haak, N., Geerdink, R.B. and Brinkman, U.A.T.: Determination of metoxuron and 3-chloro-4-methoxyaniline via direct derivatization with heptafluorobutyric anhydride and GC-ECD. *Chemosphere*, 13 (1984) 1193-1200; *C.A.*, 102 (1985) 73988n.

31. PLASTICS AND THEIR INTERMEDIATES

- 1290 Burford, R.P., Haken, J.K. and Vimalasiri, P.A.D.T.: Chromatographic analysis of polyester-based polyurethane elastomers after alkali fusion. *J. Chromatogr.*, 321 (1985) 295-303.
- 1291 Castells, J. and Vila, J.M.: Pyrolysis gas chromatography-mass spectrometry of functionalized polystyrene. *An. Quim., Ser. C*, 80 (1984) 142-147; *C.A.*, 102 (1985) 46496u.
- 1292 Galin, M.: Gas-liquid chromatography study of poly(ethylene oxide)-solvent interactions: A molecular approach to solvation mechanisms. *Polymer*, 25 (1984) 1784-1790; *C.A.*, 102 (1985) 79600b.
- 1293 Gilbert, J., Shepherd, M.I. and Wallwork, M.A.: Multi-stage chromatographic procedure for the isolation of a single oligomeric species (vinyl chloride tetramer) from poly(vinyl chloride) resins used for food packaging applications. *J. Chromatogr.*, 320 (1985) 361-368.
- 1294 Langsam, M.: Gas chromatography techniques for the determination of vinyl chloride polymerization kinetics. *J. Polym. Sci., Polym. Lett. Ed.*, 22 (1984) 549-552; *C.A.*, 101 (1984) 231100c.
- 1295 Nazarova, G.A., Popov, V.M. and Sorokin, N.M.: (Study of volatiles emitted from coatings from epoxy oligomers by gas chromatography). *Lakokras. Mater. Ikh Primen.*, No. 6 (1984) 48-50; *C.A.*, 102 (1985) 83588w.
- 1296 Ohtani, H., Tsuge, S., Matsushita, Y. and Nagasawa, M.: Improvement in the compositional analysis of block copolymers of ordinary and deuterated styrenes by high-resolution pyrolysis gas chromatography. *Polym. J. (Tokyo)*, 16 (1984) 727-729; *C.A.*, 102 (1985) 7378n.
- 1297 Ohtani, H., Tsuge, S. and Usami, T.: Determination of shortchain branching up to C₆ in low-density polyethylenes by high-resolution pyrolysis-hydrogenation gas chromatography. *Macromolecules*, 17 (1984) 2557-2561; *C.A.*, 102 (1985) 7321p.
- 1298 Seiffarth, J., Solf, I., Huehn, G. and Hoffmann, W.: (Method for quantitative determination of styrene in styrene-rich styrene-butadiene copolymers and compounds by using pyrolysis gas chromatography). *Plaste Kautsch.*, 31 (1984) 371-374; *C.A.*, 102 (1985) 79522q.

- 1299 Slow, K.S., Goh, S.H. and Yap, K.S.: Solubility parameters of poly(α -methylstyrene-co-acrylonitrile) from gas-liquid chromatography. *Polym. Mater. Sci. Eng.*, 51 (1984) 532-536; *C.A.*, 102 (1985) 25375p.
- 1300 Yang, X.: Pyrolysis-gas chromatographic analysis of polymers. (3). Some applications. *Huaxue Shijie*, 25 (1984) 354-357; *C.A.*, 102 (1985) 46475m.
- 1301 Yang, X.: (Pyrolysis gas-phase chromatographic analysis for polymers. Part (4). Applications). *Huaxue Shijie*, 25 (1984) 395-398; *C.A.*, 102 (1985) 79327t.
- 1302 Zhang, J.: (Pyrolysis gas chromatography of polymers. (1). Fundamental principles). *Huaxue Shijie*, 25 (1984) 273-276; *C.A.*, 101 (1984) 231213s.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

32a. Synthetic drugs

- 1303 Abramson, F.P. and Lutz, M.P.: Application of capillary gas chromatographic-selected-ion recording mass spectrometric technique to the analysis of diethylstilbestrol and its phosphorylated precursors in plasma and tissues. *J. Chromatogr.*, 339 (1985) 87-95.
- 1304 Haky, J.E. and Stickney, T.M.: Automated gas chromatographic method for the determination of residual solvents in bulk pharmaceuticals. *J. Chromatogr.*, 321 (1985) 137-144.
- 1305 Koval'chuk, T.V., Bubon, V.S. and Koget, T.A.: (Determination the preservative chlorobutanol hydrate in solutions for injections). *Khim.-Farm. Zh.*, 18 (1984) 1145-1148; *C.A.*, 102 (1985) 32403z.
- 1306 Lawrence, A.H., Elias, L. and Authier-Martin, M.: Determination of amphetamine, cocaine, and heroin vapor pressures using a dynamic gas blending system and gas chromatographic analysis. *Can. J. Chem.*, 62 (1984) 1886-1888.
- 1307 Wampler, T.P., Bowe, W.A. and Levy, E.J.: Dynamic headspace analyses of residual volatiles in pharmaceuticals. *J. Chromatogr. Sci.*, 23 (1985) 64-67.
- 1308 Zurabashvili, Z.A., Mizrakhi, L.M. and Tsintsadze, M.S.: (Gas chromatography of psychotropic drugs of various classes). *Farmakol. Toksikol. (Moscow)*, 48 (1985) 35-39; *C.A.*, 102 (1985) 72227b.

32b. Pharmacokinetics studies

- 1309 McDermott, B.J., Double, J.A., Bibby, M.C., Wilman, D.E.V., Loadman, P.M. and Turner, R.L.: Gas chromatographic analysis of triethylenephosphoramidate and triethylenephosphoramidate in biological specimens. *J. Chromatogr.*, 338 (1985) 335-345.

32c. Drug monitoring

- 1310 Baktir, G., Bircher, J., Fisch, H.-U. and Karlaganis, G.: Capillary gas-liquid chromatographic determination of the benzodiazepine triazolam in plasma using a retention gap. *J. Chromatogr.*, 339 (1985) 192-197.
- 1311 Coassolo, P., Aubert, G. and Cano, J.-P.: Plasma determination of 3-methylclonazepam by capillary gas chromatography. *J. Chromatogr.*, 338 (1985) 347-355.
- 1312 Davies, C.L. and Molyneux, S.G.: Determination of diprobutine in human plasma using gas-liquid chromatography with nitrogen-selective detection. *J. Chromatogr.*, 339 (1985) 186-191.
- 1313 De Vries, J.X., Simon, M., Zimmermann, R. and Harenberg, J.: Identification of phenprocoumon metabolites in human urine by high-performance liquid chromatography and gas chromatography-mass spectrometry. *J. Chromatogr.*, 338 (1985) 325-334.
- 1314 Falkner, F.C., Fouda, H.G. and Mullins, F.G.: A gas chromatographic/mass spectrometric assay for flutroline, a γ -carboline antipsychotic agent, with direct derivatization on a moving needle injector. *Biomed. Mass Spectrom.*, 11 (1984) 482-485; *C.A.*, 102 (1985) 55508b.
- 1315 Heikkinen, L.: Glass capillary gas chromatographic determination of ibuprofen in serum with trimethylanilinium hydroxide as methylating reagent. *Acta Pharm. Fenn.*, 93 (1984) 97-102; *C.A.*, 102 (1985) 39440t.

- 1316 Kataoka, H., Matsuba, K. and Makita, M.: (Determination of taurine in whole blood and plasma by gas liquid chromatography). *Yakugaku Zasshi*, 104 (1984) 1054-1058; *C.A.*, 102 (1985) 42307k.
- 1317 Leelavathi, D.E., Dressler, D.E., Soffer, E.F., Yachetti, S.D. and Knowles, J.A.: Determination of promethazine in human plasma by automated high-performance liquid chromatography with electrochemical detection and by gas chromatography-mass spectrometry. *J. Chromatogr.*, 339 (1985) 105-115.
- 1318 Matsubara, K., Maseda, C. and Fukui, Y.: Quantitation of cocaine, benzoylecgonine and ecgonine methyl ester by GC-CI-SIM after Extrelut extraction. *Forensic Sci. Int.*, 26 (1984) 181-192; *C.A.*, 102 (1985) 73645y.
- 1319 Mizuki, T., Kageura, M., Dan, K. and Nagata, T.: (Quantification of phenacyclidine in blood by mass fragmentography). *Nippon Hoigaku Zasshi*, 38 (1984) 424-427; *C.A.*, 102 (1985) 73646z.
- 1320 Novotna, J.: (Diphenylhydantoin and phenobarbital determination by gas chromatography). *Biochem. Clin. Bohemoslov.*, 13 (1984) 163-167; *C.A.*, 102 (1985) 17048u.
- 1321 Quaglio, M.P. and Belli, A.M.: (Simultaneous monitoring of maprotiline and some benzodiazepines in human plasma using gas chromatography). *Farmaco, Ed. Prat.*, 39 (1984) 431-437; *C.A.*, 102 (1985) 55544k.
- 1322 Sgaragli, G.P., Della Corte, L., Giovannini, M.G., Ninci, R., Franco, C. and Nardini, M.: (Microanalytical GLC method with a nitrogen-phosphorous detector for the determination of some tricyclic psychotropic drugs and their N-demethylated metabolites). *Boll.-Soc. Ital. Biol. Sper.*, 60 (1984) 1757-1763; *C.A.*, 102 (1985) 55520z.
- 1323 Staveris, S., Blaise, P., Efthymiopoulos, C., Schneider, M., Jamet, G., Jung, L. and Koffel, J.C.: Quantitative determination of tertatolol in biological fluids by gas chromatography-mass spectrometry. *J. Chromatogr.*, 339 (1985) 97-103.
- 1324 Staveris, S., Jung, L., Jamet, G. and Koffel, J.C.: Quantitative analysis of veralipride in plasma and urine by gas chromatography-mass spectrometry and gas chromatography with flame-ionization detection. *J. Chromatogr.*, 338 (1985) 79-88.
- 1325 Zavrzhnaya, T.A., Kuleshova, M.I., Levite, E.M. and Zhukova, O.I.: (Gas chromatographic determination of promedol in blood plasma). *Farmatsiya (Moscow)*, 33, No. 6 (1984) 35-38; *C.A.*, 102 (1985) 55533f.

See also 1222, 1254, 1256.

32d. Toxicological applications

- 1326 Bridges, R.R. and Jennison, T.A.: Analysis of ethchlorvynol (Placidyl): Evaluation of a comparison performed in a clinical laboratory. *J. Anal. Toxicol.*, 8 (1984) 263-268; *C.A.*, 102 (1985) 19020c.
- 1327 De Zeeuw, R.A., Bogusz, M., Franke, J.P. and Wijsbeek, J.: Drug screening by capillary column gas chromatography. *Adv. Anal. Toxicol.*, (1984) 41-58; *C.A.*, 102 (1985) 18963a - a review with 31 refs.
- 1328 Jakus, J.T.: Acetone and toluene quantification by headspace gas chromatography (HSGC). *J.-Can. Soc. Forensic Sci.*, 17 (1984) 117-119; *C.A.*, 102 (1985) 41078z.
- 1329 Saito, I., Kawamura, N., Uno, K. and Takeuchi, Y.: Determination of chlordane in human blood by gas chromatography. *Analyst (London)*, 110 (1985) 263-267.
- 1330 Vural, N. and Burgaz, S.: A gas chromatographic method for determination of 2,4-D residues in urine after occupational exposure. *Bull. Environ. Contam. Toxicol.*, 33 (1984) 518-524; *C.A.*, 102 (1985) 1452k.

See also 1177, 1243, 1303, 1374.

32e. Plant extracts

- 1331 Sakaki, T., Niino, K., Sakuma, H. and Sugawara, S.: Studies on tobacco aroma. Part II. Analysis of tobacco headspace volatiles using Tenax GC or active carbon. *Agric. Biol. Chem.*, 48 (1984) 3121-3128; *C.A.*, 102 (1985) 74951g.

32f. Clinico-chemical applications and profiling body fluids

- 1332 Clerbaux, T., Willems, E. and Brasseur, L.: (Assessment of a reference chromatographic method for the determination of the carboxyhemoglobin level in blood). *Pathol. Biol.*, 32 (1984) 813-816; *C.A.*, 102 (1985) 73633t.
- 1333 Gol'din, M.M., Strakhova, N.M. and Churkina, L.V.: (Gas chromatographic rapid diagnosis of acute poisonings by barbituric acid derivatives). *Farmatsiya (Moscow)*, 30, No. 6 (1984) 58-60; *C.A.*, 102 (1985) 4108iv.
- 1334 Kimura, M., Shimosawa, M., Kobayashi, K., Sakoguchi, T., Hase, A., Takashima, S., Matsuoka, A., Yasuda, N. and Kimura, Y.: Determination of acetoacetate in plasma by a combination of enzymic decarboxylation and head-space gas chromatography. *Chem. Pharm. Bull.*, 32 (1984) 3588-3593; *C.A.*, 102 (1985) 20557q.
- 1335 Kuelpmann, W.R., Gey, S., Beneking, M., Kohl, B. and Oellerich, M.: Determination of total and free phenytoin in serum by nonisotopic immunoassays and gas chromatography. *J. Clin. Chem. Clin. Biochem.*, 22 (1984) 773-779; *C.A.*, 102 (1985) 55552m.
- 1336 Liebich, H.M. and Pickert, A.: Gas chromatographic profiling of phenolic acids in urine of patients with cirrhosis of the liver. *J. Chromatogr.*, 338 (1985) 25-32.
- 1337 Owen, R.W., Thompson, M.H. and Hill, M.J.: Analysis of metabolic profiles of steroids in feces of healthy subjects undergoing chenodeoxycholic acid treatment by liquid-gel chromatography and gas-liquid chromatography-mass spectrometry. *J. Steroid Biochem.*, 21 (1984) 593-600; *C.A.*, 102 (1985) 75066j.
- 1338 Singh, A.K. and Drewes, L.R.: Improved analysis of acetylcholine and choline in canine brain and blood samples by capillary gas chromatography-mass spectrometry. *J. Chromatogr.*, 339 (1985) 170-174.

See also 1190, 1200, 1201, 1203, 1210, 1249, 1387.

33. INORGANIC COMPOUNDS

33b. Anions

- 1339 Hawke, D.J., Lloyd, A., Martinson, D.M., Slater, P.G. and Excell, C.: Determination of sulphides in water and effluents using gas chromatography. *Analyst (London)*, 110 (1985) 269-272.
- 1340 Kishimoto, T., Shimoishi, Y. and Toei, K.: (Gas chromatographic determination of ultramicro amounts of nitrite ion in inorganic salts). *Bunseki Kagaku*, 34 (1985) 197-199.
- 1341 Tanaka, A., Fujimoto, Y., Nose, N. and Kato, H.: Specific determination of nitrate of chicken egg by gas-liquid chromatography with special reference to the turnover of these anions in laying hens. *Agric. Biol. Chem.*, 48 (1984) 2977-2985; *C.A.*, 102 (1985) 77380f.
- 1342 Kulkarni, S.G., Rama Rao, G.A., Manchanda, V.K. and Natarajan, P.R.: Gas chromatographic analysis of high purity helium at subambient pressure. *J. Chromatogr. Sci.*, 23 (1985) 68-74.
- 1343 Li, Z. and Wang, Y.: (Chromatographic behavior of oxygen and nitrogen on TDX-01 at high temperature). *Fenxi Huaxue*, 12 (1984) 1007-1009; *C.A.*, 102 (1985) 55191r.
- 1344 Shkuratov, V.I., Bubnova, E.A. and Grachev, V.A.: (High-speed analysis of hydrogen-containing gases from petroleum refining). *Neftepererab. Neftekhim.*, No. 9 (1984) 27-29.

See also 1075, 1223, 1357.

33d. Volatile inorganic compounds

- 1345 Fuchs, G.R., Baechmann, K., Reineke, F. and Schwarz, B.: Analyse chlorhaltiger Substanzen in der Atmosphaere. *Fresenius' Z. Anal. Chem.*, 320 (1985) 706-706.
- 1346 Li, Y., Yang, Y., Zhang, J. and Wang, L.: (Determination of trace impurities in silicon tetrachloride by gas chromatography). *Fenxi Huaxue*, 12 (1984) 763-765; *C.A.*, 102 (1985) 39058z.

- 1347 Mitra, G.D. and Ghosh, S.K.: Gas chromatographic analysis of oxides of nitrogen using a plasma ionization detector. *J. High Resolut. Chromatogr. Chromatogr. Comm.*, 8 (1984) 150-151.
- 1348 Miyamoto, F. and Saeki, M.: (Microdetermination of sulfur dioxide in foods by gas chromatography after separation with bubbling). *Nippon Shokuhin Kogyo Gakkaishi*, 31 (1984) 685-690; *C.A.*, 102 (1985) 60878b.
- 1349 Schreiber, H.-J.: Spurenbestimmung von Kohlenoxidsulfid (COS) in Propen mit dotiertem Flammenphotometer-Detektor. *Fresenius' Z. Anal. Chem.*, 320 (1985) 698-699.
- 1350 Tameesh, A.H.H., Bender, A.O. and Sarkissian, T.M.: Gas chromatographic study of the analysis and elution mechanism of hydrogen sulphide, carbonyl sulphide and light mercaptans in petroleum gases. *J. Chromatogr.*, 321 (1985) 59-67.

See also 1139, 1158, 1357, 1406.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 1351 Barrie, A., Bricout, J. and Koziat, J.: Gas chromatography-stable isotope ratio analysis at natural abundance levels. *Biomed. Mass Spectrom.*, 11 (1984) 583-588; *C.A.*, 102 (1985) 58783y.
- 1352 Lo, J. and Nieh, J.: Radio-gas chromatography of tritiated compounds. *J. Chromatogr.*, 322 (1985) 322-337.

See also 1131, 1279, 1257.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35b. Antioxidants and preservatives

- 1353 Goekeler, U.: Multidimensional, double-oven gas chromatography for jet fuel analysis. *Am. Lab.*, 16, No. 10 (1984) 66-73; *C.A.*, 101 (1984) 232821a.

35c. Food analysis

- 1354 Balice, V. and Cera, O.: Acidic phenolic fraction of the juice of olives determined by a gas chromatographic method. *Grasas Aceites (Seville)*, 35 (1984) 178-180; *C.A.*, 102 (1985) 23113c.
- 1355 Bird, R. and Evans, M.B.: A study of the oxidation of vegetable oils by inverse gas chromatography. *Chromatographia*, 19 (1984) 180-184.
- 1356 Bohmann, J.J.: Bestimmung und Altern von Bier. I. Analyse einiger fluechtigen Verbindungen. *Monatsschr. Brauwiss.*, 37 (1984) 436-441; *C.A.*, 102 (1985) 60657d.
- 1357 Cook, J.M., Karelitz, R.L. and Dalsis, D.E.: Measurement of oxygen, nitrogen, and carbon dioxide in beverage headspace. *J. Chromatogr. Sci.*, 23 (1985) 57-63.
- 1358 Duncan, M.W., Smythe, G.A., Nicholson, M.V. and Clezy, P.S.: Comparison of high-performance liquid chromatography with electrochemical detection and gas chromatography-mass fragmentography for the assay of salsolinol, dopamine and dopamine metabolites in food and beverage samples. *J. Chromatogr.*, 336 (1984) 199-209.
- 1359 Engelhardt, U. and Maier, H.G.: Bestimmung nichtfluechtiger Saeuren im Kaffee: Vergleich von Capillar-Isotachophorese und Capillar-Gas-Chromatographie. *Fresenius' Z. Anal. Chem.*, 320 (1985) 169-174.
- 1360 Nordic Committee on Food Analysis: Benzoic acid and sorbic acid in foods. Quantitative determination by gas chromatography. *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 455-457; *C.A.*, 102 (1985) 77349c.
- 1361 Prigge, H. and Naumann, K.: Quantitative Spurenbestimmung von Pentachlornitrobenzol, Pentachloranilin und Hexachlorbenzol in Radieschenextrakten mit Hilfe der Kombination Gas-Chromatographi/NCI-Massenspektrometrie. *Fresenius' Z. Anal. Chem.*, 320 (1985) 704.

- 1362 Santa-Maria, G., Olano, A. and Tejedor, M.: Quantitative determination of polyalcohols in wine and winegar by gas chromatography. *Chromatographia*, 20 (1985) 197-200.
- 1363 Schettino, O., Ferrara, L. and Forglone, P.: (GLC determination of nitrosamines in partially altered foods). *Boll.-Soc. Ital. Biol. Sper.*, 60 (1984) 1751-1756; *C.A.*, 102 (1985) 4595v.
- 1364 Stringari, G. and Avancini, D.: (Analytical problems and possibilities of determination of organophosphorus pesticide residues in foods). *Riv. Soc. Ital. Sci. Aliment.*, 13 (1984) 325-330; *C.A.*, 102 (1985) 22870k.
- 1365 Viro, M.: Heterocyclic nitrogen compounds in whiskies and beer. *Chromatographia*, 19 (1984) 448-451.

See also 1134, 1137, 1173, 1181, 1185, 1341, 1348.

35d. Various technical products

- 1366 Arrendale, R.F., Severson, R.F. and Chrtyk, O.T.: The application of capillary gas chromatography to the analyses of acidic constituents of tobacco leaf and smoke. *Beitr. Tabakforsch. Int.*, 22 (1984) 186-197; *C.A.*, 102 (1985) 3387s.
- 1367 Desideri, P.G., Lepri, L., Heimler, D., Checchini, L. and Giannessi, S.: Fingerprinting of crude oil spills. *J. Chromatogr.*, 322 (1985) 107-116.
- 1368 Dietzel, B. and Schroeder, H.: Quantitative Bestimmung von Methanol in gebrauchten Motorölen. Methanolhaltige Kraftstoffe in Kfz-Motoren. *Erdöl Kohle, Erdgas, Petrochem.*, 36 (1985) 171-173.
- 1369 Frolov, E.B., Vanyukova, N.A., Markova, E.I., Mikaya, A.I. and Sakin, P.I.: (Carbazoles of Surakhani crude oil). *Neftekhimiya*, 25 (1985) 127-131.
- 1370 Gibbons, P.A.: Monitoring of odorant components in British natural gas. *Chromatographia*, 19 (1984) 254-256.
- 1371 Gozdz, A.S. and Weigmann, H.D.: Surface characterization of intact fibers by inverse gas chromatography. *J. Appl. Polym. Sci.*, 29 (1984) 3965-3979; *C.A.*, 102 (1985) 63480b.
- 1372 Nichikova, P.R., Rud, A.N., Ivanov, V.N. and Martynushkina, A.V.: (Gas-liquid chromatographic monitoring of the production of higher alcohols from α -olefin oxides). *Neftepererab. Neftekhim.*, No. 2 (1984) 32-34; *C.A.*, 102 (1985) 39255m.
- 1373 Novikova, L.A., Luk'yanova, N.M., Ivanova, N.G., Orlyankii, V.V. and Sharf, V. Z.: (Improved method of gas chromatographic analysis for production of isoprene from 4,4-dimethyl-1,3-dioxane). *Zavod. Lab.*, 85, No. 3 (1985) 81-84.
- 1374 Safe, S., Safe, L. and Mullin, M.: Polychlorinated biphenyls: Congener-specific analysis of a commercial mixture and a human milk extract. *J. Agric. Food Chem.*, 33 (1985) 24-29 - data for 290 PCBs.
- 1375 Sakaki, T., Sakuma, H. and Sugawara, S.: Studies on tobacco aroma. Part I. Analysis of the headspace volatiles of tobacco using an ether trap. *Agric. Biol. Chem.*, 48 (1984) 2719-2724; *C.A.*, 102 (1985) 21442k.
- 1376 Schaefer, R.G., Pooch, H. and Leythaeuser, D.: Automatic headspace gas chromatography of C₁-C₇ hydrocarbons in sedimentary rocks. Application in petroleum geochemistry. *Chromatographia*, 19 (1984) 377-381.
- 1377 Shu, W.: (Determination of isobutyl oil composition in methanol fractionation with gas chromatography). *Huaxue Shijie*, 25 (1984) 375-378; *C.A.*, 102 (1985) 26815u.
- 1378 Szepeszy, L., Horvath, M. and Lakszner, K.: Characterization of coal tars by HPLC group type separation and capillary GC of volatiles. *Chromatographia*, 19 (1984) 431-436.
- 1379 Yurum, Y. and Levy, M.: Analysis of a retory oil from an Israeli shale by gas chromatography-mass spectrometry-selected ion monitoring. *Fuel*, 64 (1985) 102-107.
- 1380 Zadro, S., Haken, J.K. and Pinczewski, W.V.: Analysis of Australian crude oils by high-resolution capillary gas chromatography-mass spectrometry. *J. Chromatogr.*, 323 (1985) 305-322.

See also 1156, 1162, 1163, 1168, 1170, 1194, 1344, 1353.

35e. *Compounds with distinct biological activity and diverse chemical nature*

- 1381 Buttery, R.G., Ku, C.-J. and Ling, L.C.: Volatile components of wheat leaves (and stems): Possible insect attractants. *J. Agric. Food Chem.*, 33 (1985) 115-117.
- 1382 Kalo, P.: Microanalytical methods in the structure elucidation of sex-specific components in the large pine weevil, *Hyllobius abietis* L. (Coleoptera, Curculionidae). *J. Chromatogr.*, 323 (1985) 343-353.
- 1383 Sewell, G.J., Soper, C.J. and Parfitt, R.T.: Extraction and gas-liquid chromatography of microbial N-dealkylation systems. *Anal. Chim. Acta*, 163 (1984) 237-242.

See also 1140, 1141.

35f. *Complex mixtures and non-identified compounds*

- 1384 Shu, C.-K., Mookherjee, B.D., Bondarovich, H. and Hagedorn, M.L.: Characterization of bacon odor and other flavor components from the reaction of isovaleraldehyde and ammonium sulfide. *J. Agric. Food Chem.*, 33 (1985) 130-132.

See also 1407.

36. CELLS AND CELLULAR PARTICLES

- 1385 Brooks, J.B., Basta, M.T., El Kholy, A.M. and Moss, C.W.: Rapid differentiation of enterotoxigenic *Escherichia coli* that produce heat-stable and heat-labile toxins by frequency-pulsed electron capture gas-liquid chromatography analysis of diarrheal stool specimens. *J. Clin. Microbiol.*, 20 (1984) 1145-1153; *C.A.*, 102 (1980) 75336x.
- 1386 Eudy, L.W., Walla, M.D., Morgan, S.L. and Fox, A.: Gas chromatographic-mass spectrometric determination of muranic acid content and pyrolysis profiles for a group of gram-positive and gram-negative bacteria. *Analyst (London)*, 110 (1985) 381-385.
- 1387 Shiraiishi, S., Sakamoto, N., Maeda, K., Ohki, T., Hosoi, M., Ohta, K. and Yamanaka, N.: Availability of 6-hydroxynicotinic acid for rapid identification of *Pseudomonas aeruginosa* and *Serratia marcescens*. *J. Chromatogr.*, 338 (1985) 51-59.

37. ENVIRONMENTAL ANALYSIS

37a. *General papers and reviews*

- 1388 Buchert, H. and Ballschmiter, K.: Mustererkennung von polychlorierten Biphenylen (PCB) in Umweltproben. *Fresenius' Z. Anal. Chem.*, 320 (1985) 709-710.
- 1389 Ramdahl, T., Becher, G. and Bjoerseth, A.: Characterization of polycyclic organic matter in urban air particulate matter by gas chromatography-electron impact and negative ion chemical ionization mass spectrometry. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 339-352; *C.A.*, 101 (1984) 234733x - a review with 36 refs.

See also 1092.

37b. *Air pollution*

- 1390 Bartle, K.D., El-Nasri, A.I. and Frere, B.: Profiling PAH emissions by open-tubular column gas chromatography with liquid-crystal stationary phases. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 183-195; *C.A.*, 102 (1985) 31055a.
- 1391 Baumann, H. and Heumann, K.G.: Brom/Blei-Verhaeltnisse in Aerosolen und Autoabgasen. *Fresenius' Z. Anal. Chem.*, 320 (1985) 512-518 - also GC.

- 1392 Brookes, B.I.: Sampling and gas chromatographic-mass spectrometric analysis of the atmosphere for public health investigation. *J. Assoc. Public Anal.*, 22 (1984) 13-18; *C.A.*, 102 (1985) 83545e.
- 1393 Class, T., Mayer, P. and Ballschmiter, K.: Organische Spurenstoffchemie in Luft III. Die Grundbelastung der unteren Troposphäre mit organischen Spurenstoffen. *Fresenius' Z. Anal. Chem.*, 320 (1985) 707-709.
- 1394 Dmitriev, M.T., Braude, A.Yu., Bykhovskii, M.Ya., Emel'yanov, B.V., Pautova, L.F. and Rotin, V.A.: (Chromatographic and atomic absorption determination of alkyl derivatives of lead in the atmosphere). *Gig. Sanit.*, No. 9 (1984) 55-57; *C.A.*, 102 (1985) 31071c.
- 1395 Earp, R.F. and Cox, R.D.: Identification and quantitation of organics in ambient air using multiple gas chromatographic detection. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 159-169.
- 1396 Frank, H. and Frank, W.: Chlorophyll-bleaching by atmospheric pollutants and sunlight. A probable cause of tree damages observed in recent years. *Naturwissenschaften*, 72 (1985) 139-141.
- 1397 Glasser, R.A. and O'Connor, P.F.: The analysis of air for acetone cyanohydrin using solid sorbent sampling and gas chromatography. *Anal. Lett.*, 18/A2 (1985) 217-237.
- 1398 Klisenko, M.A., Belashova, I.G. and Khokhol'kova, G.A.: (Identification of a mixture of pesticides in air by gas chromatography). *Gig. Sanit.*, No. 8 (1984) 58-59; *C.A.*, 102 (1985) 11495r.
- 1399 May, W.E., Chesler, S.N., Hertz, H.S., Hilpert, L.R., Rebert, R.E., Vogt, C.R. and Wise, S.A.: Characterization of polycyclic aromatic hydrocarbons in air particulate extracts by liquid gas chromatographic methods. In: L.H. Keith (Editor), *Identification and Analysis of Organic Pollutants in Air*, Butterworth, Boston, 1984, pp. 197-230; *C.A.*, 102 (1985) 31017q.
- 1400 Moon, S., Boyd, D.W., Lichtman, A. and Porter, R.A.: Determination of low concentration of vinyl chloride in air. *Int. Lab.*, 15, No. 3 (1985) 56-63.
- 1401 Reineke, F.J. and Baechmann, K.: Gas chromatographic determination of C₂-C₈ hydrocarbons and halocarbons in ambient air by simultaneous use of three detectors. *J. Chromatogr.*, 323 (1985) 323-329.
- 1402 Schulze, J., Hartung, A., Kiess, H., Kraft, J. and Lies, K.-H.: Identification of oxygenated polycyclic aromatic hydrocarbons in Diesel particulate matter by capillary gas chromatography and capillary gas chromatography/mass spectrometry. *Chromatographia*, 19 (1984) 391-397.
- 1403 Sexton, K. and Westberg, H.: Nonmethane hydrocarbon composition of urban and rural atmospheres. *Atmos. Environ.*, 18 (1984) 1125-1132; *C.A.*, 101 (1984) 234775n.
- 1404 Sidhu, K.S.: The determination of environmental 2-ethoxyethanol by gas chromatography. *Arch. Toxicol.*, 55 (1984) 272-275; *C.A.*, 102 (1985) 31084j.
- 1405 Tille, K.J.W. and Baechmann, K.: Einsatz der Tieftemperatur-Capillar-Gas-Chromatographie mit ECD-FID-Kopplung zur Untersuchung der breitenabhangigen Verteilung von Nichtmethankohlenwasserstoffen und halogenierten Kohlenwasserstoffen ueber dem Atlantischen Ozean. *Fresenius' Z. Anal. Chem.*, 320 (1985) 705-706.
- 1406 Tucker, B.J.: Measurements of atmospheric carbon disulfide using aircraft platforms and a GC/MS isotopic dilution analysis technique. *Univ. Microfilms*, Order No. DA8417653 (1984) pp. 89; *C.A.*, 102 (1985) 31101n.
- 1407 Tyras, H. and Stufka-Olczyk, J.: Gas chromatographic determination of acrylonitrile, benzene, butadiene, ethylbenzene, methanol, toluene and o-xylene in air. *Chem. Anal. (Warsaw)*, 29 (1985) 281-288.
- 1408 Waechter, H., Nitz, S. and Drawert, F.: GC-Analyse geruchsbelastigender Emissionen. *Fresenius' Z. Anal. Chem.*, 320 (1985) 701-702.
- 1409 Zhdamirov, G.G., Lapina, N.F. and Tulupov, P.E.: (Determination of chloroprene in the atmosphere by vapor phase gas chromatographic analysis). *Gig. Sanit.*, No. 12 (1984) 33-35; *C.A.*, 102 (1985) 83590r.

See also 1174, 1219, 1233, 1234, 1271, 1345, 1389.

37c. Water pollution

- 1410 Lores, E.M., Moore, J.C., Knight, J., Forester, J., Clark, J. and Moody, P.: Determination of fenthion residues in samples of marine biota and seawater from laboratory exposures and field applications. *J. Chromatogr. Sci.*, 23 (1985) 124-127.
- 1411 Onuska, F.I. and Terry, K.A.: Determination of chlorinated benzenes in bottom sediment samples by WCOT column gas chromatography. *Anal. Chem.*, 57 (1985) 801-805.
- 1412 Viau, A.C., Studak, S.M. and Karasek, F.W.: Comparative analysis of hazardous compounds on fly-ash from municipal waste incineration by gas chromatography/mass spectrometry. *Can. J. Chem.*, 62 (1984) 2140-2145.
- 1413 Wienberg, R. and Goetz, D.: (Gas chromatographic determination of carboxylic acids in water of refuse landfills). *Muell Abfall*, 16 (1984) 176-177; *C.A.*, 102 (1985) 31783m.
- 1414 Xu, Z., He, Z., Wang, R. and Chen, T.: (Determination of volatile organic pollutants in water by macroreticular resin enrichment-capillary gas chromatography). *Huanjing Huaxue*, 3, No. 4 (1984) 72-76; *C.A.*, 102 (1985) 31803L.

See also 1180, 1273.

37d. Soil pollution

- 1415 Amin, T.A. and Narang, R.S.: Determination of volatile organics in sediment at nanogram-per-gram concentrations by gas chromatography. *Anal. Chem.*, 57 (1985) 648-651.
- 1416 Garncarz, W.: (Determination of soil pollution by petroleum products with the air of gas chromatograph). *Gaz, Woda Teah, Sanit.*, 58, No. 4 (1984) 95-97; *C.A.*, 102 (1985) 23472u.
- 1417 Waliszewski, S.M. and Szymczynski, G.A.: Inexpensive, precise method for the determination of chlorinated pesticide residues in soil. *J. Chromatogr.*, 321 (1985) 480-483.

Planar Chromatography

1. REVIEWS AND BOOKS

See 927, 939, 1029, 1097.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 922 Hryniw, W.S.: A study of the application of regular solution theory to thin-layer chromatography. *Diss. Abstr. Int.*, 45 (1984) 1746; *C.A.*, 102 (1985) 57294c.
- 923 Vilenchik, L.Z., Kurenbin, O.I. and Belenkii, B.G.: (Optimization of the chromatographic process in thin-layer chromatography.) *Zh. Fiz. Khim.*, 58 (1984) 3019-3023; *C.A.*, 102 (1985) 67919z.

2b. Thermodynamics and theoretical relationships

- 924 Kowalska, T.: Determination of "solvent" concentration in "chromatographic solutions" on the cellulose sorbents. *Microchem. J.*, 30 (1984) 418-424; *C.A.*, 102 (1985) 72057w.
- 925 Rozylo, J.K. and Oscik-Mendyk, B.: Problems related to the optimum separation conditions in liquid adsorption chromatography. *Chromatographia*, 19 (1984) 371-376.

2c. Relationship between structure and chromatographic behavior

See 931, 960, 1066.

2d. Measurement of physico-chemical and related values

See 924, 1100.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 926 Hegstrand, L.R.: A time-saving thin-layer chromatography plate-scraping system. *Anal. Biochem.*, 144 (1985) 186-188.
- 927 Newman, J.M.: TLC under more pressure. *Lab. Pract.*, 34, No. 1 (1985) 65-66; *C.A.*, 102 (1985) 124822p - a review with 14 refs.

See also 1055.

3b. Detectors and detection reagents

- 928 Il'in, N.P., Volynets, M.P., Kitaeva, L.P. and Rubinshtein, R.N.: (X-Ray fluorescence microanalysis in thin-layer chromatography.) *Zh. Anal. Khim.*, 39 (1984) 2194-2199; *C.A.*, 102 (1985) 89104g.
- 929 Ostrovidov, E.A.: (Continuous-flow thin-layer chromatography with electrochemical detection.) *Zavod. Lab.*, 50, No. 11 (1984) 15-16; *C.A.*, 102 (1985) 71822e.

See also 935, 976, 1054, 1069.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 930 Berezkin, V.G., Bolotov, S.L., Starilova, S.V. and Dedkov, Yu.M.: (Thin-layer chromatography in melts of organic compounds.) *Zavod. Lab.*, 50, No. 10 (1984) 11-13; *C.A.*, 102 (1985) 72050p.
- 931 Grassini-Strazza, G. and Nicoletti, I.: High-performance thin-layer chromatography on amino-bonded silica gel: application to barbiturates and steroids. *J. Chromatogr.*, 322 (1985) 149-158.
- 932 Ha, W.S. and Kwon, I.C.: Study on the graft polymerization reaction of poly(ethylene terephthalate) (PET) with some vinyl monomers by thin-layer chromatography. Graft polymerization of acrylic acid monomer onto PET by using thin-layer chromatographic plate prepared with microcrystalline PET powder. *Han'guk Somyu Konghakhoechi*, 21 (1984) 315-324; *C.A.*, 102 (1985) 114079n.
- 933 Hermansson, J.L.E.: The use of orosomucoid and its functional analogs, derivatives or fragments for separation of drugs by chromatography. *Eur. Pat. Appl.* EP 128,886 (Cl. B01J20/32), 19 Dec. 1984, SE Appl. 38/3,221, 08 Jun. 1983; 16 pp.; *C.A.*, 102 (1985) 119771s.

See also 960, 1024.

3d. Quantitative analysis

- 934 Ritter, W.: Overview and potential of high-performance thin-layer chromatography as a quantitative tool. *Anal. Proc. (London)*, 21 (1984) 430-432; *C.A.*, 102 (1985) 72033k.
- 935 Sol, B., Romero, E., Carbognani, L., Sanchez, V. and Sucre, L.: (Comparison between HPLC and TLC-FID (thin-layer chromatography with a flame ionization detector) for quantitative analysis of heavy petroleum fractions.) *Rev. Tec. INTEVEP*, 4, No. 2 (1984) 127-132; *C.A.*, 102 (1985) 81344q.

See also 954, 976, 1059, 1096, 1114, 1115.

3e. Preparative scale chromatography

See 951.

3f. Programmed temperature, pressure, vapors, gradients

- 936 Szepesi, G., Gazdag, M., Pap-Sziklay, Z. and Vegh, Z.: Optimization of reversed-phase ion-pair chromatography by over-pressurized thin-layer chromatography. III. Over-pressurized thin-layer chromatography using 10-camphor sulfonic acid as ion-pair reagent. *Chromatographia*, 19 (1984) 422-430.

See also 1055.

3g. High performance procedures

See 934.

4. SPECIAL TECHNIQUES

4b. Combination of various chromatographic techniques

See 941.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

See 928.

4g. Separation of enantiomers

- 937 Palamareva, M.D. and Snyder, L.R.: Liquid-solid chromatography of diastereomers: tetrasubstituted ethanes. *Chromatographia*, 19 (1984) 352-354 - separation of 25 pairs of diastereoisomers.

4h. Other special techniques

See 929, 940, 951.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 938 Selucky, M.L., Hafermann, P., Iacchelli, A. and Manske, T.: Thin-layer chromatography as an alternative to SARA analysis of coal derived liquids. *Liq. Fuels Technol.*, 3 (1985) 15-54; *C.A.*, 102 (1985) 81447a.

See also 935, 943.

5b. Cyclic hydrocarbons

- 939 Bjorseth, A. (Editor): *Handbook of Polycyclic Aromatic Hydrocarbons*, Marcel Dekker, New York, Basel, 1983, 744 p.
- 940 Laher, J.M., Rigler, R.W., Vetter, R.D., Barrowman, J.A. and Patton, J.S.: Similar bioavailability and lymphatic transport of benzo[a]pyrene when administered to rats in different amounts of dietary fat. *J. Lipid Res.*, 25 (1984) 1337-1342.

See also 938.

5d. Complex hydrocarbon mixtures

- 941 Desideri, P.G., Lepri, L., Heimler, D., Checchini, L. and Giannessi, S.: Fingerprinting of crude oil spills. *J. Chromatogr.*, 322 (1985) 107-116.
- 942 Dyuzhikova, T.N.: (Characteristics of thin-layer chromatographic determination of syn- and epibitumens of different genesis.) *Geokhim. Kriterii Otsenki Masshtabov Neftegazonakopleniya i Prognoza Kachestva Uglevodorod Flyuidov v Zonakh Akkumulyatsii*, M., (1984) 121-130; *C.A.*, 102 (1985) 98018j.
- 943 Nakata, S., Morikawa, Y., Takahashi, H. and Shioto, Y.: (Hydrocarbon-type analysis of petroleum heavy oils by thin-layer chromatography with flame ionization detector (TLC/FID)). *Sekiyu Gakkaishi*, 28, No. 1 (1985) 38-46; *C.A.*, 102 (1985) 98010a.

7. PHENOLS

- 944 Nabi, S.A., Farooqui, W.U. and Rahman, N.: A semicrystalline inorganic ion-exchanger for thin-layer chromatographic separation of phenolic compounds. *Chromatographia*, 20 (1985) 109-111 - R_F values for 28 phenolic compounds.
- 945 Scheel, D., Schafer, W. and Sandermann, H., Jr.: Metabolism of pentachlorophenol in cell suspension cultures of soybean (*Glycine max.* L.) and wheat (*Triticum aestivum* L.). General results and isolation of lignin metabolites. *J. Agric. Food Chem.*, 32 (1984) 1237-1241.

See also 966, 1086.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 946 Adinarayana, D. and Ramachandraiah, P.: Methylated flavonols of *Rhynchosia rufescens*. *Pharmazie*, 39 (1984) 714-715.
- 947 Hodisan, V. and Suci, G.: (Flavonoids from fluid extracts of *Tiliae flos*.) *Clujul Med.*, 57 (1984) 164-168; *C.A.*, 102 (1985) 119484a.
- 948 Viscardi, P., Reynaud, J. and Reynaud, J.: A new isoflavone glucoside from the flowers of *Cytisus scoparius* Link. (*Leguminosae*). *Pharmazie*, 39 (1984) 781.

See also 1121, 1122.

8b. Aflatoxins and other mycotoxins

- 949 Bata, A., Vanyi, A. and Lasztity, R.: Rapid analytical method for the quantitative determination trichothecene toxins in food and feeds. *Acta Vet. Hung.*, 32 (1984) 51-56; *C.A.*, 102 (1985) 60848s.
- 950 Kostyukovskii, Ya.L. and Melamed, D.B.: (Chromatographic-fluorescence determination and confirmation of aflatoxins in food.) *Zh. Anal. Khim.*, 39 (1984) 2229-2233; *C.A.*, 102 (1985) 60881x.

8c. Other compounds with heterocyclic oxygen

- 951 Erdelmeier, C.A.J., Nyiredy, S. and Sticher, O.: Sequential centrifugal layer chromatography (SCLC): a new technique for the isolation of natural compounds. Part 2.: Comparative study on centrifugal layer chromatography (CLC) and SCLC for the separation of furocoumarin isomers. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 132-134.
- 952 Hilal, S.H., Radwan, A.S., Haggag, M.Y., Melek, F.R. and Abdel Khalek, S.M.: Fluorometric analysis of furocoumarins. *Egypt. J. Pharm. Sci.*, 23, No. 1-4 (1982, Publ. 194) 365-370; *C.A.*, 102 (1985) 84476v.

See also 1106, 1120.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 953 Nazarova, I.P. and Glushenkova, A.I.: (Thin-layer chromatography of gossypurpurin on Silufol.) *Khim. Prir. Soedin.*, No. 5 (1984) 664-665; *C.A.*, 102 (1985) 62208g.
- 954 Zhang, X. and Xia, L.: (Pulse polarographic determination of anthraquinones in *Polygonum multiflorum* Thunb.) *Yaowu Fenxi Zazhi*, 4 (1984) 347-350; *C.A.*, 102 (1985) 84480s.

See also 945.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 955 Anderton, W.J. and Wilkinson, S.G.: Structural studies of a mannitol teichoic acid from the cell wall of bacterium N.C.T.C. 9742. *Biochem. J.*, 226 (1985) 587-599.
- 956 Corfield, A.P., Clamp, J.R. and Wagner, S.A.: The metabolism of sialic acids in isolated rat colonic mucosal cells. *Biochem. J.*, 226 (1985) 163-174.
- 957 Gundlach, M.W. and Conrad, H.E.: Glycosyl transferases in chondroitin sulphate biosynthesis. Effect of acceptor structure on activity. *Biochem. J.*, 226 (1985) 705-714.

- 958 Illner, E.: Reinheitsprüfung von Sorbose und Sorbitol durch Dünnschichtchromatografie auf Silufol-Fertigplatten. *Pharmazie*, 39 (1984) 689-690.
- 959 Illner, E.: Reinheitsprüfung von Diacetonosorbose und Diacetonketogulonsäure durch Dünnschichtchromatografie auf Silufol-Fertigplatten. *Pharmazie*, 39 (1984) 861-862.
- 960 Koizumi, K., Utamura, T. and Okada, Y.: Analyses of homogeneous D-glucoligosaccharides and -polysaccharides (degree of polymerization up to about 35) by high-performance liquid chromatography and thin-layer chromatography. *J. Chromatogr.*, 321 (1985) 145-157.
- 961 Kuranda, M.J. and Aronson, N.N., Jr.: Use of active site-directed inhibitors to study in situ degradation of glycoproteins by the perfused rat liver. *J. Biol. Chem.*, 260 (1985) 1858-1866.
- 962 Morton, P.A. and Steiner, S.M.: Extracellular and cellular proteins of rat cells with O-glycosidically linked fucose. *Biochem. J.*, 225 (1985) 59-65.

See also 963, 1068.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 963 Hughes, R.C. and Mills, G.: Hybrid sialylated N-glycans are minor constituents of normal BHK-cell glycoproteins and a prominent feature in glycoproteins of some ricin-resistant cell lines. *Biochem. J.*, 226 (1985) 487-498.
- 964 Wang, T.R.: One dimensional thin-layer cellulose chromatographic separation of dermatan, heparan, chondroitin and keratan sulfate. *Tai-wan I Hsueh Hui Tsa Chih*, 83 (1984) 737-742; *C.A.*, 102 (1985) 75067k.

11. ORGANIC ACIDS AND LIPIDS

11a. *Organic acids and simple esters*

- 965 Gardner, H.W., Plattner, R.D. and Weisleder, D.: The epoxyallylic radical from homolysis and rearrangement of methyl linoleate hydroperoxide combines with the thyl radical of N-acetylcysteine. *Biochim. Biophys. Acta*, 834 (1985) 65-74.
- 966 Hermenau, H. and Grahl, K.: (Analysis of chlorophenoxyalkancarboxylic acid and chlorophenols. Part 1: Thin-layer chromatographic determination of chlorophenoxyalkancarboxylic acids and chlorophenols in a free form and as pentafluorobenzyl derivatives.) *Acta Hydrochim. Hydrobiol.*, 12 (1984) 685-687; *C.A.*, 102 (1985) 72060s.
- 967 Horvath, R.: (Identification of carboxylic acids in electrical insulating materials by thin-layer chromatography.) *EKT, Elektroizolacna Kablova Tech.*, 37, No. 3 (1984) 145-156; *C.A.*, 102 (1985) 114676e.
- 968 Liebich, H.M. and Pickert, A.: Gas chromatographic profiling of phenolic acids in urine of patients with cirrhosis of the liver. *J. Chromatogr.*, 338 (1985) 25-32.
- 969 Lie Ken Jie, M.S.F. and Chan, M.F.: Fatty acids: Part 27. Olefin inversion involving unsaturated fatty esters. *J. Am. Oil Chem. Soc.*, 62 (1985) 109-110.
- 970 Lin, L. and Tanner, H.: Quantitative HPTLC analysis of carboxylic acids in wine and juice. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 126-131.
- 971 Obut, S.M., Korbina, V.N., Druganov, A.V. and Khmel'nitskii, A.G.: (Determination of gibberellins in polygibberellin preparations by thin-layer chromatography.) *Rol Fitogormonov Proyavlenii Nekotor. Priinakov u Rast. Novosibirsk.*, (1983) 26-29; *C.A.*, 102 (1985) 91277j.
- 972 Setty, B.N.Y., Stuart, M.J. and Walenga, R.W.: Formation of 11-hydroxy-eicosatetraenoic acid and 17-hydroxyeicosatetraenoic acid in human umbilical arteries is catalyzed by cyclooxygenase. *Biochim. Biophys. Acta*, 833 (1985) 484-494.

See also 973.

11b. Prostaglandins

- 973 Bailey, J.M., Muza, B., Hla, T. and Salata, K.: Restoration of prostacyclin synthase in vascular smooth cells after aspirin treatment: regulation by epidermal growth factor. *J. Lipid Res.*, 26 (1985) 54-61.
- 974 Kasukabe, T., Honma, Y. and Hozumi, M.: Specific inhibition by prostaglandin D₂ and its metabolites by lysozyme synthesis in mouse macrophage-like cell line, Mm-1. *Biochim. Biophys. Acta*, 844 (1985) 330-336.
- 975 Wong, P.Y.-K., Pieroni, J.P., Chao, P.H.-W., Sarubbi, D., Marion, D.N., Albanese, C.T. and Vaughan, E.D., Jr.: Deficiency in 15-hydroxyprostaglandin dehydrogenase activity after unilateral ureteral obstruction of the dog kidney. *J. Pharmacol. Exp. Ther.*, 232 (1985) 470-474.

11c. Lipids and their constituents

- 976 Banerjee, A.K., Ratnayake, W.M.N. and Ackman, R.G.: Enhanced response of more highly unsaturated lipids on thin-layer chromatography-IatroScan flame ionization detection after exposing the developed Chromarods to iodine vapour. *J. Chromatogr.*, 319 (1985) 215-217.
- 977 Bouhours, D. and Bouhours, J.-F.: Developmental changes of the lipidic part of the neutral glycosphingolipids of the rat stomach. *J. Biol. Chem.*, 260 (1985) 2172-2177.
- 978 Brown, R.E., Montgomery, R.I., Spach, P.I. and Cunningham, C.C.: Phospholipid association with the bovine cardiac mitochondrial adenosine triphosphatase. *Biochem. J.*, 225 (1985) 597-608.
- 979 Coste, H., Martel, M.-B., Azzar, G. and Bot, R.: UDPglucose-ceramide glucosyltransferase from porcine submaxillary glands is associated with the Golgi apparatus. *Biochim. Biophys. Acta*, 814 (1985) 1-7.
- 980 Creer, M.H., Pastor, C., Corr, P.B., Gross, R.W. and Sobel, B.E.: Quantification of choline and ethanolamine phospholipids in rabbit myocardium. *Anal. Biochem.*, 144 (1985) 65-74.
- 981 Fukuda, M.N., Dell, A., Oates, J.E., Wu, P., Klock, J.C. and Fukuda, M.: Structures of glycosphingolipids isolated from human granulocytes. The presence of a series of linear poly-N-acetyllactosaminylceramide and its significance in glycolipids of whole blood cells. *J. Biol. Chem.*, 260 (1985) 1067-1082.
- 982 Gowda, D.C., Reuter, G., Shukla, A.K. and Schauer, R.: Identification of a disialoganglioside (G_{D1A}) containing terminal N-acetyl-9-O-acetylneuraminic acid in rat erythrocytes. *Hoppe Seyler's Z. Physiol. Chem.*, 365 (1984) 1247-1253.
- 983 Gravotta, D. and Maccioni, H.J.F.: Gangliosides and sialosylglycoproteins in coded vesicles from bovine brain. *Biochem. J.*, 225 (1985) 713-721.
- 984 Hauttecoeur, B., Sonnino, S. and Ghidoni, R.: Characterization of two molecular species G_{D3} ganglioside from bovine buttermilk. *Biochim. Biophys. Acta*, 833 (1985) 303-307.
- 985 Kaluzny, M.A., Duncan, L.A., Merritt, M.V. and Epps, E.D.: Rapid separation of lipid classes in high yield and purity using bonded phase columns. *J. Lipid Res.*, 26 (1985) 135-140.
- 986 Kamata, T.: (Determination of triglyceride composition by the TLC-FID method.) *Yukagaku*, 34, No. 1 (1985) 36-41; *C.A.*, 102 (1985) 94430q.
- 987 Lakshminarayana, G., Pantulu, A.J. and Rao, K.S.: Lipid class and fatty acid composition of young *Anarantus gangeticus* L. leaves. *J. Agric. Food Chem.*, 32 (1984) 1361-1363.
- 988 Mansson, J.-E., Fredman, P., Nilsson, O., Lindholm, L., Holmgren, J. and Svennerholm, L.: Chemical structure of carcinoma, ganglioside antigens defined by monoclonal antibody C-50 and some allied gangliosides of human pancreatic adenocarcinoma. *Biochim. Biophys. Acta*, 834 (1985) 110-117.
- 989 Miteva, E.: (Conditions for extraction of lipids and their quantitative evaluation in some meat products.) *Vet.-Med. Nauki*, 21, No. 7-8 (1984) 94-99; *C.A.*, 102 (1985) 94411j.
- 990 Nakakuma, H., Sanai, Y., Shiroki, K. and Nagai, Y.: Gene-regulated expression of glycolipids: appearance of G_{D3} ganglioside in rat cells on transfection with transforming gene E1 of human adenovirus type 12 DNA and its transcriptional subunits. *J. Biochem. (Tokyo)*, 96 (1984) 1471-1480.
- 991 Nicholson, D.W. and McMurray, W.C.: CDP-Diglyceride hydrolase from pig liver mitochondria. *Can. J. Biochem.*, 62 (1984) 1205-1216.

- 992 Ostrovskaya, L.K., Manuil'skaya, S.V., Yakovenko, G.M. and Mikhno, A.I.: Peculiarities of digitonin and Triton X-100 action on pea chloroplast lipids. *Photosynthetica*, 18 (1984) 385-390; *C.A.*, 102 (1985) 58813h.
- 993 Parmer, L.P.: Recovery of a biologically active lipid material with blood platelet function-inhibiting action from the spleen. *Patenschrift (Swita.)* CH 646,060 (Cl. A61K35/28), 15 Nov. 1984, Appl. 78/3,151, 22 May 1978; 17 pp.; *C.A.*, 102 (1985) 84393r.
- 994 Peuchant, E., Covi, G. and Jensen, R.: Fecal lipid chromatography - identification of an unusual fraction in relation to colon cancer. *Clin. Chim. Acta*, 141 (1984) 151-168.
- 995 Riboni, L., Malesci, A., Gaini, S.M., Sonnino, S., Ghidoni, R. and Tettamanti, G.: Ganglioside pattern of normal human brain, from samples obtained at surgery. A study especially referred to alkali labile species. *J. Biochem. (Tokyo)*, 96 (1984) 1943-1946.
- 996 Ryan, P.J., McGoldrick, K., Stickney, D. and Honeyman, T.W.: Formation and separation of fluorescent derivatives of phosphatidic acid. *J. Chromatogr.*, 320 (1985) 421-425.
- 997 Seyama, Y., Ohashi, K., Yasugi, E. and Otsuka, H.: Fatty acid composition of cardiolipin from guinea pig Harderian gland. *J. Biochem. (Tokyo)*, 96 (1984) 1639-1643.
- 998 Slomiani, A., Takagai, A. and Slomiani, B.L.: Identification of glycosphingolipid-glycoprotein hybrids in gastric epithelium. *Biochim. Biophys. Res. Commun.*, 125 (1984) 211-217.
- 999 Taki, T., Kojima, S., Seto, H., Yamada, H. and Matsumoto, M.: Glycolipid composition of ascitic fluids from patients with cancer. *J. Biochem. (Tokyo)*, 96 (1984) 1257-1265.
- 1000 Tananova, G.V., Pokhomova, V.M., Turkina, T.I., Gei, A.K., Kosichenko, S.G. and Saikina, E.V.: (Comparison of the characteristics of methods for quantitative evaluation of lipidograms.) *Biokhim. Identif. Patol. Protssessov. Klin. Eksp.*, (1983) 75-76; *C.A.*, 102 (1985) 75109a.
- 1001 Vaysse, J., Pilardeau, P. and Garnier, M.: Rapid quantitative analysis of phospholipids in biological fluids after thin-layer chromatography. *Clin. Chim. Acta*, 147 (1985) 183-190.
- 1002 Weete, J.D., Sancholle, M., Touze-Soulet, J.-M., Bradley, J. and Dargent, R.: Effects of triazoles on fungi. III. Composition of a plasma membrane-enriched fraction of *Taphrina deformans*. *Biochim. Biophys. Acta*, 812 (1985) 633-642.

See also 1015, 1017.

11d. Lipoproteins and their constituents

- 1003 Higgins, J.A. and Hutson, J.L.: The roles of Golgi and endoplasmic reticulum in the synthesis and assembly of lipoprotein lipids in rat hepatocytes. *J. Lipid Res.*, 25 (1984) 1295-1305.

13. STEROIDS

See 931.

13a. Pregnane and androstane derivatives

- 1004 Antila, A., Leikola, A. and Tähkää, S.: Early steroid metabolism by chick blastoderm *in vitro*. *Steroids*, 43 (1984) 315-323.
- 1005 Blomquist, C.H., Lindemann, N.J. and Hakanson, E.Y.: Inhibition of 17 β -hydroxysteroid dehydrogenase (17 β -HSD) activities of human placenta by steroids and non-steroidal hormone agonists and antagonists. *Steroids*, 43 (1984) 571-586.
- 1006 Di Marzio, S., Quercia, V. and Incarnato, G.: (Characterization of adrenocortical extracts by HPLC and quality control of extracts for pharmaceutical use.) *Boll. Chim. Farm.*, 123 (1984) 336-343; *C.A.*, 102 (1985) 119718e.
- 1007 Ghoshal, A. and Feuer, G.: Structural requirements for progesterone binding to the hepatic endoplasmic reticulum in the female rat. *Steroids*, 43 (1984) 621-630 - R_F values for 32 compounds.

- 1008 Gomez-Sanchez, C.E., Kirk, D.N., Farrant, R.D. and Milewich, L.: 18-Substituted steroids: synthesis of 18-hydroxycortisol (11 β ,17 α ,18,21-tetrahydroxy-4-pregnene-3,20-dione) and 18-hydroxycortisone (17 α ,18,21-trihydroxy-4-pregnene-3,11,20-trione). *J. Steroid Biochem.*, 22 (1985) 141-146.
- 1009 Pasanen, M. and Pelkonen, O.: Cholesterol side-chain cleavage activity in human placenta and bovine adrenals: an one-step method for separation of pregnenolone formed *in vitro*. *Steroids*, 43 (1984) 517-527.
- 1010 Schade, W. and Krainhöfner, A.: Die Bestimmung von 9 α -Hydroxy-androst-4-en-3,17-dion in Fermentationslösungen mittels Dünnschichtchromatographie. *J. Chromatogr.*, 319 (1985) 475-477.
- 1011 Tobes, M.C., Hays, S.J., Gildersleeve, D.L., Wieland, D.M. and Beierwaltes, W.H.: Adrenal cortical 11 β -hydroxylase and side-chain cleavage enzymes. Requirement for the A- or B-pyridyl ring in metyrapone for inhibition. *J. Steroid Biochem.*, 22 (1985) 103-110.

See also 1013.

13b. Estrogens

- 1012 Brown, C.G., White, N. and Jeffcoat, S.L.: Studies on oestrogen-2/4-hydroxylase activity in mammalian brain, using a radioenzymatic assay method. *J. Steroid Biochem.*, 22 (1985) 135-139.
- 1013 Munabi, A.K., Cassorla, F.G., D'Agata, R., Albertson, B.D., Loriaux, D.L. and Lipsett, M.B.: The effect of temperature on the activity of testicular steroidogenic enzymes. *Steroids*, 43 (1984) 325-331.
- 1014 Yamaki, J., Yamamoto, T. and Okada, H.: Aromatization of androstenedione by normal and neoplastic endometrium of the uterus. *J. Steroid Biochem.*, 22 (1985) 63-66.

13c. Sterols

- 1015 Bisgaier, C.L., Sachdev, O.P., Megna, L. and Glickman, R.M.: Distribution of apolipoprotein A-IV in human plasma. *J. Lipid Res.*, 26 (1985) 11-25.
- 1016 Schwarz, G. and Eich, E.: Einfluss von Agroclavin auf Wachstum und Sekundärstoffproduktion von *Saccharomyces uvarum* und *Blakeslea trispora*. *Pharmazie*, 39 (1984) 572.
- 1017 Wertz, P.W. and Downing, D.T.: Cholesteryl sulfate: the major polar lipid of horse hoof. *J. Lipid Res.*, 25 (1985) 1320-1323.

13d. Bile acids and alcohols

- 1018 Kimura, M., Hatono, S., Une, M., Fukuoka, C., Kuramoto, T. and Hoshita, T.: Synthesis, intestinal absorption and metabolism of sarcosine conjugated ursodeoxycholic acid. *Steroids*, 43 (1984) 677-687.
- 1019 Naitoh, S., Iwafuchi, M. and Yano, I.: (Analysis of conjugated bile acids as their tertiary butyldimethylsilyl derivatives.) *Iyo Masu Kenkyukai Koenshu*, 9 (1984) 175-178; *C.A.*, 102 (1985) 92445z.

13e. Ecdysones and other insect steroid hormones

- 1020 Thompson, M.J., Svoboda, J.A. and Weirich, G.F.: Ecdysteroids in developing ovaries and eggs of the tobacco hornworm. *Steroids*, 43 (1984) 333-341.

14. STEROID GLYCOSIDES AND SAPONINS

- 1021 Kamal, R. and Sharma, G.L.: Steroidal saponin from bulbs of *Allium wallichii* Kunth. *Pharmazie*, 39 (1984) 707-708.
- 1022 Sobiczewska, M. and Mucharska, A.: (Methods of chromatographic and densitometric determination of active compounds in pharmaceutical preparations. VI. Determination of lanatoside C.) *Acta Pol. Pharm.*, 41 (1984) 229-233; *C.A.*, 102 (1985) 119726f.

See also 1119.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 1023 DuBois, G.E., Bunes, L.A., Dietrich, P.S. and Stephenson, R.A.: Diterpenoid sweeteners. Synthesis and sensory evaluation of biologically stable analogues of stevioside. *J. Agric. Food Chem.*, 32 (1984) 1321-1325.
- 1024 Kohli, J.C. and Badaisha, K.K.: Improved procedure for the thin-layer chromatography of terpenoids on silver ion-silica gel layers. *J. Chromatogr.*, 320 (1985) 455-456 - silver iodate is compared to silver nitrate (14 terpenoids).
- 1025 Neunlist, S., Holst, O. and Rohmer, M.: Prokaryotic triterpenoids. The hopanoids of the purple non-sulphur bacterium *Rhodospirillum rubrum*: an aminotriol and its aminoacyl derivatives, N-tryptophanyl and N-ornithinyl aminotriol. *Eur. J. Biochem.*, 147 (1985) 561-568.

15b. Essential oils

- 1026 Hairfield, E.M., Hairfield, H.H., Jr. and Pentz, L.H.: A rapid test for the identification of incense resins. *Perfum. Flavor.*, 9, No. 4 (1984) 33-36; *C.A.*, 102 (1985) 84252u.
- 1027 Ramaut, J.L., Hofinger, M., Dimbi, R., Corvisier, M. and Lewalle, J.: Main constituents of the essential oil of *Warionia saharae* Benth and Coss. *Chromatographia*, 20 (1985) 193-194.

16. NITRO AND NITROSO COMPOUNDS

- 1028 Mori, M.A., Kudo, Y., Nunozawa, T., Miyahara, T. and Kozuka, H.: Intestinal metabolism of 2,4-dinitrotoluene in rats. *Chem. Pharm. Bull.*, 33 (1985) 327-332.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

- 1029 Anderson, A.A.: (*Liquid Chromatography of Amino Compounds.*) Zinatne, Riga, 1984, 295 p.

17a. Amines and polyamines

See 1030, 1099.

17c. Amine derivatives and amides (excluding peptides)

- 1030 Ramadan, N. and Porath, J.: α -Aminoacyl hydroxamate adsorbents - a new type of immobilized chelator. *J. Chromatogr.*, 321 (1985) 81-91.
- 1031 Watanabe, Y., Shindo, S. and Mori, A.: Identification of 2-guanidinoethanol in human urine. *Eur. J. Biochem.*, 147 (1985) 465-468.

See also 937.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1032 Bellon, G.H., Malgras, A., Chastang, F. and Borel, J.P.: Evaluation of the hydroxyproline isomers in blood serum. *Clin. Chim. Acta*, 143 (1984) 309-313.
- 1033 Henderson, M.J., Allen, J.T., Holton, J.B. and Goodall, R.: Extra heating of amino acids. *Clin. Chim. Acta*, 146 (1985) 203-205.
- 1034 Lähdesmäki, P. and Siltaloppi, E.: Peptide biosynthesis and changes in free amino acid composition in developing bean seedlings (*Phaseolus vulgaris*). *J. Liq. Chromatogr.*, 8 (1985) 1-11.

- 1035 Voigt, J.: Macromolecules released into the culture medium during the vegetative cell cycle of the unicellular green alga *Chlamydomonas reinhardtii*. *Biochem. J.*, 226 (1985) 259-268.
- 1036 Wang, T.R.: Application of a thin-layer chromatography microtechniques for the screening of amino acidurias in 3,165 Chinese newborns. *Tai-wan I Hsueh Hui Tsa Chih*, 83 (1984) 869-878; *C.A.*, 102 (1985) 58668q.
- 1037 Wang, Z., Tang, X., Wang, Z., Wei, Y., Dong, S. and Fan, M.: (DNS fluorescence method for determining plasma free amino acids and branched/aromatic ratio.) *Zhonghua Yixue Jianyan Zazhi*, 7, No. 3 (1984) 144-146; *C.A.*, 102 (1985) 58843t.

See also 1030, 1040.

18b. *Peptides and peptidic and proteinous hormones*

- 1038 Heinegaard, D., Wieslander, J., Sheehan, J., Paulsson, M. and Sommarin, Y.: Separation and characterization of two populations of aggregating proteoglycans from cartilage. *Biochem. J.*, 225 (1985) 95-106.
- 1039 McMurray, M.M., Hansen, J.S., Haley, B.E., Takemoto, D.J. and Takemoto, L.J.: Interspecies conservation of retinal guanosine 5'-triphosphatase. Characterization of photoaffinity labelling and tryptic-peptide mapping. *Biochem. J.*, 225 (1985) 227-232.

See also 1040, 1043.

18c. *General techniques of elucidation of structure of proteins*

See 1040.

19. PROTEINS

- 1040 Kerese, I. (Editor): *Methods of Protein Analysis*. Ellis Horwood (Wiley), Chichester, 1984, 371 p.

19a. *General techniques*

- 1041 Rees, D.D., Fogarty, K.E., Levy, L.K. and Fay, F.S.: Computerized analysis of TV images for ultrasensitive monitoring of the reaction of fluorochrome with protein. *Anal. Biochem.*, 144 (1985) 461-468.

19c. *Microbial and plant proteins*

- 1042 L'Hernault, S.W. and Rosenbaum, J.L.: *Chlamydomonas* α -tubulin is posttranslationally modified by acetylation on the ϵ -amino group of a lysine. *Biochemistry*, 24 (1985) 473-478.

19d. *Proteins of blood, serum and blood cells*

- 1043 Lambert, M., Svoboda, M., Furnelle, J. and Christophe, J.: Solubilization from rat pancreatic plasma membranes of a cholecystokinin (CCK) agonist-receptor complex interacting with guanine nucleotide regulatory proteins coexisting in the same macromolecular system. *Eur. J. Biochem.*, 147 (1985) 611-617.

20. ENZYMES

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 1044 Yu, P.H.: Photoactivated linkage of catechol O-methyl-transferase and S-adenosyl-L-methionine. *Can. J. Biochem.*, 62 (1984) 964-969.

20f. Other hydrolases

- 1045 Perignon, J.L., Chaleon, J., Leverger, G., Houllier, A.M., Thuillier, L. and Cartier, P.H.: Cytidine deaminase activity of human normal and malignant lymphoid cells. *Clin. Chim. Acta*, 147 (1985) 67-74.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 1046 Feng, Q.: (Improved methods for separating natural deoxyribonucleosides by cellulose thin-layer and polyamide sheet chromatography.) *Yiyao Gongye*, No. 11 (1984) 17-19; *C.A.*, 102 (1985) 58658m.
- 1047 Kang, C. and Cantor, C.R.: Enzymatic synthesis of uniformly ^{32}P -labeled polyribonucleotides and high-specific-activity ribonucleoside 5'-[α - ^{32}P]diphosphates. *Anal. Biochem.*, 144 (1985) 291-295.
- 1048 Merry, S. and Britton, H.G.: The mechanism of rabbit muscle phosphofructokinase at pH 8. *Biochem. J.*, 226 (1985) 13-28.
- 1049 Okuda, K., Suntainalerts, P., Miyoshi, S., Urabe, I., Yamada, Y. and Okada, H.: Preparation and characterization of NADP derivatives alkylated at 2'-phosphate and 6-amino groups. *Eur. J. Biochem.*, 147 (1985) 241-247.
- 1050 Okuda, K., Urabe, I. and Okada, H.: Coenzymic activity of NADP derivatives alkylated at 2'-phosphate and 6-amino groups. *Eur. J. Biochem.*, 147 (1985) 249-253.
- 1051 Schott, H.: Preparative isolation of oligodeoxynucleotides. *Chromatographia*, 19 (1984) 67-76.

21b. Nucleic acids, RNA

- 1052 Gurevitz, M. and Apirion, D.: The ribonuclease-III-processing site near the 5'-end of an RNA precursor of bacteriophage T4 and its effect on termination. *Eur. J. Biochem.*, 147 (1985) 581-586.
- 1053 Ott, G. and Kersten, H.: Differential turnover of tRNAs of the queuosine family in *Dictyostelium discoideum* and its possible role in regulation. *Biol. Chem. Hoppe Seyler*, 366 (1985) 69-76.

21c. Nucleic acids, DNA

See 1051.

22. ALKALOIDS

- 1054 Chen, S. and Li, J.: (An improved method for the detection of caffeine in theine.) *Yaowu Fenxi Zazhi*, 4 (1984) 375-376; *C.A.*, 102 (1985) 67460t.
- 1055 Desai, H.K., Joshi, B.S., Panu, A.M. and Pelletier, S.W.: Separation of diterpenoid alkaloid mixtures using the Chromatotron. *J. Chromatogr.*, 322 (1985) 223-227 - centrifugally accelerated radial device, gradient elution, alumina-gypsum layer.
- 1056 Gartz, J.: Dünnschichtchromatographische Analyse der Inhaltsstoffe von Pilzen der Gattung *Stropharia*. *Pharmazie*, 40 (1985) 134-135.
- 1057 Ikuta, A., Kobayashi, A. and Itokawa, H.: Studies on the quantitative analysis of protoberberine alkaloids in Japanese, Chinese and other countries *Coptis* rhizomes by thin-layer chromatography-densitometry. *Shoyakugaku Zasshi*, 38 (1984) 279-282; *C.A.*, 102 (1985) 84473s.
- 1058 Liu, Ch.: (Application of paper and thin-layer chromatographies to Chinese medicine preparations in hospital.) *Zhongyao Tongbao*, No. 6 (1984) 262-266; *C.A.*, 102 (1985) 84485x.
- 1059 Shen, X. and He, L.: (Detection of the major impurity vincine in vincamine, and its assay with TLC.) *Yaowu Fenxi Zazhi*, 4 (1984) 356-357; *C.A.*, 102 (1985) 84481t.

See also 1099.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

See 1029.

23a. Porphyrins and other pyrroles

- 1060 Sonnet, P.E. and Heath, R.R.: Aryl substituted diastereomeric alkenes: gas chromatographic behavior on a non-polar versus a liquid crystal phase. *J. Chromatogr.*, 321 (1985) 127-136.

23b. Bile pigments

- 1061 Rege, R.V., Webster, C.C., Ostrow, J.D., Carr, S.H. and Ohkubo, H.: Validation of infrared spectroscopy for assessment of vinyl polymers of bile-pigment gallstones. *Biochem. J.*, 224 (1984) 871-876.
- 1062 Spivak, W. and Carey, M.C.: Reverse-phase HPLC separation, quantification and preparation of bilirubin and its conjugates from native bile. Quantitative analysis of the intact tetrapyrroles based on HPLC of their ethyl anthranilate azo derivatives. *Biochem. J.*, 225 (1985) 787-805.
- 1063 Vermeir, M., Vanstapel, F. and Blanckaert, N.: Radioassay of UDP-glucuronyl-transferase-catalyzed formation of bilirubin monoglucuronides and bilirubin diglucuronide in liver microsomes. *Biochem. J.*, 223 (1984) 455-459.

23d. Pyridine derivatives

- 1064 Bhat, B.G. and Chandrasekhara, N.: Determination of piperine in biological tissues by thin-layer chromatography and ultraviolet absorption densitometry. *J. Chromatogr.*, 338 (1985) 259-263.

23e. Other N-heterocyclic compounds

- 1065 Schliemann, W.: Allantoin from pods of *Phaseolus coccineus* L. *Pharmazie*, 39 (1984) 583.

See also 1066.

24. ORGANIC SULPHUR COMPOUNDS

- 1066 Guerra, M.C., Barbaro, A.M., Biagi, G.L., Pietrogrande, M.C., Borea, P.A., Andreani, A. and Cantelli Forti, G.: R_m Values, retention times and π values of a series of potentially mutagenic nitroimidazo[2,1-b]thiazoles. *J. Chromatogr.*, 320 (1985) 281-291.
- 1067 Majewska, W.: (Semi)quantitative determination of impurities with thin-layer chromatography in 1-chloronaphthalene-8-thiol synthesis.) *Przem. Chem.*, 63 (1984) 545-547; *C.A.*, 102 (1985) 124861a.

See also 1095.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 1068 Irvine, R.F., Letcher, A.J., Lander, D.J. and Downes, C.P.: Inositol trisphosphates in carbachol-stimulated rat parotid glands. *Biochem. J.*, 223 (1984) 237-243.
- 1069 Sarbu, C., Horn, M. and Hantz, A.: Uranyl-salze als Fluoreszenzindikatoren für den dünn-schicht-chromatographischen Nachweis von Komplexbildnern. *J. Chromatogr.*, 322 (1985) 272-274.

See also 1095.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 1070 Bruno, P., Caselli, M. and Traini, A.: Inorganic and organic mercury analysis by HPTLC and in situ densitometric detection. Application to real samples. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 135-139.
- 1071 Robinson, J.W. and Boothe, E.D.: Speciation of mercury compounds by TLC and high-performance liquid chromatography-atomic absorption spectroscopy. *Spectrosc. Lett.*, 17 (1984) 673-688; *C.A.*, 102 (1985) 90869s.

See also 1129.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 1072 Jiang, X., Xu, Y. and Sun, Y.: (Thin-layer densitometric assay of vitamin B₆ in Weitaxin tablets.) *Nanjing Yaoxueyuan Xuebao*, No. 3 (1984) 32-36; *C.A.*, 102 (1985) 119733f.
- 1073 Illner, E.: Trennung von Ascorbinsäure und Isoascorbinsäure durch Dünnschichtchromatographie auf Silufol-Fertigplatten. *Pharmazie*, 39 (1984) 864.
- 1074 Illner, E.: Trennung von Ketogulonsäure, Ketogulonsäuremethylester und Ascorbinsäure durch Dünnschichtchromatografie auf Silufol-Fertigplatten. *Pharmazie*, 39 (1984) 864-865.
- 1075 Kohli, R.K. and Nath, A.: Significance of isomerization of hydroxycobalamin. *Biochem. Biophys. Res. Commun.*, 125 (1984) 698-703.

See also 1016.

28. ANTIBIOTICS

- 1076 Brückner, H. and Przybylski, M.: Methods for the rapid detection, isolation and sequence determination of "peptaibols" and other aib-containing peptides of fungal origin. I. Gliodeliquescin A from *Gliocladium deliquescens*. *Chromatographia*, 19 (1984) 188-199.
- 1077 Fukagawa, Y., Okate, M., Azuma, S., Kojima, I., Ishikura, T. and Kubo, K.: Studies on the synthesis of carbapenem antibiotics. I. Biosynthetic significance of the OA-6129 group of carbapenem compounds as the direct precursors for PS-5, epithienamycins A and C and MM 17880. *J. Antibiot.*, 37 (1984) 1388-1393.
- 1078 Itoh, S., Odakura, Y., Kase, H., Satoh, S., Takahashi, K., Iida, T., Shirahata, K. and Nakayama, K.: Biosynthesis of astromicin and related antibiotics. I. Biosynthetic studies by bioconversion experiments. *J. Antibiot.*, 37 (1984) 1664-1669.
- 1079 Ono, H., Nozaki, Y., Katayama, N. and Okazaki, H.: Cephacins, new cephem antibiotics of bacterial origin. I. Discovery and taxonomy of the moduring organisms and fermentation. *J. Antibiot.*, 37 (1984) 1528-1535.
- 1080 Tan, L., Pan, H. and Miao, J.: (Polyamide membrane chromatography of rifamycin derivatives.) *Kengshengsu*, 9 (1984) 343-345; *C.A.*, 102 (1985) 84467t.

See also 1109.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

- 1081 Krasnykh, A.A. and Kulintsova, E.V.: (Chromatographic determination of Temik, an insecticide, in the environment.) *Gig. Sanit.*, No. 12 (1984) 47-48; *C.A.*, 102 (1985) 91273e.
- 1082 Rubtsova, E.S., Gefel, E.I., Myasoedova, A.S., Shtemler, S.I., Lebedintseva, V.P. and Zhukovskaya, O.S.: (Use of thin-layer chromatography in analysis of pesticides.) *Sintez, Biol. Aktivnost i Primenaie Pestitsidov*, (1983) 59-67; *C.A.*, 102 (1985) 91280e.

28a. Chlorinated insecticides

See 1081, 1084.

28b. Phosphorus insecticides

- 1083 Belashova, I.G.: (Systematic method for identification of trace pesticides by thin-layer chromatography.) *Zh. Anal. Khim.*, 39 (1984) 2238-2241; *C.A.*, 102 (1985) 73997q.
- 1084 Chen, Z., Wang, X. and Chen, H.: (Determination of methamidophos residue by TLC-plant enzyme inhibition technique.) *Fenxi Huaxue*, 12 (1984) 945; *C.A.*, 102 (1985) 73987m.

28c. Carbamates

- 1085 Abdel-Kader, M.H.K., Stiles, D.A. and Ragab, M.T.H.: Thin-layer chromatographic separation and identification of carbofuran and two carbamate metabolites and their dinitrophenyl ethers. *Int. J. Environ. Anal. Chem.*, 18 (1984) 281-286; *C.A.*, 102 (1985) 91268g.

28e. Fungicides

- 1086 Evans, P.H., Bowers, W.C. and Funk, E.J.: Identification of fungicidal and nematocidal components in the leaves of *Piper betle* (*Piperaceae*). *J. Agric. Food Chem.*, 32 (1984) 1254-1256.

28f. Other types of pesticides and various agrochemicals

- 1087 Ridlen, R.L., Christopher, R.J., Ivie, G.W., Beier, R.C. and Camp, B.J.: Distribution and metabolism of cis- and trans-resmethrin in lactating Jersey cows. *J. Agric. Food Chem.*, 32 (1984) 1211-1217.
- 1088 Zhang, L.-Z., Khan, S.U., Akhter, M.H. and Ivarson, K.C.: Persistence, degradation and distribution of deltamethrin in an organic soil under laboratory conditions. *J. Agric. Food Chem.*, 32 (1984) 1207-1211.
- 1089 Walis, S., Saxena, V.S. and Mukerjee, S.K.: Synthesis and synergistic activity of oxime ethers containing a benzo-1,3-dioxole group. *J. Agric. Food Chem.*, 33 (1985) 308-310.

See also 1083.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 1090 Arsov, A., Kostowa, W. and Mesrob, B.: Dünnschichtchromatographie von Säurefarbstoffen auf Polyamidplatten. *J. Chromatogr.*, 322 (1985) 267-271 - *R_F* values for 35 dyes.
- 1091 Federici, M.M. and Stadtman, E.R.: Interaction of Cibacron Blue F₃GA with glutamine synthetase: use of the dye as a conformational probe. 2. Studies using isolated dye fractions. *Biochemistry*, 24 (1985) 661-666.
- 1092 Maslowska, J.: A new chromatographic method for the separation of food dye mixtures on thin MgO layers. *Chromatographia*, 20 (1985) 99-101.

30b. Chloroplast and other natural pigments

- 1093 Fraser, M.S. and Frankl, G.: Detection of chlorophyll derivatives in soybean oil by HPLC. *J. Am Oil Chem. Soc.*, 62 (1985) 113-121.
- 1094 Rouchaud, J., Moons, C. and Meyer, J.A.: Effects of pesticide treatments on the carotenoid pigments of lettuce. *J. Agric. Food Chem.*, 32 (1984) 1241-1245.

See also 1016.

31. PLASTICS AND THEIR INTERMEDIATES

- 1095 Suzuki, T., Sasaki, K., Takeda, M. and Uchiyama, M.: Some S-containing metabolites of tributyl phosphate in the rat. *J. Agric. Food Chem.*, 32 (1984) 1278-1283.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 1096 Munson, J.W.: Quantitative thin-layer chromatography (in pharmaceutical analysis.) *Drugs Pharm. Sci.*, (1984) 11 (Pharm. Anal., Pt. B), 155-178; *C.A.*, 102 (1985) 84464q - a review with 56 refs.
- 1097 Shostenko, Yu.V. and Shein, A.T.: (Chromatography in pharmacy and pharmacology.) *Prikl. Khromatogr., M.*, (1984) 213-221; *C.A.*, 102 (1985) 67443q - a review.

See also 933.

32a. Synthetic drugs

- 1098 De Schutter, J.A., De Croo, F., van der Weken, G., van den Bossche, W. and de Moerloose, P.: Stability study and quantitative determination of mebeverine hydrochloride in tablets by means of reversed-phase high-performance liquid chromatography. *Chromatographia*, 20 (1985) 185-192.
- 1099 Giebelmann, R.: Ionenpaaradsorptionsdünnschichtchromatographie quartärer Ammoniumionen. 13. Mitteilung: Einfache Näherungsbeziehung für R_F -Werte. *Pharmazie*, 39 (1984) 471-473.
- 1100 Giebelmann, R.: Ionenpaaradsorptionsdünnschichtchromatographie quartärer Ammoniumionen. 14. Mitt. Ionenaustausch, Ionenunterdrückungs- und Ionenpaar-chromatographie organischer Ammoniumionen an Kieselgel. *Pharmazie*, 40 (1985) 108-109.
- 1101 Marciniak, B.: Photochemical decomposition of phenazone derivatives. Part 5. Isolation and identification of decomposition products in aqueous solution. *Pharmazie*, 40 (1985) 30-33.
- 1102 Muzhanovskii, E.B., Fartushnyi, A.F., Sedov, A.I. and Muzhanovskaya, A.M.: (Identification and determination of chlortazole.) *Farm. Zh. (Kiev)*, No. 6 (1984) 63-64; *C.A.*, 102 (1985) 100870b.
- 1103 Nordic Committee on Food Analysis: Detection of saccharin, cyclamate and dulcine in soft drinks. *Z. Lebensm.-Unters. Forsch.*, 179 (1984) 453-454; *C.A.*, (1985) 77348b.
- 1104 Wollmann, H. and Grünert, R.: Zum Verhalten einiger Phenylalkylamine im ultravioletten Licht. 23. Mitteilung: Stabilität von Arzneistoffen und Zubereitungen. *Pharmazie*, 39 (1984) 750-752.
- 1105 Zhu, Y.: (Detection of free salicylamide in *o*-ethoxybenzamide by TLC.) *Yiyao Gongye*, 16, No. 1 (1985) 21-22; *C.A.*, 102 (1985) 119763r.

See also 931, 1022, 1133.

32b. Pharmacokinetic studies

- 1106 De Vries, J.X., Simon, M., Zimmermann, R. and Harenberg, J.: Identification of phenprocoumon metabolites in human urine by high-performance liquid chromatography and gas chromatography-mass spectrometry. *J. Chromatogr.*, 338 (1985) 325-334.
- 1107 Lapka, R., Franc, Z. and Smolik, S.: Pharmacokinetics of ^3H -pipethiaden after single oral and intravenous administration in rats. *Arzneim.-Forsch.*, 35 (1985) 486-488.
- 1108 Matteo, M.R., Zavorskas, P. and Esber, H.: Tissue distribution and excretion in urine, feces and respiratory CO_2 of [^{14}C]-Ciclosidomine in beagle dogs. *Arzneim.-Forsch.*, 35 (1985) 329-332.
- 1109 Oshima, J., Takii, Y., Onizuka, M., Arisawa, M. and Maruyama, H.B.: (Bioassay method for ceftriaxone (Ro 13-9904) concentration in body fluid.) *Chemotherapy (Tokyo)*, 32, Suppl. 7 (1984) 170-177; *C.A.*, 102 (1985) 72306b.

- 1110 Roth, W., Prox, A. and Ifflaender, U.: Untersuchungen zur Metabolisierung von Beclobrat bei Ratte und Mensch. *Arzneim.-Forsch.*, 35 (1985) 244-251.
- 1111 Wahl, D., van Wayjen, R.G.A. and van den Ende, A.A.: Biochemische Untersuchungen mit Oxitropiumbromid. 2. Pharmakokinetik und Metabolismus im Menschen. *Arzneim.-Forsch.*, 35 (1985) 266-272.
- 1112 Zulalian, J., Stout, S.J., Babcock, C.N., Lucas, L.M., Miller, P. and Orloski, E.J.: A study of the absorption, excretion, metabolism and residues in tissues in rats fed carbon-14-labeled sulfamethazine. *J. Agric. Food Chem.*, 32 (1984) 1434-1440.

32c. Drug monitoring

- 1113 Blom, Y., Bondesson, U. and Anggard, E.: Analysis of buprenorphine and its N-dealkylated metabolite in plasma and urine by selected-ion monitoring. *J. Chromatogr.*, 338 (1985) 89-98.
- 1114 Busch, M., Pitter, W. and Möhrle, H.: Dünnschicht-densitometrische Bestimmung von Clotiazepam in Tabletten und in Blutplasma. *Arzneim.-Forsch.*, 35 (1985) 547-551.
- 1115 Tillian, H.M., Gübitz, G., Korsatko, W. and Wintersteiger, R.: Fluorodensitometrische Bestimmung von zytostatisch wirksamen Michael-Addukten α,β -ungesättigter Aldehyde in biologischem Material. *Arzneim.-Forsch.*, 35 (1985) 552-554.

32d. Toxicological applications

- 1116 De Zeeuw, R.A., Franke, J.P. and Wijsbeck, J.: (Systematic toxicological analysis.) *Krim. Forensische Wüss.*, (1984) 41-47, 55-56; *C.A.*, 102 (1985) 90916e.
- 1117 Franke, J.P.: The mean list length approach applied to the evaluation of chromatographic systems and to the identification of drugs. *Anal. Proc. (London)*, 21 (1984) 432-434; *C.A.*, 102 (1985) 73623g.
- 1118 Gartz, J.: Vergleichende dünnschichtchromatographische Untersuchungen zweier Psilocybe- und einer halluzinogenen Inocybeart. *Pharmazie*, 40 (1985) 134.

See also 1056, 1066.

32e. Plant extracts

- 1119 Bulenkov, T.I., Korzhikova, E.B., Volodina, L.D., Fetkhalina, G.A. and Mysakova, I.Yu.: (Determination of optimum levels of silica gel activity for thin-layer chromatography of drugs.) *Farmatsiya (Moscow)*, 33, No. 5 (1984) 44-47; *C.A.*, 102 (1985) 67442p.
- 1120 Dan, W. and Zhang, H.: (Assay of bergapten and isopimpinellin in *Heraclenum mollendorffii* Nance.) *Yaowu Fenxi Zazhi*, 4. (1984) 365-366; *C.A.*, 102 (1985) 67458y.
- 1121 Hilal, S.H., Radwan, A.S., Haggag, M.Y., Melek, F.R. and El Gindi, O.D.: Fluorometric analysis of khellin and visnagin. *Egypt. J. Pharm. Sci.*, 23 (1982, Publ. 1984) 203-208; *C.A.*, 102 (1985) 84475u.
- 1122 Magistretti, M.J. and Reginault, P.: *Brackenridgea zanguebarica* extracts for pharmaceuticals. *Eur. Pat. Appl.* EP 126,691 (Cl. 261K35/78), 28 Nov. 1984, FR Appl. 83/8,244, 18 May 1983; 19 pp.; *C.A.*, 102 (1985) 100796g.
- 1123 McKenna, D.J., Towers, G.H.N. and Abbott, F.S.: Monoamine oxidase inhibitors in South American hallucinogenic plants. Part 2: Constituents of orally-active Myristicaceae hallucinogens. *J. Ethnopharmacol.*, 12 (1984) 179-211; *C.A.*, 102 (1985) 119481x.
- 1124 Shen, Y., Yang, W. and Zhang, Y.: (Quality comparison of *Isatis tinctoria* L. crude material and its pharmaceutical preparation by column chromatography.) *Yaowu Tongbao*, 19 (1984) 601-602; *C.A.*, 102 (1985) 100671n.
- 1125 Wichtl, M.: (Testing of drugs in pharmacies.) *Schriftenr. Bundesapothekerkammer Wiss. Fortbild., Gruene Reihe 1984*, 4 (*Erkr. Urogenital-Intestinaltraktes Ihre Medikamentöse Beeinflussung*), 105-118; *C.A.*, 102 (1985) 119717d.
- 1126 Zhao, T., Lu, M. and Yu, R.: (Thin-layer densitometry of hesperidin in Citrus cortices and its powdered preparation with snake bile.) *Nanjing Yaowueyuan Xuebao*, No. 3 (1984) 14-18; *C.A.*, 102 (1985) 119732e.

See also 947, 951, 954, 1026, 1065.

32f. Clinico-chemical applications and profiling body fluids

See 934, 968, 988, 994, 999, 1001, 1014, 1031, 1032, 1033, 1036, 1045.

33. INORGANIC COMPOUNDS

33a. Cations

- 1127 Lin, W.: (Visual-colorimetric determination of microamounts of uranium in rocks by using paper chromatography.) *Yanshi Kuangwu Ji Ceshi*, 3, No. 2 (1984) 153-155; *C.A.*, 102 (1985) 71968g.
- 1128 Liu, J., Huang, S., Liu, L. and Cheng, J.: (TLC study of high-valent metal ions on crystalline antimononic (V) acid - *p*-sulfochlorophosponazo impregnated thin-layer plates.) *Gaodeng Xuexiao Huaxue Xuebao*, 5 (1984) 787-790; *C.A.*, 102 (1985) 105225e.
- 1129 Takamatsu, T., Kusakabe, R. and Yoshida, T.: (New paper-chromatographic method for estimating metal-humic acid interactions.) *Kokuritsu Kogai Kenkyusho Kenkyu Hokoku*, 47 (1983) 249-265; *C.A.*, 102 (1985) 61257k.

See also 928, 1070, 1071.

33b. Anions

- 1130 Goncharova, N.V. and Goldfeld, M.G.: (Light induced coupled reactions of phosphate and methyl red in alcohol solutions of chlorophyll.) *Biokhimiya (Moscow)*, 50 (1985) 148-153.
- 1131 Iordanova, I. and Lolova, D.: (Method for determination of monofluorophosphates in toothpaste.) *Khig. Zdraveopaz.*, 27 (1984) 488-491; *C.A.*, 102 (1985) 119417f.
- 1132 Schwedt, G.: Trenn- und Anreicherungsverfahren in der anorganischen Anionen-analytik (Übersichtsbericht). *Fresenius' Z. Anal. Chem.*, 320 (1985) 423-428 - a review.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 1133 Busse, G.P. and Palcos, M.C.: Purity control of the radiopharmaceutical thiamine pyrophosphate-tin-technetium-99m. *J. Radioanal. Nucl. Chem.*, 88 (1985) 399-402; *C.A.*, 102 (1985) 100779d.
- 1134 Zhang, L., Sun, J., Chen, Q., Ran, Z., Xiao, G., Xu, Z. and Shang, W.: (Testing and evaluation of the FJ-2i04 paper radiochromatograph-scanning instrument.) *Hejishu*, No. 5 (1984) 61-63; *C.A.*, 102 (1985) 124836w.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35b. Antioxidants and preservatives

- 1135 Kramer, R.E.: Antioxidants in clove. *J. Am. Oil Chem. Soc.*, 62 (1985) 111-113.
- 1136 Poetting, B. and Echle, I.: (Determination of antioxidants in SBR foam coatings.) *Melliand Textilber.*, 65 (1984) 768-772; *C.A.*, 102 (1985) 63387b.

35c. Food analysis

See 1064, 1103.

Electrophoresis

1. REVIEWS AND BOOKS

- 1052 Chrambach, A.: The practice of quantitative gel electrophoresis. In: V. Neuhoff and M. Maelicke (Editors), *Advanced Methods in the Biological Sciences, Vol. 1*, Verlagsgesellschaft, Weinheim, 1985, XVI + 184 p.

See also 1061, 1063, 1068.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. Thermodynamic and theoretical relationships

- 1053 Schuhmann, D.: Perturbations to the electrophoretic mobility due to electrical surface effects. *PHC, Physicochem. Hydrodyn.*, 5 (1984) 383-388; *C.A.*, 102 (1985) 120436t.

See also 1059.

2d. Measurements of physico chemical and related values

- 1054 Purkhanbaba, H., Maurer, W.D. and Rothe, G.M.: Determination of molecular weights and Stokes' radii of non-denatured proteins by polyacrylamide gradient gel electrophoresis. 3. Estimation of the upper and lower size limits of carbonic anhydrase as a model for complexing enzymes. *Electrophoresis (Weinheim)*, 6 (1985) 147-154.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1055 Ogawa, M. and Shiraishi, H.: Element for electrophoresis. *Eur. Pat. Appl. EP 113,700 (Cl. G01N27/26)*, 18 Jul. 1984, JP Appl. 83/1,324, 08 Jan. 1983, 19 pp.; *C.A.*, 102 (1985) 109364x.
- 1056 Pietta, P., Pocaterra, E., Fiorino, A., Gianazza, E. and Righetti, P.G.: Long-term storage of free and polyacrylamide gel-bound Immobiline chemicals. *Electrophoresis (Weinheim)*, 6 (1985) 162-170.

3b. Detection procedures and detectors

- 1057 Merrill, C.R.: Rapid visualization system for gel electrophoresis. *U.S. Pat. Appl. US 618,949*, 07 Dec. 1984, Appl. 08 Jun. 1984, 36 pp.; *C.A.*, 102 (1985) 109394g.

See also 1105, 1245.

3c. Electrophoresis in stabilized media

- 1058 Shibata, F. and Ogita, Z.-I.: Control of electroendosmosis on agarose gel layers by use of modified gelatine. *Electrophoresis (Weinheim)*, 6 (1985) 138-140.

See also 1066, 1139.

4. SPECIAL TECHNIQUES

4a. Combination of electrophoretic techniques with chromatography

- 1059 Terabe, S., Otsuka, K. and Ando, T.: Electrokinetic chromatography with micellar solution and open-tubular capillary. *Anal. Chem.*, 57 (1985) 834-841.

4b. Preparative and continuous procedures

See 1291.

4c. Isoelectric focusing

- 1060 Altland, K., Hackler, R., Banzhoff, A. and von Eckardstein, A.: Experimental evidence for flexible slope of immobilized pH gradients poured under computer control. *Electrophoresis (Weinheim)*, 6 (1985) 140-142.
- 1061 Righetti, P.G. and Gianazza, E.: Isoelectric focusing in non-amphoteric buffers. Catastrophe and non-catastrophe theories. *J. Chromatogr.*, 334 (1985) 71-82.

See also 1079, 1080, 1092, 1142, 1143, 1152.

4d. Isotachopheresis

- 1062 Krivankova, L. and Bocek, P.: Determination of amprolium in feed stuff by capillary isotachopheresis. *Electrophoresis (Weinheim)*, 6 (1985) 143-144.
- 1063 Thormann, W.: Automation of analytical isotachopheresis. *J. Chromatogr.*, 334 (1985) 83-94.
- 1064 Thormann, W.: Investigation of the stability of anionic isotachopheretic zones formed by ethylenediaminetetraacetic acid and nitrilotriacetic acid metal complexes. *Electrophoresis (Weinheim)*, 6 (1985) 188-191.
- 1065 Thormann, W.: Principles of isotachopheresis and dynamics of the isotachopheretic separation of two components. *Separ. Sci.*, 19 (1984) 8-9 - a review with 33 refs.

See also 1078, 1321.

4e. Two dimensional electrophoresis

See 1080, 1138, 1189, 1272.

4g. Other special techniques

- 1066 Gianazza, E., Astrua-Testori, S. and Righetti, P.G.: Some more formulations for immobilized pH gradient. *Electrophoresis (Weinheim)*, 6 (1985) 113-117.

See also 1234.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 1067 Anderton, W.J. and Wilkinson, S.G.: Structural studies of a mannitol teichoic acid from the cell wall of bacterium N.C.T.C. 9742. *Biochem. J.*, 266 (1985) 587-599.
- 1068 Furneaux, R.H.: Carbohydrate chemistry. Separatory and analytical methods. *Carbohydr. Chem.*, 16 (1985) 249-260; *C.A.*, 102 (1985) 124820m - a review with 116 refs.

See also 1255.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 1069 Buckland, P.R., Howells, R.D., Rickards, C.R. and Rees Smith, B.: Affinity-labelling of the thyrotropin receptor. Characterization of the photoactive ligand. *Biochem. J.*, 225 (1985) 753-760.
- 1070 Carlsson, S.R.: Changes in glycan branching and sialylation of the Thy-1 antigen during normal differentiation of mouse T-lymphocytes. *Biochem. J.*, 226 (1985) 519-525.
- 1071 Prevert, J. and Ballou, C.E.: *Saccaromyces cerevisiae* structural cell wall mannoprotein. *Biochemistry*, 24 (1985) 753-759.
- 1072 Heinegard, D., Wieslander, J., Sheehan, J., Paulsson, M. and Sommarin, Y.: Separation and characterization of two populations of aggregating proteoglycans from cartilage. *Biochem. J.*, 225 (1985) 95-106.
- 1073 McGregor, J.L., Clezardin, P., James, E., McGregor, L., Dechavanne, M.: and Clemetwon, K.J.: Identification and characterization of fragments of major glycoproteins from platelet membrane after chymotrypsin treatment. *Eur. J. Biochem.*, 148 (1985) 97-106.
- 1074 Nantö-Svlonen, K., Larjava, H., Aalto, M. and Kivimäki, T.: Urinary glycosaminoglycans in aspartylglycosaminuria: evidence for disturbed proteoglycan metabolism. *Clin. Chim. Acta*, 146 (1985) 111-118.
- 1075 Sorvillo, J., Gigli, I. and Pearlstein, E.: Fibronectin binding to complement subcomponent C1q. Localization of their respective binding sites. *Biochem. J.*, 226 (1985) 207-215.
- 1076 Voigt, J.: Macromolecules released into the culture medium during the vegetative cell cycle of the unicellular green alga *Chlamydomonas reinhardtii*. *Biochem. J.*, 226 (1985) 259-268.
- 1077 Yeung Laiwah, A.C., Jones, L., Hamilton, A.O. and Whaley, K.: Complement-subcomponent-CT-inhibitor synthesis by human monocytes. *Biochem. J.*, 226 (1985) 199-205.

See also 1124, 1129, 1309.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 1078 Blanche, F. and Couder, M.: Use of isotachophoresis to monitor the synthesis and purification of L- α -amino- ϵ -ketopimelate. *J. Chromatogr.*, 323 (1985) 451-455.

11d. Lipoproteins and their constituents

- 1079 Bisgaler, C.L., Sachdev, O.M.P., Megna, L. and Glickman, R.M.: Distribution of apolipoprotein A-IV in human plasma. *J. Lipid Res.*, 26 (1985) 11-25.
- 1080 Bojanovski, D., Gregg, R.E., Ghiselli, G., Schaefer, E.J., Light, J.A. and Brewer, H.B., Jr.: Human apolipoprotein A-I isoprotein metabolism: proapo AI conversion to mature apo AI. *J. Lipid Res.*, 26 (1985) 185-193.
- 1081 Curtiss, L.K. and Edgington, T.S.: Immunochemical heterogeneity of human plasma high density lipoproteins. Identification with apolipoprotein A-I- and A-II-specific monoclonal antibodies. *J. Biol. Chem.*, 260 (1985) 2982-2993.
- 1082 Dvorin, E., Mantulin, W.W., Rohde, M.F., Gotto, A.M., Jr., Pownall, H.J. and Sherrill, B.C.: Conformational properties of human and rat apolipoprotein A-IV. *J. Lipid Res.*, 26 (1985) 38-46.
- 1083 Habbal, Z.M. and Apelian, A.Z.: Hyperlipoproteinemia with albumin-lipid complex: A novel type of hyperlipoproteinemia associated with insulin-resistant diabetes mellitus. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 371-376.
- 1084 Hopkins, G.J., Chang, L.B.F. and Barter, P.J.: Role of lipid transfers in the formation of a subpopulation of small high density lipoproteins. *J. Lipid Res.*, 26 (1985) 218-229.
- 1085 Luley, C.H., Puchols, P. and Klcer, H.U.: The effect of different isolation procedures on high density lipoprotein subfractions obtained by isoelectric focusing. *Clin. Chim. Acta*, 146 (1985) 185-193.

- 1086 Nakai, T., Tamai, T. and Takai, H.: (Electrophoresis of apoproteins). *Rinsho Kensa*, 28 (1984) 1669-1675; *C.A.*, 102 (1985) 109079h.
- 1087 Oschry, Y., Olivercrona, T., Deckelbaum, R.J. and Eisenberg, S.: Is hypertriglyceridemic very low density lipoprotein a precursor of normal low density lipoprotein? *J. Lipid Res.*, 26 (1985) 158-167.
- 1088 Parks, J.S. and Rudel, L.L.: Alteration of high density lipoprotein subfraction distribution with induction of serum amyloid A protein (SAA) in the nonhuman primate. *J. Lipid Res.*, 26 (1985) 82-91.
- 1089 Parra, H., Duthilleul, P. and Fruchart, J.C.: Latex immunoassay of human serum Lp(a⁺) lipoprotein. *J. Lipid Res.*, 26 (1985) 267-269.
- 1090 Robbs, S.L., Ryan, R.O., Schmidt, J.O., Keim, P.S. and Law, J.H.: Lipophorin of the larval honeybee, *Apis mellifera* L. *J. Lipid Res.*, 26 (1985) 241-247.
- 1091 Weaver, T.E., Hull, W.M., Ross, G.F. and Whitsett, J.A.: Intracellular and oligomeric forms of surfactant-associated apolipoprotein(s) A in the rat. *Biochim. Biophys. Acta*, 827 (1985) 260-267.
- 1092 Weinberg, R.B. and Spector, M.S.: Human apolipoprotein A IV: Displacement from the surface of triglyceride-rich particles by HDL₂-associated C-apoproteins. *J. Lipid Res.*, 26 (1985) 26-37.
- 1093 Williams, D.L., Dawson, P.A., Newman, T.C. and Rudel, L.L.: Apolipoprotein E synthesis in peripheral tissues of nonhuman primates. *J. Biol. Chem.*, 260 (1985) 2444-2451.
- 1094 Windmueller, H.G. and Spaeth, A.E.: Regulated biosynthesis and divergent metabolism of three forms of hepatic apolipoprotein B in the rat. *J. Lipid Res.*, 26 (1985) 70-81.
- 1095 Witztum, J.L., Young, S.G., Elam, R.L., Carew, T.E. and Fisher, M.: Cholestyramine-induced changes in low density lipoprotein composition and metabolism. I. Studies in the guinea pig. *J. Lipid Res.*, 26 (1985) 92-103.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

See 1078.

18b. Peptides and peptidic and proteinous hormones

- 1096 Couvineau, A. and Laburthe, M.: The rat liver vasoactive intestinal peptide binding site. Molecular characterization by covalent cross-linking and evidence for differences from the intestinal receptor. *Biochem. J.*, 225 (1985) 473-479.
- 1097 Fahr, A., Lauffer, L., Schmidt, D., Heyn, M.P. and Hucho, P.: Covalent labeling of functional states of the acetylcholine receptor. Effects of antagonists on the receptor conformation. *Eur. J. Biochem.*, 147 (1985) 483-487.
- 1098 Haro, L.S. and Talamantes, F.J.: Protein hormones: Detection and extraction of functional forms from alkaline polyacrylamide gels. *J. Biochem. Biophys. Methods*, 10 (1984) 173-179; *C.A.*, 102 (1985) 90203v.
- 1099 Miyakawa, T., Tabata, M., Tsuchiya, E. and Fukui, S.: Biosynthesis and secretion of tremorgen A-10, a polyisoprenyl peptide mating pheromone of *Tremella mesenterica*. *Eur. J. Biochem.*, 147 (1985) 489-493.
- 1100 Ransom, J.H., Evans, C.H., McCabe, R.P., Pomato, N., Heinbaugh, J.A., Chin, M. and Hanna, M.G., Jr.: Leukoregulin, a direct-acting anticancer immunological hormone that is distinct from lymphotoxin and interferon. *Cancer Res.*, 45 (1985) 851-862.
- 1101 Smal, J., Closset, J., Hennen, G. and de Meyts, P.: Receptor-binding and down-regulatory properties of 22000-M_r human growth hormone and its natural 20000-M_r variant on IM-9 human lymphocytes. *Biochem. J.*, 225 (1985) 283-289.

See also 1069, 1072, 1073, 1154.

18c. General techniques of elucidation of structure of proteins

- 1102 Cirotto, C., Allegrucci, M., Cartechini, M.G., Compagnucci, P., Santeusano, F. and Bolli, G.: Improved column-chromatographic isolation of glycosylated hemoglobin S. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 631-633.
- 1103 Glotov, B.O., Nikolaev, L.G., Dashkevich, V.K. and Barbashov, S.F.: Histone crosslinking patterns indicate dynamic binding of histone H1 in chromatin. *Biochim. Biophys. Acta*, 824 (1985) 185-193.
- 1104 Wilton, S.D., Crocker, L.A. and Rogers, G.E.: Isolation and characterization of keratin mRNA from the scale epidermis of the embryonic chick. *Biochim. Biophys. Acta*, 824 (1985) 201-208.

19. PROTEINS

19a. General techniques

- 1105 Amess, R., Fox, J.E. and Spragg, P.S.: Reducing background interference in silver stained two-dimensional polyacrylamide gels. *Electrophoresis (Weinheim)*, 6 (1985) 186-188.
- 1106 Chen, X.C., Kasai, H. and Okuyama, T.: (Electrophoretic elution of Coomassie-Blue stained protein from polyacrylamide gels and its chromatographic analysis). *Bunseki Kagaku*, 34 (1985) 137-142.
- 1107 Dernick, R., Wiegers, K.J. and Kuck, U.: Multidimensional electrophoresis of proteins. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 977-982; *C.A.*, 102 (1985) 109272r.
- 1108 Gersten, D.M., Zapolski, E.J. and Ledley, R.S.: Rapid mechanical versus conventional acid fixation in electrophoresis. *Electrophoresis (Weinheim)*, 6 (1985) 191-192.
- 1109 Goldschmidt-Clermont, P.J., Galbraith, R.M., Emerson, D.L., Nel, A.E., Werner, P.A.M. and Lee, W.M.: Effects of ligand binding upon measurement of Ge by rocket immunoelectrophoresis: Implications for protein determination and for studies of protein/ligand interactions. *Electrophoresis (Weinheim)*, 6 (1985) 155-161.
- 1110 Heukeshoven, J. and Dernick, R.: Simplified method for silver staining of proteins in polyacrylamide gels and the mechanism of silver staining. *Electrophoresis (Weinheim)*, 6 (1985) 103-112.
- 1111 Kadoy, T., Fukumoto, K., Manabe, T. and Okuyama, T.: (High performance-multisample analysis of proteins by micro-slab polyacrylamide gel electrophoresis). *Bunseki Kagaku*, 34 (1985) 151-156.
- 1112 Matsushashi, S., Arai, Y., Mukai, T. and Hori, K.: A simple method for quantitative analysis of protein in spots separated by two-dimensional polyacrylamide gel electrophoresis and its applications. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 965-968; *C.A.*, 102 (1985) 109270p.
- 1113 Westermann, R.: Simple drying of polyacrylamide gels for fluorography and storage. *Electrophoresis (Weinheim)*, 6 (1985) 136-137.

See also 1054.

19b. Proteins of cells, viruses and subcellular particles

- 1114 Chakrabarty, S., Jan, Y., Miller, Ch.A. and Brattain, M.G.: Selective protein phosphorylation in heterogeneous subpopulations of human colon carcinoma cells. *Cancer Res.*, 45 (1985) 743-750.
- 1115 Chu, F.-F. and Doyle, D.: Turnover of plasma membrane proteins in rat hepatoma cells primary cultures of rat hepatocytes. *J. Biol. Chem.*, 260 (1985) 3097-3107.
- 1116 Heukeshoven, J. and Dernick, R.: Reversed-phase high-performance liquid chromatography of virus proteins and other hydrophobic proteins. *Chromatographia*, 19 (1984) 95-100.
- 1117 Horisberger, M.A. and Hochkeppel, H.K.: An interferon-induced mouse protein involved in the mechanism of resistance to influenza viruses. Its purification to homogeneity and characterization by polyclonal antibodies. *J. Biol. Chem.*, 260 (1985) 1730-1733.

- 1118 Ikigai, H., Nakae, T. and Kato, Y.: Analysis of membrane proteins by ion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 322 (1985) 212-219.
- 1119 Inui, M., Kadoma, M. and Tada, M.: Purification and characterization of phospholamban from canine cardiac sarcoplasmic reticulum. *J. Biol. Chem.*, 260 (1985) 3708-3715.
- 1120 Isberg, R.R. and Syvanen, M.: Compartmentalization of the proteins encoded by IS50R. *J. Biol. Chem.*, 260 (1985) 3645-3651.
- 1121 Kessler, M.A. and de Luca, H.F.: The action of $\alpha,25$ -dihydroxyvitamin D₃ on rat small intestine: changes in translatable mRNA species. *Arch. Biochem. Biophys.*, 236 (1985) 17-25.
- 1122 Kohno, M.: Diverse mitogenic agents induce rapid phosphorylation of a common set of cellular proteins at tyrosine in quiescent mammalian cells. *J. Biol. Chem.*, 260 (1985) 1771-1779.
- 1123 Marks, M.E., Zieber, B.L. and Brattain, M.G.: Cell surface features associated with differentiation-induction of methylcholanthrene-transformed AKR-2B fibroblasts by N,N-dimethylformamide. *Cancer Res.*, 45 (1985) 1276-1284.
- 1124 Morton, P.A. and Steiner, S.M.: Extracellular and cellular proteins of rat cells with O-glycosidically linked fucose. *Biochem. J.*, 225 (1985) 59-65.
- 1125 Olson, E.N., Towler, D.A. and Glaser, L.: Specificity of fatty acid acylation of cellular proteins. *J. Biol. Chem.*, 260 (1985) 3784-3790.
- 1126 Penin, F., Godinot, C. and Gautheron, D.C.: Two dimensional anionic-cationic detergents polyacrylamide gel electrophoresis: a new strategy in the separation of membrane proteins. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1017-1020; *C.A.*, 102 (1985) 109273s.
- 1127 Rudd, C.E., Bodmer, J.G., Bodmer, W.F. and Crumpton, M.J.: HLA-D region antigen-associated invariant polypeptides as revealed by two-dimensional gel analysis. Glycosylation and structural inter-relationships. *J. Biol. Chem.*, 260 (1985) 1927-1936.
- 1128 Settleman, J., Nolan, J. and Angeletti, R.H.: Chromogranin, an integral membrane protein. *J. Biol. Chem.*, 260 (1985) 1641-1644.
- 1129 Skubitz, K.M. and August, J.T.: Characterization of cell surface glycoproteins recognized by the granulocyte-specific monoclonal antibody, ARN-1. *Arch. Biochem. Biophys.*, 238 (1985) 263-271.
- 1130 Staeheli, P., Dreiding, P., Haller, O. and Lindenmann, J.: Polyclonal and monoclonal antibodies to the interferon-inducible protein Mx of influenza virus-resistant mice. *J. Biol. Chem.*, 260 (1985) 1821-1825.
- 1131 Svensson, P., Schröder, W., Akerlund, H.-E. and Albertsson, P.-A.: Fractionation of thylakoid membrane components by extraction in aqueous polymer two-phase systems containing detergent. *J. Chromatogr.*, 323 (1985) 363-372.
- 1132 Trevillyan, J.M., Perisic, O., Traugh, J.A. and Byus, C.V.: Insulin- and phorbol ester-stimulated phosphorylation of ribosomal protein S6. *J. Biol. Chem.*, 260 (1985) 3041-3044.

See also 1211, 1230.

19c. Microbial and plant proteins

- 1133 Gatenhouse, J.A., Gilroy, J., Hoque, M.S. and Croy, R.R.D.: Purification, properties and amino acid sequence of a low-M_r abundant seed protein from pea (*Pisum sativum* L.). *Biochem. J.*, 225 (1985) 239-247.
- 1134 Lovett, C.M., Jr. and Roberts, J.W.: Purification of a RecA protein analogue from *Bacillus subtilis*. *J. Biol. Chem.*, 260 (1985) 3305-3313.
- 1135 O'Kane, D.J. and Lee, J.: Physical characterization of lumazine proteins from *Photobacterium*. *Biochemistry*, 24 (1985) 1484-1488.
- 1136 Robert, L.S., Nozzolillo, C. and Altosaar, I.: Homology between legumin-like polypeptides from cereals and pea. *Biochem. J.*, 226 (1985) 847-852.
- 1137 Smith, D.B.: Characterization of cereal varieties by electrophoresis of endosperm proteins. *Anal. Proc.*, 21 (1984) 479-482; *C.A.*, 102 (1985) 94367z.
- 1138 Utsumi, S. and Kinsella, J.E.: Structure-function relationships in food proteins: subunit interactions in heat-induced gelation of 7S, 11S, and soy isolate proteins. *J. Agric. Food Chem.*, 33 (1985) 297-303.

See also 1076, 1191, 1197, 1198, 1201, 1219.

19d. *Proteins of blood, serum and blood cells*

- 1139 Berthold, W., Merk, W. and Adolf, G.R.: Immunoassay for the quantitation of human leukocyte interferon. *Arzneim.-Forsch.*, 35 (1985) 364-369.
- 1140 Blair Zajdel, M.E., Barker, M.D., Dixon, S.C. and Blair, G.E.: The use of monoclonal antibodies to study the proteins specified by the transforming region of human adenoviruses. *Biochem. J.*, 225 (1985) 649-655.
- 1141 Bonewald, L., Virella, G. and Wang, A.-C.: Evidence for the biconal nature of a Waldenstrom's macroglobulinemia. *Clin. Chim. Acta*, 146 (1985) 53-63.
- 1142 Candiano, G., Ghiggeri, G.M., Delfino, G., Queirolo, C., Gianazza, E. and Righetti, P.G.: Glycosylation of human albumin in diabetes mellitus. II. Extensive *in vitro* modification by trioses and hexoses as revealed by isoelectric focusing. *Electrophoresis (Weinheim)*, 6 (1985) 118-123.
- 1143 Chiodi, F., Siden, A. and Ösby, E.: Isoelectric focusing of monoclonal immunoglobulin G, A and M followed by detection with the avidin-biotin system. (*Electrophoresis (Weinheim)*), 6 (1985) 124-128.
- 1144 Chung, T.G., Saito, A., Ogawa, H., Moriyama, A., Ohkubo, I., Sasaki, M. and Takahashi, T.: Efficient purification of human plasma β_2 -microglobulin from the haemodialysate of a patient with chronic renal failure by use of high-performance liquid chromatography. *J. Chromatogr.*, 339 (1985) 67-74.
- 1145 Cockle, S.A. and Young, N.M.: The thiol groups of mouse immunoglobulin A. Incomplete formation of the C α 1-domain disulphide bridge. *Biochem. J.*, 225 (1985) 113-125.
- 1146 Dott, C.S., Howard, A. and Ansell, B.M.: The visualization and characterization of two immunological forms of alpha 2 macroglobulin by immunoelectrophoretic methods. *Clin. Chim. Acta*, 146 (1985) 157-166.
- 1147 Feld, R.D.: Probable myocardial infarction in a 14-year-old boy. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 480-481.
- 1148 Fish, W.W., Danielsson, A., Nordling, K., Miller, S.H., Lam, C.F. and Björk, I.: Denaturation behaviour of antithrombin in guanidinium chloride. Irreversibility of unfolding caused by aggregation. *Biochemistry*, 24 (1985) 1510-1517.
- 1149 Gerhard, M.D., DiGirolamo, P.M. and Hitchcock-DeGregori, S.E.: Isolation and characterization of a tropomyosin binding protein from human blood platelets. *J. Biol. Chem.*, 260 (1985) 3221-3227.
- 1150 Gribaudo, G., Cofano, F., Gandino, L., Cavallo, G. and Landolfo, S.: Electrophoretic mobility of mouse immune (γ) interferon produced by a cloned T-cell lymphoma. *Microbiologica*, 7 (1984) 309-313; *C.A.*, 102 (1985) 111192h.
- 1151 Hajjar, K.A.: Structural and functional analysis of spectrin from neonatal erythrocytes. *Biochim. Biophys. Acta*, 827 (1985) 460-465.
- 1152 Kamboh, M.I.: Heterogeneity of factor XIII_B: A new method for the determination of factor XIII_B phenotypes by isoelectric focusing in 6M urea. *Electrophoresis (Weinheim)*, 6 (1985) 185-186.
- 1153 Kruithof, E.K.O., Schleuning, W.-D. and Bachmann, F.: Human tissue-type plasminogen activator. Production in continuous serum-free cell culture and rapid purification. *Biochem. J.*, 226 (1985) 631-636.
- 1154 Lambert, M., Svoboda, M., Furnelle, J. and Christophe, J.: Solubilization from rat pancreatic plasma membranes of a cholecystokinin (CCK) agonist-receptor complex interacting with guanine nucleotide regulatory proteins coexisting in the same macromolecular system. *Eur. J. Biochem.*, 147 (1985) 611-617.
- 1155 Lawson, G.M., Katzmann, J.A., Kimlinger, T.K. and O'Brien, J.F.: Isolation and preliminary characterization of a monoclonal antibody that interacts preferentially with the liver isoenzyme of human alkaline phosphatase. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 381-385.
- 1156 Lawler, J., Derick, L.H., Connolly, J.E., Chen, J.-H. and Chao, F.C.: The structure of human platelet thrombospondin. *J. Biol. Chem.*, 260 (1985) 3762-3772.
- 1157 Leonard, W.J., Depper, J.M., Krönke, M., Robb, R.J., Waldmann, T.A. and Greene, W.C.: The human receptor for T-cell growth factor. Evidence for variable post-translational processing, phosphorylation, sulfation, and the ability of precursor forms of the receptor to bind T-cell growth factor. *J. Biol. Chem.*, 260 (1985) 1872-1880.
- 1158 Okada, M., Blombäck, B., Chang, M. and Horowitz, B.: Fibronectin and fibrin gel structure. *J. Biol. Chem.*, 260 (1985) 1811-1820.

- 1159 Pasternack, G.R., Anderson, R.A., Leto, T.L. and Marchesi, V.T.: Interactions between protein 4.1 and band 3. An alternative binding site for an element of the membrane skeleton. *J. Biol. Chem.*, 260 (1985) 3676-3683.
- 1160 Per, S.R., Abruzzo, J.L. and Heimer, R.: Analysis of immune complexes by two-dimensional gel electrophoresis. *Clin. Immunol. Immunopathol.*, 34 (1985) 165-173; *C.A.*, 102 (1985) 111023d.
- 1161 Riches, P.G., Wlaker, S.A., Plebani, A. and Porta, G.: The use of monoclonal subclass-specific antibodies in the investigation of IgG paraproteins in human serum. *Clin. Chim. Acta*, 146 (1985) 207-213.
- 1162 Snow, P.M., Coligan, J.E. and Terhorst, C.: Analysis of the structure of the human T cell surface antigen T8 by limited proteolysis and chemical cleavage. *J. Biol. Chem.*, 260 (1985) 2700-2708.
- 1163 Thomas, J.W., Virta, V.J. and Nell, L.J.: Heterogeneity and specificity of human anti-insulin antibodies determined by isoelectric focusing. *J. Immunol.*, 134 (1985) 1048-1052; *C.A.*, 102 (1985) 94090d.
- 1164 Thorstenson, R., Sterky, C. and Norberg, R.: Preparation of highly purified F-actin-depolymerizing factor of human serum. *Eur. J. Biochem.*, 147 (1985) 637-640.
- 1165 Wong, L.T., Xu, Z.J. and Hsia, C.J.C.: Simple purification procedure of rat α -fetoprotein by a combination of Cibacron Blue gel affinity chromatography and anion-exchange high-performance liquid chromatography. *J. Chromatogr.*, 338 (1985) 410-416.

See also 1193, 1212, 1290.

19e. Structural and muscle proteins

- 1166 Banks-Schlegel, S.P., Gazdar, A.F. and Harris, C.C.: Intermediate filament and cross-linked envelope expression in human lung tumor cell lines. *Cancer Res.*, 45 (1985) 1187-1197.
- 1167 Bonadio, J., Holbrock, K.A., Gelinas, R.E., Jacob, J. and Byers, P.H.: Altered triple helical structure of type I procollagen in lethal perinatal osteogenesis imperfecta. *J. Biol. Chem.*, 260 (1985) 1734-1742.
- 1168 Burke, M. and Kamalakannan, V.: Effect of tryptic cleavage on the stability of myosin subfragment 1. Isolation and properties of the severed heavy-chain subunit. *Biochemistry*, 24 (1985) 846-852.
- 1169 DeClerck, Y.A., Bogenmann, E. and Jones, P.A.: Collagen synthesis by short-term explants of pediatric tumors. *Cancer Res.*, 45 (1985) 1229-1238.
- 1170 Dunn, M.J., Burghes, A.H.M., Witkowski, J.A. and Dubowitz, V.: Analysis of genetic muscle disorders by two-dimensional electrophoresis. *Protides Biol. Fluids*, 32 (1984, Publ. 1985) 973-976; *C.A.*, 102 (1985) 109271q.
- 1171 Grace, M.P., Kim, K.H., True, L.D. and Fuchs, E.: Keratin expression in normal esophageal epithelium and squamous cell carcinoma of the esophagus. *Cancer Res.*, 45 (1985) 841-846.
- 1172 Grant, W.T., Sussman, M.D. and Balian, G.: A disulfide-bonded short chain collagen synthesized by degenerative and calcifying zones of bovine growth plate cartilage. *J. Biol. Chem.*, 260 (1985) 3798-3803.
- 1173 Heeley, D.H., Dhoot, G.K. and Perry, S.V.: Factors determining the subunit composition of tropomyosin in mammalian skeletal muscle. *Biochem. J.*, 226 (1985) 461-468.
- 1174 Horn, J.C. and Speakman, P.T.: Reduced polypeptides from Lincoln wool: sodium dodecyl sulfate/polyacrylamide-gel electrophoresis, isoelectric focusing and two-dimensional electrophoresis. *Biochem. Soc. Trans.*, 13 (1985) 241-242; *C.A.*, 102 (1985) 115011w.
- 1175 Kent, M.J.C., Light, N.D. and Bailey, A.J.: Evidence for glucose-mediated covalent cross-linking of collagen after glycosylation *in vitro*. *Biochem. J.*, 225 (1985) 745-752.
- 1176 Kranias, E.G., Garvey, J.L., Srivastava, R.D. and Solaro, R.J.: Phosphorylation and functional modifications of sarcoplasmic reticulum and myofibrils in isolated rabbit hearts stimulated with isoprenaline. *Biochem. J.*, 226 (1985) 113-121.
- 1177 Lorand, L., Conrad, S.M. and Velasco, P.T.: Formation of a 55000-weight cross-linked β crystallin dimer in the Ca^{2+} -treated lens. A model for cataract. *Biochemistry*, 24 (1985) 1525-1531.

- 1178 Millis, A.J.T., Hoyle, M., Reich, E. and Mann, D.M.: Isolation and characterization of a M_r 38,000 protein from differentiating smooth muscle cells. *J. Biol. Chem.*, 260 (1985) 3754-3761.
- 1179 Mornet, D. and Ue, K.: Incorporation of 6-carboxyfluorescein into myosin subfragment 1. *Biochemistry*, 24 (1985) 840-846.
- 1180 O'Driscoll, S.W., Salter, R.B. and Keeley, F.W.: A method for quantitative analysis of ratios of types I and II collagen in small samples of articular cartilage. *Anal. Biochem.*, 145 (1985) 277-285.
- 1181 Risnik, V.V., Verin, A.D. and Gusev, N.B.: Comparison of the structure of two cardiac troponin T isoforms. *Biochem. J.*, 225 (1985) 549-552.
- 1182 Sobieszek, A.: Phosphorylation reaction of vertebrate smooth muscle myosin: an enzyme kinetic analysis. *Biochemistry*, 24 (1985) 1266-1274.
- 1183 Stapel, S.O., Zweers, A., Dodemont, H.J., Kan, J.H. and de Jong, W.W.: ϵ -Crystallin, a novel avian and reptilian eye lens protein. *Eur. J. Biochem.*, 147 (1985) 129-136.
- 1184 Stolle, C.A., Pyeritz, R.E., Myers, J.C. and Prockop, D.J.: Synthesis of an altered type III procollagen in a patient with type IV Ehlers-Danlos syndrome. A structural change in the $\alpha 1$ (III) chain which makes the protein more susceptible to proteinases. *J. Biol. Chem.*, 260 (1985) 1937-1944.
- 1185 Strzelecka-Golaszewska, H., Zmorzynski, S. and Mossakowska, M.: Bovine aorta actin. Development of an improved purification procedure and comparison of polymerization properties with actins from other types of muscle. *Biochim. Biophys. Acta*, 828 (1985) 13-21.
- 1186 Taylor, C.M. and Grant, M.E.: Assembly of chick and bovine lens-capsule collagen. *Biochem. J.*, 226 (1985) 527-536.
- 1187 Tyler, J.A.: Chondrocyte-mediated depletion of articular cartilage proteoglycans *in vitro*. *Biochem. J.*, 225 (1985) 493-507.
- 1188 Vincent, N.D. and Cummins, P.: Isolation of cardiac myosin light-chain isotypes by chromatofocusing. Comparison of human cardiac atrial light-chain 1 and foetal ventricular light-chain 1. *Eur. J. Biochem.*, 148 (1985) 135-143.

See also 1111.

19f. Protamines, histones and other nuclear proteins

- 1189 Bouchonneau, M., Durand, J.P., London, J. and Pieri, J.: Two-dimensional gel electrophoresis of low mobility group non-histone proteins from myeloma cells. *Electrophoresis (Weinheim)*, 6 (1985) 179-184.
- 1190 Cote, S., Neelin, J.M. and Pallotta, D.: High mobility group like chromosomal proteins from amoebas of the acellular slime mold *Physarum polycephalum*. *Biochemistry*, 24 (1985) 1806-1812.
- 1191 Czupryn, M. and Toczko, K.: Lack of nucleosomal structure in a DNase-I-solubilized transcriptionally active chromatin fraction of *Physarum polycephalum*. *Eur. J. Biochem.*, 147 (1985) 575-580.
- 1192 Glass, W.F., Briggs, J.A., Meredith, M.J., Briggs, R.C. and Hnilica, L.S.: Enzymatic modification of Novikoff hepatoma lamins A and C. *J. Biol. Chem.*, 260 (1985) 1895-1900.
- 1193 Hoepfner, R.W. and Muller, M.T.: Topoisomerase I is the predominant nuclear protein from avian erythrocytes that can be covalently linked to DNA. *Biochem. J.*, 226 (1985) 873-878.
- 1194 Kennedy, B.P. and Davies, P.L.: Sites of phosphorylation on the high molecular weight basic nuclear proteins of the winter flounder. *J. Biol. Chem.*, 260 (1985) 4338-4344.
- 1195 Nehls, P. and Rajewsky, M.F.: Differential formation of O⁶-ethylguanine in the DNA of rat brain chromatin fibers of different folding levels exposed to N-ethyl-N-nitrosourea *in vitro*. *Cancer Res.*, 45 (1985) 1378-1383.
- 1196 Patskan, G.J. and Baxter, C.S.: Specific stimulation by phorbol esters of the phosphorylation of histones H2B and H4 in murine lymphocytes. *Cancer Res.*, 45 (1985) 667-672.
- 1197 Rizzo, P.J., Bradley, W. and Morris, R.L.: Histones of the unicellular alga *Olisthodiscus luteus*. *Biochemistry*, 24 (1985) 1727-1732.

See also 1218.

19g. *Chromoproteins and metalloproteins*

- 1198 Bonnerot, C., Galle, A.M., Jolliot, A. and Kader, J.-C.: Purification and properties of plant cytochrome b₅. *Biochem. J.*, 226 (1985) 331-334.
- 1199 Burchell, A.: A simple method for purification of rat-hepatic microsomal cytochrome b₅. *Biochem. J.*, 226 (1985) 339-341.
- 1200 Coppenhaver, D.H., Monk, J.E. and Duffy, L.K.: Use of HPLC techniques and monoclonal antibodies in the study of Lemur hemoglobins. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 1037-1040; *C.A.*, 102 (1985) 109337r.
- 1201 Hinton, S.M. and Mortenson, L.E.: Anaerobic multiphasic gel electrophoresis of the molybdo-proteins in extracts of *Clostridium pasteurianum*. *Anal. Biochem.*, 145 (1985) 222-229.
- 1202 Koizumi, S., Otaki, N. and Kimura, M.: Evidence for more than two metallo-nitronin isoforms in primates. *J. Biol. Chem.*, 260 (1985) 3672-3675.
- 1203 North, M.L., Piffaut, M.C., Blickle, J.F. and Cottreau, P.: (Agar gel electrophoretic determination of glycosylated hemoglobin at acid pH. Value of determination of the stable fraction in routine analysis). *Pathol. Biol.*, 32 (1984) 779-784; *C.A.*, 102 (1985) 92399n.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 1204 Bergsma, J., Boelen, M.K., Duursma, A.M., Schutter, W.G., Bouma, J.M.W. and Gruber, M.: Complexes of rat α_1 -macroglobulin and subtilisin are endocytosed by parenchymal liver cells. *Biochem. J.*, 226 (1985) 75-84.
- 1205 Guevara, J., Jr., Herbert, B.H. and Lee, C.: Two-dimensional electrophoretic analysis of human prostatic fluid proteins. *Cancer Res.*, 45 (1985) 1766-1771.
- 1206 Ng Kwai Hang, K.F. and Kroeker, E.M.: Rapid separation and quantification of major caseins and whey proteins of bovine milk by polyacrylamide gel electrophoresis. *J. Dairy Sci.*, 67 (1984) 3052-3056; *C.A.*, 102 (1985) 94435v.
- 1207 Passareiro, H., Roger, P.P., Lamy, F., Lecocq, R., Dumont, J.E. and Nunez, J.: Thyrotropin modifies the synthesis of actin and other proteins during thyroid cell culture. *Eur. J. Biochem.*, 147 (1985) 263-272.

See also 1209.

19i. *Proteins of neoplastic tissue*

- 1208 Beach, R.L., Rao, J.S. and Festoff, B.W.: Extracellular-matrix synthesis by skeletal muscle in culture. Major secreted collagenous proteins of clonal myoblasts. *Biochem. J.*, 225 (1985) 619-627.
- 1209 Starling, J.J. and Wright, G.L., Jr.: Disulfide bonding of a human prostate tumor-associated membrane antigen recognized by monoclonal antibody D83.21. *Cancer Res.*, 45 (1985) 804-808.

See also 1114, 1115, 1124, 1166, 1169, 1171, 1192, 1241.

19j. *Specific binding proteins*

- 1210 Angulo, J.A. and Krateow, J.S.: Effect of deoxyribopolymers and ribopolymers on the sensitivity of the cyclic-AMP receptor protein of *Escherichia coli* to proteolytic attack. *Arch. Biochem. Biophys.*, 236 (1985) 11-16.
- 1211 Baumann, E.A.: DNA-binding properties of phosphorylated and dephosphorylated D2-T antigen, a simian-virus-40 T-antigen-related protein. *Eur. J. Biochem.*, 147 (1985) 495-501.
- 1212 Beale, D. and Hopley, J.G.: Fragmentation and reduction of bovine secretory component. Preparation of a biologically active fragment and some evidence for a multiple-domain structure. *Biochem. J.*, 226 (1985) 661-667.
- 1213 Cheng, C.Y., Musto, N.A., Gunsalus, G.L. and Bardin, C.W.: The role of the carbohydrate moiety on the size heterogeneity and immunologic determinants of human testosterone-estradiol-binding globulin. *J. Steroid Biochem.*, 22 (1985) 127-134.
- 1214 Doherty, F.J. and Mayer, R.J.: Degradation of erythrocyte-microinjected and scrape-loaded homologous cytosolic proteins by 3T3-L1 cells. *Biochem. J.*, 226 (1985) 685-695.

- 1215 Gazzano, H., Halban, P., Prentki, M., Ballotti, R., Brandenburg, D., Fehlmann, M. and Van Obberghen, E.: Identification of functional insulin receptors on membranes from an insulin-producing cell line (RINm5F). *Biochem. J.*, 226 (1985) 867-872.
- 1216 Gerke, V. and Weber, K.: Calcium-dependent conformational changes in the 36-kDa subunit of intestinal protein I related to the cellular 36-kDa target of Rous sarcoma virus tyrosine kinase. *J. Biol. Chem.*, 260 (1985) 1688-1695.
- 1217 Giedroc, D.P., Keravis, T.M., Staros, J.V., Ling, N., Wells, J.N. and Puett, D.: Functional properties of covalent β -endorphin peptide/calmodulin complexes. Chlorpromazine binding and phosphodiesterase activation. *Biochemistry*, 24 (1985) 1203-1211.
- 1218 Kautiainen, T.L. and Jones, P.A.: Effects of DNA binding proteins on DNA methylation *in vitro*. *Biochemistry*, 24 (1985) 1193-1196.
- 1219 Khanaka, H., Laine, B., Sautiere, P. and Guillaume, J.: Characterization and primary structures of DNA-binding HU-type proteins from *Rhizobiaceae*. *Eur. J. Biochem.*, 147 (1985) 343-349.
- 1220 Lubahn, D.B., McCarty, K.S., Jr. and McCarty, K.S., Sr.: Electrophoretic characterization of purified bovine, porcine, murine, rat, and human uterine estrogen receptors. *J. Biol. Chem.*, 260 (1985) 2515-2526.
- 1221 Massague, J. and Like, B.: Cellular receptors for type β transforming growth factor. Ligand binding and affinity labeling in human and rodent cell lines. *J. Biol. Chem.*, 260 (1985) 2636-2645.
- 1222 Molla, A., Capony, J.P. and Demaille, J.G.: Cardiac sarcoplasmic-reticulum calmodulin-binding proteins. Modulation of calmodulin binding to phospholamban by phosphorylation. *Biochem. J.*, 226 (1985) 859-865.
- 1223 Von Figura, K., Gieselmann, V. and Hasilik, A.: Mannose 6-phosphate-specific receptor is a transmembrane protein with a C-terminal extension oriented towards the cytosol. *Biochem. J.*, 225 (1985) 543-547.
- 1224 Waisman, D.M., Salimath, B.P. and Anderson, M.J.: Isolation and characterization of CAB-63, a novel calcium-binding protein. *J. Biol. Chem.*, 260 (1985) 1652-1660.

See also 1075, 1101, 1149, 1153, 1157, 1158, 1202.

19k. Urinary proteins

- 1225 Beilby, J.P., Chin, C., Garcia-Webb, P. and Bhagat, C.I.: An albumin dimer in urine. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 478-479.
- 1226 Falck, F.Y., Jr., Keren, D.F., Fine, L.J., Smith, R.G., McClatchey, K.D., England, B. and Annesley, T.: Protein excretion patterns in cadmium-exposed individuals: high resolution electrophoresis. *Arch. Environ. Health*, 39 (1984) 69-73; *C.A.*, 102 (1985) 90926h.
- 1227 Lessard, F., Bannon, P., Lepage, R. and Joly, J.-G.: Light chain disease and massive proteinuria. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 475-477.

19l. Other proteins

- 1228 Dupuis, A., Lunardi, J., Issartel, J.-P. and Vignais, P.V.: Interactions between the oligomycin sensitivity conferring protein (OSCP) and beef heart mitochondrial F_1 -ATPase. 2. Identification of the interacting F_1 subunits by cross-linking. *Biochemistry*, 24 (1985) 734-739.
- 1229 Fujibayashi, S. and Wenger, D.A.: Studies on a sphingolipid activator protein (SAP-2) in fibroblasts from patients with lysosomal storage diseases, including Niemann-Pick disease Type C. *Clin. Chim. Acta*, 146 (1985) 147-156.
- 1230 Kadowaki, T., Fujita-Yamaguchi, Y., Nishida, E., Takaku, F., Akiyama, T., Kathuria, S., Akanuma, Y. and Kasuga, M.: Phosphorylation of tubulin and microtubule-associated proteins by the purified insulin receptor kinase. *J. Biol. Chem.*, 260 (1985) 4016-4020.
- 1231 Quackenbush, E.J., Cruz, T.F., Moscarello, M.A. and Letarte, M.: Identification of three antigens in human brain associated with similar antigens on human leukaemic cells. *Biochem. J.*, 225 (1985) 291-299.
- 1232 Shelley, S.A., Paciga, J.E., Lowell, N.E. and Balis, J.U.: Immunologically related multimeric forms of 30-40 kDa peptides associated with lung surfactant in various mammalian species. *Biochim. Biophys. Acta*, 839 (1985) 50-56.

- 1233 Walsh, M.J. and Tourtelotte, W.W.: New proteins unique to cerebrospinal fluid identified by two-dimensional electrophoresis. *Protides Biol. Fluids*, 32 (1984, Pub. 1985) 961-963; *C.A.*, 102 (1985) 109269v.

See also 1177, 1303.

20. ENZYMES

- 1234 Kobayashi, M., Hiura, N. and Matsuda, K.: Isolation of enzymes from polyacrylamide disk gels by a centrifugal homogenization method. *Anal. Biochem.*, 145 (1985) 351-353.

20a. Oxidoreductases

- 1235 Antoun, G.R. and Williamson, D.G.: Age-dependent changes in the multiple forms of the soluble 17 β -hydroxysteroid dehydrogenase of female rabbit liver. *Biochem. J.*, 225 (1985) 391-398.
- 1236 Antoun, G.R., Brglez, I. and Williamson, D.G.: A 17 β -hydroxysteroid dehydrogenase of female rabbit liver cytosol. Purification and characterization of multiple forms of the enzyme. *Biochem. J.*, 225 (1985) 383-390.
- 1237 Chaudhuri, S. and Coggins, J.R.: The purification of shikimate dehydrogenase from *Escherichia coli*. *Biochem. J.*, 226 (1985) 217-223.
- 1238 Creaser, E.H., Porter, R.L., Britt, K.A., Pateman, J.A. and Doy, C.H.: Purification and preliminary characterization of alcohol dehydrogenase from *Aspergillus nidulans*. *Biochem. J.*, 225 (1985) 449-454.
- 1239 De Marcucci, O.L., Hunter, A. and Lindsay, J.G.: Low immunogenicity of the common lipoamide dehydrogenase subunit (E3) of mammalian pyruvate dehydrogenase and 2-oxoglutarate dehydrogenase multienzyme complexes. *Biochem. J.*, 226 (1985) 509-517.
- 1240 De Rijke, D. and Trienekens, P.H.: Variant expression of lactate dehydrogenase complexes, interfering with isoenzyme analysis. *Clin. Chim. Acta*, 146 (1985) 135-145.
- 1241 Dedhar, S., Hartley, D. and Goldie, J.H.: Increased dihydrofolate reductase activity in methotrexate-resistant human promyelocytic-leukaemia (HL-60) cells. Lack of correlation between increased activity and overproduction. *Biochem. J.*, 225 (1985) 609-617.
- 1242 DiSpirito, A., Taaffe, L.R., Lipscomb, J.D. and Hooper, A.B.: A "blue" copper oxidase from *Nitrosomonas europaea*. *Biochim. Biophys. Acta*, 827 (1985) 320-326.
- 1243 Ferl, R.J.: Discontinuities in the topography of alcohol dehydrogenase-sodium dodecyl sulphate complexes revealed by mutagenesis and proteolysis. *Biochem. J.*, 226 (1985) 853-858.
- 1244 Hirano, K.: (A method for the determination of LDH isoenzyme by electrophoresis on Separax). *Eisei Kansa*, 33 (1984) 844-847; *C.A.*, 102 (1985) 108549z.
- 1245 Manchenko, G.P.: Nonfluorescent negative stain for alanopine dehydrogenase activity on starch gels. *Anal. Biochem.*, 145 (1985) 308-310.
- 1246 McHugh, E.M., McGee, R., Jr. and Fleming, P.J.: Sulfation and constitutive secretion of dopamine β -hydroxylase from rat pheochromocytoma (PC12) cells. *J. Biol. Chem.*, 260 (1985) 4409-4417.
- 1247 Müller-Enoch, D., Dannan, G.A., Rudolf, B. and Friedl, H.-P.: Induction of cytochrome P-450 isozymes in liver microsomes of rats treated with the cardiotoxic agent sulmazole. *Arzneim.-Forsch.*, 35 (1985) 698-703.
- 1248 Mutsaers, J.H.G.M., van Halbeek, H., Kamerling, J.P. and Vliegthart, J.F.G.: Determination of the structure of the carbohydrate chains of prostaglandin endoperoxide synthase from sheep. *Eur. J. Biochem.*, 147 (1985) 569-574.
- 1249 Pođlasek, S.J., McPherson, R.A. and Threatte, G.A.: Specificity of autoantibodies to lactate dehydrogenase isoenzyme subunits. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 527-532.
- 1250 Puettner, I., Carafoli, E. and Malatesta, F.: Spectroscopic and functional properties of subunit III-depleted cytochrome oxidase. *J. Biol. Chem.*, 260 (1985) 3719-3723.
- 1251 Stapleton, S.R. and Porter, J.W.: Purification of nucleotide-requiring enzymes by immunoaffinity chromatography. *Biochem. J.*, 226 (1985) 653-659.

- 1252 Sullivan, D.T., Carroll, W.T., Kanik-Ennulat, C.L., Hitti, Y.S., Lovett, J.A. and von Kalm, L.: Glyceraldehyde-3-phosphate dehydrogenase from *Drosophila melanogaster*. Identification of two isozymic forms encoded by separate genes. *J. Biol. Chem.*, 260 (1985) 4345-4350.
- 1253 Verduyn, C., van Kleef, R., Frank, J., Schreuder, H., van Dijken, J.P. and Scheffers, W.A.: Properties of the NAD(P)H-dependent xylose reductase from the xylose-fermenting yeast *Pichia stipitis*. *Biochem. J.*, 226 (1985) 669-677.

See also 1164.

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 1254 Fujiki, Y., Rachubinski, R.A., Mortensen, R.M. and Lazarow, P.B.: Synthesis of 3-ketoacyl-CoA thiolase of rat liver peroxisomes on free polyribosomes as a larger precursor. Induction of thiolase mRNA activity by clofibrate. *Biochem. J.*, 226 (1985) 697-704.
- 1255 Gundlach, M.W. and Conrad, H.E.: Glycosyl transferases in chondroitin sulphate biosynthesis. Effect of acceptor structure on activity. *Biochem. J.*, 226 (1985) 705-714.
- 1256 Harper, D.B. and Kennedy, J.P.: Purification and properties of S-adenosyl-methionine: aldoxime O-methyltransferase from *Pseudomonas* sp. N.C.I.B. 11652. *Biochem. J.*, 226 (1985) 147-153.
- 1257 Schimandle, C.M., Tanigoshi, L., Mole, L.A. and Sherman, I.W.: Purine nucleoside phosphorylase of the malarial parasite, *Plasmodium lophurae*. *J. Biol. Chem.*, 260 (1985) 4455-4460.
- 1258 Sliwkowski, M.X. and Stadtman, T.C.: Incorporation and distribution of selenium into thiolase *Clostridium kluyveri*. *J. Biol. Chem.*, 260 (1985) 3140-3144.
- 1259 Theodore, C., Singh, S.V., Hong, T.D. and Awasthi, Y.C.: Glutathione S-transferases of human brain. Evidence for two immunologically distinct types of 26500-M_r subunits. *Biochem. J.*, 225 (1985) 375-382.
- 1260 Wenham, P.R., Horn, D.B. and Smith, A.F.: Multiple forms of γ -glutamyl-transferase: A clinical study. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 569-573.
- 1261 Yamaguchi, N., Sugimoto, M. and Kawai, K.: Two types of human pancreatic gamma-glutamyl transpeptidase. *Clin. Chim. Acta*, 147 (1985) 75-83.

See also 1239, 1266, 1267, 1299, 1300.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 1262 Abbott, L.B. and van Lente, F.: Procedure for characterization of creatine kinase variants on agarose electrophoretograms. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 445-447.
- 1263 Barrantes, F.J., Braceras, A., Caldironi, H.A., Mieskes, G., Moser, H., Toren, E.C., Jr., Roque, M.E., Wallimann, T. and Zechel, A.: Isolation and characterization of acetylcholine receptor membrane-associated (nonreceptor V₂-protein) and soluble electrocyte creatine kinases. *J. Biol. Chem.*, 260 (1985) 3024-3034.
- 1264 Dutt, A. and Dowhan, W.: Purification and characterization of a membrane-associated phosphatidylserine synthase from *Bacillus licheniformis*. *Biochemistry*, 24 (1985) 1073-1079.
- 1265 Hayashi, T. and Tanaka, T.: Appearance of a cathodic band in the electrophoretogram of blood creatine kinase isoenzyme-MM fraction during hypoxia in rats. *Clin. Chem. (Winston-Salem, N.C.)*, 31 (1985) 533-536.
- 1266 Iynedjian, P.B., Auberger, P., Guigoz, Y. and Le Cam, A.: Pretranslational regulation of tyrosine aminotransferase and phosphoenolpyruvate carboxykinase (GTP) synthesis by glucagon and dexamethasone in adult rat hepatocytes. *Biochem. J.*, 225 (1985) 77-84.
- 1267 Jennissen, H.P., Petersen-Von Gehr, J.K.H. and Botzet, G.: Activation and inhibition of phosphorylase kinase by monospecific antibodies against preparatively isolated alpha, beta and gamma subunits. *Eur. J. Biochem.*, 147 (1985) 619-630.
- 1268 McGuinness, T.L., Lai, Y. and Greengard, P.: Ca²⁺/calmodulin-dependent protein kinase II. Isozymic forms from rat forebrain and cerebellum. *J. Biol. Chem.*, 260 (1985) 1696-1704.

- 1269 Roggen, E. and Slegers, H.: Isolation and characterization of cytoplasmic poly(A) polymerase from cryptobiotic gastrulae of *Artemia salina*. *Eur. J. Biochem.*, 147 (1985) 225-232.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 1270 Agliullina, D.G. and Lapina, L.A.: (Nuclease detection by gel electrophoresis). *Mol. Genet. Biofiz.*, 8 (1983) 111-113; *C.A.*, 102 (1985) 91766t.
- 1271 Gill, P. and Sutton, J.G.: The use of zwitterionic buffers in the separation of vaginal and seminal acid phosphatases in isoelectric focusing gels and the effect of neuraminidase treatment. *Electrophoresis (Weinheim)*, 6 (1985) 170-174.
- 1272 Goulet, P. and Picard, B.: A two-dimensional electrophoretic profile for bacterial esterases. *Electrophoresis (Weinheim)*, 6 (1985) 133-135.
- 1273 McMurray, M.M., Hansen, J.S., Haley, B.E., Takemoto, D.J. and Takemoto, L.J.: Interspecies conservation of retinal guanosine 5'-triphosphatase. Characterization of photoaffinity labelling and tryptic-peptide mapping. *Biochem. J.*, 225 (1985) 227-232.
- 1274 Münz, M. and von Deimling, O.: Electrophoretic characterization of esterase-19 (ES-19), a new arylesterase of the house mouse (*Mus musculus*). *Electrophoresis (Weinheim)*, 6 (1985) 175-178.
- 1275 Sakai, M., Saisu, H., Koshigoe, N. and Abe, T.: Detergent-soluble form of acetylcholinesterase in the electric organ of electric rays. Its isolation, characterization and monoclonal antibodies. *Eur. J. Biochem.*, 148 (1985) 197-206.
- 1276 Schönholzer, F., Schweingruber, A.-M., Trachsel, H. and Schweingruber, M.E.: Intracellular maturation and secretion of acid phosphatase of *Saccharomyces cerevisiae*. *Eur. J. Biochem.*, 147 (1985) 273-279.

See also 1058, 1299-1301, 1307.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 1277 Beem, E.P., Goormachtig, P.F.J., Hooghwinkel, G.J.M., Lisman, J.J.W. and Overdijk, B.: Preparative isolation of the polypeptide chains of human liver β -N-acetylhexosaminidase A by fast protein liquid chromatography-ion-exchange chromatography. *J. Chromatogr.*, 323 (1985) 439-442.
- 1278 Berg, W., Gutschker-Gdaniec, G. and Schauer, R.: Fluorescent staining of sialidases in polyacrylamide gel electrophoresis and ultrathin-layer isoelectric focusing. *Anal. Biochem.*, 145 (1985) 339-342.

See also 1248.

20f. *Other hydrolases*

- 1279 Diermayr, P., Zwerger, A. and Klostermeyer, H.: (Proteolytic psychrotrophs of raw milk. 2. Differentiation by isoelectric focusing of the proteases). *Milchwissenschaft*, 40 (1985) 10-12; *C.A.*, 102 (1985) 111751q.
- 1280 Dunn, P.P.J., Slabas, A.R. and Moore, A.L.: Purification of F₁-ATPase from cuckoo-pint (*Arum maculatum*) mitochondria. *Biochem. J.*, 225 (1985) 821-824.
- 1281 Electricwala, A. and Atkinson, T.: Purification and properties of plasminogen activators from epithelial cells. *Eur. J. Biochem.*, 147 (1985) 511-516.
- 1282 Evans, C.H.: The lanthanide-enhanced affinity chromatography of clostridial collagenase. *Biochem. J.*, 225 (1985) 553-556.
- 1283 Pleschner, C.R., Kraus-Friedmann, N. and Wibert, G.J.: Phosphorylated intermediates of two hepatic microsomal ATPases. *Biochem. J.*, 226 (1985) 839-845.
- 1284 Günzler, W.A., Cramer, J., Frankus, E., Giertz, H., Kim, S.-M.A., Ötting, F., Schneider, J., Steffens, G.J., Strassburger, W., Wollmer, A. and Flohe, L.: Chemical, enzymological and pharmacological equivalence of urokinases isolated from genetically transformed bacteria and human urine. *Arzneim.-Forsch.*, 35 (1985) 652-662.
- 1285 Kohno, H. and Kanno, T.: Properties and activities of aminopeptidases in normal and nitrogen-stimulated human lymphocytes. *Biochem. J.*, 226 (1985) 59-65.

- 1286 Mantle, D., Lauffart, B., McDermott, J.R., Kidd, A.M. and Pennington, R.J.T.: Purification and characterization of two Cl⁻-activated aminopeptidases hydrolysing basic termini from human skeletal muscle. *Eur. J. Biochem.*, 147 (1985) 307-312.
- 1287 Mason, R.W., Green, G.D.J. and Barrett, A.J.: Human liver cathepsin L. *Biochem. J.*, 226 (1985) 233-241.
- 1288 Roggenkamp, R., Dargatz, H. and Hollenberg, C.P.: Precursor of β -lactamase is enzymatically inactive. Accumulation of the preprotein in *Saccharomyces cerevisiae*. *J. Biol. Chem.*, 260 (1985) 1508-1512.
- 1289 Taira, H., Mizutani, S., Kurauchi, O., Narita, O. and Tomoda, Y.: Rapid purification of human placental angiotensin I converting enzyme by captopril affinity chromatography. *J. Chromatogr.*, 339 (1985) 399-403.
- 1290 Villiers, M.-B., Thielens, N.M. and Colomb, M.G.: Soluble C3 proconvertase and convertase of the classical pathway of human complement. Conditions of stabilization *in vitro*. *Biochem. J.*, 226 (1985) 429-436.
- 1291 Werner, R.G., Appel, K.-R. and Erne, A.M.: β -Lactamases from *Bacteroides fragilis* active against oximino-cephalosporins. *Arzneim.-Forsch.*, 35 (1985) 348-350.

20g. Lyases

- 1292 Höppner, W., Süßmuth, W. and Seitz, H.J.: Effect of thyroid state on cyclic AMP-mediated induction of hepatic phosphoenolpyruvate carboxykinase. *Biochem. J.*, 226 (1985) 67-73.
- 1293 Seely, J.E., Persson, L., Sertich, G.J. and Pegg, A.E.: Comparison of ornithine decarboxylase from rat liver, rat hepatoma and mouse kidney. *Biochem. J.*, 226 (1985) 577-586.

20i. Ligases

- 1294 Holland, R., Hardie, D.G., Clegg, R.A. and Zammit, V.A.: Evidence that glucagon-mediated inhibition of acetyl-CoA carboxylase in isolated adipocytes involves increased phosphorylation of the enzyme by cyclic AMP-dependent protein kinase. *Biochem. J.*, 226 (1985) 139-145.
- 1295 Mirande, M., Lø Corre, D. and Waller, J.-P.: A complex from cultured Chinese hamster ovary cells containing nine aminoacyl-tRNA synthetases. Thermolabile leucyl-tRNA synthetase from the tsH1 mutant cell line is an integral component of this complex. *Eur. J. Biochem.*, 147 (1985) 281-289.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 1296 Eckstein, H. and Schott, H.: The use of multidimensional chromatography for the isolation of synthetic oligodeoxyribonucleotides on a preparative scale. *Chromatographia*, 19 (1984) 236-239.
- 1297 Holst, M. and Egyhazi, E.: Transport and metabolism of adenosine in relation to the transcriptional activity of hnRNA genes in *Chironomus* salivary gland cells. *Eur. J. Biochem.*, 147 (1985) 631-636.
- 1298 Schott, H.: Preparative isolation of oligodeoxynucleotides. *Chromatographia*, 19 (1984) 67-76.

21b. Nucleic acids, RNA

- 1299 Godefroy-Colburn, T., Ravelonandro, M. and Pinck, L.: Cap accessibility correlates with the initiation efficiency of alfalfa mosaic virus RNAs. *Eur. J. Biochem.*, 147 (1985) 549-552.
- 1300 Godefroy-Colburn, T., Thivent, C. and Pinck, L.: Translational discrimination between the four RNAs of alfalfa mosaic virus. A quantitative evaluation. *Eur. J. Biochem.*, 147 (1985) 541-548.
- 1301 Gurevitz, M. and Apirion, D.: The ribonuclease-III-processing site near the 5'-end of an RNA precursor of bacteriophage T4 and its effect on termination. *Eur. J. Biochem.*, 147 (1985) 581-586.

- 1302 Kindas-Mügge, I. and Sauer mann, G.: Transport of β -globin mRNA from nuclei of murine friend erythroleukemia cells. Reversible inhibition of transport by the oxidizing sulfhydryl reagent *o*-iodosobenzoate. *Eur. J. Biochem.*, 148 (1985) 49-54.
- 1303 Perret, C., Desplan, C., Brehier, A. and Thomasset, M.: Characterization of rat 9-kDa cholecalciferol (CaBP) messenger RNA using a complementary DNA. Absence of homology with 28-kDa cholecalciferol mRNA. *Eur. J. Biochem.*, 148 (1985) 61-66.
- 1304 Pichard, A.-L., Munnich, A., Meienhofer, M.-C., Vaulont, S., Simon, M.-P., Marie, J., Dreyfus, J.-C. and Kahn, A.: Characterization and metabolic regulation of a liver-specific-5.4-kilobase mRNA whose synthesis is transcriptionally induced by carbohydrates and repressed by glucagon and cyclic AMP. *Biochem. J.*, 226 (1985) 637-644.
- 1305 Tuderman, L. and Franklin, R.M.: Effect of avian osteopetrosis virus infection on cells and their collagen synthesis *in vitro*. *Eur. J. Biochem.*, 148 (1985) 169-175.
- 1306 Wang, A.L. and Wang, C.C.: A linear double-stranded RNA in *Trichomonas vaginalis*. *J. Biol. Chem.*, 260 (1985) 3697-3702.

See also 1308, 1309.

21c. Nucleic acids, DNA

- 1307 Bogenberger, J.M., Neumaier, P.S. and Fittler, F.: The Muntjak satellite IA sequence is composed of 31-base-pair internal repeats that are highly homologous to the 31-base-pair subrepeats of the bovine satellite 1.715. *Eur. J. Biochem.*, 148 (1985) 55-59.
- 1308 Bouchard, J., Bastow, K., Starnes, M.C., Prabhu, R. and Cheng, Y.: Characterization of dihydrofolate reductase-related DNA and RNA from human KB cell subclones containing different amounts of enzyme. *Cancer Res.*, 45 (1985) 1717-1722.
- 1309 Craig, A.G., Mullins, J.J., McTurk, P. and Brammar, W.J.: A mouse gene family associated with a major submaxillary-gland glycoprotein. *Biochem. J.*, 225 (1985) 657-663.
- 1310 Darby, M.K. and Vosberg, H.-P.: Relaxation of supercoiled phosphorothioate RNA by mammalian topoisomerases is inhibited in a base-specific manner. *J. Biol. Chem.*, 260 (1985) 4501-4507.
- 1311 Frias, M.T., Simeon, R.E. and Cohen, V.J.: (Characterization of neonatal calf and piglet rotavirus genome by polyacrylamide gel electrophoresis). *Rev. Salud Anim.*, 6 (1984) 511-515; *C.A.*, 102 (1985) 109275u.
- 1312 Hillebrand, G.G. and Beattie, K.L.: Influence of template primary and secondary structure on the rate and fidelity of DNA synthesis. *J. Biol. Chem.*, 260 (1985) 3116-3125.
- 1313 O'Neill, V.A., Eden, F.C., Pratt, K. and Hatfield, D.L.: A human opal suppressor tRNA gene and pseudogene. *J. Biol. Chem.*, 260 (1985) 2501-2508.
- 1314 Ravishankar, H. and Padmanaban, G.: Regulation of cytochrome P-450 gene expression. Studies with a cloned probe. *J. Biol. Chem.*, 260 (1985) 1588-1592.
- 1315 Thompson, M.D. and Nakhasi, H.L.: Methylation and expression of rat κ -casein gene in normal and neoplastic rat mammary gland. *Cancer Res.*, 45 (1985) 1291-1295.
- 1316 Watanabe, C., Nakanishi, T. and Matsumoto, A.: (Research on data-reading from DNA electrophoresis image). *Seikei Daigaku Kogakubu Kogaku Hokoku*, 38 (1984) 2485-2495; *C.A.*, 102 (1985) 92396j.
- 1317 Yonesaki, T., Ryo, Y., Minagawa, T. and Takahashi, H.: Purification and some of the functions of the products of bacteriophage T4 recombination genes, *uvs X* and *uvs Y*. *Eur. J. Biochem.*, 148 (1985) 127-132.

See also 1298, 1304, 1305.

21d. Nucleoproteins

- 1318 Hamada, H. and Bustin, M.: Hierarchy of binding sites for chromosomal proteins HMG 1 and 2 in supercoiled deoxyribonucleic acid. *Biochemistry*, 24 (1985) 1428-1433.

1319 Komaiko, W. and Pelsenfeld, G.: Solubility and structure of domains of chicken erythrocyte chromatin containing transcriptionally competent and inactive gene. *Biochemistry*, 24 (1985) 1186-1193.

1320 Stein, A., Holley, K., Zelif, J. and Townsend, T.: Interactions between core histones and chromatin at physiological ionic strength. *Biochemistry*, 24 (1985) 1783-1790.

21f. *Structural studies of nucleic acids*

See 1312.

22. ALKALOIDS

1321 Walterova, D., Stransky, Z., Preininger, V. and Simanek, V.: Capillary isotachopheresis of some isoquinoline alkaloids. *Electrophoresis (Weinheim)*, 6 (1985) 128-132.

30. SYNTHETIC AND NATURAL DYES

30b. *Chloroplast and other natural pigments*

1322 Lagarias, J.C. and Mercurio, F.M.: Structure function studies on phytochrome. Identification of light-induced conformational changes in 124-kDa *Avena* phytochrome *in vitro*. *J. Biol. Chem.*, 260 (1985) 2415-2423.

1323 Rusina, T.V., Kasparov, S.V. and Zharikov, A.V.: (Electrophoretic study of humic substances in soil solutions). *Pochvovedenie*, (1985) 38-46; *C.A.*, 102 (1985) 94667x.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

32a. *Synthetic drugs*

1324 Babich, P.A., Fedotova, G.I. and Pakhomov, V.P.: (Comparative study of hormonal drugs by isoelectrofocusing and electrophoresis in polyacrylamide gel). *Farmaol. Toksikol.*, 48 (1985) 49-51; *C.A.*, 102 (1985) 90195u.

See also 1062.

32f. *Clinico-chemical applications and profiling body fluids*

See 1074, 1085, 1146, 1161, 1229, 1240, 1241.

33. INORGANIC COMPOUNDS

33b. *Anions*

1325 Fukushi, K. and Hiroy, K.: (Determination of fluoride ion in sea water by capillary type isotachopheresis after coprecipitation enrichment). *Bunseki Kagaku*, 34 (1985) 205-208.

36. CELLS AND CELLULAR PARTICLES

- 1326 Jackson, P., Thornley, M.J. and Thompson, R.J.: A study by high-resolution two-dimensional polyacrylamide gel electrophoresis of relationships between *Neisseria gonorrhoeae* and other bacteria. *J. Gen. Microbiol.*, 130 (1984) 3189-3201; *C.A.*, 102 (1985) 92626j.

37. ENVIRONMENTAL ANALYSIS

37a. *Water pollution*

See 1325.

PUBLICATION SCHEDULE FOR 1985

Journal of Chromatography (incorporating *Chromatographic Reviews*) and *Journal of Chromatography, Biomedical Applications*

MONTH	N 1984	D 1984	J 1985	F	M	A	M	J	J	A	The publication schedule for further issues will be published later
Journal of Chromatography	312 314	315 316 317	318/1 318/2 319/1	319/2 319/3 320/1	320/2 321/1 321/2 322/1	322/2 322/3 323/1 323/2	324/1 324/2 325/1	325/2 326 327 328	329/1 329/2 329/3	330/1	
Chromatographic Reviews		313				334/1					
Bibliography Section				335/1		335/2		335/3		335/4	
Biomedical Applications		336/1 336/2	337/1	337/2 338/1	338/2	339/1	339/2 340 341/1	341/2	342/1	342/2	

INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 329, No. 3, pp. 447-450. A free reprint can be obtained by application to the publisher.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Short communications and Notes. Short communications are preliminary announcements of important new developments and will, whenever possible, be published with maximum speed. Notes are usually descriptions of short investigations and reflect the same quality of research as Full-length papers, but should preferably not exceed four printed pages. For review articles, see page 2 of cover under Submission of Papers.

Submission. Every paper must be accompanied by a letter from the senior author, stating that he is submitting the paper for publication in the *Journal of Chromatography*. Please do not send a letter signed by the director of the institute or the professor unless he is one of the authors.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

Introduction. Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

Summary. Full-length papers and Review articles should have a summary of 50-100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes are published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the legends being typed (with double spacing) together on a separate sheet. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press", "submitted for publication", "in preparation" or "personal communication".

Dispatch. Before sending the manuscript to the Editor please check that the envelope contains three copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

applied catalysis

NOW IN ITS
SIXTH YEAR!

An international journal devoted to
catalytic science and its applications

EDITOR-IN-CHIEF

B. Delmon
Louvain-la Neuve, Belgium

REGIONAL EDITORS

L. Guzzi
*Institute of Isotopes,
Hungarian Academy of Sciences,
P.O. Box 77, 1525 Budapest, Hungary*

J.F. Roth
*Air Products and Chemicals Inc.,
P.O. Box 538,
Allentown, PA 18105, U.S.A.*

D.L. Trimm
*School of Chemical Engineering and
Industrial Chemistry,
University of New South Wales,
P.O. Box 1,
Kensington, N.S.W. 2033, Australia*

J.C. Vedrine
*Institut de Recherches sur la Catalyse,
Centre National de la Recherche
Scientifique,
2, Avenue Albert Einstein,
69626 Villeurbanne, France*

D.A. Whan
*Catalysts Group, Research Department,
Agricultural Division,
Imperial Chemical Industries plc.,
P.O. Box 1,
Billingham, Cleveland, U.K.*

EDITOR: NEWS BRIEF
J.R.H. Ross
*Department of Chemical Technology,
Twente University of Technology,
P.O. Box 217,
7500 AE Enschede, The Netherlands*

The scope includes

- catalytic phenomena occurring in industrial processes or in processes in the stage of industrial development and in conditions similar to those of industrial processes. Both heterogeneous and homogeneous catalysis are included, together with aspects of industrial enzymatic catalysis;
- scientific aspects of preparation, activation, ageing, poisoning, rejuvenation, regeneration and start-up transient effects;
- methods of catalyst characterization when they are both scientific and of potential interest for industrial catalysts;
- aspects of chemical engineering relevant to the science of catalysis;
- new catalytic reactions of potential practical interest, and new catalytic routes.

The journal features:

- rapid publication of full length research papers, short communications, review articles and letters to the Editors;
- A News Brief section, provided by correspondents, which contains information gathered from patents, technical journals etc., on new catalytic reactions, catalysts and processes, new methods of catalyst preparation and on new scientific facts related to the Science of catalysis;
- Book reviews, reports on recent events and developments, and a calendar of forthcoming events of topical interest.

Contributions should be sent to the appropriate editor as follows:

Western Europe: Dr. D.A. Whan or Prof. J.C. Vedrine

Australia and Asia: Prof. D.L. Trimm

North and South America: Dr. J.F. Roth

Eastern Europe and Africa: Prof. L. Guzzi

Contributions to News Brief should be sent to Prof. J.R.H. Ross

*Write now for a
Free Sample Copy*

Applied Catalysis is abstracted/indexed in: Chemical Abstracts, Current Contents: Physical, Chemical and Earth Sciences, Current Contents: Engineering, Technology and Applied Sciences, Engineering Index, Metals Abstracts.

1985 - Vols. 13-17 (12 issues): US \$ 438 / Dfl. 1185.00, including postage.

1986 - Vols. 18-25 + cumulative index vols. 1-20 (8 volumes, 17 issues): US \$ 708.25 /
Dfl. 1912.00, including postage.



ELSEVIER SCIENCE PUBLISHERS

P.O. Box 211, 1000 AE Amsterdam, The Netherlands

7329