




JOURNAL OF

# CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS



EDITOR, Michael Lederer (Switzerland)  
 ASSOCIATE EDITOR, K. Macek (Prague)  
 EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Orinda, CA)  
 EDITORIAL BOARD

W. A. Aue (Halifax)  
 V. G. Berezkin (Moscow)  
 V. Betina (Bratislava)  
 A. Beyenue (Belmont, CA)  
 P. Bocek (Brno)  
 P. Boulanger (Lille)  
 A. A. Boulton (Saskatoon)  
 G. P. Cartoni (Rome)  
 S. Dilli (Kensington, N.S.W.)  
 L. Fishbein (Jefferson, AR)  
 R. W. Frei (Amsterdam)  
 A. Frigeno (Milan)  
 C. W. Gehrke (Columbia, MO)  
 E. Gil-Av (Rehovot)  
 G. Guiochon (Palaiseau)  
 I. M. Hais (Hradec Králové)  
 J. K. Haken (Kensington, N.S.W.)  
 S. Hjertén (Uppsala)  
 E. C. Horning (Houston, TX)  
 Cs. Horváth (New Haven, CT)  
 J. F. K. Huber (Vienna)  
 A. T. James (Sharnbrook)  
 J. Janák (Brno)  
 E. sz Kováts (Lausanne)  
 K. A. Kraus (Oak Ridge, TN)  
 E. Lederer (Gif-sur-Yvette)  
 A. Liberti (Rome)  
 H. M. McNair (Blacksburg, VA)  
 Y. Marcus (Jerusalem)  
 G. B. Marini-Bettolo (Rome)  
 A. J. P. Martin (Cambridge)  
 Č. Michalec (Prague)  
 R. Neher (Basel)  
 G. Nickless (Bristol)  
 N. A. Parris (Wilmington, DE)  
 R. L. Patience (Sunbury-on-Thames)  
 P. G. Righetti (Milan)  
 O. Samuelson (Göteborg)  
 R. Schwarzenbach (Dübandorf)  
 L. R. Snyder (Orinda, CA)  
 A. Zlatkis (Houston, TX)

## EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)

ELSEVIER

**Scope.** The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis (including the publication of normal values); screening and profiling procedures with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; combinations of chromatographic and electrophoretic methods with other physicochemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all aspects of chromatography, electrophoresis and related methods are published.

**Submission of Papers.** Papers in English, French and German may be submitted, in three copies. Manuscripts should be submitted to: The Editor of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors and will appear in *Chromatographic Reviews* or *Biomedical Applications*. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

**Subscription Orders.** Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

**Publication.** The *Journal of Chromatography* (incl. *Biomedical Applications, Chromatographic Reviews* and *Cumulative Author and Subject Indexes, Vols. 326-350*) has 38 volumes in 1986. The subscription prices for 1986 are:

*J. Chromatogr.* (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 326-350*) + *Biomed. Appl.* (Vols. 346-383): Dfl. 6080.00 plus Dfl. 912.00 (postage) (total ca. US\$ 2742.00)

*J. Chromatogr.* (incl. *Chromatogr. Rev.* and *Cum. Indexes, Vols. 326-350*) only (Vols. 346-373): Dfl. 5040.00 plus Dfl. 672.00 (postage) (total ca. US\$ 2240.00)

*Biomed. Appl.* only (Vols. 374-383):

Dfl. 1850.00 plus Dfl. 240.00 (postage) (total ca. US\$ 819.50).

Journals are automatically sent by airmail at no extra costs to Argentina, Australia, Brasil, Canada, China, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand and the U.S.A. Back volumes of the *Journal of Chromatography* (Vols. 1 through 345) are available at Dfl. 219.00 (plus postage). Claims for issues not received should be made within three months of publication of the issue. If not, they cannot be honoured free of charge. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 916-1250.

**Abstracts/Contents Lists** published in Analytical Abstracts, ASCA, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index.

See page 3 of cover for Publication Schedule, Information for Authors and information on Advertisements.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

**Special regulations for readers in the U.S.A.** This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1960 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works.

Special written permission must be obtained from the publisher for such copying.

CONTENTS

*Bibliography Section*

Liquid Column Chromatography . . . . .	B241
Gas Chromatography . . . . .	B294
Planar Chromatography . . . . .	B322
Electrophoresis . . . . .	B338



## Bibliography Section

---

### Liquid Column Chromatography

#### 1. REVIEWS AND BOOKS

- 1684 Alonso Sampedro, E.: (New ideas and developments in high-performance liquid chromatography). *Tec. Lab.*, 9 (1985) 25-28; *C.A.*, 103 (1985) 226696p - a review with no refs.
- 1685 Armstrong, D.W., Alak, A., Bui, K., DeMond, W., Ward, T., Riehl, T.E. and Hinze, W.L.: Facile separation of enantiomers, geometrical isomers, and routine compounds on stable cyclodextrin LC bonded phases. *J. Inclusion Phenom.*, 2 (1984) 533-545; *C.A.*, 103 (1985) 226694m - a review with 26 refs.
- 1686 Janson, J.C.: Large-scale chromatography. *GBF Nomogr. Ser.*, 7 (Aufarb. Biol. Medien: Phys.-Chem. Grundlagen) (1984) 13-20; *C.A.*, 103 (1985) 210029n - a review with 9 refs.
- 1687 Mori, K. and Kuroda, D.: (Ion chromatography). *Kagaku to Kogyo (Osaka)*, 59 (1985) 218-226; *C.A.*, 103 (1985) 226408w - a review with 28 refs.
- 1688 Otto, M.: (Optimization of chromatographic and spectroscopic analysis method). *Mitteilungsbl.-Chem. Ges. D.D.R.*, 32 (1985) 126-131; *C.A.*, 104 (1986) 14133y - a review with 11 refs.
- 1689 Phillips, T.M.: High performance immunoaffinity chromatography. *LC Mag.*, 3 (1985) 962-972; *C.A.*, 104 (1986) 4342b - a review with 38 refs.
- 1690 Saito, H.: Expectation for chemical engineering in liquid chromatography purification. *Kagaku Kogaku*, 49 (1985) 902-903; *C.A.*, 103 (1985) 217401m.
- 1691 Walters, F.H.: Recent advances in inorganic liquid chromatography. *LC Mag.*, 3 (1985) 1056-1061; *C.A.*, 104 (1986) 27937p - a review with 99 refs.
- 1692 Westerlund, D.: (Developments in liquid chromatography: Strong trend toward miniaturized systems). *Kem. Tidskr.*, 97 (1985) 42-50; *C.A.*, 104 (1986) 2868d - a review with 14 refs.

For additional information see:  
*C.A.*, 104 (1986) 28204j.

See also 1700, 1727, 1728, 1758, 1762, 1790, 1793, 1803, 1804, 1806, 1807, 2019, 2189, 2328, 2501, 2511.

#### 2. FUNDAMENTALS, THEORY AND GENERAL

##### 2a. General

- 1693 Atamna, I. and Grushka, E.: Optimization by isochronal analysis. II. Changes in mobile phase velocity and temperature, and in mobile phase composition and temperature. *J. Chromatogr.*, 355 (1986) 41-56.
- 1694 Eppert, G.: (Some problems of chromatography. Part II: Concepts, definition and systematics). *Chem. Tech. (Leipzig)*, 37 (1985) 294-298; *C.A.*, 103 (1985) 226442c.
- 1695 Jackson, P.E. and Haddad, P.R.: Studies on sample preconcentration in ion chromatography. III. Factors influencing eluent selection in preconcentration methods. *J. Chromatogr.*, 355 (1986) 87-97.
- 1696 Jandera, P.: Method for characterization of selectivity in reversed-phase liquid chromatography. I. Derivation of the method and verification of the assumptions. *J. Chromatogr.*, 352 (1986) 91-110.

- 1697 Jandera, P.: Method for characterization of selectivity in reversed-phase liquid chromatography. II. Possibilities for the prediction of retention data. *J. Chromatogr.*, 352 (1986) 111-126.
- 1698 Katz, E.D., Ogan, K. and Scott, R.P.W.: Distribution of a solute between two phases. The basic theory and its application to the prediction of chromatographic retention. *J. Chromatogr.*, 352 (1986) 67-90.
- 1699 Lindberg, W., Ohman, J. and Wold, S.: Multivariate resolution of overlapped peaks in liquid chromatography using diode array detection. *Anal. Chem.*, 58 (1986) 299-303.
- 1700 Novotny, M.: Analytical chromatography: the current situation and future directions. In: Shapiro, B.L. (Editor), *New Dir. Chem. Anal., Proc. Symp. Ind.-Univ. Coop. Chem. Program Dep. Chem., Tex. A&M Univ., 3rd 1985*, Tex. A&M Univ. Press, College Station, 1985, pp. 318-365; *C.A.*, 104 (1986) 44995y - a review with 117 refs.
- 1701 Rouchouse, A., Pauloin, D., Burke, J.T. and Ferrandes, B.: Influence of sample solvent composition and volume on the efficiency of a 3- $\mu$ m particle reversed-phase column in high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 225-229.
- 1702 Walczak, B., Chretien, J.R., Dreux, M., Morin-Allory, L., Lafosse, M., Szymoniak, K. and Membrey, F.: Factor analysis and experiment design in high-performance liquid chromatography. II. Normal-phase high-performance liquid chromatography on columns of different polarities. *J. Chromatogr.*, 353 (1986) 123-137.

See also 1722.

#### 2b. Thermodynamics and theoretical relationships

- 1703 Aranovich, G.L.: (Statistical modeling of adsorption and chromatographic processes). *Zh. Fiz. Khim.*, 59 (1985) 2778-2782; *C.A.*, 104 (1986) 24638f.
- 1704 Bauer, D. and Caude, M.: Determination of fixation isotherms of thiol collectors on galena using a dynamic method-chromatographic saturation front analysis. *Dev. Miner. Process.*, 6 (1985) 81-89; *C.A.*, 104 (1986) 22246c.
- 1705 Davis, J.M.: General retention theory for sedimentation field-flow fractionation. *Anal. Chem.*, 58 (1986) 161-164.
- 1706 Drouen, A.C.J.H., Billiet, H.A.H. and de Galan, L.: Practical procedure for the optimization of reversed-phase separations with quaternary mobile phase mixtures. *J. Chromatogr.*, 352 (1986) 127-139.
- 1707 Golay, M.J.E.: A fundamental problem of viscous flow. *J. Chromatogr.*, 351 (1986) 495-496.
- 1708 Huber, J.F.K., Welte, S. and Reich, G.: Prediction of partition coefficients in ternary liquid-liquid systems as a function of the phase system composition by factor analysis for chromatography. *Anal. Chim. Acta*, 177 (1985) 1-14.
- 1709 Kaliszán, R., Osmialowski, K., Tomellini, S.A., Hsu, S.-H., Fazio, S.D. and Hartwick, R.A.: Quantitative retention relationships as a function of mobile and  $C_{18}$  stationary phase composition for non-cogeneric solutes. *J. Chromatogr.*, 352 (1986) 141-155.
- 1710 Pawliszyn, J.: Laser beam deflection sensor as a detector for high-efficiency chromatography. *Anal. Chem.*, 58 (1986) 143-146.
- 1711 Sanchez, E. and Kowalski, B.R.: Generalized rank annihilation factor analysis. *Anal. Chem.*, 58 (1986) 496-499.
- 1712 Tsuneyoshi, T.: Thermodynamic model for reversed-phase liquid chromatography with multisolvent mobile phases. *J. Chromatogr.*, 354 (1986) 37-46.
- 1713 Zolotarev, P.P., Kudymov, V.P. and Kolosov, N.V.: (Theory of frontal chromatography for S-shaped sorption isotherms. II. Comparison of numerical and analytical solutions). *Zh. Fiz. Khim.*, 59 (1985) 2837-2839; *C.A.*, 104 (1986) 24640a.
- 1714 Zolotarev, P.P., Maksimychewa, M.A. and Ugrozov, V.V.: (Theory of the chromatographic process in capillary columns taking into account the adsorption kinetics at interfaces). *Zh. Fiz. Khim.*, 59 (1985) 2769-2773; *C.A.*, 104 (1986) 24637e.

See also 1801, 1835, 2008, 2492.

## 2c. Relationship between structure and chromatographic behavior

- 1715 Eppert, G.: (Some problems of chromatography. Part III: the concept of separation performance and selectivity). *Chem. Tech. (Leipzig)*, 37 (1985) 384-387; *C.A.*, 104 (1986) 44999c.
- 1716 Kirsh, S.I., Onuchak, L.A., Fomicheva, T.N., Berdnikova, O.M., Karabanov, N.T. and Vigderganz, M.S.: (Effect of the structure of the colloidal stationary phase on the retention and washing away of zones of sorbates in a chromatographic column). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 28 (1985) 61-64; *C.A.*, 104 (1986) 27998j.
- 1717 Kostenko, V.G.: Methods of identifying organic compounds using high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 355 (1986) 296-301.
- 1718 Lochmuller, C.H., Hunnicutt, M.L. and Mullaney, J.F.: The effect on bonded chain rigidity on selectivity in reversed-phase liquid chromatography. *J. Phys. Chem.*, 89 (1985) 5770-5772; *C.A.*, 103 (1985) 221488n.

## 2d. Measurement of physico-chemical and related values

- 1719 Babic, D., Gal, O. and Stannett, V.T.: Molecular weight changes in  $\gamma$ -irradiated polyethylene containing antioxidants. *Radiat. Phys. Chem.*, 25 (1985) 343-347; *C.A.*, 104 (1986) 34439f.
- 1720 De Biasi, V., Lough, W.J. and Evans, M.B.: Study of the lipophilicity of organic bases by reversed-phase liquid chromatography with alkaline eluents. *J. Chromatogr.*, 353 (1986) 279-284.
- 1721 Fu, Z.: (Determination of molecular weight and molecular weight distribution of poly(ethylene glycol cinnamate) by gel permeation chromatography). *Sepu*, 2 (1985) 227-229; *C.A.*, 104 (1986) 34611f.
- 1722 Kraak, J.C., van Rooij, H.H. and Thus, J.L.G.: Reversed-phase ion-pair systems for the prediction of *n*-octanol-water partition coefficients of basic compounds by high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 455-463.
- 1723 Zhmakina, T.P., Vilenchik, L.Z. and Bele'kii, B.G.: (Study of diffusional mobility of macromolecules in porous media by exclusion liquid chromatography). *Vysokomol. Soedin., Ser. A*, 27 (1985) 2061-2065; *C.A.*, 104 (1986) 34636t.
- 1724 Zimina, T.M., Maltsev, V.G. and Belenkii, B.G.: Study of protein association and micelle formation in surfactants by microcolumn exclusion chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 111-115.

For additional information see:

*C.A.*, 103 (1985) 216060n, 226680d.

See also 1879.

## 3. GENERAL TECHNIQUES

## 3a. Apparatus and accessories

- 1725 Gill, R.: Practical narrow-bore high-performance liquid chromatography system using commercial equipment and 1-mm bore columns packed in the laboratory. *J. Chromatogr.*, 354 (1986) 169-183.
- 1726 Goraczko, A., Janota, D. and Bieszk, M.: A six-volume rotary injection valve for high performance liquid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 61-63.
- 1727 Habarta, J.G., Hatfield, C. and Romano, S.J.: Application of robotics for chromatographic QA (quality assurance) sample preparation. *Am. Lab. (Fairfield)*, 17 (1985) 42-52; *C.A.*, 104 (1986) 10673b - a review with 4 refs.
- 1728 Kupe, K.P., Rozing, G. and Schrenker, H.: Instrumentation (in HPLC). In: Henschen, A. (Editor), *High Perform. Liq. Chromatogr. Biochem.*, VCH, Weinheim, 1985, pp. 79-137; *C.A.*, 103 (1985) 226430x - a review with 74 refs.
- 1729 Kirie, J., Baba, N., Hosako, K. and Ikushige, T.: Sample injection port. *Jpn. Kokai Tokkyo Koho Pat. JP 60,149,973* (85,149,973) (Cl. G01N35/08), 07 Aug. 1985, Appl. 84/5,942, 17 Jan. 1984; 11 pp.; *C.A.*, 104 (1986) 21053a.

- 1730 Matschiner, H., Sivers, P. and Ruettinger, H.H.: Photometric flow analyzer. *Ger. (East) Pat.* DD 220,883 (Cl. GOIN21/05), 10 Apr. 1985, Appl. 259,593, 25 Jan. 1984; 4 pp.; *C.A.*, 104 (1986) 14242h.
- 1731 Orita, N., Abe, O., Kawazoe, T. and Motomura, H.: Method and apparatus for chromatographic separation of a substance. *Ger. Offen. Pat.* DE 3,508,774 (Cl. BOID53/30), 26 Sep. 1985, JP Appl. 84/50,351, 16 Mar. 1984; 31 pp.; *C.A.*, 104 (1986) 21245q.
- 1732 Shakelford, C.L. and Rainin, K.: Liquid chromatography column apparatus. *Eur. Pat. Appl.* EP 156,520 (Cl. GOIN30/60), 02 Oct. 1985, US Appl. 584,611, 29 Feb. 1984; 32 pp.; *C.A.*, 104 (1986) 28147t.
- 1733 Sloan, H.R. and Vieth, R.F.: Chromatographic alarm system for aqueous and organic solvents. *J. Chromatogr.*, 351 (1986) 518-521.
- 1734 Steinwand, M.: (A new HPLC system with a trifunctional detector). *LaborPraxis*, 9 (1985) 1136-1148; *C.A.*, 103 (1985) 226715u.
- 1735 Tehrani, A., Jones, J.N. and Allington, R.W.: Apparatus for reducing tailing in a liquid chromatograph. *U.S. Pat.* US 4,545,904 (Cl. 210-96.1; BOID15/08), 08 Oct. 1985, Appl. 585,298, 01 Mar. 1984; 7 pp.; *C.A.*, 104 (1986) 7555j.
- 1736 Yoritomi, K.: Bottom for large columns. *Eur. Pat. Appl.* EP 158,943 (Cl. BOID15/08), 23 Oct. 1985, JP Appl. 84/73,299, 12 Apr. 1984; 6 pp.; *C.A.*, 103 (1985) 217326r.

For additional information see:

- C.A.*, 103 (1985) 226714t, 226751c;  
104 (1986) 14250j, 31378r.

See also 1787.

### 3b. Detectors and detection reagents

- 1737 Bornhop, D.J. and Dovichi, N.J.: Simple nanoliter refractive index detector. *Anal. Chem.*, 58 (1986) 504-505.
- 1738 De Jong, G.J., Lammers, N., Spruit, F.J., Frei, R.W. and Brinkman, U.A.T.: Analytical implications of the half-life of the chemiluminescence signal in the peroxyoxalate detection system for liquid chromatography. *J. Chromatogr.*, 353 (1986) 249-257.
- 1739 Del Rios, J.: A high sensitivity RI detector for polymer analysis. *Am. Lab. (Fairfield)*, 17 (1985) 110-113; *C.A.*, 103 (1985) 216058t.
- 1740 Honda, K., Miyaguchi, K. and Imai, K.: Evaluation of fluorescent compounds for peroxyoxalate chemiluminescence detection. *Anal. Chim. Acta*, 177 (1985) 111-120.
- 1741 Ishida, Y. and Hayashi, M.: (Liquid chromatographic determination of amino group-containing compounds). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,142,250 (85,142,250) (Cl. GOIN30/06), 27 Jul. 1985, Appl. 83/251,657, 28 Dec. 1983, 6 pp.; *C.A.*, 104 (1986) 3139d.
- 1742 McGuffin, V.L. and Zare, R.N.: Laser fluorescence detection in microcolumn liquid chromatography: application to derivatized carboxylic acids. *Appl. Spectrosc.*, 39 (1985) 847-853; *C.A.*, 104 (1986) 45124a.
- 1743 Sipila, H.T. and Saarni, H.K.: A new coaxial-type tube radioactivity detector and its use in the synthesis of 2-<sup>[18F]</sup>fluorodeoxyglucose. *Turun Yliopiston Julk., Ser. D*, 17 (1984) 156-159; *C.A.*, 104 (1986) 10563r.
- 1744 Van der Wal, S.: Comparison of some high-performance liquid chromatographic fluorescence detector flow cells. *J. Chromatogr.*, 352 (1986) 351-358.
- 1745 Veening, H., Tock, P.P.H., Kraak, J.C. and Poppe, H.: Microbore high-performance liquid chromatography with a moving-wire flame ionization detector. *J. Chromatogr.*, 352 (1986) 345-350.
- 1746 White, J.G., Claire, III, R.L.S. and Joergenson, J.W.: Scanning on-column voltammetric detector for open-tubular liquid chromatography. *Anal. Chem.*, 58 (1986) 293-298.

See also 1707, 1710, 1734, 1839, 1867, 1930, 1987, 2031, 2165, 2246, 2487.



## 33. Sorbents, carriers, column and layer performance, packing procedures

- 1747 Bicking, M.K.L., Bicking, M.L. and Longman, W.E.: Direct fluorination of silica for use in liquid chromatography. *Anal. Chem.*, 58 (1986) 499-501.
- 1748 Buszewski, B., Suprynowicz, Z. and Lichaczewski, A.: (Synthesis and properties of chemically bonded ethyl (C<sub>2</sub>) stationary phase). *Chem. Anal. (Warsaw)*, 29 (1984) 697-708; *C.A.*, 104 (1986) 14276x.
- 1749 Cooper, W.T. and Smith, P.L.: Retention mechanisms in cyanopropyl normal bonded phase high-performance liquid chromatographic columns. *J. Chromatogr.*, 355 (1986) 57-74.
- 1750 Daicel Chemical Industries, Ltd.: Adsorbent for racemic resolution. *Jpn. Kokai Tokkyo Koho Pat.* JP 60 82,858 (85 82,858) (Cl. GOIN30/48), 11 May 1985, Appl. 83/191,304, 13 Oct. 1983; 4 pp.; *C.A.*, 103 (1985) 226752d.
- 1751 Dawkins, J.V., Lloyd, L.L. and Warner, F.P.: Chromatographic characteristics of polymer-based high-performance liquid chromatography packings. *J. Chromatogr.*, 352 (1986) 157-167.
- 1752 Farbrot, A., Folestad, S. and Larsson, M.: Polymerized stationary phases in 12 to 50  $\mu$ m open tubular fused silica columns for LC and GC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 117-119.
- 1753 Figge, H., Deege, A., Köhler, J. and Schomburg, G.: Stationary phases for reversed-phase liquid chromatography. Coating of silica by polymers of various polarities. *J. Chromatogr.*, 351 (1986) 393-408.
- 1754 Goworek, J., Nooitgedacht, F., Rijkhof, M. and Poppe, H.: Determination of silanol groups on packings for high-performance liquid chromatography by means of isotopic exchange. *J. Chromatogr.*, 352 (1986) 399-406.
- 1755 Hjerten, S.: Crosslinking of agar product. *Eur. Pat. Appl.* EP 153,910 (Cl. CO8B37/12), 04 Sep. 1985, SE Appl. 84/305, 23 Jan. 1984; 12 pp.; *C.A.*, 104 (1986) 35885k.
- 1756 Hjerten, S., Yao, K., Liu, Z.-Q., Yang, D. and Wu, B.-L.: Simple method to prepare non-charged, amphiphilic agarose derivatives for instance for hydrophobic interaction chromatography. *J. Chromatogr.*, 354 (1986) 203-210.
- 1757 Holnard, C., Maingault, P., Cruzat-Reynes, G. and Dubois, P.: Spectrofluorometric method for the quantitation of amino groups on solid supports. *J. Chromatogr.*, 355 (1986) 350-353.
- 1758 Itagaki, K.: (Recent ion exchange resins and adsorbents). *Kobunshi Kako*, 34 (1985) 269-275; *C.A.*, 104 (1986) 20315a ~ a review with 16 refs.
- 1759 Johnson, J.S., Jr., Westmoreland, C.G., Sweeton, F.H., Kraus, K.A., Hagaman, E.W., Eatherly, W.P. and Child, H.R.: Modification of cation-exchange properties of activated carbon by treatment with nitric acid. *J. Chromatogr.*, 354 (1986) 231-248.
- 1760 Knox, J.H., Kaur, B. and Millward, G.R.: Structure and performance of porous graphitic carbon in liquid chromatography. *J. Chromatogr.*, 352 (1986) 3-25.
- 1761 Köhler, J., Chase, D.B., Farlee, R.D., Vega, A.J. and Kirkland, J.J.: Comprehensive characterization of some silica-based stationary phases for high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 275-305.
- 1762 Krysl, S. and Smolkova-Keulemannova, E.: (Cyclodextrins and their use in chromatographic methods). *Chem. Listy*, 79 (1985) 919-942; *C.A.*, 104 (1986) 28154t - a review with 119 refs.
- 1763 Landy, J.S. and Dorsey, J.G.: Characterization of micellar mobile phases for reversed-phase chromatography. *Anal. Chim. Acta*, 178 (1985) 179-188.
- 1764 Lingeman, H., van Munster, H.A., Beynen, J.H., Underberg, W.J.M. and Hulshoff, A.: High-performance liquid chromatographic analysis of basic compounds on non-modified silica gel and aluminium oxide with aqueous solvent mixtures. *J. Chromatogr.*, 352 (1986) 261-274.
- 1765 Lork, K.D., Unger, K.K. and Kinkel, J.N.: Role of the functional group in *n*-octyldimethylsilanes in the synthesis of C<sub>8</sub> reversed-phase silica packings for high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 199-211.
- 1766 Lüdlmann, C., Genieser, H.-G. and Jastorff, B.: Structural investigations on reversed-phase silicas. II. Evidence for endcapping trimethylsilyl groups. *J. Chromatogr.*, 354 (1986) 434-437.
- 1767 McCown, S.M., Southern, D. and Morrison, B.E.: Solvent properties and their effects on gradient elution high-performance liquid chromatography. III. Experimental findings for water and acetonitrile. *J. Chromatogr.*, 352 (1986) 493-509.

- 1768 McCown, S.M., Southern, D., Morrison, B.E. and Garteiz, D.: Solvent properties and their effects on gradient elution high-performance liquid chromatography. I. Bulk and molecular properties of water and acetonitrile. *J. Chromatogr.*, 352 (1986) 465-482.
- 1769 McCown, S.M., Southern, D., Morrison, B.E. and Barteiz, D.: Solvent properties and their effects on gradient elution high-performance liquid chromatography. II. Temperature gradients in high-performance liquid chromatographic columns. *J. Chromatogr.*, 352 (1986) 483-492.
- 1770 Miedziak, I., Jozefaciuk, G. and Waksmundzki, A.: (Preparation of carriers for affinity chromatography on the basis of silica gel. I. Modification of silica gel surface by carbonization-silanization). *Chem. Anal. (Warsaw)*, 30 (1985) 275-279; *C.A.*, 103 (1985) 226728a.
- 1771 Poole, C.F., Kersten, B.R., Ho, S.S.J., Coddens, M.E. and Furton, K.G.: Organic salts, liquid at room temperature, as mobile phase in liquid chromatography. *J. Chromatogr.*, 352 (1986) 407-425.
- 1772 Stout, R.W., Sivakoff, S.I., Ricker, R.D., Palmer, H.C., Jackson, M.A. and Odiorne, T.J.: New ion-exchange packings based on zirconium oxide surface-stabilized, diol-bonded, silica substrates. *J. Chromatogr.*, 352 (1986) 381-397.
- 1773 Sugii, A., Harada, K. and Ogawa, N.: Liquid chromatographic characterization of porous vinylpyridine polymer as a weak anion-exchange column packing. *J. Chromatogr.*, 354 (1986) 211-217.
- 1774 Van Damme, F. and Verzele, M.: Polyphenol bonded to silica gel, a new alternative for normal-phase high-performance liquid chromatography. *J. Chromatogr.*, 351 (1986) 506-511.
- 1775 Vespalec, R., Cigankova, M. and Viska, J.: Effect of hydrothermal treatment in the presence of salts on the chromatographic properties of silica gel. *J. Chromatogr.*, 354 (1986) 129-143.
- 1776 Yu, Y.S., Kondo, K. and Takemoto, K.: Functional monomers and polymers. 127. Application of polymer-bound nucleic acid bases to high-performance liquid chromatography. *Makromol. Chem.*, 186 (1985) 2311-2319; *C.A.*, 104 (1986) 2968m.
- 1777 Zukauskas, D.: Improved separation of biomolecules using a new ion exchange support. *Am. Biotechnol. Lab.*, 3 (1985) 22-25; *C.A.*, 104 (1986) 2949f.

For additional information see:

- C.A.*, 103 (1985) 216064s, 226753e, 226754f;  
104 (1986) 2826p, 14256r, 21257v, 31098h, 31377y, 40423w, 45161k.

See also 1796, 1809, 1810, 1816, 1979, 2033, 2351, 2452.

### 3d. Quantitative analysis

- 1778 Bauer, C.F., Grant, C.L. and Jenkins, T.F.: Interlaboratory evaluation of high-performance liquid chromatographic determination of nitroorganics in munition plant wastewater. *Anal. Chem.*, 58 (1986) 176-182.
- 1779 Schwartz, L.M.: Effect of constraints on precision of calibration analyses. *Anal. Chem.*, 58 (1986) 246-250.

See also 1711, 2194, 2463.

### 3e. Preparative scale chromatography

- 1780 Colin, H., Lowy, G. and Cazes, J.: Design and performance of a preparative-scale HPLC. *Am. Biotechnol. Lab.*, 3 (1985) 36-44; *C.A.*, 104 (1986) 2950z.
- 1781 Majors, R.E.: Practical aspects of preparative liquid chromatography. *LC Mag.*, 3 (1985) 862-866; *C.A.*, 103 (1985) 217405r.
- 1782 Sledzinka, B. and Kowalczyk, J.S.: Evaluation of the possibility of increasing output of preparative liquid chromatographic system by intensification of sampling. *Chem. Anal. (Warsaw)*, 30 (1985) 3-9; *C.A.*, 103 (1985) 226508d.

See also 1686, 1733, 2062.

*3f. Programmed temperature, pressure, vapors, gradients*

- 1783 McCrary, T.J., Jr.: Supplier qualification programs via size-exclusion chromatography. *Am. Lab. (Fairfield)*, 17 (1985) 84-93; *C.A.*, 104 (1986) 6511e.
- 1784 Yang, F.J.: Fused-silica microparticulate packed column HPLC - split flow gradient elution. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 84-88.

See also 2008.

*3g. High performance procedures*

- 1785 Green, J.B., Stierwalt, B.K., Green, J.A. and Grizzle, L.P.: Analysis of polar compound classes in SRC-II liquids. Comparison of nonaqueous titrimetric, IR spectrometric and HPLC methods. *Fuel*, 64 (1985) 1571-1580; *C.A.*, 104 (1986) 8087v.

See also 1684, 1702, 1710, 1728, 1732, 1734, 1782, 1788, 2267, 2340, 2461.

## 4. SPECIAL TECHNIQUES

*4a. Automation and computerization*

- 1786 Cooper, J.D.H. and Turnell, D.C.: Automated preparation of biological samples prior to high pressure liquid chromatography: Part II - The combined use of dialysis and trace enrichment for analyzing biological material. *J. Autom. Chem.*, 7 (1985) 181-184; *C.A.*, 104 (1986) 17336c.
- 1787 Lonardi, S., Ottofaro, F. and Mosconi, L.: (Automation development in HPLC. Apparatus for automatic shifting of the mobile phase). *Boll. Chim. Farm.*, 124 (1985) 109-114; *C.A.*, 103 (1985) 226709v.
- 1788 Verillon, F. and Glandian, R.: A new robotic unit for HPLC sample preparation and injection. *Am. Lab. (Fairfield)*, 17 (1985) 142-147; *C.A.*, 103 (1985) 226713s.

See also 1832.

*4b. Combination of various chromatographic techniques*

- 1789 Grob, K., Jr., Walder, C. and Schilling, B.: Concurrent solvent evaporation for on-line coupled HPLC-HRGC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 95-101.

See also 2475.

*4c. Combination with other physico-chemical techniques (MS, IR etc.)*

- 1790 Field, F.H.: Mass spectrometry in chemistry. *Biomed. Mass Spectrom.*, 12 (1985) 626-630; *C.A.*, 103 (1985) 226706s - a review with 21 refs.
- 1791 Frank, J., Jzn., Duine, J.A., Billiet, H.A.H., Drouen, A.C.J.H., de Galan, L., Vandeginster, B.G.M. and Essens, R.: Data treatment in multi-wavelength detection in HPLC of biochemical compounds. *Fresenius' Z. Anal. Chem.*, 322 (1985) 761-765.
- 1792 Fujimoto, C., Oosuka, T. and Jinno, K.: A new sampling technique for reversed-phase liquid chromatography Fourier-transform infrared spectrometry. *Anal. Chim. Acta*, 178 (1985) 159-167.
- 1793 Gouyette, A.: Liquid chromatography-mass spectrometry: Techniques and applications. *Drug Fate Metab.*, 5 (1985) 247-272; *C.A.*, 103 (1985) 205286q - a review with 94 refs.
- 1794 Joyce, J.R., Ardrey, R.E. and Lewis, I.A.S.: Thermospray LC/MS applied to the analysis of complex mixtures of non-polar materials. *Biomed. Mass Spectrom.*, 12 (1985) 588-592; *C.A.*, 104 (1986) 16142z.

1795 Liberato, D.J. and Yergey, A.L.: Solvent selection for thermospray liquid chromatography/mass spectrometry. *Anal. Chem.*, 58 (1986) 6-9.

See also 1739, 1906, 1914.

#### 4d. Affinity chromatography

- 1796 Akhrem, A.A., Gulyakevich, O.V., Mikhalchuk, A.L., Pshenichnyi, V.N., Survilo, L.I. and Khrupach, V.A.: (The derivative of Sepharose 4B with an affinant  $[(11\beta,17\alpha)-11,17\text{-dihydroxy-3,20-dioxopregn-4-en-21yl}]_{\text{thio}}$ acetic acid as a biospecific sorbent for affinity chromatography). *U.S.S.R. Pat.* SU 1,162,815 (Cl. CO7J5/00), 23 Jun. 1985, Appl. 3,626,598, 22 Jul. 1983; *C.A.*, 104 (1986) 17370j.
- 1797 Arnold, F.H. and Blanch, H.W.: Analytical affinity chromatography. II. Rate theory and the measurement of biological binding kinetics. *J. Chromatogr.*, 355 (1986) 13-27.
- 1798 Arnold, F.H., Schofield, S.A. and Blanch, H.W.: Analytical affinity chromatography. I. Local equilibrium theory and the measurement of association and inhibition constants. *J. Chromatogr.*, 355 (1986) 1-12.
- 1799 Borns, M.A. and Graves, D.J.: Continuous affinity chromatography using a magnetically stabilized fluidized bed. *Biotechnol. Prog.*, 1 (1985) 95-103; *C.A.*, 104 (1986) 31050m.
- 1800 Boschetti, E., Egly, J.M. and Monsigny, M.: The place of affinity chromatography in the production and purification of biomolecules from cultured cells. *TrAC*, 5 (1986) 4-10.
- 1801 Hage, D.S., Walters, R.R. and Hethcote, H.W.: Split-peak affinity chromatographic studies of the immobilization-dependent adsorption kinetics of protein A. *Anal. Chem.*, 58 (1986) 274-279.
- 1802 Inoue, S., Hashida, S., Kohno, T., Tanaka, K. and Ishikawa, E.: A micro-scale method for the conjugation of affinity-purified Fab' to  $\beta$ -D-galactosidase from *Escherichia coli*. *J. Biochem. (Tokyo)*, 98 (1985) 1387-1394.
- 1803 Kato, S. and Sada, E.: (Purification of fermentation products by affinity chromatography). *Hakko Kagaku Kaishi*, 63 (1985) 473-475; *C.A.*, 103 (1985) 213239s - a review with 9 refs.
- 1804 Maingault, P. and Hoinard, C.: (Recent developments in affinity chromatography). *Lyon Pharm.*, 36 (1985) 171-179; *C.A.*, 104 (1986) 17175z - a review with 65 refs.
- 1805 McCoy, B.J.: Semicontinuous affinity chromatography separations. *Biotechnol. Bioeng.*, 27 (1985) 1477-1481; *C.A.*, 103 (1985) 210196q.
- 1806 Schmidt-Kastner, G.: (Biospecific adsorption of high molecular substances). *GBF Monogr. Ser.*, 7 (Aufarb. Biol. Medien: Phys.-Chem. Grundlagen) (1984) 21-30; *C.A.*, 104 (1986) 2881c - a review with 10 refs.
- 1807 Yao, Z.: (High performance affinity chromatography). *Shengwu Huaxue Yu Shengwu Wuli Jinshan*, 64 (1985) 60-62; *C.A.*, 103 (1985) 210024g - a review with 15 refs.

See also 1770, 1922, 2074, 2085, 2152, 2153, 2172.

#### 4f. Trace analysis and preseparation techniques

1808 Slais, K., Krejci, M. and Kourilova, D.: Trace analysis by injection-generated gradient ion-pair chromatography with micro-bore column high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 179-197.

See also 1862, 1895, 2455, 2469, 2476, 2477, 2508, 2509.

#### 4g. Separation of enantiomers

- 1809 Bishop, R., Hermansson, I., Jäderlund, B., Lindgren, G. and Pernow, C.: Direct HPLC resolution of racemic drugs. *Int. Lab.*, 16 (1986) 46-33.
- 1810 Dai-ichi Chemical Industries, Ltd.: Adsorbent for separation of optical isomers. *Jpn. Kokai Tokkyo Koho Pat.* JP 60 40,952 (85 40,952) (Cl. G01N30/48), 04 Mar. 1985, Appl. 83/149,902, 17 Aug. 1983; 5 pp.; *C.A.*, 104 (1986) 14314h.
- 1811 Mannschreck, A., Pustet, N., Robertson, L.W., Oesch, F. and Puettmann, M.: Enantiomers of polychlorinated biphenyls. Semipreparative enrichment by liquid chromatography. *Liebigs Ann. Chem.*, (1985) 2101-2103; *C.A.*, 104 (1986) 19378s.

- 1812 Oi, N.: (Direct separation of optically active isomers by chromatographic methods). *Farumazhita*, 21 (1985) 747-752; *C.A.*, 103 (1985) 226700k - a review with 5 refs.
- 1813 Schulze, J. and König, W.A.: Enantiomer separation by high-performance liquid chromatography on silica gel with covalently bound monosaccharides. *J. Chromatogr.*, 355 (1986) 165-175.
- 1814 Snyder, L.R., Palamareva, M.D., Kurtev, B.J., Viteva, L.Z. and Stefanovsky, J.N.: Chromatographic behavior of diastereoisomers. VIII. Solvent selectivity effects in separations on silica. *J. Chromatogr.*, 354 (1986) 107-118.
- 1815 Wainer, I.W., Doyle, T.D., Fry, F.S., Jr. and Hamidzadeh, Z.: Chiral recognition model for the resolution of ephedrine and related  $\alpha, \beta$ -aminoalcohols as enantiomeric oxazolidine derivatives. *J. Chromatogr.*, 355 (1986) 149-156.
- 1816 Xu, X., Tang, G., Shi, M., Wang, R. and Fang, P.: (Chiral stationary phase in liquid chromatography. II. Preparation of a series of substituted L-valylamide-type bonded phases and their comparison in resolution of enantiomers). *Sepu*, 1 (1984) 22-26; *C.A.*, 104 (1986) 3049z.

See also 1685, 1977, 1995, 2241, 2370.

#### 4h. Other special techniques

- 1817 Evans, C.H., Russell, A.P. and Westcott, V.C.: Demonstration of the principle of paramagnetic chromatography for resolving mixtures of particles. *J. Chromatogr.*, 351 (1986) 409-415.
- 1818 Kirkland, J.J. and Yau, W.W.: Thermal field-flow fractionation of water-soluble macromolecules. *J. Chromatogr.*, 353 (1986) 95-107.
- 1819 Tanaka, N., Araki, M. and Kimata, K.: Separation of oxygen isotopic compounds by reversed-phase liquid chromatography. *J. Chromatogr.*, 352 (1986) 307-314.

For additional information see:  
*C.A.*, 104 (1986) 21569y.

See also 1705, 1763, 1771, 2241, 2415.

### 5. HYDROCARBONS AND HALOGEN DERIVATIVES

#### 5a. Aliphatic hydrocarbons

See 1830.

#### 5b. Cyclic hydrocarbons

- 1820 Amin, S., Huie, K., Melikian, A.A., Leszczynska, J.M. and Hecht, S.S.: Comparative metabolic activation in mouse skin of the weak carcinogen 6-methyl chrysene and the strong carcinogen 5-methylchrysene. *Cancer Res.*, 45 (1985) 6406-6412.
- 1821 Colin, P., Sirois, G. and Chakrabarti, S.: Determination of styrene in biological samples by reversed-phase liquid chromatography. *J. Chromatogr.*, 375 (1986) 431-437.
- 1822 Debowski, J. and Sybilska, D.: Separation of isomeric alkylbenzenes in reversed-phase high-performance liquid chromatography through  $\alpha$ - and  $\beta$ -cyclodextrin inclusion complexes. *J. Chromatogr.*, 353 (1986) 409-416.
- 1823 Gorbachevskii, A.Ya., Kiselev, A.V., Nikitin, Yu.S. and Pyatygin, A.A.: (Regularities in the retention of polynuclear aromatic hydrocarbons on nonpolar adsorbents in liquid chromatography). *Vestn. Mosk. Univ., Ser. 2: Khim.*, 26 (1985) 364-368; *C.A.*, 104 (1986) 45134d.
- 1824 Jinno, K., Saigusa, Y., Kuwajima, M., Atomura, M. and Okamoto, M.: Compatibility and universality of the retention prediction system for polycyclic aromatic hydrocarbons in reversed-phase liquid chromatography. *Chromatographia*, 21 (1986) 24-28.
- 1825 Kriz, J., Punccharova, J. and Vodicka, L.: High-performance liquid chromatography of alkylbiphenyls on silica. *J. Chromatogr.*, 354 (1986) 145-154.

- 1826 Low, G.K.C. and Batley, G.E.: Use of liquid chromatography for the measurement of adsorption isotherms for polycyclic aromatic hydrocarbons on coal fly ashes. *J. Chromatogr.*, 355 (1986) 177-191.
- 1827 Societa Chimica Italiana: (Determination of polycyclic aromatic hydrocarbons in mineral oils. Results of a "ring test"). *him. Ind. (Milan)*, 67 (1985) 336-337; *C.A.*, 104 (1986) 21615k.
- 1828 Takatsuki, K., Suzuki, S., Sato, N. and Ushizawa, I.: Liquid chromatographic determination of polycyclic aromatic hydrocarbons in fish and shell-fish. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 945-949.
- 1829 Tomkins, B.A., Jenkins, R.A., Griest, W.H., Reagan, R.R. and Holladay, S.K.: Liquid chromatographic determination of benzo[a]pyrene in total particulate matter of cigarette smoke. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 935-940.
- 1830 Usami, T., Gotoh, Y. and Takayama, S.: Determination of the ring concentration in polyoctenamer. *Eur. Polym. J.*, 21 (1985) 885-889; *C.A.*, 104 (1986) 20036k.

See also 1784, 2503, 2504.

#### 5c. Halogen derivatives

For additional information see:

*C.A.*, 103 (1985) 213461h.

See also 1811, 2302.

#### 5d. Complex hydrocarbon mixtures

- 1831 Cerbulis, J., Flanagan, V.P. and Farrell, H.M., Jr.: Composition of the hydrocarbon fraction of goats' milk. *J. Lipid Res.*, 26 (1985) 1438-1443.
- 1832 Pearson, C.D. and Gharfeh, S.G.: Automated high-performance liquid chromatography determination of hydrocarbon types in crude oil residues using a flame ionization detector. *Anal. Chem.*, 58 (1986) 307-311.
- 1833 Yamamoto, Y.: (Compositional analysis of heavy oils by adsorption column chromatography-gravimetry). *Bunseki Kagaku*, 35 (1986) 18-22.
- 1834 Yamamoto, Y. and Akutsu, H.: (Type analysis of hydrocarbons in heavy distillates of oils by preparative high performance liquid chromatography-gravimetry). *Bunseki Kagaku*, 35 (1986) 23-26.

### 6. ALCOHOLS

- 1835 Brandts, P.M., Gelsema, W.J. and de Ligny, C.L.: Influence of additives to the eluent on hydrophobic interaction chromatography of simple compounds. III. Thermodynamics of interaction of *n*-alcohols with octyl-agarose in mixtures of water with methanol, urea or ethylene glycol. *J. Chromatogr.*, 354 (1986) 19-36.
- 1836 Leroy, P., Chakir, S. and Nicolas, A.: Measurement of the formation of menthol glucuronide *in vitro*, by reversed-phase high-performance liquid chromatography after pre-column labelling with 4-bromomethyl-7-methoxycoumarin. *J. Chromatogr.*, 351 (1986) 267-274.
- 1837 Parkin, J.E.: Guide to the selection of detecting agents for indirect photometric detection of aliphatic alcohols and other compounds by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 351 (1986) 532-540.
- 1838 Philipsen, E., Batsberg, W. and Larsen, E.: The determination of polyethylene glycol in untreated urine samples by high performance liquid chromatography for intestinal permeability studies. *J. Trace Microprobe Tech.*, 3 (1985) 255-271; *C.A.*, 104 (1986) 31099j.
- 1839 Shimada, K., Orii, S., Tanaka, M. and Nambara, T.: New ferrocene reagents for derivatization of alcohols in high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 352 (1986) 329-335.

For additional information see:

*C.A.*, 103 (1985) 210174f.

See also 1859.

## 7. PHENOLS

- 1840 Chang, C.A., Wu, Q. and Armstrong, D.W.: Reversed-phase high-performance liquid chromatographic separation of substituted phenolic compounds with a  $\beta$ -cyclodextrin bonded phase column. *J. Chromatogr.*, 354 (1986) 454-458.

See also 1943.

## 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

## 8a. Flavonoids

- 1841 Chaudhary, S.K., Ceska, O., Warrington, P.J. and Ashwood-Smith, M.J.: Increased furocoumarin content of celery during storage. *J. Agric. Food Chem.*, 33 (1985) 1153-1157.
- 1842 Wada, H., Satake, T., Murakami, T., Kojima, T., Saiki, Y. and Chen, C.-M.: Chemische und chemotaxonomische Untersuchungen der Pterophyten. LIX. Chemische Untersuchungen der Inhaltsstoffe von *Alsophila spinulosa* Tryon. *Chem. Pharm. Bull.*, 33 (1985) 4182-4187.

## 8b. Aflatoxins and other mycotoxins

- 1843 Bennett, G.A., Shottwell, O.L. and Kwolek, W.F.: Liquid chromatographic determination of  $\alpha$ -zearalenol and zearalenone in corn: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 958-961.
- 1844 Boehm, J., Noonpugdee, C., Leibetseder, J. and Schuh, M.: (Method for the determination of the mycotoxin deoxynivalenol (vomitoxin) in animal tissues by HPLC-GC). *Ernaehrung*, 8 (1984) 601-605; *C.A.*, 104 (1986) 29912a.
- 1845 Boehm, J., Noonpugdee, C., Leibetseder, J. and Schuh, M.: (Determination of aflatoxins B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub> and G<sub>2</sub> in maize peanut butter and aflatoxin M<sub>1</sub> in milk powder by HPLC with modified fluorescence detection). *Ernaehrung*, 8 (1984) 675-677; *C.A.*, 104 (1986) 4723b.
- 1846 Carisano, A. and Della Torre, G.: Sensitive reversed-phase high-performance liquid chromatographic determination of aflatoxin M<sub>1</sub> in dry milk. *J. Chromatogr.*, 355 (1986) 340-344.
- 1847 Furbito, P.R. and Babsky, N.E.: Rapid liquid chromatographic determination of patulin in apple juice. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 950-951.
- 1848 Lepom, P.: Simultaneous determination of the mycotoxins citrinin and ochratoxin A in wheat and barley by high-performance liquid chromatography. *J. Chromatogr.*, 355 (1986) 335-339.
- 1849 Quintavalla, S. and Casolari, A.: (Study on the occurrence of aflatoxin M<sub>1</sub> in milk and milk products). *Ind. Conserve*, 60 (1985) 85-91; *C.A.*, 103 (1985) 213492u.
- 1850 Schwenk, S. and Altmayer, B.: (Determination and stability of trichothecin in grape juice and wine). *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 304-307; *C.A.*, 104 (1986) 4712x.
- 1851 Shepherd, M.J., Holmes, M. and Gilbert, J.: Comparison and critical evaluation of six published extraction and clean-up procedures for aflatoxin M<sub>1</sub> in liquid milk. *J. Chromatogr.*, 354 (1986) 305-315.
- 1852 Shottwell, O.L., Bennett, G.A., Stubblefield, R.D., Shannon, G.M., Kwolek, W.F. and Plattner, R.D.: Deoxynivalenol in hard red winter wheat: relationship between toxic levels and factors that could be used in grading. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 954-957.
- 1853 Stahr, H.M., Domoto, M., Zhu, B.L. and Pfeiffer, R.: Chemical analysis for ochratoxin poisoning. *Mycotoxin Res.*, 1 (1985) 31-35; *C.A.*, 103 (1985) 208205y.
- 1854 Yasumoto, T. and Michishita, T.: Fluorometric determination of tetrodotoxin by high-performance liquid chromatography. *Agric. Biol. Chem.*, 49 (1985) 3077-3080; *C.A.*, 103 (1985) 208207a.

*8c. Other compounds with heterocyclic oxygen*

- 1855 Marini, S. and Righi, G.: (Determination of 5-hydroxymethylfurfural in honey. Rapid HPLC method). *Ind. Aliment.*, 24 (1985) 693-694; *C.A.*, 104 (1986) 4705x.
- 1856 Walczak, B., Dreux, M., Chretien, J.R., Szymoniak, K., Lafosse, M., Morin-Allory, L. and Doucet, J.P.: Factor analysis and experiment design in high-performance liquid chromatography. I. Trends in selectivity of 53 chalcones in reversed-phase high-performance liquid chromatography on alkyl- or phenyl-bonded stationary phases. *J. Chromatogr.*, 353 (1986) 109-121.

See also 2317, 2506.

## 9. OXO COMPOUNDS, ETHERS AND EPOKIDES

- 1857 Boor, P.J. and Ansari, G.A.S.: High-performance liquid chromatographic method for quantitation of acrolein in biological samples. *J. Chromatogr.*, 375 (1986) 159-164.
- 1858 Collins, M.D. and Green, P.N.: Isolation and characterization of a novel coenzyme Q from some methane-oxidizing bacteria. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1125-1131.
- 1859 Gormand, D., Brazier, J.L., Comet, F. and Lecompte, D.: High-performance liquid chromatographic determination of benzyl alcohol and its degradation product benzaldehyde in a pharmaceutical cream. *J. Chromatogr.*, 355 (1986) 345-349.
- 1860 Narziss, L., Miedaner, H. and Graf, H.: (Carbonyls and the maturation of beer. Part I: Analysis). *Monatschr. Brauwiss.*, 38 (1985) 396-402; *C.A.*, 104 (1986) 18569t.
- 1861 Puputti, E. and Lehtonen, P.: High-performance liquid chromatographic separation and diode-array spectroscopic identification of dinitrophenylhydrazone derivatives of carbonyl compounds from whiskies. *J. Chromatogr.*, 353 (1986) 163-168.
- 1862 Rietz, B.: Determination of three aldehydes in the air of working environments. *Anal. Lett.*, 18 (1985) 2369-2379.
- 1863 Tani, K. and Suzuki, Y.: (Elution characteristics of phenylhydrazones, mono- and di-nitrophenylhydrazones of aliphatic carbonyl compounds in reversed phase liquid chromatography). *Bunseki Kagaku*, 34 (1985) 717-722.
- 1864 Weller, P.E., Markey, C.M. and Marnett, L.J.: Enzymatic reduction of 5-phenyl-4-pentenyl-hydroperoxide: detection of peroxidases and identification of peroxidase reducing substrates. *Arch. Biochem. Biophys.*, 243 (1985) 633-643.

See also 1933, 1938, 1950, 2054, 2513.

## 10. CARBOHYDRATES

*10a. Mono and oligosaccharides. Structural studies*

- 1865 Djordjevic, S.P., Batley, M. and Redmond, J.W.: Preparative gel chromatography of acidic oligosaccharides using a volatile buffer. *J. Chromatogr.*, 354 (1986) 507-510.
- 1866 Abraham, D., Daniel, P., Dell, A., Oates, J., Sidebotham, R. and Winchester, B.: Structural analysis of the major urinary oligosaccharides in feline  $\alpha$ -mannosidosis. *Biochem. J.*, 233 (1986) 899-904.
- 1867 Alexander, P.W., Haddad, P.R. and Trojanowicz, M.: Potentiometric flow-injection determination of sugars using a metallic copper electrode. *Anal. Lett.*, 18 (1985) 1953-1978.
- 1868 Bhalla, H.L. and Khanolkar, J.E.: HPLC: a new method to estimate isosorbide dinitrate. *Indian Drugs*, 22 (1985) 541-543; *C.A.*, 104 (1986) 10711n.
- 1869 Green, E.D., Baenziger, J.U. and Boime, I.: Cell-free sulfation of human and bovine pituitary hormones. Comparison of the sulfated oligosaccharides of lutropin, follitropin, and thyrotropin. *J. Biol. Chem.*, 260 (1985) 15631-15638.



- 1870 Green, E.D., van Halbeek, H., Boime, I. and Baenziger, J.U.: Structural elucidation of the disulfated oligosaccharide from bovine lutropin. *J. Biol. Chem.*, 260 (1985) 15623-15630.
- 1871 Gupta, R.K., Jain, D.C. and Thakur, R.S.: Droplet counter current chromatography of furostanol glycosides of *Trigonella foenum-graecum*. *Indian J. Pharm. Sci.*, 47 (1985) 25-26; *C.A.*, 104 (1986) 39560y.
- 1872 Hull, S.R. and Turco, S.J.: Separation of partially methylated mannitols by liquid chromatography. *Anal. Biochem.*, 151 (1985) 554-560.
- 1873 Mimura, T. and Romano, J.C.: Muramic acid measurements for bacterial investigations in marine environments by high-pressure liquid chromatography. *Appl. Environ. Microbiol.*, 50 (1985) 229-237; *C.A.*, 104 (1986) 10243m.
- 1874 Rajakylä, E.: Use of reversed-phase chromatography in carbohydrate analysis. *J. Chromatogr.*, 353 (1986) 1-12.
- 1875 Reimerdes, E.H. and Rothkitt, K.D.: Analysis of lactulose and epilactose in the presence of lactose and other carbohydrates in milk and milk products by ion exchange chromatography. *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 408-411; *C.A.*, 104 (1986) 18703g.
- 1876 Sakiyama, T., Nakamura, K. and Yano, T.: Characterization of cation exchange resins as to separation of glucose and fructose using the moment analysis technique. *Agric. Biol. Chem.*, 49 (1985) 2619-2625; *C.A.*, 104 (1986) 18695f.
- 1877 Suzuki, Y., Hirabayashi, Y., Suzuki, T. and Matsumoto, M.: Occurrence of O-glycosidically peptide-linked oligosaccharides of poly-N-acetyllactosamine type (erythroglycan II) in the I-antigenically active Sendai virus receptor sialoglycoprotein GP-2. *J. Biochem. (Tokyo)*, 98 (1985) 1653-1659.

For additional information see:

*C.A.*, 104 (1986) 14295c, 31247f.

See also 1884, 2043, 2050.

#### 10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 1878 Bergey, E.J., Levine, M.J., Reddy, M.S., Bradway, S.D. and Al-Hashimi, I.: Use of the photoaffinity cross-linking agent N-hydroxysuccinimidyl-4-azido-salicylic acid to characterize salivary-glycoprotein-bacterial interactions. *Biochem. J.*, 234 (1986) 43-48.
- 1879 Bobleter, O. and Schwald, W.: (Gel permeation chromatography for the evaluation of the molecular weight distribution of underivatized celluloses in cadoxen). *Papier (Darmstadt)*, 39 (1985) 437-441; *C.A.*, 104 (1986) 7334m.
- 1880 Bretscher, M.S.: Heparan sulfate proteoglycans and their polypeptide chains from BHK cells. *EMBO J.*, 4 (1985) 1941-1944; *C.A.*, 103 (1985) 210428s.
- 1881 Fitzgerald, L.A., Leung, B. and Phillips, D.R.: A method for purifying the platelet membrane glycoprotein IIb-IIIa complex. *Anal. Biochem.*, 151 (1985) 169-177.
- 1882 Foddy, L., Feeney, J. and Hughes, R.C.: Properties of baby-hamster kidney (BHK) cells treated with Swainsonine, an inhibitor of glycoprotein processing. Comparison with ricin-resistant BHK-cell mutants. *Biochem. J.*, 233 (1986) 697-706.
- 1883 Hamacher, K. and Sahn, H.: Characterization of enzymatic degradation products of carboxymethyl cellulose by gel chromatography. *Carbohydr. Polym.*, 5 (1985) 319-327; *C.A.*, 104 (1986) 7343p.
- 1884 Hancock, L.W., Jones, M.Z. and Dawson, G.: Glycoprotein metabolism in normal and  $\beta$ -mannosidase-deficient cultured goat skin fibroblasts. *Biochem. J.*, 234 (1986) 175-183.
- 1885 Jeansonne, N., Radhakrishnamurthy, B., Dalferes, E.R., Jr. and Berenson, G.: Continuous-flow monitoring of hexuronic acid by carbazole action during gel filtration of proteoglycans in urea solutions. *J. Chromatogr.*, 354 (1986) 524-529.
- 1886 Kodama, C., Ototani, N., Isemura, M., Aikawa, J. and Yosizawa, Z.: Liquid-chromatographic determination of urinary glycosaminoglycans for differential diagnosis of genetic mucopolysaccharides. *Clin. Chem. (Winston-Salem)*, 32 (1986) 30-34.
- 1887 Koide, T., Odani, S. and Ono, T.: Human histidine-rich glycoprotein: simultaneous purification with antithrombin III and characterization of its gross structure. *J. Biochem. (Tokyo)*, 98 (1985) 1191-1200.

- 1888 Lee, C.E.F., Edwards, H.E., Navaratnam, S. and Phillips, G.O.: Quantitative analysis of a polysulfated xylan (SP54) in urine using gas-liquid chromatography. *Anal. Biochem.*, 152 (1986) 52-58.
- 1889 Lenzi, S., Sampietro, T., Giampietro, O., Miccoli, R., Masoni, A. and Navalesi, R.: An optimized method to measure glycosyl-proteins: HPLC assay of 5-hydroxymethyl-2-furfuraldehyde (5-HMF). *Protides Biol. Fluids*, 33 (1985) 567-570; *C.A.*, 104 (1986) 2962e.
- 1890 Murata, K. and Yokoyama, Y.: Analysis of hyaluronic acid and chondroitin by high-performance liquid chromatography of the constituent disaccharide units. *J. Chromatogr.*, 374 (1986) 37-44.
- 1891 Ohno, N., Suzuki, I., Sato, K., Oikawa, S., Miyazaki, T. and Yadomae, T.: Purification and structural characterization of an antitumor  $\beta$ -1,3-glucan isolated from hot water extract of the fruit body of cultured *Grifola frondosa*. *Chem. Pharm. Bull.*, 33 (1985) 4522-4527.
- 1892 Renauer, D., Oesch, F., Kinkel, J., Unger, K.K. and Wieser, R.J.: Fractionation of membrane proteins on immobilized lectins by high-performance liquid affinity chromatography. *Anal. Biochem.*, 151 (1985) 424-427.
- 1893 Shimizu, M., Yamauchi, K., Miyauchi, Y., Sakurai, T., Tokugawa, K. and McIlhinney, R.A.J.: High- $M_r$  glycoprotein profile in human milk serum and fat-globule membrane. *Biochem. J.*, 233 (1986) 725-730.
- 1894 Siri, A., Balza, E., Carnemolla, B., Castellani, P., Borsi, L. and Zardi, L.: DNA-binding domains of human plasma fibronectin. pH and calcium ion modulation of fibronectin binding to DNA and heparin. *Eur. J. Biochem.*, 154 (1986) 533-538.

See also 2050, 2065, 2070, 2079.

## 11. ORGANIC ACIDS AND LIPIDS

### 11a. Organic acids and simple esters

- 1895 Bag, S.P.: Determination of trace organic dicarboxylic acids and amines by ion-chromatography. *Talanta*, 32 (1985) 779-784; *C.A.*, 104 (1986) 45129f.
- 1896 Baty, J.D., Willis, R.G. and Tavendale, R.: Liquid chromatography/mass spectrometry of fatty acids as their anthrylmethyl esters. *Biomed. Mass Spectrom.*, 12 (1985) 565-569; *C.A.*, 103 (1985) 210182g.
- 1897 Bousquet, E., Santagati, N.A. and Romeo, G.: Clean-up and quantification of abscisic acid from citrus leaves by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 354 (1986) 503-506.
- 1898 Buchanan, D.N. and Thoene, J.G.: Photodiode array detection for liquid chromatographic profiling of carboxylic acids in physiological fluids: 3-hydroxy-3-methylglutanic aciduria. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 169-171.
- 1899 Buchanan, M.R., Haas, T.A., Lagarde, M. and Guichardant, M.: 13-Hydroxy-octadecadienoic acid is the vessel wall chemorepellant factor, LOX. *J. Biol. Chem.*, 260 (1985) 16056-16059.
- 1900 Chiu, G.: Analysis of mixtures of cyanovaleric and other carboxylic acids by liquid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 57-58.
- 1901 Fürangen, A.: Extractive alkylation of fatty acids with phenacyl bromide, studied by liquid chromatography. *J. Chromatogr.*, 353 (1986) 259-271.
- 1902 Gillett, R.W. and Ayers, G.P.: The determination of acetic, formic, and propanoic acids in rain water by reverse-phase high-performance liquid chromatography. *Anal. Chim. Acta*, 177 (1985) 273-277.
- 1903 Honda, K., Miyaguchi, K. and Imai, K.: Evaluation of aryl oxalates for chemiluminescence detection in high-performance liquid chromatography. *Anal. Chim. Acta*, 177 (1985) 103-110.
- 1904 Korte, K., Chien, K.R. and Casey, M.L.: Separation and quantitation of fatty acids by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 225-231.
- 1905 Kriz, J., Vodicka, L. and Burda, J.: High-performance liquid chromatography of methyl esters of diamantane and adamantane carboxylic acids. *J. Chromatogr.*, 352 (1986) 427-438.

- 1906 Tsai, C.P., Sahil, A., McGuire, J.M., Karger, B.L. and Vouros, P.: High-performance liquid chromatographic/mass spectrometric determination of volatile carboxylic acids using ion-pair extraction and thermally induced alkylation. *Anal. Chem.*, 58 (1986) 2-6.
- 1907 Vanderhoek, J.Y., Karmin, M.T. and Ekberg, L.S.: Endogenous hydroxyeicosatetraenoic acids stimulate the human polymorphonuclear leukocyte 15-lipoxygenase pathway. *J. Biol. Chem.*, 260 (1985) 15482-15487.
- 1908 Yamaguchi, M., Matsunaga, R., Hara, S., Nakamura, M. and Ohkura, Y.: Highly sensitive determination of free fatty acids in human serum by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 375 (1986) 27-35.
- 1909 Zeman, I., Ranny, M. and Winterova, L.: Chromatographic analysis of fatty acid dimers. Comparison of gas-liquid chromatography, high-performance liquid chromatography and thin-layer chromatography with flame ionization detection. *J. Chromatogr.*, 354 (1986) 283-292.

For additional information see:

C.A., 104 (1986) 2954d, 18725r, 33154x.

See also 1740, 1742, 2351.

#### 11b. Prostaglandins

- 1910 Hall, E.R., Tuan, W.-M. and Venton, D.L.: Production of platelet thromboxane A<sub>2</sub> inactivates purified human platelet thromboxane synthase. *Biochem. J.*, 233 (1986) 637-641.
- 1911 Snider, B.G.: Separation of *cis-trans* isomers of prostaglandins with a cyclodextrin bonded column. *J. Chromatogr.*, 351 (1986) 548-553.

See also 1742.

#### 11c. Lipids and their constituents

- 1912 Frede, E.: Improved HPLC of triglycerides by special tempering procedures. *Chromatographia*, 21 (1986) 29-36.
- 1913 Greenstock, C.L.: Effect of additives on irradiated and autoxidized phospholipids. *Life Chem. Rep.*, 3 (1985) 49-56; C.A., 103 (1985) 137717d.
- 1914 Kim, H.-Y. and Salem, N., Jr.: Phospholipid molecular species analysis by thermospray liquid chromatography/mass spectrometry. *Anal. Chem.*, 58 (1986) 9-14.
- 1915 Kramer, J.K.G., Fouchard, R.C. and Farnworth, E.R.: Resolution of phospholipids on copper(II) sulphate-impregnated Chromarods. *J. Chromatogr.*, 351 (1986) 571-573.
- 1916 Kramer, J.K.G., Thompson, B.K. and Farnworth, E.R.: Variation in the relative response factor for triglycerides on Iatroscan Chromarods with fatty acid composition and sequence of analyses. *J. Chromatogr.*, 355 (1986) 221-228.
- 1917 Nishimura, K. and Nakamura, A.: High performance liquid chromatographic analysis of long chain bases in intestinal glycolipids of adult and embryonic Japanese quails. *J. Biochem. (Tokyo)*, 98 (1985) 1247-1254.
- 1918 Patton, G.M., Robins, S.J., Fasulo, J.M. and Clark, S.B.: Influence of lecithin acyl chain composition on the kinetics of exchange between chylomicrons and high density lipoproteins. *J. Lipid Res.*, 26 (1985) 1285-1293.
- 1919 Xia, X., Cui, Z. and Gu, T.: (Liver cancer and glycosphingolipids. II. Isolation and purification of the hepatoma-associated gangliosides). *Shanghai Huaxue Zazhi*, 1 (1985) 13-17; C.A., 104 (1986) 17227t.

For additional information see:

C.A., 104 (1986) 33130m.

See also 2048.

## 11d. Lipoproteins and their constituents

- 1920 Armstrong, V.W., Walli, A.K. and Seidel, D.: Isolation, characterization, and uptake in human fibroblasts of an apo(A)-free lipoprotein obtained on reduction of lipoprotein(A). *J. Lipid Res.*, 26 (1985) 1314-1323.
- 1921 Clifton, P.M., Mackinnon, A.M. and Barter, P.J.: Effects of serum amyloid A protein (SAA) on composition, size, and density of high density lipoproteins in subjects with myocardial infarction. *J. Lipid Res.*, 26 (1985) 1389-1398.
- 1922 Park, Y.B., Jahani, M. and Lacko, A.G.: Isolation of high-density lipoproteins by immunoaffinity column chromatography from hog plasma. *Comp. Biochem. Physiol., B: Comp. Biochem.*, 82B (1985) 529-533; *C.A.*, 104 (1986) 17212j.
- 1923 Reichl, D., Forte, T.M., Hong, J.L., Rudra, D.N. and Pflug, J.: Human lymphedema fluid lipoproteins: particle size, cholesterol and apolipoprotein distributions, and electron microscopic structure. *J. Lipid Res.*, 26 (1985) 1399-1411.
- 1924 Schaefer, E.J., Ordovas, J.M., Law, S.W., Ghiselli, G., Kashyap, M.L., Srivastava, L.S., Heaton, W.H., Albers, J.J., Connor, W.E., Lindgren, F.T., Lemeshev, Y., Segrest, J.P. and Brewer, H.B., Jr.: Familial apolipoprotein A-I and C-III deficiency, variant II. *J. Lipid Res.*, 26 (1985) 1089-1101.
- 1925 Weisweiler, P., Friedl, C. and Schwandt, P.: Fast protein chromatofocusing of human very-low-density lipoproteins. *Biochim. Biophys. Acta*, 875 (1986) 48-51.
- 1926 Williams, M.C., Stenoién, C.G. and Kushava, R.S.: Rapid method for measuring plasma low-density lipoprotein turnover using high-performance gel exclusion chromatography. *J. Chromatogr.*, 375 (1986) 233-243.

## 13. STEROIDS

- 1927 Watson, D., Taylor, G.W. and Murray, S.: Thermospray liquid chromatography negative ion mass spectrometry of steroid sulfate conjugates. *Biomed. Mass Spectrom.*, 12 (1985) 610-615; *C.A.*, 104 (1986) 31281n.

## 13a. Pregnane and androstane derivatives

- 1928 Cavina, G., Valvo, L. and Alimenti, R.: Quantitative analysis and purity evaluation of medroxyprogesterone acetate by HPLC. *J. Pharm. Biomed. Anal.*, 3 (1985) 535-546.
- 1929 Chasalow, F.I. and Blethen, S.L.: Dehydroepiandrosterone measurements in cord blood. *Steroids*, 45 (1985) 187-193; *C.A.*, 104 (1986) 28929z.
- 1930 Maeda, M. and Tsuji, A.: Chemiluminescence with lucigenin as post-column reagent in high-performance liquid chromatography of corticosteroids and *p*-nitrophenacyl esters. *J. Chromatogr.*, 352 (1986) 213-220.
- 1931 Rohdewald, P., Rehder, J., Drehsen, G., Hochhaus, G., Derendorf, H. and Möllmann, H.: Simultaneous determination of glucocorticoid alcohols, their succinates and hydrocortisone in plasma. *J. Pharm. Biomed. Anal.*, 3 (1985) 565-573.
- 1932 Stoner, E., Loche, S., Mirth, A. and New, M.I.: Clinical utility of adrenal steroid measurement by high-performance liquid chromatography in pediatric endocrinology. *J. Chromatogr.*, 374 (1986) 358-362.

For additional information see:

*C.A.*, 104 (1986) 923u.

## 13b. Estrogens

- 1933 Abul-Hajj, Y.J.: Estrogen 1,2-epoxides or estrogen quinones/semiquinones. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1078-1085.
- 1934 Jansen, E.H.J.M., van den Berg, R.H., van Blitterswijk, H., Both-Miedema, R. and Stephany, R.W.: A highly specific detection method for diethylstilbestrol in bovine urine by radioimmunoassay following high performance liquid chromatography. *Food Addit. Contam.*, 2 (1985) 271-281; *C.A.*, 104 (1986) 15228v.

## 13c. Sterols

- 1935 Arunachalam, T., Hodgkin, J.C. and Caspi, E.: Facile high-performance liquid chromatographic resolution of (25R)- and (25S)-26-hydroxycholesterol-3,26-di-*p*-bromobenzoates. *J. Chromatogr.*, 351 (1986) 604-697.
- 1936 Devgun, M.S. and Paterson, C.R.: Measurement of blood levels of 7-dehydrocholesterol in man by high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 169-173.
- 1937 Saucier, S.W., Kandutsch, A.A., Taylor, F.R., Spencer, T.A., Phirwa, S. and Gayen, A.K.: Identification of regulatory oxysterols, 24(S),25-epoxycholesterol and 25-hydroxycholesterol, in cultured fibroblasts. *J. Biol. Chem.*, 260 (1985) 14571-14579.
- 1938 Sugino, K., Terao, J., Murakami, H. and Matsushita, S.: High-performance liquid chromatographic method for the quantification of cholesterol epoxides spray-dried egg. *J. Agric. Food Chem.*, 34 (1986) 36-39.

## 13d. Bile acids and alcohols

- 1939 Kirkpatrick, R.B. and Belsaas, R.A.: Formation and secretion of glycolithocholate-3-sulfate in primary hepatocyte cultures. *J. Lipid Res.*, 26 (1985) 1431-1437.
- 1940 Krisans, S.K., Thompson, S.L., Pena, L.A., Kok, E. and Javitt, N.B.: Bile acid synthesis in rat liver peroxisomes: metabolism of 26-hydroxycholesterol to 3 $\beta$ -hydroxy-5-cholenoic acid. *J. Lipid Res.*, 26 (1985) 1324-1332.

## 14. STEROID GLYCOSIDES AND SAPONINS

- 1941 Kershaw, W.C., Campbell, P. and Lage, G.L.: *In vitro* digitoxin metabolism. Rate-limiting step and alteration following spironolactone pretreatment. *Drug Metab. Disp.*, 13 (1985) 635-639.
- 1942 Sledzinska, B., Klawiter, J., Kaminski, M., Majer, Z. and Klauze, M.: Separation of lanatosides A, B, and C from their mixture. *Ger. (East) Pat.* DD 216, 027 (Cl. CO7J19/00), 28 Nov. 1984, Appl. 259,884, 06 Feb. 1984; 13 pp.; *C.A.*, 104 (1986) 39707b.
- 1943 Wehmeyer, K.R., Halsall, H.B., Heineman, W.R., Volle, C.P. and Chen, I.-W.: Competitive heterogeneous enzyme immunoassay for digoxin with electrochemical detection. *Anal. Chem.*, 58 (1986) 135-139.

## 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

See 1778.

## 15a. Terpenes

- 1944 Yamada, K., Yokohama, H., Abe, S., Katayama, K. and Sato, T.: High-performance liquid chromatographic method for the determination of dolichols in tissues and plasma. *Anal. Biochem.*, 150 (1985) 26-31.

See also 2131.

## 15b. Essential oils

- 1945 Seeleitner, G., Seif, P. and Poespoek, J.: (An advance in hop oil analysis). *Mitt. Versuchsstn. Gaerungsgewerbe Wien*, 39 (1985) 102-106; *C.A.*, 104 (1986) 4581d.

For additional information see:

*C.A.*, 103 (1985) 220598m.

## 16. NITRO AND NITROSO COMPOUNDS

- 1946 Chism, J.P. and Rickert, D.E.: Isomer- and sex-specific bioactivation of mono-trotoluenes. Role of enterohepatic circulation. *Drug Metab. Disp.*, 13 (1985) 651-657.
- 1947 Jenkins, T.F., Leggett, D.C., Grant, C.L. and Bauer, C.F.: Reversed-phase high-performance liquid chromatographic determination of nitroorganics in munitions wastewater. *Anal. Chem.*, 58 (1986) 170-175.
- 1948 Voyksner, R.D. and Yionon, J.: Trace analysis of explosives by thermospray high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 354 (1986) 393-405.
- 1949 Yinon, J. and Hwang, D.-G.: Metabolic studies of explosives. IV. Determination of 2,4,6-trinitrotoluene and its metabolites in blood of rabbits by high-performance liquid chromatography-mass spectrometry. *J. Chromatogr.*, 375 (1986) 154-158.

See also 1868, 1952, 2361.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

## 17a. Amines and polyamines

- 1950 Arjmand, M. and Sandermann, H., Jr.: Mineralization of chloroaniline/lignin conjugates and of free chloroanilines by the white rot fungus *Phanerochaete chrysosporium*. *J. Agric. Food Chem.*, 33 (1985) 1055-1060.
- 1951 Bailey, J.E., Jr. and Bailey, C.J.: Determination of aromatic amines in FD and C Yellow No. 5 by diazotization and coupling followed by reversed-phase HPLC. *Talanta*, 32 (1985) 875-882; *C.A.*, 104 (1986) 18694e.
- 1952 Cossum, P.A. and Rickert, D.E.: Metabolism of dinitrobenzenes by rat isolated hepatocytes. *Drug Metab. Disp.*, 13 (1985) 664-668.
- 1953 Felice, L.J., Schirmer, R.E., Springer, D.L. and Veverka, C.V.: Determination of polycyclic aromatic amines in skin by liquid chromatography with electrochemical detection. *J. Chromatogr.*, 354 (1986) 442-448.
- 1954 Liscovitch, M., Freese, A., Biusztajn, J.K. and Wurtman, R.J.: High-performance liquid chromatography of water-soluble choline metabolites. *Anal. Biochem.*, 151 (1985) 182-187.
- 1955 Madsen, J.P., Bush, L.P. and Gay, S.L.: Effects of curing on polyamine content of leaves of *Nicotiana tabacum* L. genotypes with different alkaloid levels. *J. Agric. Food Chem.*, 33 (1985) 1182-1185.
- 1956 Stefanelli, C., Carati, D. and Rossoni, C.: Separation of N<sup>1</sup>- and N<sup>8</sup>-acetyl-spermidine isomers by reversed-phase column liquid chromatography after derivatization with dansyl chloride. *J. Chromatogr.*, 375 (1986) 49-55.

For additional information see:  
*C.A.*, 103 (1985) 213477t.

See also 1895, 2367.

## 17b. Catecholamines and their metabolites

- 1957 Baruzzi, A., Contin, M., Albani, F. and Riva, R.: Simple and rapid micromethod for the determination of levodopa and 3-O-methyldopa in human plasma by high-performance liquid chromatography with coulometric detection. *J. Chromatogr.*, 375 (1986) 165-169.
- 1958 Duran, R., Aldegunde, M. and Marco, J.: Simple HPLC-EC method for the simultaneous determination of biogenic amines and their main metabolites in small rat brain regions. *Anal. Lett.*, 18 (1985) 2173-2181.
- 1959 Freeman, G.B., Nielsen, P. and Gibson, G.E.: Automated method to estimate catecholamine and indoleamine content and turnover rates. *J. Chromatogr.*, 374 (1986) 239-249.
- 1960 Jacobsen, R.: (Determination of vanillylmandelic acid by HPLC using ion-pair chromatography). *Labor.-Med.*, 8 (1985) 413-416; *C.A.*, 104 (1986) 17235u.

- 1961 Larson, A.A. and Dalo, N.L.: Quantification of tryptamine in brain using high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 37-47.
- 1962 Lee, M., Nohta, H., Ohkura, Y. and Yoo, B.: Assay for aromatic L-amino acid decarboxylase based on fluorescence derivatization with 1,2-diphenylethylendiamine. *Anal. Chim. Acta*, 177 (1985) 93-101.
- 1963 Moleman, P. and Borstrok, J.J.M.: Analysis of urinary catecholamines and metabolites with high-performance liquid chromatography and electrochemical detection. *Biog. Amines*, 3 (1985) 33-71; *C.A.*, 103 (1985) 210028m.
- 1964 Siri, F.M. and Kauer, C.D.: Plasma catecholamine measurements in resting and stressed conscious rats, using high performance liquid chromatography with electrochemical detection. *Life Sci.*, 37 (1985) 1923-1931; *C.A.*, 103 (1985) 206740v.
- 1965 Slivka, A. and Cohen, G.: Hydroxyl radical attack on dopamine. *J. Biol. Chem.*, 260 (1985) 15466-15472.

For additional information see:

*C.A.*, 103 (1985) 206710k, 206715r, 210172d, 210173e, 210178k.

See also 1984, 2257.

#### 17c. Amine derivatives and amides (excluding peptides)

- 1966 Ladanyi, L., Sztruhar, I., Vedres, A. and Vereczkey-Donath, G.: High-performance liquid chromatography of 8-azagonane-12-one derivatives and their oximes. II. Separation of optical isomers. *J. Chromatogr.*, 353 (1986) 27-32.
- 1967 Yao, T., Sato, M. and Wasa, T.: (High-performance liquid chromatographic determination of acetylcholine and choline by the use of immobilized enzyme electrode as the detector). *Nippon Kagaku Kaishi*, (1985) 1501-1503; *C.A.*, 104 (1986) 14277y.

See also 1863.

### 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

#### 18a. Amino acids and their derivatives

- 1968 Aberhart, D.J., Cotting, J.-A. and Lin, H.-J.: Separation by high-performance liquid chromatography of (3R)- and (3S)- $\beta$ -leucine as diastereomeric derivatives. *Anal. Biochem.*, 151 (1985) 88-91.
- 1969 Buschman, F., Apell, G. and Sharma, O.K.: High-performance liquid chromatographic determination of  $\beta$ -aminoisobutyric acid in the picomole range. *J. Chromatogr.*, 374 (1986) 129-136.
- 1970 Chaboud, A., Debourcieu, L. and Raynaud, J.: Etude comparative des acides amines libres des thés de Ceylan, du Gran Yunan et Yunan Tuocha. *Pharmazie*, 41 (1986) 72-74.
- 1971 Cohen-Solal, L., Blouquit, Y., Cohen-Solal, M. and Glimcher, M.J.: Reaction products formed after strong acid treatment of  $\alpha$ -amino- $\delta$ -hydroxyvaleric acid. *Anal. Biochem.*, 151 (1985) 82-87.
- 1972 Cynober, L., Coudray-Lucas, C., Ziegler, F. and Giboudeau, J.: High performance ion-exchange chromatography of amino acids in biological fluids using Chromakon 500-performance of the apparatus. *J. Autom. Chem.*, 7 (1985) 201-203; *C.A.*, 104 (1986) 17231q.
- 1973 Elkin, R.G. and Griffith, J.E.: Amino acid analysis of feedstuff hydrolysates by cation exchange high performance liquid chromatography. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1028-1032.
- 1974 Fritsch, R.: (Lysinoalanine-analytic, formation and occurrence in milk protein). *Ernaehrung*, 8 (1984) 532-537; *C.A.*, 104 (1986) 33123m.
- 1975 Fukuhara, T., Itoh, M., Isoyama, M., Shimada, A. and Yuasa, S.: Resolution of aliphatic 2,4-dinitrophenyl-DL-amino acids on a native cellulose column. *J. Chromatogr.*, 354 (1986) 325-329.
- 1976 Gehrke, C.W., Wall, L.L., Sr., Absheer, J.S., Kaiser, F.E. and Zumwalt, R.W.: Sample preparation for chromatography of amino acids: acid hydrolysis of proteins. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 811-821.

- 1977 Görög, S., Herenyi, B. and Löw, M.: Derivatization of N-protected amino acids for chiral separation by high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 417-424.
- 1978 Graser, T.A., Godel, H.G., Albers, S., Földi, P. and Fürst, P.: An ultra rapid and sensitive high-performance liquid chromatographic method for determination of tissue and plasma free amino acids. *Anal. Biochem.*, 151 (1985) 142-152.
- 1979 Gregok B., Nice, E.C. and Simpson, R.J.: Use of scanning diode array detector with reversed-phase microbore columns for the real-time spectral analysis of aromatic amino acids in peptides and proteins at the sub-micrograms level. Applications to peptide and protein microsequencing. *J. Chromatogr.*, 352 (1985) 359-368.
- 1980 Grushka, E. and Cohen, A.S.: Chromatographic behaviour of ternary nucleotide metal cation-amino acid complexes. *J. Chromatogr.*, 353 (1986) 389-398.
- 1981 Qureshi, G.A., Gutierrez, A. and Bergström, J.: Determination of histidine, 1-methylhistidine and 3-methylhistidine in biological samples by high-performance liquid chromatography. Clinical application of urinary 3-methylhistidine in evaluating the muscle protein breakdown in uraemic patients. *J. Chromatogr.*, 374 (1986) 363-369.
- 1982 Hoskins, J.A., Holliday, S.B. and Davies, F.F.: Problem in the analysis of low levels of amino acids in physiological fluids and tissues using o-phthalaldehyde derivatization and reversed-phase high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 375 (1986) 129-133.
- 1983 Huang, C.H., Kimura, R., Bawarshi-Nassar, R. and Hussain, A.: Mechanism of nasal absorption of drugs. II: absorption of L-tyrosine and the effect of structural modification on its absorption. *J. Pharm. Sci.*, 74 (1985) 1298-1301.
- 1984 Ito, S., Fujita, K., Yoshioka, M., Sienko, D. and Nagatsu, T.: Identification of S-S- and 2-S-cysteinyl-dopamine and 5-S-glutathionyl-dopamine formed from dopamine by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 375 (1986) 134-140.
- 1985 Jones, A.D., Homan, A.C., Favell, D.J. and Hitchcock, C.H.S.: High-performance liquid chromatographic column switching method for the determination of hydroxyproline in meat and meat products. *J. Chromatogr.*, 353 (1986) 153-161.
- 1986 Keller, D.A. and Menzel, D.B.: Picomole analysis of glutathione, glutathione disulfide, glutathione S-sulfonate, and cysteine S-sulfonate by high-performance liquid chromatography. *Anal. Biochem.*, 151 (1985) 418-423.
- 1987 Kok, W.T., Halvax, J.O. and Frei, R.W.: Comparison of electrochemical detection methods in liquid chromatography for the determination of N-acetylcysteine in plasma. *J. Chromatogr.*, 352 (1986) 27-33.
- 1988 Lam, S.: Resolution of D- and L-amino acids after precolumn derivatization with o-phthalaldehyde by mixed chelation with Cu(II)-L-proline. *J. Chromatogr.*, 355 (1986) 157-164.
- 1989 MacDonald, J.L., Krueger, M.W. and Keller, J.H.: Oxidation and hydrolysis determination of sulfur amino acids in food and feed ingredients: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 826-829.
- 1990 Macek, J. and Adam, M.: Method for rapid determination of hydroxyproline by high-performance liquid chromatography and its exploitation for the study of collagen formation. *J. Chromatogr.*, 374 (1986) 125-128.
- 1991 Mills, G.C.: Removal of salts from aromatic amino acids, their metabolites and related compounds using an XAD-4 resin. *J. Chromatogr.*, 355 (1986) 193-200.
- 1992 Morita, I., Masujima, T., Yoshida, H. and Imai, H.: Direct plasma injection method for the analysis of tryptophan metabolites by high-performance liquid chromatography coupled with precolumn deproteinization. *Anal. Biochem.*, 151 (1985) 358-364.
- 1993 Nakagawa, T., Shibukawa, A., Kaihara, A., Itamochi, T. and Tanaka, H.: Liquid chromatography with crown ether-containing mobile phases. VI. Molecular recognition of amino acids and peptides. *J. Chromatogr.*, 353 (1986) 399-409.
- 1994 Nielsen, H.K. and Hurrell, R.F.: Tryptophan determination of food proteins by HPLC after alkaline hydrolysis. *J. Sci. Food Agric.*, 36 (1985) 893-907; C.A., 104 (1986) 18740s.
- 1995 Nimura, N. and Kinoshita, T.: o-Phthalaldehyde-N-acetyl-L-cysteine as a chiral derivatization reagent for liquid chromatographic optical resolution of amino acid enantiomers and its application to conventional amino acid analysis. *J. Chromatogr.*, 352 (1986) 169-177.



- 1996 Ogawa, T. and Kawanishi, Y.: Simple and direct determination of pyridinoline and 2'-deoxypyridinoline by automatic analysis. *J. Chromatogr.*, 354 (1986) 495-497.
- 1997 Phillips, R.S., Miles, E.W. and Cohen, L.A.: Differential inhibition of tryptophan synthase and of tryptophanase by the two diastereoisomers of 2,3-dihydro-L-tryptophan. Implications for the stereochemistry of the reaction intermediates. *J. Biol. Chem.*, 260 (1985) 14665-14670.
- 1998 Porter, D.H., Cook, R.J. and Wagner, C.: Enzymatic properties of dimethylglycine dehydrogenase and sarcosine dehydrogenase from rat liver. *Arch. Biochem. Biophys.*, 143 (1985) 396-407.
- 1999 Porter, D.H., Lin, M. and Wagner, C.: Measurement of dimethylglycine in biological fluids. *Anal. Biochem.*, 151 (1985) 299-303.
- 2000 Shoji, S., Ichikawa, M., Yamaoka, T., Funakoshi, T. and Kubota, Y.: High-sensitivity amino acid analysis of stained peptides and proteins from a sodium dodecyl sulphate-polyacrylamide slab gel. *J. Chromatogr.*, 354 (1986) 463-470.
- 2001 Stulik, K., Pacakova, V., Weingart, M. and Vlasakova, V.: High-performance liquid chromatography of tryptophan and its irradiation products using UV photometric and voltammetric detection. *J. Chromatogr.*, 354 (1986) 449-453.

For additional information see:

*C.A.*, 104 (1986) 4634y, 31065v, 33142s, 39827r.

See also 1741, 1784, 2053, 2186, 2221, 2275.

#### 18b. Peptides and peptidic and proteinous hormones

- 2002 Adams, P.S. and Haines-Nutt, R.F.: Analysis of bovine, porcine and human insulins in pharmaceutical dosage forms and drug delivery systems. *J. Chromatogr.*, 351 (1986) 574-579.
- 2003 Bürgisser, E., Raine, A.E.G., Erne, P., Kamber, B. and Bühler, F.R.: Human cardiac plasma concentrations of atrial natriuretic peptide quantified by radioreceptor assay. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1201-1209.
- 2004 Drysdale, A.C., McEwan, J., Electricwala, A. and Sherwood, R.: Investigation of a peptide fraction in the plasma of pain patients by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 376-379.
- 2005 Dupin, A.M. and Stvolinsky, S.L.: Changes in carnosine content in excited muscles at different regimes of stimulation. *Biokhimiya (Moscow)*, 51 (1986) 160-164.
- 2006 Fleming, L.H. and Reynolds, N.C., Jr.: Separation and detection of closely related endorphins by liquid chromatography-electrochemistry. *J. Chromatogr.*, 375 (1986) 65-73.
- 2007 Francis, G.L., Read, L.C., Ballard, F.J., Bagley, C.J., Upton, F.M., Gravestock, P.M. and Wallace, J.C.: Purification and partial sequence analysis of insulin-like growth factor-1 from bovine colostrum. *Biochem. J.*, 233 (1986) 207-213.
- 2008 Głajch, J.L., Quarry, M.A., Vasta, J.F. and Snyder, L.R.: Separation of peptide mixtures by reversed-phase gradient elution. Use of flow rate changes for controlling band spacing and improving resolution. *Anal. Chem.*, 58 (1986) 280-285.
- 2009 Hearn, M.T.W. and Aguilar, M.I.: High-performance liquid chromatography of amino acids, peptides and proteins. LXVII. Evaluation of bandwidth relationships of peptides related to human  $\beta$ -endorphin, separated by gradient-elution reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 35-66.
- 2010 Heavner, G.A.: Thymopentin structure and relation to thymic factor. *Surv. Immunol. Res.*, 4 (1985) 11-16; *C.A.*, 104 (1986) 10680b.
- 2011 Holmes, C.F.B., Campbell, D.G., Caudwell, F.B., Aitken, A. and Cohen, P.: The protein phosphatases involved in cellular regulation. Primary structure of inhibitor-2 from rabbit skeletal muscle. *Eur. J. Biochem.*, 155 (1986) 173-182.
- 2012 Iwamamoto, T., Yoshiura, M., Iriyama, K., Tomizawa, N., Kurihara, S., Lee, T. and Suzuki, N.: Identification of glutathione in reversed-phase liquid chromatogram of a lens. *Jikeikai Med. J.*, 32 (1985) 245-249; *C.A.*, 103 (1985) 210170b.

- 2013 Kalivas, P.W., Taylor, S. and Miller, J.S.: Sensitization to repeated enkephalin administration into the ventral tegmental area of the rat. I. Behavioral characterization. *J. Pharmacol. Exp. Ther.*, 235 (1985) 537-543.
- 2014 Marie, J.C., Hoa, D.H.B., Jackson, R., Hejblum, G. and Rosselin, G.: The biological relevance of HPLC-purified vasoactive intestinal polypeptide monoiodinated at tyrosine 10 or tyrosine 22. *Regul. Pept.*, 12 (1985) 113-123; *C.A.*, 104 (1986) 28939c.
- 2015 Mazzola, G., Longhi, R. and Carrea, G.: High-performance liquid chromatography of glucagon and related compounds. *Anal. Biochem.*, 151 (1985) 350-357.
- 2016 Mousa, S.A. and van Loon, G.R.: Measurement of proenkephalin A-derived peptides in biological tissues by high pressure liquid chromatography coupled with amperometric electrochemical detection. *Life Sci.*, 37 (1985) 1795-1802; *C.A.*, 103 (1985) 210194n.
- 2017 Patience, R.L. and Rees, L.H.: Comparison of reversed-phase and anion-exchange high-performance liquid chromatography for the analysis of human growth hormones. *J. Chromatogr.*, 352 (1986) 241-253.
- 2018 Richardson, M.C., Hirji, M.R., Thompson, A.D. and Masson, G.M.: Iodination of a long-acting analogue of luteinizing hormone releasing hormone: separation of reaction products by column liquid chromatography and measurement of biological activity. *J. Chromatogr.*, 374 (1986) 370-377.
- 2019 Sasagawa, T. and Hashimoto, T.: (Very high efficiency chromatography of peptides). *Tanpakushitsu Kakusan Koso*, 30 (1985) 1320-1335; *C.A.*, 103 (1985) 210036n - a review with 117 refs.
- 2020 Simpson, R.J., Smith, J.A., Moritz, R.L., O'Hare, M., Rudland, P.S., Morrison, J.R., Lloyd, C.J., Grego, B., Burgess, A.W. and Nice, E.C.: Rat epidermal growth factor: complete amino acid sequence. Homology with the corresponding murine and human proteins; isolation of a form truncated at both ends with full *in vitro* biological activity. *Eur. J. Biochem.*, 153 (1985) 629-637.
- 2021 Thody, A.J., Fisher, C., Kendal-Taylor, P., Jones, M.T., Price, J. and Abraham, R.R.: The measurement and characterization by high-pressure liquid chromatography of immunoreactive  $\alpha$ -melanocyte-stimulating hormone in human plasma. *Acta Endocrinol.*, 110 (1985) 313-318; *C.A.*, 104 (1986) 937b.
- 2022 Tomasselli, A.G., Mast, E., Janes, W. and Schiltz, E.: The complete amino acid sequence of adenylate kinase from baker's yeast. *Eur. J. Biochem.*, 155 (1986) 111-119.
- 2023 Truscott, R.J.W., Langenberg, E. and Louis, W.J.: Isolation of coloured peptides from cataractous lens proteins. *J. Chromatogr.*, 374 (1986) 137-142.
- 2024 Yokosawa, H., Endo, S., Ohgaki, Y., Maeyama, J.-i. and Ishii, S.-i.: Hydrolysis of substance P and its analogs by angiotensin-converting enzyme from rat lung. Characterization of endopeptidase activity of the enzyme. *J. Biochem. (Tokyo)*, 98 (1985) 1293-1299.

For additional information see:

*C.A.*, 103 (1985) 206757f, 213513b.

See also 1979, 1984, 1986, 1993, 2033, 2094, 2100, 2137, 2202.

### 18c. General techniques of elucidation of structure of proteins

- 2025 Hamilton, J.W., Chu, L.L.H., Rouse, J.B., Reddig, K. and McGregor, R.R.: Structural characterization of adrenal chromogranin A and parathyroid secretory protein-I as homologs. *Arch. Biochem. Biophys.*, 244 (1986) 16-26.
- 2026 Hanlu, M., Ryan, D.E., Levin, W. and Shively, J.E.: The primary structure of cytochrome P-450d purified from rat liver microsomes: prediction of helical regions and domain analysis. *Arch. Biochem. Biophys.*, 244 (1986) 323-337.
- 2027 Lottspeich, F.: High-performance liquid chromatography in microsequencing. *TrAC*, 4 (1985) 244-246.
- 2028 Miyaguchi, K., Honda, K., Toyo'oka, T. and Imai, K.: Application of a microbore high-performance liquid chromatography-chemiluminescence detection system to the N-terminal amino acid analysis of bradykinin. *J. Chromatogr.*, 352 (1986) 255-260.
- 2029 Paxton, R., Kuntz, M. and Harris, R.A.: Phosphorylation sites and inactivation of branched-chain  $\alpha$ -ketoacid dehydrogenase isolated from rat heart, bovine kidney, and rabbit liver, kidney, heart, brain, and skeletal muscle. *Arch. Biochem. Biophys.*, 244 (1986) 187-201.

- 2030 Sgro, J.-Y., Jacrot, B. and Chroboczek, J.: Identification of regions of brome mosaic virus coat protein chemically cross-linked *in situ* to viral RNA. *Eur. J. Biochem.*, 154 (1986) 69-76.

See also 2104.

## 19. PROTEINS

See 1791, 1976.

### 19a. General techniques

- 2031 Asryants, R.A., Duszenkova, I.V. and Nagradova, N.K.: Determination of Sepharose-bound protein with Coomassie Brilliant Blue G-250. *Anal. Biochem.*, 151 (1985) 571-574.
- 2032 Burke, D.J., Duncan, J.K., Dunn, L.C., Cummings, L., Siebert, C.J. and Ott, G.S.: Rapid protein profiling with a novel anion-exchange material. *J. Chromatogr.*, 353 (1986) 425-437.
- 2033 Ichimura, T., Amano, Y., Isobe, T. and Okuyama, T.: (High performance liquid chromatography of proteins and peptides on an octadecyl-bonded glass support). *Bunseki Kagaku*, 34 (1985) 653-658.
- 2034 Josic, D., Schütt, W., van Renswoude, J. and Reutter, W.: High-performance liquid chromatographic methods for antibodies, glycosidases and membrane proteins. *J. Chromatogr.*, 353 (1986) 13-18.
- 2035 Kato, Y., Nakamura, K. and Hashimoto, T.: High-performance metal chelate affinity chromatography of proteins. *J. Chromatogr.*, 354 (1986) 511-517.
- 2036 Mehrens, H.A. and Reimerdes, E.H.: (Separation of protein and peptides by HPLC). *GIT-Suppl.*, (1985) 65-68; *C.A.*, 103 (1985) 210161z.
- 2037 Parente, E.S. and Wetlaufer, D.B.: Relationship between isocratic and gradient retention times in the high-performance ion-exchange chromatography of proteins. Theory and experiment. *J. Chromatogr.*, 355 (1986) 29-40.
- 2038 Pearson, J.D.: High-performance liquid chromatography column length designed for submicrogram scale protein isolation. *Anal. Biochem.*, 152 (1986) 189-198.
- 2039 Schütte, H., Hummel, W. and Kula, M.-R.: Improved enzyme screening by automated fast protein liquid chromatography. *Anal. Biochem.*, 151 (1985) 547-553.
- 2040 Stout, R.W., Sivakoff, S.I., Ricker, R.D. and Snyder, L.R.: Separation of proteins by gradient elution from ion-exchange columns. Optimizing experimental conditions. *J. Chromatogr.*, 353 (1986) 439-463.
- 2041 Unger, K.K. and Chatziathanassiou, M.: Size exclusion chromatography of proteins on improved bonded silica columns. *Protides Biol. Fluids*, 33 (1985) 563-565; *C.A.*, 104 (1986) 2961d.

For additional information see:

*C.A.*, 103 (1985) 210167f, 210189q, 31253e.

See also 1724, 1777, 1800, 1925.

### 19b. Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)

- 2042 Evans, D.M., Williams, R.S., Shone, C.C., Hambleton, P., Melling, J. and Dolly, J.O.: Botulinum neurotoxin type B. Its purification, radioiodination and interaction with rat-brain synaptosomal membranes. *Eur. J. Biochem.*, 154 (1986) 409-416.
- 2043 Hirani, S., Lambris, J.D. and Müller-Eberhard, H.J.: Structural analysis of the asparagine-linked oligosaccharides of human complement component C3. *Biochem. J.*, 233 (1986) 613-616.
- 2044 Kaplan, P. and Abreu, S.L.: A high-yield chromatographic method for the purification of rat fibroblast interferon to a high specific activity. *Interferon Res.*, 5 (1985) 415-422; *C.A.*, 104 (1986) 4381p.

- 2045 Kuzela, S., Joste, V. and Nelson, B.D.: Rhodamine 6G inhibits the matrix-catalyzed processing of precursors of rat-liver mitochondrial proteins. *Eur. J. Biochem.*, 154 (1986) 553-557.
- 2046 Lawrence, D.A., Pircher, R. and Julien, P.: Conversion of a high molecular weight latent  $\beta$ -TGF from chicken embryo fibroblasts into a low molecular weight active  $\beta$ -TGF under acidic conditions. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1026-1034.
- 2047 Morejohn, L.C., Bureau, T.E. and Fosket, D.E.: Inhibition of plant cell proteolytic activities that degrade tubulin. *Cell Biol. Int. Rep.*, 9 (1985) 849-857; *C.A.*, 104 (1986) 31255g.
- 2048 Nakamura, T., Morita, T. and Iwanaga, S.: Lipopolysaccharide-sensitive serine-protease zymogen (factor C) found in *Limulus* hemocytes. Isolation and characterization. *Eur. J. Biochem.*, 154 (1986) 511-521.
- 2049 Ovchinnikov, Yu.A., Abdulaev, N.G. and Bogachuk, A.S.: (Use of covalent chromatography for the study of membrane proteins structure). *Biol. Membr.*, 2 (1985) 962-975; *C.A.*, 104 (1986) 2967k.
- 2050 Vischer, P., Beeck, H. and Voss, B.: Synthesis, intracellular processing and secretion of thrombospondin in human endothelial cells. *Eur. J. Biochem.*, 153 (1985) 435-443.

For additional information see:  
*C.A.*, 104 (1986) 31115m.

See also 2034, 2110.

#### 19c. Microbial and plant proteins

- 2051 Braumann, T., Vasmel, H., Grimme, L.H. and Amesz, J.: Pigment composition of the photosynthetic membrane and reaction center of the green bacterium *Frostheocochloris aestuarii*. *Biochim. Biophys. Acta*, 848 (1986) 83-91.
- 2052 Brooks, J.R. and Morr, C.V.: Effect of phytate removal treatments upon the molecular weight and subunit composition of major soy protein fractions. *J. Agric. Food Chem.*, 33 (1985) 1128-1132.
- 2053 Guss, B., Leander, K., Hellman, U., Uhlen, M., Sjöquist, J. and Lindberg, M.: Analysis of protein A encoded by a mutated gene of *Staphylococcus aureus* Cowan I. *Eur. J. Biochem.*, 153 (1985) 579-585.
- 2054 Klugkist, J., Voorberg, J., Haaker, H. and Veeger, C.: Characterization of three different flavodoxins from *Azotobacter vinelandii*. *Eur. J. Biochem.*, 155 (1986) 33-40.
- 2055 Madhusudhan, K.T. and Singh, N.: Effect of detoxification treatment on the physicochemical properties of linseed proteins. *J. Agric. Food Chem.*, 33 (1985) 1219-1222.
- 2056 Saeed, A.M.K. and Greenberg, R.N.: Preparative purification of *Escherichia coli* heat-stable enterotoxin. *Anal. Biochem.*, 151 (1985) 431-437.
- 2057 Starks, T.L. and Johnson, P.E.: Evaluation of foliar application and stem injection as technique for intrinsically labeling wheat with copper-65. *J. Agric. Food Chem.*, 34 (1986) 23-26.
- 2058 Tsapakos, M.J., Haydock, P.V., Hermodson, M. and Somerville, R.L.: Ligand-mediated conformational changes in Trp repressor protein of *Escherichia coli* probed through limited proteolysis and the use of specific antibodies. *J. Biol. Chem.*, 260 (1985) 16383-16394.
- 2059 Uemura, T., Aoi, Y., Horiguchi, Y., Wadano, A., Goshima, N. and Sakaguchi, G.: Purification of *Clostridium perfringens* enterotoxins by high performance liquid chromatography. *FEMS Microbiol. Lett.*, 29 (1985) 293-297; *C.A.*, 103 (1985) 2082QJw.
- 2060 Vingad, C.E., Iqbal, M., Griffin, M. and Smith, F.J.: Separation of hordein proteins from european barley by high-performance liquid chromatography: its application to the identification of barley-cultivars. *Chromatographia*, 21 (1986) 49-54.

For additional information see:  
*C.A.*, 103 (1985) 210383y.

See also 1878, 2100, 2121.

19d. *Proteins of blood, serum and blood cells*

- 2061 Belew, M., Peterson, E.A. and Porath, J.: A high-capacity hydrophobic adsorbent for human serum albumin. *Anal. Biochem.*, 151 (1985) 438-441.
- 2062 Brooks, T.L. and Stevens, A.: Preparative HPLC purification of IgG and IgM monoclonal antibodies. *Am. Lab.*, 17 (1985) 54-64; *C.A.*, 103 (1985) 212876k.
- 2063 Candiano, G., Ghiggeri, G.M., Delfino, G. and Queirolo, C.: Fractionation of human serum albumin isoforms with chromatofocusing. *J. Chromatogr.*, 375 (1986) 405-410.
- 2064 Clezardin, P., Bougro, G. and McGregor, J.L.: Tandem purification of IgM monoclonal antibodies from mouse ascites fluids by anion-exchange and gel fast protein liquid chromatography. *J. Chromatogr.*, 354 (1986) 425-433.
- 2065 Clezardin, P., McGregor, J.L., Lyon, M., Celmetson, K.J. and Huppert, J.: Characterization of two murine monoclonal antibodies (10, P12) directed against different determinants on human blood platelet thrombospondin. *Eur. J. Biochem.*, 154 (1986) 95-102.
- 2066 Gallo, P., Olsson, O. and Siden, A.: Small-column chromatofocusing of cerebrospinal fluid and serum immunoglobulin G. *J. Chromatogr.*, 375 (1986) 277-283.
- 2067 Henson, G.W.: The HPLC of immunoglobulins. *Immunol. Methods*, 3 (1985) 111-124; *C.A.*, 104 (1986) 18363w.
- 2068 Kawasaki, N., Kawasaki, T. and Yamashina, I.: Mannan-binding protein and conglutinin in bovine serum. *J. Biochem. (Tokyo)*, 98 (1985) 1309-1320.
- 2069 Kubota, T., Akatsuka, T. and Kanai, Y.: DNA affinity column chromatography: Application in the isolation of distinct antibody populations from SLE sera. *Clin. Exp. Immunol.*, 62 (1985) 321-328; *C.A.*, 104 (1986) 32740y.
- 2070 Okayama, M., Oguri, K., Fujiwara, Y., Nananishi, H., Yonekura, H., Kondo, T. and Ui, N.: Purification and characterization of human platelet proteoglycan. *Biochem. J.*, 233 (1986) 73-81.
- 2071 Porte, F. and Harricane, M.-C.: Interactions of plasma gelsolin with actin. Isolation and characterization of binary and ternary plasma-gelsolin-actin complexes. *Eur. J. Biochem.*, 154 (1986) 87-93.
- 2072 Pretzman, C.I., Jr., Ralph, D., Mishler, L. and Bodine, J.: Rapid separation of IgM from whole serum using spun column chromatography. *J. Immunol. Methods*, 83 (1985) 301-307; *C.A.*, 104 (1986) 4374p.
- 2073 Prigent-Dachary, J., Faucon, J.-F., Boisseau, M.-R. and Dufourcq, J.: Topology of the binding site of blood-clotting factors in model membranes. A fluorescence study. *Eur. J. Biochem.*, 155 (1986) 133-140.
- 2074 Smith, A.J., Cawston, T.E. and Hazleman, B.L.: A rapid and reproducible method for the analysis of immune complexes using affinity chromatography and Western blotting. *J. Immunol. Methods*, 84 (1985) 125-134; *C.A.*, 104 (1986) 32754f.
- 2075 Varadi, A. and Scheraga, H.A.: Localization of segments essential for polymerization and for calcium binding in the  $\gamma$ -chain of human fibrinogen. *Biochemistry*, 25 (1986) 519-528.
- 2076 Yuan, J.-m., Hsiung, L.-m. and Gagnon, J.: CNBr cleavage of the light chain of human complement Factor I and alignment of the fragments. *Biochem. J.*, 233 (1986) 339-345.

For additional information see:

- C.A.*, 103 (1985) 208200t;  
104 (1986) 2612r, 2618x, 3072b, 4361g, 31119r, 32733y.

See also 2034, 2093, 2104.

19e. *Structural and muscle proteins*

- 2077 Glant, T.T., Mikecz, K. and Poole, A.R.: Monoclonal antibodies to different protein-related epitopes of human articular cartilage proteoglycans. *Biochem. J.*, 234 (1986) 31-41.
- 2078 Jukkola, A., Risteli, J., Niemelä, O. and Risteli, L.: Incorporation of sulphate into type III procollagen by cultured human fibroblasts. Identification of tyrosine O-sulphate. *Eur. J. Biochem.*, 154 (1986) 219-224.

- 2079 Sommarin, Y. and Heinegard, D.: Four classes of cell-associated proteoglycans in suspension cultures of articular-cartilage chondrocytes. *Biochem. J.*, 233 (1986) 809-818.

See also 2071.

19f. *Protamines, histones and other nuclear proteins*

- 2080 Chiu, M.L. and Irvin, J.L.: Absence of histone H2B in nucleosomes containing histone TH2B and interaction of immunoglobulin with nucleosomes. *Arch. Biochem. Biophys.*, 244 (1986) 42-49.
- 2081 Losso, M.A., Pawlik, R.T., Canonaco, M.A. and Gualerzi, C.O.: Proteins from the prokaryotic nucleoid. A protein-protein cross-linking study on the quaternary structure of *Escherichia coli* DNA-binding protein NS (HU). *Eur. J. Biochem.*, 155 (1986) 27-32.

19g. *Chromoproteins and metalloproteins*

- 2082 Anbari, M., Adachi, K., Ip, C.Y. and Asakura, T.: Stability of asymmetrical hybrid hemoglobins. Determination by anaerobic high performance liquid chromatography. *J. Biol. Chem.*, 260 (1985) 15522-15525.
- 2083 Bisse, E., Abraham, A., Stallings, M., Perry, R.E. and Abraham, E.C.: High-performance liquid chromatographic separation and quantitation of glycosylated hemoglobin A<sub>2</sub> as an alternate index of glycemic control. *J. Chromatogr.*, 374 (1986) 259-269.
- 2084 Funae, Y., Seo, R. and Imaoka, S.: Two-step purification of cytochrome P-450 from rat liver microsomes using high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 271-278.
- 2085 Hsia, J.C. and Er, S.S.: Purification of stroma-free haemoglobin by ATP-agarose affinity chromatography. *J. Chromatogr.*, 374 (1986) 143-148.
- 2086 Ikebuchi, H., Teshima, R., Suzuki, K., Terao, T. and Yamane, Y.: Simultaneous induction of Pb-metallothionein-like protein and Zn-thionein in the liver of rats given lead acetate. *Biochem. J.*, 233 (1986) 541-546.
- 2087 Imaoka, S. and Funae, Y.: Ion-exchange high-performance liquid chromatography of membrane-bound protein cytochrome P-450. *J. Chromatogr.*, 375 (1986) 83-90.
- 2088 Josic, D., Mattia, E., Ashwell, G. and van Renswoude, J.: Quantitative determination of intracellular, ferritin-associated radioactive iron by high-performance liquid chromatography and immunoprecipitation. *Anal. Biochem.*, 152 (1986) 42-47.
- 2089 Lacombe, C., Craescu, C.T., Blouquit, Y., Kister, J., Poyart, C., Delanoe-Garin, J., Arous, N., Bardakdjian, J., Riou, J., Rosa, J., Schaeffer, C. and Galacteros, F.: Structural and functional studies of hemoglobin Poissy  $\alpha_2\beta_2\gamma_2$  (D7) Gly-Arg and 86 (F2) Ala-Pro. *Eur. J. Biochem.*, 153 (1985) 655-662.
- 2090 Marriage, H.J. and Harvey, D.J.: Resolution of mouse hepatic cytochrome P-450 isozymes by chromatofocusing. *J. Chromatogr.*, 354 (1986) 383-392.
- 2091 Mosca, A. and Carpinelli, A.: Automated determination of glycated hemoglobins with a new high-performance liquid chromatography analyzer. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 202-203.
- 2092 Shimomura, Y., Nishikimi, M. and Ozawa, T.: Novel purification of cytochrome c<sub>1</sub> from mitochondrial complex III. Reconstitution of antimycin-insensitive electron transfer with the iron-sulfur protein and cytochrome c<sub>1</sub>. *J. Biol. Chem.*, 260 (1985) 15075-15080.
- 2093 Takayanagi, M.: Determination of human serum ceruloplasmin by ion chromatography based on its ferroxidase activity. *J. Chromatogr.*, 374 (1986) 378-382.

For additional information see:

*C.A.*, 104 (1986) 2565c, 3076f, 3077g, 17218r, 17248a, 17308v, 17343c, 33624a.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 2094 Haino-Fukushima, K., Kasai, H., Isobe, T., Kimura, M. and Okuyama, T.: The complete amino acid sequence of vitelline coat lysin. *Eur. J. Biochem.*, 154 (1986) 503-510.

- 2095 Moriyama, A., Kageyama, T., Takahashi, K. and Sasaki, M.: Purification of Japanese monkey prostate acid protease zymogen and its identification as a pepsinogen C-like zymogen. *J. Biochem. (Tokyo)*, 98 (1985) 1255-1261.

### 13j. Specific binding proteins

- 2096 Borensztajn, J., Kotlar, T.J. and Matza, C.A.: Heparin-binding apoproteins. Effects on lipoprotein lipase and hepatic uptake of remnants. *Biochem. J.*, 233 (1986) 909-912.
- 2097 Davis, R.J. and Czech, M.P.: Inhibition of the apparent affinity of the epidermal growth factor receptor caused by phorbol diesters correlates with phosphorylation of threonine-654 but not other sites on the receptor. *Biochem. J.*, 233 (1986) 435-441.
- 2098 Douady, D., Guerbette, F., Grosbois, M. and Kader, J.C.: (Purification of phospholipid transfer protein from maize seeds using a two-step chromatographic procedure). *Physiol. Veg.*, 23 (1985) 373-380; *C.A.*, 103 (1985) 210184j.
- 2099 Hasumura, S., Kitagawa, S., Pastan, I. and Cheng, S.-y.: Solubilization and characterization of a membrane 3,3',5-triiodo-L-thyronine binding protein from rat pituitary tumor GH<sub>3</sub> cells. *Biochem. Biophys. Res. Commun.*, 133 (1985) 837-843.
- 2100 Jonak, J., Pokorna, K., Meloun, B. and Karas, K.: Structural homology between elongation factors EF-Tu from *Bacillus stearothermophilus* and *Escherichia coli* in the binding site for aminoacyl-tRNA. *Eur. J. Biochem.*, 154 (1986) 355-362.
- 2101 Katsumata, M., Gupta, C. and Goldman, A.S.: Glucocorticoid receptor IB: mediator of anti-inflammatory and teratogenic functions of both glucocorticoids and phenytoin. *Arch. Biochem. Biophys.*, 243 (1985) 385-395.
- 2102 Maruyama, K., Ebisawa, K. and Nonomura, Y.: Purification of vitamin D-dependent 28,000-M<sub>r</sub> calcium-binding protein from bovine cerebellum and kidney by calcium-dependent elution from DEAE-cellulose DE-52 column chromatography. *Anal. Biochem.*, 151 (1985) 1-6.
- 2103 Siegel, L.I. and Fox, T.O.: Estrogen receptors in the wobbler mouse. *Life Sci.*, 37 (1985) 2151-2156; *C.A.*, 104 (1986) 1035t.
- 2104 Skorstengaard, K., Jensen, M.S., Petersen, T.E. and Magnusson, S.: Purification and complete primary structures of the heparin-, cell-, and DNA-binding domains of bovine plasma fibronectin. *Eur. J. Biochem.*, 154 (1986) 15-29.
- 2105 Tuan, R.S. and Cavanaugh, S.T.: Identification and characterization of a calcium-binding protein in the mouse chorioallantoic placenta. *Biochem. J.*, 233 (1986) 41-49.
- 2106 Ujjani, B., Krakower, G., Bachowski, G., Krezoski, S., Shaw, C.F., III, and Petering, D.H.: Host zinc metabolism and the Ehrlich ascites tumour. Zinc redistribution during tumour-related stress. *Biochem. J.*, 233 (1986) 99-105.

See also 2071, 2086.

### 19k. Urinary proteins

- 2107 Lange, R.D., Andrews, R.B., Trent, D.J., Reyniers, J.P., Draganac, P.S. and Farkas, W.R.: Preparation of purified erythropoietin by high performance liquid chromatography. *Blood cells*, 10 (1984) 305-314; *C.A.*, 103 (1985) 206714q.

### 19l. Other proteins

- 2108 Baird, A., Esch, F., Gospodarowicz, D. and Guillemin, R.: Retina- and eye-derived endothelial cell growth factors: partial molecular characterization and identity with acidic and basic fibroblast growth factors. *Biochemistry*, 24 (1985) 7855-7860.
- 2109 Hosoya, H., Mabuchi, I. and Sakai, H.: An 100-kDa Ca<sup>2+</sup>-sensitive actin-fragmenting protein from unfertilized sea urchin egg. *Eur. J. Biochem.*, 154 (1986) 233-239.
- 2110 Mehta, S.R., Conrad, D., Sandler, R., Morgan, J., Montagna, R. and Maizel, A.L.: Purification of human B cell growth factor. *J. Immunol.*, 135 (1985) 3298-3302; *C.A.*, 103 (1985) 212879p.
- 2111 Nyberg, F., LeGreves, P., Moberg, U., Pernow, C. and Winter, A.: Reversed phase high performance liquid chromatography in studies of the substance P turnover. *Protides Biol. Fluids*, 33 (1985) 571-574; *C.A.*, 104 (1986) 920r.

- 2112 Ranieri, E., Paton, B. and Poulos, A.: Preliminary evidence for a processing error in the biosynthesis of Gaucher activator in mucopolipidosis disease types II and III. *Biochem. J.*, 233 (1986) 763-772.
- 2113 Taylor, C.M. and Weiss, J.B.: Partial purification of a 5.7K glycoprotein from bovine vitreous which inhibits both angiogenesis and collagenase activity. *Biochem. Biophys. Res. Commun.*, 133 (1985) 911-916.
- 2114 Tsushima, T., Ohba, Y., Emoto, N., Shizume, K. and Imai, Y.: Identification and initial characterization of transforming growth factor-like mitogen(s) in human anterior pituitary. *Biochem. Biophys. Res. Commun.*, 133 (1985) 951-957.

For additional information see:

- C.A., 103 (1985) 212873g;  
104 (1986) 4377s, 30603g.

See also 2066, 2107.

## 20. ENZYMES

See 2039.

### 20a. Oxidoreductases

- 2115 Bach, T.J., Rogers, D.H. and Rudney, H.: Detergent-solubilization, purification, and characterization of membrane-bound 3-hydroxy-3-methylglutaryl-coenzyme A reductase from radish seedlings. *Eur. J. Biochem.*, 154 (1986) 103-111.
- 2116 Blackmore, R., Robertson, A.M. and Brittain, T.: The purification and some equilibrium properties of the nitrite reductase of the bacterium *Wolinella succinogenes*. *Biochem. J.*, 233 (1986) 547-552.
- 2117 Cresnar, B., Breskvar, K. and Hudnik-Plevnik, T.: Resolution and reconstitution of the NADPH-cytochrome c (P-450) reductase induced by progesterone in *Rhizopus nigricans*. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1057-1063.
- 2118 DiBiase, V.A. and Prochaska, L.J.: Characterization of electron transfer and proton translocation activities in trypsin-treated bovine heart mitochondrial cytochrome c oxidase. *Arch. Biochem. Biophys.*, 243 (1985) 668-677.
- 2119 Ferte, N., Jacquot, J.-P. and Meunier, J.-C.: Structural, immunological and kinetic comparisons of NADP-dependent malate dehydrogenases from spinach (C<sub>3</sub>) and corn (C<sub>4</sub>) chloroplasts. *Eur. J. Biochem.*, 154 (1986) 587-595.
- 2120 Hara, A., Nakayama, T., Deyashiki, Y., Kariya, K. and Sawada, H.: Carbonyl reductase of dog liver: purification, properties, and kinetic mechanism. *Arch. Biochem. Biophys.*, 244 (1986) 238-247.
- 2121 Kajle, S.-I. and Anraku, Y.: Purification of a hexaheme cytochrome C<sub>552</sub> from *Escherichia coli* K12 and its properties as a nitrite reductase. *Eur. J. Biochem.*, 154 (1986) 457-463.
- 2122 Kawaguchi, S., Marui, Y., Arisue, K., Koda, K., Hayashi, C. and Miyai, K.: Automatic analysis of serum lactate dehydrogenase isoenzymes by high-performance ion-exchange chromatography. *J. Chromatogr.*, 374 (1986) 45-50.
- 2123 Schultz, E. and Nissinen, E.: Determination of tyrosine hydroxylase activity by high-performance liquid chromatography with on-line radiochemical detection. *J. Chromatogr.*, 375 (1986) 141-146.
- 2124 Vellieux, F.M.D., Frank, J., Jzn, Swarte, M.B.A., Groendijk, H., Duine, J.A., Drenth, J. and Hul, W.G.J.: Purification, crystallization and preliminary X-ray investigation of quinoprotein methylamine dehydrogenase from *Thiobacillus versutus*. *Eur. J. Biochem.*, 154 (1986) 383-386.
- 2125 Yu, P.H., Bailey, B.A. and Durden, D.A.: High-performance liquid chromatography of aldehydes and acids formed in monoamine oxidase-catalyzed reactions. *Anal. Biochem.*, 152 (1986) 160-166.
- 2126 Zolnierowicz, S., Swierczynski, J. and Zelewski, L.: Isolation and properties of glycerol-3-phosphate oxidoreductase from human placenta. *Eur. J. Biochem.*, 154 (1986) 161-166.

For additional information see:

- C.A., 104 (1986) 2604q, 30697r.



*20b. Transferases (excluding E.C. 2.7.-.-)*

- 2127 Galletti, P., Ingrosso, D., Iardino, P., Manna, C., Pontoni, G. and Zappia, V.: Enzymatic basis for the calcium-induced decrease of membrane protein methyl esterification in intact erythrocytes. Evidence for an impairment of S-adenosyl-methionine synthesis. *Eur. J. Biochem.*, 154 (1986) 489-495.
- 2128 Gitomer, W.L. and Tipton, K.F.: Purification and kinetic properties of ox brain histamine N-methyltransferase. *Biochem. J.*, 233 (1986) 669-676.
- 2129 Hayes, J.D.: Purification and physical characterization of glutathione S-transferase K. Differential use of S-hexylglutathione and glutathione affinity matrices to isolate a novel glutathione S-transferase from rat liver. *Biochem. J.*, 233 (1986) 789-798.
- 2130 Hayes, J.D. and Mantle, T.J.: Use of immuno-blot techniques to discriminate between the glutathione S-transferase Yf, Yk, Ya, Yn/Yb and Yc subunits and to study their distribution in extrahepatic tissues. Evidence for three immunologically distinct groups of transferase in the rat. *Biochem. J.*, 233 (1986) 779-788.
- 2131 Ishii, K., Sagami, H. and Ogura, K.: A novel prenyltransferase from *Paracoccus denitrificans*. *Biochem. J.*, 233 (1986) 773-777.
- 2132 Ishikawa, T., Milbert, U., Oesch, F. and Sies, H.: The major isozyme of rat cardiac glutathione transferases. Its correspondence to hepatic transferase X. *Eur. J. Biochem.*, 154 (1986) 299-305.
- 2133 Matern, H.: Application of HPLC to the purification of bile acid glucosyltransferase from human liver microsomes. *LC Mag.*, 3 (1985) 994-1001; *C.A.*, 104 (1986) 16861h.
- 2134 Matsui, M. and Nagai, F.: Genetic deficiency of androsterone UDP-glucuronosyltransferase activity in Wistar rats is due to the loss of enzyme protein. *Biochem. J.*, 234 (1986) 139-144.
- 2135 Meyerinck, L., von, Coffman, B.L., Green, M.D., Kirkpatrick, R.B., Schmoltdt, A. and Tephly, T.R.: Separation, purification, and characterization of digitoxigenin-monodigitoxoside UDP-glucuronosyltransferase activity. *Drug Metab. Disp.*, 13 (1985) 700-704.
- 2136 Morgenstern, R., DePierre, J.W. and Jörnvall, H.: Microsomal glutathione transferase. Primary structure. *J. Biol. Chem.*, 260 (1985) 13976-13983.
- 2137 Roy Chowdjury, J., Roy Chowdjury, N., Falany, C.N., Tephly, T.R. and Arias, I.M.: Isolation and characterization of multiple forms of rat liver UDP-glucuronate glucuronosyltransferase. *Biochem. J.*, 233 (1986) 827-837.
- 2138 Vesper, J. and Martin, R.: Isolation of the low-molecular-mass form of catechol O-methyltransferase from rat liver and immunocytochemical localization of the enzyme in the glycogen compartment. *Eur. J. Biochem.*, 154 (1986) 657-663.
- 2139 Walton, K.M. and Schnaar, R.L.: Ganglioside glycosyltransferase assay using ion-exchange chromatography. *Anal. Biochem.*, 152 (1986) 154-159.

For additional information see:  
*C.A.*, 104 (1986) 30740z.

*20c. Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 2140 Billadello, J.J., Roman, D.G., Grace, A.M., Sobel, B.E. and Strauss, A.W.: The nature of post-translational formation of MM creatine kinase isoforms. *J. Biol. Chem.*, 260 (1985) 14988-14992.
- 2141 Chiang, T.M. and Kang, A.H.: Identification, purification, and partial characterization of plasma protein kinases. *Arch. Biochem. Biophys.*, 243 (1985) 530-541.
- 2142 Crute, J.J., Wahl, A.F. and Bambara, R.A.: Purification and characterization of two new high molecular weight forms of DNA polymerase  $\delta$ . *Biochemistry*, 25 (1986) 26-36.
- 2143 Delpech, M., Levy-Favatier, F. and Kruh, J.: Separation of nuclear cAMP independent protein kinase NI and NII from their chromosomal protein substrates and enzyme inhibitors by the use of a casein-phosvitin-Sepharose column. *Anal. Biochem.*, 152 (1986) 100-106.
- 2144 Frank, R., Trosin, M., Tomasselli, A.G., Noda, L., Krauth-Siegel, R.L. and Schirmer, R.H.: Mitochondrial adenylate kinase (AK2) from bovine heart. The complete primary structure. *Eur. J. Biochem.*, 154 (1986) 205-211.

- 2145 Mueller, K., Freiburg, M. and Hoyer-Feige, G.: Isolation and characterization of DNA-dependent RNA polymerase I of *Tetrahymena pyriformis*. *J. Biochem. (Tokyo)*, 98 (1985) 1157-1167.
- 2146 Quarless, S.A.: Identification of an ionic strength sensitive nuclear protein kinase activity from the cervical carcinoma HeLa. *Biochem. Biophys. Res. Commun.*, 133 (1985) 981-987.
- 2147 Ruetsch, N. and Dennis, D.: RNA polymerases. Direct evidence for a unique topographical site for initiation. *J. Biol. Chem.*, 260 (1985) 16310-16315.

For additional information see:

*C.A.*, 103 (1985) 209568f.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 2148 Beck, J.L., McConachie, L.A., Sumners, A.C., Arnold, W.N., de Jersey, J. and Zerner, B.: Properties of a purple phosphatase from red kidney bean: a zinc-iron metalloenzyme. *Biochim. Biophys. Acta*, 869 (1986) 61-68.
- 2149 Brunati, A.M. and Pinna, L. A.: Isolation and partial characterization of distinct species of phosphotyrosyl protein phosphatases from rat spleen. *Biochem. Biophys. Res. Commun.*, 133 (1985) 929-936.
- 2150 Digweed, M., Pieler, T., Kluge, D., Schuster, L., Walker, R. and Erdmann, V.A.: Improved procedure for the isolation of a double-strand-specific ribonuclease and its application to structural analysis of various 5S rRNAs and tRNAs. *Eur. J. Biochem.*, 154 (1986) 31-39.
- 2151 Fujikura, Y. and Baisted, D.: Purification and characterization of a basic lysophospholipase in germinating barley. *Arch. Biochem. Biophys.*, 243 (1985) 570-578.
- 2152 Koyama, I., Sakagishi, Y. and Komoda, T.: Different lectin affinities in rat alkaline phosphatase isozymes: multiple forms of the isozyme isolated by heterogeneities of sugar moieties. *J. Chromatogr.*, 374 (1986) 51-59.

For additional information see:

*C.A.*, 103 (1985) 209528t;  
104 (1986) 30762h.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 2153 Corfield, A.P., Do Amaral Corfield, C., Wember, M. and Schauer, R.: The interaction of *Clostridium perfringens* sialidase with immobilized sialic acids and sialyl-glycoconjugates. *Glycoconjugate J.*, 2 (1985) 45-60; *C.A.*, 103 (1985) 209462s.
- 2154 Dewji, N.N., De-Keyser, D.R. and Stirling, J.L.: Purification and characterization of  $\beta$ -N-acetylhexosaminidase I<sub>2</sub> from human liver. *Biochem. J.*, 234 (1986) 157-162.
- 2155 Imai, K.: Characterization of  $\beta$ -glucosidase as a peripheral enzyme of lysosomal membranes from mouse liver and purification. *J. Biochem. (Tokyo)*, 98 (1985) 1405-1416.
- 2156 Kanda, T., Amano, Y. and Nisizawa, K.: Purification and properties of two endo-1,4- $\beta$ -xylanases from *Irpex lacteus* (*Polyporus tuliptiferae*). *J. Biochem. (Tokyo)*, 98 (1985) 1545-1554.
- 2157 Palmieri, S., Iori, R. and Leoni, O.: Myrosinase from *Sinapis alba* L: a new method of purification for glucosinolate analyses. *J. Agric. Food Chem.*, 34 (1986) 138-140.
- 2158 Stadelmeier, M. and Bergner, K.G.: (The proteins of honey. V. Isolation of honey amylase). *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 308-312; *C.A.*, 104 (1986) 4713y.
- 2159 Svensson, B., Larsen, K. and Gunnarsson, A.: Characterization of a glucoamylase G2 from *Aspergillus niger*. *Eur. J. Biochem.*, 154 (1986) 497-502.

For additional information see:

*C.A.*, 104 (1986) 2574e, 16893v.

See also 2034.

## 20f. Other hydrolases

- 2160 Baines, B.S., Brocklehurst, K., Carey, P.R., Jarvis, M., Salih, E. and Storer, A.C.: Chymopapain A. Purification and investigation by covalent chromatography and characterization by two-protonic-state reactivity-probe kinetics, steady-state kinetics and resonance Raman spectroscopy of some dithioacyl derivatives. *Biochem. J.*, 233 (1986) 119-129.
- 2161 Blau, N. and Niederwieser, A.: The application of 8-aminoguanosine triphosphate, a new inhibitor of GTP cyclohydrolase I, to the purification of the enzyme from human liver. *Biochim. Biophys. Acta*, 880 (1986) 26-31.
- 2162 Freeman, C. and Hopwood, J.J.: Human liver sulphamate sulphohydrolase. Determinations of native protein and subunit  $M_r$  values and influence of substrate aglycone structure on catalytic properties. *Biochem. J.*, 234 (1986) 83-92.
- 2163 Gennaro, R., Simonic, T., Negri, A., Mottola, C., Secchi, C., Ronchi, S. and Romeo, D.: C5a fragment of bovine complement. Purification, bioassays, amino-acid sequence and other structural studies. *Eur. J. Biochem.*, 155 (1986) 77-86.
- 2164 Grant, A.J., Ramshaw, I.A., Badenoch-Jones, P., Eichner, R.D. and Hunt, N.H.: Purification and characterization of an inhibitor of plasminogen activator released by rat mammary adenocarcinoma cells. *Eur. J. Biochem.*, 154 (1986) 635-641.
- 2165 Green, J.D.: Detection of femtomole quantities of proteases by high-performance liquid chromatography. *Anal. Biochem.*, 152 (1986) 83-88.
- 2166 Hammock, B.D., Prestwich, G.D., Louri, D.N., Cheung, P.Y.K., Eng, W.-S., Park, S.-K., Moody, D.E., Silva, M.H. and Wixtrom, R.N.: Comparison of crude and affinity purified cytosolic epoxide hydrolases from hepatic tissue of control and clofibrate-fed mice. *Arch. Biochem. Biophys.*, 244 (1986) 292-309.
- 2167 Kruzel, M. and Kress, L.F.: Separation of *Crotalus atrox* (Western Diamondback Rattlesnake)  $\alpha$ -proteinase from serine proteinase and hemorrhagic factor activities. *Anal. Biochem.*, 151 (1985) 471-478.
- 2168 Maurich, V., Pitotti, A., Vio, L. and Mamolo, M.G.: Ion-pair liquid chromatographic assay of angiotensin-converting enzyme activity. *J. Pharm. Biomed. Anal.*, 3 (1985) 425-432.
- 2169 Mort, J.S. and Recklies, A.D.: Interrelationship of active and latent secreted human cathepsin B precursors. *Biochem. J.*, 233 (1986) 57-63.
- 2170 Rajgopal, S. and Vijayalakshmi, M.A.: Studies on the interaction of firefly luciferase with triazine dyes. *J. Chromatogr.*, 355 (1986) 201-210.
- 2171 Sarkis, J.J.F., Guimaraes, J.A. and Ribeiro, J.M.C.: Salivary apyrase of *Rhodnius prolixus*. Kinetics and purification. *Biochem. J.*, 233 (1986) 885-891.
- 2172 Tisljar, U. and Denker, H.-W.: A sensitive assay for proteolytic activity using fluorescein-labeled gelatin coupled to Sepharose 4B as substrate. *Anal. Biochem.*, 152 (1986) 39-41.
- 2173 Tsai, T.S.: Separation of bacterial luciferase form oxidoreductase by affinity chromatography. *Anal. Biochem.*, 151 (1985) 137-141.

For additional information see:

C.A., 104 (1986) 4658j, 16841b, 16850d.

## 20g. Lyases

- 2174 Berry, A., Byng, G.S. and Jensen, R.A.: Interconvertible molecular-weight forms of the bifunctional chorismate mutase-prephenate dehydratase from *Acinetobacter calcoaceticus*. *Arch. Biochem. Biophys.*, 243 (1985) 470-479.
- 2175 Hartman, F.C., Milanez, S. and Lee, E.H.: Ionization constants of two active-site lysyl  $\epsilon$ -amino groups of ribulosebiphosphate carboxylase/oxygenase. *J. Biol. Chem.*, 260 (1985) 13968-13975.
- 2176 Nagasawa, T., Ishii, T., Kumaqai, H. and Yamada, H.: D-Cysteine desulfhydrase of *Escherichia coli*. Purification and characterization. *Eur. J. Biochem.*, 153 (1985) 541-551.
- 2177 Punzauti, G., Giachetti, E., Camici, G., Manao, G., Cappugi, G. and Vanni, P.: An isocitrate lyase of higher plants: analysis and comparison of some molecular properties. *Arch. Biochem. Biophys.*, 244 (1986) 85-93.
- 2178 Soiefer, A.I., Miller, M.S., Sabri, M.I. and Spencer, P.S.: The separation and identification of enolase isozymes of brain and sciatic nerve by high-pressure liquid anion-exchange chromatography. *Brain Res.*, 342 (1985) 196-199; C.A., 103 (1985) 156242m.

- 2179 Tanaka, M., Sugisaki, K. and Nakashima, K.: Purification, characterization, and distribution of enolase isozymes in chicken. *J. Biochem. (Tokyo)*, 98 (1985) 1527-1534.
- 2180 Torruella, M., Flawia, M.M., Eisenschlos, C., Molina, Y., Vedia, L., Rubinstein, C.P. and Torres, H.N.: *Trypanosoma cruzi* adenylate cyclase activity. Purification and characterization. *Biochem. J.*, 234 (1986) 145-150.

#### 20h. Isomerases

- 2181 Singh, B.K., Connelly, J.A. and Conn, E.E.: Chorismate mutase isoenzymes from *Sorghum bicolor*: purification and properties. *Arch. Biochem. Biophys.*, 243 (1985) 374-384.

#### 20j. Complex mixtures and incompletely identified enzymes

- 2182 Beyer, P., Weiss, G. and Kleinig, H.: Solubilization and reconstitution of the membrane-bound carotenogenic enzymes from daffodil chromoplasts. *Eur. J. Biochem.*, 153 (1985) 341-346.

For additional information see:  
C.A., 103 (1985) 209452p.

### 21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

#### 21a. Purines, pyrimidines, nucleosides, nucleotides

- 2183 Andranovich, T. and Kelner, M.J.: *In vitro* oxidation of uric acid in serum by methylene blue. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 177-179.
- 2184 Apell, G., Buschman, F.L. and Sharma, O.K.: Improved and rapid method for quantitation of modified nucleosides in urine and sera with Radial-Pak cartridge. *J. Chromatogr.*, 374 (1986) 149-154.
- 2185 Baba, Y., Yamamoto, Y., Yoza, N. and Ohashi, S.: (Flow injection analysis for nucleotides). *Bunseki Kagaku*, 34 (1985) 682-694.
- 2186 Campadello, D. and Levorato, C.: (Simultaneous HPLC determination of cytidine, uridine and arginine malate). *Farmaco, Ed. Prat.*, 40 (1985) 383-387; C.A., 104 (1986) 10700h.
- 2187 Coomber, B.A.: The purification of oligodeoxyribonucleotides with a high guanosine content by anion exchange HPLC. *Biochimie*, 67 (1985) 797-800; C.A., 103 (1985) 210203q.
- 2188 Eposito, F., Russo, T., Ammendola, R., Duilio, A., Salvatore, F. and Cimino, F.: Pseudouridine excretion and transfer RNA primers for reverse transcriptase in tumors of retroviral origin. *Cancer Res.*, 45 (1985) 6260-6263.
- 2189 Floyd, T.R., Crowther, J.B. and Hartwick, R.A.: HPLC of nucleic acids: trends in the separation of synthetic single-stranded oligonucleotides and double-stranded DNA fragments. *LC Mag.*, 3 (1985) 508-520; C.A., 103 (1985) 215653w - a review with 101 refs.
- 2190 Harada, H., Kamei, M., Yui, S. and Koyama, F.: Lectin affinity high-performance liquid chromatography columns for the resolution of nucleotide sugars. *J. Chromatogr.*, 355 (1986) 291-295.
- 2191 Hautala, E., Stafford, A., Corse, J. and Barker, P.A.: Cytokinin variation in the sap of male and female *Gymnocladus dioica*. *J. Chromatogr.*, 351 (1986) 560-565.
- 2192 Iriyama, K. and Yoshiura, M.: Uric acid in a human brain and disorder(s) of purine nucleotide degradation in brain tumor with a hypothesis explaining them. *Jikeikai Med. J.*, 32 (1985) 43-53; C.A., 104 (1986) 32481q.
- 2193 Iriyama, K., Iwamoto, T. and Yoshiura, M.: Separation of hypoxanthine, xanthine, uric acid, allopurinol and oxipurinol in human serum by one-time liquid chromatography. *Jikeikai Med. J.*, 32 (1985) 267-272; C.A., 103 (1985) 210171c.
- 2194 Kafil, J.B., Cheng, H.-Y. and Last, T.A.: Quantitation of nucleic acids at picogram level using high-performance liquid chromatography with electrochemical detection. *Anal. Chem.*, 58 (1986) 285-289.
- 2195 Kalhorn, T.F., Thummel, K.E., Nelson, S.D. and Slattery, J.T.: Analysis of oxidized and reduced pyridine dinucleotides in rat liver by high-performance liquid chromatography. *Anal. Biochem.*, 151 (1985) 343-347.

- 2196 Kontröhr, T. and Kocsis, B.: Separation and quantification of ADP-D-glycero-D-mannoheptose and ADP-L-glycero-D-mannoheptose by borate liquid chromatography and its use in the assay of ADP-D-glycero-D-mannoheptose 6-epimerase. *J. Chromatogr.*, 354 (1986) 417-423.
- 2197 Majumder, K., Latha, P.K. and Brahmachari, S.K.: Use of a volatile buffer at ambient temperature. Versatile approach to the purification of self-complementary synthetic deoxyoligonucleotides by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 355 (1986) 328-334.
- 2198 Ohtsuka, E., Matsugi, J., Yamane, A., Morioka, H. and Ikehara, M.: Studies on transfer ribonucleic acids (tRNA) and related compounds. XLIX. Solid-phase synthesis of nonadecaribonucleotide corresponding to the 5'-half of the formylmethionine tRNA deficient in D-loop and stem region. *Chem. Pharm. Bull.*, 33 (1985) 4152-4159.
- 2199 Riva, C.M. and Rustum, Y.M.: 1- $\beta$ -D-Arabinofuranosylcytosine metabolism and incorporation into DNA as determinants of *in vivo* murine tumor cell response. *Cancer Res.*, 45 (1985) 6244-6249.
- 2200 Svoboda, V. and Vockova, J.: Optimization of eluent composition and column length in liquid chromatography. Separation of nucleotides by ion-pair chromatography. *J. Chromatogr.*, 353 (1986) 139-152.
- 2201 Yi, C., Fasching J.L. and Brown, P.R.: Temperature, methanol, and structure effects in the reversed-phase liquid chromatography of guanine and hypoxanthine and their ribonucleosides and ribonucleotides. *J. Chromatogr.*, 352 (1986) 221-230.

For additional information see:

C.A., 104 (1986) 5045u, 31106j, 31280m.

See also 2030, 2127, 2171, 2257, 2360, 2451.

#### 21b. Nucleic acids, RNA

- 2202 Belanger, G., Berard, J. and Gingras, G.: Isolation and partial characterization of the messenger RNA encoding the B 880 holochrome protein of *Rhodospirillum rubrum*. *Eur. J. Biochem.*, 153 (1985) 477-484.
- 2203 Carter, C.W., Jr., Green, D.C., Toomim, C.S. and Betts, L.: Two-step purification of tryptophan-accepting tRNA from *Bacillus stearothermophilus*. *Anal. Biochem.*, 151 (1985) 515-519.
- 2204 Wathélet, M., Moutschen, S., Defilippi, P., Cravator, A., Collet, M., Huez, G. and Content, J.: Molecular cloning, full-length sequence and preliminary characterization of a 56-kDa protein induced by human interferons. *Eur. J. Biochem.*, 155 (1986) 11-17.

#### 21c. Nucleic acids, DNA

- 2205 Pruijn, G.J.M., Kusters, H.G., Gmelig Meyling, F.H.J. and van der Vliet, P.C.: Inhibition of adenovirus DNA replication *in vitro* by autoimmune sera. *Eur. J. Biochem.*, 154 (1986) 363-370.

See also 2207, 2208.

#### 21f. Structural studies of nucleic acids

- 2206 Ching, W.-M.: Characterization of selenium-containing tRNA<sup>Glu</sup> from *Clostridium sticklandii*. *Arch. Biochem. Biophys.*, 244 (1986) 137-146.
- 2207 Müller, W.: Fractionation of DNA restriction fragments with ion-exchangers for high-performance liquid chromatography. *Eur. J. Biochem.*, 155 (1986) 203-212.
- 2208 Müller, W.: New phase supports for liquid-liquid partition chromatography of biopolymers in aqueous poly(ethyleneglycol)-dextran systems. Synthesis and application for the fractionation of DNA restriction fragments. *Eur. J. Biochem.*, 155 (1986) 213-222.

### 22. ALKALOIDS

- 2209 Bettero, A. and Bollettin, P.: Atropine sulfate determination by derivative spectroscopy or HPLC. *Ann. Chim. (Rome)*, 75 (1985) 351-358; C.A., 103 (1985) 220892c.

- 2210 Chitas, I.J., Nascimento, M.C. and Borralho da Graca, J.: (Colchicum lusitanum Brot. III. Determination of levels of colchicine and colchicoside in seeds using high-pressure liquid chromatography). *Rav. Port. Farm.*, 34 (1984) 11-12; *C.A.*, 104 (1986) 24240v.
- 2211 Cieri, U.R.: Determination of small quantities of atropine in commercial preparations by liquid chromatography with fluorescence detection. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1042-1045.
- 2212 Kedzierski, B. and Buhler, D.R.: Method for determination of pyrrolizidine alkaloids and their metabolites by high-performance liquid chromatography. *Anal. Biochem.*, 152 (1986) 59-65.
- 2213 Mishima, M., Tanimoto, Y., Oguri, K. and Yoshimura, H.: Metabolism of strychnine *in vitro*. *Drug Metab. Disp.*, 13 (1985) 716-721.
- 2214 Renaudin, J.P.: (Extraction and fluorometric detection after high-performance liquid chromatography of indole alkaloids from cultured cells of *Catharanthus roseus*). *Physiol. Veg.*, 23 (1985) 381-388; *C.A.*, 103 (1985) 210185k.
- 2215 Scott, N.R., Czakabarty, J. and Marks, V.: Determination of the urinary metabolites of caffeine and theophylline by high-performance liquid chromatography. A comparative study of a direct injection and an ion-pair extraction procedure. *J. Chromatogr.*, 375 (1986) 321-329.
- 2216 Stahl, E. and Jahn, H.: (Determination of opium alkaloids with TLC and HPLC). *Pharm. Acta Helv.*, 60 (1985) 248-252; *C.A.*, 103 (1985) 220894e.
- 2217 Stewart, I.: Identification of caffeine in citrus flowers and leaves. *J. Agric. Food Chem.*, 33 (1985) 1163-1165.
- 2218 Svensson, J.-O.: Determination of morphine, morphine-6-glucuronide and normorphine in plasma and urine with high-performance liquid chromatography and electrochemical detection. *J. Chromatogr.*, 375 (1986) 174-178.
- 2219 Tang, B.K., Zubovits, T. and Kalow, W.: Determination of acetylated caffeine metabolites by high-performance exclusion chromatography. *J. Chromatogr.*, 375 (1986) 170-173.
- 2220 Thompson, R.D.: Liquid chromatographic determination of colchicine in pharmaceuticals: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1051-1055.

See also 1815, 2448.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

### 23a. Porphyrins and other pyrroles

- 2221 Ho, J., Guthrie, R. and Tieckelmann, H.: Detection of  $\delta$ -aminolevulinic acid, porphobilinogen and porphyrins related to heme biosynthesis by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 57-63.
- 2222 Meijers, J.C.M., Lim, C.K., Lawson, A.M. and Peters, T.J.: Analysis of tumour-localizing haematoporphyrin derivative by high-performance liquid chromatography and fast-atom bombardment mass spectrometry. *J. Chromatogr.*, 352 (1986) 231-239.
- 2223 Mozzhelina, T.K., Serebrennikova, O.V., Beiko, O.A. and Krasovskaya, L.I.: (High-performance liquid chromatography of petroleum vanadyl porphyrins). *Neftekhimiya*, 25 (1985) 692-698; *C.A.*, 104 (1986) 21570s.

### 23b. Bile pigments

- 2224 Knobloch, E., Hodr, R., Herzmann, J. and Houdkova, V.: Kinetics of the formation of biliverdin during the photochemical oxidation of bilirubin monitored by column liquid chromatography. *J. Chromatogr.*, 375 (1986) 245-253.
- 2225 Li, F., Lim, C.K. and Peters, T.J.: Reversed-phase high-performance liquid chromatography of conjugated and unconjugated bilirubins in body fluids. *J. Chromatogr.*, 353 (1986) 19-26.
- 2226 Spivak, W. and Yuey, W.: Application of a rapid and efficient HPLC method to measure bilirubin and its conjugates from native bile and in model bile systems. Potential use as a tool for kinetic reactions and as an aid in diagnosis of hepatobiliary disease. *Biochem. J.*, 234 (1986) 101-109.

- 2227 Wildgrube, H.J., Stockhausen, H., Petri, J., Füssel, U. and Lauer, H.: Naturally occurring conjugated bile acids, measured by high-performance liquid chromatography, in human, dog and rabbit bile. *J. Chromatogr.*, 353 (1986) 207-213.
- 2228 Yamashita, M., Adachi, Y. and Yamamoto, T.: Analysis of bilirubin conjugates in human bile by column liquid chromatography. *J. Chromatogr.*, 375 (1986) 386-391.

### 23c. Indole derivatives

- 2229 Nocerini, M.R., Yost, G.S., Carlson, J.R., Liberato, D.J. and Breeze, R.G.: Structure of the glutathione adduct of activated 3-methylindole indicates that an imine methide is the electrophilic intermediate. *Drug Metab. Disp.*, 13 (1985) 690-694.
- 2230 Pavel, S. and van der Slik, W.: Analysis of eumelanin-related indolic compounds in urine by high-performance liquid chromatography with fluorimetric detection. *J. Chromatogr.*, 375 (1986) 392-398.

See also 1959, 2451.

### 23d. Pyridine derivatives

- 2231 Brown, N.D., Kazyak, L., Doctor, B.P. and Hagedorn, I.: Separation and identification of substituted pyridine analogues in heat labile solutions of HI-6 dichloride. *J. Chromatogr.*, 351 (1986) 599-603.
- 2232 Huebert, N.D., Spedding, M. and Haegle, K.D.: Quantitative analysis of the dihydropyridines, 3-(2-furoyl)-5-methoxycarbonyl-2,6-dimethyl-4-(2-nitrophenyl)-1,4-dihydropyridine and nifedipine, by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 353 (1986) 175-180.

### 23e. Other N-heterocyclic compounds

- 2233 Mine, K., Jacobson, K.A., Kirk, K.L., Kitajima, Y. and Linnolla, M.: Simultaneous determination of histamine and N<sup>ε</sup>-methylhistamine with high-performance liquid chromatography using electrochemical detection. *Anal. Biochem.*, 152 (1986) 127-135.

## 24. ORGANIC SULPHUR COMPOUNDS

- 2234 Bressolle, F., Pistre, M.C., Bres, J. and Sabatier, R.: Quantitative thin-layer and high-performance liquid chromatographic determination of lorapride in biological fluids and a pharmacokinetic study in humans. *J. Pharm. Sci.*, 74 (1985) 1215-1218.
- 2235 Husain, S., Muralidharan, D., Narasimha, R., Bhalerao, U.T., Reddy, V.V.N. and Raju, P.V.K.: Determination of small amounts of 2-naphthalenesulphonic acid in 1-naphthalenesulphonic acid by high-performance liquid chromatography. *J. Chromatogr.*, 354 (1986) 498-502.
- 2236 Ito, A. and Hiyama, H.: (High performance liquid chromatographic analysis for naphthalenesulfonic acid). *Kagaku to Kogyo (Osaka)*, 59 (1985) 54-67; *C.A.*, 104 (1986) 14272t.
- 2237 Kerremans, A.L., Lipsky, J.J., van Loon, J., Gallego, M.O. and Weinshilboum, R. M.: Cephalosporin-induced hypoprothrombinemia: possible role for thiol methylation of 1-methyltetrazole-5-thiol and 2-methyl-1,3,4-thiadiazole-5-thiol. *J. Pharmacol. Exp. Ther.*, 235 (1985) 382-388.
- 2238 Malorino, R.M., Wever, G.L. and Aposhian, H.V.: Fluorometric determination of 2,3-dimercaptopropene-1-sulfonic acid and other dithiols by precolumn derivatization with bromobimane and column liquid chromatography. *J. Chromatogr.*, 374 (1986) 297-310.

- 2239 Millot, M.-C., Sebille, B. and Mahieu, J.-P.: Solid-phase derivatization of thiols. Application to high-performance liquid chromatography. *J. Chromatogr.*, 354 (1986) 155-167.

For additional information see:  
*C.A.*, 104 (1986) 30724x.

See also 2339, 2494.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

- 2240 McDowell, W., Weckbecker, G., Keppler, D.O.R. and Schwarz, R.T.: UDP-Glucosamine as a substrate for dolichyl monophosphate glucosamine synthesis. *Biochem. J.*, 233 (1986) 749-754.
- 2241 Mourier, P.A., Eliot, E., Caude, M.H., Rosset, R.H. and Tambute, A.G.: Super-critical and subcritical fluid chromatography on a chiral stationary phase for the resolution of phosphine oxide enantiomers. *Anal. Chem.*, 57 (1985) 2819-2823.
- 2242 Siess, W., Stifel, M., Binder, H. and Weber, P.C.: Activation of  $V_1$ -receptors by vasopressin stimulates inositol phospholipid hydrolysis and arachidonate metabolism in human platelets. *Biochem. J.*, 233 (1986) 83-91.

See also 2131.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

### 26a. Organometallic compounds

- 2243 Krull, I.S. and Panaro, K.W.: Trace analysis and speciation for methylated organotins by HPLC-hybride generation-direct current plasma emission spectroscopy (HPLC-HY-DCP). *Appl. Spectrosc.*, 39 (1985) 960-968; *C.A.*, 104 (1986) 33134r.
- 2244 Orren, D.K., Caldwell-Kenkel, J.C. and Mushak, P.: Quantitative analysis of total and trimethyl lead in mammalian tissues using ion exchange HPLC and atomic absorption spectrometric detection. *J. Anal. Toxicol.*, 9 (1985) 258-261; *C.A.*, 104 (1986) 16153d.
- 2245 Parks, E.J., Manders, W.F., Johannesen, R.B. and Brinckman, F.E.: Characterization of organometallic polymers by size exclusion chromatography on pre-conditioned columns. *J. Chromatogr.*, 351 (1986) 475-487.
- 2246 Rapsomanikis, S., Donard, O.F.X. and Weber, J.H.: Speciation of lead and methyllead ions in water by chromatography/atomic absorption spectrometry after ethylation with sodium tetraethylborate. *Anal. Chem.*, 58 (1986) 35-38.

### 26b. Boranes, silanes and related non-metallic compounds

See 2327.

### 26c. Coordination compounds

- 2247 Vlacil, F. and Hamplova, V.: Retention mechanism of metal chelates during their reversed-phase chromatography. *Collect. Czech. Chem. Commun.*, 50 (1985) 2221-2227; *C.A.*, 103 (1985) 221549h.

For additional information see:  
*C.A.*, 104 (1986) 18710g.

See also 1980, 2456, 2458, 2469, 2473.



## 27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 2248 Bankson, D.D., Russelt, R.M. and Sadowski, J.A.: Determination of retinyl esters and retinol in serum or plasma by normal-phase liquid chromatography: method and application. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 35-40.
- 2249 Bianchi, J. and Rose, R.C.: The chromatographic separation and radiochemical quantification of ascorbic acid, dehydroascorbic acid and diketogulonic acid. *J. Micronutr. Anal.*, 1 (1985) 3-11; *C.A.*, 104 (1986) 31120j.
- 2250 Brown, A.J. and DeLuca, H.F.: Production of 10-oxo-19-nor-25-hydroxyvitamin D<sub>3</sub> by solubilized kidney mitochondria from chick a rat. *J. Biol. Chem.*, 260 (1985) 14132-14136.
- 2251 Chen, P., Qin, J. and Qiao, L.: (Determination of vitamin E acetate by HPLC). *Seppu*, 2 (1985) 197-200; *C.A.*, 104 (1986) 45159r.
- 2252 Cholerton, S. and Park, B.K.: Quantitative analysis of pharmacological concentrations of vitamin K<sub>1</sub> and vitamin K<sub>1</sub> 2,3-epoxide in rat liver by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 147-153.
- 2253 Cundy, K.C. and Crooks, P.A.: *In vitro* characteristics of guinea pig lung aromatic azaheterocycle N-methyltransferase. *Drug Metab. Disp.*, 13 (1985) 658-663.
- 2254 De Vries, E.J. and Borsje, B.: Analysis of fat-soluble vitamins. XXIX. Liquid chromatographic determination of vitamin D in AD concentrates: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 822-825.
- 2255 Hefferan, T.E., Chrisley, B.M. and Driskell, J.A.: Quantitation of B<sub>6</sub> vitamers in rat plasma by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 155-161.
- 2256 Ichinose, N., Adachi, K. and Schwedt, G.: Determination of B<sub>2</sub> vitamers in serum of fish using high-performance liquid chromatography with fluorescence detection. *Analyst (London)*, 110 (1985) 1505-1508.
- 2257 Iriyama, K., Yoshiura, M., Iwamoto, T., Yonemoto, S., Inoue, Y. and Fukuda, Y.: Separation of catecholamines, ascorbic acid and uric acid on the newly developed porous polymer packing (polymethacrylate gels). *Sikeikai Med. J.*, 32 (1985) 33-41; *C.A.*, 104 (1986) 2951a.
- 2258 Kodaka, K., Inagaki, S., Ujite, T., Ueno, T. and Suda, H.: (Determination of total vitamin C in foods by high-performance liquid chromatography). *Bitamin*, 59 (1985) 451-455; *C.A.*, 103 (1985) 213475r.
- 2259 Miller, D.A. and DeLuca, H.F.: Biosynthesis of retinoyl-β-glucuronide, a biologically active metabolite of all-trans-retinoic acid. *Arch. Biochem. Biophys.*, 244 (1986) 179-186.
- 2260 Noker, P.E., Hill, D.L., Kalin, J.R., Temple, C.G., Jr. and Montgomery, J.A.: Pharmacokinetic and metabolism studies of two novel 1-deaza-7,8-dihydropteridines in mice. *Drug Metab. Disp.*, 13 (1985) 677-681.
- 2261 Schwartz, S.J. and Patroni-Killam, M.: Detection of *cis-trans* carotene isomers by two-dimensional thin-layer and high-performance liquid chromatography. *J. Agric. Food Chem.*, 33 (1985) 1160-1163.
- 2262 Steinhilber, M.E. and Olson, M.S.: The effects of cyclopropane carboxylate on hepatic pyruvate metabolism. *Arch. Biochem. Biophys.*, 243 (1985) 80-91.
- 2263 Steuerle, H.: (Formation of *cis*-isomers from all-*trans*-vitamin-A-acetate during the saponification step for the determination of vitamin A content of feeds). *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 400-403; *C.A.*, 103 (1985) 213524f.
- 2264 Svetlaeva, V.M., Kuznetsova, L.G., Birinberg, E.M. and Yanotovskii, M.T.: (Determination of N<sup>5</sup>,N<sup>10</sup>-methenyltetrahydrofolic acid by high-performance liquid and thin-layer chromatography). *Khim.-Farm. Zh.*, 19 (1985) 750-754; *C.A.*, 103 (1985) 220895f.
- 2265 Ubbink, J.B., Serfontein, W.J. and de Villiers, L.S.: Analytical recovery of protein-bound pyridoxal-5'-phosphate in plasma analysis. *J. Chromatogr.*, 375 (1986) 399-400.
- 2266 Xu, P., Lu, M., Hu, M. and Zhuo, B.: (HPLC determination of riboflavin). *Yaowu Fenxi Zazhi*, 5 (1985) 216-218; *C.A.*, 104 (1986) 10682d.

- 2267 Zhao, S.: (HPLC determination of vitamin D capsules, vitamin D<sub>2</sub> tablets, and vitamin D<sub>3</sub>-cholesterol tablets). *Yaowu Fenxi Zazhi*, 5 (1985) 230-233; *C.A.*, 104 (1986) 39822k.

For additional information see:

- C.A.*, 103 (1985) 213478u;  
104 (1986) 2890e, 2971g, 4679s, 4830j, 31277r, 39821j.

See also 2192, 2321.

## 28. ANTIBIOTICS

- 2268 Allen, E.H.: Review of chromatographic methods for chloramphenicol residues in milk, eggs, and tissues from food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 990-999 - a review with 57 refs.
- 2269 Asworth, R.B.: Liquid chromatographic assay of tetracyclines in tissues of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1013-1018.
- 2270 Bliss, M. and Meyersohn, M.: Liquid-chromatographic assay of cefamandole in serum, urine, and dialysis fluid. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 197-200.
- 2271 Bloh, A.M., Campos, J.M., Alpert, G. and Plotkin, S.A.: Determination of N-formimidoylthienamycin concentration in sera from pediatric patients by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 444-450.
- 2272 Braco, L., Abad, C., Campos, A. and Figueruelo, J.E.: Time-dependent monomerization of gramicidin A, enhanced by phosphatidylcholine in non-polar solvents. A high-performance liquid chromatographic and spectrofluorometric study. *J. Chromatogr.*, 353 (1986) 181-192.
- 2273 Capitani, F., Nocilli, F. and Pierini, N.: Direct HPLC assessment of oxytetracycline in serum of rabbits treated with a long acting formulation. *Boll. Chim. Farm.*, 124 (1985) 213-217; *C.A.*, 103 (1985) 205355m.
- 2274 Den Hartigh, J., Voortman, G., van Oort, W.J., Weenen, H. and Pinedo, H.M.: Handling of biological samples in the determination of the anti-neoplastic drug mitomycin C. *J. Pharm. Biomed. Anal.*, 3 (1985) 417-423.
- 2275 Drummer, O.H., Christophidis, N., Horowitz, J.D. and Louis, W.J.: Measurement of penicillamine and N-acetylcysteine in human blood by high-performance liquid chromatography and electrochemical detection. *J. Chromatogr.*, 374 (1986) 251-257.
- 2276 El-Yazigi, A. and Al-Saleh, I.: Rapid analysis of doxorubicin in plasma by radial compression liquid chromatography. *J. Pharm. Sci.*, 74 (1985) 1225-1227.
- 2277 Fiedler, H.-P., Plaga, A. and Schuster, R.: Automated on-column derivatization of the antibiotics phosphinothricin and phosphinothricyl-alanyl-alanine with o-phthalaldehyde and microbore column high-performance liquid chromatography for quantitative determination of biological cultures. *J. Chromatogr.*, 353 (1986) 201-206.
- 2278 Fish, B.J. and Carr, G.P.R.: Pharmacopieial procedure for the determination of tylosin factors by high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 39-50.
- 2279 Hartman, N.R., Trimble, L.A., Vederas, J.C. and Jardine, I.: An acid metabolite of cyclosporine. *Biochem. Biophys. Res. Commun.*, 133 (1985) 964-971.
- 2280 Inchauspe, G., Deshayes, C. and Samain, D.: Use of perfluorinated counter ions for the combination of ion pair HPLC and field desorption mass spectrometry. Application to the early characterization of aminoglycoside antibiotics. *J. Antibiot.*, 38 (1985) 1526-1535.
- 2281 Isono, K., Uramoto, M., Kusakabe, H., Kimura, K.-i., Izaki, K., Nelson, C.C. and McCloskey, J.A.: Liposidomycins: novel nucleoside antibiotics which inhibit bacterial peptidoglycan synthesis. *J. Antibiot.*, 38 (1985) 1617-1621.
- 2282 Kawashima, A., Seto, H., Kato, M., Uchida, K. and Otake, N.: Preparation of fluorinated antibiotics followed by <sup>19</sup>F NMR spectroscopy. I. Fluorinated vulgamycins. *J. Antibiot.*, 38 (1985) 1499-1505.
- 2283 Keith, R.A., Otterness, D.M., Kerremans, A.L. and Weinshilboum, R.M.: S-Methylation of D- and L-penicillamine by human erythrocyte membrane thiol methyltransferase. *Drug Metab. Disp.*, 13 (1985) 669-676.

- 2284 Keukens, H.J., Beek, W.M.J. and Aerts, M.M.L.: High-performance liquid chromatographic screening and confirmation methods for chloramphenicol residues in meat with off-line cartridge sample clean-up and on-line diode array UV-VIS detection. *J. Chromatogr.*, 352 (1986) 445-453.
- 2285 Malabarba, A., Landi, M., Pallanza, R. and Cavalleri, B.: Physico-chemical and biological properties of actagardine and some acid hydrolysis products. *J. Antibiot.*, 38 (1985) 1506-1511.
- 2286 Moats, W.A.: Chromatographic methods for determination of macrolide antibiotic residues in tissues and milk of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 980-984.
- 2287 Munns, R.K., Shimoda, W., Roybal, J.E. and Vieira, C.: Multiresidue method for determination of eight neutral  $\beta$ -lactam penicillins in milk by fluorescence-liquid chromatography. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 968-971.
- 2288 Munson, J.W. and Kubiak, E.J.: A high-performance liquid chromatographic assay for clindamycin phosphate and its principal degradation product in bulk drug and formulations. *J. Pharm. Biomed. Anal.*, 3 (1985) 523-533.
- 2289 Osada, H. and Isono, K.: Purification and characterization of ascamycin-hydrolysing aminopeptidase from *Xanthomonas citri*. *Biochem. J.*, 233 (1986) 459-463.
- 2290 Phelps, R., Zurlinden, E., Conte, J.E., Jr. and Lin, E.: High-performance liquid chromatographic determination of cefonicid in human plasma, serum and urine. *J. Chromatogr.*, 375 (1986) 111-118.
- 2291 Reeuwijk, H.J.E.M. and Tjaden, U.R.: High-performance liquid chromatography of tetracyclines. *J. Chromatogr.*, 353 (1986) 339-350.
- 2292 Sanghvi, A., Seltman, H. and Diven, W.: Cyclosporine measurement in transplantation. *Arch. Pathol. Lab. Med.*, 109 (1985) 1072-1075; *C.A.*, 104 (1986) 14379h.
- 2293 Shaikh, B. and Allen, E.H.: Overview of physical-chemical methods for determining aminoglycoside antibiotics in tissues and fluids of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1007-1013 - a review with 76 refs.
- 2294 Stubbs, C., Haigh, J.M. and Knafer, I.: High performance liquid chromatographic analysis of oleandomycin in serum and urine. *J. Chromatogr.*, 353 (1986) 33-38.
- 2295 Thomas, A.H. and Newland, P.: Separation of aromatic heptane antibiotics by high-performance liquid chromatography. *J. Chromatogr.*, 354 (1986) 317-324.
- 2296 Tsuji, A., Nishide, K., Minami, H., Nakashima, E., Terasaki, T. and Yamana, T.: Physiologically based pharmacokinetic model for cefazolin in rabbits and its preliminary extrapolation to man. *Drug Metab. Disp.*, 13 (1985) 729-739.
- 2297 Van Lancker, M.A., Bellemans, L.A. and de Leenheer, A.P.: Quantitative determination of low concentrations of adriamycin in plasma and cell cultures, using a volatile extraction buffer. *J. Chromatogr.*, 374 (1986) 415-420.
- 2298 Watson, I.D., Stewart, M.J. and Farid, Y.Y.Z.: The effect of surfactants on the high-performance liquid chromatography of anthracyclines. *J. Pharm. Biomed. Anal.*, 3 (1985) 555-563.
- 2299 Weiss, G. and MacDonald, A.: Methods for determination of ionophore-type antibiotic residues in animal tissues. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 971-980.
- 2300 Wilton, J.H., Hokanson, G.C. and French, J.C.: PD 118,576: A new antitumor macrolide antibiotic. *J. Antibiot.*, 38 (1985) 1449-1452.

For additional information see:

*C.A.*, 104 (1986) 16799u, 33135s.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

- 2301 Chmil, V.D.: (Use of relations between chromatographic parameters and molecular structure of pesticides for their identification). *Zh. Anal. Khim.*, 40 (1985) 1076-1087; *C.A.*, 103 (1985) 173865j.

## 29a. Chlorinated insecticides

- 2302 Koizumi, T. and Yoshimura, H.: (Pre-treatment of polychlorinated biphenyl analysis in mineral oils or oily waste muds). *Bunseki Kagaku*, 34 (1985) T143-T147.
- 2303 Maris, F.A., Geerdink, R.B., van Delft, R. and Brinkman, U.A.T.: Determination of chloroxuron in straw-berries using liquid chromatography with electron-capture detection. *Bull. Environ. Contam. Toxicol.*, 35 (1985) 711-715; *C.A.*, 104 (1986) 30262v.

See also 2307.

## 29b. Phosphorus insecticides

- 2304 Boyd, W.G., Jr.: Impurity problems in chromatographic method studies for fenitrothion formulations. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 925-929.
- 2305 Mount, D.L. and Miles, J.W.: Evaluation of liquid chromatographic methods for analysis of chlorphoxim formulations. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 887-890.
- 2306 Wells, D.S., Afifi, L.M., Motoyama, N. and Dauterman, W.C.: *In vitro* metabolism of propetamphos by house-fly, cockroach, and mouse liver preparations. *J. Agric. Food Chem.*, 34 (1986) 79-86.

## 29c. Carbamates

- 2307 Bogus, E.R., Gallagher, P.A., Cameron, E.A. and Mumma, R.O.: Analysis of pesticide exposure pads using selective absorption and elution of reversed-phase solid support. *J. Agric. Food Chem.*, 33 (1985) 1018-1021.
- 2308 Brandsteterova, E., Lehotay, J., Liska, O. and Garaj, J.: High-performance liquid chromatographic determination of dimethyldithiocarbamate residues in some agriculture products. *J. Chromatogr.*, 354 (1986) 375-381.
- 2309 Schaefer, C.H., Wilder, W.H., Dupras, E.F., Jr. and Stewart, R.J.: Efficacy and chemical persistence of two highly active carbamate developmental inhibitors. *J. Agric. Food Chem.*, 33 (1985) 1045-1048.
- 2310 Spittler, T.D., Marafioti, R.A., Helfman, G.W. and Morse, R.A.: Determination of carbaryl in honeybees and pollen by high-performance liquid chromatography. *J. Chromatogr.*, 352 (1986) 439-443.

## 29d. Herbicides

- 2311 Erkog, F.U. and Menzer, R.E.: Metabolism of trifluralin in rats. *J. Agric. Food Chem.*, 33 (1985) 1061-1070.
- 2312 Ishizuka, M., Kondo, Y., Nagare, T. and Takeuchi, Y.: Metabolism of isouron [3-(5-tert.-butyl-3-isoxazolyl)-1,1-dimethylurea]: rapid conversion of the herbicide to less phytotoxic metabolites in a resistant plant, sugarcane. *J. Agric. Food Chem.*, 33 (1985) 1070-1075.
- 2313 Zahnow, E.W.: Analysis of the herbicide sulfometuron methyl in fish and green plants by liquid chromatography. *J. Agric. Food Chem.*, 33 (1985) 1206-1208.

See also 1950.

## 29e. Fungicides

- 2314 Chiba, M. and Singh, R.P.: High-performance liquid chromatographic method for simultaneous determination of benomyl and carbendazim in aqueous media. *J. Agric. Food Chem.*, 34 (1986) 108-112.
- 2315 Lafuente, M.T. and Tadeo, J.L.: Residues analysis of post-harvest imidazole fungicides in citrus fruit by HPLC and GLC. *Int. J. Environ. Anal. Chem.*, 22 (1985) 99-108; *C.A.*, 104 (1986) 33128s.

## 29f. Other types of pesticides and various agrochemicals

- 2316 Doi, T., Sakaue, S. and Horiba, M.: Analysis of d-phenothrin and its optical isomers in technical preparations and formulations. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 911-916.

- 2317 Wagner-Loeffler, M.: (Determination of pyrethrins in pharmaceutical formulations). *GIT Fachz. Lab.*, 29 (1985) 982-984; *C.A.*, 104 (1986) 10701j.

For additional information see:  
*C.A.*, 103 (1985) 213501w.

### 30. SYNTHETIC AND NATURAL DYES

#### 30a. Synthetic dyes

- 2318 Puttemans, M.L., Dryon, L. and Massart, D.L.: Extraction of organic acids by ion-pair extraction with tri-*n*-octylamine. VIII. Identification of synthetic dyes in pharmaceutical preparations. *J. Pharm. Biomed. Anal.*, 3 (1985) 503-510.
- 2319 Weaver, K.M. and Neale, M.E.: High-performance liquid chromatographic detection and quantitation of synthetic acid fast dyes with a diode array detector. *J. Chromatogr.*, 354 (1986) 486-489.

#### 30b. Chloroplast and other natural pigments

- 2320 Bondeau, R. and Kalinowski, E.: Fractionation of humic substances by hydrophobic interaction chromatography. *J. Chromatogr.*, 351 (1986) 585-589.
- 2321 Nelis, H.J.C.F., van Steenberge, M.M.Z., Lefevere, M.F. and de Leenheer, A.P.: Selectivity effects in non-aqueous reversed-phase and normal-phase chromatography of geometric canthaxanthin isomers. *J. Chromatogr.*, 353 (1986) 295-302.
- 2322 Von Elbe, J.H., Huang, A.S., Attoe, E.L. and Nank, W.K.: Pigment composition and color of conventional and Veri-Green canned beans. *J. Agric. Food Chem.*, 34 (1986) 52-54.

### 31. PLASTICS AND THEIR INTERMEDIATES

- 2323 Barrales-Rienda, J.M., Galera Gomez, P.A., Horta, A. and Saiz, E.: Gel permeation chromatography of poly(N-vinyl-3,6-dibromocarbazole). Universal calibration, nonexclusion effect, and incompatibility. *Macromolecules*, 18 (1985) 2572-2579; *C.A.*, 103 (1985) 216062q.
- 2324 Chiantore, O. and Guaita, M.: Concentration effects in size-exclusion chromatography of polymers. Separation of the contributions from viscosity and hydrodynamic volume contraction. *J. Chromatogr.*, 353 (1986) 285-293.
- 2325 Glöckner, G. and van den Berg, J.H.M.: Precipitation and adsorption phenomena in polymer chromatography. *J. Chromatogr.*, 352 (1986) 511-522.
- 2326 Horbach, A., Alewelt, W. and Mueller, H.: (Determination of secondary amino groups as branching points in nylon 66). *Macromol. Chem.*, 186 (1985) 2535-2538; *C.A.*, 104 (1986) 6386t.
- 2327 Lai, S.-T., Sangermano, L. and Locke, D.C.: Multimode phenyl-bonded phase liquid chromatography of phenyl-containing room temperature vulcanizable silicone raw materials and polystyrene polymers using UV and fluorescence detection. *Separ. Sci.*, 20 (1985) 513-521.
- 2328 Lawson, G.: Instrumental chemical analysis of polymers. *Prog. Rubber Plast. Technol.*, 1 (1985) 1-17; *C.A.*, 104 (1986) 20002w - a review with 170 refs.
- 2329 Mori, S., Uno, Y. and Suzuki, M.: Separation of styrene-methyl methacrylate random copolymers according to chemical composition and molecular size by liquid adsorption and size exclusion chromatography. *Anal. Chem.*, 58 (1986) 303-307.
- 2330 Shorn, H., Kosfeld, R. and Hess, M.: Investigation of the solution crystallization behaviour of polycarbonate. *J. Chromatogr.*, 353 (1986) 273-277.
- 2331 Shopova, B.I. and Tsevi, R.A.: Purification of hydrogenated styrene-isoprene copolymer from residual nickel acetylacetonate by chromatography on dextran gels. *J. Chromatogr.*, 351 (1986) 590-594.
- 2332 Vargo, J.D. and Olson, K.L.: Characterization of additives in plastics by liquid chromatography-mass spectrometry. *J. Chromatogr.*, 353 (1986) 215-224.

See also 1719, 1721, 1723, 1739, 2245.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

## 32a. Synthetic drugs

- 2333 Abounassif, M.A.: High performance liquid chromatographic determination of pirenzepine dihydrochloride in its pharmaceutical formulation. *Anal. Lett.*, 18 (1985) 2083-2089.
- 2334 Acton, N., Klayman, D.L., Rollman, I.J. and Novotny, J.F.: Isolation of artemisinin (qinghaosu) and its separation from artemisitene using the Ito multilayer coil separator-extractor and isolation of arteannuin B. *J. Chromatogr.*, 355 (1986) 448-450.
- 2335 Bree, F., Tillement, J.-P. and Sebille, B.: Propranolol binding to human serum proteins studied by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 416-422.
- 2336 Collins, A.J.: Comparison of refractive index, low-wavelength UV and UV visualisation detection methods for the high-performance liquid chromatographic determination of hexamethonium bromide in an injection formulation. *J. Chromatogr.*, 354 (1986) 459-462.
- 2337 De Croo, F., van den Bossche, W. and de Moerloose, P.: Simultaneous quantitative determination of butizide, potassium canrenoate and canrenone in tablets by high-performance liquid chromatography. *J. Chromatogr.*, 354 (1986) 367-373.
- 2338 Franks, T.J., Stodola, J.D., Walker, J.S., Tomlinson, P. and Skiller, C.J.: Reversed-phase high-performance liquid chromatographic assay for the determination of potency and impurities in tazadolene succinate bulk drug and capsules. *J. Chromatogr.*, 353 (1986) 379-387.
- 2339 Fukuda, Y., Nakamura, F. and Morikawa, Y.: (Determination of thioglycolic acid and dithioglycolic acid in cold wave lotions by high-performance liquid chromatography). *Eisei Kagaku*, 31 (1985) 209-213; *C.A.*, 104 (1986) 10356a.
- 2340 Galensa, R. and Schuster, B.: (Determination of dihydroxy acetone in cosmetic skin tanning preparations by high-performance, liquid and capillary gas chromatography). *Dtsch. Lebensm.-Rundsch.*, 81 (1985) 273-275; *C.A.*, 104 (1986) 10359d.
- 2341 Gill, R. and Law, B.: Appraisal of narrow-bore (1 mm I.D.) high-performance liquid chromatography columns with view to the requirements of routine drug analysis. *J. Chromatogr.*, 354 (1986) 185-202.
- 2342 Gupta, V.D.: Quantitation of propranolol hydrochloride in pharmaceutical dosage forms by high-performance liquid chromatography. *Drug Dev. Ind. Pharm.*, 11 (1985) 1931-1937; *C.A.*, 104 (1986) 24266h.
- 2343 Hansen, E.B., Jr. and Thompson, H.C., Jr.: HPLC determination of the anti-histamines, pyrrolamine maleate, doxylamine succinate and triprolidine hydrochloride monohydrate. *LC Mag.*, 3 (1985) 986-990; *C.A.*, 104 (1986) 24260b.
- 2344 Hooper, W.D., Roome, J.A., King, A.R., Smith, M.T., Eadie, M.J. and Dickinson, R.G.: Simple and reliable determination of bromazepam in human plasma by high-performance liquid chromatography. *Anal. Chim. Acta*, 177 (1985) 267-271.
- 2345 Hüttner, A. and Eigendorf, H.-G.: Zum Simultannachweis von Propyphenazon, Coffein und Codein in Wirkstoffgemischen mittels Umkehrphasen-HPLC. *Pharmazie*, 41 (1986) 59.
- 2346 Kissinger, L.D. and Stemm, N.L.: Determination of the antileukemic agents cytarabine and azacitidine and their respective degradation products by high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 309-318.
- 2347 Kok, W.T., Voogt, W.H., Brinkman, U.A.T. and Frel, R.W.: On-line electrochemical reagent production for fluorescence detection of phenothiazines in liquid chromatography. *J. Chromatogr.*, 354 (1986) 249-257.
- 2348 Mahato, S.B., Sahu, N.P. and Maitra, S.K.: Simultaneous determination of chlorpheniramine and diphenhydramine in cough syrups by reversed-phase ion-pair high-performance liquid chromatography. *J. Chromatogr.*, 351 (1986) 580-584.
- 2349 Naviasky, H.: Ion-pair column chromatographic determination of trimethobenzamide hydrochloride in capsule and injection dosage forms: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1055-1057.
- 2350 Perina, Z. and Sarsunova, M.: The use of adsorption chromatography in QSAR. *Pharmacochem. Libr.*, 8 (QSAR Toxicol. Xenobiochem.) (1985) 333-338; *C.A.*, 104 (1986) 28276j.

- 2351 Piotrovskii, V.K., Veiko, N.N., Rummyantsev, D.O., Zhirkov, Yu.A., Elman, A.R. and Metelitsa, V.I.: (Use of ion-exchange adsorbents for determination of drugs and their metabolites in biological fluids by high-performance liquid chromatography). *Farmakol. Toksikol.*, 48 (1985) 62-67; *C.A.*, 104 (1986) 14433w.
- 2352 Ramana, R.G., Raghuvveer, S. and Khadgpathi, P.: High performance liquid chromatographic determination metoprolol tartarate and hydrochlorothiazide in dosage forms. *Indian Drug*, 23 (1985) 39-44; *C.A.*, 104 (1986) 10731u.
- 2353 Sallustio, B.C., Abas, A., Hayball, P.J., Purlie, Y.J. and Meffin, P.J.: Enantiospecific high-performance liquid chromatographic analysis of 2-phenylpropionic acid, ketoprofen and fenoprofen. *J. Chromatogr.*, 374 (1986) 329-337.
- 2354 Sato, Y. and Suzuki, Y.: Optical resolution of drugs by cyclodextrin complexation. *Chem. Pharm. Bull.*, 33 (1985) 4606-4609.
- 2355 Sisco, W.R., Rittenhouse, C.T., Everhart, L.A. and McLaughlin, A.M.: Simultaneous high-performance liquid chromatographic stability-indicating analysis of acetaminophen, codeine phosphate, and sodium benzoate elixirs. *J. Chromatogr.*, 354 (1986) 355-366.
- 2356 Smallidge, R.L.: Liquid chromatographic method for determination of furazolidone in pre-mixes and complete feeds: collaborative study. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1033-1036.
- 2357 Smith, R.M., Hurdley, T.G., Gill, R. and Moffat, A.C.: Application of retention indices based on the alkylarylketone scale to the separation of the local anaesthetic drugs by high-performance liquid chromatography. *J. Chromatogr.*, 355 (1986) 75-85.
- 2358 Swynnerton, N.G., Mengold, D.J. and Ludden, T.M.: Measurement of ethiofos (WR 2721) in plasma: preliminary pharmacokinetics in the beagle. *J. Liq. Chromatogr.*, 8 (1985) 2675-2687.
- 2359 Taylor, R.B., Durham, D.G., Shivji, A.S.H. and Reid, R.: Development of a stability-indicating assay for nafimidone [1-(2-naphthoylethylmethyl)-imidazole hydrochloride] by high-performance liquid chromatography. *J. Chromatogr.*, 353 (1986) 51-59.
- 2360 Tempe, M., Jonvel, P., Spittler, J. and Andermann, G.: Stability study of idoxuridine in gels by very high speed liquid chromatography. *J. Pharm. Belg.*, 40 (1985) 222-228; *C.A.*, 104 (1986) 39852v.
- 2361 Torok, I., Paal, T., Koszegi Szalai, H. and Keseru, P.: (High-performance liquid chromatographic assay and content uniformity determination of nitroglycerin and isosorbide dinitrate in tablets). *Acta Pharm. Hung.*, 55 (1985) 154-162; *C.A.*, 104 (1986) 10732v.
- 2362 Watson, E., Dea, P. and Chan, K.K.: Kinetics of phosphoramidate mustard hydrolysis in aqueous solution. *J. Pharm. Sci.*, 74 (1985) 1283-1292.

For additional information see:

- C.A.*, 103 (1985) 220898j;  
104 (1986) 28279n, 39813h.

See also 1774, 1784, 1809, 1962, 2298.

### 32b. Pharmacokinetic studies

- 2363 Alton, K.B., Desrivieres, D. and Patrick, J.E.: High-performance liquid chromatographic assay for hydrochlorothiazide in human urine. *J. Chromatogr.*, 374 (1986) 103-110.
- 2364 Arnold, P.J. and Stetten, O.V.: High-performance liquid chromatographic analysis of mefloquine and its main metabolite by direct plasma injection with pre-column enrichment and column switching techniques. *J. Chromatogr.*, 353 (1986) 193-200.
- 2365 Ayisi, N.K., Wall, R.A., de Clercq, E. and Sacks, S.L.: High-performance liquid chromatographic analysis of (E)-5-(2-bromovinyl)-2'-deoxyuridine and its metabolites in serum, urine and herpes simplex virus type-1 infected cells. *J. Chromatogr.*, 375 (1986) 423-430.
- 2366 Baessmann, H., Boettcher, J., Schueppel, R. and Wray, V.: Isolation and characterization of the four antipyrine glucuronides and determination of the urinary excretion pattern in man by a reversed-phase HPLC assay. *Xenobiotica*, 15 (1985) 941-952; *C.A.*, 104 (1986) 14461d.
- 2367 Baty, J.D., Lindsay, R.M. and Sharp, S.: Use of high-performance liquid chromatography in the measurement of *in vitro* acetylation in man. *J. Chromatogr.*, 353 (1986) 329-337.

- 2368 Benzi, L., Marchetti, P., Cecchetti, P. and Navalesi, R.: Determination of metformin and phenformin in human plasma and urine by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 184-189.
- 2369 Brooks, M.A. and Lee, T.L.: Determination of piquindone in canine plasma and urine by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 349-357.
- 2370 Darmon, A. and Thenot, J.P.: Determination of betaxolol enantiomers by high-performance liquid chromatography. Application to pharmacokinetic studies. *J. Chromatogr.*, 374 (1986) 321-328.
- 2371 Garrett, E.R., Derendorf, H. and Mattha, A.G.: Pharmacokinetics of morphine and its surrogates. VII: High-performance liquid chromatographic analysis and pharmacokinetics of methadone and its derived metabolites in dogs. *J. Pharm. Sci.*, 74 (1985) 1203-1214.
- 2372 Guinebault, P., Broquaire, M., Colafranceschi, C. and Thenot, J.P.: High-performance liquid chromatographic determination of alfuzosin in biological fluids with fluorimetric detection and large-volume injection. *J. Chromatogr.*, 353 (1986) 361-369.
- 2373 Hackett, L.P., Insci, L.J., Ilett, K.F., Seow, S.S.W. and Quigley, A.J.: Sensitive screening method for buprenorphine in urine. *J. Chromatogr.*, 374 (1986) 400-404.
- 2374 Hamilton, M., Farid, K.Z. and Henry, D.P.: Liquid chromatographic determination of pinacidil, a new antihypertensive drug, and its major metabolite, pinacidil N-oxide, in plasma. *J. Chromatogr.*, 375 (1986) 359-367.
- 2375 Harrison, P.M., Tonkin, A.M., Dixon, S.T. and McLean, A.J.: Determination of debrisoquine and its 4-hydroxy metabolite in urine by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 204-208.
- 2376 Harrison, P.M., Tonkin, A.M., Dixon, S.T. and McLean, A.J.: Determination of  $\alpha$ -naphthoxyzilactic acid, a major metabolite of propranolol, in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 223-225.
- 2377 Heyes, W.F. and Robinson, M.L.: HPLC procedure for the determination of some potential fluphenazine metabolites in urine. *J. Pharm. Biomed. Anal.*, 3 (1985) 477-481.
- 2378 Kannan, R., Miller, S. and Singh, B.N.: Tissue uptake and metabolism of amiodarone after chronic administration in rabbits. *Drug Metab. Disp.*, 13 (1985) 646-650.
- 2379 Kawai, R., Fujita, S. and Suzuki, T.: Simultaneous quantitation of lidocaine and its four metabolites by high-performance liquid chromatography: application to studies on *in vitro* and *in vivo* metabolism of lidocaine in rats. *J. Pharm. Sci.*, 74 (1985) 1219-1224.
- 2380 Kizu, R., Higashi, S.-I. and Miyazaki, M.: A method for determining *cis*-dichloro-diammineplatinum(II) in plasma and urine by high performance liquid chromatography with direct ultraviolet detection. *Chem. Pharm. Bull.*, 33 (1985) 4614-4617.
- 2381 Lane, E.A. and Levy, R.M.: Fractions metabolized in a triangular metabolic system: cinromide and two metabolites in the Rhesus monkey. *J. Pharmacokin. Biopharm.*, 13 (1985) 373-386.
- 2382 Luke, D.R. and Rocci, M.L., Jr.: Determination of pentoxifylline and a major metabolite, 3,7-dimethyl-1-(5'-hydroxyhexyl)xanthine, by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 191-195.
- 2383 McNicholas, L.F., Martin, W.R. and Pruitt, T.A.: N-Desmethyldiazepam physical dependence in dogs. *J. Pharmacol. Exp. Ther.*, 235 (1985) 368-376.
- 2384 Meier, U.T., Kronbach, T. and Meyer, U.A.: Assay of mephenytoin metabolism in human liver microsomes by high-performance liquid chromatography. *Anal. Biochem.*, 151 (1985) 286-291.
- 2385 Miyagi, N., Hikichi, N. and Niwa, H.: Simultaneous determination of aminopyrine and its metabolites in rat plasma by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 91-99.
- 2386 Muir, K.T., Kook, K.A., Stern, C. and Gardner, K.M.: Analysis of amiodarone and desethylamiodarone in serum and tears by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 394-399.
- 2387 Nabeshima, T., Yamaguchi, K., Fukaya, H., Hiramatsu, M., Furukawa, H. and Kameyama, T.: Simultaneous determination of phencyclidine and its major metabolites in biological samples by high-performance liquid chromatography. *Res. Commun. Subst. Abuse*, 6 (1985) 65-78; *C.A.*, 104 (1986) 1793p.



- 2388 Neff-Davis, C.A. and Bosch, K.: An HPLC method for the determination of flunixin in bovine plasma and milk. *J. Vet. Pharmacol. Ther.*, 8 (1985) 331-334; *C.A.*, 103 (1985) 205353j.
- 2389 Nieder, M., Dilger, C. and Jaeger, H.: Determination of glibenclamide in human serum by HPLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 102-105.
- 2390 Park, Y.H., Goshorn, C. and Hinsvark, O.N.: Quantitative determination of doxepin and nordoxepin in urine by high-performance liquid chromatography. *J. Chromatogr.*, 75 (1986) 202-206.
- 2391 Paulson, G.D., Mitchell, A.D. and Zaylskie, R.G.: Identification and quantitation of sulfamethazine metabolites by liquid chromatography and gas chromatography-mass spectrometry. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1000-1006.
- 2392 Plomp, T.A., Wiersinga, W.M. and Maes, R.A.A.: Tissue distribution of amiodarone and desethylamiodarone in rats after repeated oral administration of various amiodarone dosages. *Arzneim.-Forsch.*, 35 (1985) 1805-1810.
- 2393 Pol Phak, R., Conquy, T., Gouezo, F., Viala, A. and Grimaldi, F.: Determination of metapramine, imipramine, trimipramine and their major metabolites in plasma by reversed-phase column liquid chromatography. *J. Chromatogr.*, 375 (1986) 339-347.
- 2394 Pussard, E., Verdier, F. and Blayo, M.-C.: Simultaneous determination of chloroquine, amodiaquine and their metabolites in human plasma, red blood cells, whole blood and urine by column liquid chromatography. *J. Chromatogr.*, 374 (1986) 111-118.
- 2395 Rachmel, A., Hazelton, G.A., Yergey, A.L. and Liberato, D.J.: Furosemide 1-O-acyl glucuronide. *In vitro* biosynthesis and pH-dependent isomerization to  $\beta$ -glucuronidase-resistant forms. *Drug Metab. Disp.*, 13 (1985) 705-710.
- 2396 Schöllnhammer, G., Dell, H.-D., Doersing, K. and Kamp, R.: Quantitative determination of acemetacin and its metabolite indometacin in blood and plasma by column liquid chromatography. *J. Chromatogr.*, 375 (1986) 331-338.
- 2397 Selinger, K. and Crawhall, J.C.: Determination of the metabolites of mexiletine in human plasma. *J. Pharm. Biomed. Anal.*, 3 (1985) 547-553.
- 2398 Sherry, J.H., O'Donnell, J.P. and Colby, H.D.: Separation of spironolactone and its biologically active sulfur-containing metabolites by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 183-190.
- 2399 Shibasaki, J., Makaya, O., Sasaki, H., Nakamura, J. and Konishi, R.: High-performance liquid chromatographic determination of oxidized derivatives of tolbutamide in rat blood and urine. *Chem. Pharm. Bull.*, 33 (1985) 4610-4613.
- 2400 Tate, P.S. and Briele, H.A.: Reversed-phase high-performance liquid chromatography of 5-(3,3-dimethyl-1-triazeno)imidazole-4-carboxamide and metabolites. *J. Chromatogr.*, 374 (1986) 421-424.
- 2401 Walton, M.I. and Workman, P.: Reversed-phase high-performance liquid chromatographic method for the simultaneous determination of the 2-nitroimidazole benzimidazole and its amine metabolite in biological materials. *J. Chromatogr.*, 375 (1986) 190-196.
- 2402 Wang, L.H., Rudolph, A.M. and Benet, L.Z.: Distribution and fate of acetaminophen conjugates in fetal lambs *in utero*. *J. Pharmacol. Exp. Ther.*, 235 (1985) 302-307.
- 2403 Weijers-Everhard, J.P., Wijker, J., Verrijck, R., van Rovijs, H.H. and Soudijn, W.: Improved qualitative method for establishing flunitrazepam abuse using urine samples and column liquid chromatography with fluorimetric detection. *J. Chromatogr.*, 374 (1986) 339-346.
- 2404 Westwood, B.E., Harman, P.J. and Mashford, M.L.: Liquid chromatographic assay for debrisoquine and 4-hydroxydebrisoquine in urine. *J. Chromatogr.*, 374 (1986) 200-203.
- 2405 Wilbur, B.J., Benz, C.C. and DeGregorio, M.W.: Quantitation of tamoxifen, 4-hydroxy-tamoxifen and N-desmethyltamoxifen in human plasma by high performance liquid chromatography. *Anal. Lett.*, 18 (1985) 1915-1924.
- 2406 Yeates, R.A., Laufen, H., Räder, K. and Leitold, M.: Preliminary study of the pharmacokinetics of desmethyl diazepam administered as drops or tablets. *Arzneim.-Forsch.*, 36 (1986) 138-140.

- 2407 Zech, K. and Huber, R.: Determination of urapidil and its metabolites in human serum and urine: comparison of liquid-liquid and fully automated liquid-solid extraction. *J. Chromatogr.*, 353 (1986) 351-360.

For additional information see:

- C.A., 103 (1985) 205359r, 205374s, 205473y;  
104 (1986) 199n, 28291k.

See also 1931, 2234, 2260.

### 32c. Drug monitoring

- 2408 Albani, F., Riva, R., Casucci, G., Contin, M. and Baruzzi, A.: Liquid chromatographic determination of flunarizine in human plasma. *J. Chromatogr.*, 374 (1986) 196-199.
- 2409 Allender, W.J.: High-pressure liquid chromatographic determination of chloridazine and its major metabolites in biological tissue and fluids. *J. Chromatogr. Sci.*, 23 (1985) 541-545.
- 2410 Alvinerie, M. and Galtier, P.: Assay of triclobandazole and its main metabolites in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 409-414.
- 2411 Bauza, M.T., Lesser, C.L., Johnston, J.T. and Smith, R.V.: Comparison of extraction and precipitation methods for the HPLC determination of furosemide in plasma and urine. *J. Pharm. Biomed. Anal.*, 3 (1985) 459-467.
- 2412 Boppana, V.K., Fong, K.-L.L., Ziemniak, J.A. and Lynn, R.K.: Use of a post-column immobilized  $\beta$ -glucuronidase enzyme reactor for the determination of diastereomeric glucuronides of fenoldopam in plasma and urine by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 353 (1986) 231-247.
- 2413 Brode, E., Hotz, D. and Kern, R.: Internally standardized determination of anipamil in human plasma by means of high-pressure liquid chromatography. *Methods Find. Exp. Clin. Pharmacol.*, 7 (1985) 427-434; C.A., 104 (1986) 28306u.
- 2414 Canal, P., Michel, C., Bugat, R., Soula, G. and Carton, M.: Quantification of teniposide in human serum by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 375 (1986) 451-456.
- 2415 Cline Love, L.J., Zibas, S., Noroski, J. and Anart, M.A.: Direct injection of untreated serum using non-ionic and ionic micellar liquid chromatography for determination of drugs. *J. Pharm. Biomed. Anal.*, 3 (1985) 511-521.
- 2416 Coulais, Y., Campistron, G., Caillard, C. and Houin, G.: Quantitative determination of alizapride in human plasma by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 425-429.
- 2417 DeLuccia, F.J., Arunyanart, M., Yarmchuk, P., Weinberger, R. and Love, L.J.C.: Micellar liquid chromatography: direct serum injection for therapeutic drug monitoring. *LC Mag.*, 3 (1985) 794-800; C.A., 103 (1985) 205356n.
- 2418 Ginman, R., Karnes, H.T. and Perrin, J.: Simultaneous determination of codeine and ibuprofen in plasma by high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 439-445.
- 2419 Guermouche, S., Guermouche, M.H., Mansouri, M. and Abed, L.: Determination of furosemide in rat plasma using HPLC and liquid scintillation. *J. Pharm. Biomed. Anal.*, 3 (1985) 453-458.
- 2420 Harrington, E.L. and Cox, S.R.: Determination of ciglitazone in dog plasma by reversed-phase high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 483-487.
- 2421 Heizmann, P., Körner, J. and Zinapold, K.: Determination of tenoxicam in human plasma by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 95-102.
- 2422 Hynning, P.A., Anderson, P., Bondesson, U. and Boreus, L.O.: Determination of ketobemidone in plasma by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 375 (1986) 207-211.
- 2423 Jonkman, J.H.G., Schoenmaker, R., Holtkamp, A.H. and Hempenius, J.: Determination of ibuprofen in human plasma by solid-phase extraction and reversed-phase high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 433-438.

- 2424 Kaneniwa, N., Funaki, T. Furuta, S. and Watari, N.: High-performance liquid chromatographic determination of cimetidine in rat plasma, urine and bile. *J. Chromatogr.*, 374 (1986) 430-434.
- 2425 Locniskar, A. and Greenblatt, D.J.: Determination of ciramadol and dezocine, two new analgesics, by high-performance liquid chromatography using electrochemical detection. *J. Chromatogr.*, 374 (1986) 215-220.
- 2426 Meineke, I., Witsch, D. and Brendel, E.: Sensitive high-performance liquid chromatographic determination of pirenzepine in plasma. *J. Chromatogr.*, 375 (1986) 369-375.
- 2427 Miller, R.L. and Devane, C.L.: Analysis of trazodone and *m*-chlorophenylpiperazine in plasma and brain tissue by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 388-393.
- 2428 Miller, R.L. and Devane, C.L.: Measurement of haloperidol and reduced haloperidol in human plasma using reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 405-408.
- 2429 Nielsen, J., Karlaganis, G., von Hattingberg, H.M. and Schaad, U.B.: High performance liquid chromatographic determination of moxalactam in human plasma and cerebrospinal fluid. *Eur. J. Clin. Pharmacol.*, 29 (1985) 225-229; *C.A.*, 104 (1986) 28302q.
- 2430 Norman, T.R., James, R.J. and Gregory, M.S.: Determination of tiapride in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 197-201.
- 2431 Oddie, C.J., Jackman, G.P. and Bobik, A.: Analysis of milrinone in plasma using solid-phase extraction and high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 209-214.
- 2432 Paillet, M., Doucet, D., Merdjan, H., Chambrin, P.Y. and Fredj, G.: Rapid determination of clofibrac acid in human plasma by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 179-183.
- 2433 Pearce, J.C., Jelly, J.A., Fernandes, K.A., Leavens, W.J. and McDowall, R.D.: Analysis of 5-(4-acetamidophenyl)pyrazin-2-(1H)-one (SK&F 94120) in plasma with an Analytichem automated sample processor liquid chromatography module. *J. Chromatogr.*, 353 (1986) 371-378.
- 2434 Persat, F., Monier, M.F., Piens, M.A. and Mojon, M.: Determination of amphotericin B in human serum by high-performance liquid chromatography. *Mykosen*, 28 (1985) 501-506; *C.A.*, 104 (1986) 112d.
- 2435 Perschke, H. and Vollner, L.: Determination of the trypanocidal drugs homidium, isometamidium and quinapyramine in bovine serum or plasma using HPLC. *Acta Trop.*, 42 (1985) 209-216; *C.A.*, 104 (1986) 14400h.
- 2436 Rosenberg, M.J., Lam, K.K. and Dorsey, T.E.: Analysis of chlorthalidone in whole blood by high-performance liquid chromatography. *J. Chromatogr.*, 375 (1986) 438-443.
- 2437 Rouan, M.C. and Campestrini, J.: Liquid chromatographic determination of dihydralazine and hydralazine in human plasma and its application to pharmacokinetic studies of dihydralazine. *J. Pharm. Sci.*, 74 (1985) 1270-1273.
- 2438 Sauvage, D., Cociglio, M. and Alric, R.: Liquid chromatographic measurement for plasma indomethacin and its prodrug apyramide: oral rat and intravenous dog pharmacokinetics. *J. Chromatogr.*, 375 (1986) 101-110.
- 2439 Schulz, H.-U. and Kraas, E.: Determination of the theophylline solubilizer salicylamide-O-acetic acid in serum and urine using high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 469-475.
- 2440 Shishan, Z. and Mei-Yi, Z.: Application of precolumn reaction to high-performance liquid chromatography of qinghaosu in animal plasma. *Anal. Chem.*, 58 (1986) 289-292.
- 2441 Susanto, F., Humfeld, S. and Reinauer, H.: A simple high-performance liquid chromatographic determination of mexiletine in human-plasma at therapeutic levels. *Chromatographia*, 21 (1986) 41-43.
- 2442 Takahagi, H., Inoue, K. and Horiguchi, M.: Drug monitoring by a fully automated high-performance liquid chromatographic technique, involving direct injection of plasma. *J. Chromatogr.*, 352 (1986) 369-379.
- 2443 Tillman, L.G. and Hardee, G.E.: Simultaneous determination of phenylbutazone, flunixin, indomethacin and 4-methylaminoantipyrine with novel use of an ion-pairing step-gradient HPLC methodology. *Anal. Lett.*, 18 (1985) 1897-1904.

- 2444 Yamamura, Y., Uchino, K., Kotaki, H., Isozaki, S. and Saitoh, Y.: Quantitative determination of propranolol in plasma and plasma water from normal subjects and patients with angina pectoris by high-performance liquid chromatography. *J. Chromatogr.*, 374 (1986) 311-319.

For additional information see:

- C.A., 103 (1985) 205378w;  
104 (1986) 114f.

See also 2274.

### 32d. Toxicological applications

- 2445 Grower, M.R.: The presence and detection of some toxic components in common oils and fats. *Indian Food Ind.*, 4 (1985) 103-105; C.A., 103 (1985) 159172z.  
2446 Pedrosa, R.C. and Moraes, Ester De Camargo Ponseca: (Chromatographic identification of drugs usually administered to athletes). *Rev. Farm. Bioquim. Univ. Sao Paulo*, 21 (1985) 91-102; C.A., 104 (1986) 29925g.

See also 1821, 1953, 2409, 2468.

### 32e. Plant extracts

- 2447 Archer, A.W.: Separation and determination of piperine in ground pepper by high-performance liquid chromatography. *J. Chromatogr.*, 351 (1986) 595-598.  
2448 Li, X. and Ying, X.: (Application of column partition chromatography in pharmaceutical analysis. III. Separation and determination of hyoscyamine and scopolamine in belladonna liquid extract and tincture). *Yaowu Fenxi Zazhi*, 5 (1985) 263-267; C.A., 104 (1986) 39826g.  
2449 Serve, L., Sancho, A., Combaut, G. and Pioveti, L.: Dosage par chromatographie liquide haute-performance des phloridzozide, phlorétol et acide phlorétique de *Loiseleuria procumbens* (L.) Desv. (*Ericaceae*). *J. Chromatogr.*, 355 (1986) 318-327.

For additional information see:

- C.A., 104 (1986) 24239b, 28926w, 39830m.

See also 1871, 2210, 2440, 2506.

### 32f. Clinico-chemical applications and profiling body fluids

- 2450 Iwamoto, T., Yoshiura, M., Oinuma, S. and Iriyama, K.: Attempt at identification of electroactive peak components in human urine by reversed-phase liquid chromatography with electrochemical detection. *Jikeikai Med. J.*, 32 (1985) 239-243; C.A., 103 (1985) 210169h.  
2451 Ramnaraine, M.L.R. and Tuchman, M.: Aromatic and nitrogen-containing acid separation by reversed-phase high performance liquid chromatography and identification by photodiode array detector. *J. Chromatogr. Sci.*, 23 (1985) 549-554.

See also 1838, 1886, 1894, 1898, 1910, 1932, 1936, 1981, 1982, 2004, 2043, 2070, 2073, 2076, 2077, 2112, 2162, 2169, 2183, 2192, 2222, 2225, 2226, 2242, 2248, 2292, 2471.

## 33. INORGANIC COMPOUNDS

### 33a. Cations

- 2452 Aldabbagh, S.S. and Dybczynski, R.: Ion exchange behavior of 18 elements on amphoteric resin Retardion 11A8 in ammonium chloride, ammonium chloride + ammonia and ammonium chloride + hydrochloric acid media. *J. Radioanal. Nucl. Chem.*, 92 (1985) 37-50; C.A., 104 (1986) 45036y.

- 2453 Alexander, P.W., Haddad, P.R. and Trojanowicz, M.: Response characteristics of a potentiometric detector with a copper metal electrode for flow-injection and chromatographic determinations of metal ions. *Anal. Chim. Acta*, 177 (1985) 183-195.
- 2454 Bagchi, R. and Haddad, P.R.: Contamination sources in the clean-up of samples for inorganic ion analysis. *J. Chromatogr.*, 351 (1986) 541-547.
- 2455 Bogatyrev, I.O., Zaborenko, K.B. and Olive Alvarez, E.: Application of an inert electrolyte for separation of microquantities of lanthanide ions by cation-exchange complexing chromatography in aqueous organic media. *Vestn. Mosk. Univ., Ser. 2: Khim.*, 26 (1985) 517-518; *C.A.*, 104 (1986) 27997h.
- 2456 Bond, A.M. and Nagaosa, Y.: Determination of aluminium, copper, iron and manganese in biological and other samples as 8-quinolinol complexes by high-performance liquid chromatography with electrochemical and spectrophotometric detection. *Anal. Chim. Acta*, 178 (1985) 197-208.
- 2457 Brajter, K. and Slonawska, K.: Application of ion-exchanger Cellex P for the selective separation of some metal ions. Part 4. Separation of platinum metal ions in the presence of amines. *Frasenius' Z. Anal. Chem.*, 323 (1986) 145-147.
- 2458 Casoli, A., Mangia, A., Predieri, G. and Sappa, E.: Behaviour of mono-, bi- and trinuclear Group VI, VII and VIII metal carbonyl complexes in high-performance liquid chromatography. *J. Chromatogr.*, 355 (1986) 285-290.
- 2459 Fortier, N.E. and Pritz, J.S.: Separation and determination of aluminum by single-column ion-chromatography. *Talanta*, 32 (1985) 1047-1050; *C.A.*, 104 (1986) 28081s.
- 2460 Francesconi, K.A., Micks, P., Stockton, R.A. and Irgolic, K.J.: Quantitative determination of arsenobetaine, the major water-soluble arsenical in three species of crab, using high pressure liquid chromatography and an inductively coupled argon plasma emission spectrometer as the arsenic specific detector. *Chemosphere*, 14 (1985) 1443-1453; *C.A.*, 103 (1985) 208202v.
- 2461 Gan, W., Hu, W., Dong, C. and Dong, M.: (Determination of rare earths by high performance liquid chromatography with post-column derivatization). *Fenxi Huaxue*, 13 (1985) 569-573; *C.A.*, 104 (1986) 28070n.
- 2462 Haddad, P.R. and Valeenuwat, S.: Reversed-phase high performance liquid chromatography of 8-hydroxyquinoline complexes of Mo(VI), Al(III), Co(III), and Cu(II). *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 127-128.
- 2463 He, J., Hong, G., Gu, H. and Yue, S.: (Quantitative analysis of neodymium lanthanum phosphate ( $\text{Nd}_x\text{La}_{1-x}\text{P}_5\text{O}_{14}$ ) crystals by extraction chromatography). *Fenxi Huaxue*, 13 (1985) 601-603; *C.A.*, 103 (1985) 226634s.
- 2464 Jones, P., Barron, K. and Erdon, L.: Development of high-performance liquid chromatography methods for trace metal analysis. Determination of trace cobalt in simulated pressurized water reactor primary coolant. *J. Chromatogr.*, 354 (1986) 407-415.
- 2465 Kashiwabara, K., Hobo, T., Kobayashi, E. and Suzuki, S.: Flow injection analysis for traces of zinc with immobilized carbonic anhydrase. *Anal. Chim. Acta*, 178 (1985) 209-215.
- 2466 Kiriyama, T. and Kuroda, R.: Determination of vanadium, cobalt, copper, zinc, and cadmium in biological materials by a combined anion-exchange-spectrophotometric method. *Chromatographia*, 21 (1986) 12-15.
- 2467 Loskutova, I.M., Pyatygina, L.B., Fadeeva, V.I. and Semenenko, K.A.: (Sorption-atomic-emission determination of zirconium and hafnium in alloyed steels). *Zh. Anal. Khim.*, 40 (1985) 1833-1838; *C.A.*, 103 (1985) 226653x.
- 2468 Matsubara, I.: (Determination of traces of vanadium in biological materials by a combined ion exchange-spectrophotometric method). *Bunseki Kagaku*, 35 (1986) 38-41.
- 2469 Mueller, B.J. and Lovett, R.J.: Determination of Pd and Co as their dithiocarbamate complexes by liquid chromatography without solvent extraction. *Anal. Lett.*, 18 (1985) 2399-2419.
- 2470 Nabi, S.A., Siddiqi, Z.M. and Rao, R.A.K.: Stability and distribution studies on semicrystalline tin(IV)selenophosphate. Separation of metal ions. *Bull. Chem. Soc. Jpn.*, 58 (1985) 2380-2384; *C.A.*, 104 (1986) 45034w.
- 2471 Nagashima, H.: (Determination of calcium and magnesium ions in human plasma and electrolyte solution for transfusion by ion chromatography with postcolumn color reaction). *Bunseki Kagaku*, 35 (1986) 7-11.
- 2472 Pohlandt, C.: Chromatographic separation and determination of stable metal cyanide complexes in gold processing solutions. *S. Afr. J. Chem.*, 38 (1985) 110-114; *C.A.*, 103 (1985) 226559w.

- 2473 Saitoh, K. and Suzuki, N.: High-performance liquid chromatographic determination of nickel, copper and zinc as their tetraphenylporphine chelates. *Anal. Chim. Acta*, 178 (1985) 169-177.
- 2474 Shah, A. and Surekha, D.: Separation of lead and copper on a series of chelating ion-exchange resins. *Analyst (London)*, 110 (1985) 1501-1504.
- 2475 Song, C. and Wang, X.: (Determination of individual rare earth elements in soil by PMBP column and paper chromatography). *Zhongguo Xitu Xuebao*, 3 (1985) 63-69; *C.A.*, 104 (1986) 14203w.
- 2476 Strelow, F.W.E.: Separation of silver from zinc, cadmium, copper, nickel and other elements in nitric acid with a macroporous resin. *Talanta*, 32 (1985) 953-956; *C.A.*, 103 (1985) 226506b.
- 2477 Ueda, K., Koshino, Y. and Yamamoto, Y.: Preconcentration of uranium in seawater with enterocyclic azo dyes supported on silica gel. *Anal. Lett.*, 18 (1985) 2345-2359.
- 2478 Yan, D.-R. and Schwedt, G.: Elutionseigenschaften des Ethylendiamins zur Ionen-Chromatographie von Metallionen. *Anal. Chim. Acta*, 178 (1985) 347-353.

For additional information see:

- C.A.*, 103 (1985) 217345w, 226528x, 226679k;  
104 (1986) 14191r.

### 33b. Anions

- 2479 Chriswell, C.D., Mroch, D.R. and Markuszewski, R.: Determination of total sulfur by ion chromatography following peroxide oxidation in spent caustic from the chemical cleaning of coal. *Anal. Chem.*, 58 (1986) 319-321.
- 2480 Dokiya, Y., Hirose, K., Yoshimura, E. and Toda, S.: (Determination of phosphorus by inductively coupled plasma emission spectrometry and ion chromatography in the airborne particles). *Bunseki Kagaku*, 34 (1985) T153-T158.
- 2481 Dreux, M. and Lafosse, M.: Measurement of sub parts-per million of inorganic anions in water by nonsuppressed ion exchange chromatography with conventional HPLC instrumentation. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 122-124.
- 2482 Dreux, M., Lafosse, M., Agbo-Hazoume, P., Chaabane-Doumandji, B., Gibert, M. and Levi, Y.: Determination of inorganic by ion-pair chromatography. Hetaeron adsorption characteristics on some alkyl-bonded silica stationary phases. *J. Chromatogr.*, 354 (1986) 119-128.
- 2483 Eggers, N.J. and Cattle, D.L.: High-performance liquid chromatographic method for the determination of nitrate and nitrite in cured meat. *J. Chromatogr.*, 354 (1986) 490-494.
- 2484 Funk, J., Frank, H., Werner, G. and Welsch, T.: (Optimized separation of anions by ion-pair reversed-phase chromatography and direct UV detection). *Z. Chem.*, 25 (1985) 341-342; *C.A.*, 104 (1986) 27999k.
- 2485 Kang, S.W.: Ion-pair chromatography of organic and inorganic anions. *Taehan Hwahakhoe Chi*, 29 (1985) 365-361; *C.A.*, 103 (1985) 226500v.
- 2486 Littlejohn, D. and Chang, S.-G.: Determination of nitrogen-sulfur compounds by ion chromatography. *Anal. Chem.*, 58 (1986) 158-160.
- 2487 Mueller, H. and Scholz, R.: Determination of halides and thiocyanate by non-suppressed ion chromatography with ion-selective flow-through electrodes as detectors. *Anal. Chem. Symp. Ser.*, 22 (1985) 553-565; *C.A.*, 104 (1986) 45114x.
- 2488 Okutani, T. and Yugeta, Y.: (Determination of a micro amount of nitrite ion by reversed phase ion-pair chromatography with an amperometric detector). *Bunseki Kagaku*, 34 (1985) 777-780.
- 2489 Ryder, D.S.: Separation of orthophosphoric, phosphorous and hypophosphorous acids using single-column ion chromatography with conductivity detection. *J. Chromatogr.*, 354 (1986) 438-441.

For additional information see:

- C.A.*, 103 (1985) 214031e;  
104 (1986) 4721z, 21734y, 45035x.

See also 2213, 2452, 2454, 2470.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 2490 Doshi, R.P. and Vaickus, M.J.: Characterization of radiation curable products by HPLC using a diode array detector. *J. Radiat. Curing*, 12 (1985) 12-17; *C.A.*, 104 (1986) 6534q.
- 2491 Firsova, L.A., Chuveleva, E.A., Kharitonov, O.V. and Nazarov, P.P.: (Effect of ionizing radiation on the chromatographic separation of transplutonium elements). *Radiokhimiya*, 27 (1985) 648-656; *C.A.*, 104 (1986) 11856a.
- 2492 Fujii, Y., Aida, M., Okamoto, M. and Oi, T.: A theoretical study of isotope separation by displacement chromatography. *Separ. Sci.*, 20 (1985) 377-392.
- 2493 Tanaka, N., Yamauchi, A., Araki, M. and Kimata, K.: Separation of nitrogen isotopic compounds by reversed-phase liquid chromatography on the basis of nitrogen isotope effects on the dissociation of amines. *J. Am. Chem. Soc.*, 107 (1985) 7781-7782; *C.A.*, 103 (1985) 226727z.

See also 1743.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

## 35a. Surfactants

- 2494 Sapel'nikov, V.M., Onishchenko, P.P., Runov, V.A. and Gusev, G.M.: (Determination of olefins and sultones in  $\alpha$ -olefin sulfonation products by high-performance liquid chromatography). *Zavod. Lab.*, 51 (1985) 25-26; *C.A.*, 104 (1986) 45156n.
- 2495 Weiss, J.: Retention of aliphatic anionic surfactants in ion chromatography. *J. Chromatogr.*, 353 (1986) 303-307.

## 35b. Antioxidants and preservatives

- 2496 Warner, C.E., Daniels, D.H., Lin, F.S.D., Joe, F.L., Jr. and Fazio, T.: Fate of antioxidants and antioxidant-derived products in deep-fat frying and cookie baking. *J. Agric. Food Chem.*, 34 (1986) 1-5.

For additional information see:

*C.A.*, 104 (1986) 33163z.

See also 1719.

## 35c. Food analysis

- 2497 Bocchio, F., Fellous, R. and Hariel, J.: (Differentiation of strawberries by analysis of data applied to chromatographic profiles). *Parfums, Cosmet., Aromes*, 63 (1985) 55-59; *C.A.*, 104 (1986) 33114j.
- 2498 Graciani, C.E., Gomez, G.R. and Vazquez, R.A.: (Determination of mineral oil in vegetable oil by HPLC. Application to several rape oils denatured with aniline). *Gravas Aceites*, 36 (1985) 254-257; *C.A.*, 104 (1986) 18722n.
- 2499 Ito, Y., Noguchi, T. and Naito, H.: Fluorometric determination of gizzerosine, a histamine  $H_2$ -receptor agonist discovered in feedstuffs employing high-performance liquid chromatography. *Anal. Biochem.*, 151 (1985) 28-31.
- 2500 Takeda, Y., Uchiyama, S. and Saito, Y.: High performance liquid chromatography of pheophorbide a and pyropheophorbide a in salted vegetables and chlorella. *Shokuhin Eiseigaku Zasshi*, 26 (1985) 56-60; *C.A.*, 103 (1985) 213476s.
- 2501 Yamada, T. and Toyoda, M.: (Analysis of food additives by high-performance liquid chromatography). *Jpn. Fudo Saisensu*, 24 (1985) 31-34; *C.A.*, 104 (1986) 4678r - a review with 39 refs.

- 2502 Yokomizo, Y. and Carvalho, P.R.: (The determination of residues of Fluazifop-butyl, Fluazifop and their conjugates in agricultural products by high pressure liquid chromatography). *Bol. Inst. Tecnol. Aliment.*, 21 (1984) 239-256; *C.A.*, 103 (1985) 140409k.

For additional information see:

- C.A.*, 103 (1985) 213262u;  
104 (1986) 4693s.

See also 1845, 1850, 1855, 1860, 1861, 1974, 1985, 1994, 2158, 2258, 2445, 2468, 2483, 2496.

### 35d. Various technical products

- 2503 Baltisberger, R.J., Wagner, S.E., Rao, S.P., Schwan, J.F. and Jones, M.B.: Gel permeation chromatographic analysis of solubilized lignite asphaltenes and preasphaltenes. *Fuel Process. Technol.*, 11 (1985) 213-229; *C.A.*, 103 (1985) 218043h.
- 2504 Bonini, A., Brion, Y. and Brule, B.: (Determination of asphaltenes in bitumens by gel-permeation chromatography). *Bull. Liaison Lab. Pont Chaussees*, 138 (1985) 96-98; *C.A.*, 103 (1985) 217818c.
- 2505 Ott, D.: (Ion chromatography. Examples of applications in electroplating). *Galvanotechnik*, 76 (1985) 1434-1436; *C.A.*, 103 (1985) 226423x - a review with no refs.

For additional information see:

- C.A.*, 103 (1985) 217880s, 226451e, 226738d.

See also 1827, 1938, 2223, 2322.

### 35e. Compounds with distinct biological activity and diverse chemical nature

- 2506 Lepom, P.: Determination of sterigmatocystin in feed by high-performance liquid chromatography with column switching. *J. Chromatogr.*, 354 (1986) 518-523.
- 2507 Mabuchi, H. and Nakahashi, H.: High-performance liquid chromatographic analysis of an endogenous digoxin-like immunoreactive substance in uremic serum. *J. Chromatogr.*, 375 (1986) 75-81.

For additional information see:

- C.A.*, 104 (1986) 15245y.

### 35f. Complex mixtures and non-identified compounds

- 2508 Strachan, M.G. and Johns, R.B.: Integrated separation scheme for coal-derived liquids using ion-exchange and adsorption chromatography. *Anal. Chem.*, 58 (1986) 312-319.
- 2509 Szepesy, L.: Group-type separation and characterization of coal-derived liquids by high-performance liquid chromatography. *TrAC*, 4 (1985) 258-261.

## 36. CELLS AND CELLULAR PARTICLES

- 2510 Karr, L.J., Shafer, S.G., Harris, J.M., van Alstine, J.M. and Snyder, R.S.: Immuno-affinity partition of cells in aqueous polymer two-phase systems. *J. Chromatogr.*, 354 (1986) 269-282.
- 2511 Kataoka, K., Sakurai, Y. and Tsuruta, T.: Microphase separated polymer surfaces for separation of B and T lymphocytes. *Makromol. Chem., Suppl.*, 9 (1985) 53-67; *C.A.*, 103 (1985) 212837y - a review with 53 refs.
- 2512 Shinozuka, T., Takei, S., Watanabe, H. and Ohkuma, S.: Affinity of young and old human erythrocytes for alkyl-Sepharose 6MB gels. *J. Chromatogr.*, 375 (1986) 380-385.



## 37. ENVIRONMENTAL ANALYSIS

*37a. General papers and reviews*

See 2460.

*37b. Air pollution*

2513 Mou, S. and Hou, X.: (Determination of formaldehyde in the atmosphere by ion chromatography). *Huanjing Huaxue*, 4 (1985) 30-34; *C.A.*, 104 (1986) 9906y.

For additional information see:  
*C.A.*, 104 (1986) 38908f.

See also 1862, 2480.

*37c. Water pollution*

See 1778, 1873, 1947, 2488.

*37d. Soil pollution*

See 2302.

## Gas Chromatography

### 1. REVIEWS AND BOOKS

- 778 McNair, H.M., Ogden, M.W. and Hensley, J.L.: Recent advances in gas chromatography. *Int. Lab.*, 16, No. 1 (1986) 14-21 - a brief review.
- 779 Pflieger, K., Maurer, H. and Weber, A. (Editors): *Mass Spectral and Gas Chromatographic Data of Drugs, Poisons, and Their Metabolites, Pt. 1: Introduction and Tables*. Verlag Chemie, Weinheim, 1985, 208 p.; *C.A.*, 103 (1985) 200945u.
- 780 Pflieger, K., Maurer, H. and Weber, A. (Editors): *Mass Spectral and Gas Chromatographic Data of Drugs, Poisons, and Their Metabolites, Pt. 2: Mass Spectra and Indexes*. Verlag Chemie, Weinheim, 1985, 744 p.; *C.A.*, 103 (1985) 200946v.
- 781 Souter, R.W.: *Chromatographic Separation of Stereoisomers*. CRC Press, Boca Raton, 1985, 256 p. - over 800 refs.
- 782 Touchstone, J.C.: *Steroids I*. CRC Press, Boca Raton, 1986, 272 p.
- 783 Wilhelm, E.: Solubility of gases in liquids: A critical review. *Pure Appl. Chem.*, 57 (1985) 303-322; *C.A.*, 102 (1985) 120796j - useful for GC, too.

See also 791, 792, 856, 861, 871, 887, 890, 902, 1162.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

- 784 Belyaev, N.F. and Vigdergauz, M.S.: (Some alternative variants of calculation of gas chromatographic retention). *Zh. Anal. Khim.*, 41 (1986) 116-120.
- 785 Turkel'taub, G.N.: (Comparison of the separation capabilities of chromatography and rectification). *Zh. Fiz. Khim.*, 59 (1985) 2051-2052.

See also 867, 893, 899.

#### 2b. Thermodynamics and theoretical relationships

- 786 Castells, R.C.: Possibility and consequences of using different concentration scales in the study of solution thermodynamics by gas-liquid chromatography. *J. Chromatogr.*, 350 (1985) 339-351.
- 787 Nikolic, A.D., Perisic-Janjic, N.U., Petrovic, S.D. and Kobilarov, N.L.: A thermodynamic study of N-n-butylbenzamide solutions using gas-liquid chromatography. *J. Chem. Thermodyn.*, 17 (1985) 849-853; *C.A.*, 103 (1985) 148160t.

See also 879, 1031.

#### 2c. Relationship between structure and chromatographic behavior

- 788 Evans, M.B., Haken, J.K. and Toth, T.: Solute characterization in gas chromatography by an extension of Kovats retention index system. Dispersion and selectivity indices. *J. Chromatogr.*, 351 (1986) 155-164.
- 789 Janosi, A.: (The Rohrschneider concept. Calculation of retention indexes). *Magy. Kem. Lapja*, 40 (1985) 126-129; *C.A.*, 103 (1985) 152980c - a review with 35 refs.
- 790 Tarjan, G.: (The linearity of the n-alkane curve. The "b" value). *Magy. Kem. Lapja*, 40 (1985) 107-110; *C.A.*, 103 (1985) 153015d.
- 791 Toth, T.: (Gas chromatographic identification by combined application of retention indexes and selective reactions). *Magy. Kem. Lapja*, 40 (1985) 114-120; *C.A.*, 103 (1985) 152979j.

- 792 Ullrich, E.: (The polarity of stationary phases. The McReynolds system). *Magy. Kem. Lapja*, 40 (1985) 111-113; *C.A.*, 103 (1985) 152978h - a review with 13 refs.

See also 818, 833, 834, 837, 873, 889, 904, 939, 958.

### 2d. Measurement of physico-chemical and related values

- 793 Michalik, J., Lee, H. and Kevan, L.: Ethylene dimerization of palladium-Ca-X zeolite: gas chromatographic and electron spin resonance studies. *J. Phys. Chem.*, 89 (1985) 4282-4285.
- 794 Paik, S.W. and Gilbert, S.G.: Water sorption isotherms on sucrose and starch by modified inverse frontal gas chromatography. *J. Chromatogr.*, 351 (1986) 417-423.
- 795 Szymanowski, J., Voelkel, A., Beger, J. and Binte, H.J.: Polarity of some oxime extractants as determined by gas-liquid chromatography. *J. Prakt. Chem.*, 327 (1985) 353-361; *C.A.*, 103 (1985) 214731h.
- 796 Tanaka, Yo.: Kinetics from thermogravimetric data and gas chromatographic data. *Thermochim. Acta*, 91 (1985) 299-310; *C.A.*, 103 (1985) 166951f.
- 797 Wang Xinkui, Hu Lizhi and Peng Shaoyi: (Determination of pore size distribution of porous solid by gas-liquid chromatography). *Banliao Huaxue Xuebao*, 13 (1985) 230-233; *C.A.*, 103 (1985) 201414g.

See also 814, 827, 874, 878, 883, 898, 907, 918, 1035, 1037, 1143.

## 3. GENERAL TECHNIQUES

### 3a. Apparatus and accessories

- 798 Cunningham, R.D.: Automatically measuring the amount of water in a natural gas pipeline with the aid of a computer controlled gas chromatograph. *U.S. Pat. US 4,535,620* (Cl. 73-23.1; G01N31/08), 20 Aug. 1985, Appl. 522,791, 12 Aug. 1983; 8 pp.; *C.A.*, 103 (1985) 180729w.
- 799 Hinshaw, J.V., Jr. and Seferovic, W.: Programmed-temperature split-splitless injection. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 69-72.
- 800 Jennings, W. and Mehran, M.F.: Sample injection in gas chromatography. *J. Chromatogr. Sci.*, 24 (1986) 34-40.
- 801 MacEwen, H.F.: Component analysis by gas chromatography of separator gas and oil samples collected at 3000 kPa in an enhanced oil recovery operation. *AOSTRA J. Res.*, 1 (1985) 289-294; *C.A.*, 103 (1985) 162923a.
- 802 Toon, M.B.: Gas chromatograph for reseparator a sample into pure components. *U.S. Pat. US 4,536,199* (Cl. 55-67; B01D15/08), 20 Aug. 1985, Appl. 568,462, 5 Jan. 1984; 7 pp.; *C.A.*, 103 (1985) 143838k.
- 803 Walker, J.Q., Spencer, S.F. and Sonchik, S.M.: Forum for chromatographers: Testing gas chromatographic instrument. *J. Chromatogr. Sci.*, 24 (1985) 555-560.
- 804 Yu Shilin, Li Baoying and Wang Jing: (Two-dimensional gas chromatography). *Fenxi Huaxue*, 13 (1985) 463-467; *C.A.*, 103 (1985) 171182k.

See also 852, 894, 1064.

### 3b. Detectors and detection reagents

- 805 Alben, K.T. and Kaczmarczyk, J.H.: Stability of the electron-capture detector. Use of linear calibration curves referenced to an internal standard for quantitation of trihalomethanes. *J. Chromatogr.*, 351 (1986) 497-500.
- 806 Bertrand, M.J., Stefanidis, S. and Sarrasin, B.: 2-Cyanoethylidimethyl(diethyl)-aminosilane, a silylating reagent for selective gas chromatographic analysis using a nitrogen-phosphorus detector. *J. Chromatogr.*, 351 (1986) 47-56.
- 807 Budevska, B.O., Rizov, N.A. and Gheorghiev, G.K.: Photolytic chemiluminescence detector for gas chromatographic analysis of N-nitroso compounds. *J. Chromatogr.*, 351 (1986) 501-505.
- 808 Colson, E.R.: Flame ionization detectors and high-end linearity. *Anal. Chem.*, 58 (1986) 337-344.
- 809 Colson, E.R.: Linearity assessment of detectors in gas chromatographic systems by sample-loop supercharge. *Anal. Chem.*, 58 (1986) 334-337.

- 810 Ding Tianhui and Yan Zheng: (An ultraviolet absorption detector for gas chromatography). *Fenxi Huaxue*, 13 (1985) 310-313; *C.A.*, 103 (1985) 188792g.
- 811 Sullivan, J.J. and Quimby, B.D.: Gas discharge detectors. *Eur. Pat. Appl. EP 145,107 (Cl. G01N30/62)*, 19 Jun. 1985, US Appl. 556,527, 30 Nov. 1983; *C.A.*, 103 (1985) 152942s.
- 812 Zyuzin, Yu.K., Kochnev, I.V., Pogulyaevskii, Ya.S. and Chistyakov, N.M.: (Flame-ionization detector). *U.S.S.R. Pat. SU 1,157,442 (Cl. G01N27/62)*, 23 May 1985, Appl. 3,671,855, 12 Dec. 1983. *C.A.*, 103 (1985) 152956z.
- See also 848, 877, 880, 891, 897, 927, 928, 930, 1006, 1007, 1011, 1024, 1025, 1048, 1057, 1062, 1099, 1152, 1155, 1179.
- 3c. Sorbents, carriers, column and layer performance, packing procedures*
- 813 Aerts, A., Rijks, J., Bemgard, A. and Blomberg, L.: Preparation, evaluation, and comparison of wide bore (320  $\mu\text{m}$ ) and narrow bore (50  $\mu\text{m}$ ) cyanosilicone-coated capillary columns for gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 49-56.
- 814 Berezkin, V.G. and Korolev, A.A.: Application of capillary gas chromatography for physico-chemical measurements particularly considering the influence of adsorption on the liquid phase - tube wall interface. *Chromatographia*, 21 (1986) 16-18.
- 815 Blum, W.: The preparation of moderately polar capillary columns following persilylation with bis(cyanopropyl)tetramethyldisiloxane. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 120-121.
- 816 Farbrot, A., Folestad, S. and Larsson, M.: Polymerized stationary phases in 12 to 50  $\mu\text{m}$  open tubular fused silica columns for LC and GC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 117-119.
- 817 Fu Ruonong, Tian Linxiang and Xia Fangming: (Liquid crystal capillary columns. (I). Preparation and application of three MPBHx6 columns). *Sepu*, 2 (1985) 143-145; *C.A.*, 103 (1985) 171187r.
- 818 Grobler, A.: (Investigations on mixed gas chromatographic stationary phases. IV. Rohrschneider's polarity and selectivity parameters). *Magy. Kem. Lapja*, 40 (1985) 121-125; *C.A.*, 103 (1985) 153016e.
- 819 Cuenther, W. and Schlegelmilch, F.: Handling, quick optimization and choice of column wall material in capillary gas chromatography. In: A. Baerheim-Svendsen and J.J. Scheffer (Editors), *Essential Oils and Aromatics in Plants*, Nijhoff-Junk, Dordrecht, 1985, pp. 93-101; *C.A.*, 103 (1985) 180113r.
- 820 Guo Zhende, Ma Lianyu and Guo Xiantao: (Preparation and application of barium carbonate-modified glass capillary columns in gas chromatography). *Ranliao Huaxue Xuebao*, 13 (1985) 84-89; *C.A.*, 103 (1985) 152999r.
- 821 Kirsh, S.I., Karabanov, N.T., Fomicheva, T.N. and Vigdergauz, M.S.: (Colloid stationary phases containing butasil). *Zh. Anal. Khim.*, 41 (1986) 121-126.
- 822 Mikhailov, V.V., Aripov, E.A. and Narmetova, G.R.: (Determination of the minimum amount of the stationary liquid phase for preparation of a polyphase sorbent. Interphase adsorption and dissolution of some drugs). *Uzd. Khim. Zh.*, No. 3 (1985) 16-19; *C.A.*, 103 (1985) 147227h.
- 823 Rohwer, E.R., Pretorius, V. and Hulse, G.A.: Deactivation, coating and performance of nickel capillary columns for GLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 30-34.
- 824 Ryazanova, L.V., Novikov, V.F. and Vigdergauz, M.S.: (Evaluation of the selectivity of organophosphorus stationary phases based on polarity factors). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 28, No. 8 (1985) 36-39; *C.A.*, 103 (1985) 205085y.
- 825 Samusenko, A.L., Svetlova, N.I. and Golovnya, R.V.: (Reproducible and durable glass capillary columns with hydrogenated Apiezon-L and OV-101 for the analysis of polar substances). *Zh. Anal. Khim.*, 41 (1986) 127-133.
- 826 Sun Jishe and Lin Ruifang: (Preparation and evaluation of quartz capillary columns with polar stationary phases). *Sepu*, 2, No. 2 (1985) 65-69; *C.A.*, 103 (1985) 205088b.
- 827 Vyskrebentsev, V.P.: (Chromatographic study of polarity of silica gels with stationary phases). *Zh. Anal. Khim.*, 40 (1985) 1095-1097.
- 828 Wiedemer, R.T., McKinley, S.L. and Rendl, T.W.: Advantages of wide-bore capillary columns. *Am. Lab. (Fairfield)*, 18, No. 1 (1986) 110-119.

- 829 Xiu Zhengjia, Li Haochun and Lu Peichang: (Crosslinking of the stationary phase of vinylmethylsiloxane for glass capillary column). *Sepu*, 2 (1985) 141-142; *C.A.*, 103 (1985) 188807r.
- 830 Yu Zhongjian, Zhang Zunxun, Yun Xiqin, Kou Dengmin, Li Yanhong and Wang Busen: (Separation efficiency of a new gas solid chromatographic stationary phase). *Gaodeng Xuebiao Huaxue Xuebao*, 6 (1985) 421-426; *C.A.*, 103 (1985) 188595v.
- 831 Zhou Liangmo, Wang Guanghua and Jiang Hongli: (Preparation of polar capillary columns using silica gel). *Sepu*, 2 (1985) 138-140; *C.A.*, 103 (1985) 171186q.

See also 882, 911, 1014, 1016, 1038, 1071.

### 3f. Programmed temperature, pressure, vapors, gradients

- 832 Kaiser, R. and Rieder, R.I.: Multi-Chromatographie III. *LaborPraxis*, 9 (1985) 1465-1472.
- 833 Krupcik, J., Cellar, P., Repka, D., Garaj, J. and Guiochon, G.: Use of Kovats retention indices for characterization of solutes in linear temperature-programmed capillary gas-liquid chromatography. *J. Chromatogr.*, 351 (1986) 111-121.
- 834 Szepesy, L., Lakszner, K. and Podmaniczky, L.: (Retention indexes in programmed-temperature gas chromatography). *Magy. Kem. Lapja*, 40 (1985) 103-106; *C.A.*, 103 (1985) 153030e.

See also 892, 895.

### 3g. High performance procedures

- 835 Sommer, C.C., Koenigbauer, M.J., Men, L.C. and Rogers, L.B.: Recycle gas chromatography using coarse packings. *Sep. Sci. Technol.*, 20 (1985) 523-540.

## 4. SPECIAL TECHNIQUES

### 4a. Automation and computerization

- 836 Inczedy, J. and Molnar, M.: (Base line correction of chromatograms using numerical filtering). *Magy. Kem. Foly.*, 91 (1985) 429-431; *C.A.*, 103 (1985) 171076d.
- 837 Simon, J., Csermely, Z. and Simon, F.: (Computer application in gas chromatography for qualitative analysis). *Magy. Kem. Lapja*, 40 (1985) 130-134; *C.A.*, 103 (1985) 152986j.

See also 798, 801, 849, 1059, 1163.

### 4b. Combination of various chromatographic techniques

- 838 Baty, J.D., Willis, R.G. and Tavendale, R.: A comparison of methods for the high-performance liquid chromatographic and capillary gas-liquid chromatographic analysis of fatty acid esters. *J. Chromatogr.*, 353 (1986) 319-328.
- 839 Grob, K., Jr., Waider, C. and Schilling, B.: Concurrent solvent evaporation for on-line coupled HPLC-HRGC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 95-101.
- 840 Lawrence, J.F. and Das, B.S.: Determination of nanogram/kilogram levels of polycyclic aromatic hydrocarbons in foods by HPLC with fluorescence detection. *Int. J. Environ. Anal. Chem.*, 24 (1986) 113-131.
- 841 Norstrom, R.J., Simon, M. and Mulvihill, M.J.: A gel-permeation/column chromatography cleanup method for the determination of CDDs in animal tissue. *Int. J. Environ. Anal. Chem.*, 23 (1986) 267-287.

See also 781, 782, 816, 865, 910, 945, 955, 956, 978, 997, 1001, 1030, 1054, 1075, 1147, 1149, 1167.

### 4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 842 Elder, J.F., Jr., Gordon, B.M. and Uhrig, M.S.: Complex mixture analysis by capillary-to-capillary column heartcutting GC/MS. *J. Chromatogr. Sci.*, 24 (1986) 26-33.

- 843 Gebhart, J.E., Hayes, T.L., Alford-Stevens, A.L. and Budde, W.L.: Mass spectrometric determination of polychlorinated biphenyls as isomer groups. *Anal. Chem.*, 57 (1985) 2458-2463.
- 844 Laude, D.A., Jr., Johlman, C.L., Brown, R.S., Ijames, C.F. and Wilkins, C.L.: Pulsed-valve chemical ionization for gas chromatography/Fourier-transform mass spectrometry. *Anal. Chim. Acta*, 178 (1985) 67-77.
- 845 Ligon, W.V., Jr. and May, R.J.: Some experiences with two-dimensional gas chromatography/mass spectrometry. *J. Chromatogr. Sci.*, 24 (1986) 2-6.
- 846 Ohizumi, T., Ozaki, K., Tominaga, Ya. and Kurosaki, H.: (Relation between the conditions used for the determination of pentachloronitrobenzene by gas chromatography/mass spectroscopy and the nature of its fragments). *Niigata Rikagaku*, No. 11 (1985) 33-36; *C.A.*, 103 (1985) 153048s.
- 847 Preston, T. and Owens, N.J.P.: Preliminary carbon-13 measurements using a gas chromatograph interfaced to an isotope ratio mass spectrometer. *Biomed. Mass Spectrom.*, 12 (1985) 510-513; *C.A.*, 103 (1985) 210374w.
- 848 Shater, K.H., Griffiths, F.R. and Fuoco, R.: Gas chromatography/Fourier transform infrared spectroscopy under a microscope. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 124-126.
- 849 Slivon, L.E., Gebhart, J.E., Hayes, T.L., Alford-Stevens, A.L. and Budde, W.L.: Automated procedures for mass spectrometric determination of polychlorinated biphenyls as isomer groups. *Anal. Chem.*, 57 (1985) 2464-2469.
- 850 Watanabe, Ch. and Hashimoto, K.: (Some considerations on capillary column-GC/MS (gas chromatography/mass spectrometry) direct coupling). *Shitsuryo Bunseki*, 33 (1985) 183-188; *C.A.*, 103 (1985) 188824u.
- 851 Yurum, Yu. and Levy, M.: Quantitative determination of shale oil compounds by gas chromatography-mass spectrometry-selected ion monitoring. *Fuel Process. Technol.*, 11 (1985) 59-69; *C.A.*, 103 (1985) 163043a.
- See also 780, 806, 861, 862, 896, 910, 937, 938, 942, 943, 944, 948, 954, 955, 956, 971, 972, 975, 976, 978, 980, 994, 995, 997, 1011, 1012, 1018, 1041, 1048, 1052, 1054, 1056, 1065, 1067, 1068, 1075, 1076, 1085, 1101, 1119, 1137, 1138, 1171, 1183.

#### 4e. Functional analysis

See 1191.

#### 4f. Trace analysis and preseparation techniques

- 852 Bayona, J.M., Aparicio, X. and Albaiges, J.: A comparison of vaporizing injectors for trace analysis in capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 59-60.
- 853 Ciccio, P., Brancaleoni, E., Cecinato, A., Di Palo, C., Brachetti, A. and Liberti, A.: Gas chromatographic evaluation of the organic components present in the atmosphere at trace levels with the aid of Carbopack B for preconcentration of the sample. *J. Chromatogr.*, 351 (1986) 433-449.
- 854 McMinn, D.G., Carlson, T.L. and Munson, T.O.: Pyrolysis capillary gas chromatography/mass spectrometry for analysis of automotive paints. *J. Forensic Sci.*, 30 (1985) 1064-1073; *C.A.*, 103 (1985) 208237k.
- 855 Mehran, M.: Purge-and-column-trap technique for the gas chromatographic analysis of halogenated organic compounds. *J. Chromatogr. Sci.*, 24 (1985) 546-548.
- 856 Merian, E.: Vorbereitung von Umwelt- und biologischen Proben für die chromatographische Analytik. *Swiss. Chem.*, 8 (1986) 37-39.
- 857 Moore, J.G., Straight, R.C., Osborne, D.N. and Wayne, A.W.: Olfactory, gas chromatographic and mass-spectral analyses of fecal volatiles traced to ingested licorice and apple. *Biochem. Biophys. Res. Commun.*, 131 (1985) 339-346; *C.A.*, 103 (1985) 176037b.
- 858 Olafsdottir, G., Steinke, J.A. and Lindsay, R.C.: Quantitative performance of a simple Tenax-GC adsorption method for use in the analysis of aroma volatiles. *J. Food Sci.*, 50 (1985) 1431-1436; *C.A.*, 103 (1985) 159218u.
- 859 Pankow, J.F.: Effects of trapping temperature and film thickness in purge and trap with whole column cryotrapping on fused silica columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 18-29.

- 860 Pylypiw, H.M., Jr., Zimmerman, P., Harrington, G.W. and Anderson, L.M.: Apparatus for trace determination of volatile N-nitrosamines small samples. *Anal. Chem.*, 57 (1985) 2996-2997.
- 861 Schreier, P. and Idstein, H.: High-resolution gas chromatography-Fourier transform infrared spectroscopy in flavor analysis: limits and perspectives. *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 183-188; *C.A.*, 103 (1985) 177047s.
- 862 Van Langenhove, H. and Schamp, N.: Identification of volatiles in the head space of acid-treated phosphate rock by gas chromatography-mass spectrometry. *J. Chromatogr.*, 351 (1986) 65-75.
- 863 Zlatkis, A., Weisner, S. and Ghaoui, L.: Rapid concentration of organics from aqueous solutions through uncoated capillary columns: A new approach to purification and ultratrace analysis. *Chromatographia*, 21 (1986) 19-23.
- See also 819, 840, 841, 932, 985, 1020, 1078, 1091, 1095, 1110, 1116, 1134, 1154, 1164, 1168, 1170, 1177, 1179, 1189, 1192.

#### 4g. Separation of enantiomers

- 864 Anteunis, M.J.O., Haerens, C. and Becu, C.: Enantioselective capillary gas chromatography of proline and congeners. *Bull. Soc. Chim. Belg.*, 94 (1985) 127-132; *C.A.*, 103 (1985) 142323b.
- 865 Beneytout, J.L., Tixier, M. and Rigaud, M.: Capillary gas-liquid or thin-layer chromatographic resolution of 2-hydroxy-fatty acid enantiomers. *J. Chromatogr.*, 351 (1986) 363-365.
- 866 Little, M.R.: The separation of enantiomeric sugars by chromatographic methods. *J. Biochem. Biophys. Methods*, 11 (1985) 195-202; *C.A.*, 103 (1985) 156558u.

See also 781, 888, 955.

#### 4h. Other special techniques

- 867 Baker, E.S., Brown, D.R., Lamb, D.M. and Jonas, J.: Self-diffusion in compressed supercritical toluene-d<sub>8</sub>. *J. Chem. Eng. Data*, 30 (1985) 141-143.
- 868 Bartle, K.D.: Supercritical fluid chromatography. *Lab. Pract.*, 34 (1985) 59-60; *C.A.*, 102 (1985) 124613j.
- 869 Bickmann, F. and Wendlawiak, B.: Supercritical fluid chromatography of various metal chelates of 8-hydroxyquinoline, diethyldithiocarbamate and acetylacetonate. *Fresenius' Z. Anal. Chem.*, 320 (1985) 261-264.
- 870 Chester, T.L. and Innis, D.P.: Retention in capillary supercritical fluid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 561-566.
- 871 Cooling, E.L., Burda, B.H. and Kelley, P.A.: Multidimensional pyrolysis-gas chromatography: Application in petroleum geochemistry. *J. Chromatogr. Sci.*, 24 (1986) 7-12 - a review with 16 refs.
- 872 Crowther, J.B. and Henion, J.D.: Supercritical fluid chromatography of polar drugs using small-particle packed columns with mass spectrometric detection. *Anal. Chem.*, 57 (1985) 2711-2716.
- 873 Dange, D.K., Heller, J.P. and Wilson, K.V.: Structure solubility correlations: Organic compounds and dense CO<sub>2</sub> binary systems. *Ind. Eng. Chem., Process Res. Dev.*, 24 (1985) 162-166.
- 874 Deiters, U.K.: Calculation of equilibria between fluid and solid phases in binary mixtures at high pressures from equations of state. *Fluid Phase Equilibria*, 20 (1985) 275-282.
- 875 Fujimoto, C., Hirata, Yu. and Jinno, K.: Supercritical fluid chromatography-infrared spectroscopy of oligomers: use of buffer-memory technique. *J. Chromatogr.*, 332 (1985) 47-56.
- 876 Groves, P.R., Jr., Brady, B. and Knopf, F.C.: State-of-the-art on the supercritical extraction of organics from hazardous wastes. *CRC Crit. Rev. Environ. Control*, 15, No. 3 (1985) 237-274.
- 877 Hughes, M.E. and Fasching, J.L.: Development and application of a combined supercritical fluid chromatograph with Fourier transform infrared detection. *J. Chromatogr. Sci.*, 24 (1985) 535-540.
- 878 Itoh, K., Nakagawa, K. and Nishikawa, M.: Electron mobility in supercritical butanes as a function of density and temperature. *J. Phys. Chem.*, 84 (1986) 391-394.

- 879 Jain, R.K., Sinha, R. and Balik, C.M.: Statistical thermodynamics of fluid mixtures: Enthalpies and equations of state. *Indian J. Pure Appl. Phys.*, 22 (1985) 651-657; *C.A.*, 102 (1985) 155831j.
- 880 Johnson, C.C., Jordan, J.W., Taylor, L.T. and Vidrine, D.W.: On-line supercritical fluid chromatography with Fourier transform infrared spectrometric detection employing packed columns and a high pressure lightpipe flow cell. *Chromatographia*, 20 (1985) 717-723.
- 881 Krukonis, V.J. and Kurnik, R.T.: Solubility of solid aromatic isomers in carbon dioxide. *J. Chem. Eng. Data*, 30 (1985) 247-249.
- 882 Kvei, J.C., Tarbet, B.J., Jackson, W.P., Bradshaw, J.S., Markides, K.E. and Lee, M.L.: n-Octylmethylpolysiloxane stationary phase for capillary column GC and SFC. *Chromatographia*, 20 (1985) 25-30.
- 883 Leblans-Vinck, A.M., Koningsveld, R., Kleintjens, L.A. and Diepen, G.A.M.: Solubility of solids in supercritical solvents. III. Mean-field lattice-gas description of G-L and S-L equilibria in the system ethylene-naphthalene. *Fluid Phase Equilib.*, 20 (1985) 347-354.
- 884 Leyendecker, D., Schmitz, F.P., Leyendecker, D. and Klesper, E.: Chromatography with sub- and supercritical eluents: Influence of temperature, pressure and flow-rate on the behaviour of lower alkanes. *J. Chromatogr.*, 321 (1985) 273-286.
- 885 McGlasman, M.L.: Phase equilibria in fluid mixtures. *J. Chem. Thermodynamics*, 17 (1985) 301-319.
- 886 McHugh, M.A. and Gluckes, T.L.: Separating polymer solutions with supercritical fluids. *Macromolecules*, 18 (1985) 674-680.
- 887 Mourier, P.A., Caude, M.H. and Rosset, R.H.: Retention, selectivity and efficiency in supercritical fluid chromatography. *Analysis*, 13 (1985) 299-311.
- 888 Mourier, P.A., Eliot, E., Caude, M.H., Rosset, R.H. and Tambute, A.G.: Supercritical fluid chromatography on a chiral stationary phase for the resolution of phosphine oxide enantiomers. *Anal. Chem.*, 57 (1985) 2819-2823; *C.A.*, 103 (1985) 188820q.
- 889 Mourier, P.A., Sassiati, P., Caude, M.H. and Rosset, R.H.: Retention and selectivity in carbon dioxide supercritical fluid chromatography with various stationary phases. *J. Chromatogr.*, 353 (1986) 61-75.
- 890 Novotny, M.: Capillary supercritical fluid chromatography. In: M.V. Novotny and D. Ishii (Editors), *Microcolumn Separations, J. Chromatogr. Libr.*, Vol. 30, Elsevier, Amsterdam, 1985, pp. 105-120 - a review with 30 refs.
- 891 Richter, B.E.: Modified flame ionization detector for the analysis of large molecular weight polar compounds by capillary supercritical fluid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 297-300.
- 892 Schoenmakers, P.J. and Verhoeven, F.C.C.J.G.: Effect of pressure on retention in supercritical-fluid chromatography with packed columns. *J. Chromatogr.*, 352 (1986) 315-328.
- 893 Sigman, M.E., Lindley, S.M. and Leffler, J.E.: Supercritical carbon dioxide: Behavior of  $\pi^*$  and  $\beta$  solvatochromic indicator in media of different densities. *J. Amer. Chem. Soc.*, 107 (1985) 1471-1472.
- 894 Skelton, R. J., Jr., Johnson, C.C. and Taylor, L.T.: Sampling considerations in supercritical fluid chromatography. *Chromatographia*, 21 (1986) 3-8.
- 895 Smith, R.D., Chapman, E.G. and Wright, B.W.: Pressure programming in supercritical fluid chromatography. *Anal. Chem.*, 57 (1985) 2829-2836.
- 896 Smith, R.D., Udseth, H.R. and Wright, B.W.: Rapid and high resolution capillary supercritical fluid chromatography (SFC) and SFC/MS of trichothecene mycotoxins. *J. Chromatogr. Sci.*, 23 (1985) 192-199.
- 897 Sugiyama, K., Saito, M., Hondo, T. and Senda, M.: New double-stage separation analysis method. Directly coupled laboratory-scale supercritical fluid extraction-supercritical fluid chromatography, monitored with a multiwavelength ultraviolet detector. *J. Chromatogr.*, 332 (1985) 107-116.
- 898 Swaid, I., Nickel, D. and Schneider, G.M.: NIR-spectroscopic investigations on phase behavior of low-volatile organic substances in supercritical carbon dioxide. *Fluid Phase Equilib.*, 21 (1985) 95-112; *C.A.*, 102 (1985) 173502t.
- 899 Townsend, S.H. and Klein, M.T.: Dibenzyl ether as a probe into the supercritical fluid solvent extraction of volatiles from yocal with water. *Fuel*, 64 (1985) 635-638.
- 900 Vasilakos, N.P., Dobbs, J.M. and Parisi, A.S.: Solvent effects in supercritical extraction of coal. *Ind. Eng. Chem. Process Des. Dev.*, 24 (1985) 124-128.



- 901 White, C.M. and Houck, R.K.: Analysis of monoglycerides, diglycerides and triglycerides by capillary supercritical fluid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 293-296.
- 902 White, C.M. and Houck, R.K.: Supercritical fluid chromatography and some of its applications: A review. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 4-17 - a review with 32 refs.
- 903 Wong, J.M., Pearlman, R.S. and Johnston, K.P.: Supercritical fluid mixtures: Prediction of the phase behavior. *J. Phys. Chem.*, 89 (1985) 2671-2675.
- 904 Wright, B.W., Kalinoski, H.T. and Smith, R.D.: Investigation of retention and selectivity effects using various mobile phase in capillary supercritical fluid chromatography. *Anal. Chem.*, 57 (1985) 2823-2829.
- 905 Wright, B.W. and Smith, R.D.: Rapid analysis using capillary supercritical fluid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 73-77.
- 906 Wright, B.W. and Smith, R.D.: Rapid capillary supercritical fluid chromatographic analysis of carbamate pesticides. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1985) 8-11.
- 907 Yonker, C.R. and Smith, R.D.: Effect of density on enthalpy and entropy of transfer for supercritical fluid chromatography. *J. Chromatogr.*, 351 (1986) 211-218.
- 908 Yonker, C.R. and Smith, R.D.: Solubilities of caffeine and theophylline in supercritical ammonia. *Fluid Phase Equilib.*, 22 (1985) 175-183; *C.A.*, 103 (1985) 76914j.
- See also 832, 913, 992, 1005, 1152, 1162, 1173.

## 5. HYDROCARBONS AND HALOGEN DERIVATIVES

### 5a. Aliphatic hydrocarbons

- 909 Chelghoum, C., Haddad, Y., Abdeddaim, K. and Guermouche, M.H.: Indices de retention et proprietes physico-chimiques des hydrocarbures en C<sub>6</sub>. *Analisis*, 14 (1986) 49-51.

See also 884, 1088, 1135, 1136, 1141.

### 5b. Cyclic hydrocarbons

- 910 Killops, S.D. and Readman, J.W.: HPLC fractionation and GC-MS determination of aromatic hydrocarbons from oils and sediments. *Org. Geochem.*, 8 (1985) 247-257; *C.A.*, 103 (1985) 180526c.
- 911 Koscielski, T., Sybilska, D., Lipkowski, J. and Miediokritskaja, A.: Cyclodextrin as a tool for separating *cis*- and *trans*-decalin by gas-liquid chromatography. *J. Chromatogr.*, 351 (1986) 512-517.
- 912 Moskovskikh, V.V., D'yachenko, N.L., Shishov, M.G. and Komarova, I.V.: (Group identification of isopropylfluorenes according to gas chromatographic data). *Khim. Khim. Tekhnol.*, 28, No. 8 (1985) 26-28; *C.A.*, 103 (1985) 188828y.

See also 835, 840, 1153, 1167.

### 5c. Halogen derivatives

See 805, 843, 849, 855, 1100, 1102, 1110, 1116, 1164, 1166, 1173, 1179, 1185.

### 5d. Complex hydrocarbon mixtures

- 913 Sheng Zhiwei and Ge Xiuli: (Study on the types of kerogen by the pyrolysis gas chromatographic analysis). *Shiyou Kantan Yu Kaifa*, 12, No. 2 (1985) 33-39; *C.A.*, 103 (1985) 180486q.

See also 833, 851, 862, 1152, 1155, 1168, 1189.

## 6. ALCOHOLS

- 914 Lin Xiuying and Lou Wenge: (Analysis of hexanol mixture by the chromatographic method). *Sepu*, 2 (1985) 175-177; *C.A.*, 103 (1985) 188808s.
- 915 Martinez-Segura, G., Rivera, M.I. and Garcia, L.A.: Methanol analysis by gas chromatography - comparative study using three different columns. *J. Agric. Univ. P.R.*, 69 (1985) 135-144; *C.A.*, 103 (1985) 159009b.
- 916 Wagner, K. and Kreutzer, P.: (Gas chromatographic determination of diethylene glycol in wine). *Weinwirtsch., Tech.*, 7 (1985) 213; *C.A.*, 103 (1985) 140189p.
- See also 1029, 1089, 1114, 1125, 1126, 1159.

## 7. PHENOLS

- 917 Atuma, S.S. and Okor, D.I.: Gas chromatographic determination of pentachlorophenol in human blood and urine. *Bull. Environ. Contam. Toxicol.*, 35 (1985) 406-410; *C.A.*, 103 (1985) 136734v.
- 918 Bidleman, T.F. and Renberg, L.: Determination of vapor pressures for chloroquaiacols, chloroveratroles, and nonylphenol by gas chromatography. *Chemosphere*, 14 (1985) 1475-1481; *C.A.*, 103 (1985) 200223g.
- 919 Han Hui and Liu Wenqin: (Gas chromatographic and mass spectroscopic analysis of impurities in *p-tert.*-butylphenol produced by alkylation of phenol). *Hecheng Xiangjiao Gongye*, 8 (1985) 281-282, 277; *C.A.*, 103 (1985) 188826w.
- 920 Heinrich, R. and Angerer, J.: Capillar-gas-chromatographische Bestimmung von Alkylphenolen in Harn. *Fresenius' Z. Anal. Chem.*, 322 (1985) 766-771.
- See also 1131.

## 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

## 8b. Aflatoxins and other mycotoxins

- 921 Rosen, R.T.: Application of gas chromatography-mass spectrometry-selected ion monitoring for the determination of mycotoxins. *Univ. Microfilms*, Order No. DA8510825 (1985) 89 p.; *C.A.*, 103 (1985) 213519h.
- 922 Stahr, H.M., Domoto, M., Hyde, W. and Martin, P.J.: Volatilization of trichothene mycotoxins for analysis. *Microchem. J.*, 33 (1985) 266-271.
- See also 896, 1107.

## 8c. Other compounds with heterocyclic oxygen

- 923 Dickson, L.C., Hutzinger, M., Karasek, F.W. and Ozvacic, V.: Determination of desorption losses of polychlorinated dibenzo-*p*-dioxins from municipal incinerator flyash by gas chromatography/mass spectrometry. *Int. J. Environ. Anal. Chem.*, 24 (1986) 55-74.
- 924 Hagenmaies, H., Brunner, H., Haag, R. and Kraft, M.: Selective determination of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in the presence of a large excess of other polychlorinated dibenzodioxins and polychlorinated dibenzofurans. *Fresenius' Z. Anal. Chem.*, 323 (1986) 24-28.
- 925 Heath, R.G., Harless, R.L., Gross, M.L., Lyon, P.A., Dupuy, A.E., Jr. and McDaniel, D.D.: Determination of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin in human milk at the 0.1-10 parts-per-trillion level: Method validation and survey results. *Anal. Chem.*, 58 (1986) 463-468.
- 926 Kuhlmann, F.: Herstellung und Quantifizierung von Polychlordibenzodioxin-Standards. *Fresenius' Z. Anal. Chem.*, 322 (1986) 11-18.
- 927 Li, K., Chiu, C. and Lao, R.C.: Evaluation of the mass selective detector (MSD) for PCDD/PCDF determination. *Chemosphere*, 14 (1985) 803-806; *C.A.*, 103 (1985) 152993j.

- 928 Mohamad, A.H., Zerezhgi, M. and Caruso, J.A.: Determination of polychlorinated dibenzo-*p*-dioxins using capillary gas chromatography with microwave-induced plasma. *Anal. Chem.*, 58 (1986) 469-471.
- 929 Ryan, J.J., Lizotte, R., Sakuma, T. and Mori, B.: Chlorinated dibenzo-*p*-dioxins, chlorinated dibenzofurans, and pentachlorophenol in Canadian chicken and pork samples. *J. Agric. Food Chem.*, 33 (1985) 1021-1026.
- 930 Wurrey, C.J., Bourne, S. and Kleopfer, R.D.: Application of gas chromatography/matrix isolation-Fourier transform infrared spectrometry to dioxin determinations. *Anal. Chem.*, 58 (1986) 482-483.
- 931 Zoller, W. and Ballschmiter, K.: Formation of polychlorinated dibenzodioxins and dibenzofurans by heating chlorophenols and chlorophenates at various temperatures. *Presenius' Z. Anal. Chem.*, 323 (1986) 19-23.

See also 841, 1004, 1150.

#### 9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 932 Gramiccioni, L., Milana, M.R., Di Marzio, S. and Lorusso, S.: GC determination of traces of acetaldehyde in aqueous matrix: A rapid headspace method. *Chromatographia*, 21 (1986) 9-11.

See also 939, 1089, 1115, 1144, 1186.

#### 10. CARBOHYDRATES

##### 10a. Mono and oligosaccharides. Structural studies

- 933 Weissmann, G.: (Analysis of acidic and neutral sugars in bark extracts from *Pinus radiata* and *Larix decidua* by capillary gas-liquid chromatography). *Holzforschung*, 39 (1985) 245-247; *C.A.*, 103 (1985) 197538f.

See also 866, 1077, 1109, 1112, 1118.

##### 10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 934 Lee, C.E.F., Edwards, H.E., Navaratnan, S. and Phillips, G.O.: Quantitative analysis of polysulfated xylan (SP 54) in urine using gas-liquid chromatography. *Anal. Biochem.*, 152 (1986) 52-58.

#### 11. ORGANIC ACIDS AND LIPIDS

##### 11a. Organic acids and simple esters

- 935 Adinolfi, N.A. and Bicking, M.K.L.: Direct determination of adipic acid in urine by extractive alkylation. *J. Chromatogr. Sci.*, 23 (1985) 407-410.
- 936 Bezuglov, V.K., Melekhov, E.I. and Lavrent'ev, A.A.: (Some procedural aspects of gas-chromatographic determination of abscisic acid in plants). *Fiziol. Biohim. Kul't. Rast.*, 17 (1985) 385-390; *C.A.*, 103 (1985) 156650t.
- 937 Ketola, M. and Leskinen, U.: Chlorinated long-chain fatty acids. Their properties and reactions. XII. The dechlorination pathways of sodium 9(10)-chloro-10(9)-oxo-octadecanoates. *J. Am. Oil Chem. Soc.*, 62 (1985) 742-745.
- 938 Marcell, P.D., Stabler, S.P., Podell, E.R. and Allen, R.H.: Quantitation of methylmalonic acid and other dicarboxylic acids in normal serum and urine using capillary gas chromatography-mass spectrometry. *Anal. Biochem.*, 150 (1985) 58-66.

- 939 Szymanowski, J. and Miesiac, I.: Polyethylene glycol monoalkyl ethers and esters of carboxylic acids. The polarity of esters of carboxylic acids poly-disperse mixtures of polyoxyethylene glycol monoalkyl ethers as determined by gas chromatography. *Tenside Deterg.*, 22 (1985) 230-236.

See also 1076, 1081, 1083, 1108, 1113, 1125, 1130, 1156, 1169.

#### 11b. Prostaglandins

- 940 Fischer, S. and Weber, P.C.: Thromboxane (TX)<sub>A2</sub> and prostaglandin (PG)<sub>I2</sub> are formed in man after dietary eicosapentaenoic acid: identification by capillary gas chromatography-electron impact mass spectrometry. *Biomed. Mass Spectrom.*, 12 (1985) 470-476; *C.A.*, 103 (1985) 195356w.
- 941 Lawson, J.A., Brash, A.R., Doran, J. and Fitzgerald, G.A.: Measurement of urinary 2,3-dinor-thromboxane B<sub>2</sub> and thromboxane B<sub>2</sub> using bonded-phase phenylboronic acid columns and capillary gas chromatography-negative-ion chemical ionization mass spectrometry. *Anal. Biochem.*, 150 (1985) 463-470.
- 942 Matsuda, H.: (Quantitation of thromboxane B<sub>2</sub> and 6-keto-prostaglandin F<sub>1α</sub> in human blood plasma by gas chromatography-mass spectrometry). *Osaka Daigaku Igaku Zasshi*, 35 (1985) 9-12; *C.A.*, 103 (1985) 190061m.
- 943 Matsuda, H., Kuzuya, T., Kamada, T., Tada, M. and Matsuura, K.: Negative-ion chemical-ionization mass spectrometry of eicosanoids and its application to quantitation of prostacyclin synthesis in vascular tissue. *J. Chromatogr.*, 374 (1986) 347-353.
- 944 Saito, K., Okumura, T. and Nakayama, R.: (Metabolism of prostaglandins in a primary culture of rat hepatocytes. Identification of metabolites of prostaglandins E by GC/MS gas chromatography/mass spectrometry). *Shitsuryo Bunseki*, 33 (1985) 163-173; *C.A.*, 103 (1985) 206654v.

#### 11c. Lipids and their constituents

- 945 Adlof, R.O. and Emken, E.A.: The isolation of ω-3-polyunsaturated fatty acids and methyl esters of fish oils by silver resin chromatography. *J. Am. Oil Chem. Soc.*, 62 (1985) 1592-1595.
- 946 Amer, M.A., Kupranycz, D.B. and Baker, B.E.: Physical and chemical characteristics of butterfat fractions obtained by crystallization from molten fat. *J. Am. Oil Chem. Soc.*, 62 (1985) 1551-1557.
- 947 Balachandran, C., Arumughan, C. and Mathew, A.G.: Distribution of major chemical constituents and fatty acids in different regions of coconut endosperm. *J. Am. Oil Chem. Soc.*, 62 (1985) 1583-1586.
- 948 Bertelsen, O. and Ng, D.N.: Structural elucidation of long-chain fatty acids and alcohols by mass spectrometry of their cyclic amide derivatives. *Fette, Seifen, Anstrichm.*, 87 (1985) 318-323.
- 949 Browse, J., McCourt, P.J. and Somerville, C.R.: Fatty acid composition of leaf lipids determined after combined digestion and fatty acid methyl ester formation from fresh tissue. *Anal. Biochem.*, 152 (1986) 141-145.
- 950 Cattaneo, P., Gros, E.G., Vigo, M.S. and Avanza, J.R.: Evaluation by GC of malvalic, sterculic and 2-hydroxysterculic acids. Fatty acid composition of *Pachira aquatica* Aubl. seed oil (Bombacaceae). *An. Asoc. Quim. Argent.*, 73 (1985) 225-230; *C.A.*, 103 (1985) 138580r.
- 951 Dave, G.R., Patel, R.M. and Patel, R.J.: Characteristics and composition of seeds and oil of wild variety of *Momardica charantia* L. from Gujarat, India. *Fette, Seifen, Anstrichm.*, 87 (1985) 326-327.
- 952 Deman, L., Deman, J.M., Ackman, R.G. and Ratnayake, W.M.N.: Trisaturates in the hydrogenation of Canola oil with a commercial nickel catalyst. *J. Am. Oil Chem. Soc.*, 62 (1985) 703-706.
- 953 Goh, E.M. and Timms, R.E.: Determination of mono- and diglycerides in palm oil, olein and stearin. *J. Am. Oil Chem. Soc.*, 62 (1985) 730-734.
- 954 Hughes, H., Smith, C.V., Tsokos-Kuhn, J.O. and Mitchell, J.R.: Quantitation of lipid peroxidation products by gas chromatography-mass spectrometry. *Anal. Biochem.*, 152 (1986) 107-112.
- 955 Kuksis, A., Myher, J.J. and Marai, L.: Lipid methodology - chromatography and beyond. Part II. GC/MS, LC/MS and specific enzymic hydrolysis of glycerulipids. *J. Am. Oil Chem. Soc.*, 62 (1985) 762-767.

- 956 Kukwis, A., Myher, J.J. and Marai, L.: Lipid methodology - chromatography and beyond. Part III. Analyses of natural and  $^2\text{H}$ -labelled glycerolipids by GC/MS and LC/MS with specific enzymic hydrolyses. *J. Am. Oil Chem. Soc.*, 62 (1985) 767-773.
- 957 Lefevre, G., Tallet, F., Baassou, S., Agneray, J., Yonger, J. and Raichvarg, D.: Free fatty acid microdetermination by gas-liquid chromatography without trans-methylating effects of methylation procedure. *J. Biochem. Biophys. Methods*, 11 (1985) 133-136; *C.A.*, 103 (1985) 137914r.
- 958 Luo Xu, Wang Xi and Cheng Lifang: (Survey of the superiority of homologous retention index as a GC characterization parameter of fatty acids). *Gaodeng Xuexiao Huaxue Xuebao*, 6 (1985) 61-63; *C.A.*, 103 (1985) 205080t.
- 959 Marjanovic, N., Jankovits, I. and Zagorac, M.: (Application of short capillary SCOT columns for the determination of triglycerides by gas chromatography). *Tehnol. Mesa*, 26, No. 3 (1985) 70-74; *C.A.*, 103 (1985) 140434q.
- 960 Martinez-Castro, I., Alonso, L. and Juarez, W.: Gas chromatographic analysis of free fatty acids and glycerine of milk fat using tetramethylammonium hydroxide as catalyst. *Chromatographia*, 21 (1986) 37-40.
- 961 Morris, N.M. and Brannan, M.A.F.: Gas chromatographic determination of the fatty acid composition of endotoxins from different bacteria. *J. Chromatogr.*, 374 (1986) 27-35.
- 962 Naidina, V.P., Avetisyan, B.L. and Dubinin, D.M.: (Gas chromatography of free fatty acids of skin lipids). *Kosm. Biol. Aviakosm. Med.*, 19, No. 4 (1985) 93-94; *C.A.*, 103 (1985) 139309w.
- 963 Pocklington, W.D. and Hautfenne, A.: Determination of triglycerides in fats and oils. Results of a collaborative study and the standardized method. *Pure Appl. Chem.*, 57 (1985) 1515-1522; *C.A.*, 103 (1985) 159198n.
- 964 Poerschmann, J., Poerschmann, S., Liebetrau, L. and Richter, K.: (Analysis of atypical fatty acids in biological matrixes). *Acta Biotechnol.*, 5 (1985) 297-308; *C.A.*, 103 (1985) 174933s.
- 965 Raie, M.Y., Zaka, S., Khan, S. and Khan, S.A.: Studies of oils of unusual fatty acids. *Fette, Seifen, Anstrichm.*, 87 (1985) 324-326.
- 966 Rivis, I.F., Skorokhod, I.V. and Pidluzhnyi, A.B.: (Quantitative method for the determination of high molecular weight fatty acids in biological samples). *Dokl. Vses. Akad. S-kh. Nauk im. V.I. Lenina*, No. 8 (1985) 33-35; *C.A.*, 103 (1985) 174826j.
- 967 Taira, H.: Oil content and fatty acid composition of peanuts imported into Japan. *J. Am. Oil Chem. Soc.*, 62 (1985) 699-782.
- 968 Wiggins, R.J., Wilks, M. and Tabagchali, S.: Analysis by gas liquid chromatography of production of volatile fatty acids by anaerobic bacteria grown on solid medium. *J. Clin. Pathol.*, 38 (1985) 933-936; *C.A.*, 103 (1985) 175035n.

See also 838, 865, 901, 1084, 1085, 1111, 1129, 1132, 1135, 1136, 1151.

#### 11d. Lipoproteins and their constituents

- 969 Nisi, G., Zangrando, E., Mangiarotti, M.A., Levi, N., Perini, R. and Trevisan, M.: (Gas-chromatographic determination of linoleic, eicosatrienoic and arachidonic acids in phospholipids and in total serum lipids in deficiencies of essential fatty acids). *Lab (Milan)*, 12 (1985) 37-41; *C.A.*, 103 (1985) 137913q.
- 970 Teles, F.F.P., Oliveira, J.S., Silveira, A.J. and Batista, C.M.: Fatty acids carbohydrates and crude protein in twenty Cassava cultivars (*Manihot esculenta*, Crantz). *J. Am. Oil Chem. Soc.*, 62 (1985) 706-708.

### 13. STEROIDS

#### 13a. Pregnane and androstane derivatives

- 971 Ichimura, K., Yamanaka, H., Chiba, K., Shiki, Y., Saito, K., Kusano, S., Ameniya, S., Oyama, K., Nozaki, Y. and Kato, K.: Simultaneous quantitative measurement of fourteen adrenal steroids by capillary column gas chromatography-mass spectrometry, and its clinical application. *J. Chromatogr.*, 374 (1986) 5-16.

- 972 Her, G.R. and Watson, J.T.: Quantitative methodology for corticosteroids based on chemical oxidation to electrophilic products for electron capture-negative chemical ionization using capillary gas chromatography-mass spectrometry. I. Assessment of feasibility in the analysis of horse urine for dexamethasone. *Anal. Biochem.*, 151 (1985) 292-298.
- 973 Ludwig-Koehn, H. and Henning, H.V.: Some aspects of quantification of neutral steroid metabolites in body fluids of healthy and uremic subjects by capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 35-38.
- 974 Mizumoto, T. and Kondo, Sh.: An application of the cycloborate formation of steroids to the analysis of urinary neutral steroids by gas-liquid chromatography. *Clin. Chim. Acta*, 147 (1985) 159-165.
- 975 Silberzahn, P., Dehennin, L., Zwain, I. and Reiffsteck, A.: Gas chromatography-mass spectrometry of androgens in equine ovarian follicles at ultrastructurally defined stages of development. Identification of 19-nortestosterone in follicular fluid. *Endocrinology (Baltimore)*, 117 (1985) 2176-2181; *C.A.*, 103 (1985) 206730s.
- 976 Yamaguchi, T., Konno, K., Kawabe, K., Yasuda, K., Mori, H., Suzuki, T., Yanaiharu, T. and Nakayama, T.: Simultaneous determination of five androgens in early neonatal urine by selected ion monitoring GC-MS using 19-d<sub>3</sub> steroids as internal standards. *Endocrinol. Jpn.*, 32 (1985) 279-285; *C.A.*, 103 (1985) 206700g.

See also 1080, 1090.

### 13c. Steroids

- 977 Park, S.W.: Quantification of oxidized cholesterol derivatives in foods by liquid and gas chromatography. *Univ. Microfilms*, Order No. DA 8512079 (1985) 207 pp.; *C.A.*, 103 (1985) 213532g.

See also 1111, 1132.

### 13e. Ecdysones and other insect steroid hormones

- 978 Bielby, C.R., Morgan, E.D. and Wilson, I.D.: Gas chromatography of ecdysteroids as their trimethylsilyl ethers. *J. Chromatogr.*, 351 (1986) 57-64.

## 14. STEROID GLYCOSIDES AND SAPONINS

- 979 Reilly, C.C. and Okie, W.R.: Method for quantifying the cyanogenic glucoside, prunasin in peach trees. *HortScience*, 20 (1985) 905-907; *C.A.*, 103 (1985) 174832h.

## 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

### 15a. Terpenes

- 980 Burhouf-Radosevich, M., Delfel, N.F. and England, R.: Gas chromatography-mass spectrometry of oleanane- and ursane-type triterpenes - application to *Chenopodium quinoa* triterpenes. *Phytochemistry*, 24 (1985) 2063-2066; *C.A.*, 103 (1985) 174950v.
- 981 Elzen, G.W., Williams, H.J., Bell, A.A., Stipanovic, R.D. and Vinson, S.B.: Quantification of volatile terpenes of glanded and glandless *Cosyppium hirsutum* L. cultivars and lines by gas chromatography. *J. Agric. Food Chem.*, 33 (1985) 1079-1082.
- 982 Wang Zhihua, Heng Xiaokun, Zhou Qiang and Liu Guangwei: GC analysis of a compounds injection of Chinese thorowax (*Bupleurum chinense*). *Zhongcaoyao*, 16 (1985) 297-299; *C.A.*, 103 (1985) 147223d.

See also 1111.

*15b. Essential oils*

- 983 Alessandro, R.T., Adams, J.M. and Miskiewicz, M.A.: Gas chromatographic-mass spectrometric detection of adulteration of natural lime oils. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1154-1159.
- 984 Mayfield, H.T., Bertsch, W., Mar, T. and Staroscik, J.A.: Application of chemometrics to the classification of orange essence oil varieties by GLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 78-83.
- 985 Nunez, A.J. and Maarse, H.: Headspace method for volatile components of grapefruit juice. *Chromatographia*, 21 (1986) 44-48.
- 986 Zhu Meili, Ding Desheng, Huang Zuxuan, Song Zhiying and Lin Yinfu: (Head space constituents of different varieties of *Osmanthus fragrans*). *Zhijun Xuebao*, 27 (1985) 12-18; *C.A.*, 103 (1985) 175422m.

See also 819, 1128.

## 16. NITRO AND NITROSO COMPOUNDS

- 987 Brunnemann, K.D., Genoble, L. and Hoffmann, D.: N-Nitrosamines in chewing tobacco: An international comparison. *J. Agric. Food Chem.*, 33 (1985) 1178-1181.

See also 807, 846, 860, 1123, 1176, 1178.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

*17a. Amines and polyamines*

- 988 Laszlo, M.: (Gas-chromatographic determination of C<sub>1</sub>-C<sub>4</sub> n-primary amines in the form of their Schiff bases with fural, in the presence of secondary and tertiary amines). *Magy. Kem. Foly.*, 91 (1985) 342-345; *C.A.*, 103 (1985) 171209z.
- 989 Szymanowski, J., Szewczyk, H., Hetper, J. and Beger, J.: Analysis and identification of N-oligooxyethylene mono- and dialkylamines. *J. Chromatogr.*, 351 (1986) 183-193.
- 990 Tavakkol, A., Drucker, D.B. and Wilson, J.M.: Gas chromatography/mass spectrometry of bacterial amines. *Biomed. Mass Spectrom.*, 12 (1985) 359-363; *C.A.*, 103 (1985) 138069f.

See also 1046, 1055, 1103, 1145, 1159.

*17b. Catecholamines and their metabolites*

- 991 Davis, B.A., Durden, D.A. and Boulton, A.A.: Simultaneous analysis of twelve biogenic amine metabolites in plasma, cerebrospinal fluid and urine by capillary gas chromatography-high-resolution mass spectrometry with selected-ion monitoring. *J. Chromatogr.*, 374 (1986) 227-238.

See also 1026, 1066.

*17c. Amine derivatives and amides (excluding peptides)*

- 992 Mawhinney, T.P.: Simultaneous determination of N-acetylglucosamine, N-acetylgalactosamine, N-acetylglucosaminitol and N-acetylgalactosaminitol by gas-liquid chromatography. *J. Chromatogr.*, 351 (1986) 91-102.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

## 18a. Amino acids and their derivatives

- 993 Amiconi, G., Ascoli, F., Concetti, A., Matarese, M., Verzili, D. and Brunori, M.: Determination of methionine sulfoxide in proteins: comparison of a gas-chromatographic and electrophoretic method. *J. Biochem. Biophys. Methods*, 11 (1985) 241-249; *C.A.*, 103 (1985) 156841f.
- 994 Ford, G.C., Cheng, K.N. and Halliday, D.: Analysis of (1-<sup>13</sup>C) leucine and (<sup>13</sup>C)KIC in plasma by capillary gas chromatography/mass spectrometry in protein turnover studies. *Biomed. Mass Spectrom.*, 12 (1985) 432-436; *C.A.*, 103 (1985) 174854s.
- 995 Nissim, I., Yudkoff, M. and Segal, S.: Metabolism of glutamine and glutamate by rat renal tubules. Study with nitrogen-15 and gas chromatography-mass spectrometry. *J. Biol. Chem.*, 260 (1985) 13955-13967; *C.A.*, 103 (1985) 176610h.
- 996 Shigaki, H. and Kajita, T.: Separation and determination of methionine reductase and phenylalanine reductase by gas liquid chromatography. *Kaseigaku Kenkyu*, 31 (1985) 282-285; *C.A.*, 103 (1985) 192508m.
- 997 Shimamura, M., Kamada, S., Hayashi, T., Naruse, H. and Iida, Y.: Sensitive determination of tyrosine metabolites, *p*-hydroxyphenylacetic acid and 4-hydroxy-3-methoxymandelic acid, by gas chromatography-negative-ion chemical-ionization mass spectrometry. Application to a stable isotope-labelled tracer experiment to investigate their metabolism in man. *J. Chromatogr.*, 374 (1986) 17-26.

See also 864.

## 18c. General techniques of elucidation of structure of proteins

- 998 Beckner, C.F. and Caprioli, R.M.: Verification of the DNA predicted amino acid sequence of bacteriophage P22 tail protein by mass spectrometry. *Biomed. Mass Spectrom.*, 12 (1985) 393-398; *C.A.*, 103 (1985) 156697p.

See also 993, 994.

## 20. ENZYMES

## 20c. Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)

- 999 Das, J. and Busse, H.G.: (Time-course of an enzyme reaction determined by GC-MS). *Labor-Med.*, 8 (1985) 281-286; *C.A.*, 103 (1985) 191896z.

## 21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

## 21a. Purines, pyrimidines, nucleosides, nucleotides

See 908.

## 21c. Nucleic acids, DNA

- 1000 Adams, J., David, M. and Giese, R.W.: Pentafluorobenzoylation of O<sup>4</sup>-ethylthymidine and analogues by phase-transfer catalysis for determination by gas chromatography with electron capture detection. *Anal. Chem.*, 58 (1986) 345-348.



## 22. ALKALOIDS

- 1001 Duez, P., Chamart, S., Vanhaelen, M., Vanhaelen-Fastre, R., Hanocq, M. and Molle, L.: Comparison of high-performance thin-layer chromatography-densitometry and gas-liquid chromatography for the determination of cennesine in *Holarrhena floribunda* stem bark. *J. Chromatogr.*, 351 (1986) 140-143.
- 1002 Paul, B.D., Mell, L.D., Jr., Mitchell, J.M., Irving, J. and Novak, A.J.: Simultaneous identification and quantitation of codeine and morphine in urine by capillary gas chromatography and mass spectroscopy. *J. Anal. Toxicol.*, 9 (1985) 189080k.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

## 23e. Other N-heterocyclic compounds

- 1003 Osek, J., Oszczapowicz, J. and Drzewinski, W.: Prediction of retention indices of N<sup>1</sup>,N<sup>1</sup>-dialkylformamidines on a non-polar column. *J. Chromatogr.*, 351 (1986) 177-182 - many retention data.

See also 1000, 1087, 1117, 1123, 1137, 1138.

## 24. ORGANIC SULPHUR COMPOUNDS

- 1004 Hilker, D.R., Aldous, K.M., Smith, R.M., O'Keefe, P.W., Gierthy, J.F., Jurusik, J., Hibbins, S.W., Spink, D. and Parillo, R.J.: Detection of sulfur analog of 2,3,7,8-TCDD in the environment. *Chemosphere*, 14 (1985) 1275-1284; *C.A.*, 103 (1985) 173873k.
- 1005 Katsanos, N.A., Karaiskakis, G. and Niotis, A.: Catalytic hydrodesulfurization of thiophene studies by the reversed-flow gas chromatography technique. *J. Catal.*, 94 (1985) 376-384; *C.A.*, 103 (1985) 214471y.
- 1006 Kehr, J. and Kralik, P.: Gas chromatographic analysis of mercaptans using the ion-selective electrode detector. *Collection Czech-Chem. Commun.*, 50 (1985) 2679-2684.
- 1007 Seo, Yo.: (Selective detection of sulfur compounds with a gas electrode detector). *Bunseki Kagaku*, 35 (1986) 54-57.
- 1008 Vycudilik, W.: Detection of mustard gas bis(2-chloroethyl) sulfide in urine. *Forensic Sci. Int.*, 28 (1985) 131-136; *C.A.*, 28 (1985) 155357r.

See also 862, 993, 1015, 1091, 1115, 1123, 1155.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

- 1009 Benschop, H.P., Bijleveld, E.C., Otto, M.F., Degenhardt, C.E.A.M., van Helden, H.P.M. and DeJong, L.P.A.: Stabilization of gas chromatographic analysis of the four stereoisomers of 1,2,2-trimethylpropyl methylphosphonofluoridate (Soman) in rat blood. *Anal. Biochem.*, 151 (1985) 242-253.

See also 1047, 1054, 1147, 1184.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

## 26a. Organometallic compounds

- 1010 Brooks, A.G.F., Bailey, E. and Snowden, R.T.: Determination of methyl- and ethylmercury in rat blood and tissue samples by capillary gas chromatography with electron-capture detection. *J. Chromatogr.*, 374 (1986) 289-296.

- 1011 Duebelbeis, D.O., Kapila, S., Yates, D.E. and Manahan, S.E.: Gas chromatographic - inductively coupled plasma emission spectrometric determination of volatile organometallic species. *J. Chromatogr.*, 351 (1986) 465-473.

See also 1025, 1190.

26b. *Boranes, silanes and related non-metallic compounds*

- 1012 Mikaya, A.I., Zaikin, V.G., Ushakov, N.V. and Vdovin, V.M.: Selective on-line deuteration in gas chromatography-mass spectrometry for the investigation of dissociative ionization of silicon-containing compounds. *J. Organomet. Chem.*, 284 (1985) 5-12; *C.A.*, 103 (1985) 142064t.

26c. *Coordination compounds*

- 1013 Golubtsova, V.Yu., Murav'eva, I.A. and Martynenko, L.I.: (Gas chromatography of  $\beta$ -diketonates of rare earth elements). In: V.I. Spitsyn and L.I. Martynenko (Editors), *Teoriya Prikladnaya of  $\beta$ -Diketonatov Metallov*, Nauka, Moscow, 1985, pp. 173-187; *C.A.*, 103 (1985) 204894z.
- 1014 Patsalides, E. and Robards, K.: Applications of fused-silica wall-coated open-tubular columns. I. Schiff base chelates. *J. Chromatogr.*, 350 (1985) 353-370.
- 1015 Sivkova, R.I., Davidova, T.A., Gnatyuk, P.P. and Molodtsova, V.I.: (Analysis of a mixture of C<sub>2</sub>-C<sub>7</sub> alkali metal xanthates). *U.S.S.R. Pat.* SU 1,154,610 (Cl. G01N30/02), 7 May 1985, Appl. 3,561,940, 17 Jan. 1983; *C.A.*, 103 (1985) 153053g.
- 1016 Sokolov, D.N., Gurarii, V.P. and Davydova, L.B.: (Mathematical modeling of the behavior of metal chelates in a gas chromatographic column). In: V.I. Spitsyn and L.I. Martynenko (Editors), *Teoriya Prikladnaya of  $\beta$ -Diketonatov Metallov*, Nauka, Moscow, 1985, pp. 188-196; *C.A.*, 103 (1985) 201421g.
- 1017 Wang Shunrong, Xu Fuzheng, Li Cong, Jin Xiulan and Wu Xiaojun: (Capillary column-chromatographic behavior of some  $\beta$ -diketone metal chelates). *Huaxue Xuebao*, 43 (1985) 518-523; *C.A.*, 103 (1985) 153019h.

See also 869.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 1018 Hachey, D.L., Coburn, S.P., Brown, L.T., Erbeiding, W.F., DeMark, B. and Klein, P.D.: Quantitation of vitamin B<sub>6</sub> in biological samples by isotope dilution mass spectrometry. *Anal. Biochem.*, 151 (1985) 159-168.
- 1019 Schneider, E.A., Kazakoff, C.W. and Wightman, F.: Gas chromatography-mass spectrometry evidence for several endogenous auxins in pea seedling organs. *Planta*, 165 (1985) 232-241; *C.A.*, 103 (1985) 138598c.

See also 1132.

28. ANTIBIOTICS

See 1106.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. *Chlorinated insecticides*

- 1020 Kim Taek Jae, Park Song Ja and Kim Young Sang: (Studies on the simultaneous analysis of organochlorine pesticide residues by gas-liquid chromatography (I)). *Taehan Hwahakhoe Chi*, 29 (1985) 496-502; *C.A.*, 103 (1985) 213511z.

- 1021 Kim Teak Jae, Park Song Ja and Kim Young Sang: (Studies on the simultaneous analysis of organochlorine pesticide residues by gas-liquid chromatography (II). Determination of pesticides by GLC (gas liquid chromatography)). *Taehan Hwahakhoe Ch'i*, 29 (1985) 503-509; *C.A.*, 103 (1985) 213512a.

29b. *Phosphorus insecticides*

- 1022 Blaha, J.J. and Jackson, P.J.: Multiresidue method for quantitative determination of organophosphorus pesticides in foods. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1095-1099.
- 1023 Boocock, G. and Camilleri, P.:  $\beta$ -Cyclodextrin inclusion complex of Mevinphos. *J. Agric. Food Chem.*, 33 (1985) 1032-1034.
- 1024 Prinsloo, S.M. and DeBeer, P.R.: Gas chromatographic relative retention data for pesticides on nine packed columns. I. Organophosphorus pesticides, using flame photometric detection. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1100-1108 - 42 pesticides.

29c. *Carbamates*

See 905, 906.

29e. *Fungicides*

- 1025 Shiga, N., Shimamura, Yu., Matano, O. and Goto, Sh.: (Residue analysis of cyhexatin and its metabolites in crops by gas chromatography with flame photometric detector). *Bunseki Kagaku*, 35 (1986) T1-T6.

See also 1110, 1116, 1121, 1134.

29f. *Other types of pesticides and various agrochemicals*

- 1026 Brynza, E.A., Baranov, Yu.S. and Klisenko, M.A.: (Method of analysis and determination of residual amounts of diphenamid in soil, plants and the essential oil of *Salvia sclarea*). *Fiziol. Biokhim. Kul't. Rast.*, 17 (1985) 508-510; *C.A.*, 103 (1985) 208704k.
- 1027 George, D.A.: Permethrin and its two metabolite residues in seven agricultural crops. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1160-1163.

See also 1192.

31. PLASTICS AND THEIR INTERMEDIATES

- 1028 Ara, J. and Colenutt, B.A.: Gas chromatographic behaviour of various types of organic compounds on Porapak R. *Pak. J. Sci. Ind. Res.*, 28 (1985) 100-101; *C.A.*, 103 (1985) 196989s.
- 1029 Arime, M., Sugimoto, Sh. and Shimada, M.: (Determination of the weight average degree of polymerization of oligopropylene glycol by gas liquid chromatography). *Kanzei Chuo Bunseki-shoho*, 25 (1985) 29-33; *C.A.*, 103 (1985) 178872u.
- 1030 Denig, R.: (Chromatographic methods in the analysis of plastics). *Kunststoffe*, 75 (1985) 491-495; *C.A.*, 103 (1985) 179039g.
- 1031 Galin, M. and Maslinko, L.: Gas-liquid chromatography study of poly(vinylidene fluoride)-solvent interactions. Correlation analysis of the partial molar enthalpy of mixing with probe polarity. *Macromolecules*, 18 (1985) 2192-2196; *C.A.*, 103 (1985) 196663f.
- 1032 Gunawan, L. and Haken, J.K.: The mechanisms of thermal degradation of poly-(methyl acrylate) using pyrolysis gas chromatography mass spectrometry. *J. Polym. Sci., Polym. Chem. Ed.*, 23 (1985) 2539-2555; *C.A.*, 103 (1985) 178763j.
- 1033 Hong Wei, Zhao Qingyu and Liu Xinye: (Quantitative determination of component ratios of poly(ether imide) by furnace-pyrolysis gas chromatography). *Sepu*, 2 (1985) 172-174; *C.A.*, 103 (1985) 142607x.
- 1034 Hoppler, H.U.: Simple method for analyzing gas emission from plastics. *Kunststoffe*, 75 (1985) 275-279; *C.A.*, 103 (1985) 142730g.

- 1035 Liao Kairong and Lin Shangan: (Crystalline characteristic of ultrahigh molecular weight polyethylene by inverse gas chromatography). *Zhongshan Daxue Xuebao, Ziran Kexueban*, 1 (1985) 130-133; *C.A.*, 103 (1985) 196614r.
- 1036 Li Busen and Zhu Xinfang: (Preparation of PTFE-vinyl acetate graft copolymer as GC stationary phase by mutual irradiation in monomer vapor phase). *Fushe Yanjiu Yu Fushe Gongyi Xuebao*, 3 (1985) 35-39; *C.A.*, 103 (1985) 143005m.
- 1037 Makeeva, N.M., Baevskii, D.Yu. and Mal'tseva, L.E.: (Use of gas chromatograph "Khromplast" for study of gas perfusion and gas exclusion from polymeric materials). *Zavod. Lab.*, 86 (1986) 15-17.
- 1038 Munk, P., Al-Saigh, Z.Y. and Card, T.W.: Inverse gas chromatography. 3. Dependence of retention volume on the amount of probe injected. *Macromolecules*, 18 (1985) 2196-2201; *C.A.*, 103 (1985) 201355p.
- 1039 Nakagawa, H. and Tsuge, Sh.: Characterization of styrene-divinylbenzene copolymers by high-resolution pyrolysis-gas chromatography. *Macromolecules*, 18 (1985) 2068-2072; *C.A.*, 103 (1985) 161238u.
- 1040 Perlstein, P. and Orme, P.: Gas chromatographic analysis after degradation of copolyether polyesters. *J. Chromatogr.*, 351 (1986) 203-209.
- 1041 Sanders, R.A. and Kozsich, T.K.: Ion profiling approach to detailed mixture comparison. Application to a polypropylene off-odor problem. *J. Chromatogr.*, 351 (1986) 525-531.
- 1042 Sanetra, R., Kolarz, B.N. and Wlochowicz, A.: Determination of the glass transition temperature of poly(styrene-co-divinylbenzene) by inverse gas chromatography. *Polymer*, 26 (1985) 1181-1186; *C.A.*, 103 (1985) 178862r.
- 1043 Wang Junfu, Pan Yuequn, Fang Yuting and Wang Yunqing: (Determination of the rubber composition in styrene-butadiene latex by pyrolysis gas chromatography). *Huaxue Shijie*, 26 (1985) 177-179; *C.A.*, 103 (1985) 143192v.
- 1044 Wright, D.W., Mahler, K.O., Ballard, L.B. and Dawes, E.: The application of multidimensional techniques to the rapid pyrolysis-GC profiling of synthetic polymers. *J. Chromatogr. Sci.*, 24 (1986) 13-17 - a review with 17 refs.
- 1045 Yamaguchi, Sh., Hirano, J. and Yoshihiro, I.: (Compositional analysis of 2-hydroxy ethyl methacrylate-acrylate-methacrylate terpolymers by pyrolysis gas chromatography). *Bunseki Kagaku*, 35 (1986) 111-115.

See also 875, 886.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

### 32a. Synthetic drugs

- 1046 Abdel-Moety, E.H. and El-Bardicy, M.G.: Gas-liquid chromatographic determination of diphenhydramine (Dimedrol) hydrochloride in some pharmaceutical formulations. *Anal. Lett.*, 18, B17 (1985) 2155-2172.
- 1047 de Bruijn, E.A., Leclercq, P.A. and Tjaden, U.R.: The autoderivatization of 4-ketocyclophosphamide during capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 89-94.
- 1048 Eatherton, R.L., Siems, W.F. and Hill, H.H., Jr.: Fourier transform ion mobility spectrometry of barbiturates after capillary gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 44-48.
- 1049 Letavernier, J.F., Aubert, M., Ripoché, G. and Pellerin, F.: (Study of solvent residues of plastic material and coatings in drugs using head-space gas-chromatography). *Ann. Pharm. Fr.*, 43 (1985) 117-122; *C.A.*, 103 (1985) 200796w.
- 1050 Sanger, D.G., Humphreys, I.J., Patel, A.C., Japp, M. and Osborne, R.G.L.: The significance gas chromatographic impurity patterns obtained from illicitly produced amphetamine. *Forensic Sci. Int.*, 28 (1985) 7-17; *C.A.*, 103 (1985) 136513x.

See also 872.

### 32b. Pharmacokinetics studies

- 1051 Bressolle, F. and Sleth, J.C.: (Gas chromatography/mass spectrometry analysis of pethidine for its pharmacokinetic study following intrathecal administration). *Therapie*, 40 (1985) 161-166; *C.A.*, 103 (1985) 153138w.

- 1052 Cavallini, D., Pecci, L., Matarese, R.M., Ricci, G. and Achilli, M.: Gas-chromatographic mass-spectrometric detection of 1,4-hexahydrothiazepine-3,5-dicarboxylic acid (cyclothionine) in bovine brain. *J. Biol. Chem.*, 260 (1985) 15577-15579; *C.A.*, 103 (1985) 193576u.
- 1053 Naganuma, H., Yamazaki, Ya., Yamazaki, Yo. and Kawahara, Yu.: (Pharmacokinetics of mexazolam in man following oral administration). *Rinsho Yakuri*, 16 (1985) 367-374; *C.A.*, 103 (1985) 134392h.
- 1054 Watson, E., Dea, P. and Chan, K.K.: Kinetics of phosphoramidate mustard hydrolysis in aqueous solution. *J. Pharm. Sci.*, 74 (1985) 1283-1292.

### 32c. Drug monitoring

- 1055 Baker, G.B., Nazarali, A.J. and Coutts, R.T.: A rapid and sensitive procedure for the simultaneous analysis of  $\beta$ -phenylethylamine and tranlylcypromine in rat brain using trichloacetylation and gas chromatography. *Res. Commun. Chem. Pathol. Pharmacol.*, 49 (1985) 471-474; *C.A.*, 103 (1985) 171342n.
- 1056 Balant-Gorgia, A.E., Balant, L.P., Genet, C. and Eisele, R.: Comparative determination of flupentixol in plasma by gas chromatography and radioimmunoassay in schizophrenic patients. *Ther. Drug Monit.*, 7 (1985) 229-235; *C.A.*, 103 (1985) 134303e.
- 1057 El-Yazigi, A. and Martin, C.R.: Improved analysis of cyclophosphamide by capillary gas chromatography with thermionic (nitrogen-phosphorus) specific detection and silica sample purification. *J. Chromatogr.*, 374 (1986) 177-182.
- 1058 Hoffman, D.J. and Higgins, J.: Resolution of verapamil from heptadeuteroverapamil and their quantitation in serum using capillary gas chromatography. *J. Chromatogr.*, 374 (1986) 170-176.
- 1059 Holland, M.L. and Ng, K.T.: Automated capillary gas chromatographic assay using nitrogen-phosphorus ionization detection for the determination of bepridil in human plasma. *J. Chromatogr.*, 374 (1986) 87-93.
- 1060 Howard, P.J., McClean, E. and Dundee, J.W.: The estimation of midazolam, a water-soluble benzodiazepine by gas liquid chromatography. *Anaesthesia*, 40 (1985) 664-668; *C.A.*, 103 (1985) 205352h.
- 1061 Jakobsen, P., Mikkelsen, E.O., Laursen, J. and Jensen, F.: Determination of nimodipine by gas chromatography using electron-capture detection; external factors influencing nimodipine concentrations during intravenous administration. *J. Chromatogr.*, 374 (1986) 383-387.
- 1062 Kanada, K., Okitsu, T., Okada, T., Ishizone, H., Goto, T. and Kuroiwa, Yu.: (Trace analysis of ketoprofen in human serum by electron capture detector gas chromatography). *Yakugaku Zasshi*, 105 (1985) 902-907; *C.A.*, 103 (1985) 205389a.
- 1063 Lin Wennuei and Kelly, A.R.: Determination of valproic acid in plasma or serum by solid-phase column extraction and gas-liquid chromatography. *Ther. Drug Monit.*, 7 (1985) 336-343; *C.A.*, 103 (1985) 153171b.
- 1064 Pena, M.I.A.: Blood-collection devices that do not contaminate measurements of anticonvulsant drugs. *Clin. Chem. (Winston-Salem)*, 31 (1985) 1577-1578.
- 1065 Stefek, M., Benes, L. and Kovacik, V.: Determination of pentacaine, trans-2-(1-pyrrolidinyl)cyclohexyl-3-pentyloxycarbanilate hydrochloride, in biological samples by gas chromatography/mass spectrometry. *Biomed. Mass Spectrom.*, 12 (1985) 388-392; *C.A.*, 103 (1985) 153164b.
- 1066 Suzuki, T., Hashimura, Yo. and Takeyama, Sh.: Improved separation of the denopamine metabolites using capillary column gas chromatography-mass spectrometry. *Chem. Pharm. Bull.*, 33 (1985) 2549-2552; *C.A.*, 103 (1985) 134385h.
- 1067 Tosoni, S., Signorini, C. and Albertini, A.: Evaluation of valproic acid fluoroimmunoassay and comparison with a gas-liquid chromatographic method. *Ther. Drug Monit.*, 7 (1985) 236-238; *C.A.*, 103 (1985) 134304f.
- 1068 Van der Graaf, M., Hofman, P.H., Breimer, D.D., Vermeulen, N.P.E., Knabe, J. and Schamber, L.: Selected ion monitoring analysis of pseudoracemic hexobarbital and its major metabolites in blood and urine in rats. *Biomed. Mass Spectrom.*, 12 (1985) 464-469; *C.A.*, 103 (1985) 205365q.
- 1069 Zbinden, A.M., Frei, F.J., Funk, B., Thomson, D.A. and Westenskow, D.: Determination of the partial pressure of halothane (or isoflurane) in blood. *Br. J. Anaesth.*, 57 (1985) 796-802; *C.A.*, 103 (1985) 153178j.

- 1070 Zhuo Haitong and Chen Gang: (Sample pretreatments in gas chromatographic determination of drug concentrations in blood). *Yaoxue Tongbao*, 20 (1985) 218-221; *C.A.*, 103 (1985) 205382t.

See also 934.

### 32d. Toxicological applications

- 1071 Koves, E.M. and Wells, J.: An evaluation of fused silica capillary columns for the screening of basic drugs in *postmortem* blood: qualitative and quantitative analysis. *J. Forensic Sci.*, 30 (1985) 692-707; *C.A.*, 103 (1985) 155344j.
- 1072 Lora-Tamayo, C., Rams, M.A. and Chacon, J.M.R.: Gas chromatographic data for 187 nitrogen- or phosphorus-containing drugs and metabolites of toxicological interest analysed on methyl silicone capillary columns. *J. Chromatogr.*, 374 (1986) 73-85.
- 1073 Rieger, J.A., Allen, L.V., Jr., Fisher, R.C.: Extraction and analysis of chlordimeform and demethylchlordimeform from human tissue samples. *Bull. Environ. Contam. Toxicol.*, 35 (1985) 397-405; *C.A.*, 103 (1985) 136488t.

See also 779, 780, 917, 925, 1002, 1009, 1010, 1050.

### 32e. Plant extracts

- 1074 Martinelli, E.M., Saraglia, R. and Pifferi, G.: Characterization of *Pygeum africanum* bark extracts by HRGC with computer assistance. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 106-110.
- 1075 Porter, P.M., Banwart, W.L. and Hassett, J.J.: HPLC isolation and GC-MS identification of genistein, daidzein, and coumestrol from unhydrolyzed soybean root extracts. *Environ. Exp. Bot.*, 25 (1985) 229-232; *C.A.*, 103 (1985) 157393y.

See also 949.

### 32f. Clinico-chemical applications and profiling body fluids

- 1076 Berger, R., Smit, G.P.A., Schierbeek, H., Bijsterveld, K. and le Coultre, R.: Mevalonic aciduria: An inborn error of cholesterol biosynthesis? *Clin. Chim. Acta*, 152 (1985) 219-222.
- 1077 Bronz, I. and Olsen, I.: Chemotaxonomy at a crossroads? Gas chromatographic analyses of a single colony from the bacterium *Haemophilus aphrophilus*. *J. Chromatogr.*, 374 (1986) 119-124.
- 1078 Brown, D.J.: A method for determining the excretion of volatile substance through skin. *Methods Find. Exp. Clin. Pharmacol.*, 7 (1985) 269-274; *C.A.*, 103 (1985) 210164c.
- 1079 van Faassen, A., Nagengast, F.M., Hectors, M., van den Broek, W.J.M., Huijbregts, A.W.M., van der Werf, S.D.J., van Berge Henegouwen, G.P. and van Tongeren, J.H.M.: Determination of individual human fecal bile acids by gas-liquid chromatography after enzymatic deconjugation and simultaneous solvolysis and methylation using dimethoxypropane. *Clin. Chim. Acta*, 152 (1985) 231-239.
- 1080 Haehnel, E., Wilkinson, S.P. and Haehnel, R.: Urinary steroid profiles in pregnancy by capillary column gas chromatography. *Clin. Chim. Acta*, 151 (1985) 259-271.
- 1081 Jacob, K., Mehlh, S., Knedel, M. and Vogt, W.: Simple capillary gas chromatographic method for the quantitation of phytanic acid serum. *J. Chromatogr.*, 374 (1986) 354-357.
- 1082 Koopman, B.J., Wolthers, B.G., van den Molen, J.C. and Waterreus, R.J.: Bile acid therapies applied to patients suffering from cerebrotendinous xanthomatosis. *Clin. Chim. Acta*, 152 (1985) 115-122.
- 1083 Langenbeck, U., Luthe, H. and Schaper, G.: Keto acids in tissues and biological fluids: *O-t*-Butyldimethylsilyl quinoxalinols as derivatives for sensitive gas chromatographic/mass spectrometric determination. *Biomed. Mass Spectrom.*, 12 (1985) 507-509; *C.A.*, 103 (1985) 210262h.
- 1084 Mansurova, I.D. and Sultanova, U.K.: (Gas chromatographic assay of the higher fatty acids in the blood serum of normal subjects and chronic pancreatitis patients). *Lab. Delo*, 9 (1985) 524-527; *C.A.*, 103 (1985) 174828m.

- 1085 Odham, G., Tunlid, A., Wasterdahl, G., Larsson, L., Guckert, J.B. and White, D.C.: Determination of microbial fatty acid profiles at femtomolar levels in human urine and the initial marine microfouling community by capillary gas chromatography-chemical ionization mass spectrometry with negative ion detection. *J. Microbiol. Methods*, 3 (1985) 331-344; *C.A.*, 103 (1985) 192650b.
- 1086 Pauwels, S., Fiasse, R., Tome, G., Buts, J.P. and Dive, C.: A simplified method of measuring breath hydrogen by end-expiratory sampling for diagnosis of lactose malabsorption. *Acta Clin. Belg.*, 40 (1985) 174-178; *C.A.*, 103 (1985) 210168g.
- 1087 Smythe, G.A. and Duncan, M.W.: Precise GC/MS assays for salsolinol and tetrahydropapaveroline: the question of artifacts and dietary sources and the influence of alcohol. *Prog. Clin. Biol. Res.*, 183 (1985) 77-84; *C.A.*, 103 (1985) 136501s.
- 1088 Snider, M.T., Balke, P.O., Oerter, K.E., Francalancia, N.A., Pasko, K.A., Robbins, M.E., Gerhard, G.S. and Richard, R.B.: Methods for measuring lipid peroxidation products in the breath of man. *Life Chem. Rep.*, 3 (1985) 168-173; *C.A.*, 103 (1985) 156631n.
- 1089 Steenaart, N.A.E., Clarke, D.W. and Brien, J.F.: Gas-liquid chromatographic analysis of ethanol and acetaldehyde in blood with minimal artifactual acetaldehyde formation. *J. Pharmacol. Methods*, 14 (1985) 199-212; *C.A.*, 103 (1985) 190981m.
- 1090 Sye Wen Fa and Cheng Chia Tsung: A study of the human urinary steroid metabolic profile using a DB-1 fused silica capillary column. *J. Clin. Chem. Soc., (Taipei)*, 32 (1985) 59-64; *C.A.*, 103 (1985) 135292n.
- 1091 Tangerman, A., Meuwese-Arends, M.T. and Van Tongeren, J.H.M.: New methods for the release of volatile sulfur compounds from human serum: Its determination by Tenax trapping and gas chromatography and its application in liver diseases. *J. Lab. Clin. Med.*, 106 (1985) 175-182; *C.A.*, 103 (1985) 137910m.
- 1092 Yamaguchi, S.: (Studies on screening system for organic acid disorders: automated metabolic profiling of urinary organic acids by gas chromatography and mass spectrometry assisted with the computer programs and application to the metabolic disorders). *Gifu Daigaku Igakubu Kiyō*, 33 (1985) 202-234; *C.A.*, 103 (1985) 174916p.
- See also 857, 943, 954, 971, 973, 991, 995, 997.

### 33. INORGANIC COMPOUNDS

#### 33b. Anions

See 1120, 1140.

#### 33c. Permanent and rare gases

- 1093 Aldridge, F.T.: Gas chromatographic separation of hydrogen isotopes using metal hydrides. *J. Less-Common Met.*, 108 (1985) 131-150; *C.A.*, 103 (1985) 149199z.
- 1094 Cai Zhongtao, He Kelun, Li Zhian and Cheng Ruguang: (A new method for the determination of total hydrogen content and thermograph of hydrogen evolution of amorphous silicon thin films). *Huaxue Tongbao*, No. 6 (1985) 24-27; *C.A.*, 103 (1985) 152835j.
- 1095 Fendinger, N.J. and Adams, D.D.: A headspace equilibration technique for measurement of dissolved gases in sediment pore water. *Int. J. Environ. Anal. Chem.*, 23 (1986) 253-265.
- 1096 Gorshkov, A.I., Gumerov, M.F., Leont'eva, E.I. and Moskvin, L.N.: (Chromatographic analysis of water-dissolved gases). *Zh. Anal. Khim.*, 41 (1986) 146-151.

See also 787, 1098.

## 33d. Volatile inorganic compounds

- 1097 Gamo, T. and Horibe, Yo.: Gas chromatographic separation of carbon dioxide and nitrous oxide for measurements of  $\delta^{13}\text{C}$  in atmospheric carbon-dioxide. *Geochem. J.*, 19 (1985) 171-174; *C.A.*, 103 (1985) 198949c.
- 1098 He Wencan, Lu Yin and Wang Jie: (Analysis of coal gas composition with gas chromatography). *Huaxue Shijie*, 26 (1985) 297-298; *C.A.*, 103 (1985) 163124c.
- 1099 Rigin, V.I.: (Group atomic fluorescence determination of volatile hydride-forming elements using gas chromatographic separation). *Zh. Anal. Khim.*, 41 (1986) 46-49.

See also 798, 888, 1174.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 1100 Bermejo, J., Blanco, C.G. and Guillen, M.D.: Gas chromatography of deuterated and protiated chloro derivatives of 1,4-dimethylbenzene. *J. Chromatogr.*, 351 (1986) 425-432.
- 1101 Stellaard, F. and Paumgartner, G.: Measurement of isotope ratios in organic compounds at picomole quantities by capillary gas chromatography/quadrupole electron impact mass spectrometry. *Biomed. Mass Spectrom.*, 12 (1985) 560-564; *C.A.*, 103 (1985) 192688v.
- 1102 Takeuchi, K., Satooka, S., Makide, Yo. and Inoue, I.: Radio-gas chromatographic measurement of separation factors in laser isotope separation of tritium. *Separ. Sci. Technol.*, 20 (1985) 345-358.

See also 835, 847, 956, 994, 995, 997, 1012, 1058, 1093, 1097.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

## 35a. Surfactants

- 1103 Ng, L.K., Hupe, M. and Harris, A.G.: Direct gas chromatographic method for determining the homologue composition of benzalkonium chlorides. *J. Chromatogr.*, 351 (1986) 554-559.
- 1104 Senden, W.A.A. and Riemersma, R.: Analytik von Waschmittelalkylaten. *Tenside Deterg.*, 22 (1985) 319-322.

## 35c. Food analysis

- 1105 Balgrie, B.D., Laurie, W.A. and McHale, D.: Artifact formation during headspace analysis. *Dev. Food Sci.*, 10 (1985) 577-582; *C.A.*, 103 (1985) 140391y.
- 1106 Bergner-Lang, B. and Kaechele, M.: (Quick method to determine chloramphenicol in milk by gas chromatography). *Dtsch. Lebensm.-Rundsch.*, 81 (1985) 278-280; *C.A.*, 103 (1985) 177063u.
- 1107 Carman, A.S., Jr., Kuan, S.S., Francis, O.J., Jr., Ware, G.M. and Luedtke, A.E.: Rapid screening method for determining myristicin in fresh and frozen carrots by gas chromatography. *Anal. Lett.*, 18, B9 (1985) 1167-1175.
- 1108 Christoph, N., Kreutzer, P. and Hildenbrand, K.: (Detection of haloacetic acids and their ethyl esters using gas chromatographic headspace analysis). *Wetzwirtsch., Tech.*, 9 (1985) 272, 274-275; *C.A.*, 103 (1985) 213269b.
- 1109 Diefel, A.: (Gas chromatographic determination of sugars in honey). *Dtsch. Lebensm.-Rundsch.*, 81 (1985) 209-212; *C.A.*, 103 (1985) 177026j.
- 1110 DeVries, J.W., Broge, J.M., Schroeder, J.P., Bowers, R.H., Larson, P.A. and Burns, N.M.: Headspace gas chromatographic method for determination of methyl bromide in food ingredients. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1112-1116.
- 1111 Firestone, D., Summers, J.L., Reina, R.J. and Adams, W.S.: Detection of adulterated and misbranded olive oil products. *J. Am. Oil Chem. Soc.*, 62 (1985) 1558-1562.



- 1112 Folkes, D.J.: Gas-liquid chromatography (of carbohydrates in food analysis). In: B.G. Birch (Editor), *Analysis Food Carbohydrates*, Elsevier, London, 1985, pp. 91-123; *C.A.*, 103 (1985) 213452E.
- 1113 Gump, B.H., Saguandekul, S., Murray, G. and Villar, J.T.: Determination of malic acid in wines by gas chromatography. *Am. J. Enol. Vitic.*, 36 (1985) 248-251; *C.A.*, 103 (1985) 213255u.
- 1114 Haase-Aschoff, K. and Haase-Aschoff, I.: (Determination of diethylene glycol (DEG) by capillary gas chromatography). *Weinwirtsch., Tech.*, 9 (1985) 266-267; *C.A.*, 103 (1985) 213268a.
- 1115 Hayashi, T. and Shibamoto, T.: Analysis of methyl glyoxal in foods and beverages. *J. Agric. Food Chem.*, 33 (1985) 1090-1093.
- 1116 Heikes, D.L.: Purgè and trap method for determination of ethylene dibromide in whole grains, milled grain products, intermediate grain-based foods, and animal feeds. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1108-1111.
- 1117 Higashimoto, M. and Matano, K.: (Gas chromatographic determination of 1-methyl-1,2,3,4-tetrahydro- $\beta$ -carboline in alcoholic beverages). *Nippon Eiyō, Shokuryō Gakkaishi*, 38 (1985) 317-322; *C.A.*, 103 (1985) 176925g.
- 1118 Kauschus, U. and Thier, H.P.: (The composition of soluble polysaccharides in fruit juices. I. Orange juice). *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 395-399; *C.A.*, 103 (1985) 213523e.
- 1119 Marritt, C., Vajdi, M. and Angelini, P.: A quantitative comparison of the yields of radiolysis products in various meats and their relationship to precursors. *J. Am. Oil Chem. Soc.*, 62 (1985) 708-713.
- 1120 Ni Hongsheng and Huang Chunying: (Gas chromatographic analysis at cyanides in baijlu). *Zhonghua Yufangyixue Zazhi*, 19 (1985) 100-101; *C.A.*, 103 (1985) 213290b.
- 1121 Oyamada, N., Ueno, S., Kubota, K. and Ishizaki, M.: (Determination of total bromide in food by gas chromatography). *Shokuhin Eisegaku Zasshi*, 26 (1985) 13-17; *C.A.*, 103 (1985) 177066x.
- 1122 Patey, A.L., Shearer, G., Knowles, M.E. and Denner, W.H.B.: Development and use of a gas chromatographic method of analysis for low molecular weight compounds in glucose syrups and caramel colorings. *Food Addit. Contam.*, 2 (1985) 237-246; *C.A.*, 103 (1985) 213534j.
- 1123 Pensabene, J.W. and Fiddler, W.: Effect of N-nitrosothiazolidine-4-carboxylic acid on formation of N-nitrosothiozolidine in uncooked bacon. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1077-1080.
- 1124 Petrzika, M. and Linow, F.: Quantitative gas chromatographic determination of monomers of pectin. *Nahrung*, 29 (1985) 927-930; *C.A.*, 103 (1985) 213485u.
- 1125 Playne, M.J.: Determination of ethanol, volatile fatty acids, lactic and succinic acids in fermentation liquids by gas chromatography. *J. Sci. Food Agric.*, 36 (1985) 638-644; *C.A.*, 103 (1985) 213261t.
- 1126 Preuss, A. and Zipfel, K.: (Headspace gas chromatographic identification of alcoholic beverages in foods). *Lebensmittelchem. Gerichtl. Chem.*, 39, No. 5 (1985) 97-99; *C.A.*, 103 (1985) 213488x.
- 1127 Raghavan, S.K., Ho, C.T. and Daun, H.: Identification of soy protein in meat by pyrolysis-high-resolution gas chromatography. *J. Chromatogr.*, 351 (1986) 195-202.
- 1128 Rodriguez, P.A. and Eddy, C.L.: Use of a two-dimensional gas chromatography in the organoleptic evaluation of an orange extract. *J. Chromatogr. Sci.*, 24 (1986) 18-21.
- 1129 Sarojini, G., Rao, K.C., Tulpule, P.G. and Lakshminarayana, G.: Effect of processing on physicochemical properties and fatty acid composition of *Hibiscus sabdariffa* sees oil. *J. Am. Oil Chem. Soc.*, 62 (1985) 728-730.
- 1130 Shinohara, T.: Gas chromatographic analysis of volatile fatty acids in wines. *Agric. Biol. Chem.*, 49 (1985) 2211-2212; *C.A.*, 103 (1985) 140223v.
- 1131 Shu Chi-Kuen and Mookherjee, B.D.: Volatile compounds of the phenolic fraction of cooked bacon. *J. Agric. Food Chem.*, 33 (1985) 1107-1109.
- 1132 Slover, H.T., Thompson, R.H., Davis, C.S. and Merola, G.V.: Lipids in margarines and margarine-like foods. *J. Am. Oil Chem. Soc.*, 62 (1985) 775-786.
- 1133 Steinmeyer, S., Tiebach, R. and Weber, R.: (Determination of deoxynivalenol and nivalenol in cereals by gas chromatography of the heptafluorbutyrates). *Z. Lebensm.-Unters. Forsch.*, 181 (1985) 198; *C.A.*, 103 (1985) 195028r.
- 1134 Stijve, T.: Inorganic bromide - a simple method for the confirmation of residue identity. *Dtsch. Lebensm.-Rundsch.*, 81 (1985) 321-324; *C.A.*, 103 (1985) 213518g.

- 1135 Tonogai, Ya., Tsuji, S., Ito, Yo. and Harada, M.: (Systematic determination of natural waxes in foods. I. Fundamental studies on a method for the analysis of natural waxes in foods by gas chromatography). *Shokuhin Eiseigaku Zasshi*, 26 (1985) 160-168; *C.A.*, 103 (1985) 177064v.
- 1136 Tonogai, Ya., Tsuji, S., Ito, Yo. and Harada, M.: (Systematic determination method of natural waxes in foods). *Shokuhin Eiseigaku Zasshi*, 26 (1985) 195-202; *C.A.*, 103 (1985) 177065w.
- 1137 Tressl, R., Grünwald, K.G., Kersten, E. and Rewicki, D.: Formation of pyrroles and tetrahydroindolizin-6-ones as hydroxyproline-specific maillard products from glucose and rhamnose. *J. Agric. Food Chem.*, 33 (1985) 1137-1142.
- 1138 Tressl, R., Helak, B., Köppler, H. and Rewicki, D.: Formation of 2-(1-pyrroli-dinyl)-2-cyclopentenones and cyclopent(b)azepin-8|1H|-ones as proline specific maillard products. *J. Agric. Food Chem.*, 33 (1985) 1132-1137.
- 1139 Wesenberg, J., Laube, K. and Boettcher, W.: (Gas-chromatographic analysis of bacterial products of metabolism in the fermentation and beverage industry). *Lebensmittelindustrie*, 32 (1985) 119-123; *C.A.*, 103 (1985) 140190g.
- 1140 Zhai Weian and Cao Nianci: (Determination of nitrite in meat products using gas chromatography). *Fenxi Huaxue*, 13 (1985) 708-710; *C.A.*, 103 (1985) 195050s.
- 1141 Zhou Yingcai, Wang Xiuying, Xu Peishu and Yuan Bihuai: (Gas chromatographic measurement of the radiolytic products of cobalt-60  $\gamma$ -irradiated pork). *Sepu*, 2 (1985) 178-180; *C.A.*, 103 (1985) 159269m.

See also 840, 861, 929, 945, 946, 947, 952, 960, 963, 967, 977, 984, 1022, 1025, 1075.

#### 35d. Various technical products

- 1142 Bayona, J.M., Albaiges, J., Solanas, A.M., Pares, R., Garrigues, P. and Ewald, M.: Selective aerobic degradation of methyl-substituted polycyclic aromatic hydrocarbons in petroleum by pure microbial cultures. *Int. J. Environ. Anal. Chem.*, 23 (1986) 289-303.
- 1143 Chumburiqze, T.A.: (Studies of chromatographic properties of natural mordenite from Tmogvi deposit). *Izv. Akad. Nauk Gruz. SSR, Ser. Khim.*, 11 (1985) 146-148; *C.A.*, 103 (1985) 171074b.
- 1144 Chvatal, I. (Analytical evaluation of technical 9,10-anthraquinone). *Chem. Prum.*, 35 (1985) 638-644 - a review with 105 refs., some of them on GC.
- 1145 Hirayama, T., Ono, M., Uchiyama, K., Nohara, M. and Fukui, Sh.: (Nickel-63 ECD-gas chromatographic determination of 2,4- and 2,6-diaminotoluene in polyurethane foam and their mutagenicity in *Salmonella typhimurium* strains). *Eisei Kagaku*, 31 (1985) 113-118; *C.A.*, 103 (1985) 196703u.
- 1146 Ignatiadis, I., Dorbon, M. and Arpino, P.: Analyse comparative et identification des derives du carbazole extraits de deux petroles bruts du Congo. *Analisis*, 13 (1985) 406-414.
- 1147 Krishnamurthy, M.N., Rajalakshmi, S. and Kapur, O.P.: Detection of tricresyl phosphate and determination of tri-*o*-cresyl phosphate in edible oils. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1074-1076.
- 1148 Mis'ko, I.G., Marchenko, I.M., Andreeva, N.G. and Garber, Yu.N.: (Determination of solvents contained in vapor-air mixtures). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 28, No. 8 (1985) 113-115; *C.A.*, 103 (1985) 188840w.
- 1149 Nomeir, A.A. and Abou-Donia, M.B.: Analysis of *n*-hexane, 2-hexanone, 2,5-hexanedione, and related chemicals by capillary gas chromatography and high-performance liquid chromatography. *Anal. Biochem.*, 151 (1985) 381-388.
- 1150 Osaulenko, Yu.V., Anistratenko, V.A. and Korol, A.N.: (Gas chromatographic analysis of heterogeneous and homogeneous fractions obtained in furfural rectification). *Gidroliz. Lesokhim. Prom-st.*, No. 3 (1985) 23-24; *C.A.*, 103 (1985) 143697p.
- 1151 Patrick, M., de Koning, A.J. and Smith, A.B.: Gas liquid chromatographic analysis of fatty acids in food residues from ceramics found in the Southwestern Cape, South Africa. *Archaeometry*, 27 (1985) 231-236; *C.A.*, 103 (1985) 177588u.
- 1152 Schwartz, H.E. and Brownlee, R.G.: Hydrocarbon group analysis of gasolines with microbore wupercritical fluid chromatography and flame ionization detection. *J. Chromatogr.*, 353 (1986) 77-93.
- 1153 Singliar, M., Rendkova, I. and Kostkova, V.: (Gas-liquid chromatographic analysis of a technical mixture of diisopropylbenzenes). *Petrochemia*, 25 (1985) 15-17; *C.A.*, 103 (1985) 205095b.

- 1154 Stripgham, R.W. and Schulz, R.P.: Capillary gas chromatographic determination of pyrethrins in low level formulations. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1137-1139.
- 1155 Williams, P.T., Bartle, K.D., Mills, D.G. and Andrews, G.E.: Capillary GC analysis of Diesel fuels using simultaneous parallel triple detection. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 8 (1986) 39-43.

See also 798, 900, 953, 987, 1094, 1180.

35e. *Compounds with distinct biological activity and diverse chemical nature*

- 1156 Mikolajczak, K.L., Zilkowski, B.W., Khan, M.Z.A., Smith, C.R. and Burkholder, W.E.: Attractants for *Oryzaephilus surinamensis* (L.) (Coleoptera: Cucujidae): Dimethyl succinate, glutarate, and adipate. *J. Agric. Food Chem.*, 33 (1985) 1029-1032.
- 1157 Phillips, A., Walsh, J.F., Garms, R., Molyneux, D.H., Milligan, P. and Ibrahim, G.: Identification of adults of the *Simulium damnosum* complex using hydrocarbon analysis. *Trop. Med. Parasitol.*, 36 (1985) 97-101; *C.A.*, 103 (1985) 210354q.

35f. *Complex mixtures and non-identified compounds*

- 1158 Fukuhara, K., Sakaki, T., Sakuma, H. and Sugawara, Sh.: Odor analysis of cigar cigarette butts by a head space technique. *Agric. Biol. Chem.*, 49 (1985) 2177-2179; *C.A.*, 103 (1985) 138891t.
- 1159 Mokeeva, R.N., Tsarfin, Ya.A. and Magnus, B.: (Gas chromatographic analysis of ammonia oxypropylation products). *Zh. Anal. Khim.*, 41 (1986) 178-180.

36. CELLS AND CELLULAR PARTICLES

- 1160 Bychenko, B.D., Kaplunova, O.P. and Kurdina, D.S.: (Differentiation of the main *Clostridium* species by gas chromatography). *Zh. Mikrobiol., Epidemiol. Immunobiol.*, No. 10 (1985) 22-25; *C.A.*, 103 (1985) 210999d.
- 1161 Prikhod'ko, N.S., Koval'chuk, B.V., Nazarishin, V.M., Belyakov, B.P. and Zinchenko, V.M.: (Solid carrier for gas chromatography). *U.S.S.R. Pat. SU 1,169,701* (Cl. B01J20/10), 30 Jul. 1985, Appl. 3,742,109, 9 Feb. 1984; *C.A.*, 103 (1985) 162356t.
- 1162 Stern, N.J.: Pyrolysis gas-liquid chromatography for the identification of microorganisms. In: K.-O. Havermehl (Editor), *Rapid Methods of Automation in Microbiology and Immunology*, Springer, Berlin, 1985, pp. 255-264; *C.A.*, 103 (1985) 210473c.

See also 961, 1077.

37. ENVIRONMENTAL ANALYSIS

37a. *General papers and reviews*

- 1163 Gribov, L.A., Kotov, S.V., Luzhkov, Yu.M., Popov, A.A., Sergeev, S.K. and Elyashberg, M.E.: (Selection of technical means in the realization of a multipurpose system of chemical analysis). *Zh. Anal. Khim.*, 40 (1985) 1325-1332.
- 1164 Lee Hing-Biu, Hong-Lou, R.L. and Chau, S.Y.: Analytical reference materials. Part V. Development of sediment reference material for chlorobenzenes and hexachlorobutadiene. *Analyst (London)*, 111 (1986) 81-85.
- 1165 Simoneit, B.R.T.: Characterization of organic constituents in aerosols in relation to their origin and transport: A review. *Int. J. Environ. Anal. Chem.*, 23 (1986) 207-237 - a review with 55 refs.
- 1166 Sonchik, S.M.: The analysis of PBCs in methylene chloride using column switching. *J. Chromatogr. Sci.*, 24 (1986) 22-25.

See also 843, 849.

## 37b. Air pollution

- 1167 Ciccioli, P., Brancaleoni, E., Cecinato, A., Di Palo, C., Buttini, P. and Liberti, A.: Fractionation of polar polynuclear aromatic hydrocarbons present in industrial emissions and atmospheric samples and their determination by gas chromatography-mass spectrometry. *J. Chromatogr.*, 351 (1986) 451-464.
- 1168 Ichinose, M., Yasuoka, T., Saito, A., Takano, J., Mitsuzawa, Sh. and Zimmerman, P.R.: (Capillary method of gas sampling under constant flow rate for the measurement of time average concentration of hydrocarbons in the atmosphere). *Bunseki Kagaku*, 35 (1986) 128-133.
- 1169 Kawamura, K., Ng Lai Ling and Kaplan, I.R.: Determination of organic acids (C<sub>1</sub>-C<sub>10</sub>) in the atmosphere, motor exhausts, and engine oils. *Environ. Sci. Technol.*, 19 (1985) 1082-1086; *C.A.*, 103 (1985) 153002x.
- 1170 Novak, J. and Cermak, J.: Estimation of volatile substances in the atmosphere of forest ecosystems by gas chromatography. *Int. J. Environ. Anal. Chem.*, 24 (1986) 1-22.
- 1171 Ruth, J.M., Kearney, P.C. and Zeng Qiang: Gas chromatography/mass spectrometry of paraquat UV-ozonation products. *Chemosphere*, 14 (1985) 1181-1194; *C.A.*, 103 (1985) 173870g.
- 1172 Ruvinskii, L.Ya., Medvedeva, L.M. and Cherezova, V.V.: (Gas chromatographic determination of the total volumetric concentration of gases and vapors in air). *Khim. Tekhnol. Topl. Masel*, No. 9 (1985) 40-41; *C.A.*, 103 (1985) 165388r.
- 1173 Shi Meier and Hu Zhenyuan: (Applicability of head-space gas chromatography in analysis of organic pollutants). *Youji Huaxue*, 4 (1985) 342-345; *C.A.*, 103 (1985) 165786u.
- 1174 Vincent, R., Limasset, J.C., Cicoiella, A., Hecht, G. and Gerber, J.M.: Determination simultanee des sulfures de carbone et d'hydrogene dans les atmospheres de travail. *Analisis*, 13 (1985) 415-419.

See also 853.

## 37c. Water pollution

- 1175 Ahel, M. and Giger, W.: Identification of specific organic water pollutants in the River Sava by high-resolution chromatographic techniques and computer-assisted mass spectrometry. *Kem. Ind.*, 34 (1985) 295-309; *C.A.*, 103 (1985) 183244v.
- 1176 Belkin, F., Bishop, R.W. and Sheely, M.V.: Analysis of explosives in water by capillary gas chromatography. *J. Chromatogr. Sci.*, 24 (1985) 532-534.
- 1177 Castello, G., Gerbino, T.C. and Kanitz, S.: Sensitivity and linearity of headspace and liquid-liquid extraction techniques for gas chromatographic analysis of halocarbons in water. *J. Chromatogr.*, 351 (1986) 165-175.
- 1178 Chen Shusheng and Wang Jianxin: (Gas-chromatographic determination of trace picric acid in water). *Huanjing Kexue*, 6, No. 4, (1985) 71-73; *C.A.*, 103 (1985) 200616n.
- 1179 Croll, B.T., Summer, M.E. and Leatherd, D.A.: Determination of trihalomethanes in water using gas syringe injection of headspace vapours and electron-capture gas chromatography. *Analyst (London)*, 111 (1986) 73-76.
- 1180 Druskina, E.Z. and Zheiltukhina, E.V.: (Determination of microquantities of the basic components of the solvents AKR and BEF in water). *Gidroliz. Lesokhim. Prom-st.*, No. 4 (1985) 14-15; *C.A.*, 103 (1985) 161998s.
- 1181 Eiceman, G.A., McConnon, J.T., Zaman, M., Shuey, C. and Earp, D.: Hydrocarbons and aromatic hydrocarbons in groundwater surrounding an earthen waste disposal pit for produced water in the Duncel oil field of New Mexico. *Int. J. Environ. Anal. Chem.*, 24 (1986) 143-162.
- 1182 Garbarini, D.R. and Lion, L.W.: Evaluation of sorptive partitioning of nonionic pollutants in closed systems by headspace analysis. *Environ. Sci. Technol.*, 19 (1985) 1122-1128; *C.A.*, 103 (1985) 146844v.
- 1183 Gillam, A.H. and Wilson, M.A.: Pyrolysis-GC-MS and NMR studies of dissolved seawater humic substances and isolates of a marine diatom. *Org. Geochem.*, 8 (1985) 15-25; *C.A.*, 103 (1985) 165660y.
- 1184 Kang Junxing: (Gas-chromatographic determination of total organic phosphorus in wastewater). *Huanjing Kexue*, 6 (1985) 60-64; *C.A.*, 103 (1985) 165800u.

- 1185 Kurosaki, H., Ohizumi, T., Tominaga, Ya., Ozaki, K., Takahashi, T. and Ichikawa, Yo.: (Determination of low boiling organochlorine compounds in groundwater by headspace gas chromatography). *Niigata Rikagaku*, No. 11 (1985) 27-32; *C.A.*, 103 (1985) 146858c.
- 1186 Nishikawa, H., Hayakawa, T. and Ikeda, S.: Bromination and gas chromatographic determination of microamounts of acrolein in rain water. *J. Chromatogr.*, 351 (1986) 566-570.
- 1187 Okada, T., Miwa, Sh. and Tsuchinashi, M.: (Interference in determination of organochlorine compounds in wastewater). *Niigata Rikagaku*, No. 11 (1985) 54-55; *C.A.*, 103 (1985) 146859d.
- 1188 Shiraishi, H. and Otsuki, A.: A survey analysis of resistant organic chemicals in water by high resolution gas chromatography/mass spectrometry. *Kokuritsu Kogai Kenkyusho Kenkyu Hokoku*, 79 (1985) 83-101; *C.A.*, 103 (1985) 146542v.
- 1189 Tronczynski, J., Marty, J.C., Scribe, P. and Saliot, A.: Dissolved and particulate hydrocarbons in the Loire estuary, from the riverine zone to the external estuary: Budget at different seasons. *Int. J. Environ. Anal. Chem.*, 23 (1986) 169-187.
- 1190 Xu Fuzheng and Jin Xiulan: (Gas chromatographic determination of microamounts of beryllium and chromium on capillary columns). *Fenxi Huaxue*, 13 (1985) 258-262; *C.A.*, 103 (1985) 204986f.

See also 855, 1095.

37d. *Soil pollution*

- 1191 Magalhaes, A.M.T. and Chalk, P.M.: Determination of methoxy groups in soils by Zeisel method combined with gas-liquid chromatography. *Analyst (London)*, 111 (1986) 77-79.
- 1192 Van Rensburg, E.: Extraction of alachlor and metolachlor from soil for assay by gas chromatography. *Analyst (London)*, 110 (1985) 733; *C.A.*, 103 (1985) 155692w.

## Planar Chromatography

### 1. REVIEWS AND BOOKS

- 441 Beesley, T.E.: Current instrumentation for thin layer chromatography. *J. Chromatogr. Sci.*, 24 (1985) 525-531 - a review.
- 442 Wilson, I.D. and Lewis, S.: Contemporary developments in thin-layer chromatography. *J. Pharm. Biomed. Anal.*, 3 (1985) 491-501 - a review.
- 443 Zeng, M.: (Special techniques in TLC and their applications in crude drug analysis). *Yaowu Fenxi Zazhi*, 5 (1985) 311-313; *C.A.*, 104 (1986) 10676e - a review.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

- 444 Berezkin, V.G. and Bolotov, S.L.: Specific features of mobile phase migration in TLC with melts. *Kontakte*, No. 3 (1985) 22-24.

#### 2c. Relationship between structure and chromatographic behavior

- 445 Bijloo, G.J. and Rekker, R.F.: Influence of stationary phase modifications on lipophilicity measurements of benzophenones using reversed-phase thin-layer chromatography. *J. Chromatogr.*, 351 (1986) 122-127.

### 3. GENERAL TECHNIQUES

#### 3b. Detectors and detection reagents

See 458, 511, 589.

#### 3c. Sorbents, carriers, column and layer performance, packing procedures

- 446 Armstrong, D.W.: (Bonded phase material for chromatographic separations). *U.S. Pat.* US 4,539,399 (Cl. 536-103; B01D15/08), 03 Sep. 1985, Appl. 635,133, 27 Jul. 1984; 9 pp.; *C.A.*, 103 (1985) 226754f.
- 447 Daicel Chemical Industries, Ltd.: (Adsorbent for racemic resolution). *Jpn. Kokai Tokkyo Koho Pat.* JP 60 82,858 (Cl. G01N30/48), 11 May 1985, Appl. 83/191, 304, 13 Oct. 1983; 4 pp.; *C.A.*, 103 (1985) 226752d.
- 448 Krysl, S. and Smolkova-Keulemannova, E.: (Cyclodextrins and their use in chromatographic methods). *Chem. Listy*, 79 (1985) 919-942; *C.A.*, 104 (1986) 28154t - a review with 119 refs.
- 449 Nascu, H., Moraru, E. and Hodisan, T.: (Characterization of a new indigeneous stationary phase and its use in separations by thin-layer chromatography. I. Separation of aromatic amines). *Rev. Chim. (Bucharest)*, 36 (1985) 446-448; *C.A.*, 104 (1986) 14275w.
- 450 Ostrovskaya, V.M., Aksenova, M.S. and Lomakina, L.V.: (Modified chromatographic paper). *U.S.S.R. Pat.* SU 1,175,996 (Cl. D21H5/00), 30 Aug. 1985, Appl. 3,365, 168, 07 Dec. 1981; *C.A.*, 104 (1986) 7414n.

See also 626, 629.

### 3d. Quantitative analysis

- 451 Poole, C.F., Coddens, M.E., Butler, H.T., Schuette, S.A., Ho, S.S.J., Khatib, S., Piet, L. and Brown, K.K.: Some quantitative aspects of scanning densitometry in high-performance thin-layer chromatography. *J. Liq. Chromatogr.*, 8 (1985) 2875-2926.

See also 630.

### 3g. High performance procedures

- 452 Hara, S.: (Introduction to high performance thin-layer chromatography). *Bunseki*, No. 8 (1985) 543-549; *C.A.*, 103 (1985) 226703p - a review with 12 refs.
- 453 Jaenchen, D.E.: (Instrumental multiple development of chromatograms in HPTLC). *LaborPraxis*, 9 (1985) 1160-1166 and 1173; *C.A.*, 104 (1986) 14270r.

## 4. SPECIAL TECHNIQUES

### 4g. Separation of enantiomers

- 454 Oi, N.: (Direct separation of optically active isomers by chromatographic methods). *Farumashia*, 21 (1985) 747-752; *C.A.*, 103 (1985) 226700k - a review.

See also 475.

## 5. HYDROCARBONS AND HALOGEN DERIVATIVES

### 5a. Aliphatic hydrocarbons

See 481.

### 5b. Cyclic hydrocarbons

- 455 Yamamoto, Y.: Class separation of higher hydrocarbons by thin-layer chromatography with flame ionization detection. *Bull. Chem. Soc. Jpn.*, 58 (1985) 2569-2571; *C.A.*, 103 (1985) 198176y.

### 5d. Complex hydrocarbon mixtures

- 456 Yamamoto, Y. and Ohno, Y.: Analysis of heavy oils by FID-TLC (Part 3). Preparation of thin layer rods with chemically bonded silica gels. *Sekiyu Gakkaishi*, 28 (1985) 493-497; *C.A.*, 104 (1986) 7992z.

See also 486.

## 7. PHENOLS

- 457 Mistry, M. and Houston, J.B.: Quantitation of extrahepatic metabolism. Pulmonary and intestinal conjugation of naphthol. *Drug Metab. Disp.*, 13 (1985) 740-745.

See also 584, 617.

## 8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

## 8a. Flavonoids

- 458 Brasseur, T. and Angenot, L.: Le mélange diphénylborate d'aminocéthanol-PEG 400. Un intéressant réactif de révélation des flavonoïdes. *J. Chromatogr.*, 351 (1986) 351-355 -  $R_f$  values for 15 genres and 16 hétérosides in 7 systems.

## 8b. Aflatoxins and other mycotoxins

- 459 Corley, R.A., Swanson, S.P. and Buck, W.B.: Glucuronide conjugates of T-2 toxin and metabolites in swine bile and urine. *J. Agric. Food Chem.*, 33 (1985) 1085-1089.
- 460 Dutton, M.F. and Westlake, K.: Occurrence of mycotoxins in cereals and animal feedstuffs in Natal, South Africa. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 839-842.
- 461 Greenhalgh, R., Levandier, D., Adams, W., Miller, J.D., Blackwell, B.A., McAlees, A.J. and Taylor, A.: Production and characterization of deoxynivalenol and other secondary metabolites of *Fusarium culmorum* (CMI 14764, HLX 1503). *J. Agric. Food Chem.*, 34 (1986) 98-102.
- 462 Greenhalgh, R., Meier, R.-M., Blackwell, B.A., Miller, J.D., Taylor, A. and ApSimon, J.W.: Minor metabolites of *Fusarium roseum* (ATCC 28114). 2. *J. Agric. Food Chem.*, 34 (1986) 115-118.
- 463 Ho, C.C., Itoh, Y. and Nakano, N.: (Determination of low-level aflatoxins in the pig urine. I. A recovery experiment employing a preliminary development in ethyl ether as a thin-layer chromatographic cleanup procedure). *Chung-hua Min Kuo Shou I Hsueh Hui Tsa Chih*, 11, No. 1 (1985) 9-16; *C.A.*, 104 (1986) 29902x.
- 464 Schwenk, S. and Altmayer, B.: (Determination and stability of trichothecin in grape juice and wine). 2. *Lebensm.-Unters. Forsch.*, 181 (1985) 304-307; *C.A.*, 104 (1986) 4712x.
- 465 Serralheiro, M.L. and Quinta, M.I.: Rapid thin-layer chromatographic determination of aflatoxin  $M_1$  in powdered milk. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 952-954.

## 8c. Other compounds with heterocyclic oxygen

- 466 Chaudhary, S.K., Ceska, O., Warrington, P.J. and Ashwood-Smith, M.J.: Increased furocoumarin content of celery during storage. *J. Agric. Food Chem.*, 33 (1985) 1153-1157.
- 467 Glowniak, K. and Bleganowska, M.L.: Reversed-phase systems for the separation of coumarins and furocoumarins by thin-layer and high-performance liquid chromatography. *J. Liq. Chromatogr.*, 8 (1985) 2927-2947 -  $R_M$  for 11 compounds.

See also 526, 615, 619.

## 9. OXO COMPOUNDS, ETHERS AND EPOXIDES

See 445, 574.

## 10. CARBOHYDRATES

## 10a. Mono and oligosaccharides. Structural studies

- 468 Abraham, D., Daniel, P., Dell, A., Oates, J., Sidebotham, R. and Winchester, B.: Structural analysis of the major urinary oligosaccharides in feline  $\alpha$ -mannosidosis. *Biochem. J.*, 233 (1986) 899-904.
- 469 Clode, D.M.: Carbohydrate analysis as an aid to synthesis. *Anal. Food Carbohydr.*, (1985) 125-147; *C.A.*, 103 (1985) 226704q - a review with 45 refs.
- 470 Foddy, L., Feeney, J. and Hughes, R.C.: Properties of baby-hamster kidney (BHK) cells treated with swainsonine, an inhibitor of glycoprotein processing. Comparison with ricin-resistant BHK-cell mutants. *Biochem. J.*, 233 (1986) 697-706.



- 471 Gould, J. and Northcote, D.H.: Cell-cell recognition of host surfaces by pathogens. The adsorption of maize (*Zea mays*) root mucilage by surfaces of pathogenic fungi. *Biochem. J.*, 233 (1986) 395-405.
- 472 Hancock, L.W., Jones, M.Z. and Dawson, G.: Glycoprotein metabolism in normal and  $\beta$ -mannosidase-deficient cultured goat skin fibroblasts. *Biochem. J.*, 234 (1986) 175-183.
- 473 Katakami, C., Raymond, L.A., Lipman, M.J., Appel, A. and Kao, W.W.-Y.: Change in the synthesis of glycosaminoglycans by fibrotic vitreous induced by erythrocytes. *Biochim. Biophys. Acta*, 880 (1986) 40-45.
- 474 Matsuura, F. and Jones, M.Z.: Structural characterization of novel complex oligosaccharides accumulated in the caprine  $\beta$ -mannosidosis kidney. Occurrence of tetra- and pentasaccharides containing a  $\beta$ -linked mannose residue at the non-reducing terminus. *J. Biol. Chem.*, 260 (1985) 15239-15245.

## 11. ORGANIC ACIDS AND LIPIDS

### 11a. Organic acids and simple esters

- 475 Beneytout, J.L., Tixier, M. and Rigaud, M.: Capillary gas-liquid or thin-layer chromatographic resolution of 2-hydroxy-fatty acid enantiomers. *J. Chromatogr.*, 351 (1986) 363-365.
- 476 Erzasfa, M., Rothhut, B., Fradin, A., Billardon, C., Junien, J.-L., Bure, J. and Russo-Marie, F.: The presence of lipocortin in human embryonic skin fibroblasts and its regulation by anti-inflammatory steroids. *Biochim. Biophys. Acta*, 847 (1985) 247-254.
- 477 German, J.B., Bruckenr, G.G. and Kinsella, J.E.: Lipoxygenase in trout gill tissue acting on arachidonic, eicosapentaenoic and docosahexaenoic acids. *Biochim. Biophys. Acta*, 875 (1986) 12-20.
- 478 Trubnikov, V.I., Tikhomirova, L.P., Sapozhnikov, Yu.M., Pleten, A.P., Nikulicheva, S.I. and Tul'chinskii, V.M.: (Combination of instrumental chromatographic methods of analysis in identification of phenolcarboxylic acids in propolis drugs). *Farmatsiya (Moscow)*, 34, No. 5 (1985) 38-40; *C.A.*, 104 (1986) 39823m.

See also 489, 495, 528.

### 11c. Lipids and their constituents

- 479 Argeri, N.J., Uranga Imaz, F., Guimil, D.H., Argeri, C.B. and Darbon Grosso, H.A.: (Evaluation of fetal pulmonary maturity by monodimensional thin-layer chromatography). *Acta Bioquim. Clin. Latinoam.*, 19 (1985) 327-334; *C.A.*, 104 (1986) 31102e.
- 480 Brodin, T., Hellström, I., Hellström, K.E., Karlsson, K.-A., Sjögren, H.-O., Strömberg, N. and Thurin, J.: Mouse monoclonal antibodies with specificity for the melanoma-associated ganglioside disialyllactosylceramide (G<sub>D3</sub>) also react with the structural analogue disialylparagloboside. *Biochim. Biophys. Acta*, 837 (1985) 837 (1985) 349-353.
- 481 Cerbulis, J., Flanagan, V.P. and Farrell, H.M., Jr.: Composition of the hydrocarbon fraction of goats' milk. *J. Lipid Res.*, 26 (1985) 1438-1443.
- 482 Christensen, S.: Removal of haem from lipids extracted from intact erythrocytes with particular reference to polyphosphoinositides. *Biochem. J.*, 233 (1986) 921-924.
- 483 Colard, O., Breton, M. and Bereziat, G.: Arachidonate mobilization in diacyl, alkylacyl and alkenylacyl phospholipids on stimulation of rat platelets by thrombin and the Ca<sup>2+</sup> ionophore A23187. *Biochem. J.*, 233 (1986) 691-695.
- 484 Dethloff, L.A., Gilmore, L.B., Brody, A.R. and Hook, G.E.R.: Induction of intra- and extra-cellular phospholipids in the lungs of rats exposed to silica. *Biochem. J.*, 233 (1986) 111-118.
- 485 Downes, C.P. and Stone, M.A.: Lithium-induced reduction in intracellular inositol supply in cholinergically stimulated parotid gland. *Biochem. J.*, 234 (1986) 199-204.
- 486 Gomez Gomez, R. and Vazquez Roncero, A.: (Detection of mineral oil in vegetable oil by thin-layer chromatography. Application to some oils associated with the "Toxic Syndrome"). *Grasas Aceites (Seville)*, 36 (1985) 250-253; *C.A.*, 103 (1986) 18721m.

- 487 Hanahan, D.J., Weintraub, S.T., Friedberg, S.J., Tokumura, A. and Ayer, D.E.: A novel approach to structure proof of glyceryl ether-containing glycerophospholipids. Base-catalyzed methanolysis of platelet-activating factor (AGEPC) at 60°C. *J. Lipid Res.*, 26 (1985) 1345-1355.
- 488 Helmy, F.M. and Hack, M.H.: Some contributions to the thin-layer chromatographic analysis of complex natural phospholipid and neutral lipid mixtures. *J. Chromatogr.*, 374 (1986) 61-72.
- 489 Kaya, K., Uchida, K. and Kusumi, T.: Tetrahydrostearic acid-containing tauro lipid isolated from *Tetrahymena thermophila*. *Biochim. Biophys. Acta*, 875 (1986) 97-102.
- 490 Kubota, Y., Inoue, H. and Yoshioka, T.: Increased labelling of polyphosphoinositide in chemically transformed cell line C3H10T1/2 CL8. *Biochim. Biophys. Acta*, 875 (1986) 1-5.
- 491 Liao, D.F., Barrett, C.R., Bell, A.L.L. and Ryan, S.F.: Normal surface properties of phosphatidylglycerol-deficient surfactant from dog after acute lung injury. *J. Lipid Res.*, 26 (1985) 1338-1344.
- 492 Mangiapane, E.H. and Brindley, D.N.: Effects of dexamethasone and insulin on the synthesis of triacylglycerols and phosphatidylcholine and the secretion of very-low-density lipoproteins and lysophosphatidylcholine by monolayer cultures of rat hepatocytes. *Biochem. J.*, 233 (1986) 151-160.
- 493 Moshidis, M.C.: Silicic acid column chromatography of phosphonolipids. VIII. Separation of 1-O-acylethylene glycol-2-(2-trimethylammoniumethyl) and -(2-aminoethyl) phosphonates from their phosphoryl analogues and other phosphonolipids. *J. Chromatogr.*, 351 (1986) 376-378.
- 494 Musch, M.W. and Siegel, M.I.: Antigen-stimulated metabolism of inositol phospholipids in the cloned murine mast-cell line MC9. *Biochem. J.*, 234 (1986) 205-212.
- 495 Nikolova, B., Tarandzhiska, R. and Chobanov, D.: Determination of petroselinic acid, oleic acid and the major triglyceride groups in some *Umbelliferae* seeds oils. *Dokl. Bolg. Akad. Nauk*, 38 (1985) 1231-1234; *C.A.*, 104 (1986) 18725r.
- 496 Noél, H. and Pande, S.V.: An essential requirement of cardiolipin for mitochondrial carnitine acylcarnitine translocase activity. Lipid requirement of carnitine acylcarnitine translocase. *Eur. J. Biochem.*, 155 (1986) 99-102.
- 497 Nojiri, H., Takaku, F., Ohta, M., Miura, Y. and Saito, M.: Changes in glycosphingolipid composition during differentiation of human leukemic granulocytes in chronic myelogenous leukemia compared with *in vitro* granulocytes in chronic myelogenous leukemia compared with *in vitro* granulocytic differentiation of human promyelocytic leukemia cell line HL-60. *Cancer Res.*, 45 (1985) 6100-6106.
- 498 Oda, M., Satouchi, K., Yasunaga, K. and Saito, K.: Production of platelet-activating factor by washed rabbit platelets. *J. Lipid Res.*, 26 (1986) 1294-1299.
- 499 Ozawa, A., Jinbo, H., Takahashi, H., Fujita, T., Hirai, A., Terano, T., Tamura, Y. and Yoshida, S.: (Determination of higher fatty acids in phospholipid subfractions of human platelets using thin-layer chromatography and gas chromatography). *Bunseki Kagaku*, 34 (1985) 707-711.
- 500 Pfeilschifter, J., Kurtz, A. and Bauer, C.: Role of phospholipase C and protein kinase C in vasoconstrictor-induced prostaglandin synthesis in cultured rat renal mesangial cells. *Biochem. J.*, 234 (1986) 125-130.
- 501 Pisareva, N.A., Zhakevich, M.L., Vasilevskii, B.S., Sergeeva, T.V. and Kharenko, E.N.: (Novel method for determining the fractional composition of lipids in fish and fish products). *Tekhnol. Rybn. Prod.*, (1984) 94-101; *C.A.*, 104 (1986) 4714z.
- 502 Ragatz, B.H. and Modrak, G.: Estimation of amniotic fluid phospholipids in assessing fetal lung maturity. *Biochem. Educ.*, 13 (1985) 134-136; *C.A.*, 104 (1986) 19137n.
- 503 Raymond, F.L., Reynolds, S.A. and Swanson, J.A.: Lipoproteins of the extravascular space: enhanced macrophage degradation of low density lipoproteins from interstitial inflammatory fluid. *J. Lipid Res.*, 26 (1985) 1356-1362.
- 504 Siess, W., Stifel, M., Binder, H. and Weber, P.C.: Activation of V<sub>1</sub>-receptors by vasopressin stimulates inositol phospholipid hydrolysis and arachidonate metabolism in human platelets. *Biochem. J.*, 233 (1986) 83-91.
- 505 Tokumura, A., Harada, K., Fukuzawa, K. and Tsukatani, H.: Involvement of lysophospholipase D in the production of lysophosphatidic acid in rat plasma. *Biochem. Biophys. Acta*, 875 (1986) 31-38.
- 506 Usuki, S. and Nagai, Y.: Specific tritium labeling of glucosyl- and galactosylceramides at the 6-position of the carbohydrate moiety using CrO<sub>3</sub>-graphite. *Anal. Biochem.*, 152 (1986) 172-177.

- 507 Vogel, S. and Hoppe, J.: Polyamines stimulate the phosphorylation of phosphatidyl-inositol in membranes from M431 cells. *Eur. J. Biochem.*, 154 (1986) 253-257.
- 508 Weber, N.: Metabolism of orally administered  $\alpha\alpha\alpha$ -1-O-[1'- $^{14}\text{C}$ ]dodecylglycerol and nutritional effects of dietary  $\alpha\alpha\alpha$ -1-O-dodecylglycerol in mice. *J. Lipid Res.*, 26 (1985) 1412-1420.
- 509 Weber, N., Wiechen, A., Buchheim, W. and Prokopek, D.: Alterations of soybean lecithin during curd formation in cheese making. *J. Agric. Food Chem.*, 33 (1985) 1093-1096.
- 510 Wertz, P.W., Abraham, W., Stover, P.M. and Downing, D.T.: Uropygiols: confirmation of structure by proton magnetic resonance. *J. Lipid Res.*, 26 (1985) 1333-1337.

## 12. ORGANIC PEROXIDES

See 517.

## 13. STEROIDS

- 511 Garcia, C.P.: Rubeanic acid: a general spray reagent for the detection of steroids on thin-layer plates. *J. Chromatogr.*, 350 (1985) 468-470 - 16 steroids were tested.

### 13a. Pregnane and androstane derivatives

- 512 Das, B., Datta, K. and Das, S.K.: Thin-layer chromatographic method for the quality control of dexamethasone and betamethasone tablets. *J. Liq. Chromatogr.*, 8 (1985) 3009-3016.
- 513 Evlamp'eva, T.V. and Arzamastsev, A.P.: (Unified procedure for the identification of corticosteroids of the hydrocortisone type). *Farmatsiya (Moscow)*, 34, No. 5 (1985) 45-47; *C.A.*, 103 (1985) 220909p.
- 514 Kazarinov, N.A., Nel'zeva, L.B. and Eremin, V.A.: (Quality control of testosterone propionate solutions for injection). *Farm. Zh. (Kiev)*, No. 4 (1985) 49-52; *C.A.*, 104 (1986) 10687j.

### 13b. Estrogens

- 515 Watkins, T.R., Smith, A. and Touchstone, J.C.: Reversed-phase thin-layer chromatography of estrogen glucuronides. *J. Chromatogr.*, 374 (1986) 221-222 - 6 conjugates,  $\text{C}_8$  and  $\text{C}_{18}$  layers.
- 516 Zivanovic, L. and Mihajlovic, M.: (Thin-layer spectrofluorometric determination of estrone and 17 $\beta$ -estradiol). *Arh. Farm.*, 35, No. 1-2 (1985) 25-29; *C.A.*, 104 (1986) 15226t.

### 13c. Sterols

- 517 Davis, N.D., Cole, R.J., Dorner, J.W., Weete, J.D., Backman, P.A., Clark, E.M., King, C.C., Schmidt, S.P. and Diener, U.L.: Steroid metabolites of *Acremonium coenophialum*, an endophyte of tall fescue. *J. Agric. Food Chem.*, 34 (1986) 105-108.
- 518 Edouard, L., Doucet, F., Buxtorf, J.C. and Beaumont, J.L.: Quantitative determination of free cholesterol and cholesteryl esters in skin biopsies. *Clin. Physiol. Biochem.*, 3 (1985) 323-329; *C.A.*, 104 (1986) 48101b.

See also 519, 615, 619.

### 13d. Bile acids and alcohols

- 519 Krisans, S.K., Thompson, S.L., Pena, L.A., Kok, E. and Javitt, N.B.: Bile acid synthesis in rat liver peroxisomes: metabolism of 26-hydroxycholesterol to 3 $\beta$ -hydroxy-5-cholenoic acid. *J. Lipid Res.*, 26 (1985) 1324-1332.

## 14. STEROID GLYCOSIDES AND SAPONINS

- 520 Curl, C.L., Price, K.R. and Fenwick, G.R.: The quantitative estimation of saponin in pea (*Pisum sativum* L.) and soya (*Glycine max.*). *Food Chem.*, 18 (1985) 241-250; *C.A.*, 104 (1986) 18732r.

See also 618.

## 15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

## 15a. Terpenes

- 521 Ishii, K., Sagami, H. and Ogura, K.: A novel prenyltransferase from *Paracoccus denitrificans*. *Biochem. J.*, 233 (1986) 733-777.
- 522 Renoux, J.-M. and Rohmer, M.: Enzymatic cyclization of *all-trans* pentaprenyl and hexaprenyl methyl ethers by a cell-free system from the protozoon *Tetrahymena pyriformis*. The biosynthesis of scalarane and polycyclohexaprenyl derivatives. *Eur. J. Biochem.*, 155 (1986) 125-132.

See also 617.

## 15b. Essential oils

- 523 Liang, W. and Tian, S.: (TLC densitometric determination of curcumol and curdione in the essential oil from *Curcuma wenyujin*). *Yaowu Fanxi Zazhi*, 5, No. 3 (1985) 136-138; *C.A.*, 103 (1985) 220582b.

## 15c. Bitter substances

See 618.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

## 17a. Amines and polyamines

- 524 Dar, M.S. and Bowman, E.R.: *In vivo* mammalian metabolism of methylamine and methylurea and their metabolic interrelationship. *Drug Metab. Disp.*, 13 (1985) 682-689.
- 525 Kostka, K. and Zyner, E.: Bestimmung von primären und sekundären Aminen mit *w*-Formyl-*o*-hydroxyacetophenon und Chromon. *Kontakte*, No. 3 (1985) 30-37.
- 526 Maki, T., Takahashi, K. and Shibata, S.: Isolation of vomiting principles from the mushroom *Rhodophyllus rhodopolius*. *J. Agric. Food Chem.*, 33 (1985) 1204-1205.

See also 449, 529, 574, 584, 587.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

## 18a. Amino acids and their derivatives

- 527 Gennaro, R., Simonic, T., Negri, A., Mottola, C., Secchi, C., Ronchi, S. and Romeo, D.: C5a Fragment of bovine complement. Purification, bioassays, amino-acid sequence and other structural studies. *Eur. J. Biochem.*, 155 (1986) 77-86.
- 528 Lee, S.-H.C. and Davis, E.J.: Amino acid catabolism by perfused rat kind-quarter. The metabolic fates of valine. *Biochem. J.*, 233 (1986) 621-630.

- 529 Seim, H., Schulze, J. and Strack, E.: Catabolic pathways for high-dosed L(-)- or D(+)-carnitine in germ-free rats. *Biol. Chem. Hoppe-Seyler*, 366 (1985) 1017-1021.

See also 489, 539.

18b. *Peptides and peptidic and proteinous hormones*

- 530 Hayes, J.D.: Purification and physical characterization of glutathione S-transferase K. Differential use of S-hexylglutathione and glutathione affinity matrices to isolate a novel glutathione S-transferase from rat liver. *Biochem. J.*, 233 (1986) 789-798.
- 531 Maccioni, R.B., Cann, J.R. and Stewart, J.M.: Interaction of substance P with tubulin. *Eur. J. Biochem.*, 154 (1986) 427-435.
- 532 Mayes, E.L.V.: Electrophoresis and chromatographic separation of peptides on paper. *Methods Mol. Biol.*, 1 (1984) 21-32; *C.A.*, 104 (1986) 48232v.
- 533 Steinborn, E.: (Transfer of peptides from thin-layer chromatography plates to activated paper and films). *Ger (East) Pat.* DD 225,228 (Cl. GOIN33/50), 24 Jul. 1985, Appl. 263,634, 31 May 1984, 6 pp.; *C.A.*, 104 (1986) 3140x.
- 534 Tomasselli, A.G., Mast, E., Janes, W. and Schiltz, E.: The complete amino acid sequence of adenylate kinase from baker's yeast. *Eur. J. Biochem.*, 155 (1986) 111-119.

See also 586.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

- 535 Herbert, C.J., Sarwar, M., Ner, S.S., Giles, I.G. and Akhtar, M.: Sequence and interspecies transfer of an aminoglycoside phosphotransferase gene (APH) of *Bacillus circulans*. Self-defence mechanism in antibiotic-producing organisms. *Biochem. J.*, 233 (1986) 383-393.
- 536 Iujvidin, S. and Mordoh, J.: Metabolism of phosphatidyl-dCMP in sarcoma 180 cells. Effect of chlorpromazine, phosphatidic acid and inositol. *Eur. J. Biochem.*, 154 (1986) 187-192.
- 537 Ohtsuka, E., Matsugi, J., Yamane, A., Morioka, H. and Ikehara, M.: Studies on transfer ribonucleic acids (tRNA) and related compounds. XLIX. Solid-phase synthesis of nonadecaribonucleotide corresponding to the 5'-half of the formyl-methionine tRNA deficient in D-loop and stem region. *Chem. Pharm. Bull.*, 33 (1985) 4152-4159.
- 538 Rigoulet, M., Velours, J. and Guerin, B.: Substrate-level phosphorylation in isolated yeast mitochondria. *Eur. J. Biochem.*, 153 (1985) 601-607.
- 539 Stelte, B. and Witzel, H.: Formation of an aspartyl phosphate intermediate in the reactions of nucleoside phosphotransferase from carrots. *Eur. J. Biochem.*, 155 (1986) 121-124.

See also 533, 590.

22. ALKALOIDS

- 540 Duez, P., Chamart, S., Vanhaelen, M., Vanhaelen, Fastré, R., Hanocq, M. and Molle, L.: Comparison of high-performance thin-layer chromatography-densitometry and gas-liquid chromatography for the determination of conessine in *Hollarrhena floribunda* stem bark. *J. Chromatogr.*, 351 (1986) 140-143.
- 541 Harashima, H., Sawada, Y., Sugiyama, Y., Iga, T. and Hanano, M.: Analysis of nonlinear tissue distribution of quinidine in rats by physiologically based pharmacokinetics. *J. Pharmacokin. Biopharm.*, 13 (1985) 425-440.
- 542 He, L.: (TLC separation and fluorodensitometric determination of quinidine in human serum). *Yaoxue Xuebao*, 20 (1985) 702-705; *C.A.*, 104 (1986) 14438b.

- 543 Ling, L.: (TLC-UV spectrophotometric determination of morphine in opium tincture). *Yaowu Fenxi Zazhi*, 5 (1985) 229-230; *C.A.*, 104 (1986) 24244z.
- 544 Lu, Y., Xu, Q. and Shao, A.: (TLC-densitometric determination of five alkaloids in *Coptis chinensis* Franch). *Yaowu Fenxi Zazhi*, 5 (1985) 290-292; *C.A.*, 104 (1986) 39829t.
- 545 Mauz, C., Candrian, U., Luethy, J., Schlatter, C., Sery, V., Kuhn, G. and Kade, F.: (Methods for the removal of pyrrolizidine alkaloids from medicinal plant extracts). *Pharm. Acta Helv.*, 60 (1985) 256-259; *C.A.*, 104 (1986) 39564c.
- 546 Mishima, M., Tanimoto, Y., Oguri, K. and Yoshimura, H.: Metabolism of strychnine *in vitro*. *Drug Metab. Disp.*, 13 (1985) 716-721 - *R<sub>p</sub>* values for 9 compounds in 3 solvent systems.
- 547 Montagu, M., Levillain, P., Chenieux, J.C. and Rideau, M.: Dosage d'alcaloïdes dihydrofuro[2,3-b]quinoléinium dans des tissus végétaux *in vitro* par chromatographie sur couche mince de gel de silice et fluorodensitométrie. *J. Chromatogr.*, 351 (1986) 144-149.
- 548 Nascimento, M.C., Chitas, I.J. and Borralho da Graca, J.: (*Colchicum lusitanum* Brot. II. Identification of some phenolic components extracted by thin-layer chromatography (TLC) and high-pressure liquid chromatography (HPLC)). *Rev. Port. Farm.*, 34, No. 3-4 (1984) 9-10; *C.A.*, 104 (1986) 24239b.
- 549 Stahl, E. and Jahn, H.: (Determination of opium alkaloids with TLC and HPLC). *Pharm. Acta Helv.*, 60 (1985) 248-252; *C.A.*, 103 (1985) 220894e.
- 550 Taha, K.F. and Soliman, F.M.: Isolation of (+)-tubocurarine and an unknown alkaloid from curare resin by a new chromatographic technique. *J. Drug. Res.*, 15, No. 1-2 (1984) 235-243; *C.A.*, 104 (1986) 24118m - resolution of 12 alkaloids present in curare.

See also 452, 587, 613.

## 23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

### 23a. Porphyrins and other pyrroles

- 551 Garbo, G.M., Kramer, J.B., Keck, R.W., Selman, S.H. and Kreimer-Birnbaum, M.: Solid-phase purification and analysis of dicarboxylic porphyrins extracted from cultured tumor cells. *Anal. Biochem.*, 151 (1985) 70-81.

### 23e. Other N-heterocyclic compounds

See 590, 598.

## 24. ORGANIC SULPHUR COMPOUNDS

- 552 Florea, S. and Gheorghe, R.: (Study of some nitrophenothiazinesulfoxy substances by thin-layer chromatography). *Rev. Chim. (Bucharest)*, 36 (1985) 449-451; *C.A.*, 104 (1986) 28169b.

See also 489.

## 25. ORGANIC PHOSPHORUS COMPOUNDS

- 553 McDowell, W., Weckbecker, G., Keppler, D.O.R. and Schwarz, R.T.: UDP-glucosamine as a substrate for dolichyl monophosphate glucosamine synthesis. *Biochem. J.*, 233 (1986) 749-754.

See also 521.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

## 26c. Coordination compounds

See 623, 628, 631.

## 27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 554 Chu, X., Pang, Y., Zhao, X. and Lu, Z.: (Separation of vitamin D<sub>2</sub> isomers and quantitative determination of vitamin D<sub>2</sub> by thin-layer chromatography). *Fenxi Huarue*, 13 (1985) 676-679; *C.A.*, 104 (1986) 28181z.
- 555 Ionov, I.A., Surai, P.F., Zhedek, M.S. and Stefanovich, A.N.: (Determination of vitamin K<sub>1</sub> in grass meal). *U.S.S.R. Pat. SU*, 1,175,874 (Cl. GOIN30/94), 30 Aug. 1985, Appl. 3,684,777, 02 Jan, 1984; *C.A.*, 104 (1986) 50073n.
- 556 Ni, Q., Song, X., Yu, X., Chen, Y. and Yu, R.: (Thin-layer chromatographic determination of vitamins A, B<sub>2</sub> and C and niacinamide in a multivitamin preparation). *Nanjing Yaoxueyuan Xuebao*, 16, No. 2 (1985) 27-32; *C.A.*, 104 (1986) 24241w.
- 557 Padh, H. and Aleo, J.J.: Stability of ascorbic acid in solution. *IRCS Med. Sci.*, 13 (1985) 1028-1029; *C.A.*, 103 (1985) 220741c.
- 558 Schwartz, S.J. and Patroni-Killam, M.: Detection of *cis-trans* carotene isomers by two-dimensional thin-layer and high-performance liquid chromatography. *J. Agric. Food Chem.*, 33 (1985) 1160-1163.
- 559 Svetlaeva, V.M., Kuznetsova, L.G., Birinberg, E.M. and Yanotovskii, M.Ts.: (Determination of N<sup>5</sup>,N<sup>10</sup>-methenyltetrahydrofolic acid by high-performance liquid and thin-layer chromatography). *Khim.-Farm. Zh.*, 19 (1985) 750-754; *C.A.*, 103 (1985) 220895f.

## 28. ANTIBIOTICS

- 560 Allen, E.H.: Review of chromatographic methods for chloramphenicol residues in milk, eggs and tissues from food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 990-999 - a review with 57 refs.
- 561 Asworth, R.B.: Liquid chromatographic assay of tetracyclines in tissues of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1013-1018.
- 562 Bull, D.L.: Toxicity and pharmacodynamics of avermectin in the tobacco budworm, corn earworm and fall armyworm (*Noctuidae: Lepidoptera*). *J. Agric. Food Chem.*, 34 (1986) 74-78.
- 563 Moats, W.A.: Chromatographic methods for determination of macrolide antibiotic residues in tissues and milk of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 980-984.
- 564 Radobolja, G., Tamburasev, Z., Lazarevski, T. and Djokic, S.: Erythromycin series. IX. Acid solvolysis of N-(4-substituted-benzenesulfonyl)erythromycylamines. *Croat. Chem. Acta*, 58 (1985) 219-225; *C.A.*, 104 (1986) 39580e.
- 565 Shaikh, B. and Allen, E.H.: Overview of physical-chemical methods for determining aminoglycoside antibiotics in tissues and fluids of food-producing animals. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1007-1013 - a review with 76 refs.
- 566 Weiss, G. and MacDonald, A.: Methods for determination of ionophore-type antibiotic residues in animal tissues. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 971-980.
- 567 Zhao, H., Li, B., Liu, S. and Chen, H.: (Composition, analysis and biological properties of acetyl-799). *Yaowu Fenxi Zazhi*, 5 (1985) 213-216; *C.A.*, 104 (1986) 39689x.

See also 637.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29b. *Phosphorus insecticides*

- 568 Ali, F.A.F., Chukwudebe, A.C. and Fukuto, T.R.: Toxicological properties of O,S,S-trialkyl phosphorodithioates. *J. Agric. Food Chem.*, 34 (1986) 45-48.
- 569 Singh, S. and Sahai, S.: Identification of malathion residues in some tissues of *Rasbora daniconius* by thin-layer chromatography (TLC). *Assess. Environ. Pollut., Proc. Natl. Symp.*, 5th 1984, (Publ. 1985) 159-162; *C.A.*, 104 (1986) 46751q.
- 570 Wells, D.S., Afifi, L.M., Motoyama, N. and Dauterman, W.C.: *In vitro* metabolism of propetamphos by housefly, cockroach and mouse liver preparations. *J. Agric. Food Chem.*, 34 (1986) 79-86.

29c. *Carbamates*

- 571 Kirino, O. and Casida, J.E.: O-( $\alpha$ -Cyano-*m*-phenoxybenzyl) *N*-alkyl- and *N*-aralkyl-carbamates and related pyrethroid-like insecticides. *J. Agric. Food Chem.*, 33 (1985) 1208-1213.
- 572 Sharma, S.R., Singh, R.P., Saxena, S.K. and Ahmed, S.R.: Effect of different saline, alkaline salts, fertilizers and surfactants on the movement of some carbamoyl group containing pesticides in soil. *Anal. Lett.*, 18 (1985) 2321-2343.
- 573 Tanaka, A.K., Umetsu, N. and Fukuto, T.R.: Metabolism of benfuracarb in young cotton, bean and corn plants. *J. Agric. Food Chem.*, 33 (1985) 1049-1055.

29d. *Herbicides*

- 574 Arjmand, M. and Sandermann, H., Jr.: Mineralization of chloroaniline/lignin conjugates and of free chloroanilines by the white rot fungus *Phanerochaete chrysosporium*. *J. Agric. Food Chem.*, 33 (1985) 1055-1060.
- 575 Erkog, F.U. and Menzer, R.E.: Metabolism of trifluralin in rats. *J. Agric. Food Chem.*, 33 (1985) 1061-1070.
- 576 Ishizuka, M., Kondo, Y., Nagare, T. and Takeuchi, Y.: Metabolism of isouron [3-(5-*tert*-butyl-3-isoxazolyl)-1,1-dimethylurea]: rapid conversion of the herbicide to less phytotoxic metabolites in a resistant plant, sugarcane. *J. Agric. Food Chem.*, 33 (1985) 1070-1075.
- 577 Mersie, W. and Poy, C.L.: Adsorption, desorption, and mobility of chlorsulfuron in soils. *J. Agric. Food Chem.*, 34 (1986) 89-92.

29e. *Fungicides*

- 578 Sherma, J. and Stellmacher, S.: Determination of captan, folpet and captafol in water, apples, and lettuce by quantitative thin-layer chromatography. *J. Liq. Chromatogr.*, 8 (1985) 2949-2960.

29f. *Other types of pesticides and various agrochemicals*

See 571.

## 30. SYNTHETIC AND NATURAL DYES

30a. *Synthetic dyes*

- 579 Girgis, E.H. and El-Gazar, A.M.: Acid dye determination of tilidine hydrochloride. *J. Drug Res.*, 15, No. 1-2 (1984) 263-268; *C.A.*, 104 (1986) 10717u.
- 580 Nikonova, L.Z. and Kirillova, K.M.: (Detection of copper phthalocyanine-4,4',4'',4'''-tetrasulfonic acid tetrakis(1-isopropyl-2,5-dihydroxyphenylamide)). *U.S.S.R. Pat. SU 1,154,614* (Cl. G01N30/94), 07 May 1985, Appl. 3,699,754, 19 Dec. 1983; *C.A.*, 103 (1985) 226683g.



- 581 Puttemans, M.L., Dryon, L. and Massart, D.L.: Extraction of organic acids by ion-pair extraction with tri-*n*-octylamine - VIII. Identification of synthetic dyes in pharmaceutical preparations. *J. Pharm. Biomed. Anal.*, 3 (1985) 503-510.
- 582 Rao, N.V., Narayana, K.L., Jairaj, M.A. and Chowdary, T.V.: Thin-layer chromatography of azine and oxazine dyes. *J. Indian Chem. Soc.*, 62 (1985) 173-174; *C.A.*, 104 (1986) 7198v.
- 583 Yang, Z. and Gao, H.: (Determination of artificial pigments and natural pigments in foods). *Shipin Yu Fajiao Gongye*, No. 4 (1985) 9-14; *C.A.*, 104 (1986) 33115k.
- 584 Yin, P. and Chen, L.: (Separation and identification of water-soluble food dyes by ion-pair reversed-phase TLC). *Sepeu*, 2 (1985) 201-203; *C.A.*, 104 (1986) 49911c.

### 30b. Chloroplast and other natural pigments

- 585 Minguez Mosquera, M.I. and Garrido Fernandez, J.: (Chloroplast pigments in Spanish style of pickled green olives Manzanilla and Hojiblanca varieties). *Grasas Aceites (Seville)*, 36 (1985) 262-268; *C.A.*, 104 (1986) 18723p.
- 586 Truscott, R.J.W., Langenberg, E. and Louis, W.J.: Isolation of coloured peptides from cataractous lens proteins. *J. Chromatogr.*, 374 (1986) 137-142.

See also 583.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 587 Musumarra, G., Scarlata, G., Cirma, G., Romano, G., Palazzo, S., Clementi, S. and Giulietti, G.: Qualitative organic analysis. I. Identification of drugs by principal components analysis of standardized thin-layer chromatographic data in four eluent systems. *J. Chromatogr.*, 350 (1985) 151-168 - *R<sub>f</sub>* values, principal component scores and residual standard deviations for 362 compounds in 4 solvent systems.

See also 443.

### 32a. Synthetic drugs

- 588 Abdel-Hamid, M.E., Mahrous, M.S., Abdel-Khalek, M.M. and Abdel-Salam, M.A.: Utility of 7,7,8,8-tetracyanoquinodimethane and *p*-chloranilic acid in the qualitative and quantitative analysis of pentazocine. *J. Pharm. Belg.*, 40 (1985) 237-243; *C.A.*, 104 (1986) 39853w.
- 589 Agarwal, S.P. and Nwaiwu, J.: Detection of diuretic and oral hypoglycemic drugs on thin-layer plates using  $\pi$ -acceptors as spray reagents. *J. Chromatogr.*, 351 (1986) 383-387 - 22 drugs and 4 reagents were tested.
- 590 Bernus, I., Toth, A., Kaloy, K. and Takacsy, T.E.: Analytical studies on the hydrolysis of Chinoin-102 and Chinoin-127, candidate compounds for stability studies. *J. Pharm. Biomed. Anal.*, 3 (1985) 405-415.
- 591 Buhl, F. and Hachula, U.: (Chromatographic-densitometric determination of aminophenazone and noramidopyrine sodium methanesulfonate by using iron(III) and 2,2'-dipyridyl as detection agents). *Chem. Anal. (Warsaw)*, 29 (1984) 627-629; *C.A.*, 104 (1986) 10702k.
- 592 Cserhati, T., Bojarski, J., Fenyvesi, E. and Szejtli, J.: Reversed-phase thin-layer chromatography of barbiturates in the presence of soluble B-cyclodextrin polymer. *J. Chromatogr.*, 351 (1986) 356-362.
- 593 Cizmarik, J., Borovansky, A. and Svec, P.: Strukturelle Variationen des Heptacains. Teil I: Basische Analoga des Heptacains. *Pharmazie*, 41 (1986) 58.
- 594 De Schutter, J.A., van der Weken, G., van den Bossche, W. and de Moerloose, P.: Reversed-phase high-performance thin-layer chromatography of mebeverine hydrochloride and related compounds. *J. Chromatogr.*, 350 (1985) 135-144.
- 595 Guo, D.: (Scanning densitometric TLC analysis of analgesic tablets). *Yaowu Fenxi Zazhi*, 5 (1985) 306-307; *C.A.*, 104 (1986) 39851u.
- 596 Hahn, E.F., Nishimura, S., Goodman, R.R. and Pasternak, G.W.: Irreversible opiate agonists and antagonists. II. Evidence against a bivalent mechanism of action for opiate azines and diacylhydrazones. *J. Pharmacol. Exp. Ther.*, 235 (1985) 839-845.

- 597 Kallmayer, H.-J. and Tappe, C.: Psychopharmaka vom Desipramintyp. Nachweis mit Chinon-Amin-Reaktionen. *Dtsch. Apoth.-Ztg.*, 126 (1986) 11-14.
- 598 Klein, C.M. and Lau-Cam, C.A.: Simple thin-layer chromatographic method for the investigation of six related compounds in flurazepam hydrochloride and its capsules. *J. Chromatogr.*, 350 (1985) 273-278.
- 599 Kruck, T.P.A., Kalow, W. and Crapper McLachlan, D.R.: Determination of desferoxamine and a major metabolite by high-performance liquid chromatography. Application to the treatment of aluminium-related disorders. *J. Chromatogr.*, 341 (1985) 123-130.
- 600 Li, B. and Wang, S.: (Determination of diazepam by TLC and scanning densitometry). *Yaowu Fenxi Zazhi*, 5 (1985) 176-177; *C.A.*, 103 (1985) 200932n.
- 601 Mayer, V., Usbeck, H. and Rodionov, A.P.: Pharmazeutische Charakterisierung und Spektroskopie von Bonnecor® (AWD 19-166, GS 015). *Pharmazie*, 40 (1985) 832-835.
- 602 Schuetz, H. and Schneider, W.R.: Corrected TLC data of 61 benzodiazepines and metabolites in two systems. *Adli Tip Derg.*, 1, No. 1 (1985) 22-29; *C.A.*, 104 (1986) 1760a.
- 603 Schulz, H.-G. and Zapka, R.: Dansylation and thin-layer chromatography of beta blockers. *Fresenius' Z. Anal. Chem.*, 323 (1986) 162-167.
- 604 Sherma, J., Stellmacher, S. and White, T.J.: Analysis of analgesic tablets by quantitative high-performance reversed phase TLC. *J. Liq. Chromatogr.*, 8 (1985) 2961-2967.
- 605 Tomankova, H. and Zyka, J.: An analytical study of Benfluron hydrochloride. *Microchem. J.*, 32 (1985) 347-353; *C.A.*, 104 (1986) 10734x.
- 606 Tulyaganov, A.A., Arzamastsev, A.P. and Izotov, B.N.: (Identification of the components of Baralgin in formulations by thin-layer chromatography). *Farmatsiya (Moscow)*, 34, No. 5 (1985) 72-73; *C.A.*, 104 (1986) 39849z.
- 607 Yuan, X.: (Thin-layer chromatographic separation of major contaminants in praziquantel). *Yaowu Fenxi Zazhi*, 5 (1985) 235-236; *C.A.*, 104 (1986) 39848y.
- 608 Zhou, M.: (Application of TLC in ethmozine quality study). *Yiyao Gongye*, 16 (1985) 350-353; *C.A.*, 104 (1986) 39847x.

See also 478, 579, 581, 635, 636, 638.

### 32b. Pharmacokinetic studies

- 609 Matsumoto, K., Miyazaki, H., Fujii, T., Yoshida, K., Amejima, H. and Hashimoto, M.: Disposition and metabolism of the novel antihypertensive agent alacepril in rats. *Arsneim.-Forsch.*, 36 (1986) 40-46.

See also 541, 546.

### 32c. Drug monitoring

- 610 Bressolle, F., Pistre, M.C., Bres, J. and Sabatier, R.: Quantitative thin-layer and high-performance liquid chromatographic determination of lorazepam in biological fluids and a pharmacokinetic study in humans. *J. Pharm. Sci.*, 74 (1985) 1214-1218.
- 611 Klemm, W., Morgenroth, Y., Joram, Y. and Rodionov, A.P.: Pharmakokinetik und Metabolisierung von 3-Carboethoxyamino-5-dimethylamino-acetyl-iminodibenzylhydrochlorid (Bonnecor®, AWD 19-166, GS 015). *Pharmazie*, 40 (1985) 864-867.

See also 542.

### 32d. Toxicological applications

- 612 Atasoy, S., Karakus, Y. and Karakus, Z.: (Standardization of thin layer chromatographic systems in toxicology laboratories). *Adli Tip Derg.*, 1 (1985) 157-165; *C.A.*, 104 (1986) 29943m.
- 613 Hackett, L.P., Dusci, L.J., Ilett, K.F., Seow, S.S.W. and Quigley, A.J.: Sensitive screening method for buprenorphine in urine. *J. Chromatogr.*, 374 (1986) 400-404 -  $R_f$  values for 27 drugs.

- 614 Vinson, J.A., Lopatofsky, D.J., Bose, P. and Rassouli, M.: Manual and semi-automated TLC methods for cannabinoids in physiological fluids. Marijuana '84 (Eighty-Four). *Proc. Oxford Symp. Cannabis*, 1984 (Publ. 1985) 159-162; *C.A.*, 104 (1986) 29928k.

See also 486, 587.

### 32e. Plant extracts

- 615 Chaurasia, N. and Wichtl, M.: Scopoletin, 3- $\beta$ -Sitosterin und Sitosterin-3- $\beta$ -D-glucosid aus Brennesselwurzel (*Urticae radix*). *Dtsch. Apoth.-Ztg.*, 126 (1986) 81-83.
- 616 Chen, J., Song, W. and Zhou, X.: (Studies of the medicinal plants of the *Magnoliaceae* VIII. Studies on the major effective constituents of *Manglietia insignis*). *Zhongyao Tongbao*, 10 (1985) 370-371; *C.A.*, 104 (1986) 24115h.
- 617 Ieclercq, J., Dehaussy, H., Goblet, M.C., Wauters, J.N. and Angenot, L.: (Description, identification and uses of Yumel (stem bark of *Guatteria gumeri* Greenman)). *J. Pharm. Belg.*, 40 (1985) 251-256; *C.A.*, 104 (1986) 39568g.
- 618 Rosella, M.A., de Pflirter, G.M.B., Mandrile, E.L., Najera, M.T. and Spegazzini, E.D.: (Analysis of *Panax ginseng* Meyer (*Araliaceae*) and related species. II. TLC of ginsenosides). *Acta Farm. Bonaerense*, 4, No. 1 (1985) 27-31; *C.A.*, 104 (1986) 39834r.
- 619 Schilcher, H. and Effenberger, S.: Scopoletin und  $\beta$ -Sitosterol - zwei geeignete Leitsubstanzen für *Urticae radix*. 22. Mitt.: Zur Wertbestimmung und Qualitätssprüfung von Handelsdrogen sowie zur Standardisierung von Phytopharmaka. *Dtsch. Apoth.-Ztg.*, 126 (1986) 79-81.
- 620 Simova, M., Tomov, E., Pangarova, T. and Pavlova, N.: Determination of phenolic compounds in *Colladonia triquetra* L. *J. Chromatogr.*, 351 (1986) 379-382.
- 621 Tirimanna, A.S.L.: Surveying the chemical constituents of the neem leaf by two-dimensional thin-layer chromatography. *Schriftenr. GTZ*, (1984) 67-74; *C.A.*, 104 (1986) 31100c.
- 622 Zhang, X., Yuan, X. and Sun, Y.: (Identification of species of *Coptis* and *Phellodendron* by TLC-DM). *Shenyang Yaowuexueyuan Xuebao*, 2 (1985) 280-283; *C.A.*, 104 (1986) 39841r.

### 32f. Clinico-chemical applications and profiling body fluids

See 457, 479, 496, 497, 502, 506, 518, 586.

## 33. INORGANIC COMPOUNDS

### 33a. Cations

- 623 Camacho, M.V., Banerjee, A.K., Candela, E. and Layrisse, M.: Thin-layer chromatographic detection of metal-EDTA complexes in human faeces. *Analyst (London)*, 110 (1985) 1509-1511.
- 624 Gaibakian, D.S., Rozylo, J.K. and Janicka, M.: Thin-layer chromatography method for the investigations of Re(VII), Mo(VI) and V(V) ions mixtures. *J. Liq. Chromatogr.*, 8 (1985) 2969-2989.
- 625 Li, Y.: (Paper chromatographic separation of arsenic, phosphorus, and silicon and analysis of microamounts of chernovite). *Yanshi Kuangwu Ji Ceshi*, 4, No. 1 (1985) 78-80; *C.A.*, 103 (1985) 204962v.
- 626 Sen, A.K., Das, S.B. and Ghosh, U.C.: Studies of hydrous zirconium oxide. I. Thin-layer chromatography of some metal ions on hydrous zirconium oxide: quantitative separation of Bi(III) from several other metal ions. *J. Liq. Chromatogr.*, 8 (1985) 2999-3008.
- 627 Seth, N.S., Rajput, R.P.S., Agrawal, N.K., Agrawal, S.K. and Agrawal, S.: Quantitative separation of Hg(II) from several metal ions on Zr(IV) antimonate papers. *Anal. Lett.*, 18 (1985) 1743-1748.
- 628 Sharma, S.D. and Misra, S.: Thin-layer chromatographic separation of DMSO complexes of metal ions. *J. Liq. Chromatogr.*, 8 (1985) 2991-2998.

- 629 Sharma, S.D. and Misra, S.: Unusual selectivities of titanium arsenate layers in complex forming acid systems: prediction of  $K_{sp}$  from  $R_f$  values. *J. Liq. Chromatogr.*, 8 (1985) 3017-3031.
- 630 Song, C. and Wang, X.: (Determination of individual rare earth elements in soil by PMBP column and paper chromatography). *Zhongguo Xitu Xuebao*, 3, No. 1 (1985) 63-68; *C.A.*, 104 (1986) 14203w.
- 631 Stratulat, A.A. and Batyr, D.G.: (Thin layer chromatography of some transition metal hydroxamates). *Koord. Khim.*, 11 (1985) 1430-1431; *C.A.*, 103 (1985) 221500k.

### 33b. Anions

- 632 Ma, G.: (Paper-chromatographic separation and determination of iodine in water). *Fenxi Huaxue*, 13 (1985) 639-640; *C.A.*, 103 (1985) 220487z.
- 633 Rajput, R.P.S. and Agrawal, S.: Chromatographic behaviour of anions on Zr(IV) molybdate papers and Silica gel "G" thin layers. *Anal. Lett.*, 18 (1985) 1783-1788.

See also 625, 631.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 634 Lyall, D.: Method for the preparation of N-isopropyl-p- $^{123}\text{I}$ -iodoamphetamine with an assessment of radiochemical purity. *Nucl. Med. Commun.*, 6 (1985) 485-488; *C.A.*, 104 (1986) 10567v.
- 635 Moravec, J., Sourkova, L., Sara, V., Feige, P., Schoene, G. and Poser, D.: (Experimental comparison in analysis of iodine-131 o-iodihippurate. II.). *Mikrochim. Acta*, No. 1 (1985) 7-9; *C.A.*, 104 (1986) 14288c.
- 636 Wang, Q.: (Method of determination of radiochemical purity of gallium-67 citrate injection). *He Huaxue Yu Fangshe Huaxue*, 7, No. 2 (1985) 123-125; *C.A.*, 104 (1986) 39692c.
- 637 Winsel, K., Iwainisky, H., Mittag, E., Kiessling, M. and Koehler, H.: (Preparation of labeled antituberculosis agents for clarification of specific questions in therapy optimization. Part II. Preparation of tritium-labeled rifampicin ( $^3\text{H}$ RMP), testing of labeling stability, and development of an oral  $^3\text{H}$ RMP preparation). *Isotopenpraxis*, 21 (1985) 312-316; *C.A.*, 104 (1986) 10566u.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

### 35b. Antioxidants and preservatives

- 638 Csapo, B.E. and Majlat, P.: (Comparison of analytical methods for the determination of preservatives. II. Determination of methyl p-hydroxybenzoate in the pharmacopeial preparations by quantitative thin-layer chromatography and by gas chromatography). *Gyogyszereszet*, 29 (1985) 421-425; *C.A.*, (1986) 39859c.
- 639 Wei, R., Song, F. and Gao, H.: (Determination of BHT, BHA, PG in oil fat and food by thin-layer chromatography and gas chromatography). *Shipin Yu Fajiao Gongye*, No. 5 (1985) 32-37; *C.A.*, 104 (1986) 49904c.

### 35c. Food analysis

See 486, 583, 639.

37. ENVIRONMENTAL ANALYSIS

*37c. Water pollution*

See 632.

*37d. Soil pollution*

See 572.

## Electrophoresis

### 1. REVIEWS AND BOOKS

736 Beisiegel, U.: Protein blotting. *Electrophoresis (Weinheim)*, 7 (1986) 1-18.

See also 766.

### 2. FUNDAMENTALS, THEORY AND GENERAL

#### 2a. General

737 Gianazza, E., Astrua-Testori, S., Caccia, P., Giaccon, P., Quaglia, L. and Righetti, P.G.: On the reproducibility of band position in electrophoretic separations. *Electrophoresis (Weinheim)*, 7 (1986) 76-83.

See also 767.

#### 2b. Thermodynamic and theoretical relationships

738 Dejardin, P., Lumpkin, O.J. and Zimm, B.H.: Theory of electrophoresis of poly-electrolytes through gels. *J. Polym. Sci., Polym. Symp.*, 73 (1985) 67-69; *C.A.*, 104 (1986) 34588d.

#### 2c. Relationship between structure and electrophoretic behaviour

739 Schaezel, K., Drewel, M., Merz, J. and Schroeder, S.: Simultaneous measurement of small electrophoretic, conventional and diffusional motions by amplitude weighted phase structure functions. *Inst. Phys. Conf. Ser.*, 77 (1985) 185-190; *C.A.*, 104 (1986) 40448z.

#### 2d. Measurement of physico chemical and related values

740 Vyas, M., Singh, S. and Tripathi, S.R.: Electrophoretic technique in the determination of stability constants of mixed complexes. Nitritotriacetate- $\beta$ -alaninate systems. *Ann. Chim. (Rome)*, 75 (1985) 377-382; *C.A.*, 103 (1985) 221941e.

### 3. GENERAL TECHNIQUES

#### 3a. Apparatus and accessories

741 Fujioka, A., Ishida, Y., Oike, Y. and Nakagawa, A.: (Electrophoresis apparatus.) *Jpn. Kokai Tokkyo Koho Pat.* JP 60,185,152 (85,185,152) (Cl. G01N27/26), 20 Sep. 1985, Appl. 84/41,145, 02 Mar. 1984, 5 pp.; *C.A.*, 104 (1986) 48356p.

742 Murthy, M.R.V. and de Grandpre, P.: A longitudinal slicer for obtaining multiple uniform slices from cylindrical polyacrylamide gels. *Anal. Biochem.*, 152 (1986) 35-38.

743 Neuhoff, V., Cheong-Kim, K.-S. and Altland, K.: Improved design of one-dimensional vertical polyacrylamide slab gel electrophoresis avoids lateral streaking. *Electrophoresis (Weinheim)*, 7 (1986) 56-57.

744 Shimadzu Corp.: (Electrophoresis apparatus). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,119,456 (85,119,456) (Cl. G01N27/26) 26 Jun. 1985, Appl. 83/227,397, 30 Nov. 1983, 4 pp.; *C.A.*, 104 (1986) 3116u.

745 Smith, T.J. and Bell, J.E.: An exponential gradient maker for use with minigel polyacrylamide electrophoresis systems. *Anal. Biochem.*, 152 (1986) 74-77.

- 746 Solomon, M.G. and Murray, R.A.: Apparatus for electrophoresis on microcapillary polyacrylamide gels. *J. Chromatogr.*, 355 (1986) 281-284.
- 747 Yoshida, M., Ito, M. and Maeda, K.: (Sintered silicon carbide as thermal conductor in electrophoresis apparatus). *Jpn. Kokai Tokkyo Koho Pat. JP 60,154,150 (85,154,150) (Cl. G01N27/26)*, 13 Aug. 1985, Appl. 84/10,034, 25 Jan. 1984, 4 pp.; *C.A.*, 104 (1986) 31391y.
- 748 Yoshida, M., Ito, M. and Okano, K.: (Apparatus for preparation of polyacrylamide gel for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat. JP 60,149,958 (85,149,958) (Cl. G01N27/26)*, 07 Aug. 1985, Appl. 84/4,803, 17 Jan. 1984, 4 pp.; *C.A.*, 104 (1986) 48315z.

See also 982, 1006, 1010.

### 3b. Detection procedures and detectors

- 749 Green, J.S. and Jorgenson, J.W.: Variable-wavelength on-column fluorescence detector for open-tubular zone electrophoresis. *J. Chromatogr.*, 352 (1986) 337-343.
- 750 Peck, K. and Morris, M.D.: Sensitive photothermal densitometer for quantitation of Coomassie Brilliant Blue stained proteins in polyacrylamide gels. *Anal. Chem.*, 58 (1986) 506-507.
- 751 Wagner, O.F., Bergmann, I. and Binder, B.R.: Chromogenic substrate autography: a method for detection, characterization, and quantitative measurement of serine proteases after sodium dodecyl sulfate-polyacrylamide gel electrophoresis or isoelectric focusing in polyacrylamide gels. *Anal. Biochem.*, 151 (1985) 7-12.
- 752 Zimmer, H.G. and Neuhoff, V.: Limits and feasibilities of gel densitometry. *Protides Biol. Fluids*, 33 (1985) 513-516; *C.A.*, 104 (1986) 2897n.

See also 797, 882, 883, 1005.

### 3c. Electrophoresis in stabilized media

- 753 Gilman, R.L.: A practical laboratory method for cell electrophoresis in an agarose sol. *Electrophoresis (Weinheim)*, 7 (1986) 41-43.
- 754 Nishizawa, H.: (Polyacrylamide gel membranes for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat. JP 60,164,242 (85,164,242) (Cl. G01N27/26)*, 27 Aug. 1985, Appl. 84/21,462, 06 Feb. 1984, 3 pp.; *C.A.*, 104 (1986) 3143a.

See also 763, 802.

## 4. SPECIAL TECHNIQUES

### 4b. Preparative and continuous procedures

- 755 Hjerten, S. and Zhu, M.D.: Analytical and micropreparative high-performance electrophoresis. *Protides Biol. Fluids*, 33 (1985) 537-540; *C.A.*, 104 (1986) 48185g.

See also 785, 796.

### 4c. Isoelectric focusing

- 756 Frey, M.D., Kinzkofer, A., Atta, M.B. and Radola, B.J.: Preparation of rehydratable polyacrylamide gels and their application in ultrathin-layer isoelectric focusing. *Electrophoresis (Weinheim)*, 7 (1986) 28-40.
- 757 Righetti, P.G.: Immobilized pH gradients: the state of the art. *TrAC*, 5 (1986) 16-20.

See also 785, 828, 838, 876, 913.

#### 4d. Isotachopheresis

- 758 Lemmens, A.A.G., Everaerts, F.M. and de Bruijn, C.H.M.M.: Isotachopheretic analysis of compounds in complex matrixes; allergenic extracts and aluminium in biological fluids and bone. *Protides Biol. Fluids*, 33 (1985) 499-505; *C.A.*, 104 (1986) 32737c.
- 759 Ota, Y. and Yoshida, H.: Determination of sulfur in rubber materials. *Jpn. Kokai Tokkyo Koho Pat.* JP 60,169,754 (85,169,754) (Cl. G01N27/26), 03 Sep. 1985, Appl. 84/26,770, 14 Feb. 1984; 2 pp.; *C.A.*, 104 (1986) 35301s.
- 760 Yagi, T.: (Determination of chemical components of beverages by isotachopheresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,138,448 (85,138,448) (Cl. G01N27/26), 26 Jul. 1985, Appl. 83/247,435, 27 Dec. 1983, 4 pp.; *C.A.*, 106 (1986) 4833n.

See also 787, 790, 957, 967, 997, 1002, 1004.

#### 4e. Two dimensional electrophoresis

- 761 Gianazza, E., Astrua-Testori, S., Giaccon, P. and Righetti, P.G.: Immobilized pH gradients as first dimension for 2D separations. *Protides Biol. Fluids*, 33 (1985) 463-466; *C.A.*, 104 (1986) 2895k.
- 762 Rabilloud, T. and Therre, H.: Suitability of sulfur labelling reagent (Amersham) as an *in vitro* protein radiolabelling reagent for two-dimensional electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 49-51.
- 763 Schott, K.J., Weber, M.H. and Cheong, K.S.: (One- and two-dimensional electrophoresis in microslab gels: technique and clinical application). *Nieren-Hochdruckkrankh.*, 14 (1985) 501-502; *C.A.*, 104 (1986) 17182z.
- 764 Wiederkeht, F., Ogilvie, A. and Vonderschmitt, D.J.: Two-dimensional gel electrophoresis of cerebrospinal fluid immunoglobulins. *Electrophoresis (Weinheim)*, 7 (1986) 89-95.

See also 786, 799, 808, 826, 857, 864, 881, 895, 935, 953, 958.

#### 4f. Affinity electrophoresis

- 765 Schnaar, R.L., Langer, B.G. and Brandley, B.K.: Reversible covalent immobilization of ligands and protein on polyacrylamide gels. *Anal. Biochem.*, 151 (1985) 268-281.

See also 851, 896, 972.

#### 4g. Other special techniques

- 766 Lauer, H.H. and McManigill, D.: Zone electrophoresis in open-tubular capillaries - recent advances. *TrAC*, 5 (1986) 11-15.
- 767 Mosher, R.A., Bier, M. and Righetti, P.G.: Computer simulation of immobilized pH gradients at acidic and alkaline extremes: A quest for extended pH intervals. *Electrophoresis (Weinheim)*, 7 (1986) 59-66.
- 768 Svoboda, M., Meuris, S., Robyn, C. and Christophe, J.: Rapid electrotransfer of proteins from polyacrylamide gel to nitrocellulose membrane using surface-conductive glass as anode. *Anal. Biochem.*, 151 (1985) 16-23.
- 769 Walbroehl, Y. and Jorgenson, J.W.: Capillary zone electrophoresis of neutral organic molecules by solvophobic association with tetraalkylammonium ion. *Anal. Chem.*, 58 (1986) 479-481.

See also 842.



## 10. CARBOHYDRATES

## 10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 770 Heinegard, D., Sommarin, Y., Hedbom, E., Wieslander, J. and Larsson, B.: Assay of proteoglycan populations using agarose-polyacrylamide gel electrophoresis. *Anal. Biochem.*, 151 (1985) 41-48.
- 771 Pryde, J.G. and Phillips, J.H.: Fractionation of membrane proteins by temperature-induced phase separation in Triton X-114. Application to subcellular fractions of the adrenal medulla. *Biochem. J.*, 233 (1986) 525-533.
- 772 Sampson, P.M., Heimer, R. and Fishman, A.P.: Detection of glycosaminoglycans at the one-nanogram level by <sup>125</sup>I-cytochrome c. *Anal. Biochem.*, 151 (1985) 304-308.
- 773 Stirpe, F., Barbieri, L., Abbondanza, A., Falasca, A.I., Brown, A.N.F., Sandvig, K., Olsnes, S. and Pihl, A.: Properties of volkensin, a toxic lectin from *Adenia volkensii*. *J. Biol. Chem.*, 260 (1985) 14589-14595.
- 774 Wieland, F., Paul, G. and Sumper, M.: Halobacterial flagellins are sulfated glycoproteins. *J. Biol. Chem.*, 260 (1985) 15180-15185.
- 775 Zveryaev, A.P., Zolotareva, N.M. and Isaev, P.I.: (Determination of glycosaminoglycans of the blood serum). *U.S.S.R. Pat. SU 1,178,812 (Cl.G01N33/48)*, 15 Sep. 1985, Appl. 3,625,322, 15 Jul. 1983; *C.A.*, 104 (1986) 31393a.

See also 814, 837, 849, 861.

## 11. ORGANIC ACIDS AND LIPIDS

## 11a. Organic acids and simple esters

- 776 Franc, J.: Determination of 4,4'-azobenedicarboxylic acid in the presence of p-amino and p-nitrobenzoic acid. *Czech. Pat.*, CS 215,991 (Cl.G01N27/26), 15 Feb. 1985, Appl. 79/7,425, 01 Nov. 1979; 5 pp.; *C.A.*, 104 (1986) 14315j.
- 777 Hidalgo-Alvarez, R., Delgado, A., Callejas, J. and Gonzalez-Cabarello, F.: Electrophoretic behavior of calcium oxalate monohydrate in liquid mixtures. *Colloid Polym. Sci.*, 263 (1985) 933-934; *C.A.*, 104 (1986) 40447x.

## 11c. Lipids and their constituents

- 778 Dixon, J.F. and Hokin, L.E.: The formation of inositol 1,2-cyclic phosphate on agonist stimulation of phosphoinositide breakdown in mouse pancreatic minilobules. Evidence for direct phosphodiesteratic cleavage of phosphatidylinositol. *J. Biol. Chem.*, 260 (1985) 16068-16071.

## 11d. Lipoproteins and their constituents

- 779 Armstrong, V.W., Walli, A.K. and Seidel, D.: Isolation, characterization, and uptake in human fibroblasts of an apo(A)-free lipoprotein obtained on reduction of lipoprotein(A). *J. Lipid Res.*, 26 (1985) 1314-1323.
- 780 Clifton, P.M., Mackinnon, A.M. and Barter, P.J.: Effects of serum amyloid A protein(SAA) on composition, size, and density of high density lipoproteins in subjects with myocardial infarction. *J. Lipid Res.*, 26 (1985) 1389-1398.
- 781 McNerney, C.A., Kashyap, M.L., Barnhart, R.L. and Jackson, R.L.: Comparison of gradient gel electrophoresis and zonal ultracentrifugation for quantitation of high density lipoproteins. *J. Lipid Res.*, 26 (1985) 1363-1367.
- 782 Poumay, Y. and Ronveaux-Dupan, M.F.: Rapid preparative isolation of concentrated low density lipoproteins and of lipoprotein - deficient serum using vertical rotor gradient ultracentrifugation. *J. Lipid Res.*, 26 (1985) 1476-1480.
- 783 Raymond, T.L., Reynolds, S.A. and Swanson, J.A.: Lipoproteins of the extravascular space: enhanced macrophage degradation of low density lipoproteins from interstitial inflammatory fluid. *J. Lipid Res.*, 26 (1985) 1356-1362.
- 784 Reichl, D., Forte, T.M., Hong, J.L., Rudra, D.N. and Pflug, J.: Human lymphedema fluid lipoproteins: particle size, cholesterol and apolipoprotein distributions, and electron microscopic structure. *J. Lipid Res.*, 26 (1985) 1299-1311.

- 785 Weisgraber, K.H., Newhouse, Y.M., Seymour, J.L., Rall, S.C. and Mahley, R.W.: Preparative immobiline isoelectric focusing of plasma apolipoproteins on vertical slab gels. *Anal. Biochem.*, 151 (1985) 455-461.
- 786 Zannis, V.I., Nicolosi, R.J., Jensen, E., Breslow, J.L. and Hayes, K.C.: Plasma and hepatic apoE isoproteins of non-human primates. Differences in apoE among humans, apes, and New and Old World monkeys. *J. Lipid Res.*, 26 (1985) 1421-1430.

See also 936.

## 17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

### 17a. Amines and polyamines

- 787 Hansen, L., Sollenberg, J. and Ugglå, C.: Determination of dimethylethylamine in air samples from iron foundries by isotachopheresis. *Scand. J. Work, Environ. Health*, 11 (1985) 307-310; *C.A.*, 104 (1986) 23511x.

## 18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

See 829.

### 18b. Peptides and peptidic and proteinous hormones

- 788 Green, E.D., Baenziger, J.U. and Boime, I.: Cell-free sulfation of human and bovine pituitary hormones. Comparison of the sulfated oligosaccharides of lutropin, follitropin, and thyrotropin. *J. Biol. Chem.*, 260 (1985) 15631-15638.
- 789 Gurusinghe, A., Ryan, P.A. and Davis, P.F.: Ready identification of disulfide-bonded polypeptides by one-dimensional sodium dodecyl sulfate-polyacrylamide slab gel electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 96-98.
- 790 Hermann, P., Jannasch, R. and Lehl, M.: Application of high-performance liquid chromatography and capillary isotachopheresis to the purification and characterization of products of peptide synthesis. *J. Chromatogr.*, 351 (1986) 283-293.
- 791 Klugkist, J., Voorberg, J., Haaker, H. and Veeger, C.: Characterization of three different flavodoxins from *Azobacter vinelandii*. *Eur. J. Biochem.*, 155 (1986) 33-40.
- 792 Maccioni, R.B., Cann, J.R. and Stewart, J.M.: Interaction of substance P with tubulin. *Eur. J. Biochem.*, 154 (1986) 427-435.

See also 886, 932, 937, 969, 980.

### 18c. General techniques of elucidation of structure of proteins

- 793 Fan, T.W.-M. and Conn, E.E.: Isolation and characterization of two cyanogenic  $\beta$ -glucosidases from flax seeds. *Arch. Biochem. Biophys.*, 243 (1985) 361-373.
- 794 Quarless, S.A.: Identification of an ionic strength sensitive nuclear protein kinase activity from the cervical carcinoma HeLa. *Biochem. Biophys. Res. Commun.*, 133 (1985) 981-987.
- 795 Tam, L.-T., Engelbrecht, S., Talent, J.M., Gracy, R.W. and Erdős, E.G.: The importance of disulfide bridges in human endopeptidase (enkephalinase) after proteolytic cleavage. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1187-1192.

## 19. PROTEINS

### 19a. General techniques

- 796 Bothe, D., Simonis, M. and von Döhren, H.: A sodium dodecyl sulfate-gradient gel electrophoresis system that separates polypeptides in the molecular weight range of 1500 to 100,000. *Anal. Biochem.*, 151 (1985) 49-54.

- 797 De Moreno, M.R., Smith, J.F. and Smith, R.V.: Silver staining of proteins in polyacrylamide gels: increased sensitivity through a combined Coomassie Blue-silver stain procedure. *Anal. Biochem.*, 151 (1985) 466-470.
- 798 Dennis-Sykes, C.A., Miller, W.J. and McAleer, W.J.: A quantitative western blot method for protein measurement. *J. Biol. Stand.*, 13 (1985) 309-314; *C.A.*, 104 (1986) 4358m.
- 799 Georg, A., Postel, W. and Weser, J.: IEF and 2D-electrophoresis with narrow and ultranarrow immobilized pH gradients for the analysis of genetic variants. *Protides Biol. Fluids*, 33 (1985) 467-470; *C.A.*, 104 (1986) 3034r.
- 800 Groendahl-Hansen, J., Hvang, J.Y., Nielsen, L.S., Andreasen, P.A. and Danoe, K.: General detection of proteins after electroblotting by trinitrobenzene sulfonic acid derivatization and immunochemical staining with a monoclonal antibody against the trinitrophenyl group. *J. Biochem. Biophys. Methods*, 12 (1986) 51-56; *C.A.*, 104 (1986) 31341g.
- 801 Lauer, H.H. and McManigill, D.: Capillary zone electrophoresis of proteins in untreated fused silica tubing. *Anal. Chem.*, 58 (1986) 166-170.
- 802 Neuhoff, V.: Micro gel electrophoresis. *Protides Biol. Fluids*, 33 (1985) 507-512; *C.A.*, 104 (1986) 2896m.
- 803 Perides, G., Plagens, U. and Traub, P.: Protein transfer from fixed, stained, and dried polyacrylamide gels and immunoblot with protein A-gold. *Anal. Biochem.*, 152 (1986) 94-99.
- 804 Pollard, J.W.: Two-dimensional polyacrylamide gel electrophoresis of proteins. *Methods Mol. Biol.*, 1 (1984) 81-96; *C.A.*, 104 (1986) 31207t.

See also 736, 752, 883.

19b. *Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)*

- 805 Bhat, N.K. and Avadhani, N.G.: Transport of proteins into hepatic and non-hepatic mitochondria: specificity of uptake and processing of precursor forms of carbamoylphosphate synthetase I. *Biochemistry*, 24 (1985) 8107-8113.
- 806 Bohner, K., Boons, J., Cheuens, J., Konings, F. and de Potter, W.P.: The use of monoclonal antibodies in the study of the interaction between adrenal medullary cell membranes and chromaffin granules. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1006-1012.
- 807 Feuerstein, N. and Ali, I.U.: Comparative analysis of p21 proteins from various cell types by two-dimensional gel electrophoresis. *J. Cell Biochem.*, 29 (1985) 253-263; *C.A.*, 104 (1986) 31218x.
- 808 Grab, D., Loyal, R. and Ebel, J.: Elecitor-induced phytoalexin synthesis in soybean cells: changes in the activity of chalcone synthase mRNA and the total population of translatable mRNA. *Arch. Biochem. Biophys.*, 243 (1985) 523-529.
- 809 Kuzela, S., Joste, V. and Nelson, B.D.: Rhodamine 6G inhibits the matrix-catalyzed processing of precursors of rat-liver mitochondrial proteins. *Eur. J. Biochem.*, 154 (1986) 553-557.
- 810 Marsh, W. and Center, M.S.: Evidence for the involvement of two distinct membrane proteins in adriamycin resistance in chinese hamster lung cells. *Cancer Res.*, 45 (1985) 6088-6092.
- 811 Scheibe, U. and Wagner, R.: Identification of neighbouring proteins by cross-linking of intact 70S ribosomes from *Escherichia coli*. *Biochim. Biophys. Acta*, 869 (1986) 1-7.
- 812 Stedman, D., Whittaker, L. and Hand, R.: Simian virus 40 large T antigen oligomers: analysis of electrophoresis in the absence of detergent. *J. Virol.*, 56 (1985) 711-716; *C.A.*, 104 (1986) 4379u.
- 813 Vanderpuye, O.A., Edwards, H.C. and Booth, A.G.: Proteins of the human placental microvillar cytoskeleton.  $\alpha$ -Actinin. *Biochem. J.*, 233 (1986) 351-356.
- 814 Vischer, P., Beeck, H. and Voss, B.: Synthesis, intracellular processing and secretion of thrombospondin in human endothelial cells. *Eur. J. Biochem.*, 153 (1985) 435-443.
- 815 Walker, G.R., Matsumoto, J., Taylor, J.D. and Tchen, T.T.: Intermediate filaments with novel protein composition from certain goldfish cells. *Biochem. Biophys. Res. Commun.*, 133 (1985) 873-877.

See also 867, 871, 898, 943.

## 19c. Microbial and plant proteins

- 816 Blomster-Hautamaa, D.A., Kreiswirth, B.N., Novick, R.P. and Schlievert, P.M.: Resolution of highly purified toxic-shock syndrome toxin 1 into two distinct proteins by isoelectric focusing. *Biochemistry*, 25 (1986) 54-59.
- 817 Brooks, J.R. and Morr, C.V.: Effect of phytate removal treatments upon the molecular weight and subunit composition of major soy protein fractions. *J. Agric. Food Chem.*, 33 (1985) 1128-1132.
- 818 Chun, P.K., Sensabaugh, G.F. and Vedros, N.A.: Genetic relationships among *Neisseria* species assessed by comparative enzyme electrophoresis. *J. Gen. Microbiol.*, 131 (1985) 3105-3115; *C.A.*, 104 (1986) 31669v.
- 819 Crawford, N.A., Yee, B.C., Hutcheson, S.W., Wolosiuk, R.A. and Buchanan, B.B.: Enzyme regulation in C<sub>4</sub> photosynthesis: purification, properties, and activities of thioredoxins from C<sub>4</sub> and C<sub>3</sub> plants. *Arch. Biochem. Biophys.*, 244 (1986) 1-15.
- 820 Damerval, C., de Vienne, D., Zivy, M. and Thiellement, H.: Technical improvements in two-dimensional electrophoresis increase the level of genetic variation detected in wheat-seedling proteins. *Electrophoresis (Weinheim)*, 7 (1986) 52-54.
- 821 Evans, D.M., Williams, R.S., Shone, C.C., Hambleton, P., Melling, J. and Dolly, J.O.: Botulinum neurotoxin type B. Its purification, radiiodination and interaction with rat-brain synaptosomal membranes. *Eur. J. Biochem.*, 154 (1986) 409-416.
- 822 Farchaus, J. and Dilley, R.A.: Purification and partial sequence of the M<sub>r</sub> 10,000 phosphoprotein from spinach thylakoids. *Arch. Biochem. Biophys.*, 244 (1986) 94-101.
- 823 Hanada, K., Yamamoto, I. and Anraku, Y.: Identification of proline carrier in *Escherichia coli* K-12. *FEBS Lett.*, 191 (1985) 278-282; *C.A.*, 104 (1986) 3037u.
- 824 Kawabata, S.-i., Morita, T., Iwanaga, S. and Igarashi, H.: Enzymatic properties of complex formed between staphylocoagulase and human prothrombin. *J. Biochem. (Tokyo)*, 98 (1985) 1603-1614.
- 825 Khan, K., Hamada, A.S. and Patch, J.: Polyacrylamide gel electrophoresis for wheat variety identification: effect of variables on gel properties. *Cereal Chem.*, 62 (1985) 310-313; *C.A.*, 104 (1986) 17281f.
- 826 Lafandra, D. and Kasarda, D.D.: One- and two-dimensional (two-pH) polyacrylamide gel electrophoresis in a single gel: separation of wheat proteins. *Cereal Chem.*, 62 (1985) 314-319; *C.A.*, 104 (1986) 3030m.
- 827 McCormick, S.S., Mengoli, H.F. and Gerencser, M.A.: Polyacrylamide gel electrophoresis of whole-cell preparations of *Actinomyces* spp. *Int. J. Syst. Bacteriol.*, 35 (1985) 429-433; *C.A.*, 104 (1986) 17425f.
- 828 McKinney, K.L., Confer, A.W., Rummage, J.A., Gentry, M.J. and Durham, J.A.: *Pasteurella haemolytica*: purification of saline-extractable proteins by isoelectrofocusing. *Vet. Microbiol.*, 10 (1985) 465-480; *C.A.*, 104 (1986) 4385t.
- 829 Nielsen, N.C.: The structure and complexity of the 11S polypeptides in soybeans. *J. Am. Oil Chem. Soc.*, 62 (1985) 1680-1686.
- 830 Owen, P.: An improved procedure for polypeptide analysis of radiolabeled antigens resolved by crossed immunoelectrophoresis and its application to the study of inner and outer membranes of *Escherichia coli*. *Electrophoresis (Weinheim)*, 7 (1986) 19-28.
- 831 Pahllic, M. and Tyson, J.J.: Analysis of Physarum proteins throughout the cell cycle two-dimensional PAGE. *Exp. Cell. Res.*, 161 (1985) 533-540; *C.A.*, 104 (1986) 48410b.
- 832 Perrollet, H. and Guinet, R.: (*Neisseria gonorrhoeae* typing by an electrophoretic methods). *Rev. Inst. Pasteur Lyon*, 17 (1984) 297-308; *C.A.*, 104 (1986) 31212r.
- 833 Shokraii, E.H., Esen, A. and Mozingo, R.W.: Relation of a 36 000-dalton arachin subunit to blanchability in peanuts (*Arachis hypogaea* L.). *J. Agric. Food Chem.*, 33 (1985) 1114-1116.

See also 774, 869, 989.

## 19d. Proteins of blood, serum and blood cells

- 834 Arocha-Pinango, C.L., Peralea, J. and Carvajal, Z.: Unreliability in the estimation of the molecular weight of fibrinogen degradation products by polyacrylamide/sodium dodecyl sulfate electrophoresis (SDS/PAGE). *Folia Haematol.*, 112 (1985) 737-741; *C.A.*, 104 (1986) 3036t.
- 835 Candiano, G., Ghiggeri, G.M., Delfino, G., Queirolo, C. and Vecchio, G.: Isoelectric focusing in low-denaturing media: visualization in renal disease of variation of the isoelectric point of albumin not related to a remarkable conformational variation. *J. Chromatogr.*, 374 (1986) 279-288.
- 836 Clezardin, P., Bougro, G. and McGregor, J.L.: Tandem purification of IgM monoclonal antibodies from mouse ascites fluids by anion-exchange and gel fast protein liquid chromatography. *J. Chromatogr.*, 354 (1986) 425-433.
- 837 Clezardin, P., McGregor, J.L., Lyon, M., Clemetson, K.J. and Huppert, J.: Characterization of two murine monoclonal antibodies (P10, P12) directed against different determinants on human blood platelet thrombospondin. *Eur. J. Biochem.*, 154 (1986) 95-102.
- 838 Daly, M. and Hallinan, F.: Analysis of antithrombin III microheterogeneity by isoelectric focusing in polyacrylamide gels and immunoblotting. *Thromb. Res.*, 40 (1985) 207-214; *C.A.*, 104 (1986) 2611q.
- 839 Davis, J.Q. and Bennett, V.: Human erythrocyte clathrin and clathrin-uncoating protein. *J. Biol. Chem.*, 260 (1985) 14850-14856.
- 840 Gollwitzer, R. and Bode, W.: X-ray crystallographic and biochemical characterization of single crystals formed by proteolytically modified human fibrinogen. *Eur. J. Biochem.*, 154 (1986) 437-443.
- 841 Hemler, M.E., Jacobson, J.G. and Strominger, J.L.: Biochemical characterization of VLA-1 and VLA-2. Cell surface heterodimers on activated T cells. *J. Biol. Chem.*, 260 (1985) 15246-15252.
- 842 Horii, K.: (Detection of enzyme-linked immunoglobulins. Detection by counter-current electrophoresis). *Rinsho Byori, Rinji Zokan*, (1984) 50-58; *C.A.*, 104 (1986) 32708u.
- 843 Ichimura, M. and Tohge, H.: (High resolution agarose gel isoelectric focusing of human serum protein: determination of best condition for the separation and the detection). *Rinsho Kensa*, 29 (1985) 952-956; *C.A.*, 104 (1986) 31265k.
- 844 Johnson, R.M., Dzandu, J.K. and warth, J.A.: The phosphoprotein of the sickle erythrocyte membrane. *Arch. Biochem. Biophys.*, 244 (1986) 202-210.
- 845 Mather, S. and Taylor-Papadimitriou, J.: Monoclonal antibodies, electrophoretically transferred from polyacrylamide gels, retain their ability to bind specific antigens. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1020-1025.
- 846 McKearn, J.P. and Henson, G.: Mapping of novel B lymphocyte differentiation antigens. *Immunol. Methods*, 3 (1985) 147-162; *C.A.*, 104 (1986) 18364x.
- 847 Miller, M.A., Palascak, J.E., Thompson, M.R. and Martelo, O.J.: A modified SDS agarose gel method for determining factor VIII von Willebrand factor multimers using commercially available reagents. *Thromb. Res.*, 39 (1985) 777-780; *C.A.*, 104 (1986) 3085h.
- 848 Morrison, R., Noppinger, K. and Brown, M.G.: Immunofixation of complement component C<sub>3</sub> phenotypes in bloodstains after cellulose acetate electrophoresis. *J. Forensic Sci.*, 30 (1985) 1221-1225; *C.A.*, 104 (1986) 16161e.
- 849 Okayama, M., Oguri, K., Fujiwara, Y., Nananishi, H., Yonekura, H., Kondo, T. and Ui, N.: Purification and characterization of human platelet proteoglycan. *Biochem. J.*, 233 (1986) 73-81.
- 850 Sand, O., Folkersen, J., Westergaard, J.G. and Sottrup-Jensen, L.: Characterization of human pregnancy zone protein. Comparison with human  $\alpha_2$ -macroglobulin. *J. Biol. Chem.*, 260 (1985) 15723-15735.
- 851 Yamamoto, K.: (Detection of enzyme-linked immunoglobulins. Detection by affinity electrophoresis). *Rinsho Byori, Rinji Zokan*, (1984) 34-43; *C.A.*, 104 (1986) 32710p.

See also 859, 913.

19e. *Structural and muscle proteins*

- 852 Al-Hassan, L.A.J.: Comparative electrophoretic studies of muscle, eye lens and heart protein in fishes from the Arabian Gulf. *Biochem. Syst. Ecol.*, 13 (1985) 477-482; *C.A.*, 104 (1986) 17869d.
- 853 Dunn, M.J., Burghes, A.H.M. and Patel, K.: Two-dimensional electrophoretic analysis of genetic muscle disorders. *Protides Biol. Fluids*, 33 (1985) 479-482; *C.A.*, 104 (1986) 48184f.
- 854 Jimenez, S.A., Yankowski, R. and Reginato, A.M.: Quantitative analysis of type X-collagen biosynthesis by embryonic-chick sternal cartilage. *Biochem. J.*, 233 (1986) 357-367.
- 855 Jukkola, A., Risteli, J., Niemela, O. and Risteli, L.: Incorporation of sulphate into type III procollagen by cultured human fibroblasts. Identification of tyrosine O-sulphate. *Eur. J. Biochem.*, 154 (1986) 219-224.
- 856 Miura, S. and Kimura, S.: Jellyfish mesogloea collagen. Characterization of molecules of  $\alpha_1\alpha_2\alpha_3$  heterotrimer. *J. Biol. Chem.*, 260 (1985) 15352-15356.
- 857 Reano, A.: (Two-dimensional electrophoresis and immunoblotting: applications to epidermal proteins). *Inst. Natl. Sante Rech. Med. (Colloq.)*, 131 (Biol. Peau) (1985) 155-159; *C.A.*, 104 (1986) 31298y.
- 858 Romero, N., Tinker, D., Hyde, D. and Rucker, R.B.: Role of plasma and serum proteases in the degradation of elastin. *Arch. Biochem. Biophys.*, 244 (1986) 161-168.
- 859 Samaan, G., Caudie, C. and Quincy, C.: Purification of human myoglobin by preparative flat bed isoelectric focusing. *Electrophoresis (Weinheim)*, 7 (1986) 72-75.
- 860 Shlesinger, H., Ovil, Y., Levy, M.J. and Kessler-Icekson, G.: Separation and quantitation of ventricular myosin heavy-chain from human atrial myocardium. *Biochem. Int.*, 11 (1985) 747-753; *C.A.*, 104 (1986) 31213s.
- 861 Sommarin, Y. and Heinegard, D.: Four classes of cell-associated proteoglycans in suspension cultures of articular-cartilage chondrocytes. *Biochem. J.*, 233 (1986) 809-818.
- 862 Sutoh, K. and Hatano, S.: Actin-fragmin interactions as revealed by chemical cross-linking. *Biochemistry*, 25 (1986) 435-440.
- 863 Tanii, I., Osafune, M., Arata, T. and Inoue, A.: ATPase characteristics of myosin from nematode *Caenorhabditis elegans* purified by an improved method. Formation of myosin-phosphate-ADP complex and ATP-induced fluorescence enhancement. *J. Biochem. (Tokyo)*, 98 (1985) 1201-1209.

19f. *Protamines, histones and other nuclear proteins*

- 864 Adolph, K.W.: Cell cycle variations in ADP-ribosylation of HeLa nuclear proteins. *Arch. Biochem. Biophys.*, 243 (1985) 427-438.
- 865 Altieri, F., Allegra, P., Lonigro, R.I., Scarpa, S. and Calafa, P.: Distribution of tissue-specific tightly bound non-histone proteins in the first level of repeating chromatin structures. *Eur. J. Biochem.*, 154 (1986) 147-152.
- 866 D'Incalci, M., Allavena, P., Wu, R.S. and Bonner, W.M.: H1 variant synthesis in proliferating and quiescent human cells. *Eur. J. Biochem.*, 154 (1986) 273-279.
- 867 Giancotti, V., Berlingieri, M.T., DiFiore, P.P., Fusco, A., Vecchio, G. and Crane-Robinson, O.: Changes in nuclear proteins on transformation of rat epithelial thyroid cells by a murine sarcoma retrovirus. *Cancer Res.*, 45 (1985) 6051-6057.
- 868 Hall, J.M. and Cole, R.D.: In nondividing cells, histone H1<sup>o</sup> is synthesized and deposited onto chromatin without accompanying phosphorylation. *Biochemistry*, 25 (1986) 491-495.
- 869 Lusso, M.A., Pawlik, R.T., Canonaco, M.A. and Gualerzi, C.O.: Proteins from the prokaryotic nucleoid. A protein-protein cross-linking study on the quaternary structure of *Escherichia coli* DNA-binding protein NS (HU). *Eur. J. Biochem.*, 155 (1986) 27-32.
- 870 Markose, E.R. and Rao, M.R.S.: Testis-specific histone H1t is antigenically distinct among H1 subtypes. *J. Biol. Chem.*, 260 (1985) 16263-16268.
- 871 Østlund, A.C., Holtlund, J. and Laland, S.G.: A novel, highly phosphorylated protein, of the high-mobility group type, present in a variety of proliferating and non-proliferating mammalian cells. *Eur. J. Biochem.*, 153 (1985) 469-475.

- 872 Rozalski, M., Lafleur, L. and Ruiz-Carrillo, A.: Monoclonal antibodies against histone H5. Epitope mapping and binding to chromatin. *J. Biol. Chem.*, 260 (1985) 14379-14385.
- 873 Shibayama, T., Nakaya, K. and Nakamura, Y.: Isolation of serine, glutamic acid, and glycine-rich nonhistone proteins from bovine cerebral cortex. *Chem. Pharm. Bull.*, 33 (1985) 4484-4488.

19g. *Chromoproteins and metalloproteins*

- 874 Cham, B.E., Roeser, H.P., Nikles, A. and Ridgway, K.: A procedure for the purification of ferritin from human liver by heating a methanol-treated homogenate. *Anal. Biochem.*, 151 (1985) 561-565.
- 875 DiRusso, S.C., Check, I.J. and Hunter, R.L.: Quantitation of apo-, mono- and diferric transferrin by polyacrylamide gradient gel electrophoresis in patients with disorders of iron metabolism. *Blood*, 66 (1985) 1445-1451; *C.A.*, 104 (1986) 48190e.
- 876 Fuchsman, W.H.: Discrepancies among published amino acid sequences of soybean leghemoglobins: Experimental evidence against cultivar differences as the sources of the discrepancies. *Arch. Biochem. Biophys.*, 243 (1985) 454-460.
- 877 Fukui, I., Hamagami, A. and Ushiyama, S.: Comparison of commonly used methods for measuring glycosylated hemoglobin. *Int. Congr. Ser.-Excerpta Med.*, 648 (Curr. Top. Clin. Exp. Aspects Diabetes Mellitus) (1984) 206-210; *C.A.*, 104 (1986) 3076f.
- 878 Hsia, J.C. and Er, S.S.: Purification of stroma-free haemoglobin by ATP-agarose affinity chromatography. *J. Chromatogr.*, 374 (1986) 143-148.
- 879 Humfeld, S., Susanto, F. and Reinauer, H.: (Comparative determination of glycosylated hemoglobins by means of HPLC, isoelectric focusing and micro column techniques). *Laboratoriumsmedizin*, 9 (1985) 349-352; *C.A.*, 104 (1986) 17343c.
- 880 Lacombe, C., Creascu, C.T., Blouquit, Y., Kister, J., Poyart, C., Delancey-Garin, J., Arous, N., Bardakdjian, J., Riou, J., Rosa, J., Schaeffer, C. and Galacteros, F.: Structural and functional studies of hemoglobin Poissy  $\alpha_2\beta_256$  (D7) Gly $\rightarrow$ Arg and 86 (F2) Ala $\rightarrow$ Pro. *Eur. J. Biochem.*, 153 (1985) 655-662.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 881 Anderson, N.L., Swanson, M., Giere, F.A., Tollaksen, S., Gemmill, A., Nance, S. and Anderson, N.G.: Effects of Aroclor 1254 on proteins of mouse liver: Application of two-dimensional electrophoretic protein mapping. *Electrophoresis (Weinheim)*, 7 (1986) 44-48.
- 882 Dannenberg, F. and Kessler, H.G.: Quantitative densitometry of heat-induced changes in whey proteins following ultrathin-layer isoelectric focusing. *Electrophoresis (Weinheim)*, 7 (1986) 67-72.
- 883 Ekstrand, B. and Bjoerck, L.: Silver staining and SDS polyacrylamide gel electrophoresis of antibacterial proteins in bovine and human milk. *Protides Biol. Fluids*, 33 (1985) 597-600; *C.A.*, 104 (1986) 17283h.
- 884 Harwalkar, V.R. and Kalab, M.: Microstructure of isoelectric precipitates from  $\beta$ -lactoglobulin solutions heated at various pH values. *Milchwissenschaft*, 40 (1985) 665-668; *C.A.*, 104 (1986) 18802p.
- 885 Johnson, A.H., Merchant, D.J., Lee, C., Norman, J. and Bourgeois, N.: A search for differentiation markers in prostatic fluid components with two-dimensional electrophoresis and multiple protein detectors. *Prostate*, 7 (1985) 429-439; *C.A.*, 104 (1986) 48189m.
- 886 Kiss, Z., Luo, Y. and Vereb, G.: Catalytic unit-independent phosphorylation and dephosphorylation of type II regulatory subunit of cyclic AMP-dependent protein kinase in rat liver plasma membranes. *Biochem. J.*, 234 (1986) 163-168.
- 887 Matsuda, T., Kato, Y., Watanabe, K. and Nakamura, R.: Direct evaluation of  $\beta$ -lactoglobulin lactosylation in early Maillard reaction using an antibody specific to protein-bound lactose. *J. Agric. Food Chem.*, 33 (1985) 1193-1196.
- 888 Murtaugh, T.J., Wright, L.S. and Siegel, F.L.: Calmodulin plus cyclic AMP-dependent phosphorylation of a  $M_r$  22,000 pituitary protein. *J. Biol. Chem.*, 260 (1985) 15932-15937.
- 889 Tuan, R.S. and Cavanaugh, S.T.: Identification and characterization of a calcium-binding protein in the mouse chorioallantoic placenta. *Biochem. J.*, 233 (1986) 41-49.

## 19j. Specific binding proteins

- 890 Beale, D. and Hopley, J.: A bovine epithelial membrane protein that binds polymeric immunoglobulin and has a structure related to that of bovine secretory component. *Biochem. J.*, 233 (1986) 37-40.
- 891 Billingsley, M.L., Pennypacker, K.R., Hoover, C.G., Brigati, D.J. and Kincaid, R.L.: A rapid and sensitive method for detection and quantification of calcineurin and calmodulin-binding proteins using biotinylated calmodulin. *Proc. Natl. Acad. Sci. U.S.A.*, 82 (1985) 7585-7588; *C.A.*, 104 (1986) 3104p.
- 892 Dame, M.C., Pierce, E.A. and DeLuca, H.F.: Identification of the porcine intestinal 1,25-dihydroxyvitamin D<sub>3</sub> receptor on sodium dodecyl sulfate/polyacrylamide gels by renaturation and immunoblotting. *Proc. Natl. Acad. Sci. U.S.A.*, 82 (1985) 7825-7829; *C.A.*, 104 (1986) 31124p.
- 893 Davis, R.J. and Czech, M.P.: Inhibition of the apparent affinity of the epidermal growth factor receptor caused by phorbol diesters correlates with phosphorylation of threonine-654 but not other sites on the receptor. *Biochem. J.*, 233 (1986) 435-441.
- 894 Gershagen, S. and Fernlund, P.: Immunoradiometric assay of sex-hormone binding globulin with use of two different monoclonal antibodies. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 130-136.
- 895 Hildebrandt, J.D., Codina, J., Rosenthal, W., Birnbaumer, L., Neer, E.J., Yamazaki, A. and Bitensky, M.W.: Characterization by two-dimensional peptide mapping of the  $\gamma$  subunits of N<sub>5</sub> and N<sub>1</sub>, the regulatory proteins of adenylyl cyclase, and of transducin, the guanine nucleotide-binding protein of rod outer segments of the eye. *J. Biol. Chem.*, 260 (1985) 14867-14872.
- 896 Lentz, K.U., Friedl, W., Eebebrand, J. and Propping, P.: Ultrathin-layer isoelectric focusing of the photoaffinity labeled benzodiazepine receptor in calf brain: A new and simple method for the study of integral membrane proteins. *Electrophoresis (Weinheim)*, 7 (1986) 103-105.
- 897 McElduff, A., Comi, R.J. and Grunberger, G.: Structural difference of the insulin receptors from circulating monocytes and erythrocytes. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1175-1180.
- 898 Nguyen, T.D., Williams, J.A. and Gray, G.M.: Vasoactive intestinal peptide receptor on liver plasma membranes: characterization as a glycoprotein. *Biochemistry*, 25 (1986) 361-368.
- 899 Ono, T., Koide, Y., Arai, Y. and Yamashita, K.: Establishment of an efficient purification method and further characterization of 32K calmodulin-binding protein in testis. *J. Biochem. (Tokyo)*, 98 (1985) 1455-1461.
- 900 Peters, B.P., Hartle, R.J., Krzesicki, R.F., Kroll, T.G., Perini, F., Balun, J.E., Goldstein, I.J. and Ruddon, R.W.: The biosynthesis, processing, and secretion of laminin by human choriocarcinoma cells. *J. Biol. Chem.*, 260 (1985) 14732-14742.
- 901 Roof, D.J., Applebury, M.L. and Sternweis, P.C.: Relationships within the family of GTP-binding proteins isolated from bovine central nervous system. *J. Biol. Chem.*, 260 (1985) 16242-16249.
- 902 Skipper, J.K., Davidson, F.I. and Hamilton, T.H.: Electrophoretic analysis of the estrogen receptor. Relationship of multiple receptor forms to the molybdate-stabilized form. *J. Biol. Chem.*, 260 (1985) 14636-14641.
- 903 Smith, R.A., Branca, A.A. and Reichert, L.E., Jr.: The subunit structure of the follitropin (FSH) receptor. Photoaffinity labeling of the membrane-bound receptor follitropin complex *in situ*. *J. Biol. Chem.*, 260 (1985) 14297-14303.
- 904 Soutar, A.K. and Knight, B.L.: Immunoprecipitation of the low-density-lipoprotein (LDL) receptor and its precursor from human monocyte-derived macrophages. *Biochem. J.*, 233 (1986) 683-690.
- 905 Taketani, S., Kohno, H. and Tokunaga, R.: Expression and phosphorylation of transferrin receptors in mitogen-activated peripheral blood lymphocytes. *J. Biochem. (Tokyo)*, 98 (1985) 1639-1646.
- 906 Wathelot, M., Moutschen, S., Defilippi, P., Cravador, A., Collet, M., Huez, G. and Content, J.: Molecular cloning, full-length sequence and preliminary characterization of a 56-kDa protein induced by human interferons. *Eur. J. Biochem.*, 155 (1986) 11-17.
- 907 Yee, A.S. and McNamee, M.G.: Effects of carboxymethylation by a purified *Torpedo californica* methylase on the functional properties of the acetylcholine receptor in reconstituted membranes. *Arch. Biochem. Biophys.*, 243 (1985) 349-360.

See also 805, 862, 865, 991.



19k. *Urinary proteins*

- 908 Boesken, W.H. and Mamier, A.: (Molecular-weight-dependent urinary protein electrophoresis in the diagnosis of kidney diseases). *Laboratoriumsmedizin*, 9 (1985) 285-291; *C.A.*, 104 (1986) 31012a.
- 909 Schiwwara, H.W., Weser, J. and Georg, A.: (Ultrathin SDS pore-gradient gel electrophoresis of differentiation of urinary proteins). *Nieren-Hochdruckkrankh.*, 14 (1985) 497-500; *C.A.*, 104 (1986) 17293m.
- 910 Wartha, R., Damjantschitsch, V., Guziur, M. and Gekle, D.: (Comparison of methods of SDS-polyacrylamide gel electrophoresis suitable for the investigation of urinary proteins with special regard to the buffer systems). *Nieren-Hochdruckkrankh.*, 14 (1985) 503-509; *C.A.*, 104 (1986) 31220s.
- 911 Wurster, U. and Ehrich, J.H.H.: (Silver staining of urinary proteins). *Nieren-Hochdruckkrankh.*, 14 (1985) 491-496; *C.A.*, 104 (1986) 17292k.

19l. *Other proteins*

- 912 Bracco, F., Gallo, P. and Tavolato, B.: Two-dimensional polyacrylamide gel electrophoresis in the study of cerebrospinal fluid proteins. *Acta Neurol.*, 40 (1985) 318-322; *C.A.*, 104 (1986) 31217w.
- 913 Brooks, K.P. and Iammarino, R.M.: Determination of  $\alpha$ - $\alpha$ -antitrypsin phenotypes and M subtypes by isoelectric focusing in immobilized pH gradients. *Clin. Biochem.*, 18 (1985) 280-284; *C.A.*, 104 (1986) 30698s.
- 914 French, C.A., Tracy, R.P., Rudick, R.A., Kraemer, A.M. and Arvan, D.A.: Simultaneous determination of cerebrospinal fluid oligoclonal bands and the "Y-protein index" by agarose electrophoresis and densitometry. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 84-87.
- 915 Højrup, P., Andersen, S.O. and Røpstorff, P.: Isolation, characterization, and N-terminal sequence studies of cuticular proteins from the migratory locust, *Locusta migratoria*. *Eur. J. Biochem.*, 154 (1986) 153-159.
- 916 Hosoya, H., Mabuchi, I. and Sakai, H.: An 100-kDa  $\text{Ca}^{2+}$ -sensitive actin-fragmenting protein from unfertilized sea urchin egg. *Eur. J. Biochem.*, 154 (1986) 233-239.
- 917 Kum, W.W.S. and Ko, R.C.: Isolation of specific antigens from *Angiostrongylus cantonensis*. 1. Preparative flat bed isoelectric focusing. *Z. Parasitenkd.*, 71 (1985) 789-800; *C.A.*, 104 (1986) 18360t.
- 918 Nukina, N. and Ihara, Y.: Proteolytic fragments of Alzheimer's paired helical filaments. *J. Biochem. (Tokyo)*, 98 (1985) 1715-1718.
- 919 Sen-Majundar, A., Murthy, U. and Das, M.: A new trophoblast-derived growth factor from human placenta: purification and receptor identification. *Biochemistry*, 25 (1986) 627-634.
- 920 Weiyuan, E.: (A comparative analysis on lens proteins in *Shinisaurus crocodilurus* and several other lizards of different families by polyacrylamide gel electrophoresis). *Liangqi Paring Dongwu Xuebao*, 3 (1984) 15-18; *C.A.*, 104 (1986) 31221t.

See also 758, 764, 839, 989.

## 20. ENZYMES

- 921 Dillon, R.T., Jr.: Correspondence between the buffer systems suitable for electrophoretic resolution of bivalve and gastropod isozymes. *Comp. Biochem. Physiol. B: Comp. Biochem.*, 82B (1985) 643-645; *C.A.*, 104 (1986) 30725y.

20a. *Oxidoreductases*

- 922 Blackmore, R., Robertson, A.M. and Brittain, T.: The purification and some equilibrium properties of the nitrite reductase of the bacterium *Wolinella succinogenes*. *Biochem. J.*, 233 (1986) 547-552.
- 923 Coyle, C.L., Zumft, W.G., Kroneck, P.M.H., Körner, H. and Jacob, W.: Nitrous oxide reductase from denitrifying *Pseudomonas perfectomarina*. Purification and properties of a novel multicopper enzyme. *Eur. J. Biochem.*, 153 (1985) 459-467.

- 924 Endo, T. and Ihara, M.: Notes on extractant-dependent leaf peroxidase and malate dehydrogenase zymograms from twenty plant species. *Tkushugaku Zasshi*, 35 (1985) 340-345; *C.A.*, 104 (1986) 47509d.
- 925 Hunter, A. and Lindsay, J.G.: Immunological and biosynthetic studies on the mammalian 2-oxoglutarate dehydrogenase multienzyme complex. *Eur. J. Biochem.*, 155 (1986) 103-109.
- 926 Keung, W.M., Dittlow, C.C. and Vallee, B.L.: Identification of human alcohol dehydrogenase isozymes by disc polyacrylamide gel electrophoresis in 7 M urea. *Anal. Biochem.*, 151 (1985) 92-96.
- 927 Osipov, V.I. and Shein, I.V.: Shikimate dehydrogenase from *Pinus sylvestris* L. needles. *Biokhimiya (Moscow)*, 51 (1986) 9-15.
- 928 Parker, J.E., Javed, Q. and Merrett, M.J.: Glutamate dehydrogenase (NADP-dependent) mRNA in relation to enzyme synthesis in *Euglena gracilis*. Evidence for post-transcriptional control. *Eur. J. Biochem.*, 153 (1985) 573-578.
- 929 Saeki, Y., Nozaki, M. and Matsumoto, K.: Purification and properties of NADH oxidase from *Bacillus megaterium*. *J. Biochem. (Tokyo)*, 98 (1985) 1433-1440.
- 930 Seki, Y., Nagai, Y. and Ishimoto, M.: Characterization of a dissimilatory-type sulfite reductase, desulfoviridin, from *Desulfovibrio africanus* Benghazi. *J. Biochem. (Tokyo)*, 98 (1986) 1535-1543.
- 931 Yeowell, H.N., Linko, P., Hodgson, E. and Golstein, J.A.: Induction of specific cytochrome P-450 isozymes by methylenedioxyphenyl compounds and antagonism by 3-methylcholanthrene. *Arch. Biochem. Biophys.*, 243 (1985) 408-419.

20b. *Transferases (E.C. 2.7.-.-)*

- 932 Hayes, J.D.: Purification and physical characterization of glutathione S-transferase K. Differential use of S-hexylglutathione and glutathione affinity matrices to isolate a novel glutathione S-transferase from rat liver. *Biochem. J.*, 233 (1986) 789-798.
- 933 Hayes, J.D. and Mantle, T.J.: Use of immuno-blot techniques to discriminate between the glutathione S-transferase Yf, Yk, Ya, Yn/Yb and Yc subunits and to study their distribution in extrahepatic tissues. Evidence for three immunologically distinct groups of transferase in the rat. *Biochem. J.*, 233 (1986) 779-788.
- 934 Ishikawa, T., Milbert, U., Oesch, F. and Sies, H.: The major isozymes of rat cardiac glutathione transferases. Its correspondence to hepatic transferase X. *Eur. J. Biochem.*, 154 (1986) 299-305.
- 935 Rahimi-Pour, A., Wellman-Bednawska, M., Galteau, M.-M., Artur, Y. and Siest, G.: Identification of gamma-glutamyltransferase in rat liver plasma membranes after two-dimensional electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 83-88.
- 936 Ridgway, N.D. and Dolphin, P.J.: Serum activity and hepatic secretion of lecithin: cholesterol acyltransferase in experimental hypothyroidism and hypercholesterolemia. *J. Lipid Res.*, 26 (1985) 1300-1313.
- 937 Roy Chowdhury, J., Roy Chowdhury, N., Falany, C.N., Tephly, T.R. and Arias, I.M.: Isolation and characterization of multiple forms of rat liver UDP-glucuronate glucuronosyltransferase. *Biochem. J.*, 233 (1986) 827-837.
- 938 Smart, C.C., Johanning, D., Müller, G. and Amrhein, N.: Selective overproduction of 5-enol-pyruvylshikimic acid 3-phosphate synthase in a plant cell culture which tolerates high doses of the herbicide glyphosate. *J. Biol. Chem.*, 260 (1985) 16338-16346.

See also 907.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 939 Apple, F.S., Rogers, M.A. and Ivy, J.L.: Creatine kinase isoenzyme MM variants in skeletal muscle and plasma from marathon runners. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 41-44.
- 940 Arcangioli, B. and Lescure, B.: Structural features of the DNA template required for transcription *in vitro* by yeast RNA polymerase B(II). *Eur. J. Biochem.*, 155 (1986) 69-75.
- 941 Armaleo, D. and Gross, S.R.: Structural studies on *Neurospora* RNA polymerases and associated proteins. *J. Biol. Chem.*, 260 (1985) 16174-16180.

- 942 Erni, B.: Glucose-specific permease of the bacterial phosphotransferase system: phosphorylation and oligomeric structure of the glucose-specific IIGlc-III<sup>+</sup>Glc complex of *Salmonella typhimurium*. *Biochemistry*, 25 (1986) 305-312.
- 943 Glukhov, A.I., Nesterova, M.V., Bukhman, V.L. and Severin, E.S.: (Study of interaction between cAMP-dependent protein kinase subunits and structural components of the nucleus). *Biokhimiya (Moscow)*, 51 (1986) 103-111.
- 944 Jahnsen, T., Lohmann, S.M., Walter, U., Hedin, L. and Richards, J.S.: Purification and characterization of hormone-regulated isoforms of the regulatory subunit of type II cAMP-dependent protein kinase from rat ovaries. *J. Biol. Chem.*, 260 (1985) 15980-15987.
- 945 Lebherz, H.G., Burke, T., Shackelford, J.E., Strickler, J.E. and Wilson, K.J.: Specific proteolytic modification of creatine kinase isoenzymes. Implication of C-terminal involvement in enzymic activity but not in subunit-subunit region. *Biochem. J.*, 233 (1986) 51-56.
- 946 Rogalsky, V.Y., Koven, I.H., Miller, D.R. and Pollard, A.: Electrophoretic characteristics of macro creatine kinase type 2 in serum. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 13-15.
- 947 Suzuki, I.: (Studies on the carbohydrate-binding specificity of glycogen phosphorylase by means of affinity electrophoresis). *Yamaguchi Igaku*, 34 (1985) 319-330; *C.A.*, 104 (1986) 47723u.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 948 Digweed, M., Pieler, T., Kluwe, D., Schuster, L., Walker, R. and Erdmann, V.A.: Improved procedure for the isolation of a double-strand-specific ribonuclease and its application to structural analysis of various 5S rRNAs and tRNAs. *Eur. J. Biochem.*, 154 (1986) 31-39.
- 949 Divall, G.B.: Esterase D typing of bloodstains by non-equilibrium focusing. *Forensic Sci. Int.*, 28 (1985) 277-285; *C.A.*, 104 (1986) 29937n.
- 950 Hawley, D.M., Hodes, M.Z., Crisp, M., Ellis, G., Karn, R.C. and Hodes, M.E.: Characterization of phosphohydrolase activity in bovine spleen extracts: identification of a bis(p-nitrophenyl) phosphate-hydrolyzing activity (phosphodiesterase IV) which also acts on adenosine triphosphate. *Anal. Biochem.*, 151 (1985) 375-380.
- 951 Peaston, R.T.: Affinity electrophoresis of alkaline phosphatase isoenzymes. *Clin. Chem. (Winston-Salem, N.C.)*, 32 (1986) 235-236.
- 952 Teder, M. and Parik, J.: Placental alkaline phosphatase types and subtypes determined by agarose gel electrophoresis and separator isoelectric focusing. *Hum. Genet.*, 71 (1985) 215-218; *C.A.*, 104 (1986) 47515c.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 953 Cardelli, J.A., Mierendorf, R.C., Jr. and Dimond, R.L.: Initial events involved in the synthesis of the lysosomal enzyme  $\alpha$ -mannosidase in *Dictyostelium discoideum*. *Arch. Biochem. Biophys.*, 244 (1986) 338-345.
- 954 Dewji, N.N., De-Keyser, D.R. and Stirling, J.L.: Purification and characterization of  $\beta$ -N-acetylhexosaminidase I<sub>2</sub> from human liver. *Biochem. J.*, 234 (1986) 157-162.
- 955 Erickson, A.H., Ginns, E.I. and Ba-ranger, J.A.: Biosynthesis of the lysosomal enzyme glucocerebrosidase. *J. Biol. Chem.*, 260 (1985) 14319-14324.
- 956 Medda, S. and Swank, R.T.: Egasyn, a protein which determines the subcellular distribution of  $\beta$ -glucuronidase, has esterase activity. *J. Biol. Chem.*, 260 (1985) 15802-15808.
- 957 Nebibger, P.: Isotachophoretic determination of hyaluronate oligosaccharide degrading enzyme activities. *J. Chromatogr.*, 354 (1986) 530-533.

20f. *Other hydrolases*

- 958 Bragg, P.D. and Hou, C.: Chemical crosslinking of  $\alpha$  subunits in the F<sub>1</sub> adenosine triphosphatase of *Escherichia coli*. *Arch. Biochem. Biophys.*, 244 (1986) 361-372.
- 959 Bylinkina, V.S.: Isolation of neutral proteinase of ribosomes (cathepsin R). *Biokhimiya (Moscow)*, 51 (1986) 65-69.
- 960 Mort, J.S. and Recklies, A.D.: Interrelationship of active and latent secreted human cathepsin B precursors. *Biochem. J.*, 233 (1986) 57-63.

- 961 Stan-Lotter, H. and Bragg, P.D.: Thiol modification as a probe of conformational forms of the  $F_1$  ATPase of *Escherichia coli* and of the structural asymmetry of its  $\beta$  subunits. *Eur. J. Biochem.*, 154 (1986) 321-327.
- 962 Tarasova, N.I., Szecsi, P.B. and Foltmann, B.: An aspartic proteinase from human erythrocytes is immunochemically indistinguishable from a non-pepsin, electrophoretically slow moving proteinase from gastric mucosa. *Biochim. Biophys. Acta*, 880 (1986) 96-100.
- 963 Van Triet, A.J., Grijpma, A.M. and Giese, W.: Electrophoretical separation of urinary alanine aminopeptidase isoenzymes in ultrathin agarose gels. *Protides Biol. Fluids*, 33 (1985) 521-523; *C.A.*, 104 (1986) 30699t.

See also 751.

20g. Lyases

- 964 Nagasawa, T., Ishii, T., Kumagai, H. and Yamada, H.: D-Cysteine desulhydrase of *Escherichia coli*. Purification and characterization. *Eur. J. Biochem.*, 153 (1985) 541-551.
- 965 Swain, M.S. and Leberer, H.G.: Hybridization between fructose diphosphate aldolase subunits derived from diverse biological systems: anomalous hybridization behavior of some aldolase subunit types. *Arch. Biochem. Biophys.*, 244 (1986) 35-41.

20j. Complex mixtures and incompletely identified enzymes

- 966 Mendelson, C.R., Wright, E.E., Evans, C.T., Porter, J.C. and Simpson, E.R.: Preparation and characterization of polyclonal and monoclonal antibodies against human aromatase cytochrome P-450 (P-450<sub>AROM</sub>), and their use in its purification. *Arch. Biochem. Biophys.*, 243 (1985) 480-491.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 967 Reijenga, J.C., Wes, J.H. and van Dongen, C.A.M.: Comparison of methanol and perchloric acid extraction procedures for analysis of nucleotides by isotachopheresis. *J. Chromatogr.*, 374 (1986) 162-169.

21b. Nucleic acids, RNA

- 968 Avissar, I., Daniel, E. and Daniel, V.: Haemocyanin mRNA from arthropod and mollusc origin. Evidence for a multi-unit structure in mollusc haemocyanin mRNA. *Biochem. J.*, 233 (1986) 253-257.
- 969 Belanger, G., Berard, J. and Gingras, G.: Isolation and partial characterization of the messenger RNA encoding the B880 holochrome protein of *Rhodospirillum rubrum*. *Eur. J. Biochem.*, 153 (1985) 477-484.
- 970 Bischoff, R. and McLaughlin, L.W.: Isolation of specific tRNAs using an ionic-hydrophobic mixed-mode chromatographic matrix. *Anal. Biochem.*, 151 (1985) 526-533.
- 971 Pagan, J.B., Pastewka, J.V., Chalberg, S.C., Gozukara, E., Guengerich, F.P. and Gelboin, H.V.: Noncoordinate regulation of the mRNAs encoding cytochromes P-450<sub>BNF/MC-B</sub> and P-450<sub>ISF/BNF-G</sub>. *Arch. Biochem. Biophys.*, 244 (1986) 261-272.
- 972 Igloi, G.L. and Koessel, H.: Affinity electrophoresis for monitoring terminal phosphorylation and the presence of queuine in RNA. Application of polyacrylamide containing a covalently bound boronic acid. *Nucleic Acids Res.*, 13 (1985) 6881-6898; *C.A.*, 104 (1986) 3032p.
- 973 Kloppstech, K. and Ohad, I.: Heat-shock protein synthesis in *Chlamydomonas reinhardtii*. Translational control at the level of initiation of a poly(A)-rich-RNA coded 22-kDa protein in a cell-free system. *Eur. J. Biochem.*, 154 (1986) 63-68.
- 974 Lin, R.-J., Newman, A.J., Cheng, S.-C. and Abelson, J.: Yeast mRNA splicing *in vitro*. *J. Biol. Chem.*, 260 (1985) 14780-14792.
- 975 Marks, M.D., Lindell, J.S. and Larkins, B.A.: Nucleotide sequence analysis of zein mRNAs from maize endosperm. *J. Biol. Chem.*, 260 (1985) 16451-16459.

- 976 Matlashewski, G., Banks, L., Pim, D. and Crawford, L.: Analysis of human p53 protein and mRNA levels in normal and transformed cells. *Eur. J. Biochem.*, 154 (1986) 665-672.
- 977 McClain, K. and Wilkowski, C.: Activation of endogenous retroviral sequences in human leukemia. *Biochem. Biophys. Res. Commun.*, 133 (1985) 945-950.
- 978 Messina, J.L., Hamlin, J., Azizkhan, J. and Lerner, J.: The effects of insulin and concanavalin A on the accumulation of a specific mRNA in rat hepatoma cells. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1168-1174.
- 979 Nir, U., Maroteaux, L., Cohen, B. and Mory, I.: Priming affects the transcription rate of human interferon- $\beta_1$  gene. *J. Biol. Chem.*, 260 (1985) 14242-14247.
- 980 Sgro, J.-Y., Jacrot, B. and Chroboczek, J.: Identification of regions of bromo mosaic virus coat protein chemically cross-linked *in situ* to viral RNA. *Eur. J. Biochem.*, 154 (1986) 69-76.
- 981 Tanaka, M., Sugisaki, K. and Nakashima, K.: Switching in levels of translatable mRNAs for enolase isozymes during development of chicken skeletal muscle. *Biochem. Biophys. Res. Commun.*, 133 (1985) 868-872.
- 982 Walsh, J.W.: Apparatus for electrophoretic recovery of nucleic acids and other substances. *U.S. Pat.* US 4,545,888 (Cl.204-301; G01N27/28), 08 Oct. 1985, Appl. 597,677, 06 Apr. 1984, 12 pp.; *C.A.*, 104 (1986) 48323a.

See also 940.

#### 21c. Nucleic acids, DNA

- 983 Chiou, S.-H., Chang, W.-C., Jou, Y.-S., Chung, H.-M. and Lo, T.-B.: Specific cleavages of DNA by ascorbate in the presence of copper ion or copper chelates. *J. Biochem. (Tokyo)*, 98 (1985) 1723-1726.
- 984 Fox, K.R.: The effect of *HhaI* methylation on DNA local structure. *Biochem. J.*, 234 (1986) 213-216.
- 985 Mazin, A.V., Kuzminov, A.V., Dianov, G.L. and Salganik, R.I.: (Novel method for studying the conformation of DNA by chemical modification). *Bioorg. Khim.*, 11 (1985) 1690-1692; *C.A.*, 104 (1986) 48191f.
- 986 Miroshnichenko, G.P., Volkov, R.A. and Borisyuk, N.V.: (Genome structure of *Brassica campestris* L., *Arabidopsis thaliana* (L.) Heind and their somatic cell hybrid, *Arabidobrassica*). *Biokhimiya (Moscow)*, 51 (1986) 84-94.
- 987 Pruijn, G.J.M., Kusters, H.G., Gmeling Myeling, F.H.J. and van der Vliet, P.C.: Inhibition of adenovirus DNA replication *in vitro* by autoimmune sera. *Eur. J. Biochem.*, 154 (1986) 363-370.
- 988 Subramanian, R. and Meares, C.F.: Photo-induced nicking of deoxyribonucleic acid by ruthenium(II)-bleomycin in the presence of air. *Biochem. Biophys. Res. Commun.*, 133 (1985) 1145-1151.
- 989 Tokunaga, T., Tanaka, T., Ikehara, M. and Ohtsuka, E.: Synthesis and expression of a human growth hormone (somatotropin) gene mutated to change cysteine-165 to alanine. *Eur. J. Biochem.*, 153 (1985) 445-449.

See also 940.

#### 21d. Nucleoproteins

- 990 Ruzdijic, S.D., Bird, R.C., Jacobs, F.A. and Sells, B.H.: Specific mRNA complexes. Characterization of the proteins bound to histone H4 mRNAs isolated from L6 myoblasts. *Eur. J. Biochem.*, 153 (1985) 587-594.
- 991 Wedrychowski, A., Schmidt, W.N., Ward, W.S. and Hnilica, L.S.: Cross-linking of cytokeratins to DNA *in vivo* by chromium salt and *cis*-diamminedichloroplatinum(II). *Biochemistry*, 25 (1986) 1-9.

#### 21f. Structural studies of nucleic acids

- 992 Brown, D.J. and Bos, T.J.: A modification for "smileless" polyacrylamide gels in nucleic acid sequencing. *Electrophoresis (Weinheim)*, 7 (1986) 54-55.
- 993 Ueda, T., Ohta, T. and Watanabe, K.: Large scale isolation and some properties of AGY-specific serine tRNA from bovine heart mitochondria. *J. Biochem. (Tokyo)*, 98 (1985) 1275-1284.

- 994 Yuuki, T., Nomura, T., Tezuka, H., Tsuboi, A., Yamagata, H., Tsukagoshi, N. and Udaka, S.: Complete nucleotide sequence of a gene coding for heat- and pH-stable  $\alpha$ -amylase of *Bacillus licheniformis*: comparison of the amino acid sequences of three bacterial liquefying  $\alpha$ -amylases deduced from the DNA sequences. *J. Biochem. (Tokyo)*, 98 (1985) 1147-1156.

## 26. ORGANOMETALLIC AND RELATED COMPOUNDS

### 26c. Coordination compounds

See 740.

## 28. ANTIBIOTICS

- 995 Lott, A.F., Smither, R. and Vaughan, D.R.: Antibiotic identification by high voltage electrophoresis bioautography. *J. Assoc. Off. Anal. Chem.*, 68 (1985) 1018-1020.
- 996 Osada, H. and Isono, K.: Purification and characterization of ascamycin-hydrolysing aminopeptidase from *Xanthomonas citri*. *Biochem. J.*, 233 (1986) 459-463.

## 29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

### 29d. Herbicides

- 997 Krivankova, L. and Bocek, P.: Analytical control of the production of herbicides and growth regulators glyphosate and glyphosine by capillary isotachopheresis. *Electrophoresis (Weinheim)*, 7 (1986) 100-103.

## 30. SYNTHETIC AND NATURAL DYES

### 30b. Chloroplast and other natural pigments

- 998 Ueda, T., Morimoto, Y., Sato, M., Kakuno, T., Yamashita, J. and Horio, T.: Isolation, characterization, and comparison of a ubiquitous pigment-protein complex consisting of a reaction center and light-harvesting bacteriochlorophyll proteins present in purple photosynthetic bacteria. *J. Biochem. (Tokyo)*, 98 (1985) 1487-1498.

## 32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

### 32d. Toxicological applications

- 999 Gan, Y.Y.: Preparation of extracts from tropical plants for electrophoresis - an analysis of methodology. *Pertanika*, 8 (1985) 9-20; *C.A.*, 104 (1986) 47516d.

### 32f. Clinico-chemical applications and profiling body fluids

- 1000 Scherberich, J.E., Soler, G. and Schoeppe, W.: Non-invasive diagnosis of kidney diseases applying sensitive thin-layer SDS-PAA gradient gel-electrophoresis. *Protides Biol. Fluids*, 33 (1985) 533-536; *C.A.*, 104 (1986) 3035a.

See also 758, 775, 835, 837, 843, 849, 859, 904, 908, 910, 914, 939, 946, 951, 954, 960, 976.

## 33. INORGANIC COMPOUNDS

## 33a. Cations

- 1001 Ermolenko, I.N., Kaputskii, F.N., Lazareva, T.G., Grinshpan, D.D., Savitskaya, T.A. and Borisenko, E.M.: Determination of cations of metals. *U.S.S.R. Pat. SU 1,154,616* (Cl.G01N31/00) 07 May 1985, Appl. 3,632,581, 04 Aug. 1983; *C.A.*, 103 (1985) 226687m.
- 1002 Fanali, S., Foret, F. and Bocek, P.: Determination of potassium, sodium, calcium and magnesium in dialysis solution for artificial kidneys by capillary isotachophoresis. *Pharmazie*, 40 (1985) 653; *C.A.*, 104 (1986) 24269m.
- 1003 Fukushi, K. and Hiro, K.: Determination of magnesium and calcium ions in sea water by capillary type isotachophoresis. *Fresenius' Z. Anal. Chem.*, 323 (1986) 44-47.
- 1004 Yoshida, H. and Hida, M.: Separation of selenate, selenite, tellurate and tellurite by means of isotachophoresis. *J. Chromatogr.*, 351 (1986) 388-390.

## 33b. Anions

- 1005 Baykov, A. and Volk, S.: Quantitative detection of orthophosphate in polyacrylamide gels. *Anal. Biochem.*, 151 (1985) 13-15.

See also 759.

## 34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 1006 Bridges, W.B.: Method and apparatus for separating isotopes using electrophoresis in a discharge. *U.S. Pat. US 4,545,878* (Cl.204-157.1R; B01D59/00), 08 Oct. 1985, US Appl. 700,362, 28 Jun. 1976; 14 pp.; *C.A.*, 104 (1986) 12078k.

See also 762.

## 35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

## 35a. Surfactants

- 1007 Ayub, A.L., Roberts, S.L. and Kwak, J.C.T.: Adsorption of cationic surfactants on two size fractions of coal fines: comparison of zeta potentials derived from microelectrophoresis and streaming potential measurements. *Colloids Surf.*, 16 (1985) 175-183; *C.A.*, 104 (1986) 21689n.

## 35c. Food analysis

See 760.

## 35d. Various technical products

- 1008 Chang, C.H. and Rowell, R.L.: Measurement of the physical properties of coal powders, aqueous slurries and dispersions. *Coal Slurry Combust., Int. Symp.*, 6th 1984, 219-233; *C.A.*, 104 (1986) 36586a.

## 36. CELLS AND CELLULAR PARTICLES

- 1009 Hayashi, H., Oguchi, Y., Matsunaga, K. and Yoshikumi, C.: (Detection of cells by electrophoresis). *Jpn. Kokai Tokkyo Koho Pat. JP 60,205,263* (85,205,263) (Cl.G01N33/561), 16 Oct. 1985, Appl. 84/62,446, 30 Mar. 1984, 6 pp.; *C.A.*, 104 (1986) 48359s.

1010 Shimadzu Corp.; (Electrophoresis apparatus for cells). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,119,458 (85,119,458) (Cl.G01N27/26), 26 Jun. 1985, Appl. 83/227396, 30 Nov. 1983, 3 pp.; *C.A.*, 104 (1986) 3118w.

See also 753.

### 37. ENVIRONMENTAL ANALYSIS

#### 37b. *Air pollution*

See 787.



Now Available

# LIQUID CHROMATOGRAPHY DETECTORS

## Second, completely revised edition

by R.P.W. SCOTT, Perkin-Elmer Corporation, Instrument Group, Main Avenue, Norwalk, CT, U.S.A.

Journal of Chromatography Library - Volume 33

The renaissance of liquid chromatography, provoked by the spectacular development of gas-liquid chromatography, took place in the late 1960's and early 1970's. The first edition of this book published in 1977 describes the detectors that were available at that time and which provided a performance matching that of the contemporary equipment with which they were associated. It is interesting to note that the most popular detectors then, the UV detector, the refractometer detector, the fluorescence detector and the electrical conductivity detector are still the most commonly used detectors today, nearly a decade later. Detector design, however, has changed very significantly over the intervening years. Modern high-efficiency columns provide very narrow peaks and very fast separations, and thus the physical design of the detectors had to change to meet these new challenges. In 1977, there was little real understanding of the important role played by the detector in the overall function of the chromatographic system and although some of the factors were pointed out in the first edition of this book, in retrospect they appeared to be little understood.

This second edition gives an entirely new presentation of the subject of liquid chromatography detectors. It contains sections dealing with the fundamental aspects of the interaction between columns and detectors and the interaction between ancillary equipment and the detector. It brings the reader up-to-date with new designs and novel detecting systems that have been developed since 1977 and extends significantly the subject of the association of the liquid chromatography detector with spectroscopic techniques. In particular the book now explores the association of liquid chromatography with nuclear magnetic resonance spectroscopy, infrared spectroscopy and atomic absorption spectroscopy. This book not only gives a comprehensive treatment of the subject of liquid chromatography detectors and provides a rational procedure for defining their performance and so permit valid comparisons, but also discusses detector performance in relation to the whole of the chromatographic system.

Like the first edition, this book is expected to be well received.

## REVIEW

"This book ... is a well-balanced, practical review of modern LC detectors. This first comprehensive book devoted to LC detectors ... valuable to workers in academic and industrial laboratories who desire a clear understanding of the principles of detection in order to choose a detector suitable for their research needs." (Journal of the American Chemical Society)

"It is recommended to any liquid chromatographer who desires to have a thorough knowledge of detection principles, who would like to get the most information from his available detectors, or who is interested in pursuing development of a new detector." (Analytical Chemistry)

**CONTENTS.** Chapter 1. History, Function and Classification of Detectors. History and Function. Classification of Detectors. 2. Performance Criteria of Liquid Chromatography Detectors. Principal Detector Characteristics. The Nature of the Detector Output. Units Employed in Detector Specifications. The Dynamic Range of a Detector. Detector Linearity. Detector Response. Detector Noise. Detector Sensitivity. The Total Detecting System Dispersion. Extra Column Dispersion. Connecting Tube Form, Dimensions and Volume. Cell Dimensions and Cell Volume. Overall Detector Time Constant (Sensor and Electronics). The Time Constant of the Recorder. Pressure Sensitivity. Flow Sensitivity. Temperature Sensitivity. Summary of Detector Criteria. 3. Bulk Property Detectors. The Refractive Index Detector. The Electrical Conductivity Detector. The Dielectric Constant Detector. Additional Bulk Property Detecting Systems. 4. Solute Property Detectors. The UV Absorption Detector. The Fluorometric Detector. Transport Detectors. The Electrochemical Detector. The Atomic Spectroscopic System as an Element Specific Detector. The Radioactivity Detector. Additional Solute Property Detectors. 5. Special Detector Techniques. Multi-functional Detectors. Chemical Derivatization as a Sensitivity Enhancement Technique. The Differential Detector. Integral Detection. Vacancy Chromatography. 6. Spectroscopy in Conjunction with Liquid Chromatography to Identify Solute Structure. The Combination of the Liquid Chromatograph with the Nuclear Magnetic Resonance Spectrometer. The Combination of the Liquid Chromatograph with the Mass Spectrometer. The Combination of the Infrared Spectrometer with the Liquid Chromatograph. 7. Liquid Chromatographic Data Acquisition and Computer Processing. Data Acquisition. Transmission of the Data to the Computer. Data Processing and Reporting. Data Processing. Data Acquisition Parameters and Chromatograph Control. Presentation of Chromatograms. 8. The Selection of the Appropriate Detector. The UV Detector. The Refractive Index Detector. The Fluorescence Detector. The Electrical Conductivity Detector. Summary. Practical Hints on Detector Operation. Quantitative and Qualitative Analysis. Manual Measurement of Chromatographic Data. Computer Data Processing. Qualitative Analysis. Precision as an Alternative to Resolution. Quantitative Analysis. Some Physical Properties of Solvents in Common Use in Liquid Chromatography. List of Symbols. Appendix. Synopsis and References are included at the end of each chapter.

March 1986 xvi + 272 pages  
Price: US \$ 64.75 / 175.00 Dutch guilders  
ISBN 0-444-42610-8

To Elsevier

Please supply \_\_\_\_\_ copy(ies) of  
**Liquid Chromatography Detectors 2nd edition**  
by R.P.W. Scott  
Price: US \$ 64.75 or 175.00 Dutch Guilders

I enclose my cheque  
 Please charge my \_\_\_\_\_ card  
No. \_\_\_\_\_ Valid until \_\_\_\_\_

Name \_\_\_\_\_  
Full address \_\_\_\_\_  
\_\_\_\_\_  
Postal code \_\_\_\_\_


Signature \_\_\_\_\_

 **ELSEVIER**

Elsevier Science Publishers  
P.O. Box 211  
1000 AE Amsterdam  
The Netherlands

Elsevier Science Publishing Co., Inc.  
P.O. Box 1663  
Grand Central Station  
New York, NY 10163, USA

# Reactive polymers, ion exchangers, sorbents



*Editor-in-Chief:*

**F.G. Helfferich,**

Dept. of Chemical Engineering,  
Pennsylvania State University,  
PA, U.S.A.

*Regional Editor for Western  
Europe:*

**M. Streat,**

Dept. of Chemical Engineering,  
Imperial College, London,  
England, SW7 2BY

*Regional Editor for Japan:*

**Teiji Tsuruta,**

Dept. of Industrial Chemistry,  
Science University of Tokyo,  
Tokyo, Japan

*Regional Editor for Eastern  
Europe:*

**L. Pawlowski,**

Institute of Chemistry, Maria  
Curie-Sklodowska University,  
Lublin, Poland

REACTIVE POLYMERS is a "frontiers" journal devoted to new ideas and developments in the science and technology of polymers with functional groups providing chemical or physical reactivity. It addresses both the researcher and the practising engineer — making the technologist aware of new materials or methods suitable for his tasks, and bringing today's pressing practical problems to the attention of the researcher.

#### Subject areas

- \* Adsorption
- \* Catalysis (homogeneous and heterogeneous)
- \* Deionization
- \* Chromatography
- \* Fixed enzymes
- \* Functional groups
- \* Ion exchange
- \* Ligand exchange
- \* Membranes
- \* Polymers
- \* Separations
- \* Sorption

**SEND NOW FOR A FREE  
SAMPLE COPY**

# ELSEVIER



P.O. Box 330  
1000 AH Amsterdam  
The Netherlands

PUBLICATION SCHEDULE FOR 1986

*Journal of Chromatography* (incorporating *Chromatographic Reviews*) and *Journal of Chromatography, Biomedical Applications*

MONTH	O 1985	N 1985	D 1985	J	F	M	A	M	J	J	A	The publication schedule for further issues will be published later
Journal of Chromatography	346 347/1	347/2 347/3 348/1	348/2 349/1 349/2 350/1 350/2	351/1 351/2 351/3	352 353 354	355/1 355/2 356/1	356/2 356/3 357/1	357/2 357/3 358/1 358/2 359	360/1 360/2 361	362/1 362/2 362/3	363/1	
Chromatographic Reviews								373/1				
Bibliography Section					372/1		372/2		372/3		372/4	
Biomedical Applications				374/1 374/2	375/1	375/2	376 377	378/1	378/2 379	380/1	380/2 381/1	

INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 329, No. 3, pp. 449-452. A free reprint can be obtained by application to the publisher.)

**Types of Contributions.** The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Short communications and Notes. Short communications are preliminary announcements of important new developments and will, whenever possible, be published with maximum speed. Notes are usually descriptions of short investigations and reflect the same quality of research as Full-length papers, but should preferably not exceed four printed pages. For review articles, see page 2 of cover under Submission of Papers.

**Submission.** Every paper must be accompanied by a letter from the senior author, stating that he is submitting the paper for publication in the *Journal of Chromatography*. Please do not send a letter signed by the director of the institute or the professor unless he is one of the authors.

**Manuscripts.** Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

**Introduction.** Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

**Summary.** Full-length papers and Review articles should have a summary of 50-100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes are published without a summary.)

**Illustrations.** The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the legends being typed (with double spacing) together on a separate sheet. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

**References.** References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press", "submitted for publication", "in preparation" or "personal communication".

**Dispatch.** Before sending the manuscript to the Editor please check that the envelope contains three copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

**Proofs.** One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

**Reprints.** Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

**Advertisements.** Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

Now also available in a student edition

# Contemporary Practice of Chromatography

by COLIN F. POOLE and SHEILA A. SCHUETTE, Department of Chemistry, Wayne State University, Detroit, MI, USA

Here is a book written for scientists in a wide variety of disciplines who use chromatography as an analytical tool.

It satisfies the need for:

- a graduate-level student textbook in chromatography / separation science
- a text for professional institutes offering short courses in chromatography
- a text for chromatographers who graduated some time ago and who wish to keep up to date with the field
- a comprehensive review of modern separation techniques.

All areas of gas, liquid, and thin-layer chromatography are covered; no other book available offers the same scope.

Emphasis is on the practice of chromatographic methods, including "how to" sections and numerous examples of calculation methods. Extensively illustrated, it contains a great many tables of all useful constants, materials and formulas frequently used by chromatographers. Valuable features are the chapters on sample preparation for chromatographic analysis, and on instrumental methods for sample identification, plus the comprehensive up-to-date literature review.

The authors have considerable experience teaching graduate-level courses and the material presented

here has been tried and tested, having formed the basis for short courses taught to groups of industrial chemists. A must for chemists, clinical chemists, biologists, pharmacists, environmental scientists, instrument manufacturers and many others.

**CONTENTS:** 1. Fundamental Relationships of Chromatography. 2. The Column in Gas Chromatography. 3. Instrumental Requirements for Gas Chromatography. 4. The Column in Liquid Chromatography. 5. Instrumental Requirements for HPLC. 6. Preparative-Scale Chromatography. 7. Sample Preparation for Chromatography Analysis. 8. Hyphenated Methods for Identification after Chromatographic Separation. 9. HPTLC. Subject Index.

1984 x + 708 pages

Hardbound Edition:

US \$ 59.00 (USA & Canada)

Dutch guilders 159.00 (Elsewhere)

ISBN 0-444-42410-5

Student Edition:

US \$ 37.50 (USA & Canada)

Dutch guilders 110.00 (Elsewhere)

ISBN 0-444-42506-3

P.O. Box 211  
1000 AE Amsterdam  
The Netherlands

P.O. Box 1663  
Grand Central Station  
New York, NY 10103, USA

**ELSEVIER**

7313A  
-R 20 2509  
50 2/3