

OF

CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

EDITOR, Michael Lederer (Switzerland)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Orinda, CA)

EDITORIAL BOARD

W. A. Aue (Halifax)
 V. G. Berezkin (Moscow)
 V. Betina (Bratislava)
 A. Beyenue (Belmont, CA)
 P. Bocek (Brno)
 P. Boulanger (Lille)
 A. A. Boulton (Saskatoon)
 G. P. Carton (Rome)
 S. Dilli (Kensington, N.S.W.)
 L. Fishbein (Jefferson, AR)
 R. W. Frei (Amsterdam)
 A. Frigerio (Milan)
 C. W. Geake (Columbia, MO)
 E. Gil-Av (Rehovot)
 G. Guiochon (Washington, DC)
 I. M. Hais (Hradec Králové)
 J. K. Haken (Kensington, N.S.W.)
 S. Hjerten (Uppsala)
 E. C. Horning (Houston, TX)
 Cs. Horváth (New Haven, CT)
 J. F. K. Huber (Vienna)
 A. T. James (Sharnbrook)
 J. Janák (Brno)
 E. sz. Kováts (Lausanne)
 K. A. Kraus (Oak Ridge, TN)
 E. Lederer (Gril-sur-Yvette)
 A. Liberti (Rome)
 H. M. McNair (Blacksburg, VA)
 Y. Marcus (Jerusalem)
 G. B. Marini Bettolo (Rome)
 A. J. P. Martin (Cambridge)
 C. Michalec (Prague)
 R. Neher (Basel)
 G. Nickless (Bristol)
 N. A. Paris (Wilmington, DE)
 R. L. Patience (Sunbury on Thames)
 P. G. Righetti (Milan)
 O. Samuelson (Göteborg)
 R. Schwarzenbach (Dübendorf)
 L. R. Snyder (Orinda, CA)
 A. Zlatkis (Houston, TX)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)

ELSEVIER

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis (including the publication of normal values); screening and profiling procedures with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; combinations of chromatographic and electrophoretic methods with other physicochemical techniques such as mass spectrometry.

Submission of Papers. Papers in English, French and German may be submitted, in three copies. Manuscripts should be submitted to: The Editor of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

Subscription Orders. Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

Publication. The *Journal of Chromatography* (incl. *Biomedical Applications* and *Cumulative Author and Subject Indexes*, Vols. 351–400) has 40 volumes in 1987. The subscription prices for 1987 are:

J. Chromatogr. (incl. *Cum. Indexes*, Vols. 351–400) + *Biomed. Appl.* (Vols. 384–423): Dfl. 6400.00 plus Dfl. 1000.00 (postage) (total ca. US\$ 3289.00)

J. Chromatogr. (incl. *Cum. Indexes*, Vols. 351–400) only (Vols. 384–412):

Dfl. 5365.00 plus Dfl. 725.00 (postage) (total ca. US\$ 2706.75)

Biomed. Appl. only (Vols. 413–423):

Dfl. 2035.00 plus Dfl. 275.00 (postage) (total ca. US\$ 1026.75).

Journals are automatically sent by airmail at no extra costs to Argentina, Australia, Brasil, Canada, China, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand and the U.S.A. Back volumes of the *Journal of Chromatography* (Vols. 1 through 383) are available at Dfl. 219.00 (plus postage). Claims for issues not received should be made within three months of publication of the issue. If not, they cannot be honoured free of charge. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 916-1250.

Abstracts/Contents Lists published in Analytical Abstracts, ASCA, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Gas & Liquid Chromatography Abstracts, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index.

See page 3 of cover for Publication Schedule, Information for Authors and information on Advertisements.

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1987

0021-9673/87/\$03.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works.

Special written permission must be obtained from the publisher for such copying.

CONTENTS

Bibliography Section

Liquid Column Chromatography	B1
Gas Chromatography	B63
Planar Chromatography	B95
Electrophoresis	B112

JOURNAL OF CHROMATOGRAPHY

VOL. 412 (1987)

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY,
ELECTROPHORESIS AND RELATED METHODS

EDITOR

MICHAEL LEDERER (Switzerland)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITOR, SYMPOSIUM VOLUMES

E. HEFTMANN (Orinda, CA)

EDITORIAL BOARD

W. A. Aue (Halifax), V. G. Berezkin (Moscow), V. Betina (Bratislava), A. Bevenue (Belmont, CA), P. Boček (Brno), P. Boulanger (Lille), A. A. Boulton (Saskatoon), G. P. Cartoni (Rome), S. Dilli (Kensington, N.S.W.), L. Fishbein (Jefferson, AR), R. W. Frei (Amsterdam), A. Frigerio (Milan), C. W. Gehrke (Columbia, MO), E. Gil-Av (Rehovot), G. Guiochon (Washington, DC), I. M. Hais (Hradec Králové), J. K. Haken (Kensington, N.S.W.), S. Hjertén (Uppsala), E. C. Horning (Houston, TX), Cs. Horváth (New Haven, CT), J. F. K. Huber (Vienna), A. T. James (Sharnbrook), J. Janák (Brno), E. sz. Kováts (Lausanne), K. A. Kraus (Oak Ridge, TN), E. Lederer (Gif-sur-Yvette), A. Liberti (Rome), H. M. McNair (Blacksburg, VA), Y. Marcus (Jerusalem), G. B. Marini-Bettolo (Rome), A. J. P. Martin (Cambridge), Č. Michalec (Prague), R. Neher (Basel), G. Nickless (Bristol), N. A. Parris (Wilmington, DE), R. L. Patience (Sunbury-on-Thames), P. G. Righetti (Milan), O. Samuelson (Göteborg), R. Schwarzenbach (Dübendorf), L. R. Snyder (Orinda, CA), A. Zlatkis (Houston, TX)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)



ELSEVIER

AMSTERDAM — OXFORD — NEW YORK — TOKYO

J. Chromatogr., Vol. 412 (1987)

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1987

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, Amsterdam, The Netherlands.

Printed in The Netherlands

BIBLIOGRAPHY SECTION

SUPPLEMENT TO THE
JOURNAL OF CHROMATOGRAPHY

1987

EDITORS:

Z. DEYL (Prague)

J. JANÁK (Brno)

V. SCHWARZ (Prague)

K. MACEK (Prague)

Bibliography Section

Liquid Column Chromatography

1. REVIEWS AND BOOKS

- 1 Boege, D.: (Chromatographics 3). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 32-37; *C.A.*, 105 (1986) 126090j.
 - 2 Braithwaite, A. and Smith, F.J.: *Chromatographic Methods*, 4th ed., Chapman and Hall, London, 1985, 414 p.; *C.A.*, 105 (1986) 126553n.
 - 3 Engelhardt, H. and Hupe, K.P.: (*Coupling Methods in HPLC*). GIT GMBH, Darmstadt, 1985, 60 p.; *C.A.*, 105 (1986) 53904r.
 - 4 Ganiev, A.G. and Karimkulov, D.U.: (Radiochemical activation analysis in the study of trace concentrations of noble metals). *Uzb. Khim. Zh.*, (1986) 6-7; *C.A.*, 105 (1986) 53525t - a review with 5 refs.
 - 5 Haken, J.K.: Genesis of an analytical scheme for complex resinous polymers. *J. Coat. Technol.*, 58 (1986) 33-40; *C.A.*, 105 (1986) 43838h - a review with 61 refs.
 - 6 Jansen, K.H. and Maier, K.D.: (LC (liquid chromatography) flexibility made in Germany. A comprehensive chromatography concept for components and systems. Part 2.). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 52-57; *C.A.*, 105 (1986) 126420s.
 - 7 Jones, K.: Process scale HPLC comes of age. *Spec. Chem.*, 6 (1986) 4-9; *C.A.*, 105 (1986) 71802k - a review with 5 refs.
 - 8 Kassai, K.: (High performance chromatography). *Tanpakushitsu Kakusan Koso*, 31 (1986) 719-733; *C.A.*, 105 (1986) 93751v - a review with 55 refs.
 - 9 Katoh, S.: (Purification of biological materials by chromatography). *Kagaku Kogaku*, 50 (1986) 534-539; *C.A.*, 105 (1986) 111225h.
 - 10 Kiselev, A.V. and Jasin, J.: *Gas and Liquid Adsorption Chromatography*. Huethig, Heidelberg, 1985, 391 p.; *C.A.*, 105 (1986) 53788f.
 - 11 Nakamura, S.: (HPLC and its industrial application. Separation and purification of enzymes and biochemical substances). *Nikkakyo Geppo*, 39 (1986) 13-21; *C.A.*, 105 (1986) 111189t - a review with 4 refs.
 - 12 Rudge, S.R. and Ladisch, M.R.: Process considerations for scale-up of liquid chromatography and electrophoresis. *ACS Sym. Ser.*, 314 (Sep. Recovery, Purif. Biotechnol) (1986) 122-152; *C.A.*, 105 (1986) 130066y - a review with 57 refs.
 - 13 Schuetzle, D. and Lewtas, J.: Bioassay-directed chemical analysis in environmental research. *Anal. Chem.*, 58 (1986) 1060A-1075A.
 - 14 Walser, P.: (Efficient ion chromatography with PrP-X100). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 90-95; *C.A.*, 105 (1986) 126163k.
 - 15 Yeung, E.S. and Synovec, R.E.: Detectors for liquid chromatography. *Anal. Chem.*, 58 (1986) 1237A-1256A - a review with 23 refs.
 - 16 Yoshida, N.: (Optical resolution in host-guest interactions). *Bunseki*, (1986) 245-247; *C.A.*, 105 (1986) 107642z - a review with 18 refs.
- See also 21, 41, 48, 51, 58, 62, 64, 72, 74, 80, 88, 90, 92, 116, 122, 125, 126, 129 - 131, 139, 142, 150 - 152, 159, 161, 207, 336, 340, 439, 444, 446, 450, 510, 526, 532, 535, 563, 575, 637, 665, 674, 731, 733, 740, 742, 746, 753, 756, 757, 764, 782, 799, 801, 802, 805, 806, 815, 819, 837, 849, 905, 919, 920, 981, 1004, 1007, 1014.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 17 Billiet, H.A.H. and Drouen, A.C.J.H.: (Optimization and peak identification in liquid chromatography). *Chem. Mag. (Rijswijk)*, (1985) 529-533; *C.A.*, 105 (1986) 71824u.
- 18 Jinno, K. and Kuwajima, M.: A microcomputer-assisted retention prediction with gradient elution in reversed-phase liquid chromatography. *Chromatographia*, 21 (1986) 541-545.
- 19 Johnson, B.P., Khaledi, M.G. and Dorsey, J.G.: Solvatochromic solvent polarity measurements and retention in reversed-phase liquid chromatography. *Anal. Chem.*, 58 (1986) 2354-2365.
- 20 Kostir, J.: (Reminiscences of the beginnings of chromatography in Czechoslovakia). *Chem. Listy*, 80 (1986) 618-632; *C.A.*, 105 (1986) 96616r.
- 21 Oikawa, K. and Murano, K.: (Ion chromatography). *Gendai, Kagaku*, 184 (1986) 16-23; *C.A.*, 105 (1986) 53540u - a review with 3 refs.
- 22 Smilde, A.K., Knevelman, A. and Coenegracht, P.M.J.: Introduction of multi-criteria decision making in optimization procedures for high-performance liquid chromatographic separations. *J. Chromatogr.*, 369 (1986) 1-10.
- 23 Trubnikov, V.I., Nikulicheva, S.I., Sapozhnikov, Yu.M., Tikhomirova, L.P., Kotova, I.A., Vintina, O.G. and Yudovich, V.B.: Methods for improving the reliability and information content of chromatographic analyses of biologically active compounds. *J. Chromatogr.*, 365 (1986) 111-116.

See also 2, 1014.

For additional information see:

C.A., 105 (1986) 126426y.

2b. Thermodynamics and theoretical relationships

- 24 Bogatyryov, V.L.: Effect of high pressures on ion-exchange chromatographic processes. *J. Chromatogr.*, 364 (1986) 125-133.
- 25 Degen, J., Look, R. and Wernicke, R.: (Mathematical description of peaks). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 38-43; *C.A.*, 105 (1986) 126497x.
- 26 Delley, R.: Modifying the Gaussian peak shape with more than one time constant. *Anal. Chem.*, 58 (1986) 2344-2346.
- 27 Eltekov, Yu.A. and Kazakevitch, Yu.V.: Investigation of adsorption equilibrium in chromatographic columns by the frontal method. *J. Chromatogr.*, 365 (1986) 213-219.
- 28 Golovnya, R.V.: Principle of non-additivity for sorption energy and its application in chromatography. *J. Chromatogr.*, 364 (1986) 193-202.
- 29 Hsu, S.-H., Raglione, T., Tomellini, S.A., Floyd, T.R., Sagliano, N., Jr. and Hartwick, R.A.: Zone compression effects in high-performance liquid chromatography. *J. Chromatogr.*, 367 (1986) 293-300.
- 30 Jaroniec, M.: New description of heterogeneity effects in adsorption from multicomponent solutions and liquid adsorption chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 452-455.
- 31 Kalinichev, A.I., Kolotinskaya, E.V., Semenovskaya, T.D. and Avgul, V.T.: Relationship between the mass-exchange rate in an ion exchanger and in solution for selective systems in the case of a concave exchange isotherm. *J. Chromatogr.*, 364 (1986) 119-124.
- 32 Larin, A.V.: (Equilibrium layer models for chromatography. 3. Regularities of elution for concave sorption isotherm $a = kc^2$). *Izv. Akad. Nauk SSSR, Ser. Khim.*, (1986) 1225-1231; *C.A.*, 105 (1986) 85709x.
- 33 Leahy, D.E., Carr, P.W., Pearlman, R.S., Taft, R.W. and Kamlet, M.J.: Linear solvation energy relationships. A comparison of molar volume and intrinsic molecular volume as measures of the cavity term in reversed phase liquid chromatography. *Chromatographia*, 21 (1986) 473-477.
- 34 Leontyeva, S.A. and Timofeeva, A.N.: Chromatographic method for determining the physico-chemical and thermodynamic characteristics of colloidal systems. *J. Chromatogr.*, 365 (1986) 391-397.

- 35 Martin, M., Herman, D.P. and Guiochon, G.: Probability distributions of the number of chromatographically resolved peaks and resolvable components in mixtures. *Anal. Chem.*, 58 (1986) 2200-2207.
- 36 Safonov, M.S., Malykh, Ya.N., Ivanov, V.A., Gorshkov, V.I., Belnov, V.K. and Voskresenskii, N.M.: The determination of dynamic characteristics of ion-exchange columns by the application of one-dimensional mathematical models. *J. Chromatogr.*, 364 (1986) 143-152.
- 37 Volkov, S.A., Khililov, K.F., Reznikov, V.I., Zelvenskii, V.Yu. and Sakodynskii, K.I.: Longitudinal spreading in gas and liquid chromatography and its connection with packed bed structure and the velocity of the mobile phase. *J. Chromatogr.*, 364 (1986) 39-51.
- 38 Williams, P.S., Giddings, S.B. and Giddings, J.C.: Calculation of flow properties and end effects in field-flow fractionation channels by a conformal mapping procedure. *Anal. Chem.*, 58 (1986) 2397-2403.

See also 67.

2c. Relationship between structure and chromatographic behavior

- 39 Eltekova, N.A.: Retention of organic compounds on carbon adsorbents. *J. Chromatogr.*, 364 (1986) 425-430.
- 40 Golovnya, R.V. and Grigoryeva, D.N.: Violation of the linearity principle of additivity of sorption energy in chromatography. An universal equation describing retention behavior. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 584-589.
- 41 Kaliszan, R.: Quantitative relationships between molecular structure and chromatographic retention: implications in physical, analytical and medicinal chemistry. *CRC Crit. Rev. Anal. Chem.*, 16 (1986) 323-383; *C.A.*, 105 (1986) 126417w - a review with 242 refs.
- 42 Nikolov, R.N.: Theoretical aspects of the pore distribution and its determination by size-exclusion chromatography. *J. Chromatogr.*, 364 (1986) 163-182.
- 43 Walczak, B., Lafosse, M., Chretien, J.R., Dreux, M. and Morin-Allory, L.: Factor analysis and experiment design in high-performance liquid chromatography. V. Selectivity of chalcone configuration isomers on 23 reversed-phase packings. *J. Chromatogr.*, 369 (1986) 27-37.

For additional information see:

C.A., 105 (1986) 126486.

2d. Measurement of physico-chemical and related values

- 44 Bartle, K.D., Mills, D.G., Mulligan, M.J., Amaechina, I.O. and Taylor, N.: Errors in the determinations of coal derivatives by size-exclusion chromatography. *Anal. Chem.*, 58 (1986) 2403-2408.
- 45 Kolotinskaya, E.V., Pronin, A.Ya., Shcherbakova, E.S. and Kalinichev, A.I.: (Study of the complex equilibrium of ionic and molecular particles in ion-exchange systems in the presence of aminocarboxylic acids of different basicities). *Zh. Fiz. Khim.*, 60 (1986) 1481-1484; *C.A.*, 105 (1986) 85702q.
- 46 Sorokin, I.H., Andreetta, H.A. and Figini, R.V.: Absolute size exclusion chromatography. Part 2. Calculation of molecular weight averages. *Macromol. Chem., Macromol. Symp.*, 2 (1986) 161-168; *C.A.*, 105 (1986) 43689k.

See also 16, 798, 800, 808, 812.

For additional information see:

C.A., 105 (1986) 79651f, 126483q.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 47 Andrews, R.S.: Flash chromatography. *U.S. Pat.* US 4,591,442 (Cl. 210-656; B01D15/08), 27 May 1986, Appl. 674,600, 26 Nov. 1984; 8 pp.; *C.A.*, 105 (1986) 126558t.

- 48 Behnert, J., Behrend, P. and Kiplinger, A.: (Selection of columns for ion chromatography without suppressor techniques). *LaborPraxis*, 10 (1986) 872-881; C.A., 105 (1986) 126026t - a review with 29 refs.
- 49 Burton, D.E., Sepaniak, M.J. and Maskarinec, M.P.: The effect of injection procedures on efficiency in micellar electrokinetic capillary chromatography. *Chromatographia*, 21 (1986) 583-586.
- 50 Gentes, P. and Compagnon, P.A.: (The test of liquid chromatography columns). *Analisis*, 14 (1986) 205-210; C.A., 105 (1986) 53857c.
- 51 Jansen, K.H. and Meier, K.D.: (LC (liquid chromatography) flexibility made in Germany. A comprehensive chromatography concept for components and systems. Part 1). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 44-50; C.A., 105 (1986) 126419y.
- 52 Kage, A.: (Electronic dosing system). *Ger. Offen. Pat.*, DE 3,420,815 (Cl. B01J4/02), 22 May 1986, Appl. 30 May 1984; 16 pp.; C.A., 105 (1986) 45415s.
- 53 Kozo, S., Kazuo, H., Akio, K. and Kihiko, N.: Liquid chromatograph. *Eur. Pat. Appl.* EP 183,330 (Cl. G01N30/32), 04 Jun. 1986, JP Appl. 84/254,317, 30 Nov. 1984; 12 pp.; C.A., 105 (1986) 126377h.
- 54 Macko, T., Chiantore, O. and Berek, D.: Evaluation of some volumeters for liquid chromatography. *J. Chromatogr.*, 364 (1986) 245-252.
- 55 Matsuo, T., Takeda, K., Nagata, K., Tanaka, K., Tokumitsu, S., Takeda, A. and Kashima, M.: (Eluent adjusting apparatus for liquid chromatography). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,218,067 (85,218,067) (Cl. G01N30/34), 31 Oct. 1985, Appl. 84/75,490, 13 Apr. 1984; 5 pp.; C.A., 105 (1986) 90538v.
- 56 Naito, T.: (Liquid supply mechanism). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 97,549 (86 97,549) (Cl. G01N1/00), 16 May 1986, Appl. 84/219,429, 19 Oct. 1984; 3 pp.; C.A., 105 (1986) 81366k.
- 57 Nishizawa, H. and Abe, Y.: A new apparatus for countercurrent chromatography: liquid particle chromatography. *Anal. Sci.*, 2 (1986) 97-98; C.A., 105 (1986) 71814r.
- 58 Nomura, N.: (The characteristics of column packing material based on retention behavior in HPLC). *Bunseki*, (1986) 327-329; C.A., 105 (1986) 71805p - a review with 10 refs.
- 59 Shimazaki, A. and Mayahara, C.: (Ion chromatograph). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 08,658 (86 08,658) (Cl. G01N30/26), 16 Jan. 1986, Appl. 84/128,505, 22 Jun. 1984; 3 pp.; C.A., 105 (1986) 126352w.
- 60 Triascini, A. and Carera, R.: Method and apparatus for chemical analysis by liquid chromatography. *Eur. Pat. Appl.* EP 181,437 (Cl. G01N30/22), 21 May 1986, IT Appl. 84/23,563, 14 Nov. 1984; 16 pp.; C.A., 105 (1986) 126373d.
- 61 Uchino, K. and Yonetani, A.: (Liquid chromatographic separation system). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,227,167 (85,227,167) (85,227,167) (Cl. G01N30/62) 12 Nov. 1985, Appl. 84/81,802, 25 Apr. 1984; 4 pp.; C.A., 105 (1986) 71777f.
- 62 Xie, G. and Colgan, S.: (HPLC-immobilized enzyme reactor). *Huaxue Shiji*, 8 (1986) 88-93; C.A., 105 (1986) 111221d - a review with 21 refs.

See also 7, 124.

For additional information see:

C.A., 105 (1986) 53805j, 53905s, 53906t, 126155j, 126445d.

3b. Detectors and detection reagents

- 63 Berridge, J.C.: Comment on the observation of enhanced peak response due to solvent interactions in high-performance liquid chromatography. *J. Chromatogr.*, 369 (1986) 265-268.
- 64 Dalgaard, L.: Immobilized enzymes as post-column reactors in high-performance liquid chromatography. *TrAC*, 5 (1986) 185-189.
- 65 Dolan, J.W.: LC user survey: Detector problems. *LC-GC*, 4 (1986) 526-529; C.A., 105 (1986) 53531s - a review with 6 refs.
- 66 Gluckman, J.C., Barcelo, D., De Jong, G.J., Frei, R.W., Maris, F.A. and Brinkman, U.A.T.: Improved design and applications of an on-line thermionic detector for narrow-bore liquid chromatography. *J. Chromatogr.*, 367 (1986) 35-44.
- 67 Gooijer, C., Baumann, R.A. and Hofstra, J.W.: Sensitized fluorescence: a potential method to enhance the concentration sensitivity of fluorescence detection in small-bore LC. *J. Chromatogr. Sci.*, 24 (1986) 361-363.

- 68 Gupta, P.K. and Nikelly, J.G.: Determination of UV-transparent compounds by liquid chromatography using the UV detector. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 572-576.
- 69 Ilcheva, L. and Cammann, K.: A simple, selective and sensitive liquid-chromatographic or flow-injection detector for chloro-organic compounds based on ion-selective electrodes. *Fresenius' Z. Anal. Chem.*, 325 (1986) 11-14.
- 70 Keres, P., Astakhov, A.V. and Shadrin, A.M.: (Device for processing signals of a chromatographic detector). *U.S.S.R. Pat. SU 1,234,769 (Cl. G01N30/00)*, 30 May 1986, Appl. 3,782,978, 10 Aug. 1984; *C.A.*, 105 (1986) 126386k.
- 71 Kirschbaum, J.J. and Perlman, S.: Reply to comment on the observation of enhanced peak responses due to solvent interactions. *J. Chromatogr.*, 369 (1986) 269-270.
- 72 Lauermann, I. and Mueller, R.K.: (Systematization and optimization of chromatographic detection in common toxicological-chemical analysis). *Wiss. Z.-Martin-Luther-Univ. Halle-Wittenberg, Math.-Naturwiss. Reihe*, 34 (1985) 41-44; *C.A.*, 105 (1986) 53816p - a review with 22 refs.
- 73 Lazaris, A.Ya., Beloded, L.N. and Kalinin, A.I.: Amperometric flow-through solid electrode detector design: Performance and application in high-performance liquid chromatography for the microdetermination of antioxidants in monomers. *J. Chromatogr.*, 365 (1986) 333-342.
- 74 Lin, C.: (High performance liquid chromatography. 4. Detectors (part B)). *Sepu*, 4 (1986) 41-45; *C.A.*, 105 (1986) 53818r - a review with no refs.
- 75 Lobazov, A.Ph., Mostovnikov, V.A., Nechaev, S.V., Belenkii, B.G., Kever, J.J., Korolyova, E.M. and Maltsev, V.G.: Lase fluorometric detector for microcolumn liquid chromatography. *J. Chromatogr.*, 365 (1986) 321-327.
- 76 Lohse, K., Clark, I., Lin, W. and Granberg, R.: Usefulness of photodiode-array detection in the identification of biological compounds. *LC-GC*, 4 (1986) 568-572; *C.A.*, 105 (1986) 111277b.
- 77 Lohse, K., Clark, I., Lin, W. and Granberg, R.: Usefulness of photodiode-array detection in the identification of biological compounds. *LC-GC*, 4 (1986) 659-662; *C.A.*, 105 (1986) 130147a.
- 78 Nimura, N., Iwaki, K., Kinoshita, T., Takeda, K. and Ogura, H.: Activated carbamate reagent as derivatizing agent for amino compounds in high-performance liquid chromatography. *Anal. Chem.*, 58 (1986) 2372-2375.
- 79 Poulsen, J.R., Birks, J.W., van Zoonen, P., Gooijer, C., Velthorst, N.H. and Frei, R.W.: Oxalate ester addition from a solid reagent bed for chemiluminescence detection in HPLC. *Chromatographia*, 21 (1986) 587-595.
- 80 Slais, K.: Small-bore LC/EC. *J. Chromatogr. Sci.*, 24 (1986) 321-329.
- 81 Stulik, K., Pacakova, V., Weingart, M. and Podolak, M.: Operational parameters of voltammetric high-performance liquid chromatographic detectors with copper electrodes and application to a determination of some fodder biofactors. *J. Chromatogr.*, 367 (1986) 311-321.
- 82 Synovec, R.E. and Yeung, E. S.: Fluorescence detected circular dichroism as a detection principle in high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 85-93.
- 83 Takeuchi, T. and Yeung, E.S.: Double-beam laser-excited indirect fluorometric detection of non-electrolytes in reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 145-152.
- 84 Taylor, D.W. and Nieman, T.A.: Conductometric monitoring of the amino acid oxidase reaction as a detector for high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 95-102.
- 85 Tod, M., Farinotti, R. and Mahuzier, G.: (Chemiluminescence detection in liquid chromatography: possibilities offered by the peroxyoxalates). *Analusis*, 14 (1986) 271-280; *C.A.*, 105 (1986) 126427z.
- 86 Tomlinson, B.L.: Optimizing peak detection in a chromatogram. *U.S. Pat. US 4,592,842 (Cl. 210-659; B01D15/08)*, 03 Jun. 1986, Appl. 587,577, 08 Mar. 1984; 11 pp.; *C.A.*, 105 (1986) 126560n.
- 87 Trubey, R.K. and Nieman, T.A.: Rapid scanning coulometric liquid chromatography/electrochemistry in dual electrode cells. *Anal. Chem.*, 58 (1986) 2549-2554.
- 88 Turner, B.: An evaporative analyser for HPLC. *Lab. Pract.*, 35 (1986) 55-56; *C.A.*, 105 (1986) 93764b - a review with 11 refs.
- 89 Valdez, D. and Reier, J.C.: A simplified procedure for the derivatization of alcohols at dilute levels in aqueous solutions with 3,5-dinitrobenzoyl chloride. *J. Chromatogr. Sci.*, 24 (1986) 356-360.

- 90 Wang, Q.: (Development of high performance liquid chromatographic technology outside China). *Sepu*, 4 (1986) 31-45; *C.A.*, 105 (1986) 53817q - a review with 23 refs.
- 91 Ye, J., Baldwin, R.P. and Ravichandran, K.: Indirect electrochemical detection in liquid chromatography. *Anal. Chem.*, 58 (1986) 2337-2340.
- 92 Zhang, H.: (Advances in high-performance liquid chromatography detector and application in pharmaceutical analysis). *Yaowu Fenxi Zazhi*, 6 (1986) 01-189; *C.A.*, 105 (1986) 102671y - a review with 50 refs.

See also 15, 177, 257, 258, 280, 829, 930, 968.

For additional information see:

C.A., 105 (1986) 90503e, 126505y, 130373w.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 93 Aratskova, A.A., Belyakova, L.D., Kiselev, A.V., Yashin, Ya.I., Gradil, I., Svec, F. and Kalal, J.: (Chromatographic separations of ions). *U.S.S.R. Pat. SU 1,237,231* (Cl. B01D15/08), 15 Jun. 1986, Appl. 3,807,461, 26 Oct. 1984; *C.A.*, 105 (1986) 81628x.
- 94 Aratskova, A.A., Vetrova, Z.P. and Yashin, Ya.I.: Use of liquid crystals in liquid chromatography. *J. Chromatogr.*, 365 (1986) 27-30.
- 95 Bayer, E., Paulus, A., Peters, B., Laupp, G., Reinert, J. and Albert, K.: Conformational behaviour of alkyl chains of reversed phases in high-performance liquid chromatography. *J. Chromatogr.*, 364 (1986) 25-37.
- 96 Bebris, N.K., Nikitin, Yu.S., Pyatygin, A.A. and Shoniya, N.K.: Synthesis and investigation of porous pyrocarbon-modified silicas. *J. Chromatogr.*, 364 (1986) 409-424.
- 97 Blasius, E., Janzen, K.-P. and Zender, J.: Zum Mechanismus der Trennung von Anionen an mit vernetzter Poly-(dibenzo-18-krone-6) beschichtetem Kieselgel. *Fresenius' Z. Anal. Chem.*, 325 (1986) 126-128.
- 98 Cook, S.E. and Pinkerton, T.C.: Characterization of internal surface reversed-phase silica supports for liquid chromatography. *J. Chromatogr.*, 368 (1986) 233-248.
- 99 Ericsson, M.W. and Colmsjö, A.L.: Thiophenepropyltrichlorosilane as chemical modifier on silicagel for reversed phase chromatography. *Chromatographia*, 21 (1986) 451-453.
- 100 Groupe Industriel de Realisations et Applications: (Packing liquid chromatographic columns). *Jpn. Kokai Tokkyo Koho Pat. JP 60,179,653* (85,179,653) (Cl. G01N30/60), 13 Sep. 1985, FR Appl. 83/19,315, 02 Dec. 1983; 9 pp.; *C.A.*, 105 (1986) 126340r.
- 101 Hagestam, I.H. and Pinkerton, T.C.: Production of "internal surface reversed-phase" supports: the hydrolysis of selected substrates from silica using chymotrypsin. *J. Chromatogr.*, 368 (1986) 77-84.
- 102 Hansen, S.H., Helboe, P. and Thomsen, M.: High-performance liquid chromatography on dynamically modified silica. VII. Influence of apparent surface pH of silica compared with the effects in straight-phase chromatography. *J. Chromatogr.*, 368 (1986) 39-47.
- 103 Hirayama, C., Ihara, H., Hamada, K., Kinoshita, S., Yonemura, S. and Motozato, Y.: High-speed aqueous gel permeation chromatography using a poly(vinyl alcohol) hollow fibre. *J. Chromatogr.*, 368 (1986) 391-394.
- 104 Jost, W. and Eisenbeiss, F.: LiChrospher®-Trennleistung und Selektivität. *Kontakte*, No. 2 (1986) 30-35.
- 105 Köhler, J.: Poly(vinylpyrrolidone)-coated silica: a versatile, polar stationary phase for HPLC. *Chromatographia*, 21 (1986) 573-582.
- 106 Krebs, K.-F. and Jost, W.: LiChrospher® - ein optimiertes chromatographisches Trägermaterial. *Kontakte*, No. 2 (1986) 13-15.
- 107 Kuroiwa, S., Saito, I., Ishida, N. and Yamada, T.: (High pressure-packed liquid chromatographic column and its use). *Jpn. Kokai Tokkyo Koho Pat. JP 61 28,864* (86 28,864) (Cl. G01N30/52), 08 Feb. 1986, Appl. 84/149,329, 20 Jul. 1984; 5 pp.; *C.A.*, 105 (1986) 126566u.
- 108 Le Van So and Szirtes, L.: Silica gel supported microcrystalline zirconium phosphate ion exchanger (Si-ZrP) and its application in chemical separation. III. Separation of alkali and transition metal ions. *J. Radioanal. Nucl. Chem.*, 99 (1986) 55-60; *C.A.*, 105 (1986) 90282g.

- 109 Oka, K.: (Porous epoxy spherical particles). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 72,036 (86 72,036) (Cl. C08J9/26), 14 Apr. 1986, Appl. 84/192,641, 17 Sep. 1984; 5 pp.; *C.A.*, 105 (1986) 79888p.
- 110 Okamoto, M. and Jinno, K.: Retention behaviour in micro-HPLC on various types of glasses modified with phenyl groups. *Chromatographia*, 21 (1986) 467-472.
- 111 Okamoto, I. and Kobayashi, M.: (Liquid chromatographic column packing material). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,257,358 (85,257,358) (Cl. G01N30/48), 19 Dec. 1985, Appl. 84/113,973, 05 Jun. 1984; 3 pp.; *C.A.*, 105 (1986) 90542s.
- 112 Ritacco, R.P.: HPLC column. *U.S. Pat.* US 4,582,608 (Cl. 210-656; B01D15/08), 15 Apr. 1986, Appl. 702,057, 15 Feb. 1985; 6 pp.; *C.A.*, 105 (1986) 90425f.
- 113 Sevenich, G.J. and Fritz, J.S.: Preparation of sulphonated gel resins for use in ion chromatography. *React. Polym., Ion Exch., Sorbents*, 4 (1986) 195-203; *C.A.*, 105 (1986) 98744e.
- 114 Singh, D.K. and Bhatnagar, R.R.: Ligand exchange chromatography and recovery of some metal ions on PAN sorbed tin(IV) silicate columns. *Fresenius' Z. Anal. Chem.*, 325 (1986) 195.
- 115 Staroverov, S.M., Serdan, A.A. and Lisichkin, G.V.: Structure of the bonded layer and selectivity of chemically modified stationary phases for chromatography. *J. Chromatogr.*, 364 (1986) 377-388.
- 116 Uejima, H.: (Recent polymeric adsorbent). *Kobunshi Kako*, 35 (1986) 69-76; *C.A.*, 105 (1986) 44172y - a review with 34 refs.
- 117 Vadukul, N.K.: A study of packed fused silica reverse-phase capillary columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 535-537.
- 118 Verzele, M. and Dewaele, C.: Low-viscosity solvent packing of HPLC columns using the up-tube packing procedure. *LC-GC*, 4 (1986) 614-618; *C.A.*, 105 (1986) 71614a.
- 119 Vespalec, R. and Cigankova, M.: Separation and streaming-current detection of strong acids in normal-phase liquid chromatography. *J. Chromatogr.*, 364 (1986) 233-244.
- 120 Yamanaka, C., Yokoyama, T. and Tarutani, T.: Retarding effect of aluminium on the polymerization of silicic acid particles. *J. Chromatogr.*, 367 (1986) 419-422.

See also 148, 160, 163, 954, 1001.

For additional information see:

C.A., 105 (1986) 45325n, 45418v, 46159y, 53803g, 90283h, 98282c, 99955m, 121469e, 126481n, 130091c.

3d. Quantitative analysis

- 121 Pauls, R.E. and McCoy, R.W.: Comparison of the precision of internal and external standard calibration in an interlaboratory liquid chromatographic study. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 600-601.

See also 913.

3e. Preparative scale chromatography

- 122 Calmet, F.J.: (Introduction to preparative liquid chromatography). *Tec. Lab.*, 10 (1986) 18-23; *C.A.*, 105 (1986) 96662c - a review with no refs.
- 123 Sitrin, R., DePhillips, P., Dingerdissen, J., Erhard, K. and Filan, J.: Preparative liquid chromatography: A strategic approach. *LC-GC*, 4 (1986) 530-550; *C.A.*, 105 (1986) 96667h.

See also 145, 165, 320, 439, 463, 603.

3f. Programmed temperature, pressure, vapors, gradients

- 124 Toei, J. and Baba, N.: New mixing device for gradient elution. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 537-538.

3g. High performance procedures

- 125 Abbott, S.R.: On-column sample loss in HPLC. *LC-GC*, 4 (1986) 522-524; *C.A.*, 105 (1986) 53530r - a review with 11 refs.

See also 3, 127, 730.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 126 Anonymous (S.A.B.): Expert systems for liquid chromatography. *Anal. Chem.*, 58 (1986) 1192A-1200A - a review without refs.
- 127 Bach, R., Karnicky, J. and Abbott, S.: An expert system for high performance liquid chromatography methods development. *ACS Symp. Ser.*, 306 (1986) 278-296; *C.A.*, 105 (1986) 53568j.
- 128 Baker, C.W.: Interfacing analyzer systems to digital control systems. *Anal. Instrum.*, 22 (1986) 99-101; *C.A.*, 105 (1986) 81591e.
- 129 Dolan, J.W.: LC user survey: Data-system problems. *LC-GC*, 4 (1986) 620-622; *C.A.*, 105 (1986) 71587u - a review with 4 refs.
- 130 Haddad, P. and Lamberton, C.: Computer optimization of mobile phase composition in reversed-phase liquid chromatography: background and operating principles. *Chem. Aust.*, 52 (1985) 176-179; *C.A.*, 105 (1986) 107646d - a review with 14 refs.
- 131 Johansson, H.: Automation of chromatographic processes. *World Biotech. Rep.*, 1 (1985) 193-202; *C.A.*, 105 (1986) 75091a - a review with no refs.
- 132 King, R.L., Carter, H.A. and Birckbichler, P.J.: Fluorescent color factor calculation using dBASE-II. *Comput. Appl. Biosci.*, 2 (1986) 111-114; *C.A.*, 105 (1986) 111430w.
- 133 LeBuis, D.A., Stevens, F.J. and Eisler, W.J.: An interface to provide micro-computer control of a motorized LC sample-injection valve. *LC-GC*, 4 (1986) 663-666; *C.A.*, 105 (1986) 126054a.
- 134 Rojas, J., Ballesteros, L. and Varcacel, M.: Simulation of chromatographic processes of ion-exchange elution using a computer program. *Microchem. J.*, 34 (1986) 92-102; *C.A.*, 105 (1986) 126154h.
- 135 Stevens, F.J., LeBuis, D.A., Eisler, W.J. and Ainsworth, C.F.: Macromolecular interactions: Application of microcomputer-controlled, high speed size-exclusion chromatography. *LC-GC*, 4 (1986) 340-348; *C.A.*, 105 (1986) 75181e.

See also 70, 138, 149, 179, 810, 986.

For additional information see:
C.A., 105 (1986) 126429b.

4b. Combination of various chromatographic techniques

- 136 Grob, K., Jr. and Läubli, T.: Determination of wax esters in olive oil by coupled HPLC-HRGC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 593-594.
- 137 Grob, K., Jr. and Stoll, J.-M.: Loop-type interface for concurrent solvent evaporation in coupled HPLC-GC. Analysis of raspberry ketone in a raspberry sauce as an example. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 518-523.

See also 659, 1013.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 138 Berkowitz, S.A.: Rejection of spike noise from size exclusion chromatography/low-angle laser light scattering experiments. *Anal. Chem.*, 58 (1986) 2571-2576.
- 139 Browner, R.F., Winkler, P.C., Perkins, D.D. and Abbey, L.E.: Aerosols as microsample introduction media for mass spectrometry. *Microchem. J.*, 34 (1986) 15-24; *C.A.*, 105 (1986) 126413s - a review with 11 refs.

- 140 Castles, M.A., Azarraga, L.V. and Carreira, L.A.: Continuous, on-line interface for reversed-phase microbore high-performance liquid chromatography/diffuse reflectance infrared Fourier transform analysis. *Appl. Spectrosc.*, 40 (1986) 673-680; *C.A.*, 105 (1986) 126441z.
- 141 Gagel, J.J. and Biemann, K.: Continuous recording of reflection-absorbance Fourier transform infrared spectra of the effluent of a microbore liquid chromatograph. *Anal. Chem.*, 58 (1986) 2184-2189.
- 142 Leroy, P. and Nicolas, A.: (Derivatization for liquid chromatography coupled with electrochemical detection). *Analusis*, 14 (1986) 263-270; *C.A.*, 105 (1986) 71590q - a review with 55 refs.
- 143 Matsumoto, K. and Tsuge, S.: Application of HPLC/MS (high performance liquid chromatography/mass spectrometry) with self-spouting and vacuum nebulizing assisted interface to the analysis of triglycerides. *Shitsuryo Bunseki*, 34 (1986) 33-40; *C.A.*, 105 (1986) 90502d.

See also 156, 260, 392, 805, 837, 908, 921, 928, 949, 973, 1004.

For additional information see:
C.A., 105 (1986) 107613r.

4d. Affinity chromatography

- 144 Antonian, L., Antonian, E., Murphy, R.B. and Schuster, D.I.: Studies on the use of a novel affinity matrix, Sepharose amine-succinyl-amine haloperidol hemisuccinate, ASA-HHS, for purification of canine dopamine (D₂) receptor. *Life Sci.*, 38 (1986) 1847-1858; *C.A.*, 105 (1986) 93851c.
- 145 Duppel, W.: (Applications of large-scale affinity chromatography to selected examples). *Pharma Technol. J.*, 5 (1984) 74-80; *C.A.*, 105 (1986) 95968v.
- 146 Grunfeld, H., Sideman, S. and Lotan, N.: Bioaffinity-based separation processes. Part I: Analytical simulation and parameter sensitivity studies. *J. Parenter. Sci. Technol.*, 40 (1986) 51-55; *C.A.*, 105 (1986) 93874n.
- 147 Muszynska, G., Zhao, Y.J. and Porath, J.: Carboxypeptidase A: A model for studying the interaction of proteins with immobilized metal ions. *J. Inorg. Biochem.*, 26 (1986) 127-135; *C.A.*, 105 (1986) 130144x.
- 148 Ngo, T.T.: Facile activation of Sepharose hydroxyl groups by 2-fluoro-1 methylpyridinium toluene-4-sulfonate: Preparation of affinity and covalent chromatographic matrices. *Bio/Technology*, 4 (1986) 134-137; *C.A.*, 105 (1986) 38656t.
- 149 Nigam, S.C. and Wang, H.Y.: Mathematical modeling of bioproduct adsorption using immobilized affinity adsorbents. *ACS Symp. Ser.*, 314 (Sep. Recovery Purif. Biotechnol.) (1986) 153-168; *C.A.*, 105 (1986) 113500t.
- 150 Scouten, W.H.: Chromatography, affinity. In: Kroschwitz, J.I. (Editor), *Encycl. Polym. Sci. Eng.*, Vol. 3, Wiley, New York, 1985, pp. 531-548; *C.A.*, 105 (1986) 44157x - a review with 79 refs.
- 151 Vijayalakshmi, M. and Thomas, D.: Affinity chromatography as a production technique. *World Biotech. Rep.*, 1 (1985) 131-140; *C.A.*, 105 (1986) 93746x - a review with 26 refs.

See also 7, 467, 477, 488, 542, 563, 567, 575, 593, 602, 638.

For additional information see:
C.A., 105 (1986) 129967m.

4f. Trace analysis and preseparation techniques

- 152 Frei, R.W., Nielen, M.W.F. and Brinkman, U.A.T.: Handling of environmental and biological samples via precolumn technologies. *Int. J. Environ. Anal. Chem.*, 25 (1986) 3-35; *C.A.*, 105 (1986) 107644b - a review with 20 refs.
- 153 Imai, K. and Aramaki, T.: A chromatographic technique for functional group trace analysis of organic compounds. *Anal. Sci.*, 2 (1986) 393-394; *C.A.*, 105 (1986) 126543j.

See also 4, 921, 935, 939, 940, 1009.

For additional information see:
C.A., 105 (1986) 126162j.

4g. Separation of enantiomers

- 154 Allenmark, S., Bongren, B. and Boren, H.: Enantioselective microbial degradation of some racemates studied by chiral liquid chromatography. *Enzyme Microb. Technol.*, 8 (1986) 404-408; *C.A.*, 105 (1986) 77531t.
- 155 Broge, J.M. and Leussing, D.L.: Mechanism of the reversed-phase high-performance liquid chromatographic separation of D- and L-valine using copper(II) and L-aspartyl-L-phenylalanine methyl ester. *Anal. Chem.*, 58 (1986) 2237-2241.
- 156 Küsters, E. and Giron, D.: Enantiomeric separation of the β -blocking drugs pindolol and bopindolol using a chiral immobilized protein stationary phase. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 531-533.
- 157 Pirkle, W.H. and Pochapsky, T.C.: Generation of extreme selectivity in chiral recognition. *J. Chromatogr.*, 369 (1986) 175-177.
- 158 Semyonov, S.N., Kuznetsov, A.A. and Zolotaryov, P.P.: Theoretical examination of focusing field-flow fractionation. *J. Chromatogr.*, 364 (1986) 389-396.
- 159 Vaisarova, N.: (Direct resolution of racemates on chromatographic phases). *Chem. Listy*, 80 (1986) 729-755; *C.A.*, 105 (1986) 126412r - a review with 163 refs.
- 160 Wulff, G. and Minarik, M.: Pronounced effect of temperature on racemic resolution using template-imprinted polymeric sorbents. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 607-608.
- 161 Yamagishi, K. and Toga, Y.: (Optical resolution by liquid chromatography). *Yuki Gosei Kagaku Kyokaiishi*, 44 (1986) 476-485; *C.A.*, 105 (1986) 126411q - a review with 39 refs.

See also 111, 186, 223, 277, 310, 330, 370, 840, 845, 849, 850.

4h. Other special techniques

- 162 Finn, F.M. and Hofmann, K.: Development of affinity resins for isolation of angiotensin receptors. *Yale J. Biol. Med.*, 58 (1985) 597-604; *C.A.*, 105 (1986) 38480f.
- 163 Haddad, P.R. and Jackson, P.E.: Studies on sample preconcentration in ion chromatography. IV. Effect of sample loading parameters on the preconcentration process. *J. Chromatogr.*, 367 (1986) 301-309.
- 164 Mefford, I.N.: Modification of reversed-phase separations of small molecules using non-ionic surfactants and mixed ionic-non-ionic surfactants. *J. Chromatogr.*, 368 (1986) 31-37.
- 165 Nyiredy, S., Meszaros, S.Y., Nyiredy-Mikita, K., Dallenbach-Toelke, K. and Sticher, O.: Centrifugal planar-column chromatography (CPC): A new preparative planar technique. Part 1: Description of the method and practical aspects. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 605-606.
- 166 Rusinov, L.A. and Kurkina, V.V.: Improvement of information reliability and fault diagnostics in process chromatographs. *J. Chromatogr.*, 365 (1986) 367-374.
- 167 Yuan, W., Xu, G., Ho, Q. and Zeng, F.: (HPLC-satisfactory condition for multisegment gradient elution technique). *Huadong Huagong Xueyuan Xuebao*, 12 (1986) 165-170; *C.A.*, 105 (1986) 93906z.

See also 38, 57, 730.

For additional information see:
C.A., 105 (1986) 130118s.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 168 Nazir, M., Jamil-ur-Rehman, Khan, S.A. and Bhatti, M.K.: The constituents of unsaponifiable from *Monothea burifolia* seed oil. *Fette, Seifen, Anstrichm.*, 88 (1986) 266-268.

- 169 Vinyasov, M.B. and Lanin, S.N.: (Recovery of saturated hydrocarbons from spent eluents for liquid chromatography). *Zavod. Lab.*, 52 (1986) 18; *C.A.*, 105 (1986) 107660d.

See also 985.

5b. Cyclic hydrocarbons

- 170 Abidi, S.L.: Column selectivity in high-performance liquid chromatography of substituted gem-dimethylcyclopropanes. *J. Chromatogr.*, 368 (1986) 59-76.
- 171 Desideri, P.G., Lepri, L. and Checchini, L.: Determination of polycyclic aromatic hydrocarbons with more than four rings in crude oils on a RP-18 column. *J. Chromatogr.*, 369 (1986) 117-124.
- 172 Fetzer, J.C., Biggs, W.R. and Jinno, K.: HPLC analysis of the large polycyclic aromatic hydrocarbons in a diesel particulate. *Chromatographia*, 21 (1986) 439-442.
- 173 Siouffi, A.M., Righizza, M. and Guiochon, G.: Separation of aromatic compounds by liquid chromatography on diol-bonded phase columns. *J. Chromatogr.*, 368 (1986) 189-202.
- 174 Varanasi, U., Nishimoto, M., Reichert, W.L. and Le Eberhart, B.: Comparative metabolism of benzo[a]pyrene and covalent binding to hepatic DNA in English sole, starry flounder, and rat. *Cancer Res.*, 46 (1986) 3817-3824.
- 175 Welling, P. and Kaandorp, B.: (Determination of polycyclic aromatic hydrocarbons in edible vegetable oils by liquid chromatography and programmed fluorescence detection. Comparison of caffeine complexation and XAD-2 chromatography sample clean-up). *Z. Lebensm.-Unters. Forsch.*, 183 (1986) 111-115; *C.A.*, 105 (1986) 132265m.

See also 39, 94, 99, 141.

5c. Halogen derivatives

- 176 Barnhart, E.R., Ashley, D.L., Reddy, V.V. and Patterson, D.G.: Reversed-phase liquid chromatography of chloro-derivatives of dioxin, pyrene, and biphenylene on C-18 and pyrene columns. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 528-530.
- 177 Colgan, S.T., Krull, I.S., Dorschel, C. and Bidlingmeyer, B.: Derivatization of ethylene dibromide with silica-supported silver picrate for improved high-performance liquid chromatographic detection. *Anal. Chem.*, 58 (1986) 2366-2372.
- 178 Takazawa, R.S. and Strobel, H.W.: Cytochrome P-450 mediated reductive dehalogenation of the perhalogenated aromatic compound hexachlorobenzene. *Biochemistry*, 25 (1986) 4804-4809.

See also 69.

5d. Complex hydrocarbon mixtures

- 179 Grizzle, P.L. and Sablotny, D.M.: Automated liquid chromatographic compound class group-type separation of crude oils and bitumens using chemically bonded aminosilane. *Anal. Chem.*, 58 (1986) 2389-2396.
- 180 Hayes, P.C., Jr. and Anderson, S.D.: Hydrocarbon group type analyzer system for the rapid determination of saturates, olefins, and aromatics in hydrocarbon distillate products. *Anal. Chem.*, 58 (1986) 2384-2388.
- 181 Stakhina, L.D., Savinykh, Yu.V. and Sirotkina, E.E.: (Separation of acids and phenols from complex hydrocarbon mixtures). *Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. Nauk*, (1986) 86-89; *C.A.*, 105 (1986) 126462g.
- 182 Unger, A., Hadinek, L., Block, F., Mascheck, A., Mueller, B., Ahrens, W., Grossoehme, G. and Utess, B.: (Recovery of substance classes from high-boiling hydrocarbon mixts). *Ger. (East) Pat.* DD 229,038 (Cl. B01D15/08), 30 Oct. 1985, Appl. 269,864, 26 Nov. 1984; 11 pp.; *C.A.*, 105 (1986) 46177c.

6. ALCOHOLS

- 183 Abe, K. and Kogure, K.: Accurate evaluation of 1,2-diacylglycerol in gerbil forebrain using HPLC and *in situ* freezing technique. *J. Neurochem.*, 47 (1986) 577-582; *C.A.*, 105 (1986) 93903w.
- 184 Dix, T.A., Buck, J.R. and Marnett, L.J.: Hydroperoxide-dependent epoxidation of 3,4-dihydroxy-3,4-dihydrobenzo[a]anthracene by ram seminal vesicle microsomes and by hematin. *Biochem. Biophys. Res. Commun.*, 140 (1986) 181-187.
- 185 Johansson, G.: Effects of poly(ethylene glycol)-bound alcohols and amines on the partition of albumins and thylakoid membranes in an aqueous two-phase system. *J. Chromatogr.*, 368 (1986) 309-317.
- 186 Takagi, T. and Itabashi, Y.: High-performance liquid chromatographic separation of monoalkylglycerol enantiomers on a chiral stationary phase. *J. Chromatogr.*, 366 (1986) 451-455.

See also 68, 89, 91, 168.

For additional information see:

C.A., 105 (1986) 77457y.

7. PHENOLS

- 187 Gorokhova, V.G., Babkin, V.A., Tyukavkina, N.A., Gorokhov, A.G. and Sosinskaya, S.S.: (Liquid chromatography of plant phenolic compounds. 14. Automatic classification of the results of liquid chromatography of phenols, acetophenols and phenolic acids). *Khim. Drev.*, (1986) 109-112; *C.A.*, 105 (1986) 38532z.
- 188 Grootveld, M. and Halliwell, B.: An aromatic hydroxylation assay for hydroxyl radicals utilizing high-performance liquid chromatography (HPLC). Use to investigate the effect of EDTA on the Fenton reaction. *Free Radical. Res. Commun.*, 1 (1986) 243-250; *C.A.*, 105 (1986) 90526q.
- 189 Nielen, M.W.F., De Jong, J., Frei, R.W. and Brinkman, U.A.T.: Trace-level determination of phenol by liquid chromatography with on-line precolumn technology and fluorescence detection. *Int. J. Environ. Anal. Chem.*, 25 (1986) 37-48; *C.A.*, 105 (1986) 84825v.

See also 39, 181, 1015.

For additional information see:

C.A., 105 (1986) 77450r, 126482p.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

See 164.

8a. Flavonoids

- 190 Hostettmann, K. and Marston, A.: Isolation, purification and characterization of flavonoids. *Prog. Clin. Biol. Res.*, 213 (Plant Flavonoids Biol. Med.) (1986) 43-51; *C.A.*, 105 (1986) 38693c.
- 191 Kitada, Y., Ueda, Y., Yamamoto, M., Ishikawa, M., Nakazawa, H. and Fujita, M.: Determination of isoflavones in soy bean by high-performance liquid chromatography with amperometric detection. *J. Chromatogr.*, 366 (1986) 403-406.
- 192 Wald, B., Galensa, R. and Herrmann, K.: (Detection of adulteration of black current products with blackberry juice by determination of flavonoids with HPLC). *Fluess. Obst.*, 53 (1986) 349-352; *C.A.*, 105 (1986) 132249j.

For additional information see:

C.A., 105 (1986) 102687h.

8b. Aflatoxins and other mycotoxins

- 193 Coulombe, R.A., Jr., Wilson, D.W., Hsieh, D.P.H., Plopper, C.G. and Serabjit-Singh, C.J.: Metabolism of aflatoxin B₁ in the upper airways of the rabbit: role of the nonciliated tracheal epithelial cell. *Cancer Res.*, 46 (1986) 4091-4096.
- 194 Kok, W.T., van Neer, T.C.H., Traag, W.A. and Tuinstra, L.G.M.T.: Determination of aflatoxins in cattle feed by liquid chromatography and post-column derivatization with electrochemically generated bromine. *J. Chromatogr.*, 367 (1986) 231-236.
- 195 Romer, T.R.: Use of small charcoal/alumina cleanup columns in determination of trichothecene mycotoxins in foods and feeds. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 699-703.
- 196 Scott, P.M., Lawrence, G.A. and Matula, T.I.: Analysis of toxins of *Fusarium moniliforme*. *Bioact. Mol.*, 1 (Mycotoxins Phycotoxins) (1986) 305-316; *C.A.*, 105 (1986) 113731u.

8c. Other compounds with heterocyclic oxygen

- 197 Lee, H.S., Rouseff, R.L. and Nagy, S.: HPLC determination of furfural and 5-hydroxymethylfurfural in citrus juices. *J. Food Sci.*, 51 (1986) 1075-1076; *C.A.*, 105 (1986) 113773j.
- 198 Mijares, R.M., Park, G.L., Nelson, D.B. and McIver, R.C.: HPLC analysis of HMF in orange juice. *J. Food Sci.*, 51 (1986) 843-844; *C.A.*, 105 (1986) 77652h.

See also 792, 904.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 199 Awang, D.V.C., Kindack, D. and Dawson, B.A.: Tandem high-performance liquid chromatography methods for resolution of lapachol and related naphthaquinones. *J. Chromatogr.*, 368 (1986) 439-443.
- 200 Braun, B.S., Bebow, U., Lloyd-Williams, P., Bruce, J.M. and Dutton, P.L.: Determination of partition coefficients of quinones by HPLC. *Methods Enzymol.*, 125 (Biomembranes, Pt. M) (1986) 119-129; *C.A.*, 105 (1986) 93904x.
- 201 Brunner, G., Tegtmeyer, F., Kirk, D.N., Wynn, S. and Setchell, K.D.R.: Enzymatic synthesis and chromatographic purification of Lignan glucuronides. *Biomed. Chromatogr.*, 1 (1986) 89-92.
- 202 Gatica, H.S., Frontera, M.A., Pieroni, O., Tomas, M.A. and Zuniga, A.E.: Thin-layer and high-performance liquid chromatography of biologically active agents. II. Semicarbazones. *J. Chromatogr.*, 369 (1986) 218-221.
- 203 Lucas, D., Menez, J.F., Berthou, F., Pennec, Y. and Floch, H.H.: Determination of free acetaldehyde in blood as the dinitrophenylhydrazone derivative by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 57-66.
- 204 Svetlova, N.I., Sokolova, L.I., Grigoryeva, D.N. and Golovnya, R.V.: Application of the universal equation for liquid chromatography to the calculation of the retention parameters for 2,4-dinitrophenylhydrazones derivatives of carbonyl compounds. *J. Chromatogr.*, 364 (1986) 203-207.
- 205 Vanek, T. and Kopecky, J.: High-performance liquid chromatographic separation of benzoquinone components of the wood-rotting fungus *Sarcodontia setosa*. *J. Chromatogr.*, 367 (1986) 237-239.
- 206 Yancey, M., Stuart, R., Wiesler, D. and Novotny, M.: Quantitative alterations in the metabolism of carbonyl compounds due to diet-induced lipid peroxidation in rats. *J. Chromatogr.*, 382 (1986) 47-56.

See also 39, 69, 79, 137, 184, 707, 708, 744, 985.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 207 Bauer, H., Quast, H., Shalaby, A. and Rocek, P.: (HPLC of carbohydrates). In: *LP Spec.: Chromatogr. Spektrosk.*, Vogel-Verlag, Wuertzburg, 1986, pp. 64-74; *C.A.*, 105 (1986) 126421t - a review with 36 refs.
- 208 Bozon, D., Tarentino, A.L., Trimble, R.B. and Maley, F.: Characterization of cellular oligosaccharides from normal and cystic fibrotic fibroblasts using sequential endoglycosidase digestions. *Arch. Biochem. Biophys.*, 249 (1986) 546-556.
- 209 Dahl, D.L., Warren, C.D., Rathke, E.J.S. and Jones, M.Z.: β -Mannosidosis: Prenatal detection of caprine allantoin fluid oligosaccharides with thin layer, gel permeation and HPLC. *J. Inherited Metab. Dis.*, 9 (1986) 93-98; *C.A.*, 105 (1986) 38505t.
- 210 Delahunty, T. and Hollander, D.: Liquid-chromatographic method for estimating urinary sugars: applicability to studies of intestinal permeability. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1542-1544.
- 211 Furuhashi, K., Anazawa, K., Itoh, M., Shitori, Y. and Ogura, H.: Studies on sialic acids. V. Synthesis of α - and β -D-Neu5Acp-(2 $\rightarrow$ 6)-lactose. *Chem. Pharm. Bull.*, 34 (1986) 2725-2731.
- 212 Gaal, J.C. and Pearson, C.K.: Degradation of (ADP-ribose) in permeabilized HeLa cells. *Biochem. Biophys. Res. Commun.*, 139 (1986) 37-45.
- 213 Hirai, O., Mukoyama, Y. and Awano, T.: (Separation of sugars by liquid chromatography). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 71,354 (86 71,354) (Cl. G01N30/88), 12 Apr. 1986, Appl. 84/194,138, 17 Sep. 1984; 8 pp.; *C.A.*, 105 (1986) 126563r.
- 214 Kennedy, J.F., Stevenson, D.L. and White, C.A.: The behavior and identification of cello-oligosaccharides on gel-permeation chromatography as a function of their molecular shapes. *Cellul. Chem. Technol.*, 19 (1985) 505-511; *C.A.*, 105 (1986) 45004g.
- 215 Kulkarni, S.Y., Verma, R. and Pansare, V.S.: Gas and liquid chromatographic behaviour of some acetylated glucosides. *J. Chromatogr.*, 366 (1986) 243-250.
- 216 Kurth, H. and Lehmann, J.: Efficient HPLC separation of N-P-nitrophenyl-glycosylamines derived from complex oligosaccharide mixtures. Human orosomucoid as a model. *Biomed. Chromatogr.*, 1 (1986) 58-63.
- 217 Lazarus, R.A. and Seymour, J.L.: Determination of 2-keto-L-gulonic and other ketoaldonic and aldonic acids produced by ketogenic bacterial fermentation. *Anal. Biochem.*, 157 (1986) 360-366.
- 218 McGinnis, G.D., Prince, S. and Lowrimore, J.: The use of reverse-phase columns for separation of unsubstituted carbohydrates. *J. Carbohydr. Chem.*, 5 (1986) 83-97; *C.A.*, 105 (1986) 71836z.
- 219 Powell, L.D. and Hart, G.W.: Quantitation of picomole levels of N-acetyl- and N-glycolylneuraminic acids by a HPLC-adaptation of the thiobarbituric acid assay. *Anal. Biochem.*, 157 (1986) 179-185.
- 220 Savage, A.V., Koppen, P.L., Schiphorst, W.E.C.M., Trippelvit, L.A.W., van Halbeek, H., Vliegthart, J.F.G. and van den Eijnden, D.H.: Porcine submaxillary mucin contains α 2 $\rightarrow$ 3- and α 2 $\rightarrow$ 6-linked N-acetyl- and N-glucolyl-neuraminic acid. *Eur. J. Biochem.*, 160 (1986) 123-129.
- 221 Schilcher, H. and Wilkens-Sauter, M.: Quantitative Bestimmung cyanogener Glykoside in *Linum usitatissimum* mit Hilfe der HPLC. *Fette, Seifen, Anstrichm.*, 88 (1986) 287-290.
- 222 Sugii, A., Harada, K. and Tomita, Y.: Separation of carbohydrates by high-performance liquid chromatography on porous pyridinium polymer columns. *J. Chromatogr.*, 366 (1986) 412-416.
- 223 Thieme, R., Lay, H., Oser, A., Lehmann, J., Wrissenberg, S. and Boos, W.: 3-Azo-1-methoxybutyl D-maltooligosaccharides specifically bind to the maltose/maltooligosaccharide-binding protein of *Escherichia coli* and can be used as photoaffinity labels. *Eur. J. Biochem.*, 160 (1986) 83-91.

- 224 White, J.W., Meloy, R.W., Probst, J.L. and Huser, W.F.: Detection of beet sugar adulteration of honey. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 652-654.

See also 231, 241, 242, 318.

For additional information see:

C.A., 105 (1986) 59506j, 59519r, 132223w.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 225 Aiba, S.: Studies on chitosan: 1. Determination of the degree of N-acetylation of chitosan by ultraviolet spectrometry and gel permeation chromatography. *J. Biol. Macromol.*, 8 (1986) 173-176; C.A., 105 (1986) 57442m.
- 226 Aikawa, J., Isemura, M., Munakata, H., Ototani, N., Kodama, C., Hayashi, N., Kurosawa, K., Yoshinaga, K., Tada, K. and Yosizawa, Z.: Isolation and characterization of chondroitin sulfate proteoglycans from porcine thoracic aorta. *Biochim. Biophys. Acta*, 883 (1986) 83-90.
- 227 Araki, T., Yoshioka, Y. and Funatsu, G.: The complete amino acid sequence of the B-chain of the *Ricinus communis* agglutinin isolated from large-grain castor bean seeds. *Biochim. Biophys. Acta*, 872 (1986) 277-285.
- 228 Beck, R.H.F. and Praznik, W.: Molecular characterization of fructans by high-performance gel chromatography. *J. Chromatogr.*, 369 (1986) 208-212.
- 229 Clezardin, P., Hunter, N.R., Lawler, J.W., Pratt, D.A., McGregor, J.L., Pepper, D.S. and Daves, J.: Structural and immunological comparison of human thrombospondins isolated from platelets and from culture supernatants of endothelial cells and fibroblasts. Evidence for a thrombospondin polymorphism. *Eur. J. Biochem.*, 159 (1986) 569-579.
- 230 D'Souza, M.P. and August, J.T.: A kinetic analysis of biosynthesis and localization of a lysosome-associated membrane glycoprotein. *Arch. Biochem. Biophys.*, 249 (1986) 522-532.
- 231 Holland, P.C. and Herscovics, A.: Inhibition of myoblast fusion by the glucosidase inhibitor N-methyl-1-deoxynojirimycin, but not by the mannosidase inhibitor 1-deoxymannojirimycin. *Biochem. J.*, 238 (1986) 335-340.
- 232 Hori, K., Miyazawa, K., Fusetani, N., Hashimoto, K. and Ito, K.: Hypnins, low-molecular weight peptidic agglutinins isolated from a marine red alga, *Hypnea japonica*. *Biochim. Biophys. Acta*, 873 (1986) 228-236.
- 233 Ivatt, R.J., Reeder, J.W. and Clark, G.F.: Structural and conformational features that affect the interaction of polylactosaminoglycans with immobilized wheat germ agglutinin. *Biochim. Biophys. Acta*, 883 (1986) 253-264.
- 234 Kawaguchi, N., Ohmori, T., Takeshita, Y., Kawanishi, G., Katayama, S. and Yamada, H.: Occurrence of Gal β (1 $\rightarrow$ 3)GalNAc-Ser/Thr in the linkage region of polygalactosamine containing fungal glycoprotein from *Cordyceps ophioglossoides*. *Biochem. Biophys. Res. Commun.*, 140 (1986) 350-356.
- 235 Koizumi, K., Kubota, Y., Utamura, T. and Horiyama, S.: Analysis of heptakis (2,6-di-O-methyl)- β -cyclodextrin by thin-layer high-performance liquid and gas chromatography and mass spectrometry. *J. Chromatogr.*, 368 (1986) 329-337.
- 236 Kolset, S.O.: Oversulfated chondroitin sulfate proteoglycan in cultured human peritoneal macrophages. *Biochem. Biophys. Res. Commun.*, 139 (1986) 377-382.
- 237 Kraus, J., Schneider, M. and Franz, G.: Antitumorpolysaccharide aus *Solidago* sp. *Dtsch. Apoth.-Ztg.*, 126 (1986) 2045-2049.
- 238 McGregor, J.L., McGregor, L., Bauer, A.-S., Catimel, B., Brochier, J., Dechavanne, M. and Clemetson, K.J.: Identification of two distinct regions within the binding sites for fibrinogen and fibronectin on the IIB-IIIA human platelet membrane glycoprotein complex by monoclonal antibodies P2 and P4. *Eur. J. Biochem.*, 159 (1986) 443-449.
- 239 Mueller, K.G., Schafer Nielsen, C. and Lihme, A.: Purification of *Ulex Europaeus* haemagglutinin I by affinity chromatography. *Lectins: Biol., Biochem., Clin. Biochem.*, 5 (1986) 135-138; C.A., 105 (1986) 38535c.
- 240 Nakajima, M., Irimura, T. and Nicolson, G.L.: A solid-phase substrate of heparanase: its application to assay of human melanoma for heparan sulfate degradative activity. *Anal. Biochem.*, 157 (1986) 162-171.
- 241 Nato, F., Goulut, C., Bourrillon, R., van Halbeek, H. and Vliegenthart, J.F.G.: The structure of the O-glycosidic oligosaccharide chains of the major *Zajdela* hepatoma ascites-cell-membrane glycoprotein. *Eur. J. Biochem.*, 159 (1986) 303-308.

- 242 Oda, Y. and Minami, K.: Isolation and characterization of a lectin from tulip bulbs, *Tulipa gesneriana*. *Eur. J. Biochem.*, 159 (1986) 239-245.
- 243 Rosenfeld, E.L., Belenky, D.M. and Bystrova, N.K.: Interaction of hepatic asialoglycoprotein receptor with asialoorosomucoid and galactolyzed lysosomal α -glucosidase. *Biochim. Biophys. Acta*, 883 (1986) 306-312.
- 244 Sabolini, A.H., Ma, J.K.-H. and Malanga, C.J.: A source of error in the chromatographic study of ^{35}S -sulfate labeled mucous glycoproteins secreted by the gill epithelium of *Mytilus edulis*. *Prepar. Biochem.*, 16 (1986) 259-272.
- 245 Scocca, J.R.: Identification of N-acetylhexosamines produced by enzymes of the N-acetylneuraminic acid metabolic pathway by borate complex anion-exchange chromatography of the corresponding N-acetylhexosaminitols. *Anal. Biochem.*, 156 (1986) 61-66.
- 246 Tyree, B., Hassell, J.R. and Hoscall, V.C.: Altered synthesis of heparan sulfate proteoglycans at low sulfate concentration. *Arch. Biochem. Biophys.*, 250 (1986) 202-210.
- 247 Zebrower, M.E., Kieras, F.J. and Brown, W.T.: Analysis by high-performance liquid chromatography of hyaluronic acid and chondroitin sulfates. *Anal. Biochem.*, 157 (1986) 93-99.

See also 207, 214, 411.

For additional information see:
C.A., 105 (1986) 111314m.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 248 Beving, H., Kristensson, J., Malmgren, R., Olsson, U., Schmidt, S. and Svensson, J.: Determination of platelet-megakaryocyte regeneration time in painters occupationally exposed to organic solvents. *J. Chromatogr.*, 382 (1986) 67-77.
- 249 Bigley, F.P. and Grob, R.L.: Detection and quantification of the straight chain fatty acids from propionic to decanoic using post-column reaction detection high performance liquid chromatography. *J. Environ. Sci. Health, Part A*, A21 (1986) 289-303; C.A., 105 (1986) 90517n.
- 250 Buchanan, D.N. and Thoene, J.G.: Early identification of isovaleric aciduria using photodiode array detection for liquid chromatographic profiling of urinary carboxylic acids. *Biomed. Chromatogr.*, 1 (1986) 38-40; C.A., 105 (1986) 130154a.
- 251 Causey, A.G. and Bartlett, K.: The analysis of C_2 - C_{16} acyl-CoA esters by HPLC. *Biochem. Soc. Trans.*, 14 (1986) 1175-1176; C.A., 105 (1986) 130165e.
- 252 Coppola, E.D. and Starr, M.S.: Liquid chromatographic determination of major organic acids in apple juice and cranberry juice cocktail: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 594-597 - 12 LC columns were tested.
- 253 Figard, P.H., Hejlik, D.P., Kaduce, T.L., Stoll, L.L. and Spector, A.A.: Free fatty acid release from endothelial cells. *J. Lipid Res.*, 27 (1986) 771-780.
- 254 Geyer, R. and Saunders, G.A.: Determination of maleic anhydride in workplace air by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 456-458.
- 255 Glod, B.K. and Kemula, W.: Separation mechanism and determination of acidic compounds by ion-exclusion liquid chromatography with electrokinetic detection. *J. Chromatogr.*, 366 (1986) 39-50.
- 256 Harada, N., Iwabuchi, J., Yokota, Y., Uda, H., Okamoto, Y., Yuki, H. and Kawada, Y.: Liquid chromatographic optical resolution of 2,2'-spirobibenz[e]indan derivatives and absolute stereochemistry as determined by the CD exciton chirality method. *J. Chem. Soc., Perkin Trans. 1*, (1985) 1845-1848; C.A., 105 (1986) 60390y.
- 257 Hoffman, W.A., Jr.: Normalized conductivity detection of organic acids. *LC Mag.*, 4 (1986) 108-112; C.A., 105 (1986) 71848e.
- 258 Kihab, N., Farinotti, R. and Mahuzier, G.: (4-Bromomethyl-6-nitro-7-methoxy-coumarin as an electrochemical label for carboxylic acids in liquid chromatographic detection). *Analyst*, 14 (1986) 125-130; C.A., 105 (1986) 71832v.

- 259 Margolis, S.A. and Coxon, B.: Identification and quantitation of the impurities in sodium pyruvate. *Anal. Chem.*, 58 (1986) 2504-2510.
- 260 Pacholec, F., Eaton, D.R. and Rossi, D.T.: Characterization of mixtures of organic acids by ion-exclusion partition chromatography-mass spectrometry. *Anal. Chem.*, 58 (1986) 2581-2583.
- 261 Permanyer, J.J., Boatella, J. and De la Torre, M.C.: Influence of the unsaturation on chemical alternations of heated fats. *Fette, Seifen, Anstrichm.*, 88 (1986) 258-262.
- 262 Toei, J.-I.: Determination of organic acids in highly alkaline solutions. *J. Chromatogr.*, 369 (1986) 248-252.
- 263 Veazey, R.L.: Rapid analysis of dimer acid by HPLC/FID. *J. Am. Oil Chem. Soc.*, 63 (1986) 1043-1046.
- 264 Wood, R.: HPLC analysis of cyclopropene fatty acids. *Biochem. Arch.*, 2 (1986) 63-71; *C.A.*, 105 (1986) 77633c.

See also 23, 91, 164, 181, 278, 829, 985, 1005.

For additional information see:

C.A., 105 (1986) 41354y, 57227v, 107665j, 130156c, 130161a, 133670b.

11b. Prostaglandins

- 265 Danon, A., Zenser, T.V., Thomasson, D.L., Palmier, M.O. and Davis, B.B.: Eicosanoid synthesis by rabbit hydronephrotic cortical interstitial cells in culture. *J. Pharmacol. Exp. Ther.*, 238 (1986) 95-99.
- 266 Laffi, G., Chelli, M., Cominelli, F., Birardi, A., Tosti-Guerra, C., La Villa, G., Paladini, S. and Gentilini, P.: (Determination of prostaglandine E₂ and F_{2a} in the urine of cirrhotic patients: comparison of three different chromatographic methods). *Boll.-Soc. Ital. Biol. Sper.*, 62 (1986) 167-174; *C.A.*, 105 (1986) 35723b.
- 267 Lohmus, M., Parve, O., Muraus, A., Lopp, M. and Lille, U.: Resolution of E- and Z-isomers of prostacyclin carba-analogs by HPLC. *East. NSV Tead. Akad. Toim., Keem.*, 34 (1985) 221-230; *C.A.*, 105 (1986) 133561s.
- 268 Oliw, E.H., Fahlstadius, P. and Hamberg, M.: Isolation and biosynthesis of 20-hydroxyprostaglandins E₁ and E₂ in ram seminal fluid. *J. Biol. Chem.*, 261 (1986) 9216-9221.
- 269 Omori, H., Okabe, K., Nakashizuka, T. and Yamazaki, S.: Determination of prostaglandins in human saliva by high performance liquid chromatography using a column switching technique. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 477-479.
- 270 Snider, B.G., Theis, D.L. and Plaisted, S.M.: Stability studies on piroprost and piroprost potassium using high-performance liquid chromatography. *J. Chromatogr.*, 367 (1986) 254-259.
- 271 Taylor, G.W., Chappel, C.G., Frazer, C.E. and Ritter, J.M.: Prostacyclin synthesis by vascular tissue. Effect of extracellular Ca²⁺. *Biochem. J.*, 239 (1986) 237-239.

For additional information see:

C.A., 105 (1986) 95639p, 108667y.

11c. Lipids and their constituents

- 272 Agarwal, K., Bali, A. and Gupta, C.M.: Effect of phospholipid structure on stability and survival times of liposomes in circulation. *Biochim. Biophys. Acta*, 883 (1986) 468-475.
- 273 Björkhem, I., Sisfontes, L., Boström, B., Kase, B.F. and Blomstrand, R.: Simple diagnosis of the Zellweger syndrome by gas-liquid chromatography of dimethyl-acetals. *J. Lipid Res.*, 27 (1986) 786-791.
- 274 Dethloff, L.A., Gilmore, L.B. and Hook, E.R.: Separation of pulmonary surfactant phospholipids by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 79-87.
- 275 Downes, C.P., Hawkins, P.T. and Irvine, R.F.: Inositol 1,3,4,5-tetrakis-phosphate and not phosphatidylinositol 3,4-bisphosphate is the probable precursor of inositol 1,3,4-trisphosphate in agonist-stimulated parotid gland. *Biochem. J.*, 238 (1986) 501-506.

- 276 Hawkins, P.T., Stephens, L. and Downes, C.P.: Rapid formation of inositol 1,3,4,5-tetrakisphosphate and inositol 1,3,4-triphosphate in rat parotid glands may both result indirectly from receptor-stimulated release of inositol 1,4,5-triphosphate from phosphatidylinositol 3,5-bisphosphate. *Biochem. J.*, 238 (1986) 507-516.
- 277 Itabashi, Y. and Takagi, T.: High performance liquid chromatographic separation of monoacylglycerol enantiomers on a chiral stationary phase. *Lipids* 21 (1986) 413-416; *C.A.*, 105 (1986) 126466m.
- 278 Jensen, O.N. and Moller, J.: Dimer and trimer fatty acids in feed fats characterized by HPLC-GPC and MS. *Fette, Seifen, Anstrichm.*, 88 (1986) 352-357.
- 279 Kapoulas, V.M. and Andrikopoulos, N.K.: Detection of olive oil adulteration with linoleic acid-rich oils by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 311-320.
- 280 Kondoh, Y. and Takano, S.: Determination of triglycerides by high-performance liquid chromatography with precolumn derivatization. *Anal. Chem.*, 58 (1986) 2380-2383.
- 281 Lapin, B.P., Pisareva, N.A., Rubtsova, T.E. and Jakevich, M.L.: Separation of lipophilic fractions by high-performance liquid chromatography. *J. Chromatogr.*, 365 (1986) 229-235.
- 282 Lepage, P., Helynck, G., Chu, J.Y., Luu, B., Sorokine, O., Trifilieff, E. and van Dorsselaer, A.: Purification and characterization of minor brain proteolipids: use of fast atom bombardment-mass spectrometry for peptide sequencing. *Biochimie*, 68 (1986) 669-686; *C.A.*, 105 (1986) 57322x.
- 283 Morii, H., Nishihara, M., Ohga, M. and Koga, Y.: A diphytanyl ether analog of phosphatidyl-serine from a methanogenic bacterium, *Methano-brevibacter arborophilus*. *J. Lipid Res.*, 27 (1986) 724-730.
- 284 Nakagawa, Y. and Horrocks, L.A.: Different metabolic rates for arachidonoyl molecular species of ethanolamine glycerophospholipids in rat brain. *J. Lipid Res.*, 27 (1986) 629-636.
- 285 Nakagawa, Y., Fujishima, K. and Waku, K.: Separation of dimethylphosphatidates of alkylacyl glycerophosphocholine and their molecular species by high-performance liquid chromatography. *Anal. Biochem.*, 157 (1986) 172-178.
- 286 Palmer, S., Hawkins, P.T., Michell, R.H. and Kirk, C.J.: The labelling of polyphosphoinositides with [32 P] P_i and the accumulation of inositol phosphates in vasopressin-stimulated hepatocytes. *Biochem. J.*, 238 (1986) 491-499.
- 287 Sempore, G. and Bezard, J.: Qualitative and quantitative analysis of peanut oil triacylglycerols by reversed-phase liquid chromatography. *J. Chromatogr.*, 366 (1986) 261-282.
- 288 Shet, M.S., Murugiswamy, B. and Madalah, M.: Lipid profile and fatty acid composition of moth bean (*Vigna aconitifolia*) seeds. *Fette, Seifen, Anstrichm.*, 88 (1986) 264-266.
- 289 Takamura, H., Narita, H., Urade, R. and Kito, M.: Quantitative analysis of polyenoic phospholipid molecular species by HPLC. *Lipids*, 21 (1986) 356-361; *C.A.*, 105 (1986) 93855g.
- 290 Takayama, K., Qureshi, N., Hyver, K., Honovich, J., Cotter, R.J., Mascagni, P. and Schneider, H.: Characterization of a structural series of lipid A obtained from the lipopolysaccharides of *Neisseria gonorrhoeae*. Combined laser desorption and fast atom bombardment mass spectral analysis of high performance liquid chromatography-purified dimethyl derivatives. *J. Biol. Chem.*, 261 (1986) 10624-10631.

See also 136, 143, 306, 355.

For additional information see:
C.A., 105 (1986) 57230r.

11d. Lipoproteins and their constituents

- 291 Bury, J., Michiels, G. and Rosseneu, M.: Human apolipoprotein C-II quantitation by sandwich enzyme-linked immunosorbent assay. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 457-463.
- 292 Van Dessel, G., de Wolf, M., Lagrou, A., Hilderson, H.J. and Dierick, W.: On the binding of dolichol by human serum. *Biochim. Biophys. Acta*, 878 (1986) 246-252

- 293 Wade, D.P., Knight, B.L. and Soutar, A.K.: Binding of low-density lipoproteins and chylomicron remnants to the hepatic low-density lipoprotein receptor of dogs, rats and rabbits demonstrated by ligand blotting. Failure to detect a distinct chylomicron-remnant-binding protein by ligand blotting. *Eur. J. Biochem.*, 159 (1986) 333-340.

See also 531.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 294 Helboe, P.: Separation of corticosteroids by high-performance liquid chromatography on dynamically modified silica. *J. Chromatogr.*, 366 (1986) 191-196.
- 295 Janaky, T., Vecsernyes, M., Faredin, I., Hackler, L. and Somlai, C.: HPLC purification of steroid derivatives for preparation of antigens. *Anal. Chem. Symp. Ser.*, 23 (Adv. Steroid Anal. 84) (1985) 519-523; *C.A.*, 105 (1986) 35713y.
- 296 Kawasaki, T., Maeda, M. and Tsuji, A.: Fluorescence HPLC determination of 3 α -hydroxysteroids in urine of 21-hydroxylase deficiency. *Biomed. Chromatogr.*, 1 (1986) 1-6; *C.A.*, 105 (1986) 108691b.
- 297 Ono, T., Tanida, K., Shibata, H., Konishi, H. and Shimakawa, H.: High-performance liquid chromatographic determination of 6 β -hydroxycortisol in urine. *Chem. Pharm. Bull.*, 34 (1986) 2522-2527.
- 298 Orłowski, J. and Clark, A.F.: Androgen metabolism and actions in rat ventral prostate epithelial and stromal cell cultures. *Biochem. Cell Biol.*, 64 (1986) 583-593.
- 299 Shibata, K., Kumakawa, Y., Sekizuka, M. and Maki, Y.: (Determination of corticoids in commercial preparations by micro high performance liquid chromatography). *Byoin Yakugaku*, 12 (1986) 14-20; *C.A.*, 105 (1986) 49172h.
- 300 Sokolova, T.M., Arzamastzev, A.P., Tygyn'taev, G.J., Levchenko, N.K. and Osokin, D.M.: High-performance liquid chromatography of steroidal drugs. *J. Chromatogr.*, 365 (1986) 137-144.
- 301 Touchstone, J.C. and Sheikh, S.U.: Increased resolution of steroids in high performance liquid chromatography at subambient temperatures. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 464-465.
- 302 Van Peteghem, C.: Liquid chromatographic purification of tissue samples prior to chemiluminescence immunoassay of 19-nortestosterone. *J. Chromatogr.*, 369 (1986) 253-257.

See also 185, 318.

For additional information see:
C.A., 105 (1986) 127605t.

13b. Estrogens

- 303 Leroy, P., Benoit, E. and Nicolas, A.: Determination and stability study of oestradiol benzoate in a pharmaceutical ointment by high-performance liquid chromatography. *J. Chromatogr.*, 367 (1986) 428-433.
- 304 Schöneschöfer, M., Dhar, T.K. and Ioanides, D.: Total urinary estriol determined by "on-line" liquid chromatography with ultraviolet detection. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1948-1950.
- 305 Wehrberger, K., Ritter, P., Hillesheim, H.G. and Hobe, G.: Metabolite patterns obtained by HPLC of the new progestagen dienogest. *Anal. Chem. Symp. Ser.*, 23 (Adv. Steroid Anal. 84) (1985) 511-518; *C.A.*, 105 (1986) 35712x.

See also 301, 318.

13c. Sterols

- 306 Horstman, P. and Montag, A.: Neue Methoden zur schnellen Isolierung von Sterinen aus Fettmatrices. *Fette, Seifen, Anstrichm.*, 88 (1986) 262-264.

- 307 Kao, Y.J., Doody, M.C. and Smith, L.C.: Transfer of cholesterol and a fluorescent analog, 3'-pyrenylmethyl-23,24-dinor-5-cholesten-22-oate-3 β -ol, between human plasma high density lipoproteins. *J. Lipid Res.*, 27 (1986) 781-785.

See also 168, 185.

13d. Bile acids and alcohols

- 308 Baker, P.R., Siow, Y. and Reid, A.D.: Application of bonded silica sorbent extraction and selective derivatization to the high-performance liquid chromatographic analysis of hydroxy and ketobile acids in human serum. *Biochem. Soc. Trans.*, 14 (1986) 971-972; *C.A.*, 105 (1986) 111316p.
- 309 Huijghebaert, S.M. and Hofmann, A.F.: Influence of the amino acid moiety on deconjugation of bile acid amides by cholesteryl glycolate hydrolase or human fecal cultures. *J. Lipid Res.*, 27 (1986) 742-752.
- 310 Iida, T., Momose, T., Shinohara, T., Goto, J., Nambara, T. and Chang, F.C.: Separation of allo bile acid stereoisomers by thin-layer and high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 396-402.
- 311 Okumura, K., Okuyama, S., Takagi, K., Morikawa, N., Sugiyama, K., Kumada, T. and Niinomi, N.: (New analytical method for conjugated individual 3 β -hydroxy bile acids and their glucuronides using HPLC, immobilized 3 β -hydroxy steroid dehydrogenase in column form and NAD⁺). *Biochem. Biophys. Res. Commun.*, 105 (1986) 38493n.
- 312 Prydz, K., Kase, B.F., Björkhem, I. and Pedersen, J.I.: Formation of chenodeoxycholic acid from 3 α ,7 α -dihydroxy-5 β -cholestanoic acid by rat liver peroxisomes. *J. Lipid Res.*, 27 (1986) 622-628.
- 313 Takagi, K., Okuyama, S., Okumura, K., Morikawa, N., Kumada, T., Sugiyama, K. and Niinomi, N.: (New analytical method for sulfated individual bile acids using HPLC, immobilized 3 α - and β -hydroxygenase in column for and NAD⁺). *Biochem. Biophys. Res. Commun.*, 105 (1986) 165-172; *C.A.*, 105 (1986) 38671u.
- 314 Tangerman, A., van Schaik, A. and van der Hoek, E.W.: Analysis of conjugated and unconjugated bile acids in serum and jejunal fluid of normal subjects. *Clin. Chim. Acta*, 159 (1986) 123-132.

For additional information see:

C.A., 105 (1986) 38507v, 38527b, 75188n, 130307c.

13e. Ecdysones and other insect steroid hormones

- 315 Bathori, M., Szendrei, K., Kalasz, H. and Ohmacht, R.: HPLC screening of plant extracts for ecdysteroids. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 539-541.

13f. Other steroids

- 316 Drasar, P., Pouzar, V., Cerny, I. and Havel, M.: Reversed-phase high-performance liquid chromatographic separation of steroids with the β -crotonate side chain. *J. Chromatogr.*, 366 (1986) 335-341.
- 317 Wolf, J.H., de Ruiter, C., Brinkman, U.A.T. and Frei, R.W.: Liquid chromatographic determination of a quaternary ammonium-steroidal type drug in plasma with post-column extraction. *J. Pharm. Biomed. Anal.*, 4 (1986) 523-527.

14. STEROID GLYCOSIDES AND SAPONINS

- 318 Davydov, V.Ya.: Correlation between the molecular structure of cardiac glycosides, steroid hormones and carbohydrates and their retention in high-performance liquid chromatography. *J. Chromatogr.*, 365 (1986) 123-136.
- 319 Jakobsen, P. and Waldorff, S.: Determination of digoxin, digoxigenin and dihydrodigoxigenin in urine by extraction, derivatization and high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 349-354.
- 320 Kaminsky, M., Sledzinska, B. and Klawiter, J.: Studies on the optimization of parameters of preparative liquid chromatographic columns for production of cardiac glycosides. *J. Chromatogr.*, 367 (1986) 45-58.

- 321 Orosz, F., Nuridsany, M. and Ovadi, J.: Isolation and quantitative determination of some cardioactive glycosides from *Digitalis lanata* by high-performance liquid chromatography. *Anal. Biochem.*, 156 (1986) 171-175.
- 322 Yamaguchi, H., Matsuura, H., Kasai, R., Mizutani, K., Fujino (née Kimata), H., Ohtani, K., Fuwa, T. and Tanaka, O.: Application of borate ion-exchange mode high-performance liquid chromatography to separation of glycosides: saponins of Ginseng, *Sapindus mukurossi* Gaertn. and *Anemone rivularis* Buch.-Ham. *Chem. Pharm. Bull.*, 34 (1986) 2859-2867.
- 323 Zhu, J.: (Determination of purity of digoxin by reversed-phase high-performance liquid chromatography). *Yaowu Fenxi Zazhi*, 6 (1986) 93-94; *C.A.*, 105 (1986) 49129z.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 324 Burnouf-Radosevich, M. and Delfel, N.: High-performance liquid chromatography of triterpene saponins. *J. Chromatogr.*, 368 (1986) 433-438.
- 325 Hansel, R. and Schulz, J.: Hopfen und Hopfenpräparate. Fragen zur pharmazeutischen Qualität. *Dtsch. Apoth.-Ztg.*, 126 (1986) 2033-2037.
- 326 Yamasaki, T., Sakai, M., Kanamori, T. and Sogo, M.: Low temperature liquid chromatographic separation of oxygenated terpenes from terpene hydrocarbons. *Chromatographia*, 21 (1986) 478-479.

For additional information see:

C.A., 105 (1986) 75995y.

16. NITRO AND NITROSO COMPOUNDS

- 327 Murphy, L.J., Siggia, S. and Uden, P.C.: High-performance liquid chromatography of nitroaromatic compounds on an N-propylaniline bonded stationary phase. *J. Chromatogr.*, 366 (1986) 161-170.

See also 141.

For additional information see:

C.A., 105 (1986) 102695j, 102707q, 110032f.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 328 Chou, Y.-Y., Colgan, S.T., Kao, D.M., Krull, I.S., Dorschel, C. and Biddlingmeyer, B.: Pre-chromatographic derivatization of primary and secondary amines with a polymeric anhydride for improved high-performance liquid chromatographic detection. *J. Chromatogr.*, 367 (1986) 335-344.
- 329 Claas, K.E., Hohaus, E. and Monien, H.: Liquid column-chromatographic separation and determination of long-chain primary *n*-alkylamines ($n\text{-C}_{10}\text{H}_{21}\text{NH}_2$ to $n\text{-C}_{22}\text{H}_{45}\text{NH}_2$) after their fluorescence derivatization with salicylaldehyde diphenylboron chelate. *Fresenius' Z. Anal. Chem.*, 325 (1986) 15-19.
- 330 Lam, S. and Malikin, G.: Resolution of chiral amines by high-performance liquid chromatography of their mixed chelate complexes with Cu(II)-L-proline. *J. Chromatogr.*, 368 (1986) 413-422.
- 331 Meilhoc, E., Moutin, M.-J. and Osborne, H.B.: Catabolites produced by the deacetylation of hexamethylenebisacetamide play a key role in murine erythroleukaemic-cell differentiation. *Biochem. J.*, 238 (1986) 701-707.

- 332 Schreuder, R.H., Martijn, A., Poppe, H. and Kraak, J.C.: Determination of the composition of ethoxylated alkylamines in pesticide formulations by high-performance liquid chromatography using ion-pair extraction detection. *J. Chromatogr.*, 368 (1986) 339-350.
- 333 Seyfried, C.A., Adam, G. and Greve, T.: An automated direct-injection HPLC-method for the electrochemical/fluorimetric quantitation of monoamines and related compounds optimized for the screening of large numbers of animals. *Biomed. Chromatogr.*, 1 (1986) 78-88.
- 334 Villanueva, V.R., Mardon, M. and LeGoff, M.T.: A new high performance chromatographic method for polyamine analysis in *Picea* needles, without previous extract-purification. *Int. J. Environ. Anal. Chem.*, 25 (1986) 115-125; *C.A.*, 105 (1986) 76019v.
- 335 Wan, Q. and Fu, C.: (High-performance liquid chromatographic determination of aliphatic secondary amines as mercury(II) chelates). *Fenxi Huaxue*, 14 (1986) 170-174; *C.A.*, 105 (1986) 53850v.

See also 78, 185.

For additional information see:

C.A., 105 (1986) 38513u, 111302f.

17b. Catecholamines and their metabolites

- 336 Anosova, O.B. and Titov, V.N.: (High-pressure liquid chromatography in the study of catecholamine metabolism). *Lab. Delo*, (1986) 323-330; *C.A.*, 105 (1986) 108640j - a review with 29 refs.
- 337 Bauch, H.-J., Kelsch, U. and Hauss, W.H.: Einfache, schnelle, selektive und quantitative Bestimmung von Adrenalin und Noradrenalin im Plasma durch Kombination von Flüssigextraktion, HPLC-Trennung und elektrochemischer Detektion. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 651-658.
- 338 Carlsson, A., Sharp, T., Zetterström, T. and Ungerstedt, U.: Determination of dopamine and its metabolites in small volumes of rat brain dialysates using small-bore liquid chromatography with electrochemical detection. *J. Chromatogr.*, 368 (1986) 299-308.
- 339 Caroff, J., Barthelemy, L. and Sebert, P.: Brain and plasma biogenic amines analysis by the Ec-HPLC technique: application to fish. *Comp. Biochem. Physiol., C: Comp. Pharmacol. Toxicol.*, 84C (1986) 151-153; *C.A.*, 105 (1986) 38525z.
- 340 Elchisak, M.A.: Determination of sulfated biogenic amines: emphasis on dopamine sulfate isomers. *Fed. Proc.*, 45 (1986) 2241-2246; *C.A.*, 105 (1986) 72774q - a review with 17 refs.
- 341 Holly, J.M.P. and Patel, N.: The assay of 4-hydroxy-3-methoxymandelic acid in urine by HPLC with electrochemical detection using bonded-phase silica sorbents for rapid, simple and selective extraction. *Ann. Clin. Biochem.*, 23 (1986) 447-452; *C.A.*, 105 (1986) 93898v.
- 342 Howes, L.G., MacGilchrist, A., Hawksby, C., Sumner, D. and Reid, J.L.: An improved approach for the determination of plasma (³H)noradrenaline kinetics using HPLC. *Clin. Sci.*, 71 (1986) 211-215; *C.A.*, 105 (1986) 72804z.
- 343 Kodama, K., Yamanaka, K., Nakata, T. and Aoyama, M.: Liquid-chromatographic assay of urinary vanillylmandelic acid and homovanillic acid, with clean-up by on-column injection of acetonitrile or methanol. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1944-1947.
- 344 Koseki, M., Nakano, K., Mizusawa, J., Sato, J., Ueta, Y. and Saito, K.: (Determination of vanilmandelic acid, homovanillic acid and vanillic acid in urine by HPLC). *Fukushima-Ken Eisei Kogai Kenkyusho Nenpo*, (1985) 116-121; *C.A.*, 105 (1986) 93902v.
- 345 Nohta, H., Mitsui, A., Umegae, Y. and Ohkura, Y.: Determination of free and total catecholamines in human erythrocytes, platelets and plasma by HPLC with fluorescence detection. *Anal. Sci.*, 2 (1986) 303-308; *C.A.*, 105 (1986) 127595q.
- 346 Parker, N.C., Levtzow, C.B., Wright, P.W., Woodard, L.L. and Chapman, J.F.: Uniform chromatographic conditions for quantifying urinary catecholamines, metanephrines, vanillylmandelic acid, 5-hydroxyindoleacetic acid, by liquid chromatography, with electrochemical detection. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1473-1476.

- 347 Premel-Cabic, A., Turcant, A. and Allain, P.: Normal reference intervals for free catecholamines and their acid metabolites in 24-h urines from children, as determined by liquid chromatography with amperometric detection. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1585-1587.
- 348 Rodriguez, C., Bernard, N., Julien, C., Cuisinaud, G. and Sassard, J.: Routine analysis of catecholamines and metabolites in urine by a liquid chromatographic column switching system. *Int. J. Environ. Anal. Chem.*, 25 (1986) 235-255; *C.A.*, 105 (1986) 91499v.
- 349 Tang, Q., Xu, X., Shi, Y. and Jin, B.: Determination of serum catecholamine metabolites in neuroblastoma by HPLC with electrochemical detection. *Biomed. Chromatogr.*, 1 (1986) 7-11; *C.A.*, 105 (1986) 108692c.
- 350 Weicker, H.: (Determination of free and conjugated catecholamines with HPLC and amperometric detection). *Labor-Med.*, 10 (1986) 31-44; *C.A.*, 105 (1986) 54681c.
- 351 Westerink, B.H.C. and ten Kate, N.: 24h Excretion patterns of free, conjugated and methylated catecholamines in man. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 513-519.
- 352 Yoshiura, M. and Iriyama, K.: Amperometric detection of urinary vanillylmandelic and homovanillic acids separated on a liquid chromatographic column packed with poly(vinyl alcohol) gels. *Jikeikai Med. J.*, 33 (1986) 31-36; *C.A.*, 105 (1986) 75200k.

See also 164, 701.

For additional information see:
C.A., 105 (1986) 127608w.

17c. Amine derivatives and amides (excluding peptides)

- 353 Falke, P., Tenner, R. and Knopp, H.: Quantitative determination of condensation products of aniline and formaldehyde by different chromatographic methods. *J. Prakt. Chem.*, 328 (1986) 142-148; *C.A.*, 105 (1986) 126520z.
- 354 Rosenberg, C. and Savolainen, H.: Determination of occupational exposure to toluene diisocyanate by biological monitoring. *J. Chromatogr.*, 367 (1986) 385-392.
- 355 Salari, H.: Solid-phase extraction and reversed-phase high-performance liquid chromatographic technique for isolation and estimation of platelet activating factor in plasma. *J. Chromatogr.*, 382 (1986) 89-98.
- 356 Wainer, I.W. and Alembik, M.C.: Steric and electronic effects in the resolution of enantiomeric amides on a commercially available pirklé-type high-performance liquid chromatographic chiral stationary phase. *J. Chromatogr.*, (1986) 59-68.

See also 331, 706, 973, 983.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 357 Bron, J.: High pressure liquid chromatographic determination of carbocysteine in human plasma and urine. *Pharm. Weekbl., Sci., Ed.*, 8 (1986) 134-138; *C.A.*, 105 (1986) 90671h.
- 358 Carne, T.J., Huber, R.E., Davitt, P. and Edwards, L.A.: Analysis of fluorine and iodine derivatives of tyrosine. *J. Chromatogr.*, 367 (1986) 393-403.
- 359 Dreisbach, J.H. and Veca, A.: Rapid method for the analysis of urinary pyrrole-2-carboxylic acid using reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 280-283.
- 360 Faure, H., Boujet, C., Fouillet, G., Marcak, J., Aguilaniu, B. and Favier, A.: (Methyl derivatives of histidine and lysine. Determination and use in the study of muscle catabolism). *Spectra*, (1986) 44-48; *C.A.*, 105 (1986) 75212r.
- 361 Garcia, R., Hiatt, W.R., Jasinski, S. and Sypherd, P.S.: Identification of ϵ -N-mono-, ϵ -N-di, and ϵ -N-trimethyllysine by HPLC. *Appl. Environ. Microbiol.*, 51 (1986) 1355-1357; *C.A.*, 105 (1986) 93869q.

- 362 Harris, C.I., Rucklidge, G.J., McDiarmid, R.M. and Milne, G.: Sex- and phenotype-dependent metabolism of N¹-methylhistidine by mice. *Biochem. J.*, 239 (1986) 229-232.
- 363 Hart, R.J. and White, J.A.: Differences in retention of protein amino acids by C₁₈ Sep-Pak cartridges. *J. Chromatogr.*, 368 (1986) 164-167.
- 364 Hellmann, U., Lüderwald, I. and Neuhäuser, M.: Determination of N-acetyl-L-glutamine in urine by HPLC. *Fresenius' Z. Anal. Chem.*, 325 (1986) 290-292.
- 365 Herrndobler, A.: Determination of amino acids in an infusion solution by reversed-phase HPLC and precolumn dansyl chloride derivatization. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 602-604.
- 366 Holdiness, M.R., Morgan, L.R., Jr., Gillen, L.E. and Harrison, E.F.: High-performance liquid chromatographic determination of N-acetylcysteine in human serum following acetaminophen overdosage. *J. Chromatogr.*, 382 (1986) 99-106.
- 367 Hoppel, C.L., Brass, E.P., Gibbons, A.P. and Turkaly, J.S.: Separation of acylcarnitines from biological samples using high-performance liquid chromatography. *Anal. Biochem.*, 156 (1986) 111-117.
- 368 Iwagami, S. and Nakagawa, T.: Liquid chromatography with crown ether-containing mobile phases. VIII. Retention behaviour of amino compounds in cation-exchange chromatography. *J. Chromatogr.*, 369 (1986) 49-58.
- 369 James, L.B.: Omission of aspartate values from amino acid analysis reports. *J. Chromatogr.*, 369 (1986) 178-181.
- 370 Keller, J.W. and Dick, K.O.: Resolution of underivatized polyfluoro-2,2-dialkylglycine enantiomers by reversed-phase chromatography. *J. Chromatogr.*, 367 (1986) 187-190.
- 371 Kestell, P., Gledhill, A.P., Threadgill, M.D. and Gescher, A.: S-(N-Methyl-carbamoyl)-N-acetylcysteine: a urinary metabolite of the hepatotoxic experimental antitumor agent N-methylformamide (NSC 3051) in mouse, rat and man. *Biochem. Pharmacol.*, 35 (1986) 2283-2286; *C.A.*, 105 (1986) 107880a.
- 372 Knecht, R. and Chang, J.-Y.: Liquid chromatographic determination of amino acids after gas-phase hydrolysis and derivatization with (dimethylamino)azobenzenesulfonyl chloride. *Anal. Chem.*, 58 (1986) 2375-2379.
- 373 Lacroix, C., Inger, F., Menager, S. and Lafont, O.: Détermination simultanée de l'acide hippurique et des acides o-, m-, p-méthylhippuriques urinaires par chromatographie liquide. *J. Chromatogr.*, 382 (1986) 275-279.
- 374 Luo, X., Yu, Z. and Wang, X.: (Quantitative amino acid analysis at picomole level). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, (1986) 58-60; *C.A.*, 105 (1986) 75224w.
- 375 Macek, J., Miterova, L. and Adam, M.: Separation of collagen hydrolysate amino acids by ion-pair reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 364 (1986) 253-257.
- 376 Sampson, D.C., Stewart, P.M. and Hammond, J.W.: Measurement of urinary cystine and cysteinyl-penicillamine in patients with cystinuria. *Biomed. Chromatogr.*, 1 (1986) 21-26; *C.A.*, 105 (1986) 111308n.
- 377 Sessa, W.C., Jr., Rodgers, R.L. and Chichester, C.O.: Quantification of collagen synthesis by reversed-phase high-performance liquid chromatography utilizing 4-chloro-7-nitrobenzofuran derivatives. *J. Chromatogr.*, 382 (1986) 258-263.
- 378 Speek, A.J., Thissen, J.T.N.M. and Schrijver, J.: Urinary excretion of 3-methyl-histidine and creatinine by healthy dutch children during day and night. The influence of age and sex. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 465-470.
- 379 Thomson, S.B. and Tucker, D.J.: Analysis of homocysteine in human urine using high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 382 (1986) 247252.
- 380 Tsuchiya, M., Tanigawa, Y., Mishima, K. and Shimoyama, M.: Determination of ADP-ribosyl arginine anomers by reversed-phase high-performance liquid chromatography. *Anal. Biochem.*, 157 (1986) 381-384.

See also '6, 23, 78, 84, 155, 692, 917, 985.

For additional information see:

C.A., 105 (1986) 38789p, 43291z, 108687e, 111305j.

18b. Peptides and peptidic and proteinous hormones

- 381 Allen, R.A., Tolley, J.O. and Jesaitis, A.J.: Preparation and properties of an improved photoaffinity ligand for the N-formyl peptide receptor. *Biochim. Biophys. Acta*, 882 (1986) 271-280.
- 382 Bajaj, M., Blundell, T.L., Horuk, R., Pitts, J.E., Wood, S.P., Gowan, L.K., Schwabe, C., Wollmer, A., Gliemann, J. and Gammeltoft, S.: Coypu insulin. Primary structure, conformation and biological properties of a hystricomorph rodent insulin. *Biochem. J.*, 238 (1986) 345-351.
- 383 Biscoglio De Jimenez Bonino, M.J., Fukushima, J.G. and Cascone, O.: Hydrophobicity modulation as a tool for the purification of histidyl peptides. *Anal. Biochem.*, 157 (1986) 8-11.
- 384 Burton, N.K. and Aherne, G.W.: Sensitive measurement of glutathione using isocratic high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 382 (1986) 253-257.
- 385 Cromlish, J.A., Seidah, N.G. and Chretien, M.: Selective cleavage of human ACTH, β -lipotropin, and the N-terminal glycopeptide at pairs of basic residues IRCM-serine protease 1. Subcellular localization in small and large vesicles. *J. Biol. Chem.*, 261 (1986) 10859-10870.
- 386 Fujii, N., Sakurai, M., Akaji, K., Nomizu, M., Yajima, H., Mizuta, K., Aono, M., Moriga, M., Inoue, K., Hosotani, R. and Tobe, T.: Studies on peptides. CXXXIX. Solution synthesis of a 42-residue peptide corresponding to the entire amino acid sequence of human glucose-dependent insulinotropic polypeptide (GIP). *Chem. Pharm. Bull.*, 34 (1986) 2397-2410.
- 387 Gautschi, P., Frater-Schroeder, M., Müller, T. and Böhlen, P.: Chemical and biological characterization of a truncated form of acidic fibroblast growth factor from bovine brain. *Eur. J. Biochem.*, 160 (1986) 357-361.
- 388 Hancock, W.S., Knighton, D.R., Napier, J.R., Harding, D.R.K. and Venable, R.: Determination of thermodynamic parameters for the interaction of a lipid-binding peptide and insulin with a reversed-phase column. *J. Chromatogr.*, 367 (1986) 1-8.
- 389 Hannappel, E.: One-step procedure for the determination of thymosin β_4 in small tissue samples and its separation from other thymosin β_4 -like peptides by high-pressure liquid chromatography. *Anal. Biochem.*, 156 (1986) 390-396.
- 390 Henderson, D.E. and Horvath, C.: Low temperature high-performance liquid chromatography of *cis-trans* proline dipeptides. *J. Chromatogr.*, 368 (1986) 203-213.
- 391 Irvine, G.B.: High-performance gel-permeation liquid chromatography of polypeptides on TSK-G 2000-SW gels in dilute trifluoroacetic acid solutions. *Biochem. Soc. Trans.*, 14 (1986) 1232-1233; *C.A.*, 105 (1986) 130166f.
- 392 Jandke, J. and Spittler, G.: Dipeptide analysis in human urine. *J. Chromatogr.*, 382 (1986) 39-45.
- 393 Janssen, P.S.L., van Nispen, J.W., Melgers, P.A.T.A. and Hamelinck, R.L.A.E.: Ion-pair high-performance liquid chromatography separation of β -endorphin-(6-17) from fourteen fragments. *Chromatographia*, 21 (1986) 461-466.
- 394 Kauer, J.C., Erickson-Viitanen, S., Wolfe, H.R., Jr. and DeGrado, W.F.: *p*-Benzoyl-L-phenylalanine, a new photoreactive amino acid. Photolabeling of calmodulin with a synthetic calmodulin-binding peptide. *J. Biol. Chem.*, 261 (1986) 10695-10700.
- 395 Kuno, S., Akaji, K., Ikemura, O., Moriga, M., Aono, M., Mizuta, K., Takagi, A. and Yajima, H.: Studies on peptides. CXL. Synthesis of human gastrin-releasing polypeptide (hGRP). *Chem. Pharm. Bull.*, 34 (1986) 2462-2470.
- 396 Kondo, N., Shirai, H., Bulet, P., Isobe, M., Imai, K. and Goto, T.: Effective desalting techniques for a hormonal peptide, gonad-stimulating substance, of starfish. *Biomed. Res.*, 7 (1986) 89-95; *C.A.*, 105 (1986) 93854f.
- 397 Lindberg, I. and White, L.: Distribution of immunoreactive peptide B in the rat brain. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1024-1032.
- 398 Madej, A. and Hallin, P.: Pattern of immunoreactivity after reverse-phase HPLC of ovine lutropin at different pH. *J. Immunoassay*, 7 (1986) 181-197; *C.A.*, 105 (1986) 91526b.
- 399 Mant, C.T. and Hodges, R.S.: Requirement for peptide standards in reversed-phase HPLC. *LC Mag.*, 4 (1986) 250-254; *C.A.*, 105 (1986) 75186k.
- 400 Mindroui, T., Scicli, G., Perini, F., Carretero, O.A. and Scicli, A.G.: Identification of a new kinin in human urine. *J. Biol. Chem.*, 261 (1986) 7407-7411.

- 401 Mordue, W., Morgan, P.J. and Siegert, K.J.: Strategies for the isolation of insect peptides. *Peptides*, 6 (1985) 407-410; *C.A.*, 105 (1986) 57384u.
- 402 Nachman, R.J., Holman, G.M., Cook, B.J., Haddon, W.F. and Ling, N.: Leuco-sulfakinin-II, a blocked sulfated insect neuropeptide with homology to cholecystokinin and gastrin. *Biochem. Biophys. Res. Commun.*, 140 (1986) 357-364.
- 403 Nedkow, P., Oberthuer, W., Braunitzer, G. and Lilova, A.: Regeneration of HPLC-column after separation of hydrophobic peptides. *Dokl. Bolg. Akad. Nauk*, 39 (1986) 65-67; *C.A.*, 105 (1986) 57228w.
- 404 Nemeth, J., Remak, G., Varro, A., Hajnal, F., Lonovics, J., Varro, V. and Sirokman, F.: (Combined HPLC and RIA method for the measurement of various molecular forms of gastrin and cholecystokinin in human duodenal mucosa). *Izotopetchnika*, 28 (1985) 237-243; *C.A.*, 105 (1986) 91485n.
- 405 Nishimura, E., Kwok, Y.N. and McIntosh, H.S.: Characterization of opioid peptides in the rat stomach. *Biochem. Cell Biol.*, 64 (1986) 733-742.
- 406 Nussberger, J., Brunner, D.B., Waeber, B. and Brunner, H.R.: Octapeptide-specific and sensitive assay for angiotensin II in plasma. *Int. J. Environ. Anal. Chem.*, 25 (1986) 257-268; *C.A.*, 105 (1986) 91500p.
- 407 Nussberger, J., Brunner, D.B., Waeber, B. and Brunner, H.R.: Specific measurement of angiotensin metabolites and *in vitro* generated angiotensin II in plasma. *Hypertension*, 8 (1986) 476-482; *C.A.*, 105 (1986) 54693h.
- 408 Omori, H., Takahashi, Y., Sakakibara, T., Ota, S. and Nakashizuka, T.: The determination of bradykinin in human saliva by high-performance liquid chromatography with UV detection. *J. Pharm. Biomed. Anal.*, 4 (1986) 529-532.
- 409 Parker, J.M.R., Guo, D. and Hodges, R.S.: New hydrophilicity scale derived from high-performance liquid chromatography peptide retention data: correlation of predicted surface residues with antigenicity and X-ray-derived accessible sites. *Biochemistry*, 25 (1986) 5425-5432.
- 410 Satoh, M., Yokosawa, H. and Ishii, S.-i.: Degradation of dynorphin-(1,13) and dynorphin-(1-17) by the neuroblastoma cell membrane. Evidence for the involvement of a cysteine protease. *Biochem. Biophys. Res. Commun.*, 140 (1986) 335-341.
- 411 Shimohigashi, Y. and Chen, H.C.: Gel permeation studies of glycoprotein by HPLC. *Prog. HPLC*, 1 (Gel Permeation Ion-exch. Chromatogr. Proteins Dept.) (1985) 83-94; *C.A.*, 105 (1986) 35769w.
- 412 Siegert, K.J. and Mordue, W.: Quantification of adipokinetic hormones I and II in the corpora cardiaca of *Schistocerca gregaria* and *Locusta migratoria*. *Comp. Biochem. Physiol.*, A. *Comp. Physiol.*, 84A (1986) 279-284; *C.A.*, 105 (1986) 38526a.
- 413 Szokan, G., Kelemen, G. and Torok, A.: High-performance liquid chromatography of isopeptides. *J. Chromatogr.*, 366 (1986) 283-292.
- 414 Tamaki, M., Takimoto, M., Nozaki, S. and Muramatsu, I.: HPLC behavior of peptides related to grastisin and gramicidin S. *Pept. Chem.*, 23 (1985, Pub. 1986) 327-332; *C.A.*, 105 (1986) 107971f.
- 415 Titova, E.V., Chlenov, M.A. and Kudrjashov, L.I.: Effect of organic solvent modifier and ion-pair reagent (tetrabutylammonium salt) on the chromatographic behaviour of protected peptides in reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 364 (1986) 209-214.
- 416 Wiedemann, K. and Teschemacher, H.: Determination of β -endorphin and fragments thereof in human plasma using HPLC and a multiple radioimmunoassay system. *Pharm. Res.*, 3 (1986) 142-149; *C.A.*, 105 (1986) 108703g.
- 417 Yiangou, Y., Requejo, F., Polak, J.M. and Bloom, S.R.: Characterization of a novel prepro VIP derived peptide. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1142-1149.
- 418 Yiotakis, A. and Dive, V.: New thiol inhibitor of *Achromobacter iophagus* collagenase. Specificity of the enzyme's S3' subsite. *Eur. J. Biochem.*, 160 (1986) 413-418.
- 419 Yuki, Y., Nishimura, R. and Mochizuki, M.: (Effective separation of human chorionic gonadotropin subunits by high performance gel permeation chromatography). *Nippon Sanka Fujinka Gakkai Zasshi*, 38 (1986) 417-422; *C.A.*, 105 (1986) 54684f.

See also 437.

For additional information see:

C.A., 105 (1986) 66431j, 72807c, 93899z, 108675z, 127594p.

18c. General techniques of elucidation of structure of proteins

- 420 Birken, S., Gawinowicz Kolks, M.A., Amr, S., Nisula, B. and Puett, D.: Tryptic digestion of the α subunit of human choriogonadotropin. *J. Biol. Chem.*, 261 (1986) 10719-10727.
- 421 Ciaglowski, R.E., Snow, J. and Walz, D.A.: Isolation and amino acid sequence of bovine platelet factor 4. *Arch. Biochem. Biophys.*, 250 (1986) 249-256.
- 422 Dayhuff, T.J., Atkins, J.F. and Gesteland, R.F.: Characterization of ribosomal frameshift events by protein sequence analysis. *J. Biol. Chem.*, 261 (1986) 7491-7500.
- 423 Edwards, L.A. and Huber, R.E.: A detailed examination of the iodination of β -galactosidase: stoichiometric inactivation by nonspecific iodination. *Biochem. Cell Biol.*, 64 (1986) 523-527.
- 424 Forgez, P., Gregory, H., Young, J.A., Knott, T., Scott, J. and Chapman, M.J.: Identification of surface-exposed segments of apolipoprotein B-100 in the LDL particle. *Biochem. Biophys. Res. Commun.*, 140 (1986) 250-257.
- 425 Gal, S. and Gottesman, M.M.: The major excreted protein M (MEP) of transformed mouse cells and cathepsin L have similar protease specificity. *Biochem. Biophys. Res. Commun.*, 139 (1986) 156-162.
- 426 Holmes, C.F.B. and Stevenson, K.J.: The amino acid sequence encompassing the active-site histidine residue of lipamide dehydrogenase from *Escherichia coli* labelled with a bifunctional arsenoxide. *Biochem. Cell Biol.*, 64 (1986) 509-514.
- 427 Jabs, H.-U., Assmann, G., Greifendorf, D. and Benninghoven, A.: High performance liquid chromatography and time-of-flight secondary ion mass spectrometry: a new dimension in structural analysis of apolipoproteins. *J. Lipid Res.*, 27 (1986) 613-621.
- 428 Jacobs, A.A.C., van den Berg, P.A., Bak, H.J. and de Graaf, F.K.: Localization of lysine residues in the binding domain of the K99 fibrillar subunit of enterotoxigenic *Escherichia coli*. *Biochim. Biophys. Acta*, 872 (1986) 92-97.
- 429 Jorgensen, P.L. and Collins, J.H.: Tryptic and chymotryptic cleavages sites in sequence of α -subunit of $(\text{Na}^+ + \text{K}^+)$ -ATPase from outer medulla of mammalian kidney. *Biochim. Biophys. Acta*, 860 (1986) 570-576.
- 430 Lu, H.-S. and Lai, P.-H.: Use of narrow-bore high-performance liquid chromatography for microanalysis of protein structure. *J. Chromatogr.*, 368 (1986) 215-231.
- 431 Marcus, F. and Ureta, T.: Amino acid sequence homology between yeast hexokinases and rat hexokinase C. *Biochem. Biophys. Res. Commun.*, 139 (1986) 714-719.
- 432 Marks, N., Berg, M.J. and Benuck, M.: Preferential action of rat brain cathepsin B as a peptidyl dipeptidase converting pro-opioid oligopeptides. *Arch. Biochem. Biophys.*, 249 (1986) 489-499.
- 433 Mazrimas, J.A., Corzett, M., Campos, C. and Balhorn, R.: A corrected primary sequence for bull protamine. *Biochim. Biophys. Acta*, 872 (1986) 11-15.
- 434 Nguyen, N.Y., Suzuki, A., Boykins, R.A. and Liu, T.: The amino acid sequence of *Limulus* C-reactive protein. Evidence of polymorphism. *J. Biol. Chem.*, 261 (1986) 10456-10465.
- 435 Richardson, M., Campos, F.A.P., Xavier-Filho, J., Macedo, M.L.R., Maia, G.M.C. and Yarwood, A.: The amino acid sequence and reactive (inhibitory) site of the major trypsin iso-inhibitor (DE5) isolated from seeds of the Brazilian *Caroline gree* (*Adenanthera pavonina* L.). *Biochim. Biophys. Acta*, 872 (1986) 134-140.
- 436 Schröter-Kermani, C., von Döhren, H. and Kleinkauf, H.: Active thiol-directed binding and adsorption of gramicidin S-synthetase I to disulfide-containing matrices. *Biochim. Biophys. Acta*, 883 (1986) 345-352.
- 437 Shoji, S., Hayashi, M., Funakoshi, T. and Kubota, Y.: Selective identification of amino-long chain fatty acyl-peptides from amino-blocked proteins by reversed-phase HPLC. *Pept. Chem.*, 23 (1985, Publ. 1986) 345-350; *C.A.*, 105 (1986) 111275z.
- 438 Sydor, W., Teitelbaum, Z., Blacher, R., Sun, S., Benz, W. and Margolis, F.L.: Amino acid sequence of a unique neuronal protein: rat olfactory marker protein. *Arch. Biochem. Biophys.*, 249 (1986) 351-362.

19. PROTEINS

19a. General techniques

- 439 Cueille, G. and Tayot, J.L.: Ion exchange as a production technique for proteins. *World Biotech. Rep.*, 1 (1985) 141-160; *C.A.*, 105 (1986) 96090q - a review with 38 refs.
- 440 Eltekov, Yu.A.: Physico-chemical features of the chromatography of macromolecules. *J. Chromatogr.*, 365 (1986) 191-196.
- 441 Frey, R.: (A new HPLC system for rapid protein analysis). *LaborPraxis*, 10 (1986) 904-907; *C.A.*, 105 (1986) 130164d.
- 442 Gorbunov, A.A., Lukyanov, A.Ye., Pasechnik, V.A. and Vakhrushev, A.V.: Computer simulation of protein adsorption and chromatography. *J. Chromatogr.*, 365 (1986) 205-212.
- 443 Katzenstein, G.E., Vrona, S.A., Wechsler, R.J., Steadman, B.L., Lewis, R.V. and Middaugh, C.L.: Role of conformational changes in the elution of proteins from reversed-phase HPLC columns. *Proc. Natl. Acad. Sci. U.S.A.*, 83 (1986) 4268-4272; *C.A.*, 105 (1986) 93881n.
- 444 Konishi, K.: Gel permeation of proteins by HPLC in denaturing solvents. *Prog. HPLC*, 1 (Gel Permeation Ion-exch. Chromatogr. Proteins Pept.) (1985) 43-57; *C.A.*, 105 (1986) 75067x - a review with 17 refs.
- 445 Kraak, J.C., Kuiper, K. and Ruyter, E.: Gel permeation for the on-line removal of proteins from plasma samples prior to HPLC. *Int. J. Environ. Anal. Chem.*, 25 (1986) 209-220; *C.A.*, 105 (1986) 93901u.
- 446 Seipke, G., Muellner, H. and Grau, U.: (HPLC of proteins). *Angew. Chem.*, 98 (1986) 530-548; *C.A.*, 105 (1986) 57166z - a review with 259 refs.
- 447 Toyo'oka, T., Miyano, H. and Imai, K.: Application of fluorogenic reagents (ABD-F and NBD-F) to analysis of proteins and peptides. *Pept. Chem.*, 23 (1985, Pub. 1986) 403-408; *C.A.*, 105 (1986) 75359u.
- 448 Van der Zee, R., Hoekzema, T., Welling-Wester, S. and Welling, G.W.: Comparison of reversed-phase column materials for high-performance liquid chromatography of proteins. *J. Chromatogr.*, 368 (1986) 283-289.
- 449 Velayudhan, A. and Horvath, C.: On the stoichiometric model of electrostatic interaction chromatography for biopolymers. *J. Chromatogr.*, 367 (1986) 160-162.
- 450 Yamamoto, S.: (Ion exchange chromatography of proteins). *Kemikaru Enjiniyaringu*, 31 (1986) 280-285; *C.A.*, 105 (1986) 93741s - a review with 24 refs.

19b. Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)

- 451 Bandopadhyay, S. and Tay, T.K.: Purification and characterization of a cytosolic activator protein for the gastric H^+ , K^+ -ATPase system for dog fundic mucosa. *Prepar. Biochem.*, 16 (1986) 21-32.
- 452 Benahmed, M., Morera, A.M. and Chauvin, M.A.: Evidence for a Sertoli cell, FSH-suppressible inhibiting factor(s) of testicular steroidogenic activity. *Biochem. Biophys. Res. Commun.*, 139 (1986) 169-178.
- 453 Denyer, G.S., Kerbey, A.L. and Randle, P.J.: Kinase activator protein mediates longer-term effects of starvation on activity of pyruvate dehydrogenase kinase in rat liver mitochondria. *Biochem. J.*, 239 (1986) 347-354.
- 454 Fujii, T., Suzuki, T., Fujii, M., Hachimori, A., Kondo, Y. and Ohki, K.: Inhibition of microtubule assembly by poly(1-glutamic acid) and the site of its action. *Biochem. Cell Biol.*, 64 (1986) 615-621.
- 455 Galle, A.M. and Kader, J.C.: High-performance liquid chromatography of plant membrane proteins. NADH-cytochrome b_5 reductase as a model. *J. Chromatogr.*, 366 (1986) 422-426.
- 456 Garavito, R.M. and Rosenbusch, J.P.: Isolation and crystallization of bacterial porin. *Methods Enzymol.*, 125 (Biomembranes, Pt. M) (1986) 309-328; *C.A.*, 105 (1986) 75228a.
- 457 Katan, M., McGarvey, M.J., Stevely, W.S. and Leader, D.P.: The phosphorylation of ribosomal protein S6 by protein kinases from cells infected with pseudorabies virus. *Biochem. J.*, 239 (1986) 205-211.
- 458 Iopio, A.C., Lashbrook, C.C., Infante, D., Infante, A.A. and Hershey, J.W.B.: Translational initiation factors from sea urchin eggs and embryos: functional properties are highly conserved. *Arch. Biochem. Biophys.*, 250 (1986) 162-170.

- 459 Matson, R.S. and Goheen, S.C.: HPLC separations of membrane proteins. *LC-GC*, 4 (1986) 624-635; *C.A.*, 105 (1986) 93758c.
- 460 Stiegler, P., Hartmann, M.L. and Ebel, J.P.: Rapid separation of *Escherichia coli* 30S ribosomal proteins by fast protein liquid chromatography. *Biochimie*, 68 (1986) 587-591; *C.A.*, 105 (1986) 38518z.
- 461 Wieman, J., Zucker, S., Wilkie, D. and Lysik, R.M.: Purification a hemolytic factor from Ras oncogene transformed fibroblasts. *Biochem. Biophys. Res. Commun.*, 140 (1986) 365-371.

For additional information see:
C.A., 105 (1986) 93803p.

19c. Microbial and plant proteins

- 462 Harland, B.F. and Oberleas, D.: Anion-exchange methods for determination of phytate in foods: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 667-670.
- 463 Kelley, J.J., Wang, G.Y. and Wang, H.Y.: Large-scale gel chromatography. Assessment of utility for purification of protein product from microbial sources. *ACS Symp. Ser.*, 314 (1986) 193-207; *C.A.*, 105 (1986) 102399r.
- 464 Paulis, J.W. and Bietz, J.A.: Separation of alcohol-soluble maize proteins by reversed-phase HPLC. *J. Cereal Sci.*, 4 (1986) 205-216; *C.A.*, 105 (1986) 130153z.
- 465 Schmidt, J.J. and Siegel, L.S.: Purification of type E botulinum neurotoxin by high-performance ion exchange chromatography. *Anal. Biochem.*, 156 (1986) 213-219.

See also 455.

For additional information see:
C.A., 105 (1986) 128875t.

19d. Proteins of blood, serum and blood cells

- 466 Bhowan, A., Dong, J.Y., Hunter, F. and Bennett, J.C.: Purification of spectrin and its subunits by high-performance liquid chromatography. *J. Chromatogr.*, 369 (1986) 159-164.
- 467 Bom, V.J.J., Ram, I.E., Alderkamp, G.H.J., Reinalda-Poot, H.H. and Bertina, R.M.: Application of factor VII-Sepharose affinity chromatography in the purification of human tissue factor apoprotein. *Thromb. Res.*, 42 (1986) 635-643; *C.A.*, 105 (1986) 38496r.
- 468 Brooks, T.L. and Stevens, A.: Chromatographic routes to pure monoclonals. *Lab. Pract.*, 35 (1986) 23-26; *C.A.*, 105 (1986) 95644m.
- 469 Cawston, T.E., Noble, D.N., Murphy, G., Smith, A.J., Woodley, C. and Hazleman, B.: Rapid purification of tissue inhibitor of metalloproteinases from human plasma and identification as a γ -serum protein. *Biochem. J.*, 238 (1986) 677-682.
- 470 Church, F.C. and Whinna, H.C.: Rapid sulfolpropyl-disk chromatographic purification of bovine and human thrombin. *Anal. Biochem.*, 157 (1986) 77-83.
- 471 Farrow, L.R., Paterson, D.S. and Fitton, J.E.: HPLC analysis of recombinant interferon- α_2 and interferon- α_2 analogue proteins purified by immunoabsorption chromatography. *Biochem. Soc. Trans.*, 14 (1986) 1183-1184; *C.A.*, 105 (1986) 113215d.
- 472 Goldman, M.E., Weber, R.J., Newman, A.H., Rice, K.C., Skolnick, P. and Paul, S. M.: High-performance fast affinity chromatographic purification of anti-benzodiazepine antibodies. *J. Chromatogr.*, 382 (1986) 264-269.
- 473 Hamer, R.J., Koedam, J.A., Beeser-Visser, N.H. and Sixma, J.J.: Human factor VIII: purification from commercial factor VIII concentrate, characterization, identification and radiolabeling. *Biochim. Biophys. Acta*, 873 (1986) 356-366.
- 474 Hirano, T., Matsuzaki, H., Miura, M., Kojima, E., Tamura, N. and Sekine, T.: An immunoglobulin G inhibiting lactate dehydrogenase activity. *Clin. Chim. Acta*, 159 (1986) 17-25.
- 475 Hou, K.C. and Cogswell, G.: Intravenously injectable immunoglobulin G. *Eur. Pat. Appl.* EP 180,766 (Cl. A61K39/395), 14 May 1986, US Appl. 656,922, 02 Oct. 1984; 154 pp.; *C.A.*, 105 (1986) 85181u.

- 476 Jenny, R., Church, W., Odegaard, B., Litwiller, R. and Mann, K.: Purification of six human vitamin K-dependent proteins in a single chromatographic step using immunoaffinity columns. *Prep. Biochem.*, 16 (1986) 227-245.
- 477 Juan, C.C. and Lee, S.C.: A simple purification procedure for hepatitis B surface antigen (HBs) by monoclonal antibody immunosorbent affinity chromatography. *Proc. Natl. Sci. Coun., Repub. China, Part B: Life Sci.*, 10 (1986) 86-91; *C.A.*, 105 (1986) 95656s.
- 478 Merrett, M., Stammers, D.K., White, R.D., Wootton, R. and Kneen, G.: Characterization of the binding of the antisickling compound, BW12C, to haemoglobin. *Biochem. J.*, 239 (1986) 387-392.
- 479 Pasechnik, V.A.: Chromatographic methods for purification of leukocyte interferon. *J. Chromatogr.*, 364 (1986) 359-368.
- 480 Pazur, J.H., Kelly-Delcourt, S.A., Miskiel, F.J., Burdett, L. and Docherty, J.J.: The isolation of anti-gum arabic antibodies by affinity chromatography. *J. Immunol. Methods*, 89 (1986) 19-25; *C.A.*, 105 (1986) 59064p.
- 481 Pimplikar, S.W. and Reithmeier, R.A.F.: Affinity chromatography of band 3, the anion transport protein of erythrocyte membranes. *J. Biol. Chem.*, 261 (1986) 9770-9778.
- 482 Pontremoli, S., Melloni, E., Salamino, F., Sparatore, B., Michetti, M., Sacco, O. and Horecker, B.L.: Phosphorylation of proteins in human neutrophils activated with phorbol myristate acetate or with chemotactic factor. *Arch. Biochem. Biophys.*, 250 (1986) 23-29.
- 483 Rijken, D.C. and Emeis, J.J.: Clearance of the heavy and light polypeptide chains of human tissue-type plasminogen activator in rats. *Biochem. J.*, 238 (1986) 643-646.
- 484 Serban, D. and Rordorf-Adam, C.: Quantitation of serum amyloid P component by an enzyme-linked immunoassay. *J. Immunol. Methods*, 90 (1986) 159-164; *C.A.*, 105 (1986) 111244p.
- 485 Sernia, C., Davis, M. and Thomas, W.G.: Purification of rat angiotensinogen. *Prepar. Biochem.*, 16 (1986) 45-59.
- 486 Southan, C., Thompson, E. and Lane, D.A.: Direct analysis of plasma fibrinogen-derived fibrinopeptides by HPLC. *Thromb. Res.*, 43 (1986) 195-204; *C.A.*, 105 (1986) 93890q.
- 487 Takamiya, O., Funahashi, S. and Yoshioka, K.: Preparation of factor VII-depleted plasma by immunoaffinity chromatography with insolubilized anti-factor VII. *Med. Lab. Sci.*, 43 (1986) 215-219; *C.A.*, 105 (1986) 111251p.
- 488 Zhao, Y.J. and Belew, M.: The effect of various coupling methods on the adsorption of serum proteins by immobilized concanavalin A. *Biotechnol. Appl. Biochem.*, 8 (1986) 75-82; *C.A.*, 105 (1986) 93876q.

See also 533.

For additional information see:

C.A., 105 (1986) 38784h, 41071d, 59069u, 59090u, 108685c, 113455g.

19e. Structural and muscle proteins

- 489 Dalla Libera, L.: Purification of myosin by high-performance liquid chromatography on hydroxyapatite. *J. Chromatogr.*, 366 (1986) 417-421.
- 490 Harwood, F. and Amiel, D.: Semiquantitative HPLC analysis of types I and III collagen in soft tissues. *LC Mag.*, 4 (1986) 122-126; *C.A.*, 105 (1986) 75185j.
- 491 Iwakiri, S., Asakawa, N., Miyakawa, T. and Miyake, Y.: (HPLC of protein. VI. Separation of myoglobin from different species (sperm whale, horse) by reversed phase HPLC). *Yakugaku Zasshi*, 106 (1986) 265-267; *C.A.*, 105 (1986) 38492m.
- 492 Kedersha, N.L., Broek, D. and Berg, R.A.: A novel isoform of cytoplasmic actin that binds poly-L-proline. *Biochem. J.*, 238 (1986) 561-570.
- 493 Kleppel, M.M., Michael, A.F. and Fish, A.J.: Comparison on non-collagenous type IV collagen components in the human glomerulus and EHS tumor. *Biochim. Biophys. Acta*, 883 (1986) 178-189.
- 494 Leushner, J.R.A. and Haust, M.D.: The effect of ascorbate on the synthesis of minor (non-interstitial) collagens by cultured bovine aortic smooth muscle cells. *Biochim. Biophys. Acta*, 883 (1986) 284-292.

- 495 Rauch, U., Glössl, J. and Kresse, H.: Comparison of small proteoglycans from skin fibroblasts and vascular smooth-muscle cells. *Biochem. J.*, 238 (1986) 465-474.
- 496 Ratcliffe, A., Tyler, J.A. and Hardingham, T.E.: Articular cartilage cultured with interleukin 1. Increased release of link protein, hyaluronate-binding region and other proteoglycan fragments. *Biochem. J.*, 238 (1986) 571-580.

For additional information see:

C.A., 105 (1986) 75302v, 130312a.

19f. Protamines, histones and other nuclear proteins

- 497 Mendelson, E., Landsman, D., Druckmann, S. and Bustin, M.: Immunofractionation of chromatin regions associated with histone H1°. *Eur. J. Biochem.*, 160 (1986) 253-260.

19g. Chromoproteins and metalloproteins

- 498 Barberousse, V., Sacco, D. and Dellacherie, E.: Chromatographic evaluation of the binding of haemoglobin to polyanionic polymers. *J. Chromatogr.*, 369 (1986) 244-247.
- 499 Behrens, P.W., Nakashima, H., Yokota, E. and Riggs, A.F.: The structure of hemocyanin II from the horseshoe crab, *Limulus polyphemus*. The amino acid sequence of the second largest cyanogen bromide fragment. *J. Biol. Chem.*, 261 (1986) 10520-10525.
- 500 Coppenhaver, D.H., Buettner-Janusch, J., Ehrhardt, M.M. and Duffy, L.K.: Prosimian hemoglobins. III. The primary structures of the duplicated α -globin chains of *Lemur variegatus*. *Biochim. Biophys. Acta*, 873 (1986) 372-378.
- 501 Funae, Y., Kotake, A.N. and Yamamoto, K.: Multiple forms of cytochrome P-450 separable by HPLC. *Prog. HPLC*, 1 (Gel Permeation Ion-Exch. Chromatogr. Proteins Pept.) (1985) 59-81; C.A., 105 (1986) 38482h.
- 502 Irie, S. and Tavassoli, M.: Liver endothelium desialates ceruloplasmin. *Biochem. Biophys. Res. Commun.*, 140 (1986) 94-100.
- 503 Jeppsson, J.-O., Jerntorp, P., Sundkvist, G., Englund, H. and Ny Lund, V.: Measurement of hemoglobin A_{1c} by a new liquid-chromatographic assay: methodology, clinical utility, and relation to glucose tolerance evaluated. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1867-1872.
- 504 Klotz, A.V., Stegeman, J.J., Woodin, B.R., Snowberger, E.A., Thimas, P.E. and Walsh, C.: Cytochrome P-450 isozymes from the marine teleost *Stenotomus chrysops*: Their roles in steroid hydroxylation and the influence of cytochrome b₅. *Arch. Biochem. Biophys.*, 249 (1986) 326-338.
- 505 Mainwaring, M.G., Lugo, S.D., Fingal, R.A., Kapp, O.H. and Vinogradov, S.N.: The dissociation of the extracellular hemoglobin of *Lumbricus terrestris* at acid pH and its reassociation at neutral pH. A new model of its quaternary structure. *J. Biol. Chem.*, 261 (1986) 10899-10908.
- 506 Megias, A., Saborido, A. and Municio, A.M.: Cytochrome b₅ from the insect *Ceratitis capitata*. *Biochim. Biophys. Acta*, 872 (1986) 116-124.
- 507 Moore, M.D., Behrens, P.Q. and Riggs, A.F.: The structure of hemocyanin II from the horse-shoe crab, *Limulus polyphemus*. The amino acid sequences of the smaller cyanogen bromide fragments. *J. Biol. Chem.*, 261 (1986) 10511-10519.
- 508 Mullins, R.E. and Austin, G.E.: Sensitivity of isoelectric focusing, ion exchange, and affinity chromatography to labile glycated hemoglobin. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1460-1463.
- 509 Nakashima, H., Behrens, P.Q. and Moore, M.D., Yokota, E. and Riggs, A.F.: Structure of hemocyanin II from the horseshoe crab, *Limulus polyphemus*. Sequences of the overlapping peptides, ordering the CNBr fragments, and the complete amino acid sequence. *J. Biol. Chem.*, 261 (1986) 10526-10533.
- 510 Ohba, Y.: (Liquid chromatographic analysis of hemoglobin). *Rinsho Kensa*, 30 (1986) 337-346; C.A., 105 (1986) 75085b - a review with 15 refs.
- 511 Rahbar, S., Lee, T.D., Baker, J.A., Rabinowitz, L.T., Asmerom, Y., Legesse, K. and Ranney, H.M.: Reverse phase HPLC and secondary ion mass spectrometry. A strategy for identification of ten human hemoglobin variants. *Hemoglobin*, 10 (1986) 379-400; C.A., 105 (1986) 131530g.

- 512 Rusu, V., Deutsch, G. and Szabadai, Z.: Automatic chromatographic method for the determination of hemoglobin A_{1c}. *Timisoara Med.*, 30 (1985) 32-36; *C.A.*, 105 (1986) 93891r.
- 513 Schroeder, W.A., Shelton, J.B., Huynh, V and Shelton, J.R.: A study of the minor peaks in high performance liquid chromatograms of globin chains on reversed phase columns. *Hemoglobin*, 10 (1986) 239-251; *C.A.*, 105 (1986) 57231s.
- 514 Suzuki, T. and Gotoh, T.: The complete amino acid sequence of giant multisubunit hemoglobin from the polychaete *Tylorrhynchus heterochaetus*. *J. Biol. Chem.*, 261 (1986) 9257-9267.
- 515 Vieira, B.J., Colvert, K.K. and Davis, D.J.: Chemical modification and cross-linking as probes of regions on ferredoxin involved in its interaction with ferredoxin: NADP reductase. *Biochim. Biophys. Acta*, 851 (1986) 109-122.
- 516 Wawrzyniak, C.J. and Popp, R.A.: Detection of an unstable murine hemoglobin. *Biochem. Biophys. Res. Commun.*, 139 (1986) 551-556.
- 517 Yu Ip, C. and Asakura, T.: Separation of asymmetrical hybrid containing hemoglobin F by anaerobic anion-exchange high-performance liquid chromatography. *Anal. Biochem.*, 156 (1986) 348-353.

See also 478.

For additional information see:
C.A., 105 (1986) 113210y, 130157d, 130162b.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 518 Cheng, C.Y. and Bardin, C.W.: Rat testicular testibumin is a protein responsive to follicle stimulating hormone and testosterone that shares immunodeterminants with albumin. *Biochemistry*, 25 (1986) 5276-5288.
- 519 Padfield, P.J., Griffin, M. and Case, R.M.: Separation of guinea-pig pancreatic juice proteins by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 369 (1986) 133-141.
- 520 Saboori, A.M. and Young, M.: Nerve growth factor: biosynthetic products of the mouse salivary glands. Characterization of stable high molecular weight and 32000-dalton nerve growth factors. *Biochemistry*, 25 (1986) 5565-5571.

See also 548, 980.

19i. *Proteins of neoplastic tissue*

- 521 Krishnan, G.: Purification and characterization of malignancy associated alpha-1 protein from lung tumor of a patient who died of primary carcinoma of the lung. *Prep. Biochem.*, 16 (1986) 33-41.

19j. *Specific binding proteins*

- 522 Asakawa, K., Hedo, J.A., McElduff, A., Rouiller, D.G., Waters, M.J. and Gorden, P.: The human growth hormone receptor of cultured human lymphocytes. Structural characteristics and glycosylation properties. *Biochem. J.*, 238 (1986) 379-386.
- 523 Atumugham, R.G., Hsieh, T.C.-Y., Tanzer, M.L. and Laine, R.A.: Structures of the asparagine-linked sugar chains of laminin. *Biochim. Biophys. Acta*, 883 (1986) 112-126.
- 524 Bruch, R.C., Thotakura, N.R. and Bahl, O.P.: The rat ovarian lutropin receptor. Purification, hormone binding properties, and subunit composition. *J. Biol. Chem.*, 261 (1986) 9450-9460.
- 525 Chao, J., Tillman, D.M., Wang, M., Margolius, H.S. and Chao, L.: Identification of a new tissue-kallikrein-binding protein. *Biochem. J.*, 239 (1986) 325-331.
- 526 Fong, S.L., Liou, G.I. and Bridges, C.D.B.: Purification of interstitial retinol-binding protein from the eye. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. B) (1986) 102-111; *C.A.*, 105 (1986) 75106j - a review with 26 refs.
- 527 Herington, A.C., Ymer, S.I. and Stevenson, J.L.: Affinity purification and structural characterization of a specific binding protein for human growth hormone in human serum. *Biochem. Biophys. Res. Commun.*, 139 (1986) 150-155.
- 528 Hirst, M. and Feldman, D.: Cleavage of the rat intestinal 1,25-dihydroxyvitamin D₃ receptor by an endogenous protease to a form with defective DNA binding. *Arch. Biochem. Biophys.*, 250 (1986) 153-161.

- 529 Jonas, H.A., Newman, J.D. and Harrison, L.C.: An atypical insulin receptor with high affinity for insulin-like growth factors copurified with placental insulin receptors. *Proc. Natl. Acad. Sci. U.S.A.*, 83 (1986) 4124-4128; *C.A.*, 105 (1986) 73058w.
- 530 Keski-Oja, J., Laiho, M. and Vartio, T.: Characterization of a novel gelatin-binding 21 kDa protein secreted by cultured adherent cells. *Biochim. Biophys. Acta*, 882 (1986) 367-376.
- 531 Knight, B.L., Preyer, S. and Soutar, A.K.: Immunoassay of bovine and human low-density-lipoprotein receptor using monoclonal antibodies. *Biochem. J.*, 238 (1986) 405-410.
- 532 Krizanova, O., Zubor, V., Gemeiner, P. and Zorad, S.: Application of a new hydrophobic carrier for routine isolation of calmodulin and other proteins. *Gen. Physiol. Biophys.*, 5 (1986) 201-204; *C.A.*, 105 (1986) 75184h - a review with 9 refs.
- 533 Link, R.P., Perlman, K.L., Pierce, E.A., Schnoes, H.K. and DeLuca, H.F.: Purification of human serum vitamin D-binding protein by 25-hydroxyvitamin D₃-Sepharese chromatography. *Anal. Biochem.*, 157 (1986) 262-269.
- 534 Luhrs, C.A., Sadasivan, E., da Costa, M. and Rothenberg, S.P.: The isolation and properties of multiple forms of folate binding protein in cultured KB cells. *Arch. Biochem. Biophys.*, 250 (1986) 94-105.
- 535 Olsen, K.W.: Affinity chromatography of heme-binding proteins: Synthesis and characterization of hematin- and hematoporphyrin-agarose. *Methods Enzymol.*, 123 (Vitamin. Coenzymes, Pt. H) (1986) 324-331; *C.A.*, 105 (1986) 111201x - a review with 27 refs.
- 536 Seetharam, B. and Alpers, D.H.: Isolation of native and proteolytically derived ileal receptor for intrinsic factor-cobalamin. *Methods Enzymol.*, 123 (Vitamin. Coenzymes, Pt. H) (1986) 23-28; *C.A.*, 105 (1986) 93895v.
- 537 Shimura, F., Kwon, S. and Hosoya, N.: (Isolation of vitamin D-dependent calcium-binding protein from hen intestine by a two-step procedure). *Bitamin*, 60 (1986) 211-217; *C.A.*, 105 (1986) 38732q.
- 538 Shorr, R.G.L., Strohsacker, M.W., Rebar, R., Lefkowitz, R.J., Caron, M.G. and Crooke, S.T.: Membrane-bound hormone receptor purifications and characterization by HPLC. *Prog. HPLC*, 1 (Gel Permeation Ion-Exch. Chromatogr. Proteins Pept.) (1985) 9-26; *C.A.*, 105 (1986) 57226u.
- 539 Sing, V.B., Eliezer, N. and Moudgil, V.K.: Transformation and phosphorylation of purified molybdate-stabilized chicken oviduct progesterone receptor. *Biochim. Biophys. Acta*, 888 (1986) 237-248.
- 540 Thoman, P.J., Shaw, S.L. and Collins, J.F.: Isolation and characterization of fibronectin from baboon plasma. *Connect. Tissue Res.*, 13 (1985) 135-143; *C.A.*, 105 (1986) 56579z.
- 541 Thomas, G.A. and Simpson, R.U.: HPLC analysis of 1,25-dihydroxyvitamin D₃ in malignant cells. Correlation of effects on cell proliferation and receptor concentration. *Cancer Biochem. Biophys.*, 8 (1986) 221-234; *C.A.*, 105 (1986) 111318r.
- 542 Tsutsui, K.: Affinity chromatography of heme-binding proteins: synthesis of hemin-agarose. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 331-338; *C.A.*, 105 (1986) 111295f.
- 543 Waisman, D.M., Khanna, N.C. and Tokuda, M.: Identification of a major bovine heart Ca²⁺ binding protein. *Biochem. Biophys. Res. Commun.*, 139 (1986) 596-603.
- 544 Wang, C.: Purification and autophosphorylation of insulin receptors from rat skeletal muscle. *Biochim. Biophys. Acta*, 888 (1986) 107-115.
- 545 Webb, M.L., Schmidt, T.J., Robertson, N.M. and Litwack, G.: Evidence for an association of a ribonucleic acid with the purified, unactivated glucocorticoid receptor. *Biochem. Biophys. Res. Commun.*, 140 (1986) 204-211.
- 546 Wilkinson, T.C.I. and Wilton, D.C.: Studies on fatty acid-binding proteins. The detection and quantification of the protein from rat liver by using a fluorescent fatty acid analogue. *Biochem. J.*, 238 (1986) 419-424.
- 547 Worrall, S., Williamson, R.A. and Strange, P.G.: Purification of D₂-dopamine receptors from bovine brain. *Biochem. Soc. Trans.*, 14 (1986) 1138-1139; *C.A.*, 105 (1986) 111319s.

See also 144, 481.

For additional information see:

C.A., 105 (1986) 38662s, 130152y.

191. Other proteins

- 548 Crabb, J.W., Armes, L.G., Carr, S.A., Johnson, C.M., Roberts, G.D., Bordoli, R.S. and McKeehan, W.L.: Complete primary structure of prostatropin, a prostate epithelial cell growth factor. *Biochemistry*, 25 (1986) 4988-4993.
- 549 Elton, T.S. and Reeves, R.: Purification and postsynthetic modifications of friend erythroleukemic cell high mobility group protein HMC-I. *Anal. Biochem.*, 157 (1986) 53-62.
- 550 Goris, J., Waelkens, E. and Merlevede, W.: Identification of the phosphatase deinhibitor protein phosphatases in rabbit skeletal muscle. *Biochem. J.*, 239 (1986) 109-114.
- 551 Kumar, R.K., Smith, G.J., Truscott, J.Y., Hristoforidis, C.P. and Lykke, A.W.J.: Characterization of an alveolyn-like protein associated with mouse type 2 pneumocytes using immunochemical methods. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1135-1141.
- 552 Lou, M.F., McKellar, R. and Chyan, O.: Quantitation of lens protein mixed disulfides by ion-exchange chromatography. *Exp. Eye Res.*, 42 (1986) 607-616; *C.A.*, 105 (1986) 75211q.
- 553 Marquardt, H., Todaro, G.J. and Shoyab, M.: Complete amino acid sequences of bovine and human endozepines. Homology with rat diazepam binding inhibitor. *J. Biol. Chem.*, 261 (1986) 9727-9731.
- 554 Richards, J.F., Bishop, P.B., Peng, T., Beer, C.T. and Gout, P.W.: An inhibitor of ornithine decarboxylase in lactogen-deprived Nb2 node rat lymphoma cells. *Biochim. Biophys. Acta*, 883 (1986) 542-551.
- 555 Sakyo, K., Ito, A., Ogawa, C. and Mori, Y.: Hormonal control of collagenase inhibitor production in rabbit uterine cervical fibroblast-like cells. *Biochim. Biophys. Acta*, 883 (1986) 517-522.
- 556 Shibata, T., Ogawa, M., Matsuda, K., Miyauchi, K., Yamamoto, T. and Mori, T.: Purification and characterization of pancreatic secretory trypsin inhibitor in human gastric mucosa. *Clin. Chim. Acta*, 159 (1986) 27-36.
- 557 Suko, J., Wyskovsky, W., Pidlich, J., Hauptner, R., Plank, B. and Hellmann, G.: Calcium release from calmodulin and its C-terminal or N-terminal halves in the presence of the calmodulin antagonists phenoxybenzamine and mellitin measured by stopped-flow fluorescence with Quin 2 and intrinsic tyrosine. Inhibition of calmodulin-dependent protein kinase of cardiac sarcoplasmic reticulum. *Eur. J. Biochem.*, 159 (1986) 425-434.
- 558 Svane Mellbye, K., Smestad Paulsen, B. and Dale, S.: Isolation of antigen 19/20 from the mite *Dermatophagoides farinae* by chromatography on the MonoST column. *J. Chromatogr.*, 367 (1986) 247-253.
- 559 Uhlen, M. and Nilsson, B.: Genetic design for downstream processing: Immuno-affinity systems. *World Biotech. Rep.*, 1 (1985) 171-179; *C.A.*, 105 (1986) 109893f.
- 560 Zhu, J., Indrasith, L.S. and Yamashita, O.: Characterization of vitellin, egg-specific protein and 30 kDa protein from *Bombyx* eggs, and their fates during oogenesis and embryogenesis. *Biochim. Biophys. Acta*, 882 (1986) 427-436.

See also 469.

For additional information see:

C.A., 105 (1986) 108663u, 111306k, 111307m.

20. ENZYMES

- 561 Rudolph, F.B., Cooper, B.F. and Greenhut, J.: Enzyme purification by high-performance ion-exchange liquid chromatography. *Prog. HPLC*, 1 (Cell Biochem. Ion-Exch. Chromatogr. Proteins Pept.) (1985) 133-147; *C.A.*, 105 (1986) 37953a.

20a. Oxidoreductases

- 562 Boopathy, R. and Balasubramanian, A.S.: Purification and characterization of sheep platelet cyclo-oxygenase. Acylation by aspirin prevents haemin binding to the enzyme. *Biochem. J.*, 239 (1986) 371-377.

- 563 Broger, C., Bill, K. and Azzi, A.: Affinity chromatography purification of cytochrome-c oxidase from bovine heart mitochondria and other sources. *Methods Enzymol.*, 126 (Biomembranes, Pt. N) (1986) 64-72; *C.A.*, 105 (1986) 93238h - a review with 13 refs. in part on column chromatography.
- 564 Dokter, P., Frank, J., Jzn. and Duine, J.A.: Purification and characterization of quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus* L.M.D. 79.41. *Biochem. J.*, 239 (1986) 163-167.
- 565 Flatman, S., Hurst, J.S., McDonald-Gibson, R.G., Jonas, G.E.G. and Slater, T.F.: Biochemical studies on a 12-lipoxygenase in human uterine cervix. *Biochim. Biophys. Acta*, 883 (1986) 7-14.
- 566 Kadusevicius, V., Sudziuviene, O. and Pesliakas, J.: (Chromatography of the yeast glucose-6-phosphate dehydrogenase on adsorbents with immobilized dyes). *Prikl. Biokhim. Mikrobiol.*, 22 (1986) 291-296; *C.A.*, 105 (1986) 74721u.
- 567 Kaushal, N.A. and Sharma, B.: Rapid purification of lactate dehydrogenase from *Setaria cervi* by affinity chromatography. *Indian J. Parasitol.*, 9 (1985) 297-299; *C.A.*, 105 (1986) 110913u.
- 568 Kojima, K., Parvez, S., Parvez, H., Kato, Y. and Nagatsu, T.: Application of HPLC for analysis and purification of catecholamine-synthesizing enzymes. *Prog. HPLC*, 1 (Gel Permeation Ion-Exch. Chromatogr. Proteins Pept.) (1985) 149-155; *C.A.*, 105 (1986) 37954b.
- 569 Kovar, J. and Pitrincova, J.: Rapid chromatographic separation of porcine ceruloplasmin. *J. Chromatogr.*, 368 (1986) 468-471.
- 570 Li, F., Lim, C.K. and Peters, T.J.: A high-performance-liquid-chromatographic method for the assay of coproporphyrinogen oxidase activity in rat liver. *Biochem. J.*, 239 (1986) 481-484.
- 571 Lissolo, T., Choi, E.S., LeGall, J. and Peck, H.D., Jr.: The presence of multiple intrinsic membrane nickel-containing hydrogenases in *Desulfovibrio vulgaris* (Hildenborough). *Biochem. Biophys. Res. Commun.*, 139 (1986) 701-708.
- 572 Lund, K., Merrill, D.K. and Guynn, R.W.: Purification and subunit structure of phosphoglycerate dehydrogenase from rabbit liver. *Biochem. J.*, 238 (1986) 919-922.
- 573 Noll, K.M. and Wolfe, R.S.: Component C of the methylcoenzyme M methylreductase system contains bound 7-mercaptoheptanoylthreonine phosphate (HS-HTP). *Biochem. Biophys. Res. Commun.*, 139 (1986) 889-895.
- 574 Racz, K., Kuchel, O., Debinski, W. and Buu, N.T.: Improved liquid chromatographic determination of dopamine- β -hydroxylase activity in tissues and plasma. *J. Chromatogr.*, 382 (1986) 117-125.
- 575 Santos, E. and Kaback, H.R.: Monoclonal affinity purification of D-lactate dehydrogenase from *Escherichia coli*. *Methods Enzymol.*, 126 (Biomembranes, Pt. N) (1986) 370-377; *C.A.*, 105 (1986) 93247k - a review with 30 refs. in part on column chromatography.
- 576 Schaeffer, H., Link, T.A., Engel, W.D. and von Jagow, G.: Isolation of the eleven protein subunits of the bc₁ complex from beef heart. *Methods Enzymol.*, 126 (Biomembranes, Pt. N) (1986) 224-237; *C.A.*, 105 (1986) 93385d.
- 577 Stults, L.W., Moshiri, F. and Maier, R.J.: Aerobic purification of hydrogenase from *Rhizobium japonicum* by affinity chromatography. *J. Bacteriol.*, 166 (1986) 795-800; *C.A.*, 105 (1986) 38020f.
- 578 Torreilles, J., Guerin, M.C. and Descomps, B.: Rapid separation of dehydrogenases by affinity chromatography with new induced specificity phases. *Biochimie*, 68 (1986) 565-568; *C.A.*, 105 (1986) 110841u.
- 579 Uhlinger, D.J., Yang, C. and Reed, L.J.: Phosphorylation-dephosphorylation of pyruvate dehydrogenase from bakers' yeast. *Biochemistry*, 25 (1986) 5673-5677.
- 580 Wicking, C.A., Scholem, R.D., Hunt, S.M. and Brown, G.K.: Immunochemical analysis of normal and mutant forms of human pyruvate dehydrogenase. *Biochem. J.*, 239 (1986) 89-96.

See also 642.

For additional information see:

C.A., 105 (1986) 38038t, 56678f.

20b. Transferases (excluding E.C. 2.7.-.-)

- 581 Bieber, L.L. and Fiol, C.: Purification and assay of carnitine acyltransferases. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 276-284; *C.A.*, 105 (1986) 110900n.
- 582 Brady, P.S. and Brady, L.J.: Action *in vivo* and *in vitro* of 2-tetradecylglycidic acid, 2-tetradecylglycidyl-CoA and 2-tetradecylglycidylcarnitine on hepatic carnitine palmitoyltransferase. *J. Biochem.*, 238 (1986) 801-809.
- 583 Chen, C.-H., Forte, T.H., Cahoon, B.E., Thrift, R.N. and Albers, J.J.: Synthesis and secretion of lecithin-cholesterol acyltransferase by the human hepatoma cell line HepG2. *Biochim. Biophys. Acta*, 877 (1986) 433-439.
- 584 Günthert, U., Lauster, R. and Reiners, L.: Multispecific DNA methyltransferases from *Bacillus subtilis* phages. Properties of wild-type and various mutant enzymes with altered DNA affinity. *Eur. J. Biochem.*, 159 (1986) 485-492.
- 585 Jacobs, D. and Brown, N.L.: Isolation and characterization of the M. EaeI modification methylase. *Biochem. J.*, 238 (1986) 613-616.
- 586 Miyaura, S. and Isono, H.: Further analysis of multiple forms of rabbit hepatic glutathione S-transferase. *Chem. Pharm. Bull.*, 34 (1986) 2919-2925.
- 587 Mousdale, D.M. and Coggins, J.R.: Rapid chromatographic purification of glyphosate-sensitive 5-enolpyruvylshikimate 3-phosphate synthase from higher plant chloroplasts. *J. Chromatogr.*, 367 (1986) 217-222.
- 588 Mutzel, R., Malchov, D., Meyer, D. and Kersten, H.: tRNA (adenine-N¹)-methyltransferase from *Dictyostelium discoideum*. Purification, characterization and developmental changes in activity. *Eur. J. Biochem.*, 160 (1986) 101-108.
- 589 Radulovic, L.L. and Kulkarni, A.P.: HPLC separation and study of the charge isomers of human placental glutathione transferase. *Biochem. J.*, 239 (1986) 53-57.
- 590 Wang, Y., Camici, M., Lee, F.-T., Ahamad, Z., DePaoli-Roach, A.A. and Roach, P. J.: Multiple phosphorylation sites of rat liver glycogen synthase. *Biochim. Biophys. Acta*, 888 (1986) 225-236.

See also 580, 642.

For additional information see:

C.A., 105 (1986) 129797f.

20c. Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)

- 591 Delpesch, M., Levy-Favatier, F., Moisand, F. and Kruh, J.: Rat liver nuclear protein kinases NI and NII. Purification, subunit composition, substrate specificity, possible levels of regulation. *Eur. J. Biochem.*, 160 (1986) 333-341.
- 592 Goward, C.R., Atkinson, T. and Scawen, M.D.: Rapid purification of glucokinase and glycerokinase from *Bacillus stearothermophilus* by hydrophobic interaction chromatography. *J. Chromatogr.*, 369 (1986) 235-239.
- 593 Hammond, P.M., Atkinson, T. and Scawen, M.D.: Use of triazine dyes as ligands for the large-scale affinity chromatography of a thermostable glycerokinase. *J. Chromatogr.*, 366 (1986) 79-89.
- 594 Hiwasa, T. and Sakiyama, S.: Altered properties of cAMP-dependent protein kinase in H-ras-transformed NIH3T3 cells. *Biochem. Biophys. Res. Commun.*, 139 (1986) 787-793.
- 595 Kitano, T., Go, M., Kikkawa, U. and Nishizuka, Y.: Assay and purification of protein kinase C. *Methods Enzymol.*, 124 (Horm. Action, Pt. J) (1986) 349-352; *C.A.*, 105 (1986) 93371w.
- 596 Klimczak, L.J., Grummt, F. and Burger, K.J.: Purification and characterization of DNA polymerase from the archaeobacterium *Methanobacterium thermoautotrophicum*. *Biochemistry*, 25 (1986) 4850-4855.
- 597 Lee, S.S. and McCormick, D.B.: Sensitive radiosubstrate/HPLC assays for flavocoenzyme-forming enzymes. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 237-239; *C.A.*, 105 (1986) 74686m.
- 598 Romhanyi, T., Seprodi, J., Antoni, F., Meszaros, G., Buday, L. and Farago, A.: The assay of the activity of protein kinase C with the synthetic oligopeptide substrate designed for histone kinase II. *Biochim. Biophys. Acta*, 888 (1986) 325-331.

- 599 Tokuda, M., Khanna, N.C., Arora, A.K. and Waisman, D.M.: Identification and characterization of the tyrosine protein kinases of rat spleen. *Biochem. Biophys. Res. Commun.*, 139 (1986) 910-917.
- 600 Trifiro, M. and Nathan, D.M.: Purification of rat hepatic glucokinase. *Prepar. Biochem.*, 16 (1986) 155-173.
- 601 Van Schaftingen, E., Coulie, P.G., van Snick, J. and Hers, H.-G.: Reaction of phosphofructokinase 2/fructose 2,6-biphosphatase with monoclonal antibodies. A proof of the bifunctionality of the enzyme. *Eur. J. Biochem.*, 159 (1986) 367-373.
- 602 Yamashita, K., Hitoi, A., Irie, M. and Kobata, A.: Fractionation by lectin affinity chromatography indicates that the glycosylation of most ribonucleases in human viscera and body fluids is organ specific. *Arch. Biochem. Biophys.*, 250 (1986) 263-266.

See also 389, 429.

For additional information see:
C.A., 105 (1986) 129871a.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 603 De la Hoz, D., Doctor, B.P., Ralston, J.S., Rush, R.S. and Wolfe, A.D.: A simplified procedure for the purification of large quantities of fetal bovine serum acetylcholinesterase. *Life Sci.*, 39 (1986) 195-199; C.A., 105 (1986) 110869j.
- 604 Fritzson, P., Haugen, T.B. and Tjernshaugen, H.: The presence and activity in normal and regenerating rat liver postmicrosomal supernatant fraction of an enzyme with properties similar to those of membrane-bound 5-nucleotidase. *Biochem. J.*, 239 (1986) 185-190.
- 605 Goldberg, I.J., Paterniti, J.R., Jr., France, D.S., Martinelli, G. and Cornicelli, J.A.: Production and use of an inhibitory monoclonal antibody to human lipoprotein lipase. *Biochim. Biophys. Acta*, 878 (1986) 168-176.
- 606 Jakes, S., Mellgren, R.L. and Schlender, K.K.: Isolation and characterization of an inhibitor-sensitive and a polycation-stimulated protein phosphatase from rat liver nuclei. *Biochim. Biophys. Acta*, 888 (1986) 135-142.
- 607 Kamisaka, Y., Toyoshima, S. and Osawa, T.: Phosphatidylinositol-specific phospholipase C of murine lymphocytes. *Arch. Biochem. Biophys.*, 249 (1986) 569-578.
- 608 Kranias, E.G. and Di Salvo, J.: A phospholamban protein phosphatase activity associated with cardiac sarcoplasmic reticulum. *J. Biol. Chem.*, 261 (1986) 10029-10032.
- 609 Loeb, L.A. and Gross, R.W.: Identification and purification of sheep platelet phospholipase A₂ isoforms. Activation by physiologic concentrations of calcium ion. *J. Biol. Chem.*, 261 (1986) 10467-10470.
- 610 Miki, A., Tanaka, Y., Ogata, S. and Ikehara, Y.: Selective preparation and characterization of membranous and soluble forms of alkaline phosphatase from rat tissues. A comparison with the serum enzyme. *Eur. J. Biochem.*, 160 (1986) 41-48.
- 611 Okada, M., Owada, K. and Nakagawa, H.: (Phosphotyrosine)protein phosphatase in rat brain. A major (phosphotyrosine)protein phosphatase is a 23 kDa protein distinct from acid phosphatase. *Biochem. J.*, 239 (1986) 155-162.
- 612 Pen, J., van Beeumen, J. and Beintema, J.J.: Structural comparison of two esterases from *Drosophila mojavensis* isolated by immunoaffinity chromatography. *Biochem. J.*, 238 (1986) 691-699.
- 613 Reddy, M.N., Maraganore, J.M., Meredith, S.C., Heinrikson, R.L. and Kezdy, F.J.: Isolation of an active-site peptide of lipoprotein lipase from bovine milk and determination of its amino acid sequence. *J. Biol. Chem.*, 261 (1986) 9678-9683.
- 614 Schönau, E., Herzog, K.H. and Böhles, H.-J.: Clinical relevance of alkaline phosphatase isoenzyme determinations by high performance liquid chromatography. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 641-646.
- 615 Semb, H. and Olivecrona, T.: Lipoprotein lipase in guinea pig tissues: molecular size and rates of synthesis. *Biochim. Biophys. Acta*, 878 (1986) 330-337.

- 616 Sugimoto, Y. and Yamada, M.: Purification and characterization of benzoyl-L-tyrosine ethyl ester hydrolase from the yolk sac membrane of chicken egg. *Biochem. Cell Biol.*, 64 (1986) 543-547.
- 617 Ubuka, T., Nishina, H., Ikeda, T. and Ishino, K.: Separation and characterization of ribonuclease A-glutathione mixed disulphide using chromatofocusing and isoelectric focusing. *J. Chromatogr.*, 363 (1986) 431-437.
- 618 Varlamov, V.P., Lopatin, S.A., Bannikova, G.E., Andrushina, I.A. and Rogozhin, S.V.: Ligand-exchange chromatography of nucleases. *J. Chromatogr.*, 364 (1986) 215-223.
- 619 Wells, G.N., Osborne, L.J. and Jamdar, S.C.: Isolation and characterization of multiple forms of Mg^{2+} -dependent phosphatidate phosphohydrolase from rat adipose cytosol. *Biochim. Biophys. Acta*, 878 (1986) 225-237.

See also 550, 584, 601, 642.

For additional information see:

C.A., 105 (1986) 56785p, 56786q.

20e. Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)

- 620 Choy, F.M.: Purification of human placental glucocerebrosidase using a two-step high-performance hydrophobic and gel permeation column chromatography method. *Anal. Biochem.*, 156 (1986) 515-520.
- 621 Crenon, I., Ladant, D., Guiso, N., Gilles, A.-M. and Barzu, O.: Characterization of a β -galactosidase hybrid protein carrying the catalytic domain of *Escherichia coli* adenylate cyclase. *Eur. J. Biochem.*, 159 (1986) 605-609.
- 622 Edwards, M., Dea, I.C.M., Bulpin, P.V. and Reid, J.S.G.: Purification and properties of a novel xyloglucan-specific-endo-(1 $\rightarrow$ 4)- β -D-glucanase from germinated *Nasturtium* seeds (*Tropaeolum majus* L.). *J. Biol. Chem.*, 261 (1986) 9489-9494.
- 623 Lee, L. and Forstner, G.: Hydrophobic binding domains of rat intestinal maltase-glucoamylase. *Biochem. Cell Biol.*, 64 (1986) 782-787.
- 624 Orlacchio, A., Emiliani, C., Di Renzo, G.C. and Cosmi, E.V.: β -N-Acetyl-D-glucosaminidase isoenzymes from human amnionic membranes. *Clin. Chim. Acta*, 159 (1986) 279-289.
- 625 Schmid, G. and Wandrey, C.: Characterization of cellulases using soluble celloextrins as definite substrates. A quasicontinuous assay method. *Eur. Congr. Biotechnol.*, 3 (1984) 121-123; C.A., 105 (1986) 56674b.

20f. Other hydrolases

- 626 Callaway, J.E., Garcia, J.A., Jr., Hersh, C.L., Yeh, R.K. and Gilmore-Hebert, M.: Use of lectin affinity chromatography for the purification of collagenase from human polymorphonuclear leukocytes. *Biochemistry*, 25 (1986) 4757-4762.
- 627 Halila, R. and Peltonen, L.: Purification of human procollagen type III N-proteinase from placenta and preparation of antiserum. *Biochem. J.*, 239 (1986) 47-52.
- 628 Kim, S.-J., Hirose, S. and Murakami, K.: Purification of human plasma inactive renin by immunoaffinity chromatography on profragment-specific IgG. *Biochim. Biophys. Acta*, 873 (1986) 27-30.
- 629 McGuire, M.J. and DeMartino, G.N.: Purification and characterization of a high molecular weight proteinase (macropain) from human erythrocytes. *Biochim. Biophys. Acta*, 873 (1986) 279-289.
- 630 Mollay, C., Vilas, U., Hutticher, A. and Kreil, G.: Isolation of a dipeptidyl aminopeptidase, a putative processing enzyme, from skin secretion of *Xenopus laevis*. *Eur. J. Biochem.*, 160 (1986) 31-35.
- 631 Pietta, P., Mauri, P. and Pace, M.: Improved high-performance liquid chromatographic assay for trypsin. *J. Chromatogr.*, 367 (1986) 223-227.
- 632 Shastri, R. and Anandaraj, M.P.J.S.: A low-calcium-requiring calcium-activated neutral proteinase from human placenta. *Biochim. Biophys. Acta*, 873 (1986) 260-266.
- 633 Siegel, M.S., Bechtold, D.S., Kopta, C.I. and Polakoski, K.L.: The rapid purification and partial characterization of human sperm proacrosin using an automated fast protein liquid chromatography (FPLC) system. *Biochim. Biophys. Acta*, 883 (1986) 567-573.

- 634 Takahashi, T., Yonezawa, S., Dehdarani, A.H. and Tang, J.: Comparative studies of two cathepsin B isozymes from porcine spleen. Isolation, polypeptide chain arrangements and enzyme specificity. *J. Biol. Chem.*, 261 (1986) 9368-9374.
- 635 Tar, A., Gal, S., Toth-Martinez, B.L., Hernadi, F.J. and Kiss, L.: Use of chromatofocusing for separation of β -lactamases. VII. Analytical and medium scale preparative chromatofocusing of the constitutive chromosomal cephalosporinase P99 from *Enterobacter cloacae*. *J. Chromatogr.*, 368 (1986) 427-432.
- 636 Williams, N. and Pedersen, P.L.: Rapid purification of F_3 -ATPase from rat liver mitochondria using a modified chloroform extraction procedure coupled to HPLC. *Methods Enzymol.*, 126 (Biomembranes, Pt. N) (1986) 477-484; *C.A.*, 105 (1986) 93393e.
- 637 Williams, N. and Pedersen, P.L.: Purification of α and β subunits and subunit pairs from rat liver mitochondrial F_1 -ATPase. *Methods Enzymol.*, 126 (Biomembranes, Pt. N) (1986) 484-489; *C.A.*, 105 (1986) 93250f - a review with 9 refs. in part on column chromatography.
- 638 Wojta, J., Kirchmeier, J.C., Turcu, L.C. and Binder, B.R.: Monoclonal antibodies against human high molecular weight urinary urokinase: application for affinity purification of urinary prourokinase. *Thromb. Haemostasis*, 55 (1986) 347-351; *C.A.*, 105 (1986) 110872e.

See also 101, 641.

For additional information see:

C.A., 105 (1986) 74964a.

20g. Lyases

- 639 Boomsma, F., van der Hoorn, F.A.J. and Schalekamp, M.A.D.H.: Determination of aromatic-L-amino acid decarboxylase in human plasma. *Clin. Chim. Acta*, 159 (1986) 173-183.
- 640 Nimmo, G.A., Mimmo, H.G., Hamilton, I.D., Fewson, C.A. and Wilkins, M.B.: Purification of the phosphorylated night form and dephosphorylated day form of phosphoenolpyruvate carboxylase from *Bryophyllum fedtschenkoi*. *Biochem. J.*, 239 (1986) 213-220.

20j. Complex mixtures and incompletely identified enzymes

- 641 Kralova, B., Demnerova, K., Dobransky, T. and Lehejckova, R.: Removal of contaminating proteinases from crude preparations of microbial enzymes. *J. Chromatogr.*, 366 (1986) 427-430.
- 642 Matsukura, H., Suzuki, Y., Okada, T., Naiki, S. and Sakuragawa, N.: Multiple urinary isoenzyme assay by high performance liquid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 479-480.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 643 Alvarez-Gonzales, R., Eichenberger, R., Loetscher, P. and Althaus, F.R.: A new highly selective physicochemical assay to measure NAD^+ in intact cells. *Anal. Biochem.*, 156 (1986) 473-480.
- 644 Azhaev, A.V., Turina, O.V., Gnuchev, N.V. and Chernov, B.K.: (Use of preparative reverse-phase HPLC in oligodeoxyribonucleotide synthesis). *Bioorg. Khim.*, 11 (1985) 1220-1226; *C.A.*, 105 (1986) 43221b.
- 645 Brubaker, W.F., Jr., Zhao, H.P. and Prusoff, W.H.: Measurement of carbamoylating activity of nitrosoureas and isocyanates by a novel high-pressure liquid chromatography assay. *Biomed. Pharmacol.*, 35 (1986) 2359-2365; *C.A.*, 105 (1986) 107836r.
- 646 Chang, Y.-C., Soman, G. and Graves, D.J.: Identification of an enzymatic activity that hydrolyzes protein-bound ADP-ribose in skeletal muscle. *Biochem. Biophys. Res. Commun.*, 139 (1986) 932-939.

- 647 Chen, M.S., van Nostrand, M. and Oshana, S.C.: Quantitative determination of antiviral nucleoside analog in DNA. *Anal. Biochem.*, 156 (1986) 300-304.
- 648 Edwardson, P.A.D., Lowe, C.R. and Atkinson, T.: Purification of homo- and hetero-oligonucleotides using high-performance charge-transfer chromatography. *J. Chromatogr.*, 368 (1986) 363-369.
- 649 Ellis, S.R., Morales, M.J., Li, J., Hopper, A.K. and Martin, N.C.: Isolation and characterization of the TRM1 locus, a gene essential for the N²,N²-dimethyl-guanosine modification of both mitochondrial and cytoplasmic tRNA in *Saccharomyces cerevisiae*. *J. Biol. Chem.*, 261 (1986) 9703-9709.
- 650 Floyd, R.A., Watson, J.J., Wong, P.K., Altmiller, D.H. and Rickard, R.C.: Hydroxyl free radical adduct of deoxyguanosine: sensitive detection and mechanisms of formation. *Free Radical Res. Commun.*, 1 (1986) 163-172; *C.A.*, 105 (1986) 75370r.
- 651 Ghe, A.M., Chiavari, G. and Evgenidis, J.: Photometric and electrochemical detection of purine and pyrimidine compounds in reversed-phase and ion-exchange high-pressure liquid chromatography. *Talanta*, 33 (1986) 379-384; *C.A.*, 105 (1986) 111274y.
- 652 Herbel, W. and Montag, A.: (Determination in food of purine and pyrimidine bases, bound in compounds of low-molecular weight after isolation by gel chromatography and hydrolytic digestion under pressure). *Z. Lebensm.-Unters. Forsch.*, 183 (1986) 12-17; *C.A.*, 105 (1986) 132240z.
- 653 Kaysen, J., Spriggs, D. and Kufe, D.: Incorporation of 5-fluorodeoxycytidine and metabolites into nucleic acids of human MCF-7 breast carcinoma cells. *Cancer Res.*, 46 (1986) 4534-4538.
- 654 Moretti, G., Amici, M. and Cammarata, P.: (Determination of methylthiouracil and analogous thyrostatics in animal tissue by HPLC after solid-phase purification). *Rn. Soc. Ital. Sci. Aliment.*, 15 (1986) 35-39; *C.A.*, 105 (1986) 59523n.
- 655 Morris, G.S. and Simmonds, H.A.: A single system for the evaluation of purine and pyrimidine nucleosides and bases together with their analogs in biological fluids. *Adv. Exp. Med. Biol.*, 195A (Purine Pyrimidine Metab. Man 5, Pt A) (1986) 593-599; *C.A.*, 105 (1986) 93885s.
- 656 Northrop, D.B. and Newton, C.J.: Desalting of nucleotides by reverse-phase HPLC. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 155-156; *C.A.*, 105 (1986) 75221t.
- 657 Pimenov, A.M., Tikhonov, Yu.V., Meisner, I.S. and Toguzov, R.T.: Simultaneous separation of ribonucleotides, nucleosides and nitrogen bases by ion-pair reversed-phase high-performance liquid chromatography on columns with radial compression. *J. Chromatogr.*, 365 (1986) 221-227.
- 658 Sasaki, H., Takahashi, T., Nakamura, J., Konishi, R. and Shibasaki, J.: Intestinal absorption of 5-fluorouracil and its alkylcarbamoyl derivatives in the rat small intestine. *J. Pharm. Sci.*, 75 (1986) 676-679.
- 659 Valdes, J.R. and Vega, E.: (A specific method for ATP determination in pharmaceutical formulations). *Rev. Cubana Farm.*, 19 (1985) 184-191; *C.A.*, 105 (1986) 85249x.
- 660 Weinfeld, M. and Livingston, D.C.: Synthesis and properties of oligodeoxy-ribonucleotides containing an ethylated internucleotide phosphate. *Biochemistry*, 25 (1986) 5083-5091.
- 661 Wetzel, D.L., Wehling, R.L., Lee, M.J. and Tweeten, T.N.: Objective criteria for condition of stored grain via HPLC analysis. *Dev. Food Sci.*, 12 (Shelf Life Foods Beverages) (1986) 667-682; *C.A.*, 105 (1986) 41342t.
- 662 Woollard, G.A.: An unusual column effect during the analysis of 5-fluorocytosine by high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 162-163.
- 663 Yoshida, S. and Takaku, H.: Synthesis and properties of 2',5'-adenylate trimers bearing 2'-terminal 8-bromo- or 8-hydroxyadenosine. *Chem. Pharm. Bull.*, 34 (1986) 2456-2461.

See also 49, 185, 741, 862.

For additional information See:

C.A., 105 (1986) 35025a, 60885p, 75197q, 75198r, 75199s, 75362q.

21b. Nucleic acids, RNA

- 664 Lee, K.M. and Marshall, A.G.: High-speed preparative-scale separation and purification of ribosomal 5S and 5.8S RNA's via Sephacryl S-300 gel filtration chromatography. *Prepar. Biochem.*, 16 (1986) 247-258.

- 665 McLaughlin, L.W.: Resolution of nucleic acids by high-performance liquid chromatography. *TrAC*, 5 (1986) 215-219 - a review with 10 refs.
- 666 Pramanik, S.K., Walsh, R.W. and Bag, J.: Association of messenger RNA with the cytoskeletal framework in rat L6 cells. *Eur. J. Biochem.*, 160 (1986) 221-230.
- 667 Sindhu, T., Svensson, I., Hellman, U., Patel, V. and Hjerten, S.: Hydrophobic interaction chromatography of incompletely methylated transfer RNA from *Escherichia coli* on Octyl-Sepharose. *J. Chromatogr.*, 368 (1986) 113-124.

See also 588.

21c. Nucleic acids, DNA

- 668 Haber, M., Kavallaris, M. and Stewart, W.: Two-stage incorporation of thymidine triphosphate into mammalian DNA as indicated by chromatography on benzoylated DEAE-cellulose. *J. Chromatogr.*, 382 (1986) 127-134.
- 669 Herman, T.M., Lefever, E. and Shimkus, M.: Affinity chromatography of DNA labeled with chemically cleavable biotinylated nucleotide analogs. *Anal. Biochem.*, 156 (1986) 48-55.
- 670 Landolt, P. and Tobler, H.: Characterization of inverted repeated sequences in *Ascaris* nuclear DNA. *Eur. J. Biochem.*, 159 (1986) 435-442.
- 671 McEnery, M.W., Angus, C.W. and Moss, J.: Affinity chromatographic procedure for the quantitative recovery of DNA fragments from agarose gels. *Anal. Biochem.*, 156 (1986) 72-75.
- 672 Monstein, H.J. and Geijer, T.: A rapid and inexpensive method for preparing *E. coli* plasmid-DNA. *Biochem. Int.*, 12 (1986) 889-896; *C.A.*, 105 (1986) 94061g.

See also 665.

21d. Nucleoproteins

- 673 Yamamoto, A. and Yamada, M.: Subfractionation of heterochromatin. *Cell Mol. Biol.*, 32 (1986) 325-332; *C.A.*, 105 (1986) 130150w.

21f. Structural studies of nucleic acids

- 674 Kaneko, T., Katoh, K., Fujimoto, M., Kumagai, M., Tamaoka, J. and Katayama-Fujimura, Y.: Determination of the nucleotide composition of a deoxyribonucleic acid by HPLC of its enzymic hydrolyzate: a review. *J. Microbiol. Methods*, 4 (1986) 229-240; *C.A.*, 105 (1986) 75080w - a review with 26 refs.

See also 671.

For additional information see:
C.A., 105 (1986) 38795n.

22. ALKALOIDS

- 675 Alburges, M.E. and Peat, M.A.: Profiles of Δ^8 -tetrahydrocannabinol metabolites in urine of marijuana users: preliminary observations by HPLC-radioimmunoassay. *J. Forensic Sci.*, 31 (1986) 695-706; *C.A.*, 105 (1986) 92566b.
- 676 Ayyangar, N.R. and Bhide, S.R.: Simultaneous separation of the principal alkaloids in gum opium by isocratic, reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 435-438.
- 677 Billiet, H.A.H., Wolters, R., de Galan, L. and Huizer, H.: Separation and identification of illicit heroin samples by liquid chromatography using an alumina and C_{18} coupled column system and photodiode array detection. *J. Chromatogr.*, 368 (1986) 351-361.
- 678 Buszewski, B., Sebekova, K., Bozek, P. and Berek, D.: Dependence of the separation of some biological substances on the carbon content of C_{18} chemically bonded phase. *J. Chromatogr.*, 367 (1986) 171-180.
- 679 Chowdhury, B.K., Hirani, S.K. and Bhattacharyya, P.: High-performance liquid chromatographic separation of carbazole alkaloids. *J. Chromatogr.*, 369 (1986) 258-260.

- 680 Dzido, T., Jusiak, L. and Soczewinski, E.: (Thin:layer and high-performance microcolumn liquid chromatography of alkaloid extract of *Chelidonium majus*). *Chem. Anal.*, 31 (1986) 135-142; *C.A.*, 105 (1986) 76032u.
- 681 Fang, D., Fang, J. and Sun, Z.: Determination of morphine in opium by HPLC. *Yaou Fenxi Zazhi*, 6 (1986) 73-76; *C.A.*, 105 (1986) 49126w.
- 682 Nagalakshmi, S. and Seshadri, R.: Quality control parameters in instant tea processing. *Indian Food Ind.*, 5 (1986) 13-20; *C.A.*, 105 (1986) 59690q.
- 683 Pickard, C.E., Stewart, A.D., Hartley, R. and Lucock, M.D.: A rapid HPLC method for monitoring plasma levels of caffeine and theophylline using solid phase extraction columns. *Ann. Clin. Biochem.*, 23 (1986) 440-446; *C.A.*, 105 (1986) 107839u.
- 684 Pietta, P., Manera, E. and Ceva, P.: High-performance liquid chromatographic analysis of ephedrine in oily formulations. *J. Chromatogr.*, 367 (1986) 228-230.
- 685 Postaire, E., Oulare, B., Pradeau, D. and Hamon, M.: (Simultaneous determination of papaverine and papaveraldine. Applications to pharmaceutical preparation control and to the kinetic approach of oxidative reactions). *Ann. Pharm. Fr.* 1985, 43 (1986) 547-556; *C.A.*, 105 (1986) 66541v.
- 686 Sener, B., Temizer, H., Temizer, A. and Karakaya, A.E.: High-performance liquid chromatographic determination of alkaloids in *Senecio vernalis*. *J. Pharm. Belg.*, 41 (1986) 115-117; *C.A.*, 105 (1986) 110033g.
- 687 Wang, J. and Bonakdar, M.: Liquid chromatography of reserpine and rescinnamine using electrochemical detection. *J. Chromatogr.*, 382 (1986) 343-348.
- 688 Ware, G.M., Carman, A.S., Francis, O.J. and Kuan, S.S.: Liquid chromatographic determination of ergot alkaloids in wheat. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 697-699.
- 689 Zoer, J., Virgili, P. and Henry, J.A.: High-performance liquid chromatographic assay for morphine with electrochemical detection using an unmodified silica column with a non-aqueous ionic eluent. *J. Chromatogr.*, 382 (1986) 189-197.

See also 49.

For additional information see:

C.A., 105 (1986) 67136d, 113739c, 120875x.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

- 690 Barwise, A.J.G., Evershed, R.P., Wolff, G.A., Eglinton, G. and Maxwell, J.R.: High-performance liquid chromatographic analysis of free-base porphyrins. I. An improved method. *J. Chromatogr.*, 368 (1986) 1-9.
- 691 Chicarelli, M.I., Wolff, G.A. and Maxwell, J.R.: High-performance liquid chromatographic analysis of free-base porphyrins. II. Structure effects and retention behaviour. *J. Chromatogr.*, 368 (1986) 11-19.
- 692 Ekström, L.-G. and Kuivinen, J.: Spectrophotometric determination of L-pyrogutamic acid as indicator of decomposition or abuse of processed foods. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 633-636.
- 693 Kennedy, S.-W., Wigfield, D.C. and Fox, G.A.: Tissue porphyrin pattern determination by high-speed high-performance liquid chromatography. *Anal. Biochem.*, 157 (1986) 1-7.
- 694 Li, F., Lim, C.K. and Peters, T.J.: Analysis of urine and faecal porphyrins by HPLC coupled to an advanced automated sample processor. *Biomed. Chromatogr.*, 1 (1986) 93-94.
- 695 Seubert, A. and Seubert, S.: High-performance liquid chromatographic analysis of porphyrins and their isomers with radial compression columns. *Methods Enzymol.*, 123 (Vit. Coenzymes, Pt. H) (1986) 346-352; *C.A.*, 105 (1986) 75218x.
- 696 Straka, J.G.: HPLC of porphyrin methyl esters. *Methods Enzymol.*, 123 (Vitamin. Coenzymes, Pt. H) (1986) 352-363; *C.A.*, 105 (1986) 75219y.

For additional information see:

C.A., 105 (1986) 74697r.

23b. Bile pigments

- 697 Lim, C.K. and Peters, T.J.: HPLC of uroporphyrin and coproporphyrin isomers. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 383-389; *C.A.*, 105 (1986) 57279p.
- 698 Lim, C.K. and Peters, T.J.: High-performance liquid chromatographic separation of the bilirubin isomers. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 389-395; *C.A.*, 105 (1986) 57280g.

23c. Indole derivatives

- 699 Elrod, L., Jr., Shoup, R.E. and Mayer, G.S.: Determination of 5-hydroxyindole-3-acetic acid in urine by liquid chromatography with electrochemical detection. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1590.
- 700 Jensen, E., Crozier, A. and Monteiro, A.M.: Analysis of gibberellins and gibberellin conjugates by ion-suppression reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 367 (1986) 377-384.
- 701 Shimizu, T. and Kato, K.: Sequestration of serotonin in stored platelets. *Transfusion*, 26 (1986) 274-277; *C.A.*, 105 (1986) 91484m.

See also 164, 678.

23e. Other N-heterocyclic compounds

- 702 Bacaloglu, R., Cotarca, L., Isfan, A. and Isfan, C.: High-performance liquid chromatography of 2,4,6-haloalkyl-1,3,5-triazines. *Rev. Roum. Chim.*, 31 (1986) 403-409; *C.A.*, 105 (1986) 120889e.
- 703 Morimoto, S., Morishita, F. and Kojima, T.: Identification of some polycyclic nitrogen-containing compounds in coal-derived oil. *J. Chromatogr.*, 368 (1986) 291-298.
- 704 Ohta, T., Miyata, N. and Hirobe, M.: Studies on the oxidation of 5H-N-substituted dibenz[b,f]azepines. III. Oxidative metabolism by rat liver microsomes. *Chem. Pharm. Bull.*, 34 (1986) 2494-2500.

24. ORGANIC SULPHUS COMPOUNDS

- 705 Brinkman, M.B.C., van Gend, H.W. and Mattern, E.M.: (Automated determination of 4',4'-diaminodiphenylsulfone (DDS) and its acetylated metabolites (MADDS and DADDS) in milk with the aid of the FAST-LC-System). *Z. Lebensm.-Unters. Forsch.*, 183 (1986) 97-100; *C.A.*, 105 (1986) 132263j.
- 706 Grigorova, B. and Wright, S.A.: Simultaneous determination of thiourea and formamidine disulphide, using reversed-phase high-performance liquid chromatography and a UV factor. *J. Chromatogr.*, 368 (1986) 444-449.
- 707 Lanzotti, V., Trincone, A., Gambacorta, A., De Rosa, M. and Breitmaier, E.: ¹H and ¹³C NMR assignment of benzothiophenquinones from the sulfur-oxidizing archaeobacterium *Sulfolobus solfataricus*. *Eur. J. Biochem.*, 160 (1986) 37-40.
- 708 Matissek, R., Häussler, M. and Harper, B.: Zur Analytik mikrobicider Iso-thiazolone. IV. Fraktionierung handelsüblicher Formulierungen mit Hilfe der Flasch-Chromatographie und Gehaltbestimmungen mittels iodometrischer Absolutmethode. *Fresenius' Z. Anal. Chem.*, 325 (1986) 293-296.
- 709 Oldewede, J. and Klockow, D.: Chromatographische Verfahren zur Bestimmung von 1,3-Propansulton (1,2-Oxathiolan-2,2-dioxid) in Luft am Arbeitsplatz. *Fresenius' Z. Anal. Chem.*, 325 (1986) 57-63.
- 710 Otsuka, K., Terabe, S. and Ando, T.: (Separation of aromatic sulfides by electrokinetic chromatography with micellar solution). *Nippon Kagaku Kaishi*, (1986) 950-955; *C.A.*, 105 (1986) 126484r.
- 711 Spry, L., Lakshmi, V.M., Zenser, T. and Davis, B.: Metabolism and excretion of nitrofurthiazole bladder carcinogens. *J. Pharmacol. Exp. Ther.*, 238 (1986) 457-462.

See also 763.

For additional information see:
C.A., 105 (1986) 126454f.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 712 Chew, C.S. and Brown, M.R.: Release of intracellular Ca^{2+} and elevation of inositol triphosphate by secretagogues in parietal and chief cells isolated from rabbit gastric mucosa. *Biochim. Biophys. Acta*, 888 (1986) 116-125.
- 713 Creek, K.E., Rimoldi, D., Brugh-Collins, M. and De Luca, L.M.: Enzymic synthesis and separation of retinyl phosphate mannose and dolichyl phosphate mannose by anion-exchange HPLC. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 61-68; *C.A.*, 105 (1986) 111293d.
- 714 Koshiishi, I., Isono, J. and Imanari, T.: Simultaneous determination of cyanate and carbamyl phosphate by high performance liquid chromatography. *Anal. Sci.*, 2 (1986) 81-85; *C.A.*, 105 (1986) 53737p.
- 715 Pescher, P., Caude, M., Rosset, R., Tambute, A. and Oliveros, L.: Enantiomeric resolution of phosphine oxides by liquid chromatography on chiral stationary phases derivatives of N-(3,5-dinitrobenzoyl) amino acids. *Nouv. J. Chim.*, 9 (1985) 621-627; *C.A.*, 105 (1986) 42951c.
- 716 Sandberg, A.S. and Abderinne, R.: HPLC method for determination of inositol tri-, tetra-, penta- and hexaphosphates in foods and intestinal contents. *J. Food Sci.*, 51 (1986) 547-550; *C.A.*, 105 (1986) 77651g.
- 717 Yamada, K., Abe, S., Suzuki, T., Katayama, K. and Sato, T.: A high-performance liquid chromatographic method for the determination of dolichyl phosphates in tissues. *Anal. Biochem.*, 156 (1986) 380-385.

See also 275, 276, 286, 659, 824.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 718 Blaszkowicz, M., Bamhoer, G. and Neidhart, B.: Bestimmung von Trialkylbleispecies in Urin. *Fresenius' Z. Anal. Chem.*, 325 (1986) 129-135.
- 719 Elferink, F., van der Vijgh, W.J.F. and Pinedo, H.M.: On-line differential pulse polarographic detection of carboplatin in biological samples after chromatographic separation. *Anal. Chem.*, 58 (1986) 2293-2296.
- 720 Langseth, W.: Determination of organic and inorganic mercury compounds by reverse-phase high-performance liquid chromatography after extraction of the mercuries as alkylidithiocarbamate chelates. *Fresenius' Z. Anal. Chem.*, 325 (1986) 267-271.

26c. Coordination compounds

- 721 Mauldin, S.K., Richard, F.A., Plescia, M., Wyrick, S.D., Sancar, A. and Chaney, S.G.: High-performance liquid chromatographic separation of platinum complexes containing the *cis*-1,2-diaminocyclohexane carrier ligand. *Anal. Biochem.*, 157 (1986) 129-143.
- 722 Vora, M.M., Wukovnig, S., Finn, R.D., Emran, A.M., Bootle, T.E. and Kothari, P.J.: Reversed-phase high-performance liquid chromatographic determination of gadolinium-diethylenetriaminepentaacetic acid complex. *J. Chromatogr.*, 369 (1986) 187-192.

See also 188, 931.

27. VITAMINES AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 723 Badcock, N.R., O'Reilly, D.A. and Pinnock, C.B.: Liquid chromatographic determination of retinol and α -tocopherol in human buccal mucosal cells. *J. Chromatogr.*, 382 (1986) 290-296.
- 724 Bettendorff, L., Grandfils, C., de Rycker, C. and Schoffeniels, E.: Determination of thiamine and its phosphate esters in human blood serum at femtomole levels. *J. Chromatogr.*, 382 (1986) 297-302.

- 725 Bhat, P.V. and Lacroix, A.: Separation of geometric isomers of retinol and retinoic acid in nonaqueous HPLC. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 75-85; *C.A.*, 105 (1986) 75216v.
- 726 Boetticher, B. and Boetticher, D.: Simple rapid determination of thiamin by a HPLC method in foods, body fluids, urine and feces. *Int. J. Vitam. Nutr. Res.*, 56 (1986) 155-159; *C.A.*, 105 (1986) 75225x.
- 727 Bogner, A.: (Determination of vitamin A in food using HPLC. Results of the collaborative study of the working group "vitamin analysis" within the framework of Φ 35 LMBG). *Z. Lebensm.-Unters. Forsch.*, 18 (1986) 492-497; *C.A.*, 105 (1986) 96139n.
- 728 Bowers-Komro, D.M., Chastain, J.L. and McCormick, D.B.: Separation of biotin and analogs by HPLC. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 63-67; *C.A.*, 105 (1986) 111298j.
- 729 Bowers-Komro, D.M., Hagen, T.M. and McCormick, D.B.: Modified purification of pyridoxamine (pyridoxine) 5'-phosphate oxidase from rabbit liver by 5'-phosphopyridoxyl affinity chromatography. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 116-120; *C.A.*, 105 (1986) 74683h.
- 730 Burton, D.E., Sepaniak, M.J. and Maskarinec, M.P.: Analysis of B₆ vitamers by micellar electrokinetic capillary chromatography with laser-excited fluorescence detection. *J. Chromatogr. Sci.*, 24 (1986) 347-351.
- 731 Catignani, G.L.: An HPLC method for the simultaneous determination of retinol and α -tocopherol in plasma or serum. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 215-219; *C.A.*, 105 (1986) 75107k - a review with 6 refs.
- 732 Coburn, S.P. and Mahuren, J.D.: Cation-exchange high-performance liquid chromatographic analysis of vitamin B₆. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 102-110; *C.A.*, 105 (1986) 93896w.
- 733 Cooper, J.R. and Matsuda, T.: Separation and determination of thiamin and its phosphate esters by SP-Sephadex chromatography. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 20-24; *C.A.*, 105 (1986) 75111g - a review with 9 refs.
- 734 Gimsing, P. and Beck, W.S.: Determination of cobalamins in biological material. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 3-14; *C.A.*, 105 (1986) 93894u.
- 735 Haavik, J., Doskeland, A.P. and Flatmark, T.: Stereoselective effects in the interactions of pterin cofactors with rat-liver phenylalanine 4-monooxygenase. *Eur. J. Biochem.*, 160 (1986) 1-8.
- 736 Hamfeld, A.: A simplified method for determination of pyridoxal phosphate in biological samples. *Uppsala J. Med. Sci.*, 91 (1986) 105-109; *C.A.*, 105 (1986) 93827z.
- 737 Hausinger, R.P., Honek, J.F. and Walsch, C.: Separation of flavins and flavin analogs by HPLC. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 199-209; *C.A.*, 105 (1986) 93486n.
- 738 Horst, R.L., Reinhardt, T.A., Ramberg, C.F., Koszewski, N.J. and Napoli, J.L.: 24-Hydroxylation of 1,25-dihydroxyergocalciferol. An unambiguous deactivation process. *J. Biol. Chem.*, 261 (1986) 9250-9256.
- 739 Hyland, K., Smith, I., Howells, D.W., Clayton, P.T. and Leonard, J.V.: The determination of pterins, biogenic amine metabolites, and aromatic amino acids in cerebrospinal fluid using isocratic reverse phase liquid chromatographic with in series dual cell coulometric electrochemical and fluorescence detection: use in the study of inborn errors of dihydropteridine reductase and 5,10-methylene-tetrahydrofolate reductase. *Biochem. Clin. Aspects Pteridines*, 4 (Cancer, Immunol., Metab. Dis.) (1985) 85-99; *C.A.*, 105 (1986) 93850b.
- 740 Jacobsen, D.W., Green, R. and Brown, K.L.: Analysis of cobalamin coenzymes and other corrinoids by HPLC. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 14-22; *C.A.*, 105 (1986) 110796h - a review with 12 refs.
- 741 Kanemitsu, H., Tomukai, N., Karasawa, S., Tamura, A., Sano, K., Yoshiura, M., Iwamoto, T., Iriyama, K., Fujimaki, T. and Matsutani, M.: (Determination of ascorbic acid and uric acid in rat brain tumor by HPLC-ECD system). *Igaku No Ayumi*, 136 (1986) 887-888; *C.A.*, 105 (1986) 38506u.
- 742 Kawasaki, T.: Determination of thiamin and its phosphate esters by HPLC. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 15-20; *C.A.*, 105 (1986) 75110f - a review with 6 refs.
- 743 Kohashi, M., Inoue, K., Sotobayashi, H. and Iwai, K.: Microdetermination of folate monoglutamates in serum by liquid chromatography with electrochemical detection. *J. Chromatogr.*, 382 (1986) 303-307.

- 744 Lang, J.K., Gohil, K. and Packer, L.: Simultaneous determination of tocopherols, ubiquinols and ubiquinones in blood, plasma, tissue homogenates and subcellular fractions. *Anal. Biochem.*, 157 (1986) 106-117.
- 745 Lunte, C.E. and Kissinger, P.T.: Determination of pterins by liquid chromatography/electrochemistry. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 300-309; *C.A.*, 105 (1986) 75223v.
- 746 Makino-Tasaka, M. and Suzuki, T.: Quantitative analysis of retinal and 3-dehydroretinal by high-pressure liquid chromatography. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 53-61; *C.A.*, 105 (1986) 75104g - a review with 12 refs.
- 747 Napoli, J.L.: Quantification of physiological levels of retinoic acid. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 112-124; *C.A.*, 105 (1986) 75217w.
- 748 Nguyen, T.T.L. and Nguyen, T.K.: (Quantitative determination of vitamins A, D and E in fish oil by high-pressure liquid chromatography). *Tap Chi Duoc Hoc*, (1985) 19-23; *C.A.*, 105 (1986) 85260u.
- 749 Nielsen, P., Rauschenbach, P. and Bacher, A.: Preparation, properties and separation by HPLC of riboflavin phosphates. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 209-220; *C.A.*, 105 (1986) 111300d.
- 750 Orr, G.A., Heney, G.C. and Zeheb, R.: Purification of avidin and its derivatives on 2-iminobiotin-6-aminohexyl-Sepharose 4b. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 83-87; *C.A.*, 105 (1986) 111299k.
- 751 Qureshi, A.A., Burger, W.C., Peterson, D.M. and Elson, C.E.: The structure of an inhibitor of cholesterol biosynthesis isolated from barley. *J. Biol. Chem.*, 261 (1986) 10544-10550.
- 752 Reddy, G.S. and Tserng, K.: Isolation and identification of 1,24,25-trihydroxy-vitamin D₂, 1,24,25,28-tetrahydroxyvitamin D₂, and 1,24,25,26-tetrahydroxy-vitamin D₂: new metabolites of 1,25-dihydroxyvitamin D₂ produced in rat kidney. *Biochemistry*, 25 (1986) 5328-5336.
- 753 Ross, A.C.: Separation and quantitation of retinyl esters and retinol by HPLC. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 68-74; *C.A.*, 105 (1986) 75105h - a review with 9 refs.
- 754 Sagredos, A.N., Hüttmann, A. and Röttgermann, R.: Einfluss der Einarbeitung von Futterfetten auf den gehalt an Vitaminen in vitaminisiertem Futter. *Fette, Seifen, Anstrichm.*, 88 (1986) 279-284.
- 755 Shane, B.: Identification of folylpoly-(γ-glutamate) chain length by cleavage to and separation of p-aminobenzoypoly-(γ-glutamates). *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 323-330; *C.A.*, 105 (1986) 93897x.
- 756 Shearer, M.J.: Assay of coumarin antagonists of vitamin K in blood by HPLC. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 223-234; *C.A.*, 105 (1986) 90587k - a review with 17 refs.
- 757 Shearer, M.J.: Assay of K vitamins in tissues by HPLC with special reference to ultraviolet detection. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 235-251; *C.A.*, 105 (1986) 111197a - a review with 27 refs.
- 758 Speek, A.J., Wongkham, C., Limratana, N., Saowakontha, S. and Schreurs, W.H.P.: Microdetermination of vitamin A in human plasma using high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 382 (1986) 284-289.
- 759 Stancher, B. and Zonta, F.: High performance liquid chromatographic analysis of riboflavin (vitamin B₂) with visible absorbance detection in Italian cheeses. *J. Food Sci.*, 51 (1986) 857-858; *C.A.*, 105 (1986) 77654k.
- 760 Toyosaki, T., Yamamoto, A. and Mineshita, T.: Simultaneous analysis of riboflavin and its decomposition products in various milks by HPLC. *J. Micronutr. Anal.*, 2 (1986) 117-123; *C.A.*, 105 (1986) 132233z.
- 761 Tsin, A.T.C., Chambers, J.P., Garcia, M.H. and Flores, J.M.: Decreased hepatic retinyl palmitate hydrolase activity in protein-deficient rats. *Biochim. Biophys. Acta*, 878 (1986) 20-24.
- 762 Van der Greef, J., Speek, A.J., Tas, A.C., Schrijver, J., Hoehn, M. and Rapp, U.: Determination of vitamin E in seed oils by HPLC-mass spectrometry. *LC-GC*, 4 (1986) 636-637; *C.A.*, 105 (1986) 113728y.
- 763 Wells, C.E., Juenge, E.C. and Wolnik, K.: Contaminants leached from rubber stoppers into a water soluble vitamin E intravenous injectable product. *J. Pharm. Sci.*, 75 (1986) 724-725.
- 764 Wilson, S.D. and Horne, D.W.: High-performance liquid chromatographic separation of the naturally occurring folic acid derivatives. *Methods Enzymol.*, 122 (Vitam. Coenzymes, Pt. G) (1986) 269-273; *C.A.*, 105 (1986) 75115m - a review with 10 refs.

- 765 Woollard, D.C. and Indyk, H.: The HPLC analysis of vitamin A isomers in dairy products and their significance in biopotency estimations. *J. Micronutr. Anal.*, 2 (1986) 125-146; *C.A.*, 105 (1986) 132235a.
- 766 Zonta, F. and Stancher, B.: (HPLC of carotenes on alumina columns. Applications in food analysis). *Riv. Soc. Ital. Sci. Aliment.*, 15 (1986) 17-22; *C.A.*, 105 (1986) 77644g.

See also 185, 846.

For additional information see:

C.A., 105 (1986) 113761d, 132243c, 132244d, 132245e.

28. ANTIBIOTICS

- 767 Allgaier, H., Jung, G., Werner, R.G., Schneider, U. and Zähler, H.: Epidermin: sequencing of a heterodet tetracyclic 21-peptide amide antibiotic. *Eur. J. Biochem.*, 160 (1986) 9-22.
- 768 Beijnen, J.H., van der Houwen, O.A.G.J., Rosing, H. and Underberg, W.J.M.: A systematic study on the chemical stability of mitomycin A and mitomycin B. *Chem. Pharm. Bull.*, 34 (1986) 2900-2913.
- 769 Chissell, J.F., Freeman, M., Loran, J.S., Sewell, G.J. and Stead, J.A.: British Pharmacopolia gentamicin sulphate component ratio test by high-performance liquid chromatography. The effect of derivative breakdown on final result. *J. Chromatogr.*, 369 (1986) 213-217.
- 770 Erb, N., Erttmann, R. and Landbeck, G.: A rapid chromatographic procedure for the determination of adriamycin, daunomycin and their 13-hydroxide metabolites adriamycinol and daunomycinol. *Cancer Chemother. Pharmacol.*, 17 (1986) 53-55; *C.A.*, 105 (1986) 71978x.
- 771 Friis, J.M. and Lakings, D.B.: High-performance liquid chromatographic method for the determination of cefpimizole in tissue. *J. Chromatogr.*, 382 (1986) 399-404.
- 772 Gallo, J.M., Hung, C.T. and Perrier, D.G.: Reversed-phase ion-pair high-performance liquid chromatography of adriamycin and adriamycinol in rat serum and tissues. *J. Pharm. Biomed. Anal.*, 4 (1986) 483-490.
- 773 Kadowaki, H., Tomomatsu, K., Ohta, S., Uemura, I., Kobayashi, N. and Asada, Y.: (Assay methods of Bay o 9867 (ciprofloxacin) concentrations in body fluids-HPLC). *Chemotherapy*, 33 (1985) 81-87; *C.A.*, 105 (1986) 90702u.
- 774 Marini, D. and Balestrieri, F.: Determination of ceftriaxone by HPLC. *Farmaco, Ed. Prat.*, 41 (1986) 172-176; *C.A.*, 105 (1986) 49157g.
- 775 Martinez, E.E. and Shimoda, W.: Liquid chromatographic determination of multi-residue fluorescent derivatives of ionophore compounds, monensin, salinomycin, narasin, and lasalocid, in beef liver tissue. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 637-641.
- 776 Moats, W.A.: Effect of the silica support of bonded reversed-phase columns on chromatography of some antibiotic compounds. *J. Chromatogr.*, 366 (1986) 69-78.
- 777 Nagata, T. and Saeki, M.: Liquid chromatographic determination of spiramycin residues in chicken tissues. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 644-646.
- 778 Rao, G.R. and Murty, S.S.N.: High pressure liquid chromatographic assay of rifampicin and isoniazid in dosage forms. *Indian J. Pharm. Sci.*, 46 (1984) 181-183; *C.A.*, 105 (1986) 85280a.
- 779 Tamai, G., Imai, H. and Yoshida, H.: On-line deproteinization of serum sample for HPLC analysis of hydrophilic compounds and its application to gentamycin. *Chromatographia*, 21 (1986) 519-522.
- 780 Tsuji, K. and Jenkins, K.M.: Derivatization of primary amines by 2-naphthalene-sulfonyl chloride for high-performance liquid chromatographic assay of neomycin sulfate. *J. Chromatogr.*, 369 (1986) 105-115.
- 781 Vrignaud, P., Londos-Gagliardi, D. and Robert, J.: Hepatic metabolism of doxorubicin in mice and rats. *Eur. J. Drug Metab.*, 11 (1986) 101-105.

- 782 Zheng, C. and Tang, Q.: (Application of HPLC to the determination and characterization of antibiotics). *Kangshengsu*, 11 (1986) 261-266; *C.A.*, 105 (1986) 102672z - a review with 40 refs.

For additional information see:

C.A., 105 (1986) 90691q, 102401k, 113767k.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

- 783 Osselton, M.D. and Snelling, R.D.: Chromatographic identification of pesticides. *J. Chromatogr.*, 368 (1986) 265-271.

29a. Chlorinated insecticides

- 784 Asafu-Adjaye, E.B., Kohler, P.W. and Su, S.Y.: Retention behavior and solvent optimization of organochlorine pesticides in solid-phase extraction. *Chromatographia*, 21 (1986) 435-438.
- 785 Price, H.A., Welch, R.L., Scheel, R.H. and Warren, L.A.: Modified multiresidue method for chlordane, toxaphene and polychlorinated biphenyls in fish. *Bull. Environ. Contam. Toxicol.*, 37 (1986) 1-9; *C.A.*, 105 (1986) 36948r.
- 786 Rothman, A.M.: Liquid chromatographic determination of dicofol in kelthane formulations: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 714-720.
- 787 Seymour, M.P., Duncan, I.W., Jefferies, T.M. and Notarianni, L.J.: Clean-up and separation of chlorobiphenyl isomers after synthesis by Cadogan coupling using preparative high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 174-179.

29c. Carbamates

- 788 Jandera, P. and Spacek, M.: Method for characterization of selectivity in reversed-phase liquid chromatography. III. Retention behaviour in gradient-elution chromatography: Application to the chromatography of pesticide compounds. *J. Chromatogr.*, 366 (1986) 107-126.
- 789 Tetsumi, T., Sumi, M., Tanaka, M. and Shono, T.: Simultaneous determination of sodium dialkyldithiocarbamates by ion exchange chromatography. *Anal. Sci.*, 2 (1986) 77-80; *C.A.*, 105 (1986) 53892k.

See also 987.

For additional information see:

C.A., 105 (1986) 126542h.

29d. Herbicides

- 790 Ohgane, Y., Tamakawa, K., Katoh, M., Mishima, Y., Seki, T., Ito, Y. and Konii, K.: (Simplified analysis of diphenyl ether herbicides by using SEP-PAK cartridges. III. Residue analysis in fish and shellfish). *Sendai-Shi Eisei Shikenshoho*, (1984, Publ. 1985) 271-276; *C.A.*, 105 (1986) 36912z.

See also 139, 788.

29e. Fungicides

- 791 Thielen, D.R., Foreman, P.S. and Davis, A.: Assay of dienochlor and its isomers using nonaqueous reversed-phase liquid chromatography. *J. Chromatogr. Sci.*, 24 (1986) 344-346.

See also 1010.

29f. Other types of pesticides and various agrochemicals

- 792 Kline, D.A., Hanna, G.R., Honaker, C.B., Kuhn, G.O. and Jameson, C.W.: Preparation and stability of animal feed mixtures dosed with rotenone. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 660-663.

See also 139, 332.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 793 Chaytor, J.P. and Heal, R.L.: Separation of synthetic dyes by high-performance liquid chromatography on 3- μ m columns. *J. Chromatogr.*, 368 (1986) 450-455.

For additional information see:
C.A., 105 (1986) 59504g.

30b. Chloroplast and other natural pigments

- 794 Baweja, R.: High-performance liquid chromatography separation of deuterated photosynthetic pigments from their protio analogues. *J. Chromatogr.*, 369 (1986) 125-131.
- 795 Gamble, P.E. and Mullet, J.E.: Inhibition of carotenoid accumulation and abscisic acid biosynthesis in fluridone-treated dark-grown barley. *Eur. J. Biochem.*, 160 (1986) 117-121.
- 796 McDowell, J.H., Ubel, A., Brown, R.A. and Hargrave, P.A.: Transglutaminase modification of rhodopsin in retinal rod outer segment disk membranes. *Arch. Biochem. Biophys.*, 249 (1986) 506-514.
- 797 Venturoli, G., Fernandez-Velasco, J.G., Crofts, A.R. and Melandri, B.A.: Demonstration of a collisional interaction of ubiquinol with the ubiquinol-cytochrome c_2 oxidoreductase complex in chromatophores from *Rhodobacter sphaeroides*. *Biochim. Biophys. Acta*, 851 (1986) 340-352.

31. PLASTICS AND THEIR INTERMEDIATES

- 798 Azuma, C., Dias, M.L. and Mano, E.B.: Molecular weight determination of acrylonitrile polymers by gel permeation chromatography in *N,N*-dimethylformamide. *Macromol. Chem., Macromol. Symp.*, 2 (1986) 169-178; *C.A.*, 105 (1986) 43690d.
- 799 Barth, H.G.: Characterization of water-soluble polymers using size-exclusion chromatography. *Adv. Chem. Ser.*, 213 (1986) 31-55; *C.A.*, 103 (1986) 98221g - a review with 69 refs.
- 800 Bhattacharyya, S.N. and Maldas, D.: Molecular weight distribution of the graft copolymer comprising mixtures of styrene and acrylamide on cellulose acetate film by means of gel permeation chromatography. *J. Appl. Polym. Sci.*, 31 (1986) 1671-1676; *C.A.*, 105 (1986) 79640b.
- 801 Cooper, A.R.: Analysis of hydrophilic polymer and polyelectrolytes by gel permeation chromatography. *Dev. Polym. Charact.*, 5 (1986) 131-177; *C.A.*, 105 (1986) 98229r - a review with 252 refs.
- 802 Galli, Ed.: Plastics analysis via chromatography and spectroscopy. *Plast. Compd.*, 8 (1985) 22-33; *C.A.*, 105 (1986) 115779q - a review with 19 refs.
- 803 Gharfeh, S.G. and Moradi-Araghi, A.: Determination of anionic high-molecular-weight water-soluble polymers by size exclusion chromatography. *J. Chromatogr.*, 366 (1986) 343-350.
- 804 Gur'yanova, V.V. and Pavlov, A.V.: Step-by-step analysis of polycondensation oligomers and polymers by liquid chromatography. *J. Chromatogr.*, 365 (1986) 197-204.
- 805 Hamielec, A.E. and Meyer, H.: On-line molecular weight and long-chain branching measurement using SEC and low-angle laser light scattering. *Dev. Polym. Charact.*, 5 (1986) 95-130; *C.A.*, 105 (1986) 98228q - a review with 69 refs.

- 806 Johnson, J.F.: Chromatography. *Encycl. Polym. Sci. Eng.*, 3 (1985) 491-531; *C.A.*, 105 (1986) 43601a - a review with 73 refs.
- 807 Kolegov, V.I., Potapov, V.N., Kocheryaev, B.N. and Varavina, E.I.: (Study of polymers containing microgel using gel-permeation chromatography). *Vysokomol. Soedin.*, Ser. B, 28 (1986) 391-394; *C.A.*, 105 (1986) 115670x.
- 808 Langhorst, M.A., Stanley, F.W., Jr., Cutie, S.S., Sugarman, J.H., Wilson, L.R., Hoagland, D.A. and Prud'homme, R.K.: Determination of nonionic and partially hydrolyzed polyacrylamide molecular weight distributions using hydrodynamic chromatography. *Anal. Chem.*, 58 (1986) 2242-2247.
- 809 Paniez, P. and Weill, A.: The novolak calibration method applied to the GPC analysis of the UV photoresists. *Microelectron. Eng.*, 4 (1986) 57-66; *C.A.*, 105 (1986) 88570f.
- 810 Ponnuswamy, S., Shah, S.L. and Kiparissides, C.: On-line monitoring of polymer quality in a batch polymerization reactor. *J. Appl. Polym. Sci.*, 32 (1986) 3239-3253; *C.A.*, 105 (1986) 98086s.
- 811 Rek, V., Mencer, H.J. and Bravar, M.: GPC and structural analysis of polyurethane degradation. *Polym. Photochem.*, 7 (1986) 273-283; *C.A.*, 105 (1986) 98060d.
- 812 Romanov, A.K., Evreilov, V.V. and Entelis, S.G.: (Calculation of average molecular weights and molecular weight distribution functions of hydroxyl-containing oligomer from gel-permeation chromatography data). *Vysokomol. Soedin.*, Ser. B, 28 (1986) 345-348; *C.A.*, 105 (1986) 79646h.
- 813 Tsvetkovskii, I.B. and Baluev, V.I.: (Chromatographic study of the interaction of carboxylated rubber with ED-20-epoxy resin). *Kauch. Rezina*, (1986) 25-27; *C.A.*, 105 (1986) 61895d.
- 814 Xu, Z., Li, B., Kow, C., Hadjichristidis, N. and Fetters, L.J.: Size exclusion chromatography calibration from broad distribution polymer samples. *Polym. Commun.*, 27 (1986) 182-183; *C.A.*, 105 (1986) 79648k.

See also 5, 46.

For additional information see:

C.A., 105 (1986) 53893m, 79650e.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 815 Febvre, N. and Lecaillon, J.B.: (HPLC: selection of a multilayer system with automated column connections for drug analysis). *Inf. Chim.*, 273 (1986) 183-184; *C.A.*, 105 (1986) 71944h - a review with 25 refs.

32a. Synthetic drugs

- 816 Althaus, W., Block, J., Förster, A., Kühnhold, M., Meister, D. and Wischniewski, M.: Analytical profile of metaclozepam. *Arzneim.-Forsch.*, 36 (1986) 1302-1306.
- 817 Asuncion Rocher, M., Pilar Martin, M., Jose Toro, M. and Montoya, E.: Use of perphenazine as a ligand for calmodulin affinity chromatography. *J. Chromatogr.*, 368 (1986) 462-467.
- 818 Blaschke, G. and Maibaum, J.: Chromatographic resolutions. XIV. Optical resolution of the racemic anticancer drug ifosfamide and other chiral oxazaphosphorines. *J. Chromatogr.*, 366 (1986) 329-334.
- 819 Boothe, T.E., Finn, R.D., Vora, M.M., Emran, A.M., Kothari, P.J. and Wukovnic, S.: Increasing role of high performance liquid chromatography (HPLC) in radiopharmaceutical analysis. In: Muccino, R.R. (Editor), *Synth. Appl. Isot. Labeled Compd. Proc. Int. Symp.*, 2nd 1985, Elsevier, Amsterdam, 1986, pp. 453-456; *C.A.*, 105 (1986) 102667b - a review with 16 refs.
- 820 Chen, Teng-Man, Sill, A.D. and Housmayer, C.L.: Solution stability study of terfenadine by high-performance liquid chromatography. *J. Pharm. Biomed. Anal.*, 4 (1986) 533-539.
- 821 De Schutter, J.A., van den Bossche, W. and de Moerloose, P.: Separation and determination of isopropamide iodide in pharmaceutical formulations by reversed-phase ion-pair high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 321-328.

- 822 Do Quy Diem and Le Bich Dao: (Determination of aspirin, phenacetin and caffeine in A.P.C. tablets by high-pressure liquid chromatography (HPLC)). *Rev. Pharm.*, (1984) 100-105; *C.A.*, 105 (1986) 102706p.
- 823 Fleury, M.B., Letellier, S., Porziemsky, J.-P. and Mompon, B.: Spectrophotometric and high-performance liquid chromatographic determination of the kinetics and mechanisms of hydrolysis, isomerisation and cyclisation of both E and Z isomers of 2-[(2-amino-5-chlorophenyl)-phenylmethylene]aminoacetamide. *Analyst (London)*, 111 (1986) 1051-1058.
- 824 Forsman, U., Andersson, M. and Törnros, H.: Ion-exchange chromatography with post-column reaction for the analysis of phosphonoformate, phosphite and phosphate. *J. Chromatogr.*, 369 (1986) 151-157.
- 825 Frith, R.G. and Phillipou, G.: Application of clomiphene photolysis to assays based on analysis of the derived phenanthrenes. *J. Chromatogr.*, 367 (1986) 260-266.
- 826 Gordon, S.M., Freeston, L.K. and Collins, A.J.: Determination of temazepam and its major degradation products in soft gelatin capsules by isocratic reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 368 (1986) 180-183.
- 827 Hurdley, T.G., Smith, R.M., Gill, R. and Moffat, A.C.: Study of the HPLC separation of some local anesthetics. *Anal. Proc. (London)*, 23 (1986) 161-163; *C.A.*, 105 (1986) 102694h.
- 828 Jansen, H., Vermunt, C.J.M., Brinkman, U.A.T. and Frei, R.W.: Parallel column ion exchange for post-separation pH modification in liquid chromatography. Application to barbiturates and miniaturization. *J. Chromatogr.*, 366 (1986) 135-144.
- 829 Katrukha, S.P. and Kukes, V.G.: Derivatization of endogenous and oxigenous compounds in plasma for high-performance liquid chromatographic analysis. *J. Chromatogr.*, 365 (1986) 105-110.
- 830 Kobayashi, K., Igaki, A., Kimura, M., Sakoguchi, T., Shimozawa, M. and Matsuoka, A.: Influence of blood proteins on biomedical analysis. IX. Protective effects of human serum proteins on anion-induced degradation of gliclazide. *Chem. Pharm. Bull.*, 34 (1986) 2957-2962.
- 831 Kountourellis, J.E., Raptouli, A. and Georgarakis, M.: Simultaneous determination of aminophylline and promethazine in suppositories by high-performance liquid chromatography. *Pharmazie*, 41 (1986) 600-601.
- 832 Mazzo, D.J., Forbes, K.A. and Brooks, M.A.: High-performance liquid chromatography with ultraviolet or electrochemical detection for the determination of dopazolinol in a pharmaceutical formulation. *J. Chromatogr.*, 367 (1986) 405-411.
- 833 Mikami, E., Noda, N., Yamada, S., Hayakawa, J. and Uno, K.: (High-performance liquid chromatographic determination of *p*-hydroxybenzoate esters in cosmetic lotions and creams). *Eisei Kagaku*, 32 (1986) 34-38; *C.A.*, 105 (1986) 84938j.
- 834 Mohammad, T.P., Baravani, G.S. and Bhalla, V.K.: Column chromatographic separation and estimation of ethambutol hydrochloride, "ketone" and "amide" in their respective oral dosage forms. *Indian Drugs*, 23 (1986) 431-433; *C.A.*, 105 (1986) 85267b.
- 835 Moore, E. and Lau-Cam, C.: Liquid chromatographic determination of coumarin anticoagulants in tablets. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 629-632.
- 836 Mount, D.L., Miles, J.W. and Churchill, F.C.: Liquid chromatographic and spectroscopic characterization of pentamidine isethionate and impurities in bulk drug and injectables. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 624-629.
- 837 Nanba, T., Tsuneuchi, N. and Hattori, M.: (Analysis of drugs. Liquid chromatography/mass spectrometry). *Pharm. Tech. Jpn.*, 2 (1986) 31-39; *C.A.*, 105 (1986) 120863s - a review with 31 refs.
- 838 Nguyen, T.T., Kringstad, R. and Rasmussen, K.E.: Use of extraction columns for the isolation of desonide and parabens from creams and ointments for high-performance liquid chromatographic analysis. *J. Chromatogr.*, 366 (1986) 445-450.
- 839 Ohtani, M., Shibuya, F., Uehara, N., Kotaki, H., Uchino, K., Nishihara, K., Saitoh, Y. and Nakagawa, F.: High-performance liquid chromatographic analysis of buprenorphine in sublingual tablets prepared from commercially available buprenorphine injections. *Yakuzai-gaku*, 46 (1986) 63-68; *C.A.*, 105 (1986) 49182m.
- 840 Okamoto, Y., Kawashima, M., Aburatani, R., Hatada, K., Nishiyama, T. and Masuda, M.: Chromatographic resolution. 12. Optical resolution of β -blockers by HPLC on cellulose triphenylcarbamate derivatives. *Chem. Lett.*, (1986) 1237-1240; *C.A.*, 105 (1986) 120893b.

- 841 Pinkerton, T.C., Perry, J.A. and Rateike, J.D.: Separation of furosemide, phenylbutazone and oxyphenbutazone in plasma by direct injection onto internal surface reversed-phase columns with systematic optimization of selectivity. *J. Chromatogr.*, 367 (1986) 412-418.
- 842 Puglisi, G., Sciuto, S., Chillemi, R. and Mangiafico, S.: Simultaneous high-performance liquid chromatographic determination of antazoline phosphate and tetrahydrozoline hydrochloride in ophthalmic solution. *J. Chromatogr.*, 369 (1986) 165-170.
- 843 Puig, P., Poey, J. and Bourbon, P.: (Determination of eight butyrophenones by HPLC). *Analisis*, 14 (1986) 242-246; *C.A.*, 105 (1986) 66548c.
- 844 Sane, R.T., Doshi, V.J., Sawant, S.V. and Desai, S.V.: HPLC determination of menadiol dibutyrate tablets. *Indian J. Pharm. Sci.*, 46 (1984) 146-147; *C.A.*, 105 (1986) 85283d.
- 845 Schill, G., Wainer, I.W. and Barkan, S.A.: Chiral separations of cationic and anionic drugs on an α_1 -acid glycoprotein-bonded stationary phase (EnantioPac®). II. Influence of mobile phase additives and pH on chiral resolution and retention. *J. Chromatogr.*, 365 (1986) 73-88.
- 846 Sisco, W.R., Schrader, P.A., McLaughlin, A.M. and Clark, B.H.: Stability-indicating reversed-phase high-performance liquid chromatographic assay for fenretinide in soft gelatin capsules and concentrated corn oil suspensions. *J. Chromatogr.*, 368 (1986) 184-187.
- 847 Van Reif, D., Kaufmann, K.L., DeAngelis, N.J. and Frankhouser, M.C.: Liquid chromatographic assays for barbiturate injections. *J. Pharm. Sci.*, 75 (1986) 714-716.
- 848 Wilczynska-Wojtulewicz, I. and Sadlej-Sosnowska, N.: Determination of clonidine hydrochloride in pharmaceutical preparations by high-performance liquid chromatography. *J. Chromatogr.*, 367 (1986) 434-437.
- 849 Yang, Z.: (Recent progress in the HPLC resolution of enantiometric drugs.) *Yaowu Fenxi Zazhi*, 6 (1986) 185-189; *C.A.*, 105 (1986) 102670x - a review with 48 refs.
- 850 Zukowski, J., Sybilska, D. and Bojarski, J.: Application of α - and β -cyclodextrin and heptakis(2,6-di-O-methyl)- β -cyclodextrin as mobile phase components for the separation of some chiral barbiturates into enantiomers by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 364 (1986) 225-232.

See also 92, 110, 156, 324, 478, 659, 721.

For additional information see:
C.A., 105 (1986) 120886b.

32b. Pharmacokinetics studies

- 851 Abramson, F.P. and Lutz, M.P.: The effects of phenytoin dosage on the induction of α_1 -acid glycoprotein and antipyrine clearance in the dog. *Eur. J. Drug Metab.*, 11 (1986) 135-143.
- 852 Auzou, G. and Rips, R.: The effects of acute and chronic antidepressant administration on mouse brain levels of catecholamines, indolamines and their metabolites. High-performance liquid chromatographic evaluation. *Biol. Amines*, 3 (1985) 201-208; *C.A.*, 105 (1986) 54551k.
- 853 Caputo, O., Viola, F., Grosa, G., Rocco, F. and Biglino, G.: "In vitro" metabolism of N-picolyl-3,5-dimethylbenzamides. *Eur. J. Drug Metab.*, 11 (1986) 91-99.
- 854 De Vries, J.X., Walter-Sack, I., van de Loo, A. and Kocher, J.: Determination of benzarone in human plasma and urine by high-performance liquid chromatography and gas chromatography-mass spectrometry. Identification of the conjugates. *J. Chromatogr.*, 382 (1986) 167-174.
- 855 Demetriades, J.L., Souder, P.R., Entwistle, L.A., Vincek, W.C., Musson, D.G. and Bayne, W.F.: High-performance liquid chromatographic determination of cilastatin in biological fluids. *J. Chromatogr.*, 382 (1986) 225-231.
- 856 Guentert, T.W., Schmitt, M. and Defoin, R.: Acceleration of the elimination of tenoxicam by cholestyramine in the dog. *J. Pharmacol. Exp. Ther.*, 238 (1986) 295-301.

- 857 Guermouche, S., Guermouche, M.H., Belkaid, M. and Jilali, G.: (HPLC determination of albendazole sulfoxide in plasma and cyst liquid). *Analusis*, 14 (1986) 188-191; *C.A.*, 105 (1986) 53998z.
- 858 Hinson, J.A. and Mays, J.B.: Covalent binding of the phenacetin metabolite p-nitrosophenetole to protein. *J. Pharmacol. Exp. Ther.*, 238 (1986) 106-112.
- 859 Imbimbo, B.P., Daniotti, S., Vidi, A., Foschi, D., Sapriti, F. and Ferrante, L.: Discontinuous oral absorption of cimetropium bromide, a new antispasmodic drug. *J. Pharm. Sci.*, 75 (1986) 680-684.
- 860 James, C.A. and Rogers, H.J.: Estimation of mesna and dimesna in plasma and urine by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 382 (1986) 394-398.
- 861 Johnson, V.A. and Wilson, J.T.: Flurbiprofen analysis in plasma and breast milk by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 367-371.
- 862 Kar, R., Cohen, R.A., Terem, T.M., Nahabedian, M.Y. and Wile, A.G.: Pharmacokinetics of 5-fluorouracil in rabbits in experimental regional chemotherapy. *Cancer Res.*, 46 (1986) 4491-4495.
- 863 Lambert, C., Vermeulen, M., Cardinal, R. and Nadeau, R.: Effect of the induction of amiodarone biotransformation on ventricular refractory periods in rats. *J. Pharmacol. Exp. Ther.*, 238 (1986) 307-312.
- 864 Lindor, K.D., Wiesner, R.H., Kluge, D.L. and Homburger, H.A.: Effects of cyclosporine on lymphocyte blastogenesis: analysis of dose-response relationships and interindividual variability in healthy adults. *Transplant. Proc.*, 18 (1986) 915-917; *C.A.*, 105 (1986) 126672a.
- 865 Linko-Löppönen, S. and Nissinen, E.: Liquid-chromatographic analysis of a novel antitussive agent, 2',4'-dimethyl-6'-methoxy-3-(2-methyl-piperidyl)propionamylide in human. *J. Pharm. Biomed. Anal.*, 4 (1986) 541-543.
- 866 Nakamura, J., Inoue, Y., Sasaki, H. and Shibasaki, J.: Prolonged blood concentration of salicylic acid following the simultaneous oral administration of salicylic acid and salicyluric acid in rabbits. *Chem. Pharm. Bull.*, 34 (1986) 2624-2627.
- 867 Nieder, M. and Jaeger, H.: Selective quantification of ambroxol in human plasma by HPLC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 561-565.
- 868 Richardson, C.J., Ross, S.G., Blocka, K.L. and Verbeeck, R.K.: High-performance liquid chromatographic analysis of piroxicam and its major metabolite 5'-hydroxy-piroxicam in human plasma and urine. *J. Chromatogr.*, 382 (1986) 382-388.
- 869 Riley, C.A. and Evans, W.E.: Simultaneous analysis of antipyrine and lorazepam by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 199-205.
- 870 Sato, J., Sekizawa, Y., Owada, E., Ito, K., Sakuta, N., Yoshihara, M., Goto, T. and Kobayashi, Y.: Sensitive analytical method for serum primidone and its active metabolites for single-dose pharmacokinetic analysis in human subjects. *Chem. Pharm. Bull.*, 34 (1986) 3049-3052.
- 871 Tanimura, H., Tominaga, S., Rai, F. and Matsumoto, H.: Transfer of ciprofloxacin to bile and determination of biliary metabolites in humans. *Arzneim.-Forsch.*, 36 (1986) 1417-1420.
- 872 Vajda, M., Tegye, Z., Kozma, M. and Vereczkey, L.: Studies on the pharmacokinetics and metabolism of N₄-carbamoyl-1,3,4,5-dihydro-diazepam (Uxepam®) in rats, dogs and man. *J. Pharm. Biomed. Anal.*, 4 (1986) 497-503.
- 873 Vergin, H., Mascher, H., Strobel, K. and Nitsche, V.: Pharmacokinetics and bioequivalence of different formulations of pirenzepine. *Arzneim.-Forsch.*, 36 (1986) 1409-1412.
- 874 Yamamoto, T., Moriwaki, Y., Takahashi, S., Hada, T. and Higashino, K.: Separation of hypoxanthine and xanthine from pyrazinamide and its metabolites in plasma and urine by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 270-274.
- 875 Zanol, G., Gianchetti, M.C., Canali, S., Bernareggi, A., Tarzia, G. and Assandri, A.: Disposition of premarizepam, an anti-anxiety pyrrolodiazepine, in the cynomolgus monkey. *Eur. J. Drug Metab.*, 11 (1986) 151-157.
- 876 Zeren, W., Minglian, L., Peipei, X. and Yanlin, Z.: Determination of clozapine and its metabolites in serum and urine by reversed phase HPLC. *Biomed. Chromatogr.*, 1 (1986) 53-57.

See also 658.

For additional information see:

C.A., 105 (1986) 34995e, 54011j, 71974t, 72013r, 90684q, 107866a, 126695k.

32c. Drug monitoring

- 877 Aasberg, A., Alertsen, A.R. and Skaug, O.E.: Determination of zopiclone in serum by HPLC. *Norv. Pharm. Acta*, 48 (1986) 41-44; *C.A.*, 105 (1986) 90690p.
- 878 Ascalone, V. and Dal Bo', L.: Chromatographic selectivity and maintenance of column efficiency during the high-performance liquid chromatographic analysis of progabide and its acid metabolite. *J. Chromatogr.*, 382 (1986) 412-414.
- 879 Black, A.E. and Chang, T.: Determination of 1-(4-methoxybenzoyl)-5-oxo-2-pyrrolidinepropanoic acid, a potential nootropic agent, in human plasma and urine by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 361-366.
- 880 Bühring, K.U. and Garbe, A.: Determination of the new β -blocker bisoprolol and of metoprolol, atenolol and propranolol in plasma and urine by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 215-224.
- 881 Catanese, B., Lagana, A., Marino, A., Picollo, R. and Rotatori, M.: HPLC determination of benzydamine and its metabolite N-oxide in plasma following oral administration or topical application in man, using fluorimetric detection. *Pharmacol. Res. Commun.*, 18 (1986) 385-403; *C.A.*, 105 (1986) 35044f.
- 882 Chiccarelli, F.S., Morrison, J.A., Cosulich, D.B., Perkinson, N.A., Ridge, D.N., Sum, F.W., Murdock, K.C., Woodward, D.L. and Arnold, E.T.: Identification of human urinary mitoxantrone metabolites. *Cancer Res.*, 46 (1986) 4858-4861.
- 883 Daoud, N., Arvidsson, T. and Wahlund, K.G.: Determination of drugs by direct injection of untreated blood plasma on reversed phase liquid chromatographic columns. Application to some antiepileptic drugs. *Acta Pharm. Suec.*, 23 (1986) 65-76; *C.A.*, 105 (1986) 107852t.
- 884 Eiseman, I.A., Reynolds, D.L., Johnson, E.L., Daftsios, A.C. and Pachla, L.A.: A validated liquid chromatographic method for the antiallergy agent CI-922 in dog and rat plasma. *J. Pharm. Biomed. Anal.*, 4 (1986) 491-496.
- 885 Elisworth, M., Ruhr, L.P. and Archbald, L.F.: Effect of heparin and EDTA anticoagulants on phenylbutazone levels in equine plasma. *J. Vet. Pharmacol. Ther.*, 9 (1986) 227-229; *C.A.*, 105 (1986) 71980s.
- 886 Fiore, D.: Simultaneous HPLC quantitation of cyclosporin homologs with automated sample cleanup and analysis. *LC-GC*, 4 (1986) 656-658; *C.A.*, 105 (1986) 107828q.
- 887 Gaver, R.C. and Deeb, G.: HPLC procedures for the analysis of carboplatin in human plasma and urine. *Cancer Chemother. Pharmacol.*, 16 (1986) 201-206; *C.A.*, 105 (1986) 35002r.
- 888 Hutchings, A., Spragg, B.P. and Routledge, P.A.: High-performance liquid chromatographic assay of amiodarone and desethylamiodarone in plasma. *J. Chromatogr.*, 382 (1986) 389-393.
- 889 Igaki, A., Kobayashi, K., Kimura, M., Sakoguchi, T., Hashimoto, M. and Matsuoka, A.: (High performance liquid chromatographic determination of gliclazide (oral hypoglycemic agent) in serum. Attempt at sensitive fluorometric determination). *Rinsho Byori*, 34 (1986) 201-205; *C.A.*, 105 (1986) 90701t.
- 890 Juergens, U.: Pre-column switching techniques for the determination of drugs and metabolites in body fluids in research and routine analysis. *Int. J. Environ. Anal. Chem.*, 25 (1986) 221-233; *C.A.*, 105 (1986) 90700s.
- 891 Kamen, B.A. and Winick, N.: Analysis of methotrexate polyglutamate derivatives *in vivo*. *Methods Enzymol.*, 122 (Vit. Coenzymes, Pt. G) (1986) 339-346; *C.A.*, 105 (1986) 126665a.
- 892 Kinney, C.D. and Kelly, J.G.: Estimation of concentrations of diltiazem in plasma using normal-phase column liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 382 (1986) 377-381.
- 893 Kraska, J., Addison, G.M. and Soni, S.D.: Determination of chlorpromazine in serum by radioreceptor assay and HPLC. *Ann. Clin. Biochem.*, 23 (1986) 340-345; *C.A.*, 105 (1986) 54008p.
- 894 Lehr, K.H. and Damm, P.: Simultaneous determination of fenbendazole and its two metabolites and two triclabendazole metabolites in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 355-360.
- 895 Martinsson, A., Bevegaard, S. and Hjemdahl, P.: Analysis of phenylephrine in plasma: initial data about the concentration-effect relationship. *Eur. J. Clin. Pharmacol.*, 30 (1986) 427-431; *C.A.*, 105 (1986) 108372y.
- 896 Messiha, F.S.: Determination of carbamazepine by HPLC. Electrochemical detection and application for estimation of imipramine. *Alcohol*, 3 (1986) 135-138; *C.A.*, 105 (1986) 71975u.

- 897 Moyer, T.P., Johnson, P., Faynor, S.M. and Sterioff, S.: Cyclosporine: A review of drug monitoring problems and presentation of a simple, accurate liquid chromatographic procedure that solves these problems. *Clin. Biochem.*, 19 (1986) 83-89; *C.A.*, 105 (1986) 35009y.
- 898 Ohnishi, N., Yokoyama, T., Umeda, T., Kiyohara, Y., Kuroda, T., Kita, Y. and Kuroda, K.: Preparation of sustained-release suppositories of indomethacin using a solid dispersion system and evaluation of bioavailability in rabbits. *Chem. Pharm. Bull.*, 34 (1986) 2999-3004.
- 899 Palmer, J.L.: Novel method of sample preparation for the determination of paracetamol in plasma by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr.*, 382 (1986) 338-342.
- 900 Piotrovsky, L.B., Alexandrova, I.Ya., Soltes, L., Stefek, M. and Trnovec, T.: Formation of didesmethylthimizol (4,5-dicarbamoyl-1-ethylimidazole) in man. *Eur. J. Drug Metab.*, 11 (1986) 87-89.
- 901 Schilsky, R.L., O'Laughlin, K. and Ratain, M.J.: Phase I clinical and pharmacological study of thymidine (NSC 21548) and *cis*-diamminedichloroplatinum(II) in patients with advanced cancer. *Cancer Res.*, 46 (1986) 4184-4188.
- 902 Schweitzer, C., Spahn, H. and Mutschler, E.: Fluorimetric determination of fluvoxamine or clovoxamine in human plasma after thin-layer chromatographic or high-performance liquid chromatographic separation. *J. Chromatogr.*, 382 (1986) 405-411.
- 903 Shum, L. and Jusko, W.J.: Reversed-phase high-performance liquid chromatographic determination of verofylline in rat serum. *J. Chromatogr.*, 382 (1986) 207-213.
- 904 Susanto, F., Humfeld, S., Reinauer, H. and Meschig, R.: High-performance liquid chromatographic measurement of 8-methoxypsoralen in plasma. *Chromatographia*, 21 (1986) 443-446.
- 905 Suzuki, K., Johno, I. and Kitazawa, S.: (Determination of drug concentrations in the systemic circulation). *Shinkei Seishin Yakuri*, 7 (1985) 639-648; *C.A.*, 105 (1986) 90605q - a review with 40 refs.
- 906 Takahashi, H., Moriyama, H., Fukamachi, M., Matsubara, K. and Umino, M.: (High-performance liquid-chromatographic analysis of drugs in plasma by use of an automatic sample pretreatment device). *Toyo Soda Kenkyu Hokoku*, 30 (1986) 25-33; *C.A.*, 105 (1986) 71968u.
- 907 Terlinden, R. and Borbe, H.O.: Determination of ametriptylinoxide and its major metabolites amitriptyline and nortriptyline in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 382 (1986) 372-376.

See also 719.

For additional information see:

C.A., 105 (1986) 35025g, 35027c, 90686s, 90687t, 126681c, 126726w, 127604s.

32d. Toxicological applications

- 908 Covey, T.R., Lee, E.D. and Henion, J.D.: High-speed liquid chromatography/tandem mass spectrometry for the determination of drugs in biological samples. *Anal. Chem.*, 58 (1986) 2453-2460.
- 909 Noggle, F.T., Jr., DeRuiter, J. and Long, M.J.: Spectrophotometric and liquid chromatographic identification of 3,4-methylenedioxypheylisopropylamine and its N-methyl and N-ethyl homologs. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 681-686.
- 910 Sreenivasan, K.: A high-performance liquid chromatographic approach for toxicity evaluation. *Indian J. Pharmacol.*, 17 (1985) 182-183; *C.A.*, 105 (1986) 128896a.

See also 72, 248.

For additional information see:

C.A., 105 (1986) 110044m, 110051m, 110052m.

32e. Plant extracts

- 911 Krajewska, A.M. and Powers, J.J.: Isolation of naturally occurring capsaicinoids by reversed-phase low-pressure liquid chromatography. *J. Chromatogr.*, 367 (1986) 267-270.

- 912 Muffat, F., Bernard, P. and Sabot, J.F.: Determination of sennosides A and B in Senna extracts by high-performance liquid chromatography. *J. Chromatogr.*, 369 (1986) 261-264.
- 913 Oshio, A. and Matsumoto, N.: Quantitative analysis of saikosaponins by high performance liquid chromatography. *Takeda Kenkyushoho*, 44 (1985) 240-246; *C.A.*, 105 (1986) 66526u.
- 914 Wagner, H. and Reger, H.: (Analyses and standardization of pharmaceuticals and plant preparations by HPLC and other chromatographic methods. 6. *Primula* root extract. HPLC analysis). *Dtsch. Apoth. Ztg.*, 126 (1986) 1489-1493; *C.A.*, 105 (1986) 120873v.
- 915 Weaver, K.M. and Awde, D.B.: Rapid high-performance liquid chromatographic method for the determination of very low capsaicin levels. *J. Chromatogr.*, 367 (1986) 438-442.
- 916 Zhao, D. and Yang, M.: (Separation and determination of curcuminoids in *Curcuma longa* L. and its preparation by HPLC). *Yaoxue Xuebao*, 21 (1986) 382-385; *C.A.*, 105 (1986) 102681b.

See also 227, 315, 325.

For additional information see:

C.A., 105 (1986) 49143z, 49163f, 102686g.

32f. Clinico-chemical applications and profiling body fluids

- 917 Chan, K.: High performance liquid chromatographic characterisation and quantitation of *p*-aminobenzoic acid N-acetylation in Chinese subjects. *Eur. J. Drug Metab.*, 11 (1986) 129-134.
- 918 Rhee, M.S. and Galivan, J.: Conversion of methotrexate to 7-hydroxymethotrexate and 7-hydroxymethotrexate polyglutamates in cultured rat hepatic cells. *Cancer Res.*, 46 (1986) 3793-3797.
- 919 Takai, N. and Seno, M.: (Body fluid analysis by HPLC). *Seisan Kenkyu*, 37 (1985) 303-307; *C.A.*, 105 (1986) 57144r - a review with 3 refs.
- 920 Zhou, L.: (Applications of chromatography in clinical analysis). *Fenxi Huaxue*, 14 (1986) 390-397; *C.A.*, 105 (1986) 57170w.

See also 203, 206, 248, 250, 271, 274, 291, 314, 337, 351, 355, 364, 366, 378, 392, 512, 580, 614, 639, 642, 694, 964.

For additional information see:

C.A., 105 (1986) 75187m.

33. INORGANIC COMPOUNDS

33a. Cations

- 921 Alam, A.M.S., Huque, A.N.M.E., Tarafder, S.A. and Khan, A.H.: Separation of trace metals by cation exchange in mixed solvents and their determination with flame atomic absorption spectrophotometry. *J. Bangladesh Acad. Sci.*, 10 (1986) 5-12; *C.A.*, 105 (1986) 90291j.
- 922 Barkley, D.J., Blanchette, M., Cassidy, R.M. and Elchuk, S.: Dynamic chromatographic systems for the determination of rare earths and thorium in samples from uranium ore refining processes. *Anal. Chem.*, 58 (1986) 2222-2226.
- 923 Crock, J.G., Lichte, F.E., Riddle, G.O. and Beech, C.L.: Separation and pre-concentration of the rare-earth elements and yttrium from geological materials by ion-exchange and sequential acid elution. *Talanta*, 33 (1986) 601-606; *C.A.*, 105 (1986) 126205a.
- 924 Drasch, G.: Optimierung des spurenanalytischen Nachweises toxikologisch bedeutsamer Schwermetalle als Thiocarbaminat mit der Reversed-Phase Hochdruck-Flüssigkeitschromatographie. *Fresenius' Z. Anal. Chem.*, 325 (1986) 283-289.
- 925 Dunemann, L. and Schwedt, G.: Ionenaustausch- und Gel-Chromatographische Analysenverfahren zur Charakterisierung Metall-Bindungsformen. Anwendung auf wässrige Extrakte aus Soja- und Weizenmehl. *Fresenius' Z. Anal. Chem.*, 325 (1986) 121-125.

- 926 Eijarvi, E., Lajunen, L.H.J. and Heikka, M.: Simultaneous determination of chromium(III) and chromium(VI) by reversed-phase high performance liquid chromatography with UV detection. *Finn. Chem. Lett.*, (1985) 225-230; *C.A.*, 105 (1986) 107498g.
- 927 Foley, R.C.L. and Haddad, P.R.: Conductivity and indirect IV absorption detection of inorganic cations in non-suppressed ion chromatography using aromatic bases as eluents. I. Principles of operation. *J. Chromatogr.*, 366 (1986) 13-26.
- 928 Guan, J., Fu, T., Gao, B., Shi, Y., Song, B., Ji, J. and Liu, Y.: (Determination of ppb level gadolinium, samarium, dysprosium and europium in uranium hexafluoride of uranium oxide (U_3O_8) by cation ion exchange separation-horizontal ICP-AES method). *Fenxi Huacue*, 14 (1986) 372-374; *C.A.*, 105 (1986) 107541r.
- 929 Haber, E.P. and Atalla, L.T.: Comparison of ion chromatography and neutron activation analysis for the microdetermination of sodium and potassium in muscle. *Braz. J. Med. Biol. Res.*, 19 (1986) 103-107; *C.A.*, 105 (1986) 94054g.
- 930 Himanen, J.P. and Korpela, T.: Effects of cyclodextrins on the fluorescence of europium ion-diketone complexes. *J. Inclusion Phenom.*, 4 (1986) 177-183; *C.A.*, 105 (1986) 105021x.
- 931 Hubicka, H.: (Separation of rare earth element complexes on an anion-exchanger in EDTA form). *Przem. Chem.*, 64 (1985) 550-552; *C.A.*, 105 (1986) 49648t.
- 932 Kimura, K., Harino, H., Hayata, E. and Shono, T.: Liquid chromatography of alkali and alkaline-earth metal ions using octadecylsilanized silica columns modified *in situ* with lipophilic crown ethers. *Anal. Chem.*, 58 (1986) 2233-2237.
- 933 Krause, S., Wucherpfennig, G., Loesche, W., Thielmann, K. and Gaengler, P.: Hydroxyapatite columns as an *in vitro* system to study demineralization processes. *Biomed. Biochim. Acta*, 45 (1986) 690-700; *C.A.*, 105 (1986) 76927q.
- 934 Low, G.K.-C., Batley, G.E. and Buchanan, S.J.: Application of column switching in high-performance liquid chromatography to arsenic speciation analysis with inductively coupled argon plasma spectrometric detection. *J. Chromatogr.*, 368 (1986) 423-426.
- 935 Mahmud, M.U., Bains, J. and Cote, D.: Application of ion chromatography for determining trace lead(II) and cadmium(II) stabilizers in electroless plating baths. *Anal. Sci.*, 2 (1986) 211-214; *C.A.*, 105 (1986) 90377s.
- 936 Maketon, S., Otterson, E.S. and Tarter, J.G.: Ion chromatography with direct and indirect spectrophotometric detection. *J. Chromatogr.*, 368 (1986) 395-400.
- 937 Matorina, N.N., Shepetyuk, L.V., Bakaeva, T.I., Karlina, L.V. and Dryuchkova, O.V.: Physical and chemical processes in chromatographic separation on complexing ion exchangers. *J. Chromatogr.*, 365 (1986) 89-103.
- 938 Miller, T.E.: Simultaneous chromatographic determination of anions and cations using a single detector. *Am. Lab. (Fairfield)*, 18 (1986) 49-56; *C.A.*, 105 (1986) 53729n.
- 939 Ohshima, K., Watanabe, H. and Haraguchi, K.: Preconcentration of trace metal ions by complexation with ethylenediaminetriacetate-bonded silica gel. *Anal. Sci.*, 2 (1986) 131-135; *C.A.*, 105 (1986) 53659q.
- 940 Per'kov, I.G., Chan Van Thanh and Drozd, A.V.: (Simultaneous photometric determination of rare earth metals using the pH dependence of the formation and solvent extraction of their mixed-ligand complexes). *Zh. Anal. Khim.*, 41 (1986) 666-674; *C.A.*, 105 (1986) 53689z.
- 941 Pietrzyk, D.J. and Brown, D.M.: Simultaneous separation of inorganic anions and cations on a mixed bed ion exchange column. *Anal. Chem.*, 58 (1986) 2554-2557.
- 942 Schwedt, G. and Schneider, P.: Prä- und post-chromatographische Derivatisierung mit wasserlöslichen Dithiocarbamaten zur HPLC-Analyse von Metallionen. *Fresenius' Z. Anal. Chem.*, 325 (1986) 115-120.
- 943 Sengupta, A.: Anomalous ion-exchange characteristics of some polynuclear metal ions. *J. Chromatogr.*, 368 (1986) 319-328.
- 944 Siegfried, C.H., Weinert, W., Strelow, F.W.E. and Bohmer, R.G.: The influence of thiourea on the cation-exchange behavior of various elements in dilute nitric and hydrochloric acids. *Talanta*, 33 (1986) 481-487; *C.A.*, 105 (1986) 107481w.
- 945 Skjold, W. and Berg, A.: Preparative liquid chromatography in the field of X-ray contrast agents. *J. Chromatogr.*, 366 (1986) 299-309.
- 946 Sokolova, L.P., Skorniyakov, V.V., Kargman, V.B. and Saldadse, K.M.: Selective separation of components (copper, nickel, zinc, chromium(VI)) in the process of ion-exchange purification of waste waters. *J. Chromatogr.*, 364 (1986) 135-142.

- 947 Strelow, F.W.E.: Determination of traces of titanium down to sub-part-per-million levels in molybdenum metal and compounds by ion exchange chromatography/spectrophotometry. *Anal. Chem.*, 58 (1986) 2408-2412.
- 948 Tarter, J.G.: Non-suppressed determination of cations and anions using a differential conductivity detector. *J. Chromatogr.*, 367 (1986) 191-194.
- 949 Thompson, J.J. and Houk, R.S.: Inductively coupled plasma mass spectrometric detection for multielement flow injection analysis and elemental speciation by reversed-phase liquid chromatography. *Anal. Chem.*, 58 (1986) 2541-2548.
- 950 Vicol, O. and Berdan, I.: (Separation and quantitative determination of vanadium and iron from used vanadium catalysts). *Rev. Chim. (Bucharest)*, 37 (1986) 61-64; *C.A.*, 105 (1986) 126173p.

See also 4, 48, 108, 113, 114, 960, 969, 1009.

For additional information see:

C.A., 105 (1986) 53660h, 90281f, 107513h, 107520h, 126203y, 126310f.

33b. Anions

- 951 Akasaka, K., Suzuki, T., Ohnui, H. and Meguro, H.: Fluorometric determination of sulfite. Part III. Fluorometric determination of sulfite, with N-(9-acridinyl)-maleimide for HPLC. *Agric. Biol. Chem.*, 50 (1986) 1139-1144; *C.A.*, 105 (1986) 73803k.
- 952 Brandt, G., Vögler, P. and Kettrup, A.: Investigations concerning the system peak in ion-chromatography using indirect photometric detection. *Fresenius' Z. Anal. Chem.*, 325 (1986) 252-254.
- 953 Cooper, P.L., Marshall, M.R., Gregory, J.F. and Otwell, W.S.: Ion chromatography for determining residual sulfite on shrimp. *J. Food Sci.*, 51 (1986) 924-928; *C.A.*, 105 (1986) 113771g.
- 954 Golombek, R. and Schwedt, G.: 2,4-Dihydroxybenzoic acid as a novel eluent in single column anion chromatography. *J. Chromatogr.*, 367 (1986) 69-76.
- 955 Grotjan, H.E., Jr., Padrnos-Hicks, P.A. and Keel, B.A.: Ion chromatographic method for the analysis of sulfate in complex carbohydrates. *J. Chromatogr.*, 367 (1986) 367-375.
- 956 Hannah, R.E.: An HPLC anion exclusion method for fluoride determinations in complex effluents. *J. Chromatogr. Sci.*, 24 (1986) 336-339.
- 957 Jenke, D.R.: Indirect determination of hydrogen peroxide by ion chromatography. *J. Chromatogr. Sci.*, 24 (1986) 352-355.
- 958 Jones, W.R., Heckenberg, A.L. and Jandik, P.: Integrated separation schemes in chromatography. Simultaneous employment of ion exclusion and ion exchange for the separation of borate, chloride, nitrate and iodide. *J. Chromatogr.*, 366 (1986) 225-233.
- 959 Jost, W., Jaskolka, M. and Gasteier, R.: Anreicherung und Trennung von anorganischen Ionen auf LiChrospher®. *Kontakte*, No. 2 (1986) 37-40.
- 960 Karlson, U. and Frankenberger, W.T., Jr.: Determination of selenate by single-column ion chromatography. *J. Chromatogr.*, 368 (1986) 153-161.
- 961 Lafosse, M., Dreux, M. and Morin-Allory, L.: Etude comparée de deux systèmes de chromatographie liquide par appariement d'ions employant les contre-ions octylammonium et tétrabutylammonium. *J. Chromatogr.*, 368 (1986) 273-282.
- 962 Maurer, W., Hesse, W. and Bruins, J.: Ionen-chromatographische Bestimmung anorganischer Anionen in Jahrringen von Fichtenstammscheiben. *Fresenius' Z. Anal. Chem.*, 325 (1986) 73-82.
- 963 Penchuk, Ya., Haldna, J., Iimoja, K. and Ivask, M.: (Comparison of results of ionometric and ionochromatographic determination of nitrate and chloride ions in vegetables). *Easti NSV Tead. Akad. Toim., Keem.*, 35 (1986) 149-153; *C.A.*, 105 (1986) 41351v.
- 964 Petrarulo, M., Bianco, O., Martini, C., Marangella, M. and Linari, F.: (Ion chromatographic determination of sulfate and phosphate ions in urine). *G. Ital. Chim. Clin.*, 10 (1985) 275-279; *C.A.*, 105 (1986) 57234v.
- 965 Pickering, W.F.: The effect of hydrolyzed aluminum species in fluoride ion determinations. *Talanta*, 33 (1986) 661-664; *C.A.*, 105 (1986) 126317p.
- 966 Potter, J.J., Hilliker, A.E. and Breen, G.J.: Determination of fluoride and monofluorophosphate in toothpastes by ion chromatography. *J. Chromatogr.*, 367 (1986) 423-427.

- 967 Punning, K., Somer, T. and Veisserik, J.: Determination of Cl^- in aqueous solutions by ion chromatography. *J. Chromatogr.*, 364 (1986) 153-161.
- 968 Rigas, P.G. and Pietrzyk, D.J.: Liquid chromatographic separation and indirect detection of inorganic anions using iron(II) 1,10-phenanthroline as a mobile phase additive. *Anal. Chem.*, 58 (1986) 2226-2233.

See also 48, 714, 933, 938, 941, 984, 1005, 1009, 1011.

For additional information see:

C.A., 105 (1986) 71661p, 126247r, 126316n.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 969 Kuligina, N.V. and Kiseleva, E.D.: (Effect of radiolysis decomposition products of nitrilotriacetic acid on the chromatographic separation of europium(3+) and promethium(3+)). *Zh. Fiz. Khim.*, 60 (1986) 1456-1460; C.A., 105 (1986) 126148j.

See also 819, 949.

For additional information see:

C.A., 105 (1986) 50634s, 68291n.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35a. Surfactants

- 970 Gilpin, R.K., Kasturi, A. and Werner, G.: Novel chromatographic technique for studying pressure and secondary surface effects on the critical micelle concentration. *J. Chromatogr.*, 366 (1986) 293-297.

35b. Antioxidants and preservatives

- 971 Fukuda, Y., Nagata, M., Osawa, T. and Namiki, M.: Contribution of lignan analogues to antioxidative activity of refined unroasted sesame seed oil. *J. Am. Oil Chem. Soc.*, 63 (1986) 1027-1031.

See also 73.

35c. Food analysis

- 972 Baumann, R.A., Gooijer, C., Velthorst, N.H., Frei, R.W., Strating, J., Verhagen, L.C. and Veldhuyzen-Doorduyn, R.C.: Determination of biacetyl in beer by liquid chromatography with sensitized phosphorescence detection. *Int. J. Environ. Anal. Chem.*, 25 (1986) 195-207; C.A., 105 (1986) 77466a.
- 973 Cutié, S.S. and Kallos, G.J.: Determination of acrylamide in sugar by thermospray liquid chromatography/mass spectrometry. *Anal. Chem.*, 58 (1986) 2425-2428.
- 974 Dever, M.C., Beveridge, H.J.T., Cumming, D.B. and MacGregor, D.R.: Measurement and stability of aspartame in a fruit spread. *Can. Inst. Food Sci. Technol. J.*, 19 (1986) 86-88; C.A., 105 (1986) 41337v.
- 975 Gauch, R., Leuenberger, U. and Mueller, U.: (Determination of amprolium in hen's eggs by means of HPLC). *Dtsch. Lebens.-Rundsch.*, 82 (1986) 182-184; C.A., 105 (1986) 77666r.
- 976 Ishikuro, E.: (Determination of ethylene dibromide in feed ingredients and mixed feed). *Shiryo Kenkyu Hokoku*, 11 (1986) 1-7; C.A., 105 (1986) 132242b.
- 977 Koyama, N. and Shimada, H.: (Quantitative analysis of nicarbazin by HPLC). *Shiryo Kenkyu Hokoku*, 11 (1986) 88-104; C.A., 105 (1986) 96144k.
- 978 Malisch, R.: (Multimethod for the determination of residues of chemotherapeutics, antiparasitics and growth promoters in foods of animal origin. Part I. General procedure and determination of sulfonamides). *Z. Lebensm.-Unters. Forsch.*, 182 (1986) 385-399; C.A., 105 (1986) 77636f.

- 979 Mattiuz, E.L. and Perone, R.: Analysis of trace levels of organic acids in nutritive sweeteners. *LC-GC*, 4 (1986) 552-561; *C.A.*, 105 (1986) 41355z.
- 980 Mehrens, H.A. and Reimerdes, E.H.: (Methodological aspects for determination of rennet whey in food by a kappa-casein fragment). *GIT Fachz. Lab.*, 30 (1986) 406-409; *C.A.*, 105 (1986) 113714r.
- 981 Miebs, A. and Kirst, E.: (Application of high-pressure liquid chromatography in dairy science). *Milchforsch.-Milchprax.*, 28 (1986) 47-49; *C.A.*, 105 (1986) 59500c - a review with 47 refs.
- 982 Nursten, H.E. and O'Reilly, R.: The complexity of the Maillard reaction as shown by a xylose-glycine model system. *Dev. Food Sci.*, 13 (Amino-Carbonyl React. Food Biol. Syst.) (1986) 17-28; *C.A.*, 105 (1986) 132237d.
- 983 Osborne, B.G.: High-performance liquid chromatography of a zodiacarbonamide. *J. Chromatogr.*, 368 (1986) 401-404.
- 984 Pentchuk, J., Haldna, U. and Ilmoja, K.: Determination of nitrate and chloride ions in food by single-column ion chromatography. *J. Chromatogr.*, 364 (1986) 189-192.
- 985 Shatirishvili, I.Sh.: Combination of chromatographic techniques for analysing the composition of Georgian alcoholic beverages. *J. Chromatogr.*, 364 (1986) 183-188.
- 986 Shaw, P.E.: Use of a simple solvent optimization program to improve separation of limonin in citrus juices. *J. Chromatogr. Sci.*, 24 (1986) 364-366.
- 987 Ting, K.C. and Kho, P.K.: High performance liquid chromatographic method for the determination of aldicarb sulfoxide in watermelon. *Bull. Environ. Contam. Toxicol.*, 37 (1986) 192-198; *C.A.*, 105 (1986) 96132e.
- 988 Wellnitz, M. and Bentler, W.: (Detecting the presence of cochineal in dry sausage). *Fleischwirtschaft*, 66 (1986) 1001-1003; *C.A.*, 105 (1986) 96119f.

See also 136, 137, 175, 192, 197, 198, 278, 661, 692, 759, 760, 765, 953, 963.

For additional information see:

C.A., 105 (1986) 132359v.

35d. Various technical products

- 989 Amirdzhanova, I.L., Vasenin, R.M. and Kutsidi, D.A.: (Gel-permeation chromatography in the determination of the molecular weight distribution of DF tanning agent). *Izv. Vyssh. Uchebn. Zaved., Tekhnol. Legk. Prom.-sti.*, 29 (1986) 46-49; *C.A.*, 105 (1986) 116926x.
- 990 Gavrilescu, D. and Obrocea, P.: Characterization of ammonium lignosulfonates by gel-chromatography. *Cellul. Chem. Technol.*, 19 (1985) 431-436; *C.A.*, 105 (1986) 45019r.
- 991 Hardy, D.R., Black, B.H. and Wechter, M.A.: Quantitative determination of corrosion inhibitors in middle distillate jet fuels by gel permeation chromatography. *J. Chromatogr.*, 366 (1986) 351-361.
- 992 Ignatiadis, I., Arpino, P. and Dorbon, M.: (Carbazoles, benzocarbazoles and dibenzocarbazoles from petroleum products). *Rev. Inst. Fr. Pet.*, 41 (1986) 551-573; *C.A.*, 105 (1986) 117637r.
- 993 Stefanova, M.D. and Lang, I.: Fractionation of soluble portion of reductively alkylated bituminous coals. *Collect. Czech. Chem. Commun.*, 51 (1986) 1071-1082; *C.A.*, 105 (1986) 81956c.
- 994 Takata, E. and Oono, Y.: (Studies on the chrome tanning liquor by ion-exchange chromatography). *Kenkyu Hokoku-Himeji Kogyo Daigaku*, (1985) 94-101; *C.A.*, 105 (1986) 62636g.
- 995 Takata, E., Meguro, T. and Ohno, Y.: (Studies on composition of naphthalene-based syntans by chromatography). *Hikaku Kagaku*, 31 (1986) 211-217; *C.A.*, 105 (1986) 62639k.

See also 44, 261, 263, 935.

For additional information see:

C.A., 105 (1986) 45966x, 53703z, 81845r, 117749d.

35e. Compounds with distinct biological activity and diverse chemical nature

- 996 Bannatyne, R.M., Jackowski, J. and Cheung, R.: Cleaning up pertussis vaccine. *Vaccine*, 4 (1986) 91-92; *C.A.*, 105 (1986) 40631z.
- 997 Concetti, A., Raffioni, S., Miceli, C., Barra, D. and Luporini, P.: Purification to apparent homogeneity of the mating pheromone of mat-1 homozygous *Euplotes raikovi*. *J. Biol. Chem.*, 261 (1986) 10582-10586.
- 998 Dabauvalle, M.C. and Franke, W.W.: Determination of the intracellular state of soluble macromolecules by gel filtration *in vivo* in the cytoplasm of amphibian oocytes. *J. Cell Biol.*, 102 (1986) 2006-2014; *C.A.*, 105 (1986) 57240u.

For additional information see:

C.A., 105 (1986) 75213s.

35f. Complex mixtures and non-identified compounds

- 999 Hirose, A. and Ishii, D.: Reversed phase microcolumn liquid chromatographic separation of fulvic acid. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 533-534.

36. CELLS AND CELLULAR PARTICLES

- 1000 Haeffner, E.W., Holl, A. and Schroeter, D.: Preparation of two plasma membrane fractions from ascites tumour cells by gel chromatography on Sephacryl S-1000. *J. Chromatogr.*, 382 (1986) 107-116.
- 1001 Kataoka, K.: (Molecular design of materials for cell separation). *Sen'i Gakkaishi*, 42 (1986) P213-P221; *C.A.*, 105 (1986) 111186w - a review with 107 refs.

37. ENVIRONMENTAL ANALYSIS

See 13.

37a. General papers and reviews

- 1002 Behrend, P., Kipplinger, A. and Behnert, J.: (Single column IC (ion chromatography) for environmental analysis). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 26-31; *C.A.*, 105 (1986) 126039z - a review with 5 refs.
- 1003 Milanovskii, E.Yu. and Fridland, E.V.: (Use of nonaqueous gel chromatography to study soil organic matter). *Pochvovedenie*, (1986) 133-135; *C.A.*, 105 (1986) 96460k.
- 1004 Yusuhashi, A.: (New application of mass spectrometry in environmental analysis). *Suishitsu Odaku Kenkyu*, 8 (1985) 773-780; *C.A.*, 105 (1986) 53815n - a review with 47 refs.

See also 152.

37b. Air pollution

- 1005 Brocco, D. and Tappa, R.: Determination of organic and inorganic acid species in the atmosphere and in rain-water by ion chromatography. *J. Chromatogr.*, 367 (1986) 240-246.
- 1006 Fung, K. and Grosjean, D.: Peroxybenzoylnitrate measurement in smog chambers and in urban air. *Sci. Total Environ.*, 46 (1985) 29-40; *C.A.*, 105 (1986) 65464k.
- 1007 Liberti, A. and Ciccioli, P.: High resolution chromatographic techniques for the evaluation of atmospheric pollutants. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 492-501 - a review with 35 refs.

37c. Water pollution

- 1008 Anthony, L., Ivens, A.F. and Mounce, R.P.: The use of modern liquid chromatography techniques in the analysis of aqueous liquors from a coal gasification process. *Inst. Chem. Eng. Symp. Ser.*, 96 (1986) 181-198; *C.A.*, 105 (1986) 102108v.
- 1009 Denoncourt, J.P. and Egozy, Y.: Trace-level analysis of high purity water. Part I - inorganic ions. *Ultrapure Water*, 3 (1986) 40-44; *C.A.*, 105 (1986) 84814r.
- 1010 Goewie, C.E. and Hogendoorn, E.A.: Liquid chromatographic determination of the fungicide iprodione in surface water, using on-line preconcentration. *Sci. Total Environ.*, 47 (1985) 349-360; *C.A.*, 105 (1986) 48691q.
- 1011 Hoffmann, E., Marko-Varga, G., Csiky, I. and Joensoon, J.A.: A multicolumn ion chromatographic determination of nitrate and sulphate in waters containing humic substances. *Int. J. Environ. Anal. Chem.*, 25 (1986) 161-171; *C.A.*, 105 (1986) 66098f.
- 1012 Katayama, A., Hayasaka, N., Hirai, M., Shoda, M. and Kubota, H.: Application of gel chromatography to monitor the decomposition process of sewage sludge in soil. *Soil Sci. Plant Nutr.*, 32 (1986) 211-222; *C.A.*, 105 (1986) 114181b.
- 1013 Kronberg, L., Holmbom, B. and Tikkanen, L.: Fractionation of mutagenic compounds formed during chlorination of humic water. *Sci. Total Environ.*, 47 (1985) 343-347; *C.A.*, 105 (1986) 48690p.
- 1014 Nishimura, M.: (Ion chromatography). *Kagaku Gijyutsushi MOL*, 24 (1986) 106-111; *C.A.*, 105 (1986) 71560e - a review with 5 refs.
- 1015 Schuster, R.: (Determination and identification of polychlorophenols in wastewaters). *Spectra 2000*, 109 (1986) 35-38; *C.A.*, 105 (1986) 48668n.

See also 189, 946, 956.

For additional information see:
C.A., 105 (1986) 84796m.

37d. Soil pollution

See 1012.

Gas Chromatography

1. REVIEWS AND BOOKS

- 1 Bjorseth, A. (Editor): *Polycyclic Aromatic Hydrocarbons in Workplace Atmospheres: Occurrence and Determination*. CRC Press, Boca Raton, 1986, 176 p.
- 2 Griffiths, P.D. and de Haseth, J.A.: *Fourier Transform Infrared Spectrometry*. J. Wiley, New York, 1986 - chapter 18 deals with GC/FTIR.
- 3 Grob, K.: *Classical Split and Splitless Injection in Capillary Gas Chromatography*. With Some Remarks on PTV Injection. Hüthig, Heidelberg, 1986, IX + 264 p.
- 4 Lee, M.L.: Chromatographic-spectroscopic combinations. *Anal. Chem.*, 58 (1986) 1076A-1078A.
- 5 Nickely, J.G. (Editor): *Advances in Capillary Chromatography*. Hüthig, Heidelberg, 1986, IX + 138 p.
- 6 Quereshi, M. (Editor): *Inorganics*. CRC Press, Boca Raton, 1986, 376 p.
- 7 Stanchev, P.: (*Gas-chromatographic Analysis of Biological Materials*). Izd-vo na Bulgarskata Akademiya na Naukite, Sofia, 1985, 249 p.; *C.A.*, 105 (1986) 130333h.
- 8 Termonia, M.: (Recent developments in chromatography). *Chim. Nouv.*, 4 (1986) 379-382; *C.A.*, 105 (1986) 126418x - a review with 14 refs.
- 9 Wankat, P.C.: *Large-Scale Adsorption and Chromatography*, Vol. I. and Vol. II. CRC Press, Boca Raton, 1986, 192 and 192 p.

See also 86, 91, 97, 103, 145, 164, 349, 366, 387, 388, 474, 482.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 10 Martin, M., Herman, D.P. and Guiochon, G.: Probability distributions of the number of chromatographically resolved peaks and resolvable components in mixtures. *Anal. Chem.*, 58 (1986) 2200-2207.
- 11 Touabet, A., Badjah Hadj Ahmed, A.Y., Maeck, M. and Meklati, B.Y.: Mathematical dead time determination and calculation of the constants of the *n*-alkane retention time curve on OV polymethyl phenylsilicone stationary phases in gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 456-460.
- 12 Weber, L.: Utilization of the Sadtler standard RI system in micropollution analyses. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 446-451.

2b. Thermodynamics and theoretical relationships

- 13 Golovnya, R.V.: Principle of non-additivity for sorption energy and its application in chromatography. *J. Chromatogr.*, 364 (1986) 193-202.
- 14 Golovnya, R.V. and Grigoryeva, D.N.: Violation of the linearity principle of additivity of sorption energy in chromatography. A universal equation describing retention behavior. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 584-589.
- 15 Parcher, J.F., Lin, P.J. and Johnson, D.M.: Physical model for gas-solid chromatography with volatile and nonvolatile modifiers. *Anal. Chem.*, 58 (1986) 2207-2212.
- 16 Sterkhov, N.V. and Chizhkov, V.P.: (Regularities of chromatographic peak broadening in circular gas chromatography on capillary columns). *Izv. Acad. Sci.*, (1986) 2019-2024.
- 17 Wronski, B., Szczepaniak, L.M. and Witkiewicz, Z.: Iterative method for the calculation of the gas hold-up time on the basis of non-adjusted retention times of consecutive homologues in gas chromatography. *J. Chromatogr.*, 364 (1986) 53-61.

See also 95, 157.

2c. Relationship between structure and chromatographic behavior

- 18 Bartelt, R.J., Moats, M.L. and Jackson, L.L.: Relationships between structure and chromatographic retention for *n*-alkadienes. *J. Chromatogr.*, 366 (1986) 27-37 - retention data for 45 dienes.
- 19 Patrykiewicz, A. and Gawdzik, B.: Gas chromatography on porous polymers. II. Retention-structure correlations for aromatic substances, chromatographed on sorbents of different polarities. *J. Chromatogr.*, 365 (1986) 251-268.

See also 13, 102, 130, 134, 176, 180, 200, 217, 229, 254, 291, 292.

2d. Measurement of physico-chemical and related values

- 20 Becker, H. and Gnauck, R.: Determination of dead time for inverse gas chromatography: measurements by use of methane. *J. Chromatogr.*, 366 (1986) 378-381.
- 21 Berezkina, L.G., Borisova, S.I. and Melnikova, S.V.: Novel chromatographic method for the equilibrium study of heterogeneous reactions in gas-condensed phase systems. *J. Chromatogr.*, 365 (1986) 423-428.
- 22 Karaiskakis, G., Aghathonos, P., Niotis, A. and Katsanos, N.A.: Measurement of mass transfer coefficients for the evaporation of liquid by reversed-flow gas chromatography. *J. Chromatogr.*, 364 (1986) 79-85.
- 23 Larin, A.V.: Solution of the inverse problem and calculation of sorption isotherms in chromatography. *J. Chromatogr.*, 364 (1986) 87-95.
- 24 Leontyeva, S.A. and Timofeeva, A.N.: Chromatographic method for determining the physicochemical and thermodynamic characteristics of colloidal systems. *J. Chromatogr.*, 365 (1986) 391-397.
- 25 Lopez-Garzon, F.J. and Domingo-Garcia, M.: Adsorption of *n*-alkanes on a graphitized carbon black and its activation products in dry air. *Chromatographia*, 21 (1986) 447-450.
- 26 Pscheidl, H., Oberdörfer, E., Möller, E. and Haberland, D.: Gas chromatographic investigation of solutions of hydrocarbons in perhalogenated liquid polymer hydrocarbons and aluminium chloride in solution. *J. Chromatogr.*, 365 (1986) 383-390.
- 27 Qaddora, L.A. and Janini, G.M.: Determination of activity coefficients of oxygenated hydrocarbons in squalane by gas-liquid chromatography. *J. Chem. Eng. Data*, 31 (1986) 392-395; *C.A.*, 105 (1986) 140830g.
- 28 Schneider, P.: (Determination of effective diffusion coefficients for porous packings with an impermeable center from peak moments. *Chem. Eng. Sci.*, 41 (1986) 1759-1764; *C.A.*, 105 (1986) 99702b.
- 29 Shushunova, A.F.: Kinetic investigation of the catalytic decomposition of organic peroxides by pulse chromatography. *J. Chromatogr.*, 365 (1986) 417-422.
- 30 Xiao Shunqing, Chen Xiaofang and Sun Jiemin: (Determination of vapor pressure of substances with high boiling points by chromatography). *Chengdu Keji Daxue Xuebao*, No. 2 (1986) 69-72; *C.A.*, 105 (1986) 140126g.
- 31 Yang Yixiang, Shen Shouyao, Xiao Shunqing, Gan Sizuo, Fu Tihua and Luo Chenyuan: (Determination of vapor-liquid equilibrium data by gas chromatographic headspace analysis of the ammonia-carbon dioxide-sodium chloride-water system). *Chengdu Keji Daxue Xuebao*, No. 2 (1986) 61-67; *C.A.*, 105 (1986) 140767s.

See also 179, 450.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 32 Adams, G.E.: Light pipe and heater apparatus. *U.S. Pat.* US 4,587,835 (Cl. 73-23.1; G01N30/74), 13 May 1986, Appl. 690,073, 9 Jan. 1985; 14 pp.; *C.A.*, 105 (1986) 88504n.
- 33 Annimo, R., Caffert, C. and Lewis, E.L.: Nonelectric gas chromatograph with direct optical-to-pneumatic and pneumatic-to-optical conversion for transmission and control. *Anal. Chem.*, 58 (1986) 2516-2523.
- 34 Bakalenko, L.S., Moskvichev, V.I. and Shilin, V.V.: Gas chromatograph. *U.S.S.R. Pat.* SU 1,226,305 (Cl. G01N30/06), 23 Apr. 1986, Appl. 3,395,740, 9 Oct. 1981; *C.A.*, 105 (1986) 90432f.

- 35 Flamerz, S. and Hassballah, A.A.: Tentative modification of gas-chromatographic injector to microreactor system. *J. Pet. Res.*, 5 (1986) 153-155; *C.A.*, 105 (1986) 140274d.
- 36 Goldsmith, H.: Microwave desorption for gas chromatography: A new sampling technique. *LC-GC*, 4 (1986) 939-940.
- 37 Halket, J.M. and Schulten, H.-R.: Simple pyrolysis chamber modification for capillary column Curie-point pyrolysis gas chromatography-mass spectrometry of complex biomaterials. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 596-597.
- 38 Hinaga, Y.: (Gas chromatograph-mass spectrometer for determination of trace impurities in high purity gases). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 30,763 (86 30,763) (Cl. G01N30/46), 13 Feb. 1986, Appl. 84/152,631, 23 Jul. 1984; 4 pp.; *C.A.*, 105 (1986) 145323d.
- 39 Hoch, K. and Pacakova, V.: (Construction and operation parameters of a high-frequency pyrolyzer). *Chem. Listy*, 80 (1986) 887-893.
- 40 Keeley, D.F. and Meriwether, J.R.: Headspace attachment for a Varian model 3700 gas chromatograph. *Rev. Sci. Instrum.*, 57 (1986) 1434-1435; *C.A.*, 105 (1986) 90475x.
- 41 Mendes, C.: (Method and apparatus for analysis by means of an electron capture detector). *Eur. Pat. Appl.* EP 188,397 (Cl. G01N30/70), 23 Jul. 1986, FR Appl. 85/423, 14 Jan. 1985; 17 pp.; *C.A.*, 105 (1986) 145341h.
- 42 Murata, T.: (Gas chromatograph-mass spectrometer using hydrogen carrier gas), *Jpn. Kokai Tokkyo Koho Pat.* JP 61 20,859 (86 20,859) (Cl. G01N30/72), 29 Jan. 1986, Appl. 84/141,781, 9 Jul. 1984; 6 pp.; *C.A.*, 105 (1986) 126353x.
- 43 Phillips, J.B., Luu, D. and Lee, R.P.: Thermal desorption modulation as a replacement for sample injection in very-small-diameter gas chromatography capillary columns. *J. Chromatogr. Sci.*, 24 (1986) 396-399.
- 44 Reedy, G.T.: Gas chromatography/matrix-isolation apparatus. *U.S. Pat.* US 4,594,226 (Cl. 422-89; G01J1/00), 10 Jun. 1986, Appl. 583,042, 23 Feb. 1984; 11 pp.; *C.A.*, 105 (1986) 126562q.
- 45 Rieder, R.I. and Kaiser, R.E.: A simple high temperature, high pressure safe T-piece for installing micro packed glass columns as well as macrobore capillaries in a GC instrument. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 595.
- 46 Skorniyakov, E.P. and Poschemansky, V.M.: Septumless device for injecting samples into gas chromatograph. *J. Chromatogr.*, 365 (1986) 359-366.
- 47 Spark, A.: A simple, universal joining system for glass to silica capillary tubing. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 481-482.
- 48 Trestianu, S., Munari, F. and Saravalle, C.: Method and equipment for simulated distillation by means of gas chromatography with non vaporizing direct injection. *Eur. Pat. Appl.* EP 186,845 (Cl. G01N30/86), 9 Jul. 1986, IT Appl. 84/24,278, 28 Dec. 1984; 18 pp.; *C.A.*, 105 (1986) 100274x.
- 49 Villalobos, R. and Pearson, R.: Applications of fused silica capillary columns in process gas chromatography. *ISA Trans.*, 25, No. 3 (1986) 55-60; *C.A.*, 105 (1986) 99642g.
- 50 Waskowski, B., Gondko, R. and Kaczmarek, J.: (Simple integrating system coupled with gas chromatograph and a pyrolysis attachment for elemental analysis). *Chem. Anal. (Warsaw)*, 31 (1986) 305-310.
- 51 Watanabe, M.: (Determination of high boilers using a reduced pressure gas chromatograph). *Jpn. Kokai Tokyo Koho Pat.* JP 61 18,862 (86 18,862) (Cl. G01N30/32), 27 Jan. 1986, Appl. 84/139,948, 6 Jul. 1984; 3 pp.; *C.A.*, 105 (1986) 126565t.
- 52 Weber, H., Stenner, H. and Kettrup, A.: Development of an instrument for the dynamic generation of test gases. *Fresenius' Z. Anal. Chem.*, 325 (1986) 64-67 - applicable for GC measurements.
- 53 Yasui, S.: (Precolumn for a pyrolysis gas chromatograph). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,256,055 (85,256,055) (Cl. G01N30/60), 17 Dec. 1985, Appl. 84/113,677, 1 Jun. 1984; 3 pp.; *C.A.*, 105 (1986) 90540g.
- 54 Yoder, R.E.: Recycle gas chromatography using pneumatic switching and photo-ionization detection. *Univ. Microfilms*, Order. No. DA8521016 (1985) 264 pp.; *C.A.*, 105 (1986) 103146t.

- 55 Yoshida, T. and Murachi, T.: (Pyrolysis gas chromatographic support and analysis using same). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 14,571 (86 14,571) (Cl. G01N30/12), 22 Jan. 1986, Appl. 84/136,163, 29 Jun. 1984; 9 pp.; *C.A.*, 105 (1986) 126347y.

See also 3, 133, 150, 151, 168, 370, 389, 486.

3b. Detectors and detection reagents

- 56 Barinaga, C.J. and Farwell, S.O.: Dead volume reduction in a commercial flame photometric detector. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 474-476.
- 57 Driscoll, J.N.: Photodiode. *Eur. Pat. Appl.* EP 180,194 (Cl. H01J40/00), 7 May 1986, US Appl. 666,990, 31 Oct. 1984; 9 pp.; *C.A.*, 105 (1986) 88497n.
- 58 Fung, K.H. and Gaffney, J.S.: Non-destructive gas chromatographic detection using laser intracavity photothermal spectroscopy. *J. Chromatogr.*, 363 (1986) 207-215.
- 59 Islamov, S.S., Okhitin, A.A., Sudakov, A.V. and Bankin, M.P.: (Flame-photometric detector for gas chromatography). *U.S.S.R. Pat.* SU 1,226,205 (Cl. G01N21/72), 23 Apr. 1986, Appl. 3,696, 656, 8 Dec. 1983; *C.A.*, 105 (1986) 90435j.
- 60 Knausz, D., Meszticzky, A., Rohonczy, J., Kolos, Z., Csakvari, B., Szederkenyi, F. and Ujszaszy, K.: N-Substituted trimethylsilylcarbamates as silylating and/or methoxime derivatizing reagents for gas chromatographic analysis. *J. Chromatogr.*, 365 (1986) 183-190.
- 61 Nickolaisen, S.L. and Bialkowski, S.E.: Species-selective detection in gas chromatography by photothermal deflection spectroscopy. *J. Chromatogr.*, 366 (1986) 127-133.
- 62 Rice, G., D'Silva, A.P. and Fassel, V.A.: Atmospheric-pressure helium afterglow discharge detector for gas chromatography. *U.S. Pat.* US 4,586,368 (Cl. 73-23.1; G01N30/74), 6 May 1986, Appl. 720,328, 5 Apr. 1985; 6 pp.; *C.A.*, 105 (1986) 126561p.
- 63 Rotin, V.A. and Gelman, B.G.: Certain aspects of the theory and the prospects for the development of ionization chromatographic detection and identification of substances. *J. Chromatogr.*, 365 (1986) 297-307.
- 64 Shmidel, E.B., Kalabina, L.I. and Kolomiets, L.N.: Comparative study of some thermionic detector designs. *J. Chromatogr.*, 365 (1986) 353-358.
- 65 Shmidel, E.B., Kalabina, L.I., Kolomiets, L.N. and Khokhlov, V.N.: New ionization method for the detection of gases and vapours. *J. Chromatogr.*, 365 (1986) 343-351.
- 66 Thomas, H.L.: Redox GC detector finds trace compounds. Chemiluminiscence, as excited NO₂ returns to its ground state, detects reducing agents. *Res. Development*, 28, No. 9 (1986) 88-90.
- 67 Trischan, K.K.: A thyatron-controlled, high voltage spark atomic emission detector for capillary gas chromatography. *Univ. Microfilms*, Order No. DA8520572 (1985) 159 pp.; *C.A.*, 105 (1986) 126101p.
- 68 Yamamoto, H., Sato, Y., Ibe, E. and Suzuoki, A.: Development of fluctuation monitor type sodium ionization detector. *J. Nucl. Sci. Technol.*, 23 (1986) 573-581; *C.A.*, 105 (1986) 86921x.

See also 41, 142, 169, 172, 218, 298, 301, 348, 363, 364, 365, 404, 438, 487.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 69 Andronikashvili, T.G., Berezhkin, V.G., Laperashvili, L.Ya. and Nadiradze, N.A.: (Chromatographic analysis). *U.S.S.R. Pat.* SU 1,224,721 (Cl. G01N30/56), 15 Apr. 1986, Appl. 3,681,839, 27 Dec. 1983; *C.A.*, 105 (1986) 107713y.
- 70 Andronikashvili, T.G., Berezhkin, V.G., Nadiradze, N.A. and Laperashvili, L.Ya.: Increased effectiveness of chromatographic columns packed with zeolites in the separation of mixtures of some organic compounds. *J. Chromatogr.*, 365 (1986) 269-277.
- 71 Bebris, N.K., Nikitin, Yu.S., Pyatygin, A.A. and Shoniya, N.K.: Synthesis and investigation of porous pyrocarbon-modified silicas. *J. Chromatogr.*, 364 (1986) 409-424.
- 72 Belyakova, L.D. and Strokina, L.M.: Ionic adsorbents in capillary gas chromatography. *J. Chromatogr.*, 365 (1986) 31-40.

- 73 Berezkin, V.G., Korolev, A.A., Popova, T.P., Shiryaeva, V.E. and Tsodikov, M.V.: Evaluation and application of fused-silica capillary columns with immobilized liquid stationary phases for the analysis of petrochemical products. *J. Chromatogr.*, 365 (1986) 375-382.
- 74 Bondarenko, I.V., Budovich, V.L., Myagkov, E.A. and Ohotnikov, B.P.: Practical method for the purification of carrier gases for gas chromatography. *J. Chromatogr.*, 365 (1986) 57-62.
- 75 Castello, G. and D'Amato, G.: Comparison of the polarity of porous polymer-bead stationary phases with that of some liquid phases. *J. Chromatogr.*, 366 (1986) 51-57.
- 76 Chelghoum, C., Haddad, Y., Abdeddaim, K. and Guermouche, M.H.: Contribution à l'étude des propriétés chromatographiques des méthylphényl silicones. *Analusis*, 14 (1986) 326-333.
- 77 Dawidowicz, A.J.: (Study of the surface of the thermally treated porous glasses used as supports of chemically bonded phases). *Chem. Anal. (Warsaw)*, 31 (1986) 385-395.
- 78 Eddib, O., Nickless, G. and Cooke, M.: Preparation of thermostable cyanosilicone capillary columns. *J. Chromatogr.*, 368 (1986) 370-373.
- 79 Fiebig, W., Assmann, E., Lieske, E. and Starke, P.: Zur Anwendung von Silicagel in der Adsorptions-gaschromatographie. *Chem. Techn.*, 38 (1986) 392-393.
- 80 Fine, D.D.: The preparation and characterization of glass capillary gas chromatography columns containing grown ether stationary phases. *Univ. Microfilms*, Order No. DA8515254 (1986) 189 pp.; *C.A.*, 105 (1986) 140226q.
- 81 Freeman, R.R. and Kukla, D.: The role selectivity in gas chromatography. *J. Chromatogr. Sci.*, 24 (1986) 392-395.
- 82 Gavrichev, V.S., Berezkin, V.G., Jumaev, A.R., Malik, A., Borisov, Yu.M., Lvov, I.A., Lyubitov, Yu.M., Mikhailov, V.I. and Sakhovikh, V.D.: Application of fused-silica capillary micro-packed columns in gas chromatography-mass spectrometry. *J. Chromatogr.*, 365 (1986) 237-242.
- 83 Gavrilova, T.B., Pastushenko, V.G. and Krivolapov, S.S.: Adsorbents for chromatography of oxygen-containing compounds. *J. Chromatogr.*, 365 (1986) 41-46.
- 84 Gavrilova, T.B., Roshchina, T.M., Vlasenko, E.V., Dimitrov, C., Ivanov, S., Petsev, N. and Topalova, I.: Plasma modification of adsorbents of different chemical natures with electron-donor molecules. *J. Chromatogr.*, 364 (1986) 439-446.
- 85 Georgy, W.A.: Immobilization of stationary phases for gas chromatography by gamma radiation. *Univ. Microfilms*, Order No. DA8602099 (1985) 229 pp.; *C.A.*, 105 (1986) 126495v.
- 86 Gilpin, R.K., Martin, M.B. and Yang, S.S.: Gas chromatographic adsorbents and base materials. *J. Chromatogr. Sci.*, 24 (1986) 410-416 - a review with 79 refs.
- 87 Habboush, A.E., Farroha, S.M. and Hamza, M.B.: Temperature effect on the structural rearrangements of polyesters (LAC-series) as stationary liquid phases in GLC using furan, pyrrole and thiophene derivatives as test compounds. *J. Iraqi Chem. Soc.*, 10 (1985) 27-38; *C.A.*, 105 (1986) 145391z.
- 88 Heeg, F.J.: The use of glass capillaries in gas chromatography. *Glass Technol.*, 27 (1986) 134-140; *C.A.*, 105 (1986) 126501u.
- 89 Hong Wei and Liu Xinye: (Chemically bonded stationary phase for gas chromatography). *Sepu*, 4 (1986) 70-72; *C.A.*, 105 (1986) 90481w.
- 90 Horka, M., Kahle, V., Janak, K. and Tesarik, K.: Immobilized stationary phase on the basis of polyethylene glycol cross-linked with pluriisocyanates of the desmodur type. *Chromatographia*, 21 (1986) 454-460.
- 91 Kaiser, M.A. and Klee, M.S.: Current status of high resolution column technology for gas chromatography. *J. Chromatogr. Sci.*, 24 (1986) 369-373 - a review with 51 refs.
- 92 Kraus, G. and Sojak, L.: (Separation system for rapid determination of alkylbenzenes by gas chromatography). *Ger. (East) Pat.* DD 228,741 (Cl. B01D15/08), 23 Oct. 1985, Appl. 266,468, 21 Aug. 1984; 3 pp.; *C.A.*, 105 (1986) 100278b.
- 93 Lakszner, K. and Szepeszy, L.: Immobilized very thick film PS-255 capillaries in solvent trace analysis, effect of sample size on solute retention. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 441-445.
- 94 Lipsky, S.R. and Duffy, M.L.: New advances in capillary gas chromatography. Aluminium-clad, fused-silica capillary columns for GC at high temperatures, GC vs. SFC for the analysis of certain high-molecular-weight compounds. *LC-GC*, 4 (1986) 989-906.

- 95 Maksimychева, M.A., Ugrazov, V.V. and Zolotarev, P.P.: (Theory of diffusion chromatographic peaks in capillary gas columns with linear changes of the stationary liquid phase film thickness). *Zh. Fiz. Khim.*, 60 (1986) 1697-1700.
- 96 Mariich, L.I.: (Gas-heterogeneous phase chromatography as a term and method). *Zh. Prikl. Khim.*, 59 (1986) 1721-1728.
- 97 Matveenko, V.N. and Kirsanov, E.A.: (Surface phenomena on nematic liquid crystals). *Usp. Khim.*, 55 (1986) 1319-1343 - a review with 95 refs., partially on GC.
- 98 Naikwadi, K.P., Jadhav, A.L., Rokushika, S., Hatano, H. and Ohshima, M.: Synthesis of liquid-crystalline polyacrylates and their use in capillary gas chromatography. *Makromol. Chem.*, 187 (1986) 1407-1414; *C.A.*, 105 (1986) 98026x.
- 99 Naito, K., Sumiya, S., Imamura, K. and Takei, S.: Characterization of chemically bonded alumina beads prepared by modification with titanate coupling reagents for column packings in gas chromatography. *Anal. Sci.*, 2 (1986) 375-378; *C.A.*, 105 (1986) 145412g.
- 100 Ogden, M.W.: Deactivation and preparation of fused silica open tubular columns for gas and supercritical fluid chromatography. *Univ. Microfilms*, Order. No. DA8605356 (1985) 246 pp.; *C.A.*, 105 (1986) 126448g.
- 101 Panina, L.I., Terekhova, G.P., Makarova, S.B. and Vlasovskaya, O.N.: Macroporous cation exchangers in gas chromatography. *J. Chromatogr.*, 364 (1986) 447-454.
- 102 Polanuer, B.M., Zhuravleva, I.L. and Golovnya, R.V.: Gas chromatographic determination of the temperature limit of alkylpyridine-trisodium phosphate complex formation and its use in identification. *J. Chromatogr.*, 365 (1986) 399-404.
- 103 Poole, C.F., Furton, K.G. and Kertsen, B.R.: Liquid organic salt phases for gas chromatography. *J. Chromatogr. Sci.*, 24 (1986) 400-409 - a review with 40 refs.
- 104 Pulsipher, M.A., Johnson, R.S., Markides, K.E., Bradshaw, J.S. and Lee, M.L.: Methoxyphenylpolysiloxane stationary phases for capillary column gas chromatography. *J. Chromatogr. Sci.*, 24 (1986) 383-391.
- 105 Sakodinskii, K.I., Panina, L.I. and Makarova, S.B.: Chemically modified polymeric sorbents for gas chromatography. *J. Chromatogr.*, 365 (1986) 243-249.
- 106 Sakodinskii, K.I., Panina, L.I., Reznikova, Z.A., Kargman, V.B. and Galitskaya, N.B.: Polycomplexonates of metals based on vinyl pyridine derivatives as selective sorbents for gas chromatography. *J. Chromatogr.*, 364 (1986) 455-459.
- 107 Seferovic, W., Hinshaw, J.V., Jr. and Ettre, L.S.: Comparative data on GC capillary columns having various diameters and film thicknesses. *J. Chromatogr. Sci.*, 24 (1986) 374-382.
- 108 Smolkova-Keulemansova, E., Neumannova, E. and Feltl, L.: Study of the stereospecific properties of cyclodextrins as gas-solid chromatographic stationary phases. *J. Chromatogr.*, 365 (1986) 279-288.
- 109 Topalova, I., Petsev, N., Dimitrov, C., Gavrilova, T.B., Roshina, T.M. and Vlasenko, E.V.: Gas chromatographic analysis of organic compounds on non-polar adsorbents. *J. Chromatogr.*, 364 (1986) 431-438.
- 110 Volkov, S.A., Khalilov, K.F., Reznikov, V.I., Zelvenskii, V.Yu. and Sakodinskii, K.I.: Longitudinal spreading in gas and liquid chromatography and its connection with packed bed structure and the velocity of the mobile phase. *J. Chromatogr.*, 364 (1986) 39-51.
- 111 Wang Guojun and Lu Zufang: (Preparation of glass support-coated open-tubular polar columns). *Fenxi Huaxue*, 14 (1986) 405-409; *C.A.*, 105 (1986) 126473m.
- 112 Wasiak, W.: Separation of isomers by complexation gas chromatography. *Int. Lab.*, 16, No. 7 (1986) 96-99.
- 113 Wojcik, A.B.: Methyl methacrylate-di(methacryloyloxymethyl)naphtalene copolymers as a column packing for gas chromatography. *J. Chromatogr.*, 367 (1986) 163-170.
- 114 Woolley, C.L., Markides, K.E. and Lee, M.L.: Deactivation of fused-silica capillary columns with polymethyl-hydrosiloxanes. Characterization of the de-activated surface. *J. Chromatogr.*, 367 (1986) 23-34.
- 115 Woolley, C.L., Markides, K.E. and Lee, M.L.: Deactivation of fused-silica capillary columns with polymethyl-hydrosiloxanes. Optimization of reaction conditions. *J. Chromatogr.*, 367 (1986) 9-22.
- 116 Woolleay, C.L., Markides, K.E., Lee, M.L. and Bartle, K.D.: Deactivation of small diameter fused silica capillary columns with organosilicon hydrides. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 506-514.
- 117 Yudina, I.P., Semina, G.N. and Sakodinskii, K.I.: High-temperature stationary phases based on ladder siloxane polymers. *J. Chromatogr.*, 365 (1986) 19-25.

- 118 Zagorevskaya, E.V. and Kovaleva, N.V.: Gas chromatography on monolayers of derivatives of porphyrins and crown ethers. *J. Chromatogr.*, 365 (1986) 7-17.
- 119 Zibarev, P.V., Ryzhova, G.L. and Slizhov, Yu.G.: (Investigation of polarity of modified polymeric sorbents based on styrene-divinylbenzene copolymer for gas chromatography). *Zh. Anal. Khim.*, 41 (1986) 1673-1677.
- 120 Zielinska, B., Arey, J., Ramdahl, T., Atkinson, R. and Winer, A.M.: Potential for artifact formation during Tenax sampling of polycyclic aromatic hydrocarbons. *J. Chromatogr.*, 363 (1986) 382-386.

See also 10, 11, 12, 19, 180, 187, 236, 368.

3d. Quantitative analysis

- 121 Leber, P.A.: An introductory quantitative GC experiment for the organic chemistry laboratory. *J. Chem. Educ.*, 63 (1986) 550-551.
- 122 Ogloblina, I.P., Sergievsky, V.V., Ivanova, M.M. and Dzhabaridze, M.T.: Metrological evaluation of gas chromatographic methods for the determination of impurities and the main components in volatile chlorinated C₁-C₂ hydrocarbons. *J. Chromatogr.*, 365 (1986) 443-451.
- 123 Vitenberg, A.G. and Kalacheva, N.I.: Quantitative headspace analysis under non-equilibrium conditions. *J. Chromatogr.*, 368 (1986) 21-29.
- 124 Watanabe, K.: (Accuracy improvement of high temperature gas chromatography). *Toyoda Gosei Giho*, 28 (1986) 36-39; *C.A.*, 105 (1986) 107683p.

See also 296.

3e. Preparative scale chromatography

See 9.

3f. Programmed temperature, pressure, vapors, gradients

- 125 Ianovskii, S.M.: Analysis of admixtures by chromadistillation. *J. Chromatogr.*, 364 (1986) 397-407.
- 126 Nygren, S. and Olin, A.: Graphical and numerical methods for selecting exponential flow programmes in capillary column gas chromatography. *J. Chromatogr.*, 366 (1986) 1-12.
- 127 Zhukhovitskii, A.A.: Vapour chromatography and chromadistillation. *J. Chromatogr.*, 364 (1986) 3-10.
- 128 Küllik, E., Kaljurand, M. and Lamberg, M.: (Microcomputer controlled high-speed pyrolysis gas chromatography). *Zh. Anal. Khim.*, 41 (1986) 1425-1429.

See also 16.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 129 Rusinov, L.A. and Kurkina, V.V.: Improvement of information reliability and fault diagnostics in process chromatographs. *J. Chromatogr.*, 365 (1986) 367-374.

See also 17, 49, 128, 156, 292.

4b. Combination of various chromatographic techniques

- 130 Bidlo-Igloy, M., Szederkenyi, F. and Tihanyi, E.: Structure - retention correlation of dihydropyrazolotriazinone derivatives in thin-layer and gas chromatography. *J. Chromatogr.*, 365 (1986) 145-153.
- 131 Ceccanti, B., Alcaniz-Baldellou, J.M., Gispert-Negrell, M. and Gassiot-Matas, M.: Characterization of organic matter from two different soil by pyrolysis-gas chromatography and isoelectric focusing. *Soil Sci.*, 142 (1986) 83-90; *C.A.*, 105 (1986) 132813p.

- 132 Den Drijver, L. and Holzapfel, C.W.: Separation and quantitative determination of the rediolysis products of D-fructose as their O-benzoyloximes. *J. Chromatogr.*, 363 (1986) 345-352.
- 133 Grob, K., Jr. and Stoll, J.-M.: Loop-type interface for concurrent solvent evaporation in coupled HPLC-GC. Analysis of raspberry ketone in a raspberry sauce as an example. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 518-523.
- 134 Janos, E.: Possible relationship between lipophilicity and behaviour in reversed-phase thin-layer chromatography and gas-liquid chromatography. *J. Chromatogr.*, 365 (1986) 117-122.
- 135 Nair, N.K., Navaratnam, V. and Rajananda, V.: Analysis of illicit heroin. I. An effective thin-layer chromatographic system for separating eight opiates and five adulterants. *J. Chromatogr.*, 366 (1986) 363-372.
- 136 Schwedt, G. and Schwadorf, K.: (HPLC analysis of preservative agents in foods with a comparison of methods (photometry, GC, TLC)). *Dtsch. Lebensm.-Rundsch.*, 82 (1986) 209-216; *C.A.*, 105 (1986) 132255h.

See also 14, 71, 110, 195, 202, 206, 220, 226, 230, 251, 252, 265, 288, 315, 321, 325, 347, 411, 427, 428, 443, 445, 464, 466, 480, 493.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 137 Bowater, I.C., Brown, R.S., Cooper, J.R. and Wilkins, C.L.: Maximum absorbance algorithm for reconstruction of gas chromatograms from gas chromatography/infrared spectrometry data. *Anal. Chem.*, 58 (1986) 2195-2199.
- 138 Fan, T.W.M., Higashi, R.M., Lane, A.N. and Jardtetzky, O.: Combined use of proton NMR and GC-MS for metabolite monitoring and *in vivo* proton-NMR assignments. *Biochim. Biophys. Acta*, (1986) 154-167; *C.A.*, 105 (1986) 38723n.
- 139 Fehl, A.J. and Marcott, C.: Capillary gas chromatography/Fourier transform infrared spectrometry using an injector/trap. *Anal. Chem.*, 58 (1986) 2578-2581.
- 140 Griffiths, P.R. and Pariente, G.L.: Introduction to spectral deconvolution. *TrAC*, 5 (1986) 209-215 - applicable to GC-FTIR.
- 141 Gurka, D.F. and Titus, R.: Rapid nontarget screening of environmental extracts by directly linked gas chromatography/Fourier transform infrared/mass spectrometry. *Anal. Chem.*, 58 (1986) 2189-2194.
- 142 Imasaka, T., Okamura, T. and Ishibashi, N.: High-temperature pulsed nozzle for supersonic jet spectrometry and its application to gas chromatography. *Anal. Chem.*, 58 (1986) 2152-2155.
- 143 Laude, D.A., Jr., Johlman, C.L., Brown, R.S. and Wilkins, C.L.: Negative chemical ionization and accurate mass measurement applications for a linked gas chromatography/Fourier transform infrared spectrometer/Fourier transform mass spectrometer. *Fresenius' Z. Anal. Chem.*, 324 (1986) 839-845.
- 144 Lewis, D.A.: Optimization of combined gas chromatography/mass spectrometry using porous layer bead microbore columns. *Univ. Microfilms*, Order. No. DA8515759 (1986) 286 pp.: *C.A.*, 105 (1986) 126453e.
- 145 Mikaya, A.I. and Zaikin, V.G.: (Reaction chromatography-mass spectrometry). *Usp. Khim.*, 55 (1986) 1390-1406 - a review with 52 refs.
- 146 Nitz, S., Drawert, F. and Gellert, U.: A variable effluent splitter for simultaneous sniffing-MS-monitoring. *Chromatographia*, 22 (1986) 51-54.
- 147 Oelichmann, J. and Rau, A.: Mikro-Methoden in der FTIR-Spektroskopie. *LaborPraxis*, 10 (1986) 958-964.
- 148 Rigin, V.I.: (Group determination of trace elements by a hybrid method with nonselective atomic fluorescence recording). *Zh. Anal. Khim.*, 41 (1986) 788-797.
- 149 Schneider, J.F., Demirgian, J.C. and Stickler, J.C.: A comparison of GC/IR interfaces: The light pipe versus matrix isolation. *J. Chromatogr. Sci.*, 24 (1986) 330-335.

See also 2, 4, 166, 172, 181, 184, 185, 189, 202, 211, 223, 228, 257, 262, 267, 273, 279, 285, 290, 300, 347, 349, 351, 352, 363, 374, 394, 409, 467, 468.

4f. Trace analysis and preseparation techniques

- 150 Bondaryuk, O.M., Lander, A.V., Freidgeim, L.I. and Khokhlov, V.N.: Use of chromatographs in commercial automated monitoring of trace impurities and control systems for helium production. *J. Chromatogr.*, 365 (1986) 329-332.
- 151 Cobb, G.P., Braman, R.S. and Hua Ke Min: Carbon hollow tubes as collectors in thermal desorption/gas chromatographic analysis of atmospheric organic compounds. *Anal. Chem.*, 58 (1986) 2213-2217.
- 152 Hess, G.G., McKenzie, D.E. and Hughes, B.M.: Selective preconcentration of polynuclear aromatic hydrocarbons and polychlorinated biphenyls by *in situ* metal hydroxide precipitation. *J. Chromatogr.*, 366 (1986) 197-203.
- 153 Höfler, F., Schneider, J. and Möckel, H.J.: Analytical investigations on the composition of gaseous effluents from a garbage dump. I.: General data, sampling technique, and analysis of low boiling halogenated compounds. *Fresenius' Z. Anal. Chem.*, 325 (1986) 365-368.
- 154 Rinne, D. and Bieber, C.: Bestimmung von leichtflüchtigen Halogenkohlenwasserstoffen mit ECD-GC. Ein Vergleich der Head-Space-Technik mit der Extraktions-technik. *Fresenius' Z. Anal. Chem.*, 325 (1986) 153-156.
- 155 Schantz, M.M. and Chesler, S.N.: Supercritical fluid extraction procedure for the removal of trace organic species from solid samples. *J. Chromatogr.*, 363 (1986) 397-401.
- 156 Shmookler, M.: The development of a computer-automated gas chromatograph for the detection and analysis of atmospheric gases at the parts-per-trillion level. *Univ. Microfilms*, Order. No. DA8516209 (1986) 122 pp.; *C.A.*, 105 (1986) 119835c.
- 157 Vitenberg, A.G. and Kalacheva, N.L.: (Head-space analysis under non-equilibrium conditions). *Zh. Anal. Khim.*, 41 (1986) 1666-1672.

See also 36, 38, 58, 93, 120, 123, 146, 148, 193, 199, 201, 214, 216, 259, 300, 306, 311, 314, 318, 322, 337, 338, 342, 358, 360, 391, 392, 414, 448, 460, 462, 463, 475, 480, 486, 488, 494, 496, 497, 498.

4g. Separation of enantiomers

- 158 Deger, W., Gessner, M., Heusinger, G., Singer, G. and Mosandl, A.: Critical remarks on the interpretation of chiral stereodifferentiation in gas chromatography. *J. Chromatogr.*, 366 (1986) 385-390.
- 159 Hara, S., Okabe, H. and Mihashi, K.: Separation of aldose enantiomers by gas-liquid chromatography. *Chem. Pharm. Bull.*, 34 (1986) 1843-1845; *C.A.*, 105 (1986) 126457j.
- 160 Kaneda, T.: Gas-liquid chromatographic separation of enantiomers as their diastereomeric derivatives, illustrated with 2-methylbutyric acid. *J. Chromatogr.*, 366 (1986) 217-224.
- 161 Koppenhoefer, B. and Allmendinger, H.: Direct enantiomer resolution of primary, secondary, and tertiary alcohols by gas chromatography on Chirasil-Val. *Chromatographia*, 21 (1986) 503-508.
- 162 Koscielski, T., Sybilska, D. and Jurczak, J.: New chromatographic method for the determination of the enantiomeric purity of terpenoid hydrocarbons. *J. Chromatogr.*, 364 (1986) 299-303.
- 163 Van den Oetelaar, P.J.M., van Beijsterveldt, L.E.C., van Beckhoven, J.R.C.M. and Hoenders, H.J.: Detection of aspartic acid enantiomers by chiral capillary gas chromatography. Determination of *in vivo* racemization and reduction of metal-induced background. *J. Chromatogr.*, 368 (1986) 135-143.
- 164 Schurig, V.: Current methods for determination of enantiomeric compositions. Part 3. Gas chromatography on chiral stationary phases. *Kontakte (Darmstadt)*, No. 1 (1986) 3-22; *C.A.*, 105 (1986) 132995z.
- 165 Schurig, V.: (Preparative separation of racemic mixtures into their antipodes by complexing gas chromatography of optically active metal coordination compounds). *Ger. Offen. Pat.* DE 3,410,801 (Cl. C07B57/00), 10 Oct. 1985, Appl. 23 Mar. 1984; 15 pp.; *C.A.*, 105 (1986) 96693p.

4h. Other special techniques

- 166 Berry, A.J., Games, D.E. and Perkins, J.R.: Supercritical fluid chromatographic and supercritical fluid chromatographic-mass spectrometric studies of some polar compounds. *J. Chromatogr.*, 363 (1986) 147-158.

- 167 Campbell, R.M. and Lee, M.L.: Supercritical fluid fractionation of petroleum- and coal-derived mixtures. *Anal. Chem.*, 58 (1986) 2247-2251.
- 168 Hensley, J.L. and McNair, H.M.: Modification of a gas chromatograph for capillary supercritical fluid chromatography. *J. Liquid Chromatogr.*, 9 (1986) 1985-1996.
- 169 Jinno, K., Hoshino, T. and Hondo, T.: Computer enhanced spectroscopic separation of coeluted components in supercritical fluid chromatography coupled with an ultraviolet multichannel detector. *Anal. Lett.*, 19 (1986) 1001-1018.
- 170 Leyendecker, D., Leyendecker, D., Schmitz, F.P. and Klesper, E.: Isocratic networks in supercritical fluid chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 566-571.
- 171 Leyendecker, D., Leyendecker, D., Schmitz, F.P. and Klesper, E.: Multiple gradients in supercritical fluid chromatography (SFC). Ternary gradients by programming eluent composition and temperature at varying pressure. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 525-527.
- 172 Morin, P., Caude, M., Richard, H. and Rosser, R.: Carbon dioxide supercritical fluid chromatography-Fourier transform infrared spectrometry. *Chromatographia*, 21 (1986) 523-530.
- 173 Vidrine, D.W. and Allhands, D.R.: Light-pipe flow cell for supercritical fluid chromatography. *U.S. Pat.* US 4,588,893 (Cl. 250-428; G01N21/05), 13 May 1986, Appl. 704,739, 25 Feb. 1985; 8 pp.; *C.A.*, 105 (1986) 145338n.
- 174 Wilsch, A. and Schneider, G.M.: Retention and resolution in density-programmed supercritical fluid chromatography. I. Theory and selected results. *J. Chromatogr.*, 357 (1986) 239-252.

See also 94, 100, 116, 127, 128, 155, 186, 211, 264, 294, 395.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 175 Boudou, J.P., Trichet, J., Robinson, N. and Brassell, S.C.: Profile of aliphatic hydrocarbons in a recent Polynesian microbial mat. *Int. J. Environ. Anal. Chem.*, 26 (1986) 137-155.
- 176 Chelghoum, C., Haddad, Y., Abdeddaim, K. and Guermouche, M.H.: (Indexes of retention and molecular structure of isodecanes). *Rev. Roum. Chim.*, 30 (1985) 565-569; *C.A.*, 105 (1986) 96948a.
- 177 Killops, S.D.: The influence of operating conditions on the evaluation of biological marker compounds distributions in petroleum geochemistry by gas chromatography/mass spectrometry. *Anal. Chim. Acta*, 183 (1986) 105-128.
- 178 Paronyan, R.V., Dalalyan, N.Ya., Vardanyan, L.S., Abgaryan, G.V. and Grigoryan, A.A.: (Determination of acetylene homologs in the pyrolysis acetylene). *Zavod. Lab.*, 86, No. 8 (1986) 82-83.
- 179 Tameesh, A.H.A. and Hanna, M.H.: Direct gas chromatographic determination of pristane, phytane and the carbon preference index in crude oils. *J. Chromatogr.*, 363 (1986) 303-308.
- 180 Wasiak, W. and Szczepaniak, W.: Specific interactions of alkenes with chemically bonded phosphine-copper complexes. *J. Chromatogr.*, 364 (1986) 259-265.

See also 17, 18, 26, 463, 481, 485, 486.

5b. Cyclic hydrocarbons

- 181 Dobson, R.L.M., D'Silva, A.P., Weeks, S.J. and Passel, V.A.: Multidimensional, laser-based instrument for the characterization of environmental samples for polycyclic aromatic compounds. *Anal. Chem.*, 58 (1986) 2129-2137.
- 182 Eganhouse, R.P.: Long-chain alkylbenzenes: Their analytical chemistry, environmental occurrence and fate. *Int. J. Environ. Anal. Chem.*, 26 (1986) 241-263.
- 183 Eumazu, I. and Kushiya, S.: Analysis of 9,10-dihydroanthracene by capillary gas chromatography for evaluation of transferable hydrogen in heavy oils. *J. Chromatogr.*, 368 (1986) 387-390.

- 184 Simonsick, W.J., Jr. and Hites, R.A.: Characterization of high molecular weight polycyclic aromatic hydrocarbons by charge exchange chemical ionization mass spectrometry. *Anal. Chem.*, 58 (1986) 2114-2121.
- 185 Tuominen, J., Wickstöm, K. and Pyysalo, H.: Determination of polycyclic aromatic compounds by GLC-selected ion monitoring (SIM) technique. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 469-471.
- 186 West, W.R.: Analysis of genotoxic polycyclic aromatic compounds by gas and supercritical fluid chromatography. *Univ. Microfilms*, Order No. DA8601872 (1986) 194 pp.; *C.A.*, 105 (1986) 126496w.

See also 1, 26, 71, 92, 108, 120, 125, 152, 437, 477, 499.

5c. Halogen derivatives

- 187 Castello, G. and Gerbino, T.C.: Optimization of the composition of mixed-phase columns for gas chromatographic separation of C₁-C₂ halocarbons. *J. Chromatogr.*, 366 (1986) 59-68.
- 188 Glajch, J.L. and Schindel, W.G.: Column packing for on-line GC analysis of fluorocarbons in the presence of reactive gases. *LC-GC*, 4 (1986) 574-577.
- 189 Lokteva, E.S., Lunin, V.V. and Tumanova, L.M.: (Laser spectrochromatographic studies of 3,3,7,7-tetrachlorotricyclo (4,1,0,0²,4) heptane dehydrohalogenation). *Zh. Anal. Khim.*, 41 (1986) 1434-1437 - GC-laser optoacoustic spectrometry.
- 190 Ramdahl, T., Carlberg, G.E. and Kolsaker, P.: Analysis of chlorinated styrenes in environmental samples using negative ion chemical ionization mass spectrometry. *Sci. Total Environ.*, 48 (1986) 147-155; *C.A.*, 105 (1986) 107695u.

See also 61, 122, 152, 153, 154, 299, 322, 383, 435, 448, 475, 485, 498.

5d. Complex hydrocarbon mixtures

- 191 Cheng Zhongdi: (Determination of aromatic hydrocarbons in petroleum and source rock extract by gas chromatography). *Fenxi Ceshi Tongbao*, 4, No. 4 (1985) 21-25; *C.A.*, 105 (1986) 136587r.
- 192 Hazai, I., Alexander, G. and Szekely, T.: Investigation of hydrocarbon constituents of a young sub-bituminous coal by gas chromatography-mass spectrometry. *J. Chromatogr.*, 367 (1986) 117-133.
- 193 Krupcik, J., Cellar, P. and Repka, D.: (Analysis of cyclic and aromatic C₈ hydrocarbons by capillary gas chromatography III. Separation and identification in temperature-programmed analysis). *Ropa Uhlé*, 28 (1986) 485-495.
- 194 Panait, R., Savu, E., Goidea, D., Kalmutchi, G. and Popescu, R.: (Determination of cyclic aromatic hydrocarbons in *n*-paraffins). *Rom. Pat.* RO 88,170 (Cl. G01N21/33), 30 Dec. 1985, Appl. 112,534, 11 Nov. 1983; 2 pp.; *C.A.*, 105 (1986) 126567v.
- 195 Pisareva, N.A., Sizova, N.V. and Lapin, B.P.: Determination of endogenic and exogenic hydrocarbons by the combined application of liquid, thin-layer and gas chromatography. *J. Chromatogr.*, 364 (1986) 345-352.
- 196 Sazonov, M.L., Lunskii, M.Kh., Zhiltsova, L.I., Paizanskaya, I.L. and Chuvilyaeva, N.I.: Gas chromatographic determination of the composition of unfractionated natural hydrocarbon mixtures. *J. Chromatogr.*, 364 (1986) 267-298.

See also 127, 433, 442, 469.

6. ALCOHOLS

- 197 Bogusz, M., Bialka, J., Gierz, J. and Klys, M.: Rapid determination of ethylene glycol in biological material. *Z. Rechtsmed.*, 96 (1986) 23-26; *C.A.*, 105 (1986) 73804m.
- 198 Dupuy, H.P., Flick, G.J., Jr., St. Angelo, A.J. and Sumrell, G.: Analysis for trace amounts of geosmin in water and fish. *J. Am. Oil Chem. Soc.*, 63 (1986) 905-908.
- 199 Filimonov, V.N., Milyaev, Yu.F., Balyatinskaya, L.N., Anashkina, A.A. and Davydov, V.D.: (Equilibrium preconcentration and gas chromatographic determination of alcohols in industrial effluents). *Zh. Anal. Khim.*, 41 (1986) 1430-1433.

- 200 Korhonen, I.O.O.: Gas liquid chromatographic analyses. XLVIII. Benzyl, ($\pm$)-1-phenylethyl alcohols and the corresponding esters of benzoic acid and its 2-, 3- and 4-chloro, pentafluoro, 4-nitro and 3,5-dinitro derivatives on SE-30 and OV-351 capillary columns. *J. Chromatogr.*, 363 (1986) 277-292.
- 201 Lawrence, J.F., Chadha, R.K., Lau, B.P.-Y. and Weber, D.F.: Simplified routine method for the determination of diethylene glycol in wines by capillary gas chromatography with flame ionization detection. *J. Chromatogr.*, 367 (1986) 213-216.

See also 22, 125, 161, 407, 414, 424, 425, 430, 446, 445.

7. PHENOLS

- 202 Jefferson, A. and Wangchareontrakul, S.: Long-chain phenols. Urushiol, laccol, thitsiol and phenylalkyl catechol compounds in burmese lac from *Melanorrhoea usitata*. *J. Chromatogr.*, 367 (1986) 145-154.
- 203 Kayukova, G.P., D'yakonova, R.R., Mamakov, K.A. and Tavrin, A.E.: (Investigation of oxyethylated isononylphenols by the method of inverse gas chromatography). *Zh. Fiz. Khim.*, 60 (1986) 2262-2264.
- 204 Nidasio, G., Broglia, L. and Sozze, T.: (Quantitation of pentachlorophenol (PCP) in urine by gas chromatography/mass spectrometry: with a fragmentographic technique). *G. Ital. Med. Lav.*, 7 (1985) 157-161; *C.A.*, 105 (1986) 128878w.

See also 105, 447.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 205 Kurowska, A., Kalembe, D., Gora, J. and Zadernowski, R.: Qualitative and quantitative analysis of phenolic acids in marigold (*Calendula officinalis*) inflorescences. *Acta Pol. Pharm.*, 42 (1985) 473-477; *C.A.*, 105 (1986) 111303g.
- 206 Sparks, L. and Bleasdel, B.D.: A comparison of separation techniques: analysis of vanilla for coumarin contamination. *J. Chem. Educ.*, 63 (1986) 638-639.

8b. Aflatoxins and other mycotoxins

- 207 Begley, P., Foulger, B.E., Jeffery, P.D., Black, R.M. and Read, R.W.: Detection of trace levels of trichothecenes in human blood using capillary gas chromatography-electron-capture negative ion chemical ionization mass spectrometry. *J. Chromatogr.*, 367 (1986) 87-101.
- 208 Black, R.M., Clark, R.J. and Read, R.W.: Detection of trace levels of trichothecene mycotoxins in human urine by gas chromatography-mass spectrometry. *J. Chromatogr.*, 367 (1986) 103-115.
- 209 D'Agostino, P.A., Provost, L.R. and Drover, D.R.: Analysis of trichothecene mycotoxins in human blood by capillary column gas chromatography-ammonia chemical ionization mass spectrometry. *J. Chromatogr.*, 367 (1986) 77-86.
- 210 Dimitrov, M., Doncheva, I., Bonchev, N. and Dikova, T.: (Aflatoxin in foods and the necessity of precise detection methods). *Khig. Zdraveopaz.*, 29, No. 3 (1986) 39-43; *C.A.*, 105 (1986) 113777p.
- 211 Kalinoski, H.T., Udseth, H.R., Wright, B.W. and Smith, R.D.: Supercritical fluid extraction and direct fluid injection mass spectrometry for the determination of trichothecene mycotoxins in wheat samples. *Anal. Chem.*, 58 (1986) 2421-2425.
- 212 Rizzo, A.F., Saari, L. and Lindfors, E.: Derivatization of trichothecenes and water treatment of their methylsilyl ethers in an anhydrous apolar solvent. *J. Chromatogr.*, 268 (1986) 381-386.
- 213 Scott, P.M. and Kanhere, S.R.: Comparison of column phases for separation of derivatized trichothecenes by capillary gas chromatography. *J. Chromatogr.*, 368 (1986) 374-380.

8c. Other compounds with heterocyclic oxygen

- 214 Smith, R.M., O'Keefe, P.W., Hilker, D.R. and Aldous, K.M.: Determination of picogram per cubic meter concentrations of tetra- and pentachlorinated dibenzofurans and dibenzo-*p*-dioxine in indoor air by high-resolution gas chromatography/high-resolution mass spectrometry. *Anal. Chem.*, 58 (1986) 2414-2420.

See also 373.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 215 Lin, J.K., Hendrickson, L. and Ladisch, M.R.: Gas chromatographic determination of dimethyl ether in a mixture containing propane, C₄ hydrocarbons, *n*-pentane, methyl *tert*.-butyl ether and methanol. *J. Chromatogr.*, 367 (1986) 195-200.
- 216 Ollett, D.G., Attygalle, A.B. and Morgan, E.D.: Microchemical method for determining formaldehyde, lower carbonyl compounds and alkylidene and groups in the nanogram range using the Keele micro-reactor. *J. Chromatogr.*, 367 (1986) 207-212.
- 217 Vodicka, L., Triska, J. and Hlavaty, J.: Characterization of oxygen-containing adamantane derivatives by capillary gas chromatography. *J. Chromatogr.*, 366 (1986) 382-384.

See also 29, 337, 404:

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 218 Chaves das Neves, H.J. and Riscado, A.M.V.: Capillary gas chromatography of reducing disaccharides with nitrogen-selective detection and selected-ion monitoring of permethylated deoxy(methylmethoxyamino)alditol glycosides. *J. Chromatogr.*, 367 (1986) 135-143.
- 219 Gianetto, A., Berruti, F. and Kempton, A.G.: Lactose determination in dilute solutions by gas chromatography using silylation. *Biotechnol. Bioeng.*, 28 (1986) 1119-1121; *C.A.*, 105 (1986) 90532p.
- 220 Kulkarni, S.Y., Verma, R. and Pansare, V.S.: Gas and liquid chromatographic behaviour of some acetylated glucosides. *J. Chromatogr.*, 366 (1986) 243-250.
- 221 Olano, A., Calvo, M.M. and Reglero, G.: Analysis of free carbohydrates in milk using micropacked columns. *Chromatographia*, 21 (1986) 538-540.
- 222 Tarka, M.: Approaches to the validation of derivatized multicomponent analysis by GLC. *Anal. Lett.*, 19 (1986) 537-541.
- 223 Turk, J., Wolf, B.A. and McDaniel, M.L.: Quantitation of myo-inositol as its hexakis(trifluoroacetyl) derivative with negative ion chemical ionization mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 13 (1986) 237-244; *C.A.*, 105 (1986) 94024x.
- 224 Yanagisawa, K. and Kumazawa, K.: (Determination of carbon-13 contents in sugars by gas chromatography and infrared spectrometry). *Nippon Dojo Hiriyogaku Zasshi*, 57 (1986) 181-182; *C.A.*, 105 (1986) 130301w.

See also 17, 132, 405, 439.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 225 De Ruiter, J.M. and Burns, J.C.: Rapid determination of cell wall monosaccharides in flaccidgrass. *Agric. Food Chem.*, 34 (1986) 780-785.
- 226 Koizumi, K., Kubota, Y., Utamura, T. and Horiyama, S.: Analysis of heptakis(2,6-di-O-methyl)- β -cyclodextrin by thin-layer, high-performance liquid and gas chromatography and mass spectrometry. *J. Chromatogr.*, 368 (1986) 329-337.

- 227 Meier, D., Larimer, D.R. and Faix, O.: Direct liquefaction of different ligno-cellulosics and their constituents. 2. Molecular weight determination, gas chromatography, i.r. spectroscopy. *Fuel*, 65 (1986) 916-921; *C.A.*, 105 (1986) 118041d.

11. ORGANIC ACIDS AND LIPIDS

11a. Organics and simple esters

- 228 Dziwinski, E. and Hetper, J.: Gas chromatography-mass spectrometry of C₁-C₁₀ alkyl benzyl maleates. *J. Chromatogr.*, 367 (1986) 201-206.
- 229 Horna, A., Hornova, L., Komarek, K. and Churacek, J.: Temperature-programmed gas chromatographic-mass spectrometric resolution of C₂-C₅ alkyl halogenoacetates and halogenoethyl esters of C₂-C₅ carboxylic acids with the same molecular weight on SE-54 and SP-1000 glass capillary columns. *J. Chromatogr.*, 366 (1986) 91-105.
- 230 Lazarus, R.A. and Seymour, J.L.: Determination of 2-keto-L-gulonic and other ketoaldonic and aldonic acids produced by ketogenic bacterial fermentation. *Anal. Biochem.*, 157 (1986) 360-366.
- 231 MacKenzie, S.L., Tenaschuk, D. and Fortier, G.: Capillary gas chromatography of some mono-, di- and tricarboxylic acid isobutyl ester derivatives. *J. Chromatogr.*, 367 (1986) 181-186.
- 232 Molnar-Perl, I. and Pinter-Szakacz, M.: Modification in the chemical derivatization of carboxylic acids for their gas chromatographic analysis. *J. Chromatogr.*, 365 (1986) 171-182.
- 233 Zeng Linglu and Zhu Zhonghung: (Determination of traces of formic acid in the presence of other acidic medium). *Jisuanji Yu Yingyong Huaxue*, 3 (1986) 64-66; *C.A.*, 105 (1986) 126523c.

See also 83, 160, 164, 299, 382, 439.

11b. Prostaglandins

- 234 Tomori, E., Cseh, G. and Vargek, M.: Sensitive method for the determination of 6-oxo-prostaglandin F_{1α} by gas chromatography with electron-capture and mass-fragmentographic detection. *J. Chromatogr.*, 365 (1986) 161-169.

11c. Lipids and their constituents

- 235 Brunnekreeft, J.W.I. and Leijnse, B.: Determination of serum triglycerides by capillary on-column gas chromatography. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 445-449; *C.A.*, 105 (1986) 130155b.
- 236 Duisterwinkel, F.J., Wolthers, B.G., van der Slik, W. and Dankert, J.: Determination of volatile fatty acids by gas chromatography on a capillary and a megabore column. *Clin. Chim. Acta*, 156 (1986) 207-214.
- 237 Hansson, L. and Dostalek, M.: Effect of culture conditions on fatty acid composition in lipids produced by the yeast *Cryptococcus albidus* var. *albidus*. *J. Am. Oil Chem. Soc.*, 63 (1986) 1179-1184.
- 238 Hau, L.-B. and Nawar, W.W.: Radiolysis of lipids in monolayers. I. Saturated fatty acids. *J. Am. Oil Chem. Soc.*, 63 (1986) 676-679.
- 239 Kalo, P., Vaara, K. and Antila, M.: Quantitative determination of triacylglycerols separated on capillary columns according to acyl carbon number and level of unsaturation. *J. Chromatogr.*, 368 (1986) 145-151.
- 240 Katagiri, M., Shimizu, S. and Kaihara, H.: (Separation and gas chromatography of esterified and free organic acids in Miso). *Nippon Nogei Kagaku Kaishi*, 60 (1986) 385-387; *C.A.*, 105 (1986) 96108b.
- 241 Nichols, P.D., Guckert, J.B. and White, D.C.: Determination of monounsaturated fatty acid double-bond position and geometry for microbial monocultures and complex consortia by capillary GC-MS of their dimethyl disulfide adducts. *J. Microbiol. Methods*, 5 (1986) 49-55; *C.A.*, 105 (1986) 130276s.
- 242 Recseg, K. and Jeranek, M.: (Packed-column gas-chromatographic study of fatty acid isomers). *Olaj, Szappan, Kozmet.*, 35, No. 2 (1986) 45-49; *C.A.*, 105 (1986) 96145m.

- 243 Wing, D.R., Harvey, D.J., La Droitte, P., Robinson, K. and Belcher, S.: Examination of the esterified fatty acids from mouse erythrocyte and synaptosomal membrane phospholipids and their distribution between the various phospholipid types. *J. Chromatogr.*, 368 (1986) 103-111.

See also 400, 412, 428, 470, 473.

11d. Lipoproteins and their constituents

- 244 Cryer, D.R., Matsushima, T., Marsh, J.B., Yudkoff, M., Coates, P.M. and Cortner, J.A.: Direct measurement of apolipoprotein B synthesis in human very low density lipoprotein using stable isotopes and mass spectrometry. *J. Lipid Res.*, 27 (1986) 508-516; *C.A.*, 105 (1986) 111343v.
- 245 Protsyuk, R.G., Bryuzgina, T.S. and Kravchenko, E.Ya.: (Gas chromatographic analysis of the phospholipid fatty acid composition of pulmonary surfactant). *Lab. Delo*, (1986) 342-343; *C.A.*, 105 (1986) 111310g.
- 246 Tokumura, A., Yoshioka, Y., Tsukatani, H. and Handa, Y.: Gas chromatographic/mass spectrometric analyses of ether-linked lysophosphatidic acid its analogs. *Biomed. Environ. Mass Spectrom.*, 13 (1986) 175-180; *C.A.*, 105 (1986) 75346n.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 247 De Brabander, H.F. and Verbeke, R.: Quantitative determination of androstenone in pig adipose tissue. *J. Chromatogr.*, 363 (1986) 293-302.
- 248 Jung Bong Chul and Park He Yung: (Analysis of drugs. 2. Anabolic steroids). *Hwahak Kwa Kongop Ui Chinbo*, 26 (1986) 233-238; *C.A.*, 105 (1986) 108557n - a review with 27 refs.
- 249 Lindgren, K.: Gas-liquid chromatographic method for determining urinary estriol, with 6 α -hydroxyestriol as internal standard. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1397-1399.
- 250 Papadopoulos, V., Carreau, S., Szerman-Joly, E., Drosdowsky, M.A., Dehennin, L. and Scholler, R.: Rat testis 17 β -estradiol: identification by gas chromatography-mass spectrometry and age-related cellular distribution. *J. Steroid Biochem.*, 24 (1986) 1211-1216; *C.A.*, 105 (1986) 91628m.

See also 60.

13c. Sterols

- 251 Akihisa, T., Ghosh, P., Thakur, S., Rosenstein, F.U. and Matsumoto, T.: Sterol compositions of seeds and nature plants of family *Cucurbitaceae*. *J. Am. Oil Chem. Soc.*, 63 (1986) 653-658.
- 252 Bascoul, J., Domergue, N., Olle, M. and Crastes de Paulet, A.: Autoxidation of cholesterol in tallows heated under deep frying conditions: evaluation of oxysterols by GLC and TLC-FID. *Lipids*, 21 (1986) 383-387; *C.A.*, 105 (1986) 77694y.
- 253 Chauhan, P. and Saxena, V.K.: GC-MS studies of non-saponifiable principles of the seed coats of *Erythrina suberosa* Roxb. *Curr. Sci.*, 55 (1986) 614; *C.A.*, 105 (1986) 75999c.
- 254 Keiser, L.S., Yazlovetsky, I.G. and Retunsky, V.N.: (Gas-chromatographic identification of sterols in insects with the use of two-dimensional three-phase diagrammes plotted on the basis of logarithmic retention indices). *Zh. Anal. Khim.*, 41 (1986) 1678-1685.
- 255 Maerker, G. and Unruh, J., Jr.: Cholesterol oxides. I. Isolation and determination of some cholesterol oxidation products. *J. Am. Oil Chem. Soc.*, 63 (1986) 767-771.

See also 380.

13d. Bile acids and alcohols

- 256 Kadyrov, A.Kh., Tashmuradova, G.B. and Gafarova, M.A.: (Gas-liquid chromatographic determination of bile acids in bile). *Lab. Delo*, (1986) 343-345; *C.A.*, 105 (1986) 111311h.
- 257 Tsaconas, C., Padieu, P., Maume, G., Chessebeauf, M., Hussein, N. and Pitoizet, N.: Gas-chromatography-mass spectrometry of isobutyl ester trimethylsilyl ether derivatives of the acids and application to the study of bile sterol and bile acid biosynthesis in rat liver epithelial cell lines. *Anal. Biochem.*, 157 (1986) 300-315.

14. STEROID GLYCOSIDES AND SAPONINS

- 258 Kim Taek Jae, Cha Kee Surk and Kim Young Sang: (A study on capillary gas-liquid chromatographic determination of diosgenin in *Costus speciosus*). *Taehan Hwahakhoe Chi*, 30 (1986) 369-376; *C.A.*, 105 (1986) 120878a.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

See 162.

15b. Essential oils

- 259 Akimov, Y.A.: Comparative analysis of volatile organic compounds from plants by gas-liquid chromatography. *J. Chromatogr.*, 365 (1986) 155-160.
- 260 Duffield, A.M., Lidgard, R.O. and Low, G.K.C.: Analysis of the constituents of *Piper methysticum* by gas chromatography methane chemical ionization mass spectrometry. New constituents of kava resin. *Biomed. Environ. Mass Spectrom.*, 13 (1986) 305-313; *C.A.*, 105 (1986) 112020z.
- 261 El-Wakeil, F., Khairy, M., Morsi, S., Farag, R.S., Shihata, A.A. and Badel, A.Z.M.A.: Biochemical studies on the essential oils of some fruits of *Umbelliferae* family. *Seifen Ole Fette Wachse*, 112, No. 3 (1986) 77-80.
- 262 Herres, W., Schuktze, W. and Kubeczka, K.-H.: Analysis of essential oils by HRGC/FTIR: Measurement of unresolved GC peaks. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 466-468.
- 263 Huopalahti, R.: Gas chromatographic and sensory analyses in the evaluation of the aroma of dill herb, *Anethum graveolens* L. *Lebensm.-Wiss. Technol.*, 19 (1986) 27-30; *C.A.*, 105 (1986) 132458b.
- 264 Koller, W.D.: (Effect of extraction conditions in carbon dioxide high-pressure extraction on composition of the head-space gas and odor of the extracts of comminuted marjoram). *Lebensm.-Wiss. Technol.*, 19 (1986) 56-58; *C.A.*, 105 (1986) 96175w.
- 265 Morin, P., Caude, M., Richard, H. and Rosset, R.: Semipreparative separation of terpenoids from essential oils by high-performance liquid chromatography and their subsequent identification by gas chromatography-mass spectrometry. *J. Chromatogr.*, 363 (1986) 57-69.
- 266 Morrison, W.H., III, Horvat, R.J. and Burns, J.C.: GLC-MS analysis of the volatile constituents of *Panicum* sp. *J. Agric. Food Chem.*, 34 (1986) 788-791.
- 267 Parimoo, P. and Ambujam, V.: Gas chromatographic-mass spectrometric identification of volatile oil constituents of *Omphalocarpus procerus*. *Chromatographia*, 21 (1986) 513-518.
- 268 Shibuya, H., Yoshihara, M., Kitano, E., Nagasawa, M. and Kitagawa, I.: (Qualitative and quantitative analysis of essential oil constituents in various *Zedoariae rhizoma* (Gajutsu) by gas liquid chromatography-mass spectrometry). *Yakugaku Zasshi*, 106 (1986) 212-216; *C.A.*, 105 (1986) 84919d.

- 269 Voilley, A. and Bosset, J.O.: (New method for rapid determination of the volatility of flavor components in high viscosity media). *Lebensm.-Wiss. Technol.*, 19 (1986) 47-52; *C.A.*, 105 (1986) 113733w.

See also 419, 440, 450, 451.

16. NITRO AND NITROSO COMPOUNDS

- 270 Magelhaes, A.M.T. and Chalk, P.M.: Determination of the purity of methyl nitrite. *Anal. Chim. Acta*, 182 (1986) 251-255.
- 271 Nakanishi, M., Matsuura, A. and Watanabe, I.: (Determination of atmospheric peroxyacetyl nitrate by gas chromatography with a deep cryogenic collection method). *Taiki Osen Gakkaishi*, 21 (1986) 29-37; *C.A.*, 105 (1986) 138896q.
- 272 Nikalje, D.D. and Rao, N.V.R.: Gas liquid chromatographic analysis of dinitro-toluene isomers on a mixed stationary phase. *Chem. Anal. (Warsaw)*, 31 (1986) 403-407.
- 273 Ramdahl, T., Arey, J., Zielinska, B., Atkinson, R. and Winer, A.M.: Analysis of dinitrofluoranthenes by high resolution capillary gas chromatography/mass spectrometry. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 515-517.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 274 Baker, G.B., Rao, T.S. and Coutts, R.T.: Electron-capture gas chromatographic analysis of β -phenylethylamine in tissues and body fluids using pentafluorobenzenesulfonyl chloride for derivatization. *J. Chromatogr.*, 381 (1986) 211-217.
- 275 Heusler, H., Richter, E., Epping, J. and Schmidt, M.: Quantitative analysis of ethylenediamine in plasma by capillary column gas chromatography. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 548-554.
- 276 Maros, L.: Gas chromatographic determination of C₁-C₄ normal primary amines as the Schiff bases of furfural and the corresponding secondary and tertiary amines as free amines. *Acta Chim. Hung.*, 121 (1986) 339-344; *C.A.*, 105 (1986) 126529j.
- 277 Rosenberg, C. and Savolainen, H.: Determination in urine of diisocyanate-derived amines from occupational exposures by gas chromatography-mass spectrometry. *Analyst (London)*, 111 (1986) 1069-1071.
- 278 Szewczyk, H., Kusz, P. and Jerzykiewicz, W.: (Analysis of butylamines by gas chromatography). *Chem. Anal. (Warsaw)*, 31 (1986) 291-297.

See also 134, 365, 387.

17c. Amine derivatives and amides (excluding peptides)

- 279 Bailey, E., Farmer, P.B., Bird, I., Lamb, J.H. and Peal, J.A.: Monitoring exposure to acrylamide by the determination of S-(2-carboxyethyl)cystein in hydrolyzed hemoglobin by gas chromatography-mass spectrometry. *Anal. Biochem.*, 157 (1986) 241-248.

See also 379, 452, 491.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 280 Gabrys, J., Konecki, J., Krol, W., Scheller, S. and Shani, J.: Free amino acids in bee hive product (propolis) as identified and quantified by gas-liquid chromatography. *Pharmacol. Res. Commun.*, 18 (1986) 513-518; *C.A.*, 105 (1986) 127434m.

- 281 Labadarios, D., Moodie, I.M., Burger, J. and Shephard, G.S.: Gas chromatography of amino acids: Use of a fused-silica capillary column in the determination of plasma amino acids. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 555-559.
- 282 Maesato, T. and Iwata, S.: (Tryptophan metabolites in human senile cataractous lens determined by gas chromatography-mass spectrometry. *Atarashi Ganka*, 3 (1986) 238-240; *C.A.*, 105 (1986) 40464x.
- 283 Rogozkin, V.A., Krylov, A.I., Meleshchenko, L.N. and Alekseev, A.T.: (Quantitative gas-chromatographic analysis of 3-methylhistidine in biological fluids). *Ukr. Biokhim. Zh.*, 58 (1986) 130168h.
- 284 Shigaki, H. and Kajita, T.: (Separation and determination of glycine reductone, valine reductone and leucine reductone by gas liquid chromatography). *Kaseigaku Kenkyu*, 32 (1986) 287-289; *C.A.*, 105 (1986) 145437u.

See also 163, 164, 279, 432.

19. PROTEINS

19a. General techniques

See 423.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21c. Nucleic acids, DNA

- 285 Dizdaroglu, M.: Characterization of free radical-induced damage to DNA by the combined use of enzymatic hydrolysis and gas chromatography-mass spectrometry. *J. Chromatogr.*, 367 (1986) 357-366.

22. ALKALOIDS

- 286 Nash, R.J., Goldstein, W.S., Evans, S.V. and Fellows, L.E.: Gas chromatographic method for separation of nine polyhydroxy alkaloids. *J. Chromatogr.*, 366 (1986) 431-434.

See also 60, 135, 364.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23d. Pyridine derivatives

- 287 Binder, H., Krainer, W. and Lindner, W.: (Reaction-gas chromatographic determination of cetylpyridinium chloride). *Arch. Pharm. (Weinheim)*, 319 (1986) 642-646; *C.A.*, 105 (1986) 85293g.

See also 102, 373.

23e. Other N-heterocyclic compounds

- 288 Dimofte, L.: Identification and determination of N-substituted piperazines by thin-layer and gas chromatography. *J. Chromatogr.*, 364 (1986) 353-358.
- 289 Guenther, F.R., Chesler, S.N. and Parris, R.M.: Analysis of nitrogen heterocycles in shale oil by a dual capillary column heart cutting technique. *J. Chromatogr.*, 363 (1986) 199-205.

- 290 Ignatiadis, I., Kuroki, M. and Arpino, P.J.: Identification of carbazole derivatives in a hydrotreated coker gas oil by gas chromatography and gas chromatography-mass spectrometry. *J. Chromatogr.*, 366 (1986) 251-260.
- 291 Masuda, H. and Mihara, S.: Use of modified molecular connectivity indices to predict retention indices of monosubstituted alkyl, alkoxy, alkylthio, phenoxy and (phenylthio)pyrazines. *J. Chromatogr.*, 366 (1986) 373-377.

See also 130, 356, 445.

24. ORGANIC SULPHUR COMPOUNDS

- 292 Grigoryeva, D.N., Golovnya, R.V., Misharina, T.A. and Aerov, A.F.: Computer algorithm for the identification of sulphur-containing compounds in complex mixtures with the use of gas chromatographic data. *J. Chromatogr.*, 364 (1986) 63-77.
- 293 Kojima, M., Hamada, H. and Toshimitsu, N.: Simultaneous quantitative determination of allyl isothiocyanate and β -phenyl isothiocyanate by gas chromatography equipped with FPD. *Nippon Shokuhin Kogyo Gakkaishi*, 33 (1986) 155-160; *C.A.*, 105 (1986) 113713q.
- 294 Nishioka, M., Whiting, D.G., Campbell, R.M. and Lee, M.L.: Supercritical fluid fractionation and detailed characterization of the sulphur heterocycles in a catalytically cracked petroleum vacuum residue. *Anal. Chem.*, 58 (1986) 2251-2255.

See also 392, 488, 490.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 295 Du Tingfa: Gas chromatographic determination of O-ethyl S-N,N-diisopropylamino) ethyl methyl-phosphonothiolate and O,O-diisopropyl S-benzyl phosphorothiolate as corresponding phosphonofluoridate and phosphorofluoridate. *Int. J. Environ. Anal. Chem.*, 27 (1986) 151-158.

See also 476.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 296 Aygün, S., Seckin, M.A. and Ataman, O.Y.: Evaluation of standardization techniques for mercury speciation by gas-liquid chromatography. *Microchim. Acta*, (1985) III, 307-317.
- 297 Van Cleuvenbergen, R.J.A., Chakraborti, D. and Adams, F.C.: Occurrence of mono-alkyllead species during the speciation of organolead. *Anal. Chim. Acta*, 182 (1986) 239-244.
- 298 Donard, O.F.X., Randall, L., Rapsomanikis, S. and Weber, J.H.: Developments in the speciation and determination of alkylmetals (Sn,Pb) using volatilization techniques and chromatography-atomic absorption spectroscopy. *Int. J. Environ. Anal. Chem.*, 27 (1986) 55-67.
- 299 Novotorov, Yu.N., Novotorova, L.G. and Agafonov, I.L.: (Gas chromatographic determination of alkyl iodides and methyl acetates in alkylzinc compounds). *Zh. Anal. Khim.*, 41 (1986) 1685-1688.
- 300 Paudyn, A. and van Loon, J.C.: Determination of organic formes of mercury and arsenic in water and atmospheric samples by gas chromatography-atomic absorption. *Fresenius' Z. Anal. Chem.*, 325 (1986) 369-376.

28b. Boranes, silanes and related non-metallic compounds

- 301 Tsunoda, A., Matsumoto, K., Haraguchi, H. and Fuwa, K.: Application of micro-wave-induced helium plasma atomic emission spectrometry in gas chromatographic detection of dimethylselenide in biological samples. *Anal. Sci.*, 2 (1986) 99-100; *C.A.*, 105 (1986) 75360n.

28c. Coordination compounds

- 302 Magazeeva, N.V., Martynenko, L.I., Murav'eva, I.A., Sokolov, D.N. and Spitsyn, V.I.: (Study of the behaviour of rare earth dipivaloylmethanates and acetyl-acetonates by gas chromatography). *Izv. Akad. Nauk SSSR*, (1986) 1813-1817.
- 303 Marriott, P.J. and Lai, Y.H.: Isomerization processes observed for chromium compounds by using the gas chromatographic reactor. *Inorg. Chem.*, 25 (1986) 3680-3683; *C.A.*, 105 (1986) 140633v.

See also 148.

27. VITAMIN AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 304 Davidek, J. and Velisek, J.: Gas-liquid chromatography of vitamins in foods: the fat-soluble vitamins. *J. Micronutr. Anal.*, 2 (1986) 81-96; *C.A.*, 105 (1986) 113699q.
- 305 Fang Yaoren, Xu Muxia, Fang Jufen and Tan Zhiyi: (Determination of an endogenous plant hormone - indole-3-acetic acid by capillary gas chromatographic methods). *Beijing Shifan Daxue Xuebao, Ziran Kexueban*, (1986) 78-83; *C.A.*, 105 (1986) 75230v.
- 306 Ge Hailin, Zhu Minghua, Gu Guoliang and Fan Jiashu: (Determination of trace water in vitamin C by gas chromatography). *Huadong Huadong Xueyuan Xuebao*, 11 (1985) 419-422; *C.A.*, 105 (1986) 85296k.
- 307 Velisek, J., Davidek, J., Mnuikova, J. and Pistek, T.: Gas chromatographic determination of thiamin in foods. *J. Micronutr. Anal.*, 2 (1986) 73-80; *C.A.*, 105 (1986) 132231x.
- 308 West, S.D. and Rutherford, B.S.: Gas chromatographic determination of the plant growth regulator flurprimidol in soil and soil-grass samples. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 572-575.
- 309 Woollard, D.C. and Blott, A.D.: The routine determination of vitamin E acetate in milk-powder formulations using high-performance liquid chromatography. *J. Micronutr. Anal.*, 2 (1986) 97-115; *C.A.*, 105 (1986) 132232y.

See also 230, 434.

28. ANTIBIOTICS

- 310 Foulds, G., Gans, D.J., Girard, D. and Whall, T.J.: Assays of sulbactam in the presence of ampicillin. *Ther. Drug Monit.*, 8 (1986) 223-227; *C.A.*, 105 (1986) 126710m.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. Chlorinated insecticides

- 311 Ahmad, N., and Marolt, R.S.: One-step extraction and cleanup procedure for determination of *p,p'*-DDT, *p,p'*-DDD, and *p,p'*-DDE in fish. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 581-586.
- 312 Atuma, S.S. and Vaz, R.: A pilot study on levels of organochlorine compounds in human milk in Nigeria. *Int. J. Environ. Anal. Chem.*, 26 (1986) 187-192.

- 313 Chou, S.S., Ho, K.C. and Chan, H.H.: (Determination of polychlorinated biphenyls in fish and shellfish from Taipei County). *Hua Hsueh*, 44 (1986) 43-53; *C.A.*, 105 (1986) 128883u.
- 314 Kohler, P.W. and Su, S.Y.: Analysis of some organochlorine pesticides in seafood samples by solid-phase extraction - gas chromatography. *Chromatographia*, 21 (1986) 531-537.
- 315 Osselton, M.D. and Snelling, R.D.: Chromatographic identification of pesticides. *J. Chromatogr.*, 368 (1986) 265-271 - retention data of 51 pesticides.
- 316 Tomkins, D.F.: Gas chromatographic determination of butachlor in formulations: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 721-723.
- 317 Tomkins, D.F.: Gas chromatographic determination of propachlor in pesticide formulations: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 723-725.
- 318 De Voogt, P., Klammer, J.C. and Govers, H.: Simultaneous clean up and fractionation of organochlorine compounds by adsorption chromatography. *J. Chromatogr.*, 363 (1986) 407-411.

See also 367, 401, 416, 422, 494.

29b. Phosphorus insecticides

- 319 Waliszewski, S.M. and Waliszewski, K.N.: Gas-chromatographic determination of acephate, methamidophos and terbufos in tobacco. *Fresenius' Z. Anal. Chem.*, 325 (1986) 394.
- 320 Waliszewski, S.M. and Waliszewski, K.N.: Gas-chromatographic determination of triazophos (Hostathion) in garlic. *Fresenius' Z. Anal. Chem.*, 325 (1986) 393.

See also 315, 378, 416.

29c. Carbamates

See 315, 416.

29d. Herbicides

- 321 Xu, Y., Lorenz, W., Pfister, G., Bahadir, M. and Korte, F.: Residue analysis of triazine herbicides in soil: Comparison of a capillary gas chromatographic and a high-performance liquid chromatographic method. *Fresenius' Z. Anal. Chem.*, 325 (1986) 377-380.

See also 315, 403.

29e. Fungicides

- 322 Alleman, T.G., Sanders, R.A. and Madison, B.L.: Simultaneous analysis of grain and grain-based products for ethylene dibromide, carbon tetrachloride, and ethylene dichloride. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 575-580.
- 323 Scudamore, K.A. and Goodship, G.: Determination of phosphine residues in fumigated cereals and other foods. *Pestic. Sci.*, 17 (1986) 385-395; *C.A.*, 105 (1986) 132262h.

See also 315.

29f. Other types of pesticides and various agrochemicals

- 324 Klein, E., Weber, W., Hurler, E. and Mayer, L.: (Gas-chromatographic determination of isopropyl-4,4'-dibromo benzilate (bromopropylate), 4,4'-dibromobenzophenone, and various acaricides in honey and honeycomb wax). *Dtsch. Lebensm-Rundsch.*, 82 (1986) 185-188; *C.A.*, 105 (1986) 96120z.
- 325 Lynch, M.J., Burnett, D.M. and Mosher, F.R.: Determination of morantel-related residues in bovine milk by electron capture gas chromatography. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 646-651.
- 326 Napadovskaya, L.V., Fel'dman, A.L., Gusar, Z.D., Sukhova, L.S. and Doroshenko, N.D.: (Residual amounts of hydrel in treated bulb onions). *Fiziol. Biokhim. Kul't. Rast.*, 18 (1986) 395-397; *C.A.*, 105 (1986) 132269r.

- 327 Newsome, W.H., Collins, P. and Lewis, D.: Determination of residues of alachlor and its metabolite in corn, soybeans, and potatoes as heptafluorobutyl-2,6-di-ethylaniline. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 591-593.
- 328 Zhitzku, F.G., Tkach, M.T. and Sherban, E.D.: (Gas chromatographic determination of pirimor in tobacco). *Izv. Akad. Nauk Mold. SSR, Ser. Biol. Khim. Nauk*, No. 2 (1986) 73-74; *C.A.*, 105 (1986) 130882m.

See also 322, 410, 417, 457, 458,

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 329 Tokuda, H., Kimura, Y. and Takano, S.: Determination of dye intermediates in oxidative hair dyes by fused silica capillary gas chromatography. *J. Chromatogr.*, 367 (1986) 345-356.

31. PLASTICS AND THEIR INTERMEDIATES

- 330 Alexeeva, K.V. and Solomatina, L.S.: Analysis of composite materials by use of pyrolysis gas chromatography. *J. Chromatogr.*, 364 (1986) 105-112.
- 331 Alonso, M., Recasens, F. and Puigjaner, L.: Estimation of copolymer composition from online headspace analysis in batch emulsion polymerization. *Chem. Eng. Sci.*, 41 (1986) 1039-1044; *C.A.*, 105 (1986) 61210b.
- 332 Bobylev, V.A., Dalin, A.R. and Umsal', V.A.: (Chromatographic-mass spectrometric study of composition of industrial polyethylene-polyamides). *Zh. Prikl. Khim.*, 59 (1986) 1561-1565.
- 333 Dunlap, D.L. and Vaickus, M.J.: Use of wide-bore, fused-silica capillary GC columns as an alternative to packed columns in a quality control laboratory. *LC-GC*, 4 (1986) 562-567.
- 334 Hirayanagi, S., Sato, M. and Harada, T.: (Determination of polymers). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 00,758 (86 00,758) (Cl. G01N30/88), 6 Jan. 1986, Appl. 84/120,840, 14 Jun. 1984; 6 pp.; *C.A.*, 105 (1986) 116378v.
- 335 Klotz, S., Schuster, R.H. and Cantow, H.J.: Compatibility of polymers in polymers blends investigated by gas chromatography. *Makromol. Chem.*, 187 (1986) 1491-1500; *C.A.*, 105 (1986) 79717g.
- 336 Krechkovskii, E.A., Anisimova, I.G., Bryuzgina, T.S. and Kravchenko, E.Ya.: (Gas chromatographic determination of the volatile components of epoxy resin diluents). *Gig. Sanit.*, No. 5 (1986) 81; *C.A.*, 105 (1986) 98428e.
- 337 Mokeyeva, R.N., Tsarfin, Y.A. and Ernst, W.: Determination of constantly formed volatile reaction product microimpurities in polymerization systems by headspace gas chromatographic analysis. *J. Chromatogr.*, 365 (1986) 405-411.
- 338 Nikolov, R.N., Pishev, D.I. and Stefanova, A.D.: Purity control of caprolactam by head-space gas-liquid chromatography. *J. Chromatogr.*, 365 (1986) 435-441.
- 339 Radhakrishnan, T.S. and Rao, M.R.: Kinetics and mechanism of the thermal degradation of polysulfide polymer cured with ammonium dichromate. Pyrolysis-gas chromatography and thermogravimetric studies. *J. Anal. Appl. Pyrolysis*, 9 (1986) 309-322; *C.A.*, 105 (1986) 80361t.
- 340 Sanetra, R., Kolarz, B.N. and Wlochowicz, A.: The study of modified poly(styrene-co-divinylbenzene) by inverse gas-chromatographic analysis. *Angew. Makromol. Chem.*, 140 (1986) 41-50; *C.A.*, 105 (1986) 98352a.
- 341 Su, A.C. and Fried, J.R.: On the determination of polymer-polymer interaction parameter by inverse gas chromatography. *J. Polym. Sci., Part C: Polym. Lett.*, 24 (1986) 343-352; *C.A.*, 105 (1986) 79722e.
- 342 Tong, G.: (Chromatographic analysis of trace water in liquid samples with porous polymer beads). *Huaxue Shijie*, 27 (1986) 307-310; *C.A.*, 105 (1986) 126550j.
- 343 Torkos, K., Borossay, J. and Nagy, G.: Pyrolysis gas chromatography of insulating polymers used in electricity generators. *J. Chromatogr.*, 364 (1986) 113-118.

- 344 Wampler, T.P. and Levy, E.J.: Effect of slow heating rates on products of polyethylene pyrolysis. *Analyst (London)*, 111 (1986) 1065-1067.

See also 279, 449, 459, 479, 489.

32. PHARMACEUTICAL AND BIOLOGICAL APPLICATIONS

32a. Synthetic drugs

- 345 Akhmed-Zade, F.D. and Dement'eva, N.N.: (Gas chromatographic determination of platyphylline hydrotartrate). *Farmatsiya (Moscow)*, 35 (1986) 44-46; *C.A.*, 105 (1986) 120903e.
- 346 Dement'eva, N.N.: (Contribution of the adsorption at interfaces of stationary liquid phases to the retention volumes of some alkaloids, barbiturates and local anesthetics). *Farmatsiya (Moscow)*, 35 (1986) 34-38; *C.A.*, 105 (1986) 120870s.
- 347 Frith, R.G. and Phillipou, G.: Application of clomiphene photolysis to assays based on analysis of the derived phenanthrenes. *J. Chromatogr.*, 367 (1986) 260-266.
- 348 Lenchik, N.V., Rudenko, V.A. and Dzhabarov, D.N.: (Gas chromatographic analysis of nitrogen-containing pharmaceuticals using a thermoaerosol detector and non-porous sorbents). *Zh. Anal. Khim.*, 41 (1986) 1438-1443.
- 349 Pedraz, J.L., Calvo, M.B. and Dominguez-Gil, A.: (Derivatization of drugs for gas-chromatographic analysis II). *Cienc. Ind. Farm.*, 5 (1986) 164-170; *C.A.*, 105 (1986) 90577g - a review with 98 refs.
- 350 Sane, R.T., Doshi, V.J., Joshi, S.K., Shastri, V.K., Sapre, D.S., Jukar, S. and Sawant, S.V.: Gas chromatographic determination of histapyrodine hydrochloride in pharmaceutical preparations. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 612-613.
- 351 Stepien, K.B., Dworzanski, J.P., Imielski, S. and Wilczok, T.: Study of chloroquine binding to melanins by pyrolysis-gas chromatography and electron spin resonance spectroscopy. *J. Anal. Appl. Pyrolysis*, 9 (1986) 297-307; *C.A.*, 105 (1986) 107882c.
- 352 Tokuma, Y., Fujiwara, T. and Noguchi, H.: Combined capillary column gas chromatography/electron capture negative ion chemical ionization mass spectrometry of dihydropyridine calcium antagonists. *Biomed. Environ. Mass Spectrom.*, 13 (1986) 251-255; *C.A.*, 105 (1986) 71971q.

See also 135, 280.

32b. Pharmacokinetics studies

- 353 Cooper, R.G., Harper, G., Price, A.H., Evans, D.A.P. and Lockhart, D.: Simultaneous determination of perhexiline and its monohydroxy metabolites in biological fluids by gas chromatography-electron-capture detection. *J. Chromatogr.*, 381 (1986) 305-314.
- 354 Koeppe, C., Tenczer, J. and Wegemann, A.: Metabolism of chlormezanone in man. *Arzneim.-Forsch.*, 36 (1986) 1116-1118; *C.A.*, 105 (1986) 107895j.

32c. Drug monitoring

- 355 Caddy, B. and Idowu, O.R.: Gas-chromatographic determination of 1-(2-chloroethyl)-3-(trans-4-methylcyclohexyl)-1-nitroso-urea in plasma after reaction with trifluoroacetic anhydride. *Anal. Chim. Acta*, 185 (1986) 335-339.
- 356 Holisztynska, E.J. and Domino, E.F.: Quantitation of phencyclidine, its metabolites, and derivatives by gas chromatography with nitrogen-phosphorus detection: application for *in vivo* and *in vitro* biotransformation studies. *J. Anal. Toxicol.*, 10 (1986) 107-115; *C.A.*, 105 (1986) 73825u.
- 357 Inaba, T., Vinks, A. and Otton, S.V.: A simple borohydride/GC method for measuring sparteine metabolites in man. *Br. J. Clin. Pharmacol.*, 21 (1986) 473-480; *C.A.*, 105 (1986) 71977w.
- 358 Jemal, M., Ivashkiv, E., Valatin, P. and Cohen, A.I.: Determination of a thromboxane A_2 receptor antagonist in human plasma by capillary gas chromatography with electron-capture detection. *J. Chromatogr.*, 381 (1986) 424-430.

- 359 Marko, V., Wijsbeek, J. and De Zeeuw, R.A.: Determination of carbisocaine, heptacaine and pentacaine in plasma by capillary gas chromatography with nitrogen-selective detection. *J. Pharm. Biomed. Anal.*, 4 (1986) 333-340; *C.A.*, 105 (1986) 107843r.
- 360 Masumoto, K., Tashiro, Y., Matsumoto, K., Yoshida, A., Hirayama, M. and Hayashi, S.: Simultaneous determination of codeine and chlorpheniramine in human plasma by capillary column gas chromatography. *J. Chromatogr.*, 381 (1986) 323-329.
- 361 Ninci, R., Giovannini, M.G., Corte, L.D. and Sgaragli, G.: Isothermal gas chromatographic determination of nanogram amounts of chlorimipramine, chlorpromazine and their N-desmethyl metabolites in plasma using nitrogen-selective detection. *J. Chromatogr.*, 381 (1986) 315-322.
- 362 Rao, T.S., Baker, G.B. and Coutts, R.T.: Pentafluorobenzenesulfonyl chloride as a sensitive reagent for the rapid gas chromatographic analysis of tranylcypromine in tissues and body fluids. *Biochem. Pharmacol.*, 35 (1986) 1925-1928; *C.A.*, 105 (1986) 90676p.
- 363 Ribick, M., Ivashkiv, E., Jemal, M. and Cohen, A.I.: Use of an inexpensive mass-selective detector for the high-sensitivity gas chromatographic determination of nadolol in plasma. *J. Chromatogr.*, 381 (1986) 419-423.
- 364 Rudenko, B.A., Lenchik, N.V. and Djabarov, D.N.: Gas chromatographic determination of nitrogen-containing anticonvulsant drugs and opium alkaloids using a thermoaerosol detector. *J. Chromatogr.*, 364 (1986) 369-376.
- 365 Rushing, L.G., Gosnell, A.B., Holder, C.L., Korfmacher, M.A. and Slikker, M., Jr.: Separation and detection of doxylamine and its rhesus monkey urinary metabolites by high resolution gas chromatography utilizing nitrogen/phosphorus detection. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 435-440.
- 366 Suzuki, K., Johno, I. and Kitazawa, S.: (Determination of drug concentrations in the systemic circulation). *Shinkei Seishin Yakuri*, 7 (1985) 639-648; *C.A.*, 105 (1986) 90605q - a review with 40 refs.

See also 138, 197, 275, 373, 418.

32d. Toxicological applications

- 367 Angerer, J.: Expert discussion of the analysis of industrial and environmental medically relevant chlorinated hydrocarbons in biological materials and in the air. *Fresenius' Z. Anal. Chem.*, 325 (1986) 351-358.
- 368 Bogusz, M., Bialka, J., Gierz, J. and Klys, M.: Use of short, wide-bore capillary columns in gas chromatographic toxicological screening. *J. Anal. Toxicol.*, 10 (1986) 135-138; *C.A.*, 105 (1986) 110042j.
- 369 Bogusz, M. and De Zeeuw, R.A.: Discussion of "An evaluation of fused silica capillary columns for the screening of basic drugs in postmortem blood: qualitative and quantitative analysis". *J. Forensic Sci.*, 31 (1986) 800; *C.A.*, 105 (1986) 110051m.
- 370 Demedts, P., van der Verren, J. and Heyndrickx, A.: The conversion of a standard gas chromatograph to a fused silica capillary system: applications in human toxicology and tropical medicine. *J. Pharm. Biomed. Anal.*, 4 (1986) 163-170; *C.A.*, 105 (1986) 71986y.
- 371 Ferslew, K.E., Orcutt, R.H. and Hagardorn, A.N.: Spectral differentiation and gas chromatographic/mass spectrometric analysis of the lacrimators 2-chloroacetophenone and o-chlorobenzylidenemalononitrile. *J. Forensic Sci.*, 31 (1986) 658-665; *C.A.*, 105 (1986) 92565a.
- 372 Hara, K., Nagata, T. and Kimura, K.: Forensic toxicologic analysis of methamphetamine and amphetamine in body materials by gas chromatography/mass spectrometry. *Z. Rechtsmed.*, 96 (1986) 93-104; *C.A.*, 105 (1986) 110047q.
- 373 Jacob, III, P., Benowitz, N.L., Yu, L. and Shulgin, A.T.: Determination of nicotine N-oxide by gas chromatography following thermal conversion to 2-methyl-6-(3-pyridyl)tetrahydro-1,2-oxazine. *Anal. Chem.*, 58 (1986) 2218-2221.
- 374 Kogan, M.J., Razi, J.A., Pierson, D.J. and Willson, N.J.: Confirmation of Syva enzyme multiple immunoassay technique (EMIT) d.a.u. and Roche Abuscreen radioimmunoassay (RIA) (¹²⁵I)-urine-cannabinoid immunoassays by gas chromatographic/mass spectrometric (GC/MS) and bonded-phase adsorption/thin-layer chromatographic (BPA-TLC) methods. *J. Forensic Sci.*, 31 (1986) 494-500; *C.A.*, 105 (1986) 73837z.

- 375 Koves, E. and Wells, J.: Discussion of "An evaluation of fused silica capillary columns for the screening basic drugs in postmortem blood: qualitative and quantitative analysis". Reply to comments. *J. Forensic Sci.*, 31 (1986) 801; *C.A.*, 105 (1986) 110052n.
- 376 Murata, T. and Nakamura, J.: (Determination of drugs and toxicants in body fluids). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 99,865 (86 99,865) (Cl. G01N33/483), 17 May 1986, Appl. 84/220,851, 19 Oct. 1984; 7 pp.; *C.A.*, 105 (1986) 110361n.
- 377 Okamoto, I., Chikasue, F., Miyazaki, T., Yashiki, M. and Kojima, T.: (Extrelut column extraction for screening of drugs in biological materials by gas chromatography and gas chromatography-mass spectrometry. A fatal poisoning by ingestion of a drug containing acetaminophen, ethebamide and bromvalerylurea). *Nippon Hoigaku Zasshi*, 39 (1986) 386-391; *C.A.*, 105 (1986) 19955y.
- 378 Tsunoda, N.: (Simultaneous determination of organophosphorus pesticides in forensic chemistry by gas-liquid chromatography with a hydrogen-flame ionization detector). *Etsei Kagaku*, 32 (1986) 91-100; *C.A.*, 105 (1986) 110058u.

See also 184, 186, 190, 204, 277, 279, 301, 426, 461, 484.

32e. Plant extracts

- 379 Achenbach, H., Fietz, W., Woerth, J., Waieel, R. and Portecop, J.: Constituents of tropical medicinal plants. IXX. GC/MS-investigations of the constituents of piper amalga - 30 new amides of the piperine-type. *Planta Med.*, (1986) 12-18; *C.A.*, 105 (1986) 39341y.

See also 259.

32f. Clinico-chemical applications and profiling body fluids

- 380 Bernini, F., Sangiovanni, G., Pezzotta, S., Galli, G., Fumagalli, R. and Paoletti, P.: Selected ion monitoring technique for the evaluation of sterols in cerebrospinal fluid: a new approach to desmosterol test for central nervous system tumors. *J. Neuro-Oncol.*, 4 (1986) 31-35; *C.A.*, 105 (1986) 130317f.
- 381 Boniforti, L., D'Eufemia, P., Peghini, C., Belsito, F. and Giardini, O.: (Early diagnosis of organic acidurias by GC/MS identification of hydroxy and α keto-acids). *G. Ital. Chim. Clin.*, 10 (1985) 157-163; *C.A.*, 105 (1986) 94022v.
- 382 Duran, M., Bruinvis, L. and Wadman, S.K.: Quantitative gas chromatographic determination of urinary hydantoin-5-propionic acid in patients with disorders of folate/vitamin B₁₂ metabolism. *J. Chromatogr.*, 381 (1986) 401-405.
- 383 Leoni, V., Marinelli, G., Fabiani, L., Puccetti, G. and Rodolico, S.: (Determination of polychlorobiphenyls in human blood in relation to epidemiological indexes). *Farmaco, Ed. Prat.*, 41 (1986) 245-254; *C.A.*, 105 (1986) 73818u.
- 384 Ortolani, O., Conti, A., Biasiucci, M., Crescenzi, G. and Imperatore, R.: Free radical lipid peroxidation through expired ethane and pentane. An improved method. *Boll. Soc. Ital. Biol. Sper.*, 62 (1986) 383-389; *C.A.*, 105 (1986) 93856h.
- 385 Price, S., Davenport, K. and Berg, J.D.: Determination of urinary 3-methoxy-4-hydroxymandelic and 3-methoxy-4-hydroxyphenylacetic acids by fused silica capillary gas chromatography. *Ann. Clin. Biochem.*, 23 (1986) 351-353; *C.A.*, 105 (1986) 93870h.
- 386 Stabler, S.P., Marcell, P.D., Podell, E.R., Allen, R.H. and Lindenbaum, J.: Assay of methylmalonic acid in the serum of patients with cobalamin deficiency using capillary gas chromatography-mass spectrometry. *J. Clin. Invest.*, 77 (1986) 1606-1612; *C.A.*, 105 (1986) 38678b.
- 387 Trager, W.F.: Biotransformation and excretion: quantitative studies. *J. Clin. Pharmacol.*, 26 (1986) 443-447; *C.A.*, 105 (1986) 71940d - a review with 46 refs.

33. INORGANIC COMPOUNDS

33b. Anions

- 388 Xu Fuzheng: (Gas chromatographic determination of anions and its application in environmental analysis). *Huanjing Huaxue*, 5 (1986) 66-76; *C.A.*, 105 (1986) 107364k - a review with 75 refs.

33c. Permanent and rare gases

- 389 Lomovtseva, T.I., Milinskaya, I.N., Myagkov, E.A., Pogosbekyan, G.V., Romanov, N.A., Filatova, Z.I. and Usfin, V.S.: Chromatographic method for high-speed analysis of gas components. *J. Chromatogr.*, 365 (1986) 459-461.
- 390 Maeda, Y. and Munemori, M.: (Determination of oxygen in gases and liquid by gas chromatography with ECD). *Chem. Express*, 1 (1986) 467-470; *C.A.*, 105 (1986) 145227a.
- 391 Sokolov, B.K., Nemets, V.M., Soloviev, A.A., Funtov, V.N. and Sorokin, F.A.: Isotope chromatographic-spectral analysis of inorganic gases. *J. Chromatogr.*, 365 (1986) 453-457.

See also 150.

33d. Volatile inorganic compounds

- 392 Slater, P.G. and Harling-Bowen, L.: Sampling and gas chromatographic analysis of volatile sulphur compounds and gases at sub-v.p.m. levels in the presence of ozone. *Analyst (London)*, 111 (1986) 1059-1064.
- 393 Wakabayashi, M. and Maeda, Y.: (Gas analysis by chromatography). *Jpn. Kokai Tokkyo Koho Pat.* JP 61, 29,762 (86 29,762) (Cl. G01N30/46), 10 Feb. 1986, Appl. 84/151,512, 20 Jul. 1984; 4 pp.; *C.A.*, 105 (1986) 126400k.
- 394 Wan Zitzun, Yue Fupen and Xia Shugan: (Determination of impurities in sulfur hexafluoride). *Zh. Anal. Khim.*, 41 (1986) 649-652; *C.A.*, 105 (1986) 34744x.
- 395 Zhuikov, B.L., Reetz, T. and Zvara, I.: (Sublimation and thermochromatography of lower actinide and lanthanide oxides). *Radiokhimiya*, 28 (1986) 246-252; *C.A.*, 105 (1986) 31575g.

See also 6, 50, 306, 323, 397, 488, 491.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 396 Kanamaru, H., Nakatsuka, I. and Yoshitake, A.: Application of a gas chromatograph-mass spectrometer-computer system to the evaluation of carbon-14-labeled compounds. *Radioisotopes*, 34 (1985) 401-407; *C.A.*, 105 (1986) 145375x.
- 397 Novgorodov, A.F., Beyer, G.J., Selinzki, A., Kolachkovski, A., Roesch, F. and Schomaecker, K.: (A simple method for the separation of indium-111 from silver by thermochromatography). *Appl. Radiat. Isot.*, 37 (1986) 445-447; *C.A.*, 105 (1986) 86949n.

See also 224, 374, 391.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35a. Surfactants

- 398 Hodgson, P.K.G., Stewart, N.J. and Tinley, E.J.: Alkylphenylethoxyethane-sulphonates: Loss of ethoxylate in the synthesis of alkyl/alkylphenylethoxyethanesulphonates. *Tenside Detergents*, 23 (1986) 175-177.
- 399 Voelkel, A., Szymanowski, J. and Beger, J.: Polyoxyethylene derivatives of octanol, octylamine and octanthiol. *Tenside Detergents*, 23 (1986) 135-140.

35c. Food analysis

- 400 Abraham, V. and de Man, J.M.: Hydrogenation of canola oil as affected by chlorophyll. *J. Am. Oil Chem. Soc.*, 63 (1986) 1185-1188.
- 401 Andersson, A. and Ohlin, B.: A capillary gas chromatographic multiresidue method for determination of pesticides in fruits and vegetables. *Vaar Foeda*, 38 (1986) 79-109; *C.A.*, 105 (1986) 41335t.
- 402 Barford, R.A., Magidman, P., Phillips, J.G. and Fishman, M.L.: Estimation of degree of methylation of pectin by pyrolysis-gas chromatography. *Anal. Chem.*, 58 (1986) 2576-2578.
- 403 Borek, V., Rehakova, V., Babicka, L. and Hubacek, J.: (Determination of phenmedipham residues in spinach). *Agrochemia (Bratislava)*, 26 (1986) 118-121; *C.A.*, 105 (1986) 77635e.
- 404 Buckley, K.E., Fisher, L.J. and MacKay, V.: Electron capture gas chromatographic determination of traces of formaldehyde in milk as the 2,4-dinitrophenylhydrazone. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 655-657.
- 405 Chepurnoi, I.P., Kunizhev, S.M. and Katunkin, N.A.: (Gas chromatographic analysis of carbohydrates in liquid food products during glucose crystallization). *Izv. Vyssh. Uchebn. Zaved., Pishch. Tekhnol.*, No. 3 (1986) 30-32; *C.A.*, 105 (1986) 113907f.
- 406 Chernitsyna, M.A. and Braun, D.D.: (The use of gas chromatography to determine the migration of organic substances from polyolefins designed for the food industry). *Gig. Santt.*, No. 6 (1986) 54-57; *C.A.*, 105 (1986) 113738b.
- 407 Criddle, W.J., Parry, K.W. and Jones, T.P.: Determination of ethanol in alcoholic beverages using a headspace procedure and fuel cell sensor. *Analyst (London)*, 111 (1986) 507-510.
- 408 Ebara, H.: (Analysis of ball-point pen inks by pyrolysis gas chromatography. II.). *Kagaku Keisatsu Kenkyusho Hokoku, Hokagaku Hen*, 39 (1986) 17-22; *C.A.*, 105 (1986) 116634a.
- 409 Elenbaas, H.L., Muuse, B.G., Haasnoot, W., Rutjes, B., Stouten, P., Uijtten-boogaart, T.G. and Steverink, A.T.G.: Determination of incubator-reject eggs in egg products by means of the 3-hydroxybutyric acid content. I. Improved enzymic and gas chromatographic assays. *J. Agric. Food Chem.*, 34 (1986) 663-666.
- 410 Gracian Tous, J., Posklington, W.D. and Hauftenne, A.: Determination of erythrodiol in vegetable oils. Results of a collaborative study and the standardized method. *Pure Appl. Chem.*, 58 (1986) 1023-1034; *C.A.*, 105 (1986) 96122b.
- 411 Grob, K., Jr. and Läubli, T.: Determination of wax esters in olive oil by coupled HPLC-HRGC. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 593-594.
- 412 Habib, M.A., Hammam, M.A., Sakr, A.A. and Ashoush, Y.A.: Chemical evaluation of Egyptian *Citrus* seeds as potential sources of vegetable oils. *J. Am. Oil Chem. Soc.*, 63 (1986) 1192-1197.
- 413 Hasselmann, C., Grimm, P. and Saint-Lebe, L.: (Physicochemical identification methods for irradiated foods). *Med. Nutr.*, 22 (1986) 121-124; *C.A.*, 105 (1986) 113770f.
- 414 Bori, Y., Chonan, T. and Nishizawa, M.: (Rapid determination of diethylene glycol in wine by gas chromatography using alumina column clean-up). *Shokuhin Eiseigaku Zasshi*, 27 (1986) 187-189; *C.A.*, 105 (1986) 113501u.
- 415 Kihara, K.: (Capillary gas chromatographic routine pattern of volatile components in shoyu and study of quality. II. Evaluation method of shoyu quality). *Nippon Shoyu Kenkyusho Zasshi*, 12 (1986) 31-36; *C.A.*, 105 (1986) 113817b.
- 416 Kobayashi, K., Tonogai, Y. and Ito, Y.: Systematic determination method for 8 pesticides (organochlorine, organophosphorus, carbamate, etc.) in foods by gas chromatography). *Eisei Kagaku*, 31 (1985) 414-420; *C.A.*, 105 (1986) 77642e.
- 417 Ludwicki, J.K. and Goralczyk, K.: (Determination of fenarimol residues in apples by gas chromatography). *Rocz. Panstw. Zakl. Hig.*, 37 (1986) 1-7; *C.A.*, 105 (1986) 96126f.
- 418 Malisch, R.: (Multimethod for the determination of residues of chemotherapeutics, antiparasitics, and growth promoters in foods of animal origin. Part I. General procedure and determination of sulfonamides). *Z. Lebensm.-Unters. Forsch.*, 182 (1986) 385-399; *C.A.*, 105 (1986) 77636f.
- 419 Marsili, R.: Measuring volatiles and limonene-oxidation products in orange juice by capillary GC. *LC-GC*, 4 (1986) 358-362.

- 420 Mills, O.E.: A headspace sampling method for monitoring flavor volatiles of protein products. *N.Z.J. Dairy Sci. Technol.*, 21 (1986) 49-56; *C.A.*, 105 (1986) 77647k.
- 421 Molnar-Perl, I. and Pinter-Szakacs, M.: Monitoring of Maillard reactions in soy products. *Z. Lebensm.-Unters. Forsch.*, 183 (1986) 18-25; *C.A.*, 105 (1986) 132241a.
- 422 Newsome, W.H., Collins, P. and Lewis, D.: Determination of residues of alachlor and its metabolite in corn, soybeans, and potatoes as heptafluorobutyl-2,6-diethylaniline. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 591-593.
- 423 Raghavan, S.K.: Characterization and differentiation of food proteins by pyrolysis-gas chromatography/mass spectrometry. *Univ. Microfilms*, Order No. DA8604853 (1986) 254 pp.; *C.A.*, 105 (1986) 132267p.
- 424 Rapp, A., Engel, L. and Ullemeyer, H.: (Determination of mono- and diethylene glycol in wine by two dimensional gas chromatography). *Z. Lebensm.-Unters. Forsch.*, 182 (1986) 498-500; *C.A.*, 105 (1986) 95972s.
- 425 Rottshahl, H.: (Contributions to the determination of diethylene glycol in wine. I. The gas-chromatographic method). *Dtsch. Lebensm.-Rundsch.*, 82 (1986) 148-150; *C.A.*, 105 (1986) 41118z.
- 426 Santa Maria, I., Carmi, J.D. and Ober, A.G.: Residual styrene monomer in Chilean foods by headspace gas chromatography. *Bull. Environ. Contam. Toxicol.*, 37 (1986) 207-212; *C.A.*, 105 (1986) 96133f.
- 427 Shatirishvili, I.S.: Combination of chromatographic techniques for analysing the composition of Georgian alcoholic beverages. *J. Chromatogr.*, 364 (1986) 183-188.
- 428 Spangelo, A., Karijord, O., Svensen, A. and Abrahamsen, R.K.: Determination of individual free fatty acids in milk by strong anion-exchange resin and gas chromatography. *J. Dairy Sci.*, 69 (1986) 1787-1792; *C.A.*, 105 (1986) 113774k.
- 429 Stahly, E.A. and Buchanan, D.A.: Extraction, purification, and quantitation of paclobutrazol from fruit tree tissues. *HortScience*, 21 (1986) 534-535; *C.A.*, 105 (1986) 111281y.
- 430 Tatsuka, K., Suekane, S. and Kohama, M.: (Rapid gas chromatographic determination and gas chromatography-mass spectrometry detection of diethylene glycol in wine). *Nippon Shokuhin Kogyo Gakkaishi*, 33 (1986) 195-198; *C.A.*, 105 (1986) 95974u.
- 431 Teraï, H.: (Procedure of measurement of 1-aminocyclopropane-1-carboxylic acid (ACC) content and ACC synthase activity in fruits and vegetables). *Kobe Daigaku Nogakubu Kenkyu Hokoku*, 17 (1986) 19-23; *C.A.*, 105 (1986) 113757g.
- 432 Wood, A.F., Aston, J.W. and Douglas, G.K.: The determination of free amino acids in cheese by capillary column gas-liquid chromatography. *Aust. J. Dairy Technol.*, 40 (1985) 166-169; *C.A.*, 105 (1986) 96114a.

See also 125, 133, 198, 201, 211, 221, 304, 307, 309, 310, 312, 314, 320, 323, 324, 327.

35d. Various technical products

- 433 Abbott, D.J.: Automatic identification of petroleum refinery streams. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 598-599.
- 434 Agre, B.A., Beregovykh, V.V. and Taber, A.M.: (Analysis of 2-methoxypropene mixtures). *Khim.-Farm. Zh.*, 20 (1986) 882-884; *C.A.*, 105 (1986) 102717t.
- 435 Brauns, A., Garbe, W. and Grothe, M.: Bestimmung von PCBs in Ölproben. *Erdöl Kohle, Erdgas, Petrochem.*, 39 (1986) 375-376.
- 436 Breutburd, V.I. and Safronova, T.A.: (Chromatographic method for monitoring of 110-750-kV power equipment). *Energetik*, No. 5 (1986) 21-24; *C.A.*, 105 (1986) 11752z.
- 437 Budrugaec, S., Puricel, E. and Palibroda, N.: (Gas-chromatographic determination on a capillary column of alkylbenzenes in light fractions from coke plants). *Rev. Chim. (Bucharest)*, 37 (1986) 239-243; *C.A.*, 105 (1986) 81942v.
- 438 Charlesworth, J.M.: Monitoring the products and kinetics oil shale pyrolysis using simultaneous nitrogen specific and flame ionization detection. *Fuel*, 65 (1986) 979-986; *C.A.*, 105 (1986) 100126a.
- 439 Court, W.A. and Hendel, J.G.: Capillary gas chromatography of nonvolatile organic acids, fatty acids, and certain carbohydrates in flue-cured tobacco. *Tob. Int.*, 188, No. 11 (1986) 58-61; *C.A.*, 105 (1986) 76247t.

- 440 Endo, T. and Tanaka, K.: (The determination of peppermint, clove and cassia oils in the periodontic formulation Thesirol). *Kyushu Joshi Daigaku Kiyo*, 21 (1985) 93-100; *C.A.*, 105 (1986) 102309m.
- 441 Gaza, M., Blebea, M., Dan, L., Kolck, H. and Ianculov, I.: (Gas-chromatographic method for water determination in methyl ethyl ketone). *Rev. Chim. (Bucharest)*, 37 (1986) 65-67; *C.A.*, 105 (1986) 126507a.
- 442 Goswami, T.K., Mukherjee, D.K., Mitra, G.D. and Das, C.N.: Characterization of upgraded coal-hydrogenates by gas chromatography: Part I. Low boiling fraction. *Fuel Sci. Technol.*, 4 (1985) 115-120; *C.A.*, 105 (1986) 117886w.
- 443 Grizzle, P.L. and Sablotny, D.M.: Automated liquid chromatographic compound class group-type separation of crude oils and bitumens using chemically bonded aminosilane. *Anal. Chem.*, 58 (1986) 2389-2396.
- 444 Kato, T., Usami, S., Hasegawa, K., Miyake, H., Omura, Y. and Tsukashima, H.: (Structural analysis of the methylated product of coal. IV. GC-MS analysis of *n*-hexane-soluble portions). *Nenryo Kyokaishi*, 64 (1985) 374-384; *C.A.*, 105 (1986) 81921n.
- 445 Morimoto, S., Morishita, F. and Kojima, T.: Identification of some polycyclic nitrogen-containing compounds in coal-derived oil. *J. Chromatogr.*, 368 (1986) 291-298.
- 446 Nivinskiene, O. and Mockute, D.: (Determination of organic additives and their reaction products in metal electroplating baths. 7. Determination of 1,4-butanediol, 2-butene-1,4-diol, and 2-butyne-1,4-diol by gas-liquid chromatography). *Liet. TSR Mokslu Akad. Darb.*, Ser. B, No. 2 (1986) 54-60; *C.A.*, 105 (1986) 126508b.
- 447 Nolte, J., Mayer, H. and Paschold, B.: Capillar-Gas-Chromatographie von phenolischen Desinfektionsmitteln. *Fresenius' Z. Anal. Chem.*, 325 (1986) 20-23.
- 448 Nowicki, H.G.: Capillary GC/MS identification of impurities in distilled-in-glass methylene chloride (MC) and MC leached organics from the human finger tip. *J. High Resolut. Chromatogr. Commun.*, 9 (1986) 472-474.
- 449 Peltonen, K.: Gas chromatographic-mass spectrometric determination of phenols and heterocyclic nitrogen compounds in the thermal degradation products of epoxy powder paint. *J. Anal. Appl. Pyrolysis*, 10 (1986) 51-57; *C.A.*, 105 (1986) 135548s.
- 450 Rudolphi, T.A., Shchedrina, M.M., Dubrova, M.A. and Mindlin, L.O.: Gas chromatographic behaviour of fragrances on Apiezon L and 1,2,3-tris(β -cyanoethoxy)-propane. Determination of activity coefficients. *J. Chromatogr.*, 365 (1986) 429-434.
- 451 Rudolphi, T.A., Shchedrina, M.M., Mindlin, L.O. and Prilepskaja, K.K.: Determination of the saturated vapour pressure of fragrances using gas chromatography. *J. Chromatogr.*, 365 (1986) 413-415.
- 452 Sakai, M., Ikeda, K., Mori, K., Amemiya, T., Suzuki, S., Kan, T. and Watanabe, Y.: (Hygienic chemical studies on household necessities. XIV. Analytical method of alkyltrimethyl- and dialkyldimethylammonium chlorides in hair rinse and liquid softening agent for clothes by gas chromatography). *Kenkyu Nonpo-Tokyo-toritsu Eisei Kenkyusho*, No. 36 (1985) 108-114; *C.A.*, 105 (1986) 145438v.
- 453 Sakamoto, M., Masuko, F. and Nakanishi, S.: Gas-chromatographic and mass-spectrometric study of the bromination of protein fibers with N-bromosuccinimide and triphenylphosphine. *Text. Res. J.*, 56 (1986) 429-437; *C.A.*, 105 (1986) 116402y.
- 454 Sanetra, R., Wlochowicz, A. and Wysocki, M.: Studies on oxidation of precursor carbon fibers from petroleum pitch by gas chromatography. *Angew. Makromol. Chem.*, 140 (1986) 161-169; *C.A.*, 105 (1986) 99054s.
- 455 Shofstahl, J.H. and Hardy, J.K.: Determination of C₁-C₄ alcohols in gasoline using multiple ion detection. *Anal. Chem.*, 58 (1986) 2412-2414.
- 456 Sorg, M. and Krebs, B.: (Pyrolysis gas-chromatographic data for comparing the chemistry of fossil resins). *Z. Angew. Geol.*, 32, No. 3 (1986) 76-77; *C.A.*, 105 (1986) 90507j.
- 457 Tomkins, D.F.: Gas chromatographic determination of butachlor in formulations: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 721-723.
- 458 Tomkins, D.F.: Gas chromatographic determination of propachlor in pesticide formulations: collaborative study. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 723-725.
- 459 Vu Duc, T., Huynh, C.K., Bergerioux, C. and Boiteux, P.: (GC-MS determination of thermooxidation products from a new polystyrene food packing processed by thermoforming). *Mitt. Geb. Lebensmittelunters. Hyg.*, 77 (1986) 48-59; *C.A.*, 105 (1986) 80104m.

- 460 Zelvensky, V.Yu., Lavrenova, A.S., Samolyuk, S.I., Borodai, L.V. and Egorenko, G.A.: Gas chromatographic determination of organic impurities in solvents for liquid chromatography. *J. Chromatogr.*, 364 (1986) 305-314.
- 461 Zimmerman, J., Mooney, D. and Kimmett, M.J.: Preliminary examination of machine copier toners by infrared spectrophotometry and pyrolysis gas chromatography. *J. Forensic Sci.*, 31 (1986) 489-493; *C.A.*, 105 (1986) 73836y.

See also 73, 167, 179, 183, 192, 199, 294, 316, 317, 319, 330.

35e. Compounds with distinct biological activity and diverse chemical nature

- 462 Brill, J.H. and Bertsch, W.: Dynamic headspace analysis/high resolution gas chromatography as a tool in insect chemotaxonomy. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 461-462.
- 463 Brill, J.H. and Bertsch, W.: Headspace analysis of small biological samples. Cuticular hydrocarbons from different body regions of ants, as an example. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 462-464.
- 464 Readman, J.W., Mantoura, R.F.C., Llewellyn, C.A., Preston, M.R. and Reeves, A.D.: The use of pollutant and biogenic markers as source discrimination of organic inputs to Estuarine sediments. *Int. J. Environ. Anal. Chem.*, 27 (1986) 29-54.
- 465 Trubnikov, V.I., Nikulicheva, S.I., Sapozhnikov, Yu.M., Tikhomirova, L.P., Kotova, I.A., Vintina, O.G. and Yudovich, V.B.: Methods for improving the reliability and information content of chromatographic analyses of biologically active compounds. *J. Chromatogr.*, 365 (1986) 111-116.

See also 131, 177, 230.

35f. Complex mixtures and non-identified compounds

- 466 Falke, P., Tenner, R. and Knopp, H.: (Quantitative determination of condensation products of aniline and formaldehyde by different chromatographic methods). *J. Prakt. Chem.*, 328 (1986) 142-148; *C.A.*, 105 (1986) 126520z.
- 467 Keenaghan, J.B.: Complex flavor analysis with the ion trap detector. *Instrum. Res.*, 2 (1986) 60-65; *C.A.*, 105 (1986) 96106z.
- 468 Nip, M., Tegelaar, E.W., de Leeuw, J.W., Schneek, P.A. and Holloway, P.J.: A new non-saponifiable highly aliphatic and resistant biopolymer in plant cuticles. Evidence from pyrolysis and ¹³C-NMR analysis of present-day and fossil plants. *Naturwissenschaften*, 73 (1986) 579-585.
- 469 Porshnev, N.V. and Bondarev, V.B.: Analysis of the aromatic fraction in geo-thermal fluids. *J. Chromatogr.*, 365 (1986) 463-472.

36. CELLS AND CELLULAR PARTICLES

- 470 Calmet Fontane, J.: (Gas chromatography in the identification of microbes). *Tec. Lab.*, 10 (1986) 87-89; *C.A.*, 105 (1986) 75215u.
- 471 Langsadt, L. and Hrachovec, T.: (Application of gas chromatography for the estimation of bacterial contamination). *Cesk. Epidemiol., Mikrobiol., Imunol.*, 35 (1986) 124-128; *C.A.*, 105 (1986) 75202n.
- 472 Reinier, S., Seigle-Murandi, F., Steiman, R. and Luu-Duc, C.: (Pyrolysis-gas chromatography coupling applications in microorganism studies. Pyrogram reproducibility and kinetic aspects of *Aspergillus*). *Ann. Pharm. Fr.*, 44 (1986) 79-85; *C.A.*, 105 (1986) 111321m.
- 473 Wait, R., Dennis, P.J. and Hudson, M.J.: The use of gas chromatography/mass spectrometry for the identification and taxonomy of *Legionella* species. *Biochem. Soc. Trans.*, 14 (1986) 965-966; *C.A.*, 105 (1986) 111315n.

See also 468.

37. ENVIRONMENTAL ANALYSIS

37a. General papers and reviews

- 474 Schuetzle, D. and Lewtas, J.: Bioassay-directed chemical analysis in environmental research. *Anal. Chem.*, 58 (1986) 1060A-1075A - a review with 36 refs.

See also 182.

37b. Air pollution

- 475 Class, Th. and Ballschmiter, K.: Chemistry of organic traces in air. V. Determination of halogenated C₁-C₂-hydrocarbons in clean marine air and ambient continental air and rain by high resolution gas chromatography using different stationary phases. *Fresenius' Z. Anal. Chem.*, 325 (1986) 1-7.
- 476 Haraguchi, K., Yamashita, T. and Shigemori, N.: (Sampling and analysis of phosphoric acid triesters in ambient air). *Taiki Osen Gakkaishi*, 20 (1985) 407-415; *C.A.*, 105 (1986) 84345p.
- 477 Karlesky, D.L.: Methods for polynuclear aromatic hydrocarbon determination in air samples using polar-bonded phase HPLC and GC-MS with application to oil refinery samples. *Univ. Microfilms*, Order No. DA8605169 (1986) 271 pp.; *C.A.*, 105 (1986) 138899t.
- 478 Kim, Y.H.: Evaluation of a gas chromatographic method for estimating vapor pressures with organic pollutants. *Univ. Microfilms*, Order. No. DA8514944 (1985) 180 pp.; *C.A.*, 105 (1986) 119851e.
- 479 Krechkovskii, E.A., Anisimova, I.G., Bryuzgina, T.S. and Kravchenko, E.Ya.: (Gas chromatographic determination of the volatile components of epoxy resin diluents). *Gig. Sanit.*, No. 5 (1986) 81; *C.A.*, 105 (1986) 98428e.
- 480 Liberti, A. and Ciccioli, P.: High resolution chromatographic techniques for the evaluation of atmospheric pollutants. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 492-501 - a review with 35 refs.
- 481 Matuska, P., Koval, M. and Seiler, W.: A high resolution GC-analysis method for determination of C₂-C₁₀ hydrocarbons in air samples. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 577-583.
- 482 Miksche, G., Mohr, P., Trummer, I. and Wolf, A.: (Gas chromatographic analysis method in environmental analysis). *Oesterr. Che. Z.*, 87 (1986) 110-113; *C.A.*, 105 (1986) 90454q - a review with 18 refs.
- 483 Oldeweme, J. and Klockow, D.: Chromatographische Verfahren zur Bestimmung von 1,3-Propansulten (1,2-oxathiolon-2,2-dioxid) in Luft am Arbeitsplatz. *Fresenius' Z. Anal. Chem.*, 325 (1986) 57-63.
- 484 Rosenberg, C. and Savolainen, H.: Determination of occupational exposure to toluene diisocyanate by biological monitoring. *J. Chromatogr.*, 367 (1986) 385-392.
- 485 Rudolph, J., Johnen, F.J. and Khedim, A.: Problems connected with the analysis of halocarbons and hydrocarbons in the non-urban atmosphere. *Int. J. Environ. Anal. Chem.*, 27 (1986) 97-122.
- 486 Schmidbauer, N. and Oehme, M.: Improvement of a cryogenic preconcentration unit for C₂-C₅ hydrocarbons in ambient air at ppt levels. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 502-505.
- 487 Sotnikov, E.E. and Volkov, S.A.: Application of pyrolysis - gas chromatography with a multidetector to aerosol analysis. *J. Chromatogr.*, 364 (1986) 97-104.
- 488 Tangerman, A.: Determination of volatile sulphur compounds in air at the parts per trillion level by Tenax trapping and gas chromatography. *J. Chromatogr.*, 366 (1986) 205-216.

See also 1, 120, 151, 181, 214, 273, 277, 279, 489.

37c. Water pollution

- 489 Baskakova, T.I., Polyakova, T.A., Kvasha, N.M., Meglitskaya, N.Yu., Popova, N.I. and Koz'yakova, O.K.: (Chromatographic determination of caprolactam in waste-waters and air). *Khim. Volokna*, No. 3 (1986) 55-56; *C.A.*, 105 (1986) 90535s.
- 490 Berthou, F. and Vignier, V.: Analysis and fate of dibenzothiophene derivatives in the marine environment. *Int. J. Environ. Anal. Chem.*, 27 (1986) 81-96.

- 491 Butler, J.H. and Gordon, L.I.: An improved gas chromatographic method for the measurement of hydroxylamine in marine and fresh waters. *Mar. Chem.*, 19 (1986) 229-243; *C.A.*, 105 (1986) 84836z.
- 492 Jevtitch, M.M. and Bhattacharyya, D.: Biotreated coal liquefaction wastewater: identification of organics by composite or membrane concentration, HPLC, and GC/MS. *Environ. Prog.*, 5 (1986) 130-134; *C.A.*, 105 (1986) 29632e.
- 493 Kalchenko, O.I., Volovenko, V.O., Sakodynskii, K.I. and Svitelskii, V.P.: Gas chromatographic determination of organic components in effluents from mills for processing waste paper. *J. Chromatogr.*, 364 (1986) 339-344.
- 494 Mohnke, M., Rohde, K.-H., Brüggmann, L. and Franz, P.: Trace analysis of some chlorinated hydrocarbons in waters by gas-liquid chromatography. *J. Chromatogr.*, 364 (1986) 323-337.
- 495 Schultz, B. and Kjeldsen, P.: Screening of organic matter in leachates from sanitary landfills using gas chromatography combined with mass spectrometry. *Water Res.*, 20 (1986) 965-970; *C.A.*, 105 (1986) 102110q.
- 496 Senin, N.N., Filippov, Yu.S., Tolikina, N.F., Smolyaninov, G.A., Volkov, S.A. and Kukushkin, V.S.: Chromatographic determination of some trace organic impurities in natural and waste waters with preliminary adsorption trapping. *J. Chromatogr.*, 364 (1986) 315-321.
- 497 Tesar, J.: (Extraction with a gas stream - an effective technique in the analysis of traces of hydrocarbons in waters). *Vodni Hospod.*, 36 (1986) 131-135; *C.A.*, 105 (1986) 102241h.
- 498 Wang Pugen: (Determination of trace organic compounds (chloroprene, etc.) in water by direct injection of the sample in gas chromatography). *Hecheng Xiangjiao Gongye*, 9 (1986) 251-254; *C.A.*, 105 (1986) 120349d.

See also 93, 125, 152, 198, 475.

37d. Soil pollution

- 499 Bieri, R.H., Hein, C., Huggett, R.J., Shou, P., Slone, H., Smith, C. and Su C.-W.: Polycyclic aromatic hydrocarbons in surface sediments from the Elizabeth River subestuary. *Int. J. Environ. Anal. Chem.*, 26 (1986) 97-113.
- 500 Kawata, K., Ozaki, K. and Yokoyama, H.: (Gas chromatographic (ECD) determination of volatile halogenated hydrocarbons in soil and sediment). *Eisei Kagaku*, 32 (1986) 128-131; *C.A.*, 105 (1986) 126532e.

See also 141, 153, 155, 321.

Planar Chromatography

1. REVIEWS AND BOOKS

- 1 Braithwaite, A. and Smith, F.J.: *Chromatographic Methods*, 4th ed. Chapman and Hall, London, 1985, 414 p.; *C.A.*, 105 (1986) 126553n.
- 2 Kaiser, R.E. (Editor): *Planar Chromatography*, Vol. 1, Huethig Verlag, Heidelberg, 1986, 265 p.; *C.A.*, 105 (1986) 107710v.
- 3 Poole, C.F. and Schuette, S.A.: *Contemporary Practice of Chromatography*. Elsevier, Amsterdam, 1984, 708 p. - Chapter 9 on HPTLC.
- 4 Villa Diaz, J., Simal Lozeno, J. and Vila Abad, J.: (Unidimensional multiple - development chromatography). *Teo. Lab.*, 10, No. 128 (1986) 99-107; *C.A.*, 105 (1986) 126409v - a review with 18 refs.

2. FUNDAMENTALS, THEORY AND GENERAL

2b. Thermodynamics and theoretical relationships

- 5 An, D. and Xiang, B.: (Optimization in chromatographic analysis of drugs). *Nanjing Yaoxueyuan Xuebao*, 17, No. 1 (1986) 73-80; *C.A.*, 105 (1986) 102668c - a review with 19 refs.
- 6 Veksler, M.A., Rodionova, R.A., Minchenkova, O.A. and Arzamastsev, A.P.: (Experimental criterion of optimum chromatographic separation of multicomponent mixtures in thin sorbent layers). *Zh. Anal. Khim.*, 41 (1986) 987-990; *C.A.*, 105 (1986) 107484z.

2c. Relationship between structure and chromatographic behavior

- 7 Cserhati, T., Bordas, B. and Szogyi, M.: Solvent strength and selectivity of some halogenated alkanes in TLC separation of ring-substituted aniline derivatives. *J. Chromatogr. Sci.*, 24 (1986) 302-306 - retention data of 37 compounds in 28 solvent systems.
- 8 Golovnya, R.V. and Grigoryeva, D.N.: Violation of the linearity principle of additivity of sorption energy in chromatography. A universal equation describing retention behavior. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 584-589.
- 9 Waksmundzka-Hajnos, M. and Bieganska, M.: (Correlation of phenols, quinolines and azo compound retentions obtained in thin-layer and column methods in reversed-phase systems). *Chem. Anal. (Warsaw)*, 31 (1986) 105-114; *C.A.*, 105 (1986) 145408k.

See also 142.

2d. Measurement of physico-chemical and related values

- 10 Janos, E.: Possible relationship between lipophilicity and behaviour in reversed-phase thin-layer chromatography and gas-liquid chromatography. *J. Chromatogr.*, 365 (1986) 117-122 - 31 aniline derivatives were tested.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 11 Iwanaga, Y. and Ito, N.: (Spotting apparatus for thin layer chromatography). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,253,974 (85,253,974) (Cl. G01N30/91), 14 Dec. 1985, Appl. 84/112,711, 31 May 1984; 2 pp.; *C.A.*, 105 (1986) 90539w.

- 12 Jaenchen, D.E.: (Instrumental multiple development of chromatograms in HPTLC). In: *LP Spec.: Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 105-109; *C.A.*, 105 (1986) 126447f.
- 13 Kaiser, R.E. and Rieder, R.I.: (High pressure circular thin-layer chromatography: HPTLC. Part 1.). *GIT-Suppl.*, No. 3 (1986) 32-38; *C.A.*, 105 (1986) 145368x - a review.

See also 23.

3b. Detectors and detection reagents

- 14 Fodor-Csorba, K. and Dutka, F.: Selectivity and sensitivity of some thin-layer chromatographic detection systems. *J. Chromatogr.*, 365 (1986) 309-314.
- 15 Fotiou, F.K. and Morris, M.D.: Photothermal deflection densitometer with pulsed-UV laser excitation. *Appl. Spectrosc.*, 40 (1986) 700-704; *C.A.*, 105 (1986) 107658j.
- 16 Gerow, D.D. and Rutan, S.C.: Background subtraction for fluorescence detection in thin-layer chromatography with derivative spectrometry and the adaptive Kalman filter. *Anal. Chim. Acta*, 184 (1986) 53-64.
- 17 Jork, H.: (Biological-physiological detection methods in thin-layer chromatography). *GIT-Suppl.*, No. 3 (1986) 79-87; *C.A.*, 105 (1986) 139704n - a review with 71 refs.
- 18 Sarub, C., Marutoiu, C. and Hegedus, Z.: (Detection by quenching and darkening of the fluorescence of compounds separated by thin-layer chromatography. I. Use of inorganic luminophors). *Rev. Chim. (Bucharest)*, 37 (1986) 330-334; *C.A.*, 105 (1986) 145361q - a review with 40 refs.
- 19 Volynets, M.P., Berezkin, V.G. and Ilyin, N.P.: New hybrid method. Thin-layer chromatography with X-ray fluorescence microanalysis. *J. Chromatogr.*, 365 (1986) 47-50.

See also 24, 25, 111, 141.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 20 Brinkman, U.A.T.: Progress in planar chromatography II. Chemically bonded phases. *TrAC*, 5 (1986) 178-182 - a review.
- 21 Gocan, S., Marutoiu, C., Goia, C., Olenic, L. and Badescu, M.: (Cellulose powder). *Rom. Pat.* RO 88,492 (Cl. COB1/00), 28 Feb. 1986, Appl. 113,838, 06 Mar. 1984; 2 pp.; *C.A.*, 105 (1986) 135800t.
- 22 Movsumzade, M.M., Abdullabekov, I.M. and Karaev, S.F.: (Macrocyclic polyethers in extraction chromatography). *Dokl. Akad. Nauk Az. SSR*, 42, No. 3 (1986) 41-43; *C.A.*, 105 (1986) 145149b.
- 23 Szekely, T., Tyihak, E., Mincsovcics, E., Remenyi Korodi, Z., Peterfi, L., Kameny, G. and Takacs, G.: (Layers plates and/or their system for high-pressure multi-layer chromatography). *Ger. Offen. Pat.* DE 3,440,364 (Cl. GO1N30/90), 15 May 1986, Appl. 05 Nov. 1984; 21 pp.; *C.A.*, 105 (1986) 71876n.

3d. Quantitative analysis

- 24 Anonymous (S.A.B.): Detection limits. *Anal. Chem.*, 58 (1986) 986A - a review.
- 25 Morris, M.D. and Chen, T.I.: Photothermal deflection densitometer for thin layer chromatography. *U.S. Pat.* US 4,591,272 (Cl. 356-432; GO1J3/42), 27 May 1986, Appl. 565,349, 27 Dec. 1983; 9 pp.; *C.A.*, 105 (1986) 145444u.

See also 15, 18, 111.

3e. Preparative scale chromatography

See 29.

3g. High performance procedures

- 26 Korzhikova, E.B.: (High-performance thin-layer chromatography and its application in pharmacy). *Farmatsiya (Moscow)*, 35, No. 4 (1986) 74-77; *C.A.*, 105 (1986) 139703m - a review with 39 refs.

4. SPECIAL TECHNIQUES

4b. Combination of various chromatographic techniques

- 27 Shatirishvili, I.S.: Combination of chromatographic techniques for analysing the composition of Georgian alcoholic beverages. *J. Chromatogr.*, 364 (1986) 183-188.

See also 31.

4g. Separation of enantiomers

See 115, 116.

4h. Other special techniques

- 28 Dallenbach-Toelke, K., Nyiredy, S., Meier, B. and Sticher, O.: Optimization of overpressured layer chromatography of polar, naturally occurring compounds by the "prisma" model. *J. Chromatogr.*, 365 (1986) 63-72 - 10 solvents for 8 ginsenosides and 7 birch flavonoid glycosides.
- 29 Nyiredy, S., Meszaros, S.Y., Nyiredy-Mikita, K., Dallenbach-Toelke, K. and Sticher, O.: Centrifugal planar-column chromatography (CPCC): A new preparative planar technique. Part 1: Description of the method and practical aspects. *J. High Resolut. Chromatogr. Chromatogr. Commun.*, 9 (1986) 605-606.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5b. Cyclic hydrocarbons

- 30 Alekseeva, T.A., Teplitskaya, T.A. and Del'vig, I.S.: (Fluorometric determination of the content of polycyclic aromatic hydrocarbons in clinoptilolite-containing tuffs). *Izv. Akad. Nauk Gruz. SSR, Ser. Khim.*, 12 (1986) 175-179; *C.A.*, 105 (1986) 145174f.
- 31 Pisareva, N.A., Sizova, N.V. and Lapin, B.P.: Determination of endogenic and exogenic hydrocarbons by the combined application of liquid, thin-layer and gas chromatography. *J. Chromatogr.*, 364 (1986) 345-352 - 4 developments in 3 directions to obtain mono-, bi-, tri- and polynuclear arene fractions.

5d. Complex hydrocarbon mixtures

- 32 Leazar, L.L.: Quantitative analysis of petroleum residues and heavy oils by TLC/FID. *J. Chromatogr. Sci.*, 24 (1986) 340-343.

6. ALCOHOLS

- 33 Kuncicky, J., Lycka, A., Kolb, I., Horakova, B., Florian, P., Pospisilova, K. and Drahokoupilova, M.: (Identification of nitrogen-containing impurities in glycerol from natural products). *Chem. Prum.*, 36 (1986) 314-316; *C.A.*, 105 (1986) 71856f.
- 34 Trimble, E.R., Bruzzzone, R., Biden, T.J. and Farese, R.V.: Secretin induces rapid increases in inositol triphosphate, cytosolic Ca^{2+} and diacylglycerol as well as cyclic AMP in rat pancreatic acini. *Biochem. J.*, 239 (1986) 257-261.
- 35 Vijakishore, P., Vidyasagar, V. and Karanth, N.G.: Estimation of polyhydroxy alcohols in fermentation broths. 1. Qualitative analysis based on TLC on microslides. *Enzyme Microb. Technol.*, 8 (1986) 424-426; *C.A.*, 105 (1986) 77457y.
- 36 Vijakishore, P., Vidyasagar, V. and Karanth, N.G.: Estimation of polyhydroxy alcohols in fermentation broths. 2. Quantitative analysis based on TLC/FID. *Enzyme Microb. Technol.*, 8 (1986) 427-428; *C.A.*, 105 (1986) 77458z.

7. PHENOLS

- 37 Buhl, F. and Chwistek, M.: (Use of coupled redox-complexing reactions for developing dihydroxybenzenes in thin-layer chromatography). *Chem. Anal. (Warsaw)*, 30 (1985) 875-880; *C.A.*, 105 (1986) 126450b.
- 38 Jahodar, L., Leifertova, I. and Lisa, M.: Elimination of arbutin from the organism. *Folia Pharm. (Prague)*, 8 (1985) 7-17; *C.A.*, 105 (1986) 107866a.

See also 50.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 39 Heimler, D.: High-performance thin-layer chromatography of selected flavonoid aglycones on ready-for-use layers of silanized silica gel. *J. Chromatogr.*, 366 (1986) 407-411.
- 40 Xu, L. and Liu, A.: (Coulometric titration of hyperin in *Apocynum venetum* L.). *Yaowu Fenzi Zazhi*, 6, No. 2 (1986) 81-82; *C.A.*, 105 (1986) 66528w.

See also 28, 192, 194.

8b. Aflatoxins and other mycotoxins

- 41 Dimitrov, M., Doncheva, I., Bonchev, N. and Dikova, T.: (Aflatoxin in foods and the necessity of precise detection methods). *Khig. Zdraveopaz.*, 29 (1986) 39-43; *C.A.*, 105 (1986) 113777p.
- 42 Farag, R.S., El-Leithy, M.A., Basyony, A.E. and Daw, Z.Y.: Effects of varied substrates on aflatoxin production by *A. parasiticus*. *J. Am. Oil Chem. Soc.*, 63 (1986) 1024-1026.
- 43 Koch, W. and Kross, W.: (Quantitative determination of harmful aflatoxins in selected samples of cheese of food for the military). *Wehrmed. Monatsschr.*, 30 (1986) 203-206; *C.A.*, 105 (1986) 77670n.
- 44 Pennington, L.J.: Thin layer chromatography and densitometric determination of aflatoxins in mixed feeds containing citrus pulp. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 690-696.
- 45 Romer, T.R.: Use of small charcoal/alumina cleanup columns in determination of trichothecene mycotoxins in foods and feeds. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 699-703.
- 46 Scott, P.M., Lawrence, G.A. and Matula, T.I.: Analysis of toxins of *Fusarium moniliforme*. *Bioact. Mol.*, 1 (1986) 305-316; *C.A.*, 105 (1986) 113731u.

8c. Other compounds with heterocyclic oxygen

- 47 Huang, X., Wang, J., Wei, F. and Zheng, Y.: (TLCS densitometric determination of compound granule of psoralea). *Yaowu Tangbao*, 21, No. 1 (1986) 19-22; *C.A.*, 105 (1986) 66529x.
- 48 Shimada, Y., Tominaga, T. and Kiyosawa, S.: (Studies on the agalwood (*Ginko*), IV. Correlation between the grading of agalwood on the market and the chromone derivatives). *Yakugaku Zasshi*, 106 (1986) 391-397; *C.A.*, 105 (1986) 120586d.
- 49 Sparks, L. and Bleasdel, B.D.: A comparison of separation techniques: analysis of vanilla for coumarin contamination. *J. Chem. Educ.*, 63 (1986) 638-639; *C.A.*, 105 (1986) 114355m.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 50 Deistung, J. and Thorneley, R.N.F.: Electron transfer to nitrogenase. Characterization of flavodoxin from *Azotobacter chroococcum* and comparison of its redox potentials with those of flavodoxins from *Azotobacter vinelandii* and *Clebsiella pneumoniae* (nif-gene product). *Biochem. J.*, 239 (1986) 69-75.

- 51 Guyot, A. and Sadini, V.: (Tracing of partly skimmed milk powders with vanillin). *Bull. Rech. Agron. Gembloux*, 19 (1984) 227-236; *C.A.*, 105 (1986) 77668t.
- 52 Loomes, K.M. and Kitson, T.M.: Aldehyde dehydrogenase catalyses acetaldehyde formation from 4-nitrophenyl acetate and NADH. *Biochem. J.*, 238 (1986) 617-619.

See also 89, 146, 205.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 53 Baussant, T., Strecker, G., Wieruszkeski, J.-M., Montreuil, J. and Michalski, J.-C.: Catabolism of glycoprotein glycans. Characterization of a lysosomal endo-N-acetyl- β -D-glucosaminidase specific for glycans with a terminal chitobiose residue. *Eur. J. Biochem.*, 159 (1986) 381-385.
- 54 Corfield, A.P., Sander-Wewer, M., Veh, R.W., Wember, M. and Schauer, R.: The action of sialidases on substrates containing O-acetylsialic acids. *Biol. Chem. Hoppe-Seyler*, 367 (1986) 433-439.
- 55 Dorland, L., Wadman, S.K., Fabery de Jonge, H. and Ketting, D.: 1,6-Anhydro-beta-D-glucopyranose (betaglucosan), a constituent of human urine. *Clin. Chim. Acta*, 159 (1986) 11-16.
- 56 Nato, F., Goulut, C., Bourrillon, R., van Halbeek, H. and Vliegenthart, J.F.G.: The structure of the O-glycosidic oligosaccharide chains of the major Zajdela hepatoma ascites-cell-membrane glycoprotein. *Eur. J. Biochem.*, 159 (1986) 303-308.
- 57 Oda, Y. and Minami, K.: Isolation and characterization of a lectin from tulip bulbs, *Tulipa gesneriana*. *Eur. J. Biochem.*, 159 (1986) 239-245.
- 58 Thieme, R., Lay, H., Oser, A., Lehmann, J., Wrissenberg, S. and Boos, W.: 3-Azi-1-methoxybutyl D-maltooligosaccharides specifically bind to the maltose/malto-oligosaccharide-binding protein of *Escherichia coli* and can be used as photo-affinity labels. *Eur. J. Biochem.*, 160 (1986) 83-91 - R_F values for 16 compounds.

see also 27.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 59 Rauch, U., Glossl, J. and Kresse, H.: Comparison of small proteoglycans from skin fibroblasts and vascular smooth-muscle cells. *Biochem. J.*, 238 (1986) 465-474.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 60 El-Tahir, K.E.H.: Spectrophotometric quantitation of the lipooxygenase derived conjugated 1,3-diene (12-HETE) in biological systems. *Orient. J. Chem.*, 2 (1986) 141-144; *C.A.*, 105 (1986) 149097f.
- 61 Flatman, S., Hurst, J.S., McDonald-Gibson, R.G., Jonas, G.E.G. and Slater, T.F.: Biochemical studies on a 12-lipoxygenase in human uterine cervix. *Biochim. Biophys. Acta*, 883 (1986) 7-14.
- 62 Hopper, D.J.: Oxygenase properties of the (4-hydroxybenzoyl) methanol-cleavage enzyme from an *Alcaligenes* sp. *Biochem. J.*, 239 (1986) 469-472.
- 63 Huang, X., Wang, J., Wang, H. and Yang, Y.: (TLC densitometry of chlorogenic acid in instant granules of *Artemisia capillaris* for treatment of jaundice). *Zhongyao Tongbao*, 10 (1985) 462-464; *C.A.*, 105 (1986) 85246u.
- 64 Kanaji, K., Okuma, M., Sugiyama, T., Sensaki, S., Ushikubi, F. and Uchino, H.: Requirement of free arachidonic acid for leukotriene B_4 biosynthesis by 12-hydroperoxyeicosatetraenoic acid-stimulated neutrophils. *Biochem. Biophys. Res. Commun.*, 138 (1986) 589-595.

- 65 Smith, R.A.W., Middleton, B. and West, D.W.: Diurnal variation in the fraction of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in the active form in the mammary gland of the lactating rat. *Biochem. J.*, 239 (1986) 285-293.

See also 27, 83, 148.

11c. Lipids and their constituents

- 66 Bao, F., Zhang, K. and Xu, Y.: Rapid-quantitative analysis of phospholipid components of biological membranes. *Xexue Tongbao* (Foreign Lang. Ed.), 31 (1986) 493-497; *C.A.*, 105 (1986) 130151x.
- 67 Biedlingmaier, S. and Schmidt, A.: Characterization of the non-constitutive ethanesulfonate uptake in *Chlorella fusca*. *Biochim. Biophys. Acta*, 861 (1986) 95-104.
- 68 Busam, K. and Decker, K.: Ganglioside biosynthesis in rat liver. Characterization of three sialyltransferases. *Eur. J. Biochem.*, 160 (1986) 23-30.
- 69 Dethloff, L.A., Gilmore, L.B. and Hook, G.E.R.: The relationship between into- and extra-cellular surfactant phospholipids in the lungs of rabbits and the effects of silica-induced lung injury. *Biochem. J.*, 239 (1986) 59-67.
- 70 Dieter, P., Schulze-Specking, A. and Decker, K.: Differential inhibition of prostaglandin and superoxide production by dexamethasone in primary cultures of rat Kupffer cells. *Eur. J. Biochem.*, 159 (1986) 451-457.
- 71 Do, U.H. and Lo, S.-L.: Separation of phospholipids using a diethylaminoethyl-silica gel column and thin-layer chromatography. *J. Chromatogr.*, 381 (1986) 233-240.
- 72 Fabre, E., Martinez, M.A., Ruiz, J., Serrano, J.L. and Veintemilla, M.J.: A practical method to analyze the phospholipids in the amniotic fluid using HPTLC. *Rev. Esp. Fisiol.*, 42 (1986) 171-178; *C.A.*, 105 (1986) 111292c.
- 73 Figard, P.H., Hejlik, D.P., Kaduce, T.L., Stoll, L.L. and Spector, A.A.: Free fatty acid release from endothelial cells. *J. Lipid Res.*, 27 (1986) 771-780.
- 74 Fujisaki, S., Nishino, T. and Katsuki, H.: Isoprenoid synthesis in *Escherichia coli*. Separation and partial purification of four enzymes involved in the synthesis. *J. Biochem. (Tokyo)*, 99 (1986) 1327-1337.
- 75 Galanos, C., Luderitz, O., Freudenberg, M., Brade, L., Schade, U., Rietschel, E.T., Kusumoto, S. and Shiba, T.: Biological activity of synthetic heptaacyl lipid A representing a component of *Salmonella minnesota* R595 lipid A. *Eur. J. Biochem.*, 160 (1986) 55-59.
- 76 Hanqing, M., Avrova, N., Mansson, J.-E., Molin, K. and Svennerholm, L.: Gangliosides and neutral glycosphingolipids of normal tissue and oat cell carcinoma of human lung. *Biochim. Biophys. Acta*, 878 (1986) 360-370.
- 77 Kennerly, D.A.: Improved analysis of species of phospholipids using argentation thin-layer chromatography. *J. Chromatogr.*, 363 (1986) 462-467.
- 78 Marzetta, C.A. and Rudel, L.L.: A species comparison of low density lipoprotein heterogeneity in nonhuman primates fed atherogenic diets. *J. Lipid Res.*, 27 (1986) 753-762.
- 79 Matsubara, T. and Hayashi, A.: Structural studies on glycolipids of shellfish. V. Gala-6 series glycosphingolipids of the marine snail, *Chlorostoma argyrostoma turbinatum*. *J. Biochem. (Tokyo)*, 99 (1986) 1401-1408.
- 80 Meade, C.J., Turner, G.A. and Bateman, P.E.: The role of polyphosphoinositides and their breakdown products in A23187-induced release of arachidonic acid from rabbit polymorphonuclear leucocytes. *Biochem. J.*, 238 (1986) 425-436.
- 81 Mikheeva, M.N. and Brutko, L.I.: (Study of the possibility of detecting bacterial endotoxins by thin-layer chromatography). *Khim. Priir. Soedin.*, (1986) 369-370; *C.A.*, 105 (1986) 128882t.
- 82 Morii, H., Nishihara, M., Ohga, M. and Koga, Y.: A diphytanyl ether analog of phosphatidyl-serine from a methanogenic bacterium, *Methanobrevibacter arborophilus*. *J. Lipid Res.*, 27 (1986) 724-730.
- 83 Moscat, J., Moreno, F., Iglesias, S., Garcia-Barreno, P. and Municio, A.M.: Ionophore A23187 induces a refractory state in thrombin-activated release of inositol phosphates. *Biochem. J.*, 238 (1986) 709-714.
- 84 Natoli, E.J., Jr., Livingston, P.O., Pukel, C.S., Lloyd, K.O., Wiegandt, H., Szalay, J., Oettgen, H.F. and Old, L.J.: A murine monoclonal antibody detecting N-acetyl- and N-glycolyl-G_{M2}: characterization of cell surface reactivity. *Cancer Res.*, 46 (1986) 4116-4120.

- 85 Ning, D., Gong, W. and Yu, C.: (Silica gel G thin-layer chromatography of human serum lipids). *Nanjing Yixueyuan Xuebao*, 5 (1985) 329-331; *C.A.*, 105 (1986) 111312j.
- 86 Portoukalian, J. and Bouchon, B.: Hydrolysis of all gangliosides, including GM1 and GM2, on thin-layer plates by *Vibrio cholerae* neuraminidase. *J. Chromatogr.*, 380 (1986) 386-392.
- 87 Ragatz, B.H., Modrak, G. and Conn, P.S.: Comparison of two simple methods for determining lecithin/sphingomyelin (L/S) ratios in human amniotic fluid samples. *Proc. Indiana Acad. Sci.*, 94 (1984, publ. 1985) 197-201; *C.A.*, 105 (1986) 111309p.
- 88 Spitalnik, S.L., Spitalnik, P.F., Dubois, C., Mulshine, J., Magnani, J.L., Cuttitta, F., Civin, C.I., Minna, J.D. and Ginsburg, V.: Glycolipid antigen expression in human lung cancer. *Cancer Res.*, 46 (1986) 4751-4755.
- 89 Takagi, T. and Itabashi, Y.: High-performance liquid chromatographic separation of monoalkylglycerol enantiomers on a chiral stationary phase. *J. Chromatogr.*, 366 (1986) 451-455.
- 90 Valtersson, C., Filipsson, L. and Dallner, G.: Localization of phosphatidyl-ethanolamine in microsomal membranes and regulation of its distribution by the fatty acid. *J. Lipid Res.*, 27 (1986) 731-741.
- 91 Vickers, J.D. and Mustard, J.F.: The phosphoinositides exist in multiple metabolic pools in rabbit platelets. *Biochem. J.*, 238 (1986) 411-417.
- 92 Williams, R.D., Sgoutas, D.S. and Zaatari, G.S.: Enzymology of long-chain base synthesis by aorta: induction of serine palmitoyltransferase activity in rabbit aorta during atherogenesis. *J. Lipid Res.*, 27 (1986) 763-770.

See also 118, 204.

11d. Lipoproteins and their constituents

See 78, 121.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 93 Lyne, C. and Gower, D.G.: Inhibition by drugs and steroids of radiolabeled polar steroid metabolite formation *in vitro*: visualization by rapid radial thin-layer chromatography-radioautography. *Biochem. Soc. Trans.*, 14 (1986) 1031-1032; *C.A.*, 105 (1986) 127621v.
- 94 Mahato, S.B. and Banerjee, S.: Metabolism of 17-hydroxyprogesterone by a *Bacillus* species. *Biochem. J.*, 239 (1986) 473-476.

13b. Estrogens

- 95 Iwamura, J., Hosotsubo, H., Kashiwagi, Y. and Iizuka, Y.: (Urinary estriol-16 β -glucuronide assay by thin-layer chromatography (2.)). *Kinki Daigaku Nogakubu Kiyo*, No. 19 (1986) 47-51; *C.A.*, 105 (1986) 108686d.
- 96 Khatib, S. and Poole, C.F.: Modern thin-layer chromatography. Applications to the separation of estrogens. *LC Mag.*, 4 (1986) 228-248; *C.A.*, 105 (1986) 72740a - a review with 39 refs.

13c. Sterols

- 97 Bhuvaneswaran, C. and Mitropoulos, K.A.: Effect of liposomal phospholipid composition on cholesterol transfer between microsomal and liposomal vesicles. *Biochem. J.*, 238 (1986) 647-652.
- 98 Horstmann, P. and Montag, A.: Neue Methoden zur schnellen Isolierung von Sterinen aus Fettmatrices. *Fette, Seifen, Anstrichm.*, 88 (1986) 262-264.
- 99 Ilias, A.M., Lin, D.S., Connor, W.E., Ahmad, M.U. and Caldwell, R.S.: The biosynthesis, absorption and tissue distribution of dietary shellfish sterols in the crab. *Fette, Seifen, Anstrichm.*, 88 (1986) 372-375.

13d. *Bile acids and alcohols*

- 100 Huijghebaert, S.M. and Hofmann, A.F.: Influence of the amino acid moiety on deconjugation of bile acid amidates by cholyglycine hydrolase or human fecal cultures. *J. Lipid Res.*, 27 (1986) 742-752.
- 101 Iida, T., Momose, T., Shinohara, T., Goto, J., Nambara, T. and Chang, F.C.: Separation of allo bile acid stereoisomers by thin-layer and high-performance liquid chromatography. *J. Chromatogr.*, 366 (1986) 396-402 - 26 pairs (5 β -"normal" 5 α -"allo") of bile acid methyl esters were studied.
- 102 Xia, G., Zhang, W., Zhou, X., Zhang, J., Wang, S., Shao, X. and Lin, X.: (Quantitative determination of six free bile acids by direct densitometry of thin-layer chromatograms). *Beijing Yixueyuan Xuebao*, 17 (1985) 135-138; *C.A.*, 105 (1986) 130169j.

13e. *Ecdysones and other insect steroid hormones*

- 103 Lehman, M. and Koolman, J.: The influence of forskolin on the metabolism of ecdysone and 20-hydroxyecdysone in isolated fat body of the blowfly, *Calliphora vicina*. *Biol. Chem. Hoppe-Seyler*, 367 (1986) 387-393.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. *Terpenes*

- 104 Miramond, Mrs. and Giulianetti, Miss: (Analysis of perfume by adsorption chromatography). *Bull. Union Physiciens*, 80 (1986) 865-870; *C.A.*, 105 (1986) 84939k.
- 105 Muralidharan, F.N. and Muralidharan, V.B.: Characterization of phytol-phytanate conversion activity in rat liver. *Biochim. Biophys. Acta*, 883 (1986) 54-62.

15b. *Essential oils*

- 106 Patil, K.B. and Jayappa, V.: Palmorosa oil specification and analysis. *Indian Perfum.*, 30 (1986) 286-292; *C.A.*, 105 (1986) 120467r.
- 107 Sardar, P.K., Hussain, M.H., Srivastava, D., Jacob, S. and Mathew, T.V.: Thin-layer chromatographic differentiation of *Carum carvi* and *Carum bulbocastanum* by study of their volatile oils. *Res. Ind.*, 31 (1986) 70-71; *C.A.*, 105 (1986) 132274p.

15c. *Bitter substances*

- 108 Gorski, P.M., Jaworski, A., Shannon, S. and Robinson, R.W.: Rapid TLC and HPLC quantification of cucurbitacin C in cucumber cotyledons. *HortScience*, 21 (1986) 1034-1036; *C.A.*, 105 (1986) 149085a.

See also 191.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. *Amines and polyamines*

- 109 Meilhoc, E., Moutin, M.-J. and Osborne, H.B.: Catabolites produced by the deacetylation of hexamethylenebisacetamide play a key role in murine erythro-leukaemic-cell differentiation. *Biochem. J.*, 238 (1986) 701-707.

See also 7, 10, 170.

17c. *Amine derivatives and amides (excluding peptides)*

- 110 Schilcher, H. and Wilkens-Sauter, M.: Quantitative Bestimmung cyanogener Glykoside in *Linum usitatissimum* mit Hilfe der HPLC. *Fette, Seifen, Anstrichm.*, 88 (1986) 287-290.

See also 52.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. *Amino acids and their derivatives*

- 111 Belenkii, B.G., Gankina, E.S., Adamovich, T.B., Lobazov, A.Ph., Nechaev, S.V. and Solonenko, M.G.: Use of a scanning laser fluorometric detector in high-performance thin-layer chromatography. *J. Chromatogr.*, 365 (1986) 315-320.
- 112 Bhuiyan, A.K.M.J., Causey, A.G. and Barlett, K.: Studies of [^{14}C]ketoisoleucine metabolism by rat liver mitochondria: identification of labeled acyl-carnitines by reverse-phase high-performance thin-layer chromatography. *Biochem. Soc. Trans.*, 14 (1986) 1072-1073; *C.A.*, 105 (1986) 129556b.
- 113 Cserhati, T., Bordas, B. and Tyihak, E.: Thin-layer chromatography of some methylated amino acids with aqueous salt solutions used as eluents. *J. Chromatogr.*, 365 (1986) 289-296.
- 114 Delpach, M., Levy-Favatier, F., Moisan, F. and Kruh, J.: Rat liver nuclear protein kinases NI and NII. Purification, subunit composition, substrate specificity, possible levels of regulation. *Eur. J. Biochem.*, 160 (1986) 333-341.
- 115 Gunther, K., Schickedanz, M., Drauz, K. and Martens, J.: Thin-layer chromatographic enantiomeric resolution of α -alkyl amino acids. *Fresenius' Z. Anal. Chem.*, 325 (1986) 298-299.
- 116 Martens, J., Guenther, K. and Schickedanz, M.: Resolution of optical isomers by thin-layer chromatography. Enantiomeric purity of methyl dopa. *Arch. Pharm. (Weinheim)*, 319 (1986) 572-574; *C.A.*, 105 (1986) 114684t.
- 117 Metrione, R.M.: Separation of lissamine rhodamine B sulfonyl derivative of amino acids by high-performance liquid chromatography and thin-layer chromatography. *J. Chromatogr.*, 363 (1986) 337-344.
- 118 Odessey, R.: Determination of the specific activity of long-chain acylcarnitine esters. *Methods Enzymol.*, 123 (1986) 284-290; *C.A.*, 105 (1986) 111294e.
- 119 Varshney, K.G., Anwar, S. and Khan, A.A.: Thin layer chromatography of amino acids on tin(IV) arsenosilicate cation exchanger in some buffer solutions. *Anal. Lett.*, 19 (1986) 543-552.

See also 33.

18b. *Peptides and peptidic and proteinous hormones*

- 120 Crenon, I., Ladant, D., Guiso, N., Gilles, A.-M. and Barzu, O.: Characterization of a β -galactosidase hybrid protein carrying the catalytic domain of *Escherichia coli* adenylate cyclase. *Eur. J. Biochem.*, 159 (1986) 605-609.
- 121 Jabs, H.-U., Assmann, G., Greifendorf, D. and Benninghoven, A.: High performance liquid chromatography and time-of-flight secondary ion mass spectrometry: a new dimension in structural analysis of apolipoproteins. *J. Lipid Res.*, 27 (1986) 613-621.
- 122 Jackson, P., Stanley, K.K. and Luzio, J.P.: Specific fluorescent detection of disulfide-bridged peptides on thin-layer chromatograms. *Biochem. Soc. Trans.*, 14 (1986) 750-751; *C.A.*, 105 (1986) 130215w.
- 123 Jost, W., Hauck, H.E. and Herbert, H.: Separation of oligopeptides with reversed-phase TLC. In: *LP Spec. Chromatogr., Spektrosk.*, Vogel-Verlag, Wuerzburg, 1986, pp. 77-82; *C.A.*, 105 (1986) 149094c.
- 124 Lambert, S.F. and Thomas, J.O.: Lysine-containing DNA-binding regions on the surface of the histone octamer in the nucleosome core particle. *Eur. J. Biochem.*, 160 (1986) 191-201.

- 125 Schole, J., Sallmann, H.-P. and Sonnenschein, B.: Untersuchungen über das Vorkommen eines anabol wirksamen Prinzips in einem Extrakt aus *E. coli*. *Arzneim.-Forsch.*, 36 (1986) 1216-1220.

19. PROTEINS

- 19b. *Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)*

See 81.

- 19e. *Structural and muscle proteins*

See 59.

- 19l. *Other proteins*

See 53.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

- 21a. *Purines, pyrimidines, nucleic acids and their constituents*

- 126 Edhem, I., Das, I., De Belleruche, J. and Hirsch, S.R.: Simultaneous assessment of cyclic AMP and cyclic GMP turnover by muscarinic and glutamate receptor agonists in rat brain cortical slices by high-performance thin-layer chromatography. *Biochem. Soc. Trans.*, 14 (1986) 1151-1152; *C.A.*, 105 (1986) 146071g.
- 127 Itikawa, H., Fujita, H. and Wada, M.: High temperature induction of a stringent response in the *dnkK(Ts)* and *dnaj(Ts)* mutants of *Escherichia coli*. *J. Biochem. (Tokyo)*, 99 (1986) 1719-1724.
- 128 Kawajiri, K., Watanabe, J., Gotoh, O., Tagashira, Y., Sogawa, K. and Fujii-Kuriyama, Y.: Structure and drug inducibility of the human cytochrome P-450c gene. *Eur. J. Biochem.*, 159 (1986) 219-225.
- 129 Kutznel, R., Malchov, D., Meyer, D. and Kersten, H.: tRNA (adenine-N¹)-methyltransferase from *Dictyostelium discoideum*. Purification, characterization and developmental changes in activity. *Eur. J. Biochem.*, 160 (1986) 101-108.
- 130 Valdes, J.R. and Vega, E.: (A specific method for ATP determination in pharmaceutical formulations). *Rev. Cubana Farm.*, 19 (1985) 184-191; *C.A.*, 105 (1986) 85249x.

22. ALKALOIDS

- 131 Atasoy, S., Bicer, F., Alikasifoglu, B., Can, N. and Gungor, H.: (Heroin analysis for forensic purposes). *Adli Tıp. Derg.*, 1 (1985) 273-288; *C.A.*, 105 (1986) 110061q.
- 132 Bister-Miel, F., Agier, C., Bury, M., Postaire, E., Guignard, J.L. and Viel, C.: (Biotransformation of papaverine to papaveraldine by *Silene alba* cells. Effects of extraction techniques). *Plant Med. Phytother.*, 20, No. 1 (1986) 3-7; *C.A.*, 105 (1986) 111406t.
- 133 Chkhikvadze, G.V.: (Quantitative determination of vincarine, herbamine and herbamine in *Vinca herbacea*). *Khim. Prin. Soedin.*, No. 1 (1986) 119; *C.A.*, 105 (1986) 66525t.
- 134 Durif, C., Ribes, M., Kister, G. and Puech, A.: (Rapid, semiquantitative, TLC determination of pilocarpic and isopilocarpic acids in pilocarpine eye drops). *Pharm. Acta Helv.*, 61 (1986) 135-138; *C.A.*, 105 (1986) 85273a.
- 135 Furukawa, H., Sato, T., Nagai, Y. and Kagei, K.: (Separation of glycobismine A from *Glycosmis citrifolia*). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,190,780 (85,190,780) (Cl. C07D491/052), 28 Sep. 1985, Appl. 84/43,897, 09 Mar. 1984; 3 pp.; *C.A.*, 105 (1986) 85300g.

- 136 Nair, N.K., Navaratnam, V. and Rajananda, V.: Analysis of illicit heroin. I. An effective thin-layer chromatographic system for separating eight opiates and five adulterants. *J. Chromatogr.*, 366 (1986) 363-372 - 8 opiates and 5 potential adulterants were studied with 35 TLC systems and 3 reagents.
- 137 Petrishek, I.A., Gaevskii, A.V., Lovkova, M.Ya., Golovkin, A.B. and Grinkevich, N.I.: (Extraction-photometric method of atropine and scopolamine determination in *Belladonna*). *Khim.-Farm. Zh.*, 20 (1986) 710-712; *C.A.*, 105 (1986) 102688j.
- 138 Wang, S.Y., Tham, S.Y. and Poon, M.K.: Thin-layer chromatographic and column liquid chromatographic analyses of morphine in urine *via* dabsylation. *J. Chromatogr.*, 381 (1986) 331-341.

See also 165.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

- 139 Suzuki, N., Saitoh, K. and Sugiyama, Y.: Reversed-phase high-performance thin-layer chromatography of hematoporphyrin and its nickel, copper and zinc complexes. *Chromatographia*, 21 (1986) 509-512.
- 140 Wyman, J.F., Gollan, J.L., Settle, W., Farrell, G.C. and Correia, M.A.: Incorporation of haemoglobin haem into the rat hepatic haemoproteins tryptophan pyrrolase and cytochrome P-450. *Biochem. J.*, 238 (1986) 837-846.

23d. Pyridine derivatives

- 141 Konopski, L. and Jerzak, B.: 2-Trichloromethylbenzimidazole, a new selective chromogenic reagent for the detection of some azines on thin-layer plates. *J. Chromatogr.*, 363 (1986) 394-396 - 19 azines (pyridine and related compounds) were tested for colour and sensitivity.

23e. Other N-heterocyclic compounds

- 142 Bidlo-Igloy, M., Szederkenyi, F. and Tihanyi, E.: Structure-retention correlation of dihydropyrazolotriazinone derivatives in thin-layer and gas chromatography. *J. Chromatogr.*, 365 (1985) 145-153 - 17 compounds in 3 solvent systems.
- 143 Dimofte, L.: Identification and determination of N-substituted piperazines by thin-layer and gas chromatography. *J. Chromatogr.*, 364 (1986) 353-358 - 7 compounds in 12 solvent systems.
- 144 Ohta, T., Miyata, N. and Hirobe, M.: Studies on the oxidation of 5H-N-substituted dibenz[*b,f*]azepines. III. Oxidative metabolism by rat liver microsomes. *Chem. Pharm. Bull.*, 34 (1986) 2494-2500.
- 145 Wadman, S.K., De Bree, P.K., Duran, M. and Fabery de Jonge, H.: Detection of inherited adenylosuccinase deficiency by two dimensional thin-layer chromatography of urinary imidazoles. *Adv. Exp. Med. Biol.*, 195A (1986) 21-25; *C.A.*, 105 (1986) 93884r.

See also 170.

24. ORGANIC SULPHUR COMPOUNDS

- 146 Lanzotti, V., Trincone, A., Gambacorta, A., De Rosa, M. and Breitmaier, E.: ¹H and ¹³C NMR assignment of benzothiophenquinones from the sulfur-oxidizing archaeobacterium *Sulfolobus solfataricus*. *Eur. J. Biochem.*, 160 (1986) 37-40.

See also 14, 67.

25. ORGANIC PHOSPHORUS COMPOUNDS

See 14, 114.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

See 199.

26c. Coordination compounds

See 139, 154, 195.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 147 Van Nispen Tot Pannerden, E.B.L.M. and van Sorge, A.A.: (Ascorbic acid with folic acid for parenteral nutrition). *Ziekenhuisfarmacie*, 1, No. 1 (1985) 10-11; *C.A.*, 105 (1986) 139547p.

28. ANTIBIOTICS

- 148 Allgaier, H., Jung, G., Werner, R.G., Schneider, U. and Zahner, H.: Epidermin: sequencing of a heterodetic tetracyclic 21-peptide amide antibiotic. *Eur. J. Biochem.*, 160 (1986) 9-22.
- 149 Beijnen, J.H., van der Houwen, O.A.G.J., Rosing, H. and Underberg, W.J.M.: A systematic study on the chemical stability of mitomycin A and mitomycin B. *Chem. Pharm. Bull.*, 34 (1986) 2900-2913.
- 150 Deshpande, G.R., Dhekane, V.V., Kulkarni, S.B., Deo, M.D., Biswas, S.S. and Iyyengar, N.R.: Flame ionization detection-thin-layer chromatography studies on antibiotics. Part I. Beta-lactams and aminoglycosides. *Hind. Antibiot. Bull.*, 27, No. 1-4 (1985) 25-34; *C.A.*, 105 (1986) 66530r.
- 151 Eggert, J.H. and Michel, K.H.: Isolation and characterization of A41030, a complex of novel glycopeptide antibiotics. Application of the Michel-Miller high performance low pressure liquid chromatography system. *J. Antibiot.*, 39 (1986) 792-799.
- 152 Fu, Y.: (Limit test for the related substances in erythromycin). *Nanjing Yaoxueyuan Xuebao*, 17, No. 2 (1986) 140-142; *C.A.*, 105 (1986) 102685f.
- 153 Mishra, D.D., Islam, I., Singh, R.N.P. and Sharma, J.P.: Thin-layer chromatographic separation and quantitative determination of tetracyclines and their epimer derivatives. *Indian J. Pharm. Sci.*, 46 (1984) 128-130; *C.A.*, 105 (1986) 85257y.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

See 14.

29b. Phosphorus insecticides

- 154 Chakrabarti, J., Roy, B.R. and Majee, B.: Estimation of dimethoate with copper and mechanism of the reaction. *J. Ins. Chem. (India)*, 58, No. 2 (1986) 75-78; *C.A.*, 105 (1986) 90530m.

29c. Carbamates

- 155 Appaiah, K.M., Nag, U.C., Puranaik, J., Nagaraja, V. and Kapur, O.P.: A new thin-layer chromatographic method of detection of carbaryl, carbofuran and Baygon from vegetables. *Indian Food Packer*, 38 (1984) 28-31; *C.A.*, 105 (1986) 113722s.

29f. Other types of pesticides and various agrochemicals

- 156 Kavetskii, V.N. and Andrienko, G.G.: (Determination of sumilex in sunflower seed, soil and water). *Khim. Sel'sk. Khoz.*, No. 6 (1986) 71; *C.A.*, 105 (1986) 74283c.
- 157 Yano, N., Noda, M., Nishida, T., Akashi, Z., Yoshioka, T. and Miura, T.: (Physicochemical properties and stability of 3-phenoxybenzyl 2-(4-ethoxyphenyl)-2-methylpropyl ether (ethofenprox)). *Iyakuhin Kenkyu*, 17, No. 1 (1986) 36-42; *C.A.*, 104 (1986) 213098r.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 158 Allison, R.T.: Thionin: further studies and discussion. *Med. Lab. Sci.*, 43 (1986) 115-120; *C.A.*, 105 (1986) 75233y.
- 159 Kuranz, R.L.: Technique for transferring ink from a written line to a thin-layer chromatographic sheet. *J. Forensic Sci.*, 31 (1986) 655-657; *C.A.*, 105 (1986) 92564z.
- 160 Mornet, D., Ue, K., Chaussepied, P. and Morales, M.F.: Modification of the actin interface of skeletal myosin subfragment-1 by treatment with dibromobimane. *Eur. J. Biochem.*, 159 (1986) 555-561.
- 161 Talwar, S.K., Rathore, Y.K.S. and Pabrai, P.R.: High-performance thin-layer chromatography of crystal violet and methyl violet. *Indian J. Pharm. Sci.*, 46 (1984) 179-180; *C.A.*, 105 (1986) 85279g.

31. PLASTICS AND THEIR INTERMEDIATES

- 162 Scheibner, W., Socher, M. and Jaeckel, M.: (Effect of the transition layer between filler particles and polymer on the properties of filled epoxy resins). *Plaste Kautsch.*, 33 (1986) 216-218; *C.A.*, 105 (1986) 134774a.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

- 163 Reisch, J. and Topaloglu, Y.: (Photo- and radiation chemistry studies. Part 45. Is thin-layer chromatography suitable for on-plate control of light stability of drugs?) *Pharm. Acta Helv.*, 61 (1986) 142-147; *C.A.*, 105 (1986) 102421s.

See also 5, 26, 130, 188.

32a. Synthetic drugs

- 164 Agarwal, S.P.: Visualization of sulphonamide drugs on thin-layer plates using π -acceptors as spray reagents. *J. Chromatogr.*, 362 (1986) 303-307.
- 165 Al-Kaysi, H.N. and Salem, M.S.: Simultaneous quantitative determination of codeine phosphate, chlorpheniramine maleate, phenylephrine hydrochloride and acetaminophen in pharmaceutical dosage forms using thin layer chromatography densitometry. *Anal. Lett.*, 19 (1986) 915-924.
- 166 Althaus, W., Block, J., Forster, A., Kuhnhold, M., Meister, D. and Wischniewski, M.: Analytical profile of metaclozepam. *Arzneim.-Forsch.*, 36 (1986) 1302-1306.

- 167 Consuegra, S. and Divina Marin, L.: (Study of the stability of injectable cimetidine and development of a new analytical method). *Rev. Cubana Farm.*, 19 (1985) 257-267; *C.A.*, 105 (1986) 85268c.
- 168 Iordanova, I. and Lolova, D.: (Hibitane determination in cosmetics). *Khig. Zdraveopaz.*, 29, No. 2 (1986) 70-75; *C.A.*, 105 (1986) 84918c.
- 169 Kleemann, A., Luessling, T. and Schaefer, F.: (Purification of dilazep). *Ger. Offen. Pat.* DE 3,438,289 (Cl. C07D243/08), 24 Apr. 1986, Appl. 19 =ct. 1984; 10 pp.; *C.A.*, 105 (1986) 139607h.
- 170 Lynch, M.J., Burnett, D.M., Mosher, F.R., Dimmock, M.E. and Bartolucci, S.R.: Determination of morantel-related residues in bovine milk by electron capture gas chromatography. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 646-651.
- 171 Neidert, E., Baraniak, Z. and Sauve, A.: Rapid quantitative thin layer chromatographic screening procedure for sulfathiazole residues in honey. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 641-643.
- 172 Ohsaki, T., Matsubara, K., Kuriki, T., Asano, T. and Suzuki, N.: (Photo-degradation products of piretanide in water). *Iyakuin Kenkyu*, 17 (1986) 604-608; *C.A.*, 105 (1986) 120621m.
- 173 Otsuka, K., Sugitani, A. and Yamada, F.: (Determination of nifurpirinol in fishes by thin layer chromatography and fluorodensitometry). *Shokuhin Eiseigaku Zasshi*, 27 (1986) 183-186; *C.A.*, 105 (1986) 110031e.
- 174 Ozaki, M., Ishikawa, M., Uchida, J., Kashiwaba, N., Watanabe, D. and Mizutani, H.: (Chemical structure and physicochemical properties of alminoprofen). *Iyakuin Kenkyu*, 17 (1986) 281-288; *C.A.*, 105 (1986) 85031v.
- 175 Renteria, M.E., Soberon, E. and Garzon, A.: (Statistical comparison of two analytical methods for the separation of ICQ in a topical polydrug). *Rev. Mex. Cienc. Farm.*, 17, No. 1 (1986) 26-32; *C.A.*, 105 (1986) 139732v.
- 176 Sarbu, C., Marutoiu, C. and Vlassa, M.: Direct fluorescence detection of non-steroidal anti-inflammatory agents separated by TLC with 9-isothiocyanatoacridine derivatives. *Chromatographia*, 21 (1986) 599-600.
- 177 Takacs, M., Kertesz, P. and Reisch, J.: (Relationship between molecular structure and on-plate oxidation susceptibility of 3,5-pyrazolidinedione drugs). *Pharm. Acta Helv.*, 61 (1986) 148-149; *C.A.*, 105 (1986) 66359s.
- 178 Yamada, K., Kitahara, M. and Saitoh, K.: (Physicochemical properties and stability of mitotane). *Iyakuin Kenkyu*, 17 (1986) 534-544; *C.A.*, 105 (1986) 120620k.
- 179 Zanolio, G., Gianchetti, M.C., Canali, S., Bernareggi, A., Tarzia, G. and Assandri, A.: Disposition of premarizepam, an anti-anxiety pyrrolodiazepine, in the cynomolgus monkey. *Eur. J. Drug Metab.*, 11 (1986) 151-157.

See also 116, 125, 134, 158, 202.

32b. Pharmacokinetics studies

- 180 Caputo, O., Viola, F., Grosa, G., Rocco, F. and Biglino, G.: "In vitro" metabolism of N-picolyl-3,5-dimethylbenzamides. *Eur. J. Drug Metab.*, 11 (1986) 91-99.
- 181 Chiang, C.-H. and Schoenwald, R.D.: Ocular pharmacokinetic models of clonidine-³H hydrochloride. *J. Pharmacokin. Biopharm.*, 14 (1986) 175-211.
- 182 Martone, G. and Casa, E.D.: (Densitometric determination of diazepam and its metabolites). *Rass. Med. Sper.*, 32 (1985) 223-230; *C.A.*, 105 (1986) 73822r.
- 183 Pang, K.S., Terrell, J.A., Nelson, S.D., Feuer, K.F., Clements, M.-J. and Endrenyi, L.: An enzyme-distributed system for lidocaine metabolism in the perfused rat liver preparation. *J. Pharmacokin. Biopharm.*, 14 (1986) 107-130.
- 184 Sugiyama, M., Ando, T., Okuyama, Y., Sugimoto, T. and Choukai, S.: Metabolism of 2,4-diamino-6-(2,5-dichlorophenyl)-s-triazine maleate in rats, guinea pigs, dogs and monkeys. *Arzneim.-Forsch.*, 36 (1986) 1229-1236.

See also 38.

32c. Drug monitoring

- 185 Betschart, B. and Steiger, S.: Quantitative determination of chloroquine and desethylchloroquine in biological fluids by high performance thin layer chromatography. *Acta Trop.*, 43 (1986) 125-130; *C.A.*, 105 (1986) 107842q.

- 186 Piotrovsky, L.B., Alexandrova, I.Ya., Soltes, L., Stefek, M. and Trnovec, T.: Formation of didesmethyllethimizol (4,5-dicarbamoyl-1-ethylimidazole) in man. *Eur. J. Drug Metab.*, 11 (1986) 87-89.

32d. Toxicological applications

- 187 Giebelmann, R.: (Ion-pair-thin-layer chromatography of quaternary ammonium ions. Part 15. Calculation of R_F -values of quaternary ammonium ions from substituents). *Krim. Forensische Wiss.*, (1985) 59-60 and 90-92; *C.A.*, 105 (1986) 73828x.
- 188 Lauermaun, I. and Mueller, R.K.: (Systematization and optimization of chromatographic detection in general toxicological-chemical analysis. Part II. Universal reagent for detection of drugs in general toxicological-chemical analysis). *Wiss. Z.-Martin-Luther-Univ. Halle-Wittenberg, Math.-Naturwiss. Reihe*, 35 (1986) 129-136; *C.A.*, 105 (1986) 110045n - 360 drugs tested.

See also 131, 136, 138.

32e. Plant extracts

- 189 Chou, L., Chen, Z., Liang, Y., Che, D. and Chen, S.: (Determination of aristolochic acid in *Radix stephaniae tetradrae* (*Aristolochia fangchi*)). *Zhongyao Tongbao*, 11 (1986) 363-365; *C.A.*, 105 (1986) 139714r.
- 190 Gu, L., Zhang, B. and Zhu, X.: (Preliminary analysis of chemical constituents of *Mingmoxiaoyao* Tang). *Zhongyao Tongbao*, 11 (1986) 230-232; *C.A.*, 105 (1986) 102679g.
- 191 Hansel, R. and Schulz, J.: Hopfenzapfen (*Lupuli strobulus*). Dünnschichtchromatographische Prüfung auf Identität. *Dtsch. Apoth.-Ztg.*, 126 (1986) 2347-2348.
- 192 Khrenova, D.Kh., Dargaeva, T.D., Nikolaev, S.M., Fedotovskikh, N.N. and Brutko, L.I.: (Qualitative phytochemical study of antiulcer drugs from plants). *Farmatsiya (Moscow)*, 35, No. 3 (1986) 46-48; *C.A.*, 105 (1986) 102403n.
- 193 Shostenko, Yu.V., Chernysh, L.Ya., Danelyants, V.A., Kulikova, I.A. and Kovalev, I.P.: (Chromatospectrophotometric determination of capsaicinoids in *Capsicum annuum* L. fruits). *Farmatsiya (Moscow)*, 35, No. 4 (1986) 41-44; *C.A.*, 105 (1986) 120884z.
- 194 Zhang, X. and Xu, L.: (Pulse polarographic determination of hyperoxide from *Apocynum venetum* L.). *Yaoxue Xuebao*, 21 (1986) 366-369; *C.A.*, 105 (1986) 85255w.

See also 28, 40.

32f. Clinico-chemical applications and profiling body fluids

See 53, 55, 85, 87, 102, 139, 145.

33. INORGANIC COMPOUNDS

33a. Cations

- 195 Basova, E.M., Bol'shova, T.A. and Ivnaov, V.M.: (Separation of 1-(2-pyridylazo)-2-naphtholates of platinum-group metals by thin-layer chromatography). *Zh. Anal. Khim.*, 41 (1986) 991-996; *C.A.*, 105 (1986) 126159p.
- 196 Chalisova, N.N., Fomina, T.A., Volynets, M.P., Dubrova, T.V., Shubochkin, L.K. and Ermakov, A.N.: (Thin-layer chromatography of the noble elements. Communication 13. Study of the behavior of complex ruthenium sulfates in sulfuric acid solutions). *Zh. Anal. Khim.*, 41 (1986) 467-472; *C.A.*, 105 (1986) 126142c.
- 197 Lin, M., Zong, W., Jia, X., Hu, Z. and Zheng, J.: (Separation of light rare earth elements in monazite with thin-layer chromatography - using P₂₀₄/dioxane/ethylacetate/nitric acid as developer). *Huaxue Shijie*, 27 (1986) 261-264; *C.A.*, 105 (1986) 126153g.
- 198 Maslowska, J. and Kotynska, E.: (Separation of a mixture of cations of the beryllium group by rotational chromatography). *Chem. Anal. (Warsaw)*, 31 (1986) 91-98; *C.A.*, 105 (1986) 126152f.

- 199 Myasoedova, G.V., Volynets, M.P., Akimova, T.G., Bol'shakova, L.I., Dubrova, T.V., Savvin, S.B. and Ermakov, A.N.: (Separation and determination of copper, cobalt, nickel, zinc, chromium, iron, and vanadium by thin-layer chromatography on a cellulose sorbent containing azopyrocatechol groups). *Zh. Anal. Khim.*, 41 (1986) 662-665; *C.A.*, 105 (1986) 71686a.

See also 19, 22.

33b. Anions

- 200 Brandova, D. and Trojan, M.: (Chromatographic analysis for condensed phosphates of bivalent metals). *Chem. Listy*, 80 (1986) 499-505; *C.A.*, 105 (1986) 71581n - a review with 40 refs.
- 201 Wyncke, W.: (Detection of polyphosphates in fish products with thin-layer chromatography). *Rev. Agric. (Brussels)*, 39 (1986) 177-183; *C.A.*, 105 (1986) 132228b.

See also 19.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 202 Hammermaier, A., Reich, E. and Boegl, W.: Radiochemical purity and *in vitro* stability of commercial hippurans. *J. Nucl. Med.*, 27 (1986) 850-854; *C.A.*, 105 (1986) 85162p.
- 203 Kanamaru, H., Nakatsuka, I. and Yoshitake, A.: Application of a gas chromatograph-mass spectrometer-computer system to the evaluation of carbon-14-labeled compounds. *Radioisotopes*, 34 (1985) 401-407; *C.A.*, 105 (1986) 145375x.
- 204 Shulman, S.D. and Kobayashi, Y.: Imaging scanners for the analysis of radio-labeled TLC and other biological samples. In: R.R. Mucino (Editor), *Synth. Appl. Isot. Labeled Compd. Proc. Int. Symp. 2nd*, Elsevier, Amsterdam, 1985 (Publ. 1986) pp. 459-464; *C.A.*, 105 (1986) 93787m.

See also 77.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35b. Antioxidants and preservatives

- 205 Fukuda, Y., Nagata, M., Osawa, T. and Namiki, M.: Contribution of lignan analogues to antioxidative activity of refined unroasted sesame seed oil. *J. Am. Oil Chem. Soc.*, 63 (1986) 1027-1031.

35c. Food analysis

- 206 Nursten, H.E. and O'Reilly, R.: The complexity of the Maillard reaction as shown by a xylose-glycine model system. *Dev. Food Sci.*, 13 (1986) 17-28; *C.A.*, 105 (1986) 132237d.

See also 51, 173, 201.

35d. Various technical products

- 207 Croall, N.: The determination of iron soaps, mineral oil and esters in process oils and on steel sheet surfaces. *Proc. Chem. Conf.*, 38th (1985) 85-90; *C.A.*, 105 (1986) 145439w.

35f. Complex mixtures and non-identified compounds

- 208 Dikshitulu, Y.S., Prasad, L., Pal, J.N. and Rao, C.V.N.: Aging studies on fingerprint residues using thin-layer and high-performance liquid chromatography. *Forensic. Sci. Int.*, 31 (1986) 261-266; *C.A.*, 105 (1986) 110050k.

37. ENVIRONMENTAL ANALYSIS

37c. Water pollution

See 172, 199.

Electrophoresis

1. REVIEWS AND BOOKS

- 1 Borek, J.: Electrophoresis. In: Kroschwitz, J.I. (Editor), *Encycl. Polym. Sci. Eng.*, Vol. 5, Wiley, New York, 1986, pp. 772-792; *C.A.*, 105 (1986) 49659x.
- 2 Ding, G.: (New progress in gel electrophoresis). *Nanjing Yixueyuan Xuebao*, 6 (1986) 154-157; *C.A.*, 104 (1986) 111220c.
- 3 Ito, R.: (Separation of biochemicals by electrophoresis). *Kagaku Kogaku*, 50 (1986) 539-544; *C.A.*, 105 (1986) 111226j.
- 4 Kobayashi, S.: (Electrophoretic analysis: isoelectric focusing on immobilized pH gradient gel). *Bunseki*, (1986) 321-326; *C.A.*, 105 (1986) 718/4n - a review with 58 refs.
- 5 Okuyama, T.: (Separation and purification of substances by electrophoresis). *Pharm. Tech. Jpn.*, 2 (1986) 21-28; *C.A.*, 105 (1986) 111187x.

See also 46, 105, 382.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 6 Nakamura, K.: (Improvement of electrophoretic method and its application). *Dobutsu Seiri*, 2 (1985) 68-73; *C.A.*, 104 (1986) 111202y.
- 7 Olvera de la Cruz, M., Deutsch, J.M. and Edwards, S.F.: Electrophoresis in strong fields. *Phys. Rev. A: Gen. Phys.*, 33 (1986) 2047-2055; *C.A.*, 105 (1986) 43747c.
- 8 Tsuda, T.: (Electroosmotic flow for liquid chromatography and zone electrophoresis). *Nippon Kagaku Kaishi*, (1986) 937-942; *C.A.*, 105 (1985) 126483q.
- 9 Wada, H.: (Separation of biological materials in space). *Kagaku Kogaku*, 50 (1986) 560-561; *C.A.*, 104 (1986) 111230f.

2b. Thermodynamic and theoretical relationships

- 10 Delgado, A., Gonzalez-Caballero, F. and Salcedo, J.: On the zeta potential of spherical polystyrene particles from electrophoresis theories. *Acta Polym.*, 37 (1986) 361-364; *C.A.*, 105 (1986) 43807x.

2d. Measurement of physico chemical and related values

- 11 Singh, S., Tripathi, S.R., Tiwari, M.M., Yadava, P.C. and Yadava, K.L.: A novel method for determination of protonation constant. *J. Indian Inst. Sci.*, 65 (1984) 279-285; *C.A.*, 105 (1986) 103533s.

See also 57, 61, 304.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 12 Gabuev, I.S. and Ivanov, A.Yu.: (Device for electrophoresis). *U.S.S.R. Pat. SU 839,312 (Cl.C25B7/00)*, 30 Mar. 1986, Appl. 2,461,832, 11 Mar. 1977; *C.A.*, 105 (1986) 49724q.

- 13 Ito, M., Ishikawa, K., Yoshida, M. and Okano, K.: (Two-dimensional electrophoresis apparatus). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,236,057 (85,236,057) (Cl.G01N27/26), 22 Nov. 1985, Appl. 84/90,957, 09 May 1984, 3 pp.; C.A., 105 (1986) 130364u.
- 14 Oda, C., Nakatsui, F., Muroi, K., Katsumi, Y.S. and Fujiwara, K.: (Method and apparatus for continuous free-flow electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 83,952 (86 83,952) (Cl.G01N27/26), 28 Apr. 1986, Appl. 84/204,002, 01 Oct. 1984; 5 pp.; C.A., 105 (1986) 67211z.
- 15 Ogawa, M., Matsunaga, H. and Sinagawa, Y.: Element for electrophoresis. *Eur. Pat. Appl.* EP 167,373 (Cl.G01N27/26), 08 Jan. 1986, JP Appl. 84/136,247, 30 Jun. 1984, 32 pp.; C.A., 105 (1986) 57459x.
- 16 Poulhes, M.A., Lafaille, J.P., Pourrat, J. and Sanchez, V.: Apparatus for electrophoresis of plasma proteins. *Fr. Demande Pat.* FR 2,568,485 (Cl.B01D57/02), 07 Feb. 1986, Appl. 84/12579, 06 Aug. 1984; 21 pp.; C.A., 105 (1986) 102573t.
- 17 Yoshisato, R.A., Korndorf, L.M., Carmichael, G.R. and Datta, R.: Performance analysis of a continuous rotating annular electrophoresis column. *Sep. Sci. Technol.*, 21 (1986) 727-753; C.A., 105 (1986) 99694a.

See also 41, 51.

3b. Detection procedures and detectors

- 18 Amess, R. and Spragg, S.P.: Reducing the background to silver-stained polyacrylamide gels after two-dimensional electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 444-446.
- 19 Bozinowski, D., Artiss, J.D., Epstein, E. and Zak, B.: Densitometric measurements in a severe light-scattering system. *Microchem. J.*, 33 (1986) 147-155; C.A., 105 (1986) 38569s.
- 20 Chuba, P.J. and Palchaudhuri, S.: Requirement for cysteine in the color silver staining of proteins in polyacrylamide gels. *Anal. Biochem.*, 156 (1986) 136-139.
- 21 Foret, F., Deml, M., Kahle, V. and Bocek, P.: On-line fiber optic UV detection cell and conductivity cell for capillary zone electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 430-432.
- 22 Glenney, J.: Antibody probing of Western blots which have been stained with india ink. *Anal. Biochem.*, 156 (1986) 315-319.
- 23 Hempelmann, E. and Kaminsky, R.: Long term stability of colors after silver staining. *Electrophoresis (Weinheim)*, 7 (1986) 481.
- 24 Imaeda, K., Ohsawa, K., Uchiyama, K., Nakamura, S. and Tokieda, T.: Light-scanning photoacoustic densitometer applied to protein determination. *Anal. Sci.*, 2 (1986) 9-13; C.A., 105 (1986) 53838x.
- 25 Ohsawa, K., Uchiyama, K., Ohtani, T., Tamura, K. and Imaeda, K.: Photoacoustic densitometer for sodium dodecyl sulfate polyacrylamide gel electrophoresis combined with silver stain. *Anal. Sci.*, 2 (1986) 299-302; C.A., 105 (1986) 130289y.
- 26 Ohsawa, K.: (Running color electrophoresis and silver nitrate double-staining of polyacrylamide gel). *Maku*, 10 (1985) 360-364; C.A., 105 (1986) 57347j.
- 27 Onishi, A. and Kawakatsu, S.: (A sensitive method for detection of proteins or nucleic acids). *Jpn. Kokai Tokkyo Koho Pat.* JP 6154,455 (8654,455) (Cl.G01N33/68), 18 Mar. 1986, Appl. 84/176,734, 27 Aug. 1984, 4 pp.; C.A., 105 (1986) 75428r.
- 28 Onishi, A. and Kawakatsu, S.: (A sensitive method for detection of proteins or nucleic acids by electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 54,454 (86 54,454) (Cl.G01N33/68), 18 Mar. 1986, Appl. 84/176,733, 27 Aug. 1984, 5 pp.; C.A., 105 (1986) 75429s.
- 29 Onishi, A., Kawakatsu, S. and Yamashita, K.: (A sensitive electrophoresis-staining method for detection of proteins or nucleic acids). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 66,964 (86 66,964) (Cl.G01N33/68), 05 Apr. 1986, Appl. 84/188,211, 10 Sep. 1984, 9 pp.; C.A., 105 (1986) 94140g.
- 30 Ramasamy, M., Wimmer, D.H. and Kurup, V.P.: A novel method for permanent imprints from dye-stained electrophoretograms. *Electrophoresis (Weinheim)*, 7 (1986) 441-443.
- 31 Sippel, T.O.: Protein staining by Coomassie Brilliant Blue G-250: unique color rendering in iron-toned prints. *Electrophoresis (Weinheim)*, 7 (1986) 482-483.

- 32 Sutherland, M.W. and Skeritt, J.H.: Alkali enhancement of protein staining on nitrocellulose. *Electrophoresis (Weinheim)*, 7 (1986) 401-406.
- 33 Zeineh, R.A.: Computer-aided soft laser scanning densitometry of one-dimensional gel electrophoresis. *Int. Lab.*, 16 (1986) 64-68.

See also 48, 50, 104, 107-109, 116, 198.

3c. Electrophoresis in stabilized media

- 34 Dhamankar, V.S., Choudhury, M.D. and Vartak, H.G.: High concentration polyacrylamide gel electrophoresis. *Anal. Biochem.*, 157 (1986) 289-290.
- 35 Kitaoka, Y., Nishino, T. and Hamada, M.: The effects of a surfactant on a capillary action in cellulose derivatives as a support in a zone electrophoresis. *Chem. Express*, 1 (1986) 339-342; *C.A.*, 105 (1986) 126475p.
- 36 Kozak, M.W. and Davis, E.J.: Electrokinetic phenomena in fibrous porous media. *J. Colloid Interface Sci.*, 112 (1986) 403-411; *C.A.*, 105 (1986) 49692c.
- 37 Ogawa, M. and Nishio, D.: Medium for electrophoresis. *Eur. Pat. Appl. EP 165,069 (Cl.G01N27/26)*, 18 Dec. 1985, JP Appl. 84/122,661, 14 Jun. 1984, 23 pp.; *C.A.*, 105 (1986) 57496g.
- 38 Tarasenko, L.G. and Lis, P.I.: (A simple technique for qualitative electrophoresis in a vertical polyacrylamide gel slab). *Fiziol. Rast.*, 33 (1986) 820-825; *C.A.*, 105 (1986) 130248j.

4. SPECIAL TECHNIQUES

4b. Preparative and continuous procedures

- 39 Kedersha, N.L. and Rome, L.H.: Preparative agarose gel electrophoresis for the purification of small organelles and particles. *Anal. Biochem.*, 156 (1986) 161-170.

See also 14, 17.

4c. Isoelectric focusing

- 40 Bier, M.: Scale-up of isoelectric focusing. *ACS Symp. Ser.*, 314 (Sep., Recovery, Purif. Biotechnol.) (1986) 185-192; *C.A.*, 105 (1986) 111390h.
- 41 Bier, M.: Rotating apparatus for isoelectric focusing. *U.S. Pat. US 4,588,492 (Cl.204-301; G01N27/28)*, 13 May 1986, Appl. 609,404, 07 May 1984, 7 pp.; *C.A.*, 105 (1986) 38760x.
- 42 D'Andrea, A.L. and Torres Leedham, V.M.: Non-destructive sequential spread tissue isoelectric focusing. *Electrophoresis (Weinheim)*, 7 (1986) 454-457.
- 43 Green, E.D., Knecht, D.A. and Dimond, R.L.: Examination of isoelectric focusing and electrophoretic methods for resolving acidic proteins. *Electrophoresis (Weinheim)*, 7 (1986) 407-413.
- 44 Mosher, R.A. and Thormann, W.: The condensation of ampholytes in steady state moving boundaries: Analysis by computer simulation. *Electrophoresis (Weinheim)*, 7 (1986) 395-400.
- 45 Otey, C.A., Kalnoski, M.H. and Bulinski, J.C.: A procedure for the immunoblotting of proteins separated on isoelectric focusing gels. *Anal. Biochem.*, 157 (1986) 71-76.

See also 4, 100, 113, 204, 210, 255, 279, 382.

4d. Isotachopheresis

- 46 Bocek, P., Gebauer, P. and Foret, F.: (Advances in analytical isotachopheresis in the years 1981-1984). *Chem. Listy*, 80 (1986) 479-498; *C.A.*, 105 (1986) 71580m - a review with 200 refs.
- 47 Jokl, V., Pospichalova, J. and Polasek, M.: 2-Pyridinecarboxylate as counter ion in capillary isotachopheresis of low-mobility bases. *Electrophoresis (Weinheim)*, 7 (1986) 433-435.

- 48 Kaniansky, D., Havasi, P., Marak, J. and Sokolik, R.: Post-column amperometric detection in capillary isotachopheresis. *J. Chromatogr.*, 366 (1986) 153-160.
- 49 Kaniansky, D., Rajec, P., Havasi, P., Svec, A. and Macasek, F.: Isotope dilution analysis in column-coupling isotachopheresis. *J. Radioanal. Nucl. Chem.*, 104 (1986) 157-170; *C.A.*, 105 (1986) 53620v.
- 50 Kawaguchi, A., Suzuki, T. and Takeuchi, Y.: (Electrical detection method on isotachopheresis by narrowed gate ion-exchange membrane). *Denki Kagaku Oyobi Kogyo Butsuri Kagaku*, 54 (1986) 366-367; *C.A.*, 105 (1986) 126150d.
- 51 Liedholz, G.A.: Isotachopheresis analyser for inductively detecting boundaries between adjoining substances having different conductivities. *U.S. Pat.* US 4,580,096 (Cl.324-204; G01N27/74), 01 Apr. 1986, Appl. 280,409, 06 Jul. 1981; 13 pp.; *C.A.*, 105 (1986) 126362z.
- 52 Yagi, T. and Kojima, K.: (Effect of organic solvents in electrolyte solutions on isotachophoretic separations). *Shimadzu Hyoron*, 42 (1985) 197-201; *C.A.*, 105 (1986) 53862a.

See also 65, 88, 89, 114, 162, 373, 378, 381, 384, 385, 393.

4e. Two dimensional electrophoresis

- 53 Grattarola, M., Serpico, S., Vernazza, G., Viviani, R., Alberghina, L., Martegani, E. and Popolo, L.: (Automated procedure for calibration and measurement of images from two-dimensional electrophoresis strips). *Rend. Rion. Annu. Assoc. Elettron. Elettron. Ital.*, 85 (1984) 62/1-62/6; *C.A.*, 105 (1986) 38402g.
- 54 Laughrea, M., Filion, A.-M. and Boulet, L.: How to estimate the position of the mistranslated proteins on a two-dimensional gel electrophoregram. *Electrophoresis (Weinheim)*, 7 (1986) 484-485.
- 55 Skolnick, M.M. and Neel, J.V.: An algorithm for comparing two-dimensional electrophoretic gels, with particular reference to the study of mutation. *Adv. Hum. Genet.*, 15 (1986) 55-160; *C.A.*, 105 (1985) 36895w.
- 56 Tougou, G., Takai, N. and Saito, Y.: (Data processing system for two dimensional electrophoresis). *Seisan Kenkyu*, 37 (1985) 324-327; *C.A.*, 105 (1986) 57177d.

See also 18, 129, 131, 136, 137, 150, 166, 169, 197, 213, 246, 247, 252, 259, 313.

4f. Affinity electrophoresis

- 57 Mackiewicz, A. and Mackiewicz, S.: Determination of lectin-sugar dissociation constants by agarose affinity electrophoresis. *Anal. Biochem.*, 156 (1986) 481-488.

See also 179.

4g. Other special techniques

- 58 Gassmann, E., Kuo, J.E. and Zare, R.N.: Electrokinetic separation of chiral compounds. *Science*, 230 (1985) 813-814; *C.A.*, 105 (1986) 43274w.
- 59 Gobie, W.A. and Ivory, C.F.: High-resolution, high-yield continuous-flow electrophoresis. *ACS Symp. Ser.*, 314 (Sep., Recovery, Purif. Biotechnol.) (1986) 169-184; *C.A.*, 104 (1986) 111234k.
- 60 Kreisher, J.H.: Electroblotting. *U.S. Pat.* US 4,589,965 (Cl.204-182.8; G01N27/28), 20 May 1986, Appl. 671,475, 14 Nov. 1984, 4 pp.; *C.A.*, 105 (1986) 57466x.
- 61 McFadyen, P.: Electrophoretic mobility and zeta potential of colloidal particles. *Int. Lab.*, 16 (1986) 32-42.
- 62 McPeck, F.D., Jr., Coyle-Morris, J.F. and Gemmill, R.M.: Separation of large DNA molecules by modified pulsed field gradient gel electrophoresis. *Anal. Biochem.*, 156 (1986) 274-285.
- 63 Sakagami, T.: (Determination of the middle position of an electrophoretic image). *Ger. Offen. Pat.* DE 3,538,321 (Cl.G01N37/00), 30 Apr. 1986, JP Appl. 84/230,963, 01 Nov. 1984, 16 pp.; *C.A.*, 105 (1986) 57474y.
- 64 Yamamoto, H., Kashiba, M. and Shinkawa, R.: (Determining the center of an electrophoretic image). *Ger. Offen. Pat.* DE 3,537,199 (Cl.G01B21/04), 24 Apr. 1986, JP Appl. 84/221,133, 23 Oct. 1984, 18 pp.; *C.A.*, 105 (1986) 57461s.

9. OXO COMPOUNDS, ETHERS AND EPOXIDES

- 65 Brunner, G., Tegtmeier, F., Kirk, D.N., Wynn, S. and Setchell, K.D.R.: Enzymatic synthesis and chromatographic purification of lignan glucuronides. *Biomed. Chromatogr.*, 1 (1986) 89-92.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

See 73.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 66 Buckie, J.W. and Cook, G.M.W.: Specific isolation of surface glycoproteins from intact cells by biotinylated concavalin A and immobilized streptavidin. *Anal. Biochem.*, 156 (1986) 463-472.
- 67 Carney, S.L., Bayliss, M.T., Collier, J.M. and Muir, H.: Electrophoresis of ³⁵S-labeled proteoglycans on polyacrylamide-agarose composite gels and their visualization by fluorography. *Anal. Biochem.*, 156 (1986) 38-44.
- 68 Estep, T.N. and Miller, T.J.: Optimization of erythrocyte membrane glycoprotein fluorescent labeling with dansylhydrazine after polyacrylamide gel electrophoresis. *Anal. Biochem.*, 157 (1986) 100-105.
- 69 Gomes, V., Huet-Duvillier, G., Aubert, J.P., Dirat, I., Tetaert, D., Moncany, M.L.J., Richet, C., Vervoot, T., Pays, E. and Degand, P.: Physical and immunological analysis of the two domains isolated from a variant surface glycoprotein of *Trypanosoma brucei*. *Arch. Biochem. Biophys.*, 249 (1986) 427-436.
- 70 Halken, P., Boeg-Hansen, T.C. and Prause, J.U.: Human tear glycoproteins SDS-gel electrophoresis, blotting and lectin binding. Lectins: *Biol. Biochem. Clin. Biochem.*, 5 (1986) 609-615; *C.A.*, 105 (1986) 38633h.
- 71 Hedrick, J.L. and Wardrip, N.J.: Isolation of the zona pellucida and purification of its glycoprotein families from pig oocytes. *Anal. Biochem.*, 157 (1986) 63-70.
- 72 Lehrman, M.A. and Hill, R.L.: The binding of fucose-containing glycoproteins by hepatic lectins. Purification of a fucose-binding lectin from rat liver. *J. Biol. Chem.*, 261 (1986) 7419-7425.
- 73 Nato, F., Goulut, C., Bourrillon, R., Van Halbeek, H. and Vliegenthart, J.F.G.: The structure of the O-glycosidic oligosaccharide chains of the major Zajdela hepatoma ascites-cell-membrane glycoprotein. *Eur. J. Biochem.*, 159 (1986) 303-308.
- 74 Salinovich, O. and Montelaro, R.C.: Comparison of glycoproteins by two-dimensional mapping of glycosylated peptides. *Anal. Biochem.*, 157 (1986) 19-27.
- 75 Vannucchi, S., Pasquali, F., Chiarugi, V. and Ruggiero, M.: Internalization and metabolism of endogenous heparin by cultured endothelial cells. *Biochem. Biophys. Res. Commun.*, 140 (1986) 294-301.

See also 300.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 76 Prochazka, L., Kvasnicka, F. and Stechova, A.: (Determination of volatile fatty acids in molasses). *Kvasny Prum.*, 32 (1986) 33-36; *C.A.*, 105 (1986) 59529u.

11d. Lipoproteins and their constituents

- 77 Brown, S.A., Via, D.P., Gott, A.M., Jr., Bradley, W.A. and Gianturco, S.H.: Apolipoprotein E-mediated binding of hypertriglyceridemic very low density lipoproteins to isolated low density lipoprotein receptors detected by ligand blotting. *Biochem. Biophys. Res. Commun.*, 139 (1986) 333-340.

- 78 Fojo, S.S., Taam, L., Fairwell, T., Ronan, R., Bishop, C., Meng, M.S., Hoeg, J.M., Sprecher, D.L. and Brewer, H.B., Jr.: Human preproapolipoprotein C-II. Analysis of major plasma isoforms. *J. Biol. Chem.*, 261 (1986) 9591-9594.
- 79 Jabs, H.-U., Assmann, G., Greifendorf, D. and Benninghoven, A.: High performance liquid chromatography and time-of-flight secondary ion mass spectrometry: a new dimension in structural analysis of apolipoproteins. *J. Lipid Res.*, 27 (1986) 613-621.
- 80 Marzetta, C.A. and Rudel, L.L.: A species comparison of low density lipoprotein heterogeneity in nonhuman primates fed atherogenic diets. *J. Lipid Res.*, 27 (1986) 753-762.
- 81 Nagashima, M., Morris, G., Howlett, G., Fidge, N. and Schreiber, G.: Amino acid sequence of rat apolipoprotein A-II deduced from the nucleotide sequence of cloned cDNA. *J. Lipid Res.*, 27 (1986) 706-712.
- 82 Pan, X.-R., Cheung, M.C., Walden, C.E., Hu, S.-X., Bierman, E.L. and Albers, J.J.: Abnormal composition of apoproteins C-I, C-II, and C-III in plasma and very-low-density lipoproteins of non-insulin-dependent diabetic Chinese. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1914-1920.
- 83 Tong, M.-F. and Kuksis, A.: Effect of different neutral phospholipids on apolipoprotein binding by artificial lipid particles *in vivo*. *Biochem. Cell Biol.*, 64 (1986) 826-835.
- 84 Tong, M.-F. and Kuksis, A.: Effect of acidic phospholipids on apolipoprotein binding by artificial lipid particles *in vivo*. *Biochem. Cell Biol.*, 64 (1986) 836-846.
- 85 Wade, D.P., Knight, B.L. and Soutar, A.K.: Binding of low-density lipoprotein and chylomicron remnants to the hepatic low-density lipoprotein receptor of dogs, rats and rabbits demonstrated by ligand blotting. Failure to detect a distinct chylomicron-remnant-binding protein by ligand blotting. *Eur. J. Biochem.*, 159 (1986) 333-340.
- 86 Zechner, R., Moser, R. and Kostner, G.M.: Isolation of pure LpB from human serum. *J. Lipid Res.*, 27 (1986) 681-686.

See also 161.

13. STEROIDS

13c. Sterols

- 87 Ihara, H., Aoki, Y., Aoki, T. and Toyoda, M.: (Determination of lipoprotein cholesterol in umbilical cord serum by agarose electrophoresis). *Eisei Kensa*, 35 (1986) 639-643; *C.A.*, 105 (1986) 93997e.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 88 Hirokawa, T., Gojo, T. and Kiso, Y.: Isotachophoretic determination of mobility and pK_a by means of computer simulation. IV. Evaluation of m_0 and pK_a of twenty-six amino acids and assessment of the separability. *J. Chromatogr.*, 369 (1986) 59-81.
- 89 Mizobuchi, N., Ageta, T., Sasaki, K. and Kodama, H.: Isotachophoretic analyses of cystine, homocystine and cystathionine in urines from patients with inborn errors of metabolism. *J. Chromatogr.*, 382 (1986) 321-325.

18b. Peptides and peptidic and proteinous hormones

- 90 Adelson, J.W., Nelbach, L., Yates, G.B., Ehrlich, A., Glaser, C.B. and Chang, R.: Purification and characterization of chymodenin. A hormone-like peptide from porcine duodenum. *J. Biol. Chem.*, 261 (1986) 10569-10575.

- 91 Brown, A. and Eagles, P.A.M.: Squid neurofilaments. Phosphorylation and Ca^{2+} -dependent proteolysis *in situ*. *Biochem. J.*, 239 (1986) 191-197.
- 92 Okuyama, K., Homma, N., Hasegawa, K., Sugano, H., Sugano, I., Gejyo, F. and Arakawa, M.: (Several basic conditions of electrophoretic analysis of low-molecular-weight polypeptides in urine and plasma). *Seibutsu Butsuri Kagaku*, 29 (1985) 237-243; *C.A.*, 105 (1986) 111392k.
- 93 Priest, D.G. and Doig, M.T.: Tissue folate polyglutamate chain length determination by electrophoresis as thymidylate synthase-fluorodeoxyuridylate ternary complexes. *Methods Enzymol.*, 122 (Vit. Coenzymes, Pt. G) (1986) 313-319; *C.A.*, 105 (1986) 75311x.
- 94 Sinha, Y.N., Gilligan, T.A., Lee, D.W., Baxi, S.C. and Vander Laan, W.P.: Demonstration of 20k growth hormone in human plasma by gel electrophoretic-immunostaining-autoradiographic assay. *Horm. Metab. Res.*, 18 (1986) 402-406; *C.A.*, 105 (1986) 127615w.
- 95 Sylvestre, D.L., Zisfein, J.B., Graham, R.M. and Homcy, C.J.: Serum-mediated enhancement of ANF accumulation in the culture medium of cardiac atriacocytes. *Biochem. Biophys. Res. Commun.*, 140 (1986) 151-159.
- 96 Wasserman, B.P.: Detection of proteolysis by sodium dodecyl sulfate polyacrylamide gel electrophoresis: a demonstration of protein hydrolysis and electrophoresis fundamentals. *J. Food Biochem.*, 10 (1986) 83-91; *C.A.*, 105 (1986) 114339j.

See also 183, 191, 202, 224.

18c. General techniques of elucidation of structure of proteins

- 97 Huang, K.-P. and Huang, F.L.: Conversion of protein kinase C from a Ca^{2+} -dependent to an independent form of phorbol ester-binding protein by digestion with trypsin. *Biochem. Biophys. Res. Commun.*, 139 (1986) 320-326.
- 98 Kittelberger, R., Jungblut, P. and Barrach, H.-J.: Isolation and purification of cyanogen bromide-derived peptides of type II collagen directly from tissue (svarm chondrosarcoma). *Prepar. Biochem.*, 16 (1986) 81-91.
- 99 Serrano, L., Wandosell, F., Diez, J.C. and Avila, J.: The combined use of limited proteolysis and differential peptide staining for protein characterization. *J. Biochem. Biochem. Methods*, 12 (1986) 281-287; *C.A.*, 105 (1986) 75308b.

See also 101.

19. PROTEINS

19a. General techniques

- 100 Biagi, R., Prete, L., Bergamini, M., Grifa, I. and Palanchetti, F.: (Control of the purity of protein eluates using isoelectric focusing at progressively reduced pH intervals). *Boll.-Soc. Ital. Biol. Sper.*, 62 (1986) 83-88; *C.A.*, 105 (1986) 57346h.
- 101 Dibo, G., Furka, A., Sebestyen, F. and Fehervari, A.: Isolation of the C-terminal fragment of proteins after redigestion of their esterified tryptic hydrolyzates. *Int. J. Pept. Protein Res.*, 27 (1986) 355-359; *C.A.*, 105 (1986) 57399c.
- 102 Fischer, I.: Efficient protein blotting using an economical power supply, *Electrophoresis (Weinheim)*, 7 (1986) 429-430.
- 103 Gachon, A.M., Bilbault, T. and Dastugue, B.: Protein migration through hydrogels: a tool for measuring porosity-application to hydrogels used as contact lenses. *Anal. Biochem.*, 157 (1986) 249-255.
- 104 Harper, D.R., Liu, K.-M. and Kangro, H.O.: The effect of staining on the immunoreactivity of nitrocellulose bound protein. *Anal. Biochem.*, 157 (1986) 270-274.
- 105 Isobe, T. and Okuyama, T.: (Recent advances in methods of protein separation and analysis). *Seibutsu Butsuri Kagaku*, 30 (1986) 19-26; *C.A.*, 105 (1986) 93782f.
- 106 Kubo, K. and Takagi, T.: Binding of lithium dodecyl sulfate to polyacrylamide gel at 4°C perturbs electrophoresis of proteins. *Anal. Biochem.*, 156 (1986) 11-16.

- 107 Lee, D.H. and O'Connell, T.J.: Kit for silver staining proteins and nucleic acids. *U.S. Pat.* US 4,575,452 (Cl.422-61; G01N33/68), 11 Mar. 1986, Appl. 652,890, 21 Sep. 1984, 7 pp.; *C.A.*, 105 (1986) 38787m.
- 108 Makino, A., Mae, T. and Ohira, K.: Colorimetric measurement of protein stained with Coomassie Brilliant Blue R on sodium dodecyl sulfate-polyacrylamide gel electrophoresis by eluting with formamide. *Agric. Biol. Chem.*, 50 (1986) 1911-1912; *C.A.*, 105 (1986) 75297x.
- 109 Naumaier, M., Fenger, U. and Wagener, C.: Transblot studies with biotin-labeled proteins: electrophoretic mobilities and detection limits. *Anal. Biochem.*, 156 (1986) 76-80.
- 110 Ohue, O., Nakamura, S. and Abe, K.: ("Both-sides blotting" electrophoretic transfer of proteins from both sides of PAGIEF gels to nitrocellulose membranes). *Seibutsu Butsuri Kagaku*, 29 (1985) 363-369; *C.A.*, 105 (1986) 111393m.
- 111 Palva, E.T.: Crosslinking methods. *FEMS Symp.*, 25 (Enterobact. Surf. Antigens) (1985) 139-148; *C.A.*, 105 (1986) 57387x.
- 112 Salling, E., Moe, D. and Kirkeby, S.: Effects of different extraction media on the electrophoretic pattern of proteins from partly mineralized bovine enamel. *Acta Odontol. Scand.*, 44 (1986) 91-94; *C.A.*, 105 (1986) 38651n.
- 113 Sinha, P.K. and Righetti, P.G.: Isoelectric focusing of sparingly soluble proteins in immobilized pH gradients, exemplified by microvillar membrane hydrolases. *J. Biochem. Biophys. Methods*, 12 (1986) 289-297; *C.A.*, 105 (1986) 93348u.
- 114 Suga, K.: (Separation and purification of proteins by isotachopheresis). *Kemikaru Enjiniryaringu*, 31 (1986) 304-308; *C.A.*, 105 (1986) 93743u.
- 115 Thomas, J.A. and Beidler, D.: A thin-gel isoelectric focusing method for quantitation of protein S-thiolation. *Anal. Biochem.*, 157 (1986) 32-38.
- 116 Zhang, Z., Tan, W. and Cao, X.: (A simple and sensitive silver staining method for proteins in polyacrylamide gels). *Beijing Yixueyuan Xuebao*, 16 (1984) 69-71; *C.A.*, 105 (1986) 120249k.

See also 20-29, 31, 32, 42, 43.

19b. *Proteins of cells, viruses and subcellular particles (excluding blood cells and platelets)*

- 117 Alvarado-Urbina, G., Chiarello, R., Roberts, D., Vilain, G., Jurik, F., Christensen, L., Carmona, C., Fang, L., Watterson, M. and Crea, R.: Rapid automated synthesis via diisopropyl phosphoramidite *in situ* activation. Chemical synthesis and cloning of a calmodulin gene. *Biochem. Cell Biol.*, 64 (1986) 548-555.
- 118 Barrett, P.Q., Kojima, I., Kojima, K., Zawalich, K., Isales, C.M. and Rasmussen, H.: Temporal patterns of protein phosphorylation after angiotensin II, A23187 and/or 10-0-tetradecanoylphorbol 13-acetate in adrenal glomerulosa cells. *Biochem. J.*, 238 (1986) 893-903.
- 119 Bormann, B.-J., Huang, C., Lam, G.F. and Jaffe, E.A.: Thrombin-induced vimentin phosphorylation in cultured human umbilical vein endothelial cells. *J. Biol. Chem.*, 261 (1986) 10471-10474.
- 120 Brown, C.A. and New, P.B.: Immuno-electrophoretic comparison of cell envelope antigens in pathogenic and non-pathogenic *Agrobacterium tumefaciens*. *Physiol. Mol. Plant Pathol.*, 28 (1986) 149-159; *C.A.*, 105 (1986) 40686w.
- 121 Chan, T.M., Chen, E., Tatoyan, A., Shargill, N.S., Pleta, M. and Hochstein, P.: Stimulation of tyrosine-specific protein phosphorylation in the rat liver plasma membrane by oxygen radicals. *Biochem. Biophys. Res. Commun.*, 139 (1986) 439-445.
- 122 Cox, G.S.: Phosphorylation of the glycoprotein hormone α -subunit secreted by human tumor cell lines. *Biochem. Biophys. Res. Commun.*, 140 (1986) 143-150.
- 123 Doussiere, J., Laporte, F. and Vignais, P.V.: Photolabeling of a O_2^- generating protein in bovine polymorphonuclear neutrophils by an arylazido NADP⁺ analog. *Biochem. Biophys. Res. Commun.*, 139 (1986) 85-93.
- 124 Foster, K., Lüthi-Steinmann, K., Barnes, M., McMaster, G., Ferrari, E., Eliassen, K., Khan, N., Brown, N. and Hübscher, U.: Cloning and expression of a cDNA encoding a catalytically active fragment of calf thymus DNA polymerase alpha. *Biochem. Biophys. Res. Commun.*, 140 (1986) 21-27.
- 125 Galle, A.M. and Kader, J.C.: High-performance liquid chromatography of plant membrane proteins. NADH-cytochrome b₅ reductase as a model. *J. Chromatogr.*, 366 (1986) 422-426.

- 126 Geis, A.M., Nicolsont, M. and Goldman, R.A.: Biochemical and biological activities of N-ras proteins. *Biochem. Biophys. Res. Commun.*, 139 (1986) 771-779.
- 127 Gruhn, I., Guenther, H. and Schmidt, J.: (Comparative examination on the evidence of ratovirus antigen by electron microscopy, counter-current electrophoresis and enzyme immunoassay). *Z. Gesamte Hyg. Ihre Grenzgeb.*, 32 (1986) 266-268; *C.A.*, 105 (1986) 40626b.
- 128 Hayakawa, T., Suzuki, K., Suzuki, S., Andrews, P.C. and Babior, B.M.: A possible role for protein phosphorylation in the activation of the respiratory burst in human neutrophils. Evidence from studies with cells from patients with chronic granulomatous disease. *J. Biol. Chem.*, 261 (1986) 9109-9115.
- 129 Hurkman, W.J. and Tanaka, C.K.: Solubilization of plant membrane proteins for analysis by two-dimensional gel electrophoresis. *Plant Physiol.*, 81 (1986) 802-806; *C.A.*, 105 (1986) 111391j.
- 130 Katan, M., McGarvey, M.J., Stevely, W.S. and Leader, D.P.: The phosphorylation of ribosomal protein S6 by protein kinase from cells infected with pseudorabies virus. *Biochem. J.*, 239 (1986) 205-211.
- 131 Kierek-Jaszczuk, D. and Kaaden, O.-R.: Isoelectric spectrum and titration curves of Aleutian diseases virus proteins. *Electrophoresis (Weinheim)*, 7 (1986) 457-462.
- 132 Kohno, M. and Pouyssegur, J.: α -Thrombin-induced tyrosine phosphorylation of 43000- and 41000-M_r proteins is independent of cytoplasmic alkalinization in quiescent fibroblast. *Biochem. J.*, 238 (1986) 451-457.
- 133 Kuo, T.H., Giacomelli, F. and Wiener, J.: Mitochondrial protein phosphorylation and cardiomyopathy in genetically diabetic mice: The effect of estrone treatment. *Biochem. Biophys. Res. Commun.*, 139 (1986) 56-63.
- 134 Marceau, N., Germain, L., Goyette, R., Noël, M. and Gourdeau, H.: Cell of origin of distinct cultured rat liver epithelial cells, as typed by cytokeratin and surface component selective expression. *Biochem. Cell Biol.*, 64 (1986) 788-802.
- 135 Matthaai, S., Baly, D.L. and Horuk, R.: Rapid and effective transfer of integral membrane proteins from isoelectric focusing gels to nitrocellulose membranes. *Anal. Biochem.*, 157 (1986) 123-128.
- 136 Pipkin, J.L., Anson, J.F., Hinson, W.G., Burns, E.R. and Casciano, D.A.: Microscale electrophoresis of stress proteins induced by chemicals during the *in vivo* cell cycle. *Electrophoresis (Weinheim)*, 7 (1986) 463-471.
- 137 Salinovich, O. and Montelaro, R.C.: Reversible staining and peptide mapping of proteins transferred to nitrocellulose after separation by sodium dodecyl-sulfate-polyacrylamide gel electrophoresis. *Anal. Biochem.*, 156 (1986) 341-347.
- 138 Samuels, B.L., Golomb, H.M. and Brownstein, B.H.: *In vitro* induction of proteins by α -interferon in hairy cell leukemia. *Cancer Res.*, 46 (1986) 4151-4155.
- 139 Sandelius, A.S., Penel, C., Auderset, G., Brightman, A., Millard, M. and Morre, D.J.: Isolation of highly purified fractions of plasma membrane and tonoplast from the same homogenate of soybean hypocotyls by free-flow electrophoresis. *Plant Physiol.*, 81 (1986) 177-185; *C.A.*, 105 (1986) 57343e.
- 140 Sarvas, M. and Nurminen, M.: Polyacrylamide gel electrophoretic analysis of cell envelope proteins. *FEMS Symp.*, 25 (Enterovact. Surf. Antigens) (1985) 123-137; *C.A.*, 105 (1986) 57340b.
- 141 Schmid, A., Barhanin, J., Mourre, C., Coppola, T., Borsotto, M. and Lazdunski, M.: Antibodies reveal the cytolocalization and subunit structure of the 1,4-dihydropyridine component of the neuronal Ca²⁺ channel. *Biochem. Biophys. Res. Commun.*, 139 (1986) 996-1002.
- 142 Sen, I. and Roy, P.: Atrial natriuretic factor induced phosphorylation of human placental membrane protein: an effect mimicked by guanosine 3':5'-cyclic monophosphate. *Biochem. Biophys. Res. Commun.*, 139 (1986) 431-438.
- 143 Siciliano, M.J., Stallings, R.L., Humprey, R.M. and Adair, G.M.: Mutation in somatic cells as determined by electrophoretic analysis of mutagen-exposed Chinese hamster ovary cells. *Chem. Mutagens*, 10 (1986) 509-511; *C.A.*, 105 (1986) 55716e.
- 144 Skorin, C., Soto, U., Necochea, C. and Leighton, F.: Protein phosphorylation in peroxisomes. *Biochem. Biophys. Res. Commun.*, 140 (1986) 188-194.
- 145 Uchiumi, T., Kikuchi, M. and Ogata, K.: Cross-linking study on protein neighborhoods at the subunit interface of rat liver ribosomes with 2-iminothiolane. *J. Biol. Chem.*, 261 (1986) 9663-9667.

- 146 Van Hoof, C.O.M., De Graan, R.N.E., Boonstra, J., Oestereicher, A.B., Schmidt-Michels, M.H. and Gispén, W.H.: Nerve growth factor enhances the level of the protein kinase C substrate B-50 in pheochromocytoma PC12 cells. *Biochem. Biophys. Res. Commun.*, 139 (1986) 644-651.
- 147 Van Veldhoven, P.P. and Mannaerts, G.P.: Coenzyme A in purified peroxisomes is not freely soluble in the matrix but firmly bound to a matrix protein. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1195-1201.

See also 389.

19c. Microbial and plant proteins

- 148 Chiaruttini, C., Milet, M., Hayes, D.H. and Expert-Bezancon, A.: Multiple crosslinks of proteins S7 and S9 to domains 3 and 4 of 16S ribosomal RNA in the *Escherichia coli* 30S particle. *Eur. J. Biochem.*, 160 (1986) 363-370.
- 149 Cortay, J.-C., Rieul, C., Duclos, B. and Cozzzone, A.J.: Characterization of the phosphoprotein of *Escherichia coli* cells by electrophoretic analysis. *Eur. J. Biochem.*, 159 (1986) 227-237.
- 150 Granier, F., Thiellement, H., Ambard-Bretteville, F. and Remy, R.: Subcellular localization of some wheat polypeptides revealed by two-dimensional electrophoresis. *Electrophoresis (Weinheim)*, 7 (1986) 476-479.
- 151 Klepacka, M. and Nitecka, E.: Electrophoretic characteristics of thermal changes of soluble proteins from several rapeseed varieties. *Nahrung*, 30 (1986) 393-394; *C.A.*, 105 (1986) 132365u.
- 152 Padhye, V.V., Kittell, F.B. and Doyle, M.P.: Purification and physicochemical properties of a unique Vero cell cytotoxin from *Escherichia coli* O157:H7. *Biochem. Biophys. Res. Commun.*, 139 (1986) 424-430.
- 153 Saul, A. and Yeganeh, F.: Electrophoretic identification of fusion proteins expressed in single recombinant λ -bacteriophage plaques. *Anal. Biochem.*, 156 (1986) 354-356.
- 154 Traianos, G.: Electrophoresis in wheat protein research. *Chem. Chron., Genike Ekdose*, 51 (1986) 187-191; *C.A.*, 105 (1986) 77672q.
- 155 Velkov, B.: (Method for the extraction and electrophoretic separation of wheat grain gliadin fractions using PAGE). *Rastenievud. Nauki*, 23 (1986) 10-18; *C.A.*, 105 (1986) 75310w.

See also 125, 129, 139.

19d. Proteins of blood, serum and blood cells

- 156 Aiken, M., Ciaglowski, R.E. and Walz, D.A.: Isolation and identification of a 23,000-dalton heparin binding fragment from the amino terminus of bovine thrombospondin. *Arch. Biochem. Biophys.*, 250 (1986) 257-262.
- 157 Bale, M.D. and Mosher, D.F.: Thrombospondin is a substrate for blood coagulation factor XIIIa. *Biochemistry*, 25 (1986) 5667-5673.
- 158 Baus, M., Mueller, T. and Thomas, L.: (Immunofixation electrophoresis for the detection of monoclonal gammopathy: introduction, interpretation, possible mistakes). *Laboratoriumsmedizin*, 10 (1986) 192-200; *C.A.*, 105 (1986) 131706u.
- 159 Cawston, T.E., Noble, D.N., Murphy, G., Smith, A.J., Woodley, C. and Hazleman, B.: Rapid purification of tissue inhibitor of metalloproteinases from human plasma and identification as a γ -serum protein. *Biochem. J.*, 238 (1986) 677-682.
- 160 Chao, J., Tillman, D.M., Wang, M., Margolius, H.S. and Chao, L.: Identification of a new tissue-kallikrein-binding protein. *Biochem. J.*, 239 (1986) 325-331.
- 161 Coetzee, G.A., Strachan, A.F., van der Westhuyzen, D.R., Hoppe, H.C., Jeenah, M.S. and de Beer, F.C.: Serum amyloid A-containing human high density lipoprotein 3. Density, size, and apolipoprotein composition. *J. Biol. Chem.*, 261 (1986) 9644-9651.
- 162 Csordas, A., Oefner, P.J., Bartsch, G., Grunicke, H. and Lancini, G.: Isotachopheric analysis of the pH dependent carrier properties of bovine serum albumin for rifamycin AF/O13. *Electrophoresis (Weinheim)*, 7 (1986) 47-453.
- 163 Dobosz, T. and Kowalczyk, E.: (Simultaneous determination of blood proteins C3 and Gc). *Arch. Med. Sadowej Kryminol.*, 35 (1985) 228-231; *C.A.*, 105 (1986) 40624z.

- 164 Fujii, E. and Sakurabayashi, I.: (Body fluid analysis with electrophoresis or diffusion method). *Jpn. Kokai Tokkyo Koho Pat.* JP 6,156,955 (8,656,955) (Cl.G01N27/26), 22 Mar. 1986, Appl. 84/178,229, 29 Aug. 1984, 4 pp.; *C.A.*, 105 (1986) 38793k.
- 165 Glinski, Z. and Jarosz, J.: (Polyacrylamide gel electrophoresis in examinations of insect hemolymph). *Med. Weter.*, 42 (1986) 159-164; *C.A.*, 105 (1986) 38400e.
- 166 Gromov, P.S., Shandala, A.M., Kovalev, L.I. and Shishkin, S.S.: (Two-dimensional electrophoretic analysis of human erythrocyte membrane proteins). *Bull. Eksp. Biol. Med.*, 102 (1986) 28-30; *C.A.*, 104 (1986) 111398s.
- 167 Hoste, B.: Advantages of enzyme-immuno-assay after blotting in bloodstain grouping: Application to the haptoglobin groups. *Electrophoresis (Weinheim)*, 7 (1986) 479-480.
- 168 Manca, M., Cossu, G., Angioni, G., Gigliotti, B., Bosio, A.B., Gianazza, E. and Righetti, P.G.: Antenatal diagnosis of β -thalassemia by isoelectric focusing in immobilized pH gradients. *Am. J. Hematol.*, 22 (1986) 285-293; *C.A.*, 105 (1986) 111387n.
- 169 Manil, L., Motte, P., Pernas, P., Troalen, F., Bohuon, C. and Bellet, D.: Evaluation of protocols for purification of mouse monoclonal antibodies. Yield and purity in two-dimensional gel electrophoresis. *J. Immunol. Methods*, 90 (1986) 25-37; *C.A.*, 105 (1986) 40644f.
- 170 Matheson, N.R., Gibson, H.L., Hallewell, R.A., Barr, P.J. and Travis, J.: Recombinant DNA-derived forms of human α_1 -proteinase inhibitor. Studies on the alanine 358 and cysteine 358 substituted mutants. *J. Biol. Chem.*, 261 (1986) 10404-10409.
- 171 Merrett, M., Stammers, D.K., White, R.D., Wootton, R. and Kneen, G.: Characterization of the binding of the anti-sickling compound BW12C, to haemoglobin. *Biochem. J.*, 239 (1986) 387-392.
- 172 Montanelli, A. and Manti, F.: (Heat exposure differentiates electrophoretically similar alloalbumins). *Quad. Solavo Diagn. Clin. Lab.*, 22 (1986) 78-83; *C.A.*, 105 (1986) 130243d.
- 173 Podack, E.R., Dahlbäck, B. and Griffin, J.H.: Interaction of S-protein of complement with thrombin and antithrombin III during coagulation. Protection of thrombin by S-protein from antithrombin III inactivation. *J. Biol. Chem.*, 261 (1986) 7387-7392.
- 174 Polack, B. and Freyssinet, J.-M.: Involvement of carbohydrate moieties in the heterogeneities of human blood clotting factor IX. *Electrophoresis (Weinheim)*, 7 (1986) 413-416.
- 175 Redman, C.M., Avellino, G., Pfeffer, S.R., Mukherjee, T.K., Nichols, M., Rubinstein, P. and Marsh, W.L.: Cell blood group antigens are part of a 93,000-dalton red cell membrane protein. *J. Biol. Chem.*, 261 (1986) 9521-9525.
- 176 Schiatti, R., Limberti, A. and Ignesti, C.: (Evaluation of an automatic method for electrophoretic separation of serum proteins and a comparison with the manual method). *Quad. Solavo Diagn. Clin. Lab.*, 22 (1986) 97-103; *C.A.*, 105 (1986) 93995c.
- 177 Scott, C.F., Mentzer, R.L., Budzynski, A.Z. and Colman, R.W.: Human factor XIa cleaves fibrinogen: Effects on structure and function. *Arch. Biochem. Biophys.*, 249 (1986) 480-488.
- 178 Sharma, D.C., Sharma, P.K. and Singh, P.P.: Detection of mercury poisoning by altered electrophoretic mobility of blood proteins. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1595-1596.
- 179 Taketa, K.: (Lectin affinity electrophoresis of human α -fetoprotein, detection of separated bands by antibody-affinity blotting and its clinical use). *Seibutsu Butsuri Kagaku*, 30 (1986) 3-10; *C.A.*, 105 (1986) 130245f.
- 180 Zaragoza, M.P., Amorena, B., Arana, B. and Zarazaga, I.: (Methodological advances for the detection of electrophoretic variations in rabbit serum). *An. Fac. Vet., Univ. Zaragoza*, 18-19 (1984) 183-196; *C.A.*, 105 (1986) 130250d.

See also 16, 94, 226, 241.

19e. Structural and muscle proteins

- 181 Csabina, S., Barany, M. and Barany, K.: Stretch-induced myosin light chain phosphorylation in rat uterus. *Arch. Biochem. Biophys.*, 249 (1986) 374-381.
- 182 Hofmann, K. and Bluechel, E.: (Determining the animal species of raw muscle meat from the myoglobin pattern in pH gradient gel). *Fleischwirtschaft*, 66 (1986) 916-921; *C.A.*, 105 (1986) 96109c.
- 183 Kedersha, N.L., Broek, D. and Berg, R.A.: A novel isoform of cytoplasmic actin that binds poly-L-proline. *Biochem. J.*, 238 (1986) 561-570.
- 184 Kim, H. and Shelef, L.A.: Characterization and identification of raw beef, pork, chicken and turkey meats by electrophoretic patterns of their sarcoplasmic proteins. *J. Food Sci.*, 51 (1986) 731-735, 741; *C.A.*, 105 (1986) 59605r.
- 185 Kleppel, M.M., Michael, A.F. and Fish, A.J.: Comparison of non-collagenous type IV collagen components in the human glomerulus and EHS tumor. *Biochim. Biophys. Acta*, 883 (1986) 178-189.
- 186 Lim, M.S. and Walsh, M.P.: Phosphorylation of skeletal and cardiac muscle C-proteins by the catalytic subunit of cAMP-dependent protein kinase. *Biochem. Cell Biol.*, 64 (1986) 622-630.
- 187 Martin, L.H., Bols, N.C. and Pasternak, J.J.: Monoclonal antibodies to cuticular proteins of *Panagrellus silusiae*: identification of a common collagenous epitope. *Biochem. Cell Biol.*, 64 (1986) 743-749.
- 188 Mimura, N. and Asano, A.: Isolation and characterization of a conserved actin-binding domain from rat hepatic actinogelin, rat skeletal muscle, and chicken gizzard α -actinins. *J. Biol. Chem.*, 261 (1986) 10680-10687.
- 189 Minor, R.R., Sippola-Thiele, M., McKeon, J., Berger, J. and Prockop, D.J.: Defects in the processing of procollagen to collagen are demonstrable in cultured fibroblasts from patients with the Ehlers-Danlos and osteogenesis imperfecta syndromes. *J. Biol. Chem.*, 261 (1986) 10006-10014.
- 190 Perrie, W.T. and Bumford, S.J.: Electrophoretic separation of myosin isoenzymes. Implications for the histochemical demonstration of fiber types in biopsy specimens of human skeletal muscle. *J. Neurol. Sci.*, 73 (1986) 89-96; *C.A.*, 105 (1986) 111388p.
- 191 Rauch, U., Glössl, J. and Kresse, H.: Comparison of small proteoglycans from skin fibroblasts and vascular smooth-muscle cells. *Biochem. J.*, 238 (1986) 465-474.
- 192 Roberts, G.P. and Brünt, J.: Biosynthesis of a glycosylated keratin by human keratinocytes. *Biochim. Biophys. Acta*, 883 (1986) 413-419.
- 193 Saitoh, M., Naka, M. and Hidaka, H.: The modulatory role of myosin light chain phosphorylation in human platelet activation. *Biochem. Biophys. Res. Commun.*, 140 (1986) 280-287.
- 194 Sobieszek, A. and Jertschin, P.: Urea-glycerol-acrylamide gel electrophoresis of acidic low molecular weight muscle proteins: Rapid determination of myosin light chain phosphorylation in myosin, actomyosin and whole muscle samples. *Electrophoresis (Weinheim)*, 7 (1986) 417-425.

See also 112.

19f. Protamines, histones and other nuclear proteins

- 195 Butler, A.P., Byus, C.V. and Slaga, T.J.: Phosphorylation of histones is stimulated by phorbol esters in quiescent Reuber H35 hepatoma cells. *J. Biol. Chem.*, 261 (1986) 9421-9425.
- 196 Davie, J.R., Numerow, L. and Delcuve, G.P.: The nonhistone chromosomal protein, H2A-specific protease, is selectively associated with nucleosomes containing histone H1. *J. Biol. Chem.*, 261 (1986) 10410-10416.
- 197 Desrosiers, R. and Tanguay, R.M.: Further characterization of the posttranslational modifications of core histones in response to heat and arsenite stress in *Drosophila*. *Biochem. Cell Biol.*, 64 (1986) 750-757.
- 198 Giancotti, V. and Goodwin, G.H.: A method for silver staining HMG chromosomal proteins in polyacrylamide electrophoretic gels. *J. Biochem. Biophys. Methods*, 12 (1986) 265-269; *C.A.*, 105 (1986) 75307a.
- 199 Mendelson, E., Landsman, D., Druckmann, S. and Bustin, M.: Immunofractionation of chromatin regions associated with histone H1^o. *Eur. J. Biochem.*, 160 (1986) 253-260.

- 200 Rakowicz-Szulezyska, E.M. and Koprowski, H.: Identification of NGF receptor in chromatin of melanoma cells using monoclonal antibody to cell surface NGF receptor. *Biochem. Biophys. Res. Commun.*, 140 (1986) 174-180.
- 201 Shiomi, Y., Powers, J., Bolla, R.I., van Nguyen, T. and Schlessinger, D.: Proteins and RNA in mouse L cell core nucleoli and nucleolar matrix. *Biochemistry*, 25 (1986) 5745-5751.

19g. *Chromoproteins and metalloproteins*

- 202 Berkelman, T.R. and Lagarias, J.C.: Visualization of bilin-linked peptides and proteins in polyacrylamide gels. *Anal. Biochem.*, 156 (1986) 194-201.
- 203 Danielson, K.G. and Medina, D.: Distribution of selenoproteins in mouse mammary epithelial cells *in vitro* and *in vivo*. *Cancer Res.*, 46 (1986) 4582-4589.
- 204 Gordis, E. and Herschkopf, S.: Application of isoelectric focusing in immobilized pH gradients to the study of acetaldehyde-modified hemoglobin. *Alcohol: Clin. Exp. Res.*, 10 (1986) 311-319; *C.A.*, 105 (1986) 74234n.
- 205 Kramlova, M., Pristoupil, T.I., Fricova, V. and Kraml, J.: First experience with the use of Pharmacia Phast System for the characterization of haemoglobins by isoelectric focusing. *J. Chromatogr.*, 367 (1986) 443-445.
- 206 Larsen, M.L.: Evaluation of a new capillary blood two dimensional system for laboratory assay of glycated hemoglobin. *Scand. J. Clin. Lab. Invest.*, 46 (1986) 315-317; *C.A.*, 105 (1986) 57178e.
- 207 Mainwaring, M.G., Lugo, S.D., Fingal, R.A., Kapp, O.H. and Vinogradov, S.N.: The dissociation of the extracellular hemoglobin of *Lumbricus terrestris* at acid pH and its reassociation at neutral pH. A new model of its quaternary structure. *J. Biol. Chem.*, 261 (1986) 10899-10908.
- 208 Mullins, R.E. and Austin, G.E.: Sensitivity of isoelectric focusing, ion exchange, and affinity chromatography to labile glycated hemoglobin. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1460-1463.
- 209 Poulsen, J.H. and Jespersen, J.: A comparison of the determination of glucosylated hemoglobin by isoelectric focusing and cation-exchange chromatography on minicolumns. *Scand. J. Clin. Lab. Invest.*, 46 (1986) 259-263; *C.A.*, 105 (1986) 38685b.
- 210 Rochette, J., Baudin, V., Bohn, B., Poyart, C. and Wajcman, H.: Isolation of human haemoglobin variants with altered Bohr effect. Application to haemoglobin Rainier. *J. Chromatogr.*, 369 (1986) 143-149.
- 211 Zak, O. and Aisen, P.: Nonrandom distribution of iron in circulating human transferrin. *Blood*, 68 (1986) 157-161; *C.A.*, 105 (1986) 76624p.

See also 171.

19h. *Proteins of glands, gland products and various zymogens (including milk proteins)*

- 212 Cheng, C.Y. and Bardin, C.W.: Rat testicular testibumin is a protein responsive to follicle stimulating hormone and testosterone that shares immunodeterminants with albumin. *Biochemistry*, 25 (1986) 5276-5288.
- 213 Mogi, M., Hiraoka, B.Y., Harada, M., Kage, T. and Chino, T.: Analysis and identification of human parotid salivary proteins by micro two-dimensional electrophoresis and Western-blot techniques. *Arch. Oral Biol.*, 31 (1986) 337-339; *C.A.*, 105 (1986) 75304x.
- 214 Saboori, A.M. and Young, M.: Nerve growth factor: biosynthetic products of the mouse salivary glands. Characterization of stable high molecular weight and 32000-dalton nerve growth factors. *Biochemistry*, 25 (1986) 5565-5571.
- 215 Shiba, A., Shiba, K.S. and Suzuki, K.: Analysis of salivary proteins by thin layer sodium dodecyl sulfate polyacrylamide gel electrophoresis. *J. Oral Rehabil.*, 13 (1986) 263-271; *C.A.*, 105 (1986) 75303w.
- 216 Shirai, H., Kondo, N., Bulet, P., Isobe, M., Imai, K. and Goto, T.: Separation by preparative electrofocusing of several components of gonad-stimulating substance of starfish. *Biomed. Res.*, 7 (1986) 97-102; *C.A.*, 105 (1986) 57342d.

See also 203, 232, 283.

19i. Proteins of neoplastic tissue

- 217 Narayan, R.K., Heydorn, W.E., Creed, G.J. and Jacobowitz, D.M.: Protein patterns in various malignant human brain tumors by two-dimensional gel electrophoresis. *Cancer Res.*, 46 (1986) 4685-4694.
- 218 Pousette, A., Gustafsson, S.A., Thörnblad, A.M., Nordgren, A., Sällström, J., Lindgren, A., Sundelin, P. and Gustafsson, J.-A.: Quantitation of estrogen receptor in seventy-five specimens of breast cancer: comparison between an immunoassay (Abbott ER-EIA monoclonal) and [³H]estradiol binding assay based on isoelectric focusing in polyacrylamide gel. *Cancer Res.*, 46 (1986) 4308s-4309s.
- 219 Sahai, A., Feuerstein, N., Cooper, H.L. and Salomon, D.S.: Effect of epidermal growth factor and 12-O-tetradecanoylphorbol-13-acetate on the phosphorylation of soluble acidic proteins in A431 epidermoid carcinoma cells. *Cancer Res.*, 46 (1986) 4143-4150.
- 220 Tsujimoto, M., Feinman, R., Kohase, M. and Vilcek, J.: Characterization and affinity crosslinking of receptors for tumor necrosis factor on human cells. *Arch. Biochem. Biophys.*, 249 (1986) 563-568.

19j. Specific binding proteins

- 221 Akerström, B. and Björck, L.: A physicochemical study of protein G, a molecule with unique immunoglobulin G-binding properties. *J. Biol. Chem.*, 261 (1986) 10240-10247.
- 222 Ali, M., Vranckx, R. and Nunez, E.A.: Origin of corticosteroid-binding globulin in fetal rat. Comparative dynamics of corticosteroid-binding globulin, α -feto-protein, and albumin secretion in primary cultures of fetal rat hepatocytes. *J. Biol. Chem.*, 261 (1986) 9915-9921.
- 223 Aoki, Y., Kunimoto, M., Shibata, Y. and Suzuki, K.T.: Detection of metallo-thionein on nitrocellulose membrane using Western blotting technique and its application to identification of cadmium-binding proteins. *Anal. Biochem.*, 157 (1986) 117-122.
- 224 Asakawa, K., Hedo, J.A., McElduff, A., Rouiller, D.G., Waters, M.J. and Gorden, P.: The human growth hormone receptor of cultured human lymphocytes. Structural characteristics and glycosylation properties. *Biochem. J.*, 238 (1986) 379-386.
- 225 Baxter, R.C., Martin, J.L., Tyler, M.I. and Howden, E.H.: Growth hormone-dependent insulin-like growth factor (IGF) binding protein from human plasma differs from other human IGF binding proteins. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1256-1261.
- 226 Hattori, Y., Yamamoto, K., Hanada, M., Ohba, Y. and Miyaji, T.: Two-dimensional electrophoresis for the determination of isoenzyme specificities of LDH-binding immunoglobulin in serum. *Rinsho Kagaku*, 14 (1985) 208-212; *C.A.*, 105 (1986) 93982w.
- 227 Haynes, F.J., Helmerhorst, E. and Yip, C.C.: The structure of the hepatic insulin receptor and insulin binding. *Biochem. J.*, 239 (1986) 127-133.
- 228 Hospattankar, A.V., Law, S.W., Lackner, K. and Brewer, H.B., Jr.: Identification of low density lipoprotein receptor binding domains of human apolipoprotein B-100: a proposed consensus LDL receptor binding sequence of apoB-100. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1078-1085.
- 229 Insoft, R., Sawutz, D.G. and Homey, C.J.: Purification and characterization of the β_2 -adrenergic receptor from calf lung. *Biochim. Biophys. Acta*, 861 (1986) 345-352.
- 230 Kacheva, M., Kovachev, D., Podimitorva, N. and Stoylov, S.: Microelectrophoretic mobility test for lectin binding to purple membrane fragments. *Lectins: Biol. Biochem. Clin. Biochem.*, 5 (1986) 573-578; *C.A.*, 105 (1986) 38632g.
- 231 Klotz, K.-N. and Lohse, M.J.: The glycoprotein nature of A₁ adenosine receptors. *Biochem. Biophys. Res. Commun.*, 140 (1986) 406-413.
- 232 Kopf, G.S., Woolkalis, M.J. and Gerton, G.L.: Evidence for a guanine nucleotide-binding regulatory protein in invertebrate and mammalian sperm. Identification by islet-activating protein-catalyzed ADP-ribosylation and immunochemical method. *J. Biol. Chem.*, 261 (1986) 7327-7331.
- 233 Lefebvre, Y.A., Venkatraman, J.T., Golsteyn, E.J. and Howell, G.M.: Interaction of steroids with the nuclear envelope. *Biochem. Cell Biol.*, 64 (1986) 594-600.

- 234 Lobb, R.R., Rybak, S.M., St Clair, D.K. and Pett, J.W.: Lysates of two established human tumor lines contain heparin-binding growth factors related to bovine acidic brain fibroblast growth factor. *Biochem. Biophys. Res. Commun.*, 139 (1986) 861-867.
- 235 McGregor, J.L., McGregor, L., Bauer, A.-S., Catimel, B., Brochier, J., Dechavanne, M. and Clemetson, K.J.: Identification of two distinct regions within the binding sites for fibrinogen and fibronectin on the IIb-IIIa human platelet membrane glycoprotein complex by monoclonal antibodies P2 and P4. *Eur. J. Biochem.*, 159 (1986) 443-449.
- 236 Nagata, K. and Yamada, K.M.: Phosphorylation and transformation sensitivity of a major collagen-binding protein of fibroblasts. *J. Biol. Chem.*, 261 (1986) 7531-7536.
- 237 O'Connor-McCourt, M., Soley, M., Hayden, L.J. and Hollenberg, M.D.: Receptors for epidermal growth factor (urogastrone) and insulin in primary cultures of rat hepatocytes maintained in serum-free medium. *Biochem. Cell Biol.*, 64 (1986) 803-810.
- 238 Pick-Kober, K.-H., Munker, D. and Gressner, A.M.: Fibronectin is synthesized as an acute phase reactant in rat hepatocytes. *J. Clin. Chem. Clin. Biochem.*, 24 (1986) 521-528.
- 239 Rostagno, A., Frangione, B., Pearlstein, E. and Garcia-Pardo, A.: Fibronectin binds to amyloid P component. Localization of the binding site to the 31,000 dalton C-terminal domain. *Biochem. Biophys. Res. Commun.*, 140 (1986) 12-20.
- 240 Sorensen, P., Farber, N.M. and Krystal, G.: Identification of the interleukin-3 receptor using an iodinated, cleavable, photoreactive cross-linking agent. *J. Biol. Chem.*, 261 (1986) 9094-9097.
- 241 Steiner, M. and Lüscher, E.F.: Identification of the immunoglobulin G receptor of human platelets. *J. Biol. Chem.*, 261 (1986) 7230-7235.
- 242 Stiles, G.L.: Photoaffinity cross-linked A₁ adenosine receptor-binding subunits. Homologous glycoprotein expression by different tissues. *J. Biol. Chem.*, 261 (1986) 10839-10843.
- 243 Tsang, A.S. and Tasaka, M.: Identification of multiple cyclic AMP-binding proteins in developing *Dictyostelium discoideum* cells. *J. Biol. Chem.*, 261 (1986) 10753-10759.
- 244 Vartio, T.: Disulfide-bonded polymerization of plasma fibronectin in the presence of metal ions. *J. Biol. Chem.*, 261 (1986) 9433-9437.

See also 218, 220, 251, 353.

19k. Urinary proteins

- 245 Allchin, J.P. and Evans, G.O.: A simple rapid method for the detection of rat urinary proteins by agarose electrophoresis and nigrosine staining). *Lab. Anim.*, 20 (1986) 202-205; *C.A.*, 105 (1986) 111394n.
- 246 Bauer, H., Nagel, J., Wierer, D., Brunner, H. and Franz, H.E.: Evaluation of proteinuria by two-dimensional polyacrylamide gel electrophoresis after kidney transplantation. *Uremia Invest.*, 9 (1985, Pub. 1986) 269-275; *C.A.*, 105 (1986) 95565m.
- 247 Gianazza, E., Astrua-Testori, S., Righetti, P.G. and Bianchi-Bosisio, A.: Urine analysis by two-dimensional gel electrophoresis with isoelectric focusing in immobilized pH gradients in the first dimension. *Electrophoresis (Weinheim)*, 7 (1986) 435-438.
- 248 Xu, L. and Liu, J.: (Analysis of urinary proteins by vertical slab discontinuous SDS-polyacrylamide gel electrophoresis). *Shanghai Yixue*, 9 (1986) 98-100; *C.A.*, 105 (1986) 111396q.

See also 383.

19l. Other proteins

- 249 Brennan, S.O. and Carrell, R.W.: α_1 -Antitrypsin Christchurch, 363 Glu¹Lys: mutation at the P₁ position does not affect inhibitory activity. *Biochim. Biophys. Acta*, 873 (1986) 13-19.
- 250 Carbajal, M.E., Duband, J.-L., Lettre, F., Valet, J.-P. and Tanguay, R.M.: Cellular localization of *Drosophila* 83-kilodalton heat shock protein in normal, heat-shocked, and recovering cultured cell with a specific antibody. *Biochem. Cell Biol.*, 64 (1986) 816-825.

- 251 Chinkers, M. and Garbers, D.L.: Regulation of the phosphorylation state and function of the epidermal growth factor receptor by vitamin K-3. *Biochim. Biophys. Acta*, 888 (1986) 176-183.
- 252 Clark, B.D. and Brown, I.R.: A retinal heat shock protein is associated with elements of the cytoskeleton and binds to calmodulin. *Biochem. Biophys. Res. Commun.*, 139 (1986) 974-981.
- 253 Cotten, M., Sealy, L. and Chalkley, R.: Massive phosphorylation distinguishes *Xenopus laevis* nucleoplasmin isolated from oocytes or unfertilized eggs. *Biochemistry*, 25 (1986) 5063-5069.
- 254 Detrich, H.W., III and Overton, S.A.: Heterogeneity and structure of brain tubulins from cold-adapted antarctic fishes. Comparison to brain tubulins from a temperate fish and a mammal. *J. Biol. Chem.*, 261 (1986) 10922-10930.
- 255 Diani, F., Conti, I., Felis, S., Repetti, F. and Costa, A.: Analysis of amniotic fluid proteins by isoelectrofocusing i pregnancies complicated by polyhydramnios and Rh-sensitization. *Biol. Res. Pregnancy Perinatol.*, 7 (1986) 56-59; *C.A.*, 105 (1986) 93992z.
- 256 Fukae, M. and Tanabe, T.: Separation of a non-amelogenin component from purified amelogenin preparation of immature porcine enamel. *Shika Kiso Igakkai Zasshi*, 27 (1985) 1249-1251; *C.A.*, 105 (1986) 75302v.
- 257 Kawooya, J.K., Osir, E.O. and Law, J.H.: Physical and chemical properties of microvitellogenin. A protein from the egg of the tobacco hornworm moth, *Manduca sexta*. *J. Biol. Chem.*, 261 (1986) 10844-10849.
- 258 Lönnroth, I. and Lange, S.: Purification and characterization of the antisecretory factor: a protein in the central nervous system and in the gut which inhibits intestinal hypersecretion induced by cholera toxin. *Biochim. Biophys. Acta*, 883 (1986) 138-144.
- 259 MacLaughlin, D.T., Santoro, N.F., Bauer, H.H., Lawrence, D. and Richardson, G.S.: Two-dimensional gel electrophoresis of endometrial protein in human uterine fluids: Qualitative and quantitative analysis. *Biol. Reprod.*, 34 (1986) 579-585; *C.A.*, 105 (1986) 93996d.
- 260 Rittner, C., Hargesheimer, W., Stradmann, B., Bertrams, J., Baur, M.P. and Petersen, B.H.: Human C81(α -Y) polymorphism: detection in the α -Y subunit on SDS-PAGE formal genetics and linkage relationship. *Am. J. Hum. Genet.*, 38 (1986) 482-491; *C.A.*, 105 (1986) 55545y.
- 261 Stefani, L. and Losconi, M.C.: [Isoelectric focusing of α_1 -antitrypsin on a new polyester support]. *G. Ital. Chim. Clin.*, 10 (1985) 179-180; *C.A.*, 105 (1986) 75301u.
- 262 Svane Mellbye, K., Smestad Paulsen, B. and Dale, S.: Isolation of antigen 19/20 from the mite *Dermatophagoides farinae* by chromatography on the Mono STM column. *J. Chromatogr.*, 367 (1986) 247-253.
- 263 Wallace, R.A. and Morgan, J.P.: Isolation of phosvitin: retention of small molecular weight species and staining characteristics on electrophoretic gels. *Anal. Biochem.*, 157 (1986) 256-261.
- 264 Wandosell, F., Serrano, L., Hernandez, M.A. and Avila, J.: Phosphorylation of tubulin by a calmodulin-dependent protein kinase. *J. Biol. Chem.*, 261 (1986) 10332-10339.
- 265 Wu, W., Song, X. and Ding, Y.: [The isoelectric point of human C-reactive protein]. *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, (1986) 52-54; *C.A.*, 105 (1986) 75170a.

See also 149, 159.

20. ENZYMES

20a. Oxidoreductases

- 266 Fronticelli, C., Bucci, E., Zachary, A. and Rosen, B.P.: Conformational properties of membrane-bound fumarate reductase of *Escherichia coli*. *Arch. Biochem. Biophys.*, 249 (1986) 579-587.
- 267 Gow, L.-A., Pankhania, I.P., Ballantine, S.P., Boxer, D.H. and Hamilton, W.A.: Identification of a membrane-bound hydrogenase of *Desulfovibrio vulgaris* (Hildenborough). *Biochem. Biophys. Acta*, 851 (1986) 57-64.

- 268 Kusumi, K.: A simple method for analysis of superoxide dismutase in animal tissues by cellulose acetate electrophoresis. *Kitasato Arch. Exp. Med.*, 58 (1985) 53-58; *C.A.*, 105 (1986) 93276u.
- 269 Michalski, W.P., Hein, D.H. and Nicholas, D.J.D.: Purification and characterization of nitrous oxide reductase from *Rhodospseudomonas sphaeroides* f. sp. *denitrificans*. *Biochim. Biophys. Acta*, 872 (1986) 50-60.
- 270 Shibata, F. and Ogita, Z.-i.: Epigenetic modification of murine Cu,Zn-superoxide dismutase. *Electrophoresis (Weinheim)*, 7 (1986) 426-428.
- 271 Silvestro, A., Ponnier, J. and Giordano, G.: Molybdenum cofactor: a compound in the *in vitro* activation of both nitrate reductase and trimethylamine-N-oxide reductase activities in *Escherichia coli* K12. *Biochim. Biophys. Acta*, 872 (1986) 243-252.
- 272 Tanaka, M., Nishikimi, M., Suzuki, H., Ozawa, T., Nishizawa, M., Tanaka, K. and Miyatake, T.: Defficiency of subunits in heart mitochondrial NADH-ubiquinone oxidoreductase of a patient with mitochondrial encephalomyopathy and cardiomyopathy. *Biochem. Biophys. Res. Commun.*, 140 (1986) 88-93.
- 273 Wayne, L.G. and Diaz, G.A.: A double staining method for differentiating between two classes of mycobacterial catalase in polyacrylamide electrophoresis gels. *Anal. Biochem.*, 157 (1986) 89-92.
- 274 Wicking, C.A., Scholem, R.D., Hunt, S.M. and Brown, G.K.: Immunochemical analysis of normal and mutant forms of human pyruvate dehydrogenase. *Biochem. J.*, 239 (1986) 89-96.

See also 289, 323.

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 275 Isono, H. and Miyaura, S.: (Direct detection of glutathione S-transferase on a gel plate by treatment with glutathione and 1-chloro-2,4-dinitrobenzene). *Eisei Kagaku*, 31 (1985) 377-384; *C.A.*, 105 (1986) 93277v.
- 276 Miller, A.W. and Robut, J.F.: Detection of dextranucrase and levansucrase on polyacrylamide gels by the periodic acid-Schiff stain: staining artifacts and their prevention. *Anal. Biochem.*, 156 (1986) 357-363.
- 277 Mousdale, D.M. and Coggins, J.R.: Rapid chromatographic purification of glyphosate-sensitive 5-enolpyruvylshikimate 3-phosphate synthase from higher plant chloroplasts. *J. Chromatogr.*, 367 (1986) 217-222.
- 278 Shimizu, K., Maruyama, I., Iijima, S. and Tsukada, K.: Tripolyphosphatase associated with S-adenosylmethionine synthetase isozymes from rat liver. *Biochim. Biophys. Acta*, 883 (1986) 293-298.
- 279 Tsumori, H., Shimamura, A. and Mukasa, H.: Enzyme-linked immunological detection of glucosyltransferase from *Streptococcus mutans* in polyacrylamide gels after isoelectric focusing. *Boei Ika Daigaku Shingaku Katei Kenkyu Kiyo*, 9 (1986) 179-188; *C.A.*, 105 (1986) 93802n.
- 280 Tu, C.D., Matsushima, A., Li, N., Rhoads, D.M., Srikumar, K., Reddy, A.P. and Reddy, C.C.: Immunological and sequence interrelationships between multiple human liver and rat glutathione S-transferases. *J. Biol. Chem.*, 261 (1986) 9540-9545.

See also 274, 323.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 281 Bessho, M., Hirashima, K., Kawase, Y. and Ohtani, M.: (An improved method for determination of phosphoglycerate kinase isoenzyme patterns of murine hemopoietic cells by cellulose acetate membrane electrophoresis). *Nippon Ketsueki Gakkai Zasshi*, 48 (1985) 1587-1590; *C.A.*, 105 (1986) 93281s.
- 282 Duncan, G.T., Seiden, H., Vallee, L. and Ferraro, D.: Effects of superglue, other fingerprint agents, and luminal on blood-stain analysis. *J. Assoc. Off. Anal. Chem.*, 69 (1986) 677-680.
- 283 Friedman, Y., Hendricks, L., Poleck, T., Lavasseur, S. and Burke, G.: Calcium-activated, calmodulin-dependent protein kinase activity in bovine thyroid cytosol. *Biochem. Biophys. Res. Commun.*, 140 (1986) 120-127.
- 284 Kelly, J.L. and Lehman, I.R.: Yeast mitochondrial RNA polymerase. Purification and properties of the catalytic subunit. *J. Biol. Chem.*, 261 (1986) 10340-10347.

- 285 Moyle, M., Hofmann, T. and Ingles, C.J.: The RP031 gene of *Saccharomyces cerevisiae* encodes the largest subunit of RNA polymerase III. *Biochem. Cell. Biol.*, 64 (1986) 717-721.
- 286 Nealon, D.A.: Rapid purification of adenylate kinase from human erythrocytes and skeletal muscle. *Arch. Biochem. Biophys.*, 250 (1986) 19-22.
- 287 Ohtsuki, K., Ikeuchi, T. and Yokoyama, M.: Characterization of nucleotide-diphosphate kinase-associated guanine nucleotide-binding proteins from HeLa S3 cells. *Biochim. Biophys. Acta*, 882 (1986) 322-330.
- 288 Ohtsuka, T., Okamura, N. and Ishibashi, S.: Involvement of protein kinase C in the phosphorylation of 46 kDa protein which are phosphorylated in parallel with activation of NADPH oxidase in intact feline polymorphonuclear leukocytes. *Biochim. Biophys. Acta*, 888 (1986) 332-337.
- 289 Ström, S. and Bendz, R.: Creatine kinase and lactate dehydrogenase isoenzymes in stage D prostatic carcinoma. *Clin. Chim. Acta*, 159 (1986) 219-228.
- 290 Trevillyan, J.M., Canna, C., Maley, D., Linna, T.J. and Phillips, C.A.: Identification of the human T-lymphocyte protein-tyrosine kinase by peptide-specific antibodies. *Biochem. Biophys. Res. Commun.*, 140 (1986) 392-398.
- 20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*
- 291 Frank, W.E. and Srolorow, M.D.: The use of ultrathin-layer agarose gels for phenotyping erythrocyte acid phosphatase by isoelectric focusing. *J. Forensic Sci.*, 31 (1986) 1089-1094; *C.A.*, 105 (1986) 93307e.
- 292 Hada, T., Imanishi, H., Yamamoto, T., Amuro, Y., Higashino, K., Taketa, K. and Sato, J.: Microheterogeneity of Kasahara isozyme. *Clin. Chim. Acta*, 159 (1986) 37-43.
- 293 Lundgard, R. and Baisted, D.: Secretion of a lipolytic protein aggregate by barley aleurone and its dissociation by starch endosperm. *Arch. Biochem. Biophys.*, 249 (1986) 447-454.
- 294 Miscicka-Sliwka, D.: (Typing of acid phosphatase (AcP) isoenzymes in blood-stains). *Arch. Med. Sadowej. Kryminol.*, 34 (1984) 243-249; *C.A.*, 105 (1986) 36966v.
- 295 Patel, P.C., Aubin, L. and Cote, J.: Use of monoclonal and polyclonal antibodies to detect prostatic acid phosphatase by immunoblotting. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1832-1835.
- 296 Pen, J., van Beeymen, J. and Beintema, J.J.: Structural comparison of two esterases from *Drosophila melanogaster* isolated by immunoaffinity chromatography. *Biochem. J.*, 238 (1986) 691-699.
- 297 Schreiber, W.E. and Whitta, L.: Alkaline phosphatase isoenzymes resolved by electrophoresis on lectin-containing agarose-gel. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1570-1573.
- 298 Sykes, E., Kiechle, F.L. and Epstein, E.: Effect of phospholipase C on high-molecular-mass alkaline phosphatase in serum. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1503-1505.
- 299 Tamura, S., Suzuki, Y., Kikuchi, K. and Tsuki, S.: Identification and characterization of Mg²⁺-dependent phosphotyrosyl protein phosphatase from rat liver cytosol. *Biochem. Biophys. Res. Commun.*, 140 (1986) 212-218.
- 300 Van den Busch, R., Geuze, H.J., du Maine, A.P.M. and Strous, G.J.: Transport and metabolism of 5'-nucleotidase in a rat hepatoma cell line. *Eur. J. Biochem.*, 160 (1986) 49-54.
- 301 Waheed, A. and van Etten, R.L.: Biosynthesis and processing of prostatic and lysosomal acid phosphatases in a prostate carcinoma cell line PC-3SF12. *Cancer Res.*, 46 (1986) 4796-4803.

See also 282.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 302 Bagnara, C., Gaudin, C. and Belaich, J.-P.: Purification and partial characterization of two extracellular endoglucanases from *Cellulomonas fermentans*. *Biochem. Biophys. Res. Commun.*, 140 (1986) 219-229.
- 303 Beck, R.H.F. and Praznik, W.: Determination of inulase isoenzymes on polyacrylamide gels by activity staining. *J. Chromatogr.*, 369 (1986) 240-243.

- 304 Drozd, R.: (Polymerized forms of lysozyme applied in determinations of molecular weights of proteins in SDS electrophoresis in polyacrylamide gels). *Diagn. Lab.*, 21 (1985) 199-205; *C.A.*, 105 (1986) 38628k.
- 305 Edwards, M., Dea, I.C.M., Bulpin, P.V. and Reid, J.S.G.: Purification and properties of a novel xyloglucan-specific *endo*-(1 $\rightarrow$ 4)- β -D-glucanase from germinated *Nasturtium* seeds (*Tropaeolum majus* L.). *J. Biol. Chem.*, 261 (1986) 9489-9494.
- 306 Lienart, Y., Comtat, J. and Barnoud, F.: A wall-bound *exo*-1,3- β -D-glucanase from *Acacia* cultured cells. *Biochim. Biophys. Acta*, 883 (1986) 353-360.
- 307 Szakacz-Dobozi, M. and Halasz, A.: Immuno-electrophoretic characterization of cellulolytic enzymes of fungal origin. *J. Chromatogr.*, 366 (1986) 51-55.

20f. Other hydrolases

- 308 Callaway, J.E., Garcia, J.A., Jr., Hersh, C.L., Yeh, R.K. and Gilmore-Hebert, M.: Use of lectin affinity chromatography for the purification of collagenase from human polymorphonuclear leukocytes. *Biochemistry*, 25 (1986) 4757-4762.
- 309 Freisleben, H.-J. and Zimmer, G.: ATP synthase complex from beef heart mitochondria. Separation of protein bands in the region of 28-31 kDa. *Eur. J. Biochem.*, 160 (1986) 155-161.
- 310 Gardi, C. and Lungarella, G.: Isolation and partial characterization of rat elastolytic enzymes from various cells and tissues. *Arch. Biochem. Biophys.*, 250 (1986) 63-69.
- 311 Pessah, I.N., Anderson, K.W. and Casida, J.E.: Solubilization and separation of Ca^{2+} -ATPase from the Ca^{2+} -ryanodine receptor complex. *Biochem. Biophys. Res. Commun.*, 139 (1986) 235-243.
- 312 Pontremoli, S., Melloni, E., Salamino, F., Sparatore, B., Michetti, M., Sacco, O. and Bianchi, G.: Characterization of the defective calpain-endogenous calpain inhibitor system in erythrocytes from Milan hypertensive rats. *Biochem. Biophys. Res. Commun.*, 139 (1986) 341-347.
- 313 Sanderink, G.-J.C.M., Artur, Y., Galteau, M.-M., Wellman-Bednawska, M. and Siest, G.: Multiple forms of serum aminopeptidases separated by micro two-dimensional electrophoresis under non-denaturing conditions. *Electrophoresis (Weinheim)*, 7 (1986) 471-475.
- 314 Schmitt, Ch.A. and McDonough, A.A.: Developmental and thyroid hormone regulation of two molecular forms of Na^{+} - K^{+} -ATPase in brain. *J. Biol. Chem.*, 261 (1986) 10439-10444.
- 315 Shinagawa, T., Do, Y.-S., Tam, H. and Hsueh, W.A.: Complete purification of human renal renin and sequence of the amino terminus. *Biochem. Biophys. Res. Commun.*, 139 (1986) 446-454.
- 316 Tar, A., Gal, S., Toth-Martinez, B.L., Hernadi, F.J. and Kiss, L.: Use of chromatofocusing for separation of β -lactamases. VII. Analytical and medium scale preparative chromatofocusing of the constitutive chromosomal cephalosporinase P99 from *Enterobacter cloacae*. *J. Chromatogr.*, 368 (1986) 427-432.
- 317 Yakunitskaya, L.M., Kestner, A., Tikhomirova, V.P. and Samartsev, M.A.: (Use of isoelectric focusing in thin-layer and disc electrophoresis for characterization of chemically modified acid proteinases). *Tr. Talin. Politekh.*, (1985) 129-138; *C.A.*, 105 (1986) 110905t.

See also 323.

20g. Lyases

- 318 Kamisaki, Y., Saheki, S., Nakane, M., Palmieri, J.A., Kuno, T., Chang, B.Y., Waldman, S.A. and Murad, F.: Soluble guanylate cyclase from rat lung exists as a heterodimer. *J. Biol. Chem.*, 261 (1986) 7236-7241.
- 319 Nimmo, G.A., Nimmo, H.G., Hamilton, I.D., Fewson, C.A. and Wilkins, M.B.: Purification of the phosphorylated night form and dephosphorylated day form of phosphoenolpyruvate carboxylase from *Bryophyllum fedtschenkoi*. *Biochem. J.*, 239 (1986) 213-220.
- 320 Sainis, J.K. and Harris, G.C.: The association of ribulose-1,5-bisphosphate carboxylase with phosphoriboisomerase and phosphoribulokinase. *Biochem. Biophys. Res. Commun.*, 139 (1986) 947-954.

- 321 Viallard, J.L., Borocco, S., Dastugue, B. and Ven Murthy, M.R.: Unreliability of electrophoretic determination of neuron-specific enolase in plasma. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1612-1613.

See also 323.

20h. Isomerases

- 322 Cini, J.K. and Gracy, R.W.: Molecular basis of the isozymes of bovine glucose-6-phosphate isomerase. *Arch. Biochem. Biophys.*, 249 (1986) 500-505.

20i. Ligases

See 323.

20j. Complex mixtures and incompletely identified enzymes

- 323 Doremus, H.D.: Organization of the pathway of *de novo* pyrimidine nucleotide biosynthesis in pea (*Pisum sativum* L.cv Progress No.9) leaves. *Arch. Biochem. Biophys.*, 250 (1986) 112-119.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 324 Kulis, J., Peslekiene, M., Laurinavicus, V., Simonyan, A.L., Tatikyan, S.Sh., Khachatryan, G.E. and Avakyan, T.M.: (Determination of uric acid). *U.S.S.R. Pat. SU 1,236,378* (Cl.G01N33/62), 07 Jan. 1986, Appl. 3,722,832, 10 Apr. 1984; *C.A.*, 105 (1986) 130362s.
- 325 Wolfes, H., Fliess, A., Winkler, F. and Pingoud, A.: Cross-linking of bromodeoxy-uridine-substituted oligonucleotides to the EcoRI and EcoRV restriction endonucleases. *Eur. J. Biochem.*, 159 (1986) 267-273.
- 326 Zeng, F., Jin, B. and Lu, Y.: (Determination of nucleotide composition of oligonucleotide containing dihydrouridine or dihydrouridine-3'-phosphate). *Fenxi Huaxue*, 13 (1985) 528-530; *C.A.*, 105 (1985) 60865g.

See also 107, 377.

21b. Nucleic acids, RNA

- 327 Cairo, G., Vezzoni, P., Bardella, L., Schiaffonati, L., Rappocciolo, E., Levi, S., Arosio, P. and Bernelli-Zazzera, A.: Regulation of ferritin synthesis in malignant and non-malignant lymphoid cells. *Biochem. Biophys. Res. Commun.*, 139 (1986) 652-657.
- 328 Fremont, P., Dionne, F.T. and Rogers, P.A.: Recovery of biologically functional messenger RNA from agarose gels by passive elution. *Anal. Biochem.*, 156 (1986) 508-514.
- 329 Mezl, V.A., Clark, J. and Garber, P.M.: Heating RNA before cell-free translation gives no selective increases among the translation products of RNA from rat heart and mammary gland, rabbit reticulocyte membranes, or trout liver. *Biochem. Cell Biol.*, 64 (1986) 504-508.
- 330 Nover, L., Munsche, D., Neumann, D., Ohme, K. and Scharf, K.-D.: Control of ribosome biosynthesis in plant cell cultures under heat-shock conditions. Ribosomal RNA. *Eur. J. Biochem.*, 160 (1986) 297-304.
- 331 Patton, J.T. and Stacy-Phipps, S.: Electrophoretic separation of the plus and minus strands of rotavirus SA11 double-stranded RNAs. *J. Virol. Methods*, 13 (1986) 185-190; *C.A.*, 105 (1986) 130241b.
- 332 Pemble, S.E., Taylor, J.B., Craig, R.K. and Ketterer, B.: Differential tissue expression of the glutathione transferase multigene family. *Biochem. J.*, 238 (1986) 373-378.

- 333 Rivera-Baustamante, R.F., Gin, R. and Semancik, J.S.: Enhanced resolution of circular and linear molecular forms of viroid and viroid-like RNA by electrophoresis in a discontinuous-pH system. *Anal. Biochem.*, 156 (1986) 91-95.
- 334 Sri-Widada, J., Graafland, H., Dietz, R., Brunel, C., Cathala, G. and Jeanteur, P.: A human auto-immune antibody specifically recognizing initiator methionine tRNA from yeast and higher eucaryotes. *Biochem. Biophys. Res. Commun.*, 139 (1986) 275-280.
- 335 Tarugi, P., Calandra, S. and Chan, L.: Changes in apolipoprotein A-I mRNA level in the liver of rats with experimental nephrotic syndrome. *Biochem. Biophys. Acta*, 868 (1986) 51-61.
- 336 Zezza, D.J. and Heywood, S.M.: Analysis of tcrNA102 associated with myosin heavy chain-mRNPs in control and dystrophic chick pectoralis muscle. *J. Biol. Chem.*, 261 (1986) 7461-7465.
- 337 Zhu, Y.S., Kiley, P.J., Donohue, T.J. and Kaplan, S.: Origin of the mRNA stoichiometry of the puf operon in *Rhodobacter sphaeroides*. *J. Biol. Chem.*, 261 (1986) 10366-10374.

See also 27-29, 81, 107.

21c. Nucleic acids, DNA

- 338 El-Hamalawi, Abdel-Rahman, A. and Shihabi, H.: Effect of polycations on the electrophoretic mobility of bacterial DNA. *J. Drug Res.*, 16 (1985) 111-116; *C.A.*, 105 (1986) 129593m.
- 339 Ellwood, M.S., Collins, M., Fritsch, E.F., Williams, J.I., Diamond, S.E. and Brewen, J.G.: Strand displacement applied to assays with nucleic acid probes. *Clin. Chem. (Winston-Salem)*, 32 (1986) 1631-1636.
- 340 Fesjian, S., Frisch, H.L. and Jamil, T.: Diffusion of DNA in a gel under an intermittent electric field. *Biopolymers*, 25 (1986) 1179-1184; *C.A.*, 105 (1986) 94070j.
- 341 Kawajiri, K., Watanabe, J., Gotoh, O., Tagashira, Y., Sogawa, K. and Fujii-Kuriyama, Y.: Structure and drug inducibility of the human cytochrome P-450c gene. *Eur. J. Biochem.*, 159 (1986) 219-225.
- 342 Lambert, S.F. and Thomas, J.O.: Lysine-containing DNA-binding regions on the surface of the histone octamer in the nucleosome core particle. *Eur. J. Biochem.*, 160 (1986) 191-201.
- 343 Landolt, P. and Tobler, H.: Characterization of inverted repeated sequences in *Ascaris* nuclear DNA. *Eur. J. Biochem.*, 159 (1986) 435-442.
- 344 Lapoumeroulie, C., Pagnier, J., Bank, A., Labie, D. and Krishnamoorthy, R.: β Thalassemia due to a novel mutation in IVS 1 sequence donor site consensus sequence creating a restriction site. *Biochem. Biophys. Res. Commun.*, 139 (1986) 709-713.
- 345 Nguyen, N.Y., Suzuki, A., Cheng, S., Zon, G. and Liu, T.: Isolation and characterization of *Limulus* C-reactive protein genes. *J. Biol. Chem.*, 261 (1986) 10450-10455.
- 346 Ono, T., Tawa, R., Shinya, K., Hirose, S. and Okada, S.: Methylation of the c-myc gene changes during aging process of mice. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1299-1304.
- 347 Snell, R.G. and Wilkins, R.J.: Separation of chromosomal DNA molecules from *C. Albicans* by pulsed field gel electrophoresis. *Nucleic Acids Res.*, 14 (1986) 4401-4406; *C.A.*, 105 (1986) 57354j.
- 348 Tajbakhsh, S., Dove, J.J., Lee, P.E. and Seligy, V.L.: DNA components of *Tipula* iridescent virus. *Biochem. Cell Biol.*, 64 (1986) 495-503.
- 349 Takanami, M.: (Gel electrophoresis as an essential tool for DNA research). *Seibutsu Butsuri Kagaku*, 29 (1985) 231-236; *C.A.*, 105 (1986) 93785j.
- 350 Valenzuela, M.S. and Aguinaga, del Pilar, M.: Rapid isolation recombinant DNA plasmids containing inserts of known sizes. *BioTechniques*, 4 (1986) 204-207; *C.A.*, 105 (1986) 93986a.
- 351 Van Oost, B.A., Edgell, C.-J.S., Hay, C.W. and MacGillivray, R.T.A.: Isolation of a human von Willebrand factor cDNA from the hybrid endothelial cell line EA.hy926. *Biochem. Cell Biol.*, 64 (1986) 699-705.

- 352 Yamada, H., Yoshida, T., Sakamoto, H., Terada, M. and Sugimura, T.: Establishment of a human pancreatic adenocarcinoma cell line (PSN-1) with amplifications of both c-myc and activated c-Ki-ras by a point mutation. *Biochem. Biophys. Res. Commun.*, 140 (1986) 167-173.

See also 27-29, 62, 81, 199, 323, 356.

21d. Nucleoproteins

- 353 Grote, M., Dijk, J. and Reinhardt, R.: Ribosomal and DNA binding proteins of the thermoacidophilic archaebacterium *Sulfolobus acidocaldarius*. *Biochim. Biophys. Acta*, 873 (1986) 405-413.
- 354 Hultin, T.: Selective high-efficiency cross-linking of mammalian ribosomal proteins with cleavable thiol-directed heterobifunctional reagents: identification and binding directions of major protein complexes. *Biochim. Biophys. Acta*, 872 (1986) 226-235.
- 355 Hultin, T. and Nika, H.: Selective high-efficiency cross-linking of mammalian ribosomal proteins with cleavable thiol-directed heterobifunctional reagents: separation and identification of contact sequences of neighboring proteins after CNBr fragmentation. *Biochim. Biophys. Acta*, 872 (1986) 236-242.
- 356 Pennings, S., Muyldermans, S. and Wyns, L.: Limitations of the poly(glutamic acid) reconstitution method in the reassembly of mono- and dinucleosomes. *Biochemistry*, 25 (1986) 5043-5051.

21e. Complex mixtures of nucleic acids

- 357 Smith, C.L., Warburton, P.E., Gaal, A. and Cantor, C.R.: Analysis of genome organization and rearrangements by pulsed field gradient gel electrophoresis. *Genet. Eng.*, 8 (1986) 45-70; *C.A.*, 105 (1986) 128406r.

21f. Structural studies of nucleic acids

- 358 Bernards, A., Kooter, J.M., Michels, P.A.M., Moberts, R.M.P. and Borst, P.: Pulsed field gradient electrophoresis of DNA digested in agarose allows the sizing of the large duplication unit of a surface antigen gene in trypanosomes. *Gene*, 42 (1986) 313-322; *C.A.*, 105 (1986) 92470r.
- 359 Kimura, T. and Hishinuma, K.: (Digital signal processing in autoradiographic determination of base sequence in DNA on its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,873 (86 18,873) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,910, 06 Jul. 1984, 11 pp.; *C.A.*, 105 (1986) 38795n.
- 360 Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequences in DNA or its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,877 (86 18,877) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,914, 06 Jul. 1984, 11 pp.; *C.A.*, 105 (1986) 130367x.
- 361 Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequences in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,876 (86 18,876) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,913, 06 Jul. 1984, 11 pp.; *C.A.*, 105 (1986) 130368y.
- 362 Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequences in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,875 (86 18,875) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,912, 06 Jul. 1984, 10 pp.; *C.A.*, 105 (1986) 130369z.
- 363 Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequence in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,874 (86 18,874) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,911, 06 Jul. 1984, 11 pp.; *C.A.*, 105 (1986) 130370t.
- 364 Kimura, T., Hishinuma, K. and Shiraishi, H.: (Digital data processing in autoradiographic determination in base sequence in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 60,223,558 (85,233,558) (Cl. G01N33/58), 20 Nov. 1985, Appl. 84/89,616, 04 May 1984, 14 pp.; *C.A.*, 105 (1986) 38794m.
- 365 Naylor, L.H. and Van de Sande, J.H.: Improved sequence resolution of highly repetitive DNA fragments. *Nucleic Acids Res.*, 14 (1986) 5939; *C.A.*, 105 (1986) 111454g.

- 366 Qin, E., Yu, M., Huang, X., Yang, P., Chen, J., Si, B., Li, H., Huang, Z. and Xiao, J.: (Oligonucleotide fingerprinting of Sindbis virus genome). *Weishengwuxue Tongbao*, 13 (1986) 69-73; *C.A.*, 105 (1986) 75381v.
- 367 Shiraishi, H., Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequence in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,866 (86 18,866) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,903, 06 Jul. 1984, 12 pp.; *C.A.*, 105 (1986) 57499k.
- 368 Shiraishi, H., Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequence in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,865 (86 18,865) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,902, 06 Jul. 1984, 13 pp.; *C.A.*, 105 (1986) 130365v.
- 369 Shiraishi, H., Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequence in DNA or its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,867 (86 18,867) (Cl. G02N33/58), 27 Jan. 1986, Appl. 84/140,904, 06 Jul. 1984, 12 pp.; *C.A.*, 105 (1986) 130366w.
- 370 Shiraishi, H., Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequences in DNA or its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,869 (86 18,869) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,906, 06 Jul. 1984, 13 pp.; *C.A.*, 105 (1986) 130371u.
- 371 Shiraishi, H., Kimura, T. and Hishinuma, K.: (Digital data processing in autoradiographic determination of base sequence in DNA and its fragments). *Jpn. Kokai Tokkyo Koho Pat.* JP 61 18,868 (86 18,868) (Cl. G01N33/58), 27 Jan. 1986, Appl. 84/140,905, 06 Jul. 1984, 13 pp.; *C.A.*, 105 (1986) 130372v.
- 372 Smith, L.M., Sanders, J.Z., Kaiser, R.J., Hughes, P., Dodd, C., Connell, C.R., Heiner, C., Kent, S.B.H. and Hood, L.E.: Fluorescence detection in automated DNA sequence analysis. *Nature*, 321 (1986) 674-679; *C.A.*, 105 (1986) 38735t.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

- 373 Shioi, Y. and Sasa, T.: Isotachophoretic analysis of porphyrin precursors: 5-aminolevulinic acid derivatives. *Methods Enzymol.*, 123 (Vitam. Coenzymes, Pt. H) (1986) 370-374; *C.A.*, 105 (1986) 57359q.

25. ORGANIC PHOSPHORUS COMPOUNDS

- 374 Fukami, Y., Owada, M.K., Sumi, M. and Hayashi, F.: A p60^{v-src}-related tyrosine kinase in the acetylcholine receptor-rich membrane of *Narke japonica*: association and dissociation of phosphatidylinositol kinase activity. *Biochem. Biophys. Res. Commun.*, 139 (1986) 473-479.
- 375 Lu, P.-W. and Tao, M.: Phosphorylation of protein tyrosine by human erythrocyte casein kinase A. *Biochem. Biophys. Res. Commun.*, 139 (1986) 855-860.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26c. Coordination compounds

- 376 Stover, F.S.: Isotachopheresis of metal-neutral ligand complexes. II. Corrected R and K values for 18-crown-6. *J. Chromatogr.*, 368 (1986) 476-477.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 377 Smuts, H.E.M. and Russell, B.W.: Two isotachophoretically separated components in human cerebrospinal fluid identified as folic acid and uric acid. *J. Chromatogr.*, 382 (1986) 326-330.
- 378 Tsuda, T. and Fukuba, H.: Determination of L-ascorbic acid in tomato by isotachoelectrophoresis. Application of computer simulation system for setting of determination conditions to avoid the mixed-zone problem. *J. Nutr. Sci. Vitaminol.*, 32 (1986) 307-315; *C.A.*, 105 (1986) 132259n.

See also 93.

28. ANTIBIOTICS

- 379 Pietrangeli, B., De Vito, E. and Biondi, A.: (Detection of antibiotics in milk by electrophoresis). *Ig. Mod.*, 85 (1986) 36-49; *C.A.*, 105 (1986) 41352w.

31. PLASTICS AND THEIR INTERMEDIATES

- 380 Polyakova, V.M., Aleksandrova, L.N. and Sirota, L.A.: (The effect of electrolytes on stability and electrophoresis of phenol- and anilino-formaldehyde oligomer dispersions). *Ukr. Khim. Zh.* (Russ. Ed.), 52 (1986) 489-492; *C.A.*, 105 (1986) 121467c.
- 381 Whitlock, L.R. and Wheeler, L.M.: Isotachophoresis of synthetic ion-containing polymers. Separation of copolymer mixtures of poly(2-hydroxyethylmethacrylate-*CO*-2-acrylamido-2-methylpropanesulfonate). *J. Chromatogr.*, 368 (1986) 125-134.

32. PHARMACEUTICAL AND BIOMEDICAL APPLICATIONS

32a. Synthetic drugs

See 171.

32d. Toxicological applications

- 382 Murch, R.S. and Budowle, B.: Applications of isoelectric focusing in forensic serology. *J. Forensic Sci.*, 31 (1986) 869-880; *C.A.*, 105 (1986) 92516k.

See also 178, 282, 294.

32f. Clinico-chemical applications and profiling body fluids

- 383 Okuyama, K., Sugano, H., Gejyo, F. and Arakawa, M.: (Electrophoretic analysis of tubular proteinuria-immunological identification of electrophoretic components). *Seibutsu Butsuri Kagaku*, 29 (1985) 349-354; *C.A.*, 104 (1986) 111257v.

See also 89, 158, 238, 246, 274, 289, 392.

33. INORGANIC COMPOUNDS

33a. Cations

See 393.

33b. Anions

- 384 Motooka, I., Nakazaki, K., Nariai, H. and Tshako, M.: Analyses of some phosphates by isotachopheresis with an internal standard. *J. Chromatogr.*, 367 (1986) 271-273.
- 385 Yagi, T. and Kojima, K.: (New electrolyte system for isotachopheresis. I. Leading electrolyte for simultaneous determination of chloride, nitrate and sulphate). *Shimadzu Hyoron*, 42 (1985) 207-212; *C.A.*, 105 (1986) 53625a.

34. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 49.

35. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

35c. Food analysis

See 151, 182, 184, 379.

35d. Various technical products

- 386 Kuznetsov, A.A., Semenov, S.N. and Kazakova, Z.I.: (Microparticle separation). *U.S.S.R. Pat.* SU 1,233,027 (Cl.G01N27/26), 23 May 1986, Appl. 3,772,183, 31 Jul. 1984; *C.A.*, 105 (1986) 121511n.

36. CELLS AND CELLULAR PARTICLES

- 387 Haeffner, E.W., Holl, A. and Schroeter, D.: Preparation of two plasma membrane fractions from ascites tumour cells by gel chromatography on Sephacryl S-1000. *J. Chromatogr.*, 382 (1986) 107-116.
- 388 Hall, B.G.D. and Slater, J.H.: Determination of identity between two organisms. *PCT Int. Appl.* WO 86 02,101 (Cl.C12Q1/68), 10 Apr. 1986, GB Appl. 84/25,059, 04 Oct. 1984, 76 pp.; *C.A.*, 105 (1986) 94124e.
- 389 Krause, J., Hay, R., Kowollik, C. and Brdiczka, D.: Cross-linking analysis of yeast mitochondrial outer membrane. *Biochim. Biophys. Acta*, 860 (1986) 690-698.
- 390 Saks, V.A., Khuchua, Z.A., Kuznetsov, A.V., Veksler, V.I. and Sharov, V.G.: Heart mitochondria in physiological salt solution: not ionic strength but salt composition is important for association of creatine kinase with the inner membrane surface. *Biochem. Biophys. Res. Commun.*, 139 (1986) 1262-1271.
- 391 Todd, P., Plank, L.D., Kunze, M.E., Lewis, M.L., Morrison, D.R., Barlow, G.H., Lanham, J.W. and Cleveland, C.: Electrophoretic separation and analysis of living cells from solid tissues by several methods. Human embryonic kidney cell cultures as a model. *J. Chromatogr.*, 364 (1986) 11-24.
- 392 Wilson, R.B.J. and Graham, J.M.: Isolation of platelets from human blood by free-flow electrophoresis. *Clin. Chim. Acta*, 159 (1986) 211-217.

See also 39, 61.

37. ENVIRONMENTAL ANALYSIS

37c. Water pollution

- 393 Fukushi, K. and Hiroy, K.: Determination of strontium in seawater by capillary type isotachopheresis. *Anal. Sci.*, 2 (1986) 219-223; *C.A.*, 105 (1986) 66087b.

MONTH	J	F	M	A	M	J	J	The publication schedule for further issues will be published later.
Journal of Chromatography	384 385 386 387	388/1 388/2 389/1	389/2 390/1 390/2 391/1					
Bibliography Section		412/1						
Cumulative Indexes, Vols. 351-400								
Biomedical Applications	413	414/1	414/2 415/1	415/2 416/1	416/2	417/1	417/2 418	

INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 362, No. 3, pp. 461-464. A free reprint can be obtained by application to the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Short communications and Notes. Short communications are preliminary announcements of important new developments and will, whenever possible, be published with maximum speed. Notes are usually descriptions of short investigations and reflect the same quality of research as Full-length papers, but should preferably not exceed four printed pages. For review articles, see page 2 of cover under Submission of Papers.

Submission. Every paper must be accompanied by a letter from the senior author, stating that he is submitting the paper for publication in the *Journal of Chromatography*. Please do not send a letter signed by the director of the institute or the professor unless he is one of the authors.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

Introduction. Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

Summary. Full-length papers and Review articles should have a summary of 50-100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Short communications and Notes are published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the legends being typed (with double spacing) together on a *separate sheet*. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press", "submitted for publication", "in preparation" or "personal communication".

Dispatch. Before sending the manuscript to the Editor please check that the envelope contains three copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

COPS

(Formerly CHEOPS)

Chemometrical Optimization by Simplex

Authors: P.F.A. van der Wiel, B.G.M. Vandeginste and G. Kateman

A Program offering an intelligent sequential optimization plan for a wide range of applications, e.g.

- optimize the yield of a synthesis
- maximize the output of a production plant
- optimize the separation factors for two compounds in a chromatographic separation
- optimize the composition of a polymer
- optimize the determination of an enzyme in blood plasma etc.

- Incorporates the modified and supermodified sequential simplex optimization methods
- Optimization can be tailored by the user to meet his requirements
- Optimizations involving variation of up to ten parameters can be carried out
- Organizes optimization procedures efficiently to save both time and money
- Available for the Apple II series and IBM-PC
- Includes tutorial
- Full source code listings

- Clear fully descriptive manual
- US \$ 360.00

AVAILABLE FROM:

Elsevier Scientific Software (JIC)
52 Vanderbilt Avenue
New York, NY 10017 USA
Phone: (212) 916 1250
Telex: 420643

or
Elsevier Scientific Software
P.O. Box 330
1000 AH Amsterdam
THE NETHERLANDS
Phone: (020) 5862 828
Telex: 18582

Write to us for further information on our other programs

No shipping charge if paid in advance



ELSEVIER SCIENTIFIC SOFTWARE

Apple is a registered trademark of
Apple Computer Inc.
IBM-PC is a registered trademark of IBM