



EDITORS

R. W. Giese (Boston, MA)

J. K. Haken (Kensington, N.S.W.)

K. Macek (Prague)

L. R. Snyder (Orinda, CA)

EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Orinda, CA)

EDITORIAL BOARD

D. W. Armstrong (Rolla, MO)

W. A. Aue (Halifax)

P. Boček (Brno)

A. A. Boulton (Saskatoon)

P. W. Carr (Minneapolis, MN)

N. H. C. Cooke (San Ramon, CA)

V. A. Davankov (Moscow)

Z. Deyl (Prague)

S. Dilli (Kensington, N.S.W.)

H. Engelhardt (Saarbrücken)

F. Erni (Basle)

M. B. Evans (Hatfield)

J. L. Glajch (N. Billerica, MA)

G. A. Guiochon (Knoxville, TN)

P. R. Haddad (Kensington, N.S.W.)

I. M. Hais (Hradec Králové)

W. S. Hancock (San Francisco, CA)

S. Hjertén (Uppsala)

Cs. Horváth (New Haven, CT)

J. F. K. Huber (Vienna)

K.-P. Hupe (Waldbronn)

T. W. Hutchens (Houston, TX)

J. Janák (Brno)

P. Jandera (Pardubice)

B. L. Karger (Boston, MA)

E. sz. Kováts (Lausanne)

A. J. P. Martin (Cambridge)

L. W. McLaughlin (Chestnut Hill, MA)

R. P. Patience (Sunbury-on-Thames)

J. D. Pearson (Kalamazoo, MI)

H. Poppe (Amsterdam)

F. E. Regnier (West Lafayette, IN)

P. G. Righetti (Milan)

P. Schoenmakers (Eindhoven)

G. Schomburg (Mülheim/Ruhr)

R. Schwarzenbach (Dübendorf)

R. E. Shoup (West Lafayette, IN)

A. M. Siouffi (Marseille)

D. J. Strydom (Boston, MA)

K. K. Unger (Mainz)

J. T. Watson (East Lansing, MI)

B. D. Westerlund (Uppsala)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)

ELSEVIER

JOURNAL OF CHROMATOGRAPHY

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis or alterations during medical treatment; screening and profiling of body fluids or tissues with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; drug level monitoring and pharmacokinetic studies; clinical toxicology; analytical studies in occupational medicine.

Submission of Papers. Papers in English, French and German may be submitted, in three copies. Manuscripts should be submitted to: The Editor of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

Subscription Orders. Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel. 5803 911, Telex 18582 ESPA NL. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

Publication. The *Journal of Chromatography* (incl. *Biomedical Applications*) has 37 volumes in 1989. The subscription prices for 1989 are:

J. Chromatogr. + *Biomed. Appl.* (Vols. 461–497):

Dfl. 6475.00 plus Dfl. 999.00 (p.p.h.) (total ca. US\$ 3429.00)

J. Chromatogr. only (Vols. 461–486):

Dfl. 5200.00 plus Dfl. 702.00 (p.p.h.) (total ca. US\$ 2708.00)

Biomed. Appl. only (Vols. 487–497):

Dfl. 2200.00 plus Dfl. 297.00 (p.p.h.) (total ca. US\$ 1146.50).

Our p.p.h. (postage, package and handling) charge includes surface delivery of all issues, except to subscribers in Argentina, Australia, Brasil, Canada, China, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand and the U.S.A. who receive all issues by air delivery (S.A.L. — Surface Air Lifted) at no extra cost. For Japan, air delivery requires 50% additional charge; for all other countries airmail and S.A.L. charges are available upon request. Back volumes of the *Journal of Chromatography* (Vols. 1–460) are available at Dfl. 195.00 (plus postage). Claims for missing issues will be honoured, free of charge, within three months after publication of the issue. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 655 Avenue of the Americas, New York, NY 10010. Tel. (212) 633-3750.

Abstracts/Contents Lists published in Analytical Abstracts, ASCA, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Contents/Physical, Chemical & Earth Sciences, Current Contents/Life Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal and Science Citation Index.

See inside back cover for Publication Schedule, Information for Authors and information on Advertisements.

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1989

0021-9673/89/\$03.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the materials herein. Because of rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This issue is printed on acid-free paper.

Printed in The Netherlands

CONTENTS

Bibliography Section

Liquid Column Chromatography	B419
Gas Chromatography	B476
Planar Chromatography	B515
Electrophoresis	B534
Erratum	B563

Bibliography Section

Liquid Column Chromatography

1. REVIEWS AND BOOKS

- 3109 Abercrombie, D., Allenmark, S., Arame, S. et al. (Editors): (*Affinity Chromatography: Methods*). Mir, Moscow, 1988, 278 p.; *C.A.*, 110 (1989) 111295j.
- 3110 Baechmann, K.: (Ion chromatography). *Nachr. Chem., Tech. Lab.*, 36 (1988) 103-104; *C.A.*, 110 (1989) 146687r - a review with no refs.
- 3111 Cazes, J.: Centrifugal partition chromatography. *BioTechnology*, 6 (1988) 1398-1400; *C.A.*, 110 (1989) 110962n - a review with 3 refs.
- 3112 Dawkins, J.V. and Montenegro, A.: Size exclusion chromatography. In: Mitchell, J., Jr. (Editor), *Appl. Polym. Anal. Charact.*, Hanser, Munich, 1987, pp. 85-96; *C.A.*, 110 (1989) 115607k - a review with 12 refs.
- 3113 Dolan, J.W.: Mobile phase proportioning problems: a case study. *LC-GC*, 7 (1989) 18-24; *C.A.*, 110 (1989) 110960k - a review with 4 refs.
- 3114 Galante, L.J.: Novel spectrometric methods applicable to chromatography. I. Replacement-ion chromatography. II. Microwave-induced, plasma spectrometry. *Univ. Microfilms Int.*, Order No. DA8809825; *C.A.*, 110 (1989) 146728e.
- 3115 Goulder, D., Blaffert, T., Blokland, A., Buydens, L., Chhabra, A., Cleland, A., Dunand, N., Hindriks, H., Kateman, G., van Leeuwen, H., Massart, D., Mulholland, M., Musch, G., Naish, P., Peeters, A., Postma, G., Schoenmakers, P., de Smet, M., Vandeginste, B. and Vink, J.: Expert systems for chemical analysis (ESPRIT project 1570). *Chromatographia*, 26 (1988) 237-243 - a review with 12 refs.
- 3116 Gupta, R.N.: *CRC Handbook of Chromatography: Drugs*, Vol. 3, CRC Press, Boca Raton, 1988, 272 p.; *C.A.*, 110 (1989) 141696h.
- 3117 Gupta, R.N.: *CRC Handbook of Chromatography: Drugs*, Vol. 4, CRC Press, Boca Raton, 1988, 448 p.; *C.A.*, 110 (1989) 141697j.
- 3118 Hais, I.M.: Chromatography beyond analytical chemistry. *J. Chromatogr.*, 488 (1989) 25-30 - a review with 30 refs.
- 3119 Jin, Q.: (Application of microwave technique in analytical chemistry). *Fenxi Huaxue*, 16 (1988) 668-674; *C.A.*, 110 (1989) 127641e - a review with 69 refs.
- 3120 Kanev, A.S. and Lezin, A.A.: ("OKhTA-A" liquid chromatographs). In: *Apparatura i Metody Instrum. Zhidkost. Khromatografii v Nauch. Issled.*, Kiev, 1987, pp. 32-48; *C.A.*, 110 (1989) 82913b.
- 3121 Kissinger, P.T.: Biomedical applications of liquid chromatography-electrochemistry. *J. Chromatogr.*, 488 (1989) 31-52 - a review with 47 refs.
- 3122 Lederer, M.: The role of chromatography and electrophoresis in biomedical sciences. *J. Chromatogr.*, 488 (1989) 5-24 - a review with 19 refs.
- 3123 McNair, H.M. and Polite, L.N.: Recent advances in ion chromatography. *Am. Lab. (Fairfield)*, 20 (1988) 116-121; *C.A.*, 110 (1989) 127637h.
- 3124 Meyer, V.: (HPLC 1988. Not very young-but also not very old). *Swiss Chem.*, 10 (1988) 51-60; *C.A.*, 110 (1989) 146866y - a review with 53 refs.
- 3125 Novotny, M.V.: New developments in bioanalytical chromatography. *J. Pharm. Biomed. Anal.*, 7 (1989) 239-246 - a review with 51 refs.
- 3126 Wagman, G.H. and Cooper, R. (Editors): *Natural Products Isolation. Separation Methods for Antimicrobials, Antivirals and Enzyme Inhibitors*. *J. Chromatogr. Libr.*, Vol. 43, Elsevier, Amsterdam, 1989, 619 p.; *C.A.*, 110 (1989) 111294h.

For additional information see:
C.A., 110 (1989) 121873k.

See also 3128, 3130, 3131, 3136, 3164, 3169, 3187, 3198, 3207, 3227, 3228, 3231, 3236, 3237-3239, 3241-3244, 3248, 3287, 3426, 3441, 3477, 3510, 3517, 3518, 3520, 3522, 3523, 3527, 3557, 3611, 3662, 3719, 3721, 3774, 3819, 3822-3825, 3941, 3947, 3956-3958, 3967, 3982.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 3127 Bridge, T.P., Williams, M.H. and Fell, A.F.: Artificial intelligence techniques for peak homogeneity validation in liquid chromatography. *J. Chromatogr.*, 465 (1989) 59-67.
- 3128 Conroe, K. and Bidlingmeyer, B.A.: Overview of the growth of HPLC applications. *Am. Lab. (Fairfield)*, 20 (1988) 82-87; *C.A.*, 110 (1989) 107316z - a review with no refs.
- 3129 Dolgonosov, A.M. and Venitsianov, E.V.: (Evaluation of conditions for chromatographic separation of a mixture of specified composition). *Zh. Anal. Khim.*, 43 (1988) 1073-1081; *C.A.*, 110 (1989) 87546u.
- 3130 Duenges, W.: (Sample preprocessing for chromatography). *Nachr. Chem., Tech. Lab.*, 36 (1988) 11-26; *C.A.*, 110 (1988) 107320w - a review with 3 refs.
- 3131 Engelhardt, H. and Loew, H.: (High-performance liquid chromatography (HPLC)). *Nachr. Chem., Tech. Lab.*, 36 (1988) 29-34; *C.A.*, 110 (1989) 107327d - a review with no refs.
- 3132 Hoffman, N.E., Pan, S.-L. and Rustum, A.M.: Injection of elutes in solvents stronger than the mobile phase in reversed-phase liquid chromatography. *J. Chromatogr.*, 465 (1989) 189-200.
- 3133 Inman, E.L., Maloney, A.M. and Rickard, E.C.: Inaccuracies due to sample-solvent interactions in high-performance liquid-chromatography. *J. Chromatogr.*, 465 (1989) 201-213.
- 3134 Issaq, H.J., Janini, G.M., Schultz, N., Marzo, L. and Beesley, T.E.: Effect of column dimensions on HPLC separations using constant volume columns. *J. Liq. Chromatogr.*, 11 (1988) 3335-3351.
- 3135 Kanev, A.S. and Arkhipov, B.D.: (Preevaluation of error components in instrumental liquid chromatographic analysis). In: *Apparatura i Metody Instrum. Zhidkost. Khromatographin v Nauch. Issled.*, Kiev, 1987, pp. 8-15; *C.A.*, 110 (1989) 107354k.
- 3136 Lederer, E.: The early days of chromatography. *New J. Chem.*, 12 (1988) 249-252; *C.A.*, 110 (1989) 94733f - a review with 42 refs.
- 3137 Lee, W.C., Huang, S.H. and Tsao, G.T.: A unified approach for moments in chromatography. *AIChE J.*, 34 (1988) 2083-2087; *C.A.*, 110 (1989) 102397s.
- 3138 Lesins, V. and Ruckenstein, E.: Gradient flow programming: a coupling of gradient elution and flow programming. *J. Chromatogr.*, 467 (1989) 1-14.
- 3139 Moreau, R. and Anselme, M.: (Beckman: optimized chromatography). *Analisis*, 16 (1988) 50-53; *C.A.*, 110 (1989) 146887f.
- 3140 Olive, J., Grimalt, J.O. and Iturriaga, H.: Resolution of overlapping peaks in gas and liquid chromatography. Evaluation of different statistical and empirical functions. *Anal. Chim. Acta*, 219 (1988) 257-272.
- 3141 Park, J.H. and Carr, P.W.: Interpretation of normal-phase solvent strength scales based on linear solvation energy relationships using the solvatochromic parameters π^* , α and β . *J. Chromatogr.*, 465 (1989) 123-136.
- 3142 Rogers, L.B.: Fundamental studies of separation processes. *Report*, DOE/ER/00854-44, 1988, 13 p.; *C.A.*, 110 (1989) 107356n.
- 3143 Roth, M.: Gaussian concentration profile modified by the column-inlet concentration profile and by an additional exponential-decay process. *Sep. Sci. Technol.*, 24 (1989) 341-351; *C.A.*, 110 (1989) 142082s.
- 3144 Talashov, B.I.: (Method of chromatographic analysis with increased accuracy and decreased analysis time). *U.S.S.R. Pat.* SU 1,436,064 (Cl. GOIN30/88), 07 Nov. 1988, Appl. 4,025,073, 14 Feb. 1986; *C.A.*, 110 (1989) 87680h.

For additional information see:

C.A., 110 (1989) 78346b, 115705r, 122229s, 127921w.

See also 3110, 3112, 3119, 3524, 3818.

2b. Thermodynamics and theoretical relationships

- 3145 Billiani, J., Rois, G. and Lederer, K.: A new procedure for simultaneous calibration of separation and axial dispersion in SEC. *Chromatographia*, 26 (1988) 372-376.

- 3146 Boehm, R.E. and Martire, D.E.: Theory of homopolymer and oligomer separation and its application to gradient elution liquid chromatography. *Anal. Chem.*, 61 (1989) 471-482.
- 3147 Cann, J.R., Rao, A.G.A. and Winzor, D.J.: Numerical and experimental demonstrations of the need for caution in the use of zonal gel chromatography for characterizing ligand interactions with small acceptors. *Arch. Biochem. Biophys.*, 268 (1989) 173-183.
- 3148 Ghodbane, S. and Guiochon, G.: (Separation of a binary mixture in chromatography. Solution of the semi-ideal model at high concentration). *Bull. Soc. Chim. Fr.*, (1988) 440-445; *C.A.*, 110 (1989) 102412t.
- 3149 Golshan-Shirazi, S. and Guiochon, G.: Experimental characterization of the elution profiles of high concentration chromatographic bands using the analytical solution of the ideal model. *Anal. Chem.*, 61 (1989) 462-467.
- 3150 Katz, E.D., Lochmüller, C.H. and Scott, R.P.W.: Methanol-water association and its effect on solute retention in liquid chromatography. *Anal. Chem.*, 61 (1989) 349-355.
- 3151 Larin, A.V.: Simulation of peak profiles in non-linear HPLC. *Chromatographia*, 27 (1989) 321-324.
- 3152 Lochmüller, C.H., Breiner, S.J., Reese, C.E. and Koel, M.N.: Characterization and prediction of retention behavior in reversed-phase chromatography using factor analytical modeling. *Anal. Chem.*, 61 (1989) 367-375.
- 3153 Naish, P.J. and Hartwell, S.: Exponentially modified Gaussian functions - a good model for chromatographic peaks in isocratic HPLC? *Chromatographia*, 26 (1988) 285-296.
- 3154 Naish, P.J., Lynch, R.J. and Blaffert, T.: A study of the practical limitations of principal components analysis and the labelling of unresolved HPLC peaks. *Chromatographia*, 27 (1989) 343-358.
- 3155 Peeters, A., Buydens, L., Massart, D.L. and Schoenmakers, P.J.: An expert system for the selection of criteria for selectivity optimization in high-pressure liquid chromatography. *Chromatographia*, 26 (1988) 101-109.
- 3156 Petrovic, S.M. and Lomic, S.M.: Correlation between retention and the C₁₈ silica surface coverage in reversed phase liquid chromatography. *Chromatographia*, 27 (1989) 378-384.
- 3157 Sandra, P.: Resolution - definition and nomenclature. *J. High Resolut. Chromatogr.*, 12 (1989) 82-86.
- 3158 Schnitzer, J.E.: Analysis of steric partition behavior of molecules in membranes using statistical physics. Application to gel chromatography and electrophoresis. *Biophys. J.*, 54 (1988) 1065-1076; *C.A.*, 110 (1989) 122156r.
- 3159 Schoenmakers, P.J., Dunand, N., Cleland, A., Musch, G. and Blaffert, T.: An expert system for the optimization of columns, operating conditions and instrumentation for high-pressure liquid chromatography. *Chromatographia*, 26 (1988) 37-44.

For additional information see:

C.A., 110 (1989) 102384k, 121951j.

See also 3225, 3251.

2a. Relationship between structure and chromatographic behaviour

- 3160 Markowski, W. and Bieganska, M.L.: Correlation of various physicochemical parameters of organic amides with their retention data and biological activity. *Chromatographia*, 26 (1988) 97-100.

See also 3857.

2d. Measurement of physico-chemical and related values

- 3161 Dubin, P.L., Principi, J.M., Smith, B.A. and Fallon, M.A.: Influence of ionic strength and composition on the size of mixed micelles of sodium dodecyl sulphate and Triton X-100. *J. Colloid Interface Sci.*, 127 (1989) 558-565; *C.A.*, 110 (1989) 102271w.

- 3162 Luginin, V.A., Kamentsev, Ya.S., Gusakova, I.O. and Dubrovina, L.T.: (Instrumental study of chromatographic behavior of stationary phases based on β -diketones by apparatus methods). In: *Apparatura i Metody Instrum. Zhidkost. Khromatografii v Nauch. Issled.*, Kiev, 1987, pp. 88-95; *C.A.*, 110 (1989) 82915d.
- 3163 MacIntyre, W.G. and Stauffer, T.B.: Liquid chromatography applications to determination of sorption on aquifer materials. *Chemosphere*, 17 (1988) 2161-2173; *C.A.*, 110 (1989) 82112q.
- 3164 Tomka, I. and Vancso, G.: Determination of molecular mass distribution of polymers by a combination of dynamic light scattering, gel permeation chromatography, and other method. In: Mitchell, J., Jr. (Editor), *Appl. Polym. Anal. Character.*, Munich, 1987, pp. 237-276; *C.A.*, 110 (1989) 135989q - a review with 54 refs.

For additional information see:

C.A., 110 (1989) 76155q, 76428f, 96118h, 122141g, 122332v.

See also 3165, 3252, 3316, 3357, 3734, 3743, 3811.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 3165 Chamberlin, T.A. and Tuinstra, H.E.: Method and apparatus for determining polymer molecular weight distribution parameters. *U.S. Pat.* US 4,775,943 (Cl. 364-497; GO1N31/60), 04 Oct. 1988, Appl. 788,230, 16 Oct. 1985; 34 pp.; *C.A.*, 110 (1989) 76525k.
- 3166 Danyalian, A. and Rocca, J.L.: (Concept and utilization of columns with 1 mm internal diameter). *Analisis*, 16 (1988) 33-37; *C.A.*, 110 (1989) 146886e.
- 3167 Macko, T. and Berek, D.: (Device for column packing testing for liquid chromatography). *Czech. Pat.* CS 252,722 (Cl. GO1N30/50), 15 Oct. 1988, Appl. 85/2,592, 09 Apr. 1985; 4 pp.; *C.A.*, 110 (1989) 97670u.
- 3168 Rocca, J.L. and Ferraris, G.: (Chromatographic column assembly). *Fr. Pat.* Demande FR 2,611,908 (Cl. GO1N30/02), 09 Sep. 1988, Appl. 87/2,413, 24 Feb. 1987; 12 pp.; *C.A.*, 110 (1989) 87657f.
- 3169 Roepke, W.: (HPLC column furnace-stepchild of the designer). *LaborPraxis*, 12 (1989) 938-943; *C.A.*, 110 (1989) 87698v - a review with 7 refs.
- 3170 Ruban, V.F., Belenkii, A.B., Gurevich, A.Ya. and Belenkii, B.G.: Liquid chromatography on packed fused-silica capillary columns with electrochemical detection. *J. Chromatogr.*, 467 (1989) 41-47.
- 3171 Rys'ev, O.A., Shevkunov, V.V. and Shilov, O.P.: Device for feeding a preformed gradient solution to a liquid chromatographic column. *PCT Int. Pat.* Appl. WO 88 08,976 (Cl. GO1N30/32), 17 Nov. 1988, Appl. 87/SU53, 14 May 1987, 13 pp.; *C.A.*, 110 (1989) 87653b.

For additional information see:

C.A., 110 (1989) 91670x, 107379x, 107380r, 107394v, 117232h, 137602g.

3b. Detectors and detection reagents

- 3172 Akopov, G.A., Krinitsyn, A.P. and Tikhonova, A.E.: (Analysis for neptunium in products of experimental reprocessing of NPP fuel by X-ray fluorescence spectrometry). *Radiokhimiya*, 30 (1988) 578-583; *C.A.*, 110 (1989) 146781s.
- 3173 Arvidsson, E., Crommen, J., Schill, G. and Westerlund, D.: Indirect detection in reversed-phase liquid chromatography: ion-pair retention models for anionic analytes and mobile phase components on polystyrene polymers using an alkaline mobile phase. *Chromatographia*, 26 (1988) 45-52.
- 3174 Baumann, W.: (HPLC detectors). *Nachr. Chem., Tech. Lab.*, 36 (1988) 61-67; *C.A.*, 110 (1989) 107326c.
- 3175 Bianchifiori, M.A., Grazuliene, S.S., Graciani, T. and Zappa, D.: (Use of atomic-absorption spectrometry with electrothermal atomization for determining copper and aluminum in zinc and high-purity cadmium and lead tellurides). *Vysokochist. Veshchestva*, (1988) 218-221; *C.A.*, 110 (1989) 146757p.

- 3176 Biggs, W.R. and Fetzer, J.C.: Thermal gradient liquid chromatography: application to selective element detection by inductively coupled plasma atomic emission spectrometry. *Anal. Chem.*, 61 (1989) 236-240.
- 3177 Bruns, A., Waldhoff, H. and Winkle, W.: Applications of HPLC with evaporative light scattering detection in fat and carbohydrate chemistry. *Chromatographia*, 27 (1989) 340-342.
- 3178 Ciurczak, E.W. and Vance, M.: The design parameters of a near-infrared detector for high performance liquid chromatography. *Spectroscopy (Eugene)*, 3 (1988) 56-58; *C.A.*, 110 (1989) 127792e.
- 3179 Ehrhardt, H., Jakuszies, G., Rochler, S. and Emons, H.: (Voltammetric detector for flow-injection analysis). *Ger. (East) Pat.* DD 259,042 (Cl. GO1N27/46), 10 Aug. 1988, Appl. 300,989, 20 Mar. 1987; 5 pp.; *C.A.*, 110 (1989) 107292p.
- 3180 Esquivel, J.B.: Wavelength accuracy testing of UV-visible detectors in liquid chromatography. *Chromatographia*, 26 (1988) 321-323.
- 3181 Gauglitz, G. and Krause-Bonte, J.: (Interference refractometry in HPLC. Control, data, acquisition and interpretation with a 68020/68881). In: Gasteiger, J. (Editor), *Software-Entwickl. Chem. 2, Proc. Workshops "Comput. Chem."*, 2nd 1987, Springer, Berlin, 1988, pp. 305-320; *C.A.*, 110 (1989) 124074m.
- 3182 Kamahori, M., Watanabe, Y., Miura, J., Taki, M. and Miyagi, H.: High-sensitivity micro ultraviolet absorption detector for high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 227-232.
- 3183 Kientz, C.E., Verweij, A., Boter, H.L., Poppema, A., Frei, R.W., de Jong, G.J. and Brinkman, U.A.T.: On-line flame photometric detection in micro-column liquid chromatography. *J. Chromatogr.*, 467 (1989) 385-394.
- 3184 Martirosyants, L.A. and Melkumov, S.L.: (Thermoacoustic aerosol detector for liquid chromatography). *Zh. Anal. Khim.*, 43 (1988) 1294-1297; *C.A.*, 110 (1989) 87695s.
- 3185 Motohashi, N. and Mori, I.: High-performance liquid chromatography-electrochemical detection of singlet oxygen by reaction with 2,2,6,6-tetramethyl-4-piperidone. *J. Chromatogr.*, 465 (1989) 417-421.
- 3186 Okada, T. and Dasgupta, P.K.: Selective detection approach to ion exclusion chromatography. *Anal. Chem.*, 61 (1989) 548-554.
- 3187 Sawada, T. and Kitamori, T.: Analytical applications of photoacoustic spectroscopy to condensed phase substances. In: Mason, W.P. and Thurston, R.N. (Editors), *Phys. Acoust.*, 18, Academic, San Diego, 1988, pp. 347-401; *C.A.*, 110 (1989) 127643g - a review with many refs.
- 3188 Stibranyi, L. and Fisera, L.: Applicability of liquid chromatography to photochemistry. *Stud. Org. Chem. (Amsterdam)*, 35 (1988) 534-536; *C.A.*, 110 (1989) 107348m.
- 3189 Thakkar, N., Kondawar, V.K. and Saxena, K.L.: Use of alkali flame ionization detector in the analysis of volatile N-nitrosamines in aquatic environment. *Indian J. Environ. Prot.*, 8 (1988) 564-567; *C.A.*, 110 (1988) 101393a.
- 3190 Tunuli, M.S.: Gold chloride electrodes as electrochemical sensors for liquid chromatography. *Talanta*, 35 (1988) 697-700; *C.A.*, 110 (1989) 127793f.
- 3191 Wang, P.J. and Glasbrenner, B.S.: Evaluation of a commercial differential viscometer as a GPC detector and its application to polymer characterization. *J. Liq. Chromatogr.*, 11 (1988) 3321-3333.

For additional information see:

C.A., 110 (1989) 87697u, 87710t, 107161v, 107351g, 127679y, 146860s.

See also 3114, 3285, 3423, 3438, 3458, 3462, 3464, 3748, 3962, 3989.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 3192 Aratskova, A.A., Belyakova, L.D. and Yashin, Ya.I.: (The liquid chromatography on modified porous methacrylate copolymers). *Kolloidn. Zh.*, 50 (1988) 1176-1180; *C.A.*, 110 (1989) 122171s.
- 3193 Bauer, H.: Open-tubular liquid chromatography under turbulent and secondary flow conditions. *Chromatographia*, 27 (1989) 238-242.
- 3194 Bite, M.G., Berezenko, S., Reed, F.J.S. and Derry, L.: Macrosorb Kieselguhr-agarose composite adsorbents. New tools for downstream process design and scale up. *Appl. Biochem. Biotechnol.*, 18 (1988) 275-284; *C.A.*, 110 (1989) 113095t.
- 3195 Brochard, F., Ghazi, A., Le Maire, M. and Martin, M.: Size exclusion chromatography of porous fractals. *Chromatographia*, 27 (1989) 257-263.

- 3196 Buettner, W., Becker, M., Rupprich, C., Boeden, H.F., Henklein, P., Loth, F. and Dautzenberg, H.: A novel carbonochloridate for activation of supports containing hydroxyl groups. *Biotechnol. Bioeng.*, 33 (1989) 26-31; *C.A.*, 110 (1989) 111031v.
- 3197 Carobbi, R.: Stable boronic acid resins as selective adsorbents. *Eur. Pat. Appl. EP 284,959* (Cl. C08F8/42), 04 Oct. 1988, IT Appl. 87/19,965, 03 Apr. 1987; 10 pp.; *C.A.*, 110 (1989) 96490y.
- 3198 Chen, G. and Zhang, D.: (Application of cyclodextrins in analytical chemistry). *Huaxue Tongbao*, (1988) 1-5; *C.A.*, 110 (1989) 87685q - a review with 26 refs.
- 3199 DeBott, S.A., Jezorek, J.R. and Hager, M.E.: Liquid chromatographic separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases. *J. Chromatogr.*, 465 (1989) 249-262.
- 3200 Fadeev, A.Yu. and Staroverov, S.M.: Calculation of the characteristics of the bonded layers of reversed stationary phases. *J. Chromatogr.*, 465 (1989) 233-240.
- 3201 Fuchsgruber, A., Lindner, W. and Dietl, R.: Characterization of chemically modified silica gels by DRIFT spectroscopy. *Microchim. Acta*, 1987, 2 (1988) 123-126; *C.A.*, 110 (1989) 146914n.
- 3202 Gawdzik, B., Gawdzik, J. and Czerwinska-Bil, U.: Copolymer of di(methacryloyl-oxy)methyl)naphthalene and divinylbenzene as a column packing for high-performance liquid chromatography. *Chromatographia*, 26 (1988) 399-407.
- 3203 Giesche, H., Unger, K.K., Esser, U., Eray, B., Trüding, U. and Kinkel, J.N.: Packing technology, column bed structure and chromatographic performance of 1-2 μ m non porous silicas in high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 39-57.
- 3204 Grosse-Rhode, C., Kicinski, H.G. and Kettrup, A.: Modified polystyrene, stationary phases for the separation of different aromatic hydrocarbon types by HPLC. *Chromatographia*, 26 (1988) 209-214.
- 3205 Hailin, G. and Wallace, G.G.: Electrosynthesis of chromatographic stationary phases. *Anal. Chem.*, 61 (1989) 198-201.
- 3206 Hirayama, C., Ihara, H., Nagaoka, S. and Hamada, K.: Totally organic stationary phase from perfluoroalkyl acrylate for liquid chromatography. *J. Chromatogr.*, 465 (1989) 241-248.
- 3207 Itagari, T.: (Functional ion exchange resins). *Kagaku Kogaku*, 52 (1988) 880-883; *C.A.*, 110 (1989) 76530h - a review with 18 refs.
- 3208 Kiso, Y., Takayama, K. and Jinno, K.: Cellulose acetate as stationary phase in microcolumn LC. *J. High Resolut. Chromatogr.*, 12 (1989) 169-173.
- 3209 Law, B. and Chan, P.F.: Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH. *J. Chromatogr.*, 467 (1989) 267-271.
- 3210 Le Maire, M., Viel, A. and Moller, J.V.: Size exclusion chromatography and universal calibration of gel columns. *Anal. Biochem.*, 177 (1989) 50-56.
- 3211 Lork, K.D. and Unger, K.K.: Solute retention in reversed-phase chromatography as a function of stationary phase properties: effect of *n*-alkyl chain length and ligand density. *Chromatographia*, 26 (1988) 115-119.
- 3212 Mauz, O. and Nun, E.: (Preparation and use of hydrophilic, cross-linked, porous polymer beads). *Ger. Offen. Pat. DE 3,714,276* (Cl. C08F218/08), 17 Nov. 1988, Appl. 29 Apr. 1987; 8 pp.; *C.A.*, 110 (1989) 96578h.
- 3213 Mc Murtrey, K.D.: Reaction of silica gel with trimethylsilyl donors under conditions useful for end-capping HPLC bonded phase packings. *J. Liq. Chromatogr.*, 11 (1988) 3375-3384.
- 3214 Nakamura, Y., Yamagishi, A., Iwamoto, T. and Koga, M.: Adsorption properties of montmorillonite and synthetic saponite as packing materials in liquid-column chromatography. *Clays Clay Miner.*, 36 (1988) 530-536; *C.A.*, 110 (1989) 122157s.
- 3215 Pastyr, J., Antal, M., Michalik, I. and Galova, Z.: (Preparation and uses of benzoyl 3-diethylamino-2-hydroxypropyl cellulose and method of its preparation). *Czech. Pat. CS 250,562* (Cl. C08B3/14), 15 Jul. 1988, Appl. 85/715, 04 Feb. 1985; 5 pp.; *C.A.*, 110 (1989) 77904v.
- 3216 Pohl, C.A., Papanu, S.C. and Ebenhahn, W.M.: Anion exchange resin with an acrylic resin outer layer. *Eur. Pat. Appl. EP 282,177* (Cl. B01J41/14), 14 Sep. 1988, US Appl. 23,480, 09 Mar. 1987; 7 pp.; *C.A.*, 110 (1989) 96484z.
- 3217 Ratanathanawongs, S.K. and Giddings, J.C.: High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation. *J. Chromatogr.*, 467 (1989) 341-356.
- 3218 Ruffing, F.-J., Lux, J.A., Roeder, W. and Schomburg, G.: Chiral stationary phases for LC and SFC obtained by "polymer coating". *Chromatographia*, 26 (1988) 19-28.

- 3219 Szabo, Gy., Csato, E., Ofeenmüller, K., Devai, M., Borbely-Duszmann, A. and Liptai, Gy.: Preparation and retention characteristics of different phenyl phases for reversed-phase liquid chromatography. *Chromatographia*, 26 (1988) 255-258.
- 3220 Tong, C., Shan, Z.L. and Zhu, P.L.: Preparation of silica-based cation-exchangers for use in ion chromatography. *Chromatographia*, 27 (1989) 316-320.
- 3221 Verzele, M., Dewaele, C., de Weerd, M. and Abbott, S.: Inner wall coating of micro-LC columns. Wall effects in LC. *J. High Resolut. Chromatogr.*, 12 (1989) 164-168.
- 3222 Yamaguchi, J. and Hanai, T.: Selectivity of alkyl-bonded phases in reversed-phase liquid chromatography of hydrophobic compounds. *Chromatographia*, 27 (1989) 371-377.
- 3223 Yang, F.J.: Fused-silica microbore packed chromatography column with chemically modified column wall. *PCT Int. Pat. Appl. WO 88 07,886* (Cl. B01D15/08), 20 Oct. 1988, US Appl. 38,278, 15 Apr. 1987; 13 pp.; *C.A.*, 110 (1989) 87646b.
- 3224 Yuferova, I.B., Fadeeva, V.I., Tikhomirova, T.I., Kudryavtsev, G.V. and Lisichkin, G.V.: (Sorbent for extracting ions of transition metals from solutions and chromatography). *U.S.S.R. Pat. SU 1,437,776* (Cl. G01N30/48), 15 Nov. 1988, Appl. 4,236,384, 28 Apr. 1987; *C.A.*, 110 (1988) 107302s.

For additional information see:

C.A., 110 (1989) 76156r, 78219n, 82859p, 87644z, 96602m, 96674m, 97649u, 97650n, 97651p, 98024y, 111314q, 115547r, 115596f, 115907h, 115922j, 122025x, 127781a, 131693r.

See also 3134, 3155, 3156, 3159, 3162, 3173, 3247, 3255, 3820, 3972.

3e. Preparative scale chromatography

- 3225 Ghodbane, S. and Guiochon, G.: A simplex optimization of the experimental parameters in preparative liquid chromatography. *Chromatographia*, 26 (1988) 53-59.

See also 3516, 3663.

3f. Programmed temperature, pressure, vapors, gradients

See 3176.

3g. High performance procedures

- 3226 Pace, M., Mauri, P., Pietta, P. and Agnellini, D.: High-performance liquid chromatography determination of enzyme activities in the presence of small amounts of product. *Anal. Biochem.*, 179 (1989) 437-439.
- 3227 Tsuchiya, Y.: (Reversed-phase high-performance liquid chromatography). *Suishitsu Odaku Kenkyu*, 11 (1988) 83-89; *C.A.*, 110 (1989) 87684n - a review with 17 refs.

See also 3860.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 3228 Ebel, S., Herboth, M. and Waetzig, H.: (Parameter-free integration software in chromatography). In: Gasteiger, J. (Editor), *Software-Entwickl. Chem. 2, Proc. Workshops "Comput. Chem."*, 2nd 1987, Springer, Berlin, 1988, pp. 267-290; *C.A.*, 110 (1989) 121886s - a review with several refs.
- 3229 Jinno, K. and Kuwajima, M.: Microcomputer-assisted liquid chromatographic separation system: application to toxic compounds identification in poisoned human fluids. *J. Chromatogr. Sci.*, 27 (1989) 57-62.

- 3230 Liden, G. and Vamling, L.: Periodic operation of a tubular reactor: a simulation study of consecutive reactions in a chromatographic reactor. *Chem. Eng. J. (Lausanne)*, 40 (1989) 31-37; *C.A.*, 110 (1989) 78547t.
- 3231 Reich, G.: (Peak recognition in chromatography). In: Gasteiger, J. (Editor), *Software-Entwickl. Chem. 2, Proc. Workshops "Comput. Chem."*, 2nd 1987, Springer, Berlin, 1988, pp. 291-303; *C.A.*, 110 (1989) 121887t - a review with several refs.

See also 3148, 3181.

4b. Combination of various chromatographic techniques

- 3232 Claessens, H.A., Lemmens, A.A.G., Sparidans, R.W. and Everaerts, F.M.: Pretreatment of body fluids by preparative isotachopheresis prior to chromatographic analysis. *Chromatographia*, 26 (1988) 351-358.

For additional information see:
C.A., 110 (1989) 87740c.

See also 3370, 3796, 3872.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 3233 Fujimoto, C. and Jinno, K.: Microcolumn high-performance liquid chromatography with Fourier transform infrared spectrometric detection. *TrAC*, 8 (1989) 90-96.
- 3234 Griffiths, P.R., Haefner, A.M., Norton, K.L., Fraser, D.J.J., Pyo, D. and Makishima, H.: FT-IR interface for capillary gas, liquid, and supercritical fluid chromatography. *J. High Resolut. Chromatogr.*, 12 (1989) 119-122.
- 3235 Kato, Y., Takahashi, S., Hirose, H., Sakairi, M. and Kambara, H.: Application of HPLC/atmospheric pressure ionization mass spectrometry for the analysis of non-volatile compounds. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 331-334; *C.A.*, 110 (1989) 111026x.
- 3236 Vekey, K., Edwards, D. and Zerilli, L.F.: Liquid chromatography-mass spectrometry coupling and its application in pharmaceutical research. *J. Chromatogr.*, 488 (1989) 73-85 - a review with 48 refs.

See also 3114, 3695, 3749, 3750, 3773, 3834, 3964.

4d. Affinity chromatography

- 3237 Andersson, L.: Immobilized metal ion affinity chromatography. *ISI Atlas Sci.: Biochem.*, 1 (1988) 318-322; *C.A.*, 110 (1989) 131492z - a review with 34 refs.
- 3238 Chaiken, I.M.: Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules. *J. Chromatogr.*, 488 (1988) 145-160 - a review with 39 refs.
- 3239 Mohr, P., Kaiser, G. and Pommerening, K.: (Immune-affinity chromatography and related methods). *Wiss. Fortschr.*, 38 (1988) 279-281; *C.A.*, 110 (1989) 110983v - a review with 6 refs.
- 3240 Scher, M.G., Resneck, W.G. and Bloch, R.J.: Stabilization of immobilized lectin columns by crosslinking with glutaraldehyde. *Anal. Biochem.*, 177 (1989) 168-171.

For additional information see:
C.A., 110 (1989) 91694h.

See also 3109, 3319, 3533, 3535, 3547, 3583, 3600, 3604, 3672.

4f. Trace analysis and preseparation techniques

- 3241 McDowall, R.D., Pearce, J.C. and Murkitt, G.S.: Sample preparation using bonded silica: recent experiences and new instrumentation. *TrAC*, 8 (1989) 134-140 - a review with 25 refs.

- 3242 Uusijärvi, J., Egestad, B. and Sjövall, J.: Manual and automated enrichment procedures for biological samples using lipophilic gels. *J. Chromatogr.*, 488 (1989) 87-104 - a review with 97 refs.

For additional information see:
C.A., 110 (1989) 87723z.

See also 3971.

4g. Separation of enantiomers

- 3243 Allenmark, S.G. (Editor): *Chromatographic Enantioseparation Methods and Applications*. Ellis Horwood, Chichester, 1988, 224 p.; *C.A.*, 110 (1989) 113890y.
- 3244 Armstrong, D.W. and Han, S.M.: Enantiomeric separations in chromatography. *CRC Crit. Rev. Anal. Chem.*, 19 (1988) 175-224; *C.A.*, 110 (1989) 146864w - a review with 309 refs.
- 3245 Drenth, B.F.H., Bosman, J., Feitsma, K.G. and Nijhuis, A.: Direct determination of the enantiomeric purity of oxyphenocium using chiral HPLC with post-column extraction detection. *Chromatographia*, 26 (1988) 281-284.
- 3246 Gerlach, U., Haubenreich, T., Huenig, S. and Klauzner, N.: (HPLC separation of various α -substituted γ -lactones and 1,3-dioxolan-4-ones on ChiraSpher). *Liebigs Ann. Chem.*, (1989) 103-104; *C.A.*, 110 (1989) 75372w.
- 3247 Thompson, R.A., Andersson, S. and Allenmark, S.: Direct liquid chromatographic separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica. *J. Chromatogr.*, 465 (1989) 263-270.

For additional information see:
C.A., 110 (1989) 127825t.

See also 3442, 3444, 3457, 3723, 3728, 3822, 3836, 3839, 3841, 3852, 3862, 3867, 3868, 3897, 3916, 3917.

4h. Other special techniques

- 3248 Ernst, P.: Radial flow chromatography. A new solution to the problems of scaling up bioseparations. *Aust. J. Biotechnol.*, 1 (1987) 22-24; *C.A.*, 110 (1989) 93424u - a review with no refs.
- 3249 Keller, D.E., Torres, J.L., Carbonell, R.G. and Kilpatrick, P.K.: Reversible conversion of octadecyl-bonded silica to ion-exchange surfaces for protein separations. *Anal. Biochem.*, 176 (1989) 191-198.
- 3250 Oscarsson, S. and Porath, J.: Covalent chromatography and salt-promoted thiophilic adsorption. *Anal. Biochem.*, 176 (1989) 330-337.
- 3251 Terabe, S., Otsuka, K. and Ando, T.: Band broadening in electrokinetic chromatography with micellar solutions and open-tubular capillaries. *Anal. Chem.*, 61 (1989) 251-260.

For additional information see:
C.A., 110 (1989) 96156u.

See also 3111, 3217, 3265, 3403, 3438, 3782.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 3252 Gusev, G., Rang, S. and Orav, A.: Effect of adsorption on the temperature dependence of the retention index *n*-tetradecene isomers. *Eesti NSV Tead. Akad. Toim., Keem.*, 37 (1988) 285-287; *C.A.*, 110 (1989) 102321n.

- 3253 Seguchi, T., Hayakawa, N., Tamura, N., Hayashi, N., Katsumura, Y. and Tabata, Y.: Radiation effect of paraffins as polymer model compounds - II. Crosslinking determination by liquid chromatography. *Radiat. Phys. Chem.*, 33 (1989) 119-128; *C.A.*, 110 (1989) 125125r.

See also 3156, 3222, 3953.

5b. *Cyclic hydrocarbons*

- 3254 Foureman, G.L., Marris, C., Guengerich, F.P. and Bend, J.R.: Stereoselectivity of styrene oxidation in microsomes and in purified cytochrome P-450 enzymes from rat liver. *J. Pharmacol. Exp. Ther.*, 248 (1989) 492-497.
- 3255 Jinno, K., Shimura, S., Tanaka, N., Kimata, K., Fetzer, J.C. and Biggs, W.R.: Planarity recognition of large polycyclic aromatic hydrocarbons by various octadecylsilica stationary phases in non-aqueous reversed-phase liquid chromatography. *Chromatographia*, 27 (1989) 285-291.
- 3256 Rovere, C.E., Ellis, J. and Crisp, P.T.: Determination of polynuclear aromatic hydrocarbons in shale oils by low-pressure liquid chromatography. *Fuel*, 68 (1989) 249-251; *C.A.*, 110 (1989) 117983d.

See also 3154, 3156, 3202, 3204, 3208, 3219, 3222, 3960.

5c. *Halogen derivatives*

See 3219.

5d. *Complex hydrocarbon mixtures*

- 3257 Radke, M., Willsch, H. and Ramanampisoa, L.: Isolation of aromatic compounds from a coal extract by semipreparative HPLC. *Chromatographia*, 26 (1988) 259-266.

6. ALCOHOLS

- 3258 Byczkowski, J.Z. and Kulkarni, A.P.: Lipoxigenase-catalyzed epoxidation of benzo[a]pyrene-7,8-dihydrodiol. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1199-1205.
- 3259 Cannon, J.M., Brown, R.D., Murrill, E.M. and Jameson, C.W.: Identification of components in iodinated glycerol. *J. Pharm. Sci.*, 78 (1989) 48-51.

See also 3156, 3218, 3222, 3285, 3815, 3953.

7. PHENOLS

- 3260 Baldwin, D.A. and Debowski, J.K.: Determination of phenols by HPLC down to ppt levels. *Chromatographia*, 26 (1988) 186-190.
- 3261 Galletti, G.C., Piccaglia, R., Chiavari, G., Concialini, V. and Buta, J.G.: HPLC characterization of phenolics in lignocellulosic materials. *Chromatographia*, 26 (1988) 191-196.
- 3262 Rodionov, V.N., Verpovskii, N.S., Nazarenko, V.V., Koshchii, V.A. and Yurchenko, A.G.: (High-performance liquid chromatography of mono-, di- and tricyclohexylphenols). *Zh. Anal. Khim.*, 43 (1988) 507-510; *C.A.*, 109 (1988) 85430g.
- 3263 Sawa, M., Tsikas, D. and Brunner, G.: Glucuronide conjugation of phenols in isolated rabbit hepatocytes measured by high-pressure liquid chromatography. *Chromatographia*, 26 (1988) 247-250.
- 3264 Suzuki, J., Watanabe, T., Sato, K. and Suzuki, S.: Role of oxygen in photo-chemical reaction of naphthols in aqueous nitrite solution and mutagen formation. *Chem. Pharm. Bull.*, 36 (1988) 4567-4575.

- 3265 Yoshida, T., Hatano, T. and Okuda, T.: Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography. *J. Chromatogr.*, 467 (1989) 139-147.

For additional information see:

C.A., 110 (1989) 121547g.

See also 3154, 3199, 3202, 3219, 3339, 3815, 3929, 3960.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 3266 Hagos, M. and Samuelsson, G.: Quantitative determination of quercetin A, B and (+)-fisetinidinol in bark and gum of *Acacia tortilis*. *Acta Pharm. Suec.*, 25 (1988) 321-324; *C.A.*, 110 (1989) 101989z.
- 3267 Pashankov, P.: (Isocratic high performance liquid chromatography of flavolignans in *Silybum marianum*). *Izv. Druzh. Inst. Kontrol Lek. Sredstva*, 21 (1988) 3-10; *C.A.*, 110 (1989) 101920v.
- 3268 Ramarathanam, N., Osawa, T., Namiki, M. and Kawakishi, S.: Chemical studies on novel rice hull antioxidants. 2. Identification of isovitexin, a C-glycosyl flavonoid. *J. Agric. Food Chem.*, 37 (1989) 316-319.
- 3269 Weber, G.: HPLC with electrochemical detection of metal-flavonoid-complexes isolated from food. *Chromatographia*, 26 (1989) 133-138.

For additional information see:

C.A., 110 (1989) 82571p, 141629p, 141636p.

8b. Aflatoxins and other mycotoxins

- 3270 Hastings, K.L., Hagler, W.M., Jr., Harris, T.M., Voyksner, R.D. and Dean, J.H.: Production and characterization of aflatoxin B₂ oximinooacetate. *J. Agric. Food Chem.*, 37 (1989) 393-400.
- 3271 Onji, Y., Dohi, Y., Aoki, Y., Moriyama, T., Nagami, H., Uno, M., Tanaka, T. and Yamazoe, Y.: Deepoxynivalenol: a new metabolite of nivalenol found in the excreta of orally administered rats. *J. Agric. Food Chem.*, 37 (1989) 478-481.
- 3272 Palmisano, F., Zambonin, P.G., Visconti, A. and Bottalico, A.: Profiling of *Alternaria* mycotoxins in foodstuffs by high-performance liquid chromatography with diode-array ultraviolet detection. *J. Chromatogr.*, 465 (1989) 305-313.
- 3273 Qian, G. and Xu, H.: (Rapid extraction of aflatoxin M₁ from duck liver and its determination by reversed-phase high-performance liquid chromatography). *Sepu*, 6 (1988) 368-370; *C.A.*, 110 (1989) 93642p.

For additional information see:

C.A., 110 (1989) 113313n, 133778w.

8c. Other compounds with heterocyclic oxygen (including tannins)

- 3274 Blais, J., Prognon, P., Mahuzier, G. and Vibny, P.: Relative affinity of 5-methoxypsoralen and 8-methoxypsoralen towards β -cyclodextrin: a fluorescence, circular dichroism and chromatographic study. *J. Photochem. Photobiol.*, B, 2 (1988) 455-465; *C.A.*, 110 (1989) 110932c.
- 3275 Bories, G. and Suarez, A.F.: Profiling of free and conjugated [³H]zearanol metabolites in pig plasma. *J. Chromatogr.*, 489 (1989) 191-197.
- 3276 Boukharta, M., Girardin, M. and Metche, M.: Procyanidines galloylées du sarment de vigne (*Vitis vinifera*). Séparation et identification par chromatographie liquide haute performance et chromatographie en phase gazeuse. *J. Chromatogr.*, 455 (1988) 406-409.
- 3277 Cook, A.P., Macleod, T.M., Appleton, J.D. and Fell, A.F.: Reversed-phase high-performance liquid chromatographic method for the quantification of 5-hydroxy-methylfurfural as the major degradation product of glucose in infusion fluids. *J. Chromatogr.*, 467 (1989) 395-401.

- 3278 Treutter, D.: Chemical reaction detection of catechins and proanthocyanidins with 4-dimethylaminocinnamaldehyde. *J. Chromatogr.*, 467 (1989) 185-193.

For additional information see:

C.A., 110 (1989) 121519z.

See also 3939, 3943, 3945.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 3279 Houlgate, P.R., Dhingra, K.S., Nash, S.J. and Evans, W.H.: Determination of formaldehyde and acetaldehyde in mainstream cigarette smoke by high-performance liquid chromatography. *Analyst (London)*, 114 (1989) 355-360.
- 3280 Kajama, S., Iino, T., Matsuda, T. and Terao, I.: (Purification of coenzyme Q for analytical and therapeutic uses). *Jpn. Kokai Tokkyo Koho Pat.* JP 62,240, 643 (87,240,643) (Cl. CO7C50/28), 21 Oct. 1987, Appl. 86/82,276, 11 Apr. 1986, 13 pp.; *C.A.*, 108 (1988) 218245d.
- 3281 Seebach, D., Mueller, S.G., Gysel, U. and Zimmermann, J.: (Preparative chromatographic resolution of synthetically useful cyclic acetals). *Helv. Chim. Acta*, 71 (1988) 1303-1318; *C.A.*, 110 (1989) 114764x.
- 3282 Selley, M.L., Bartlett, M.R., McGuinness, J.A., Hapel, A.J., Ardlie, N.G. and Lacey, M.J.: Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by high-performance liquid chromatography and combined capillary column gas chromatography:negative-ion chemical ionisation mass spectrometry. *J. Chromatogr.*, 488 (1989) 329-340.
- 3283 Snuparek, V., Varga, I., Michalak, K., Goemoery, Z. and Brezovsky, Z.: (Purification of 2-methyl-3-phytyl-1,4-naphthoquinone on polymeric sorbents). *Czech. Pat.* CS 250,788 (Cl. CO7C50/14), 15 Jul. 1988, Appl. 85/4,262, 13 Jun. 1985; 4 pp.; *C.A.*, 110 (1989) 82480h.
- 3284 Van Doorn, J.E., de Cock, J., Kezic, S. and Monster, A.C.: Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase high-performance liquid chromatography and ultraviolet detection. *J. Chromatogr.*, 489 (1989) 419-424.

For additional information see:

C.A., 110 (1989) 90017c, 90027f.

See also 3202, 3219, 3261, 3277, 3815, 3875, 3953.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 3285 Bertrand, G.L. and Armstrong, D.W.: Model for conductometric detection of carbohydrates and alcohols as complexes with boric acid and borate ion in high-performance liquid chromatography. *Anal. Chem.*, 61 (1989) 631-632.
- 3286 DeCherney, G.S., Gesundheit, N., Gyves, P.W., Showalter, C.R. and Weintraub, B.D.: Alterations in the sialylation and sulfation of secreted mouse thyrotropin in primary hypothyroidism. *Biochem. Biophys. Res. Commun.*, 159 (1989) 755-762.
- 3287 El Rassi, Z., Horvath, C., Yu, R.K. and Ariga, T.: High-performance liquid chromatography of sialooligosaccharides and gangliosides. *J. Chromatogr.*, 488 (1989) 229-236.
- 3288 Elices, M.J. and Goldstein, I.J.: Biosynthesis of bi-, tri-, and tetraantennary oligosaccharides containing α -D-galactosyl residues at their nonreducing termini. Branch specificity of the Ehrlich tumor cell α (1,3)-galactosyltransferases. *J. Biol. Chem.*, 264 (1989) 1375-1380.

- 3289 Hanisch, F.-G., Uhlenbruck, G., Peter-Katalinic, J., Egge, H., Dabrowski, J. and Dabrowski, U.: Structures of neutral O-linked polylactosaminoglycans on human skim milk mucins. A novel type of linearly extended poly-N-acetyllactosamine backbones with Gal β (1-4)GlcNAc β (1-6) repeating units. *J. Biol. Chem.*, 264 (1989) 872-883.
- 3290 Kumlien, J., Grönberg, G., Nilsson, B., Mansson, O., Zopf, D. and Lundblad, A.: Structural and immunochemical analysis of three α -limit dextrin oligosaccharides. *Arch. Biochem. Biophys.*, 268 (1989) 678-689.
- 3291 Larsen, A.K., Rice, K.G., Linhardt, R.J., Wogan, G. and Langer, R.: Resistance of heparinase-derived heparin fragments to biotransformation. *J. Biol. Chem.*, 264 (1989) 1570-1577.
- 3292 Maoret, J.-J., Font, J., Augeron, C., Codogno, P., Bauvy, C., Aubery, M. and Laboisse, C.L.: A mucus-secreting human colonic cancer cell line. Purification and partial characterization of the secreted mucins. *Biochem. J.*, 258 (1989) 793-799.
- 3293 Pollak, V. and Romanov, A.: (Chromatographic separation of saccharides from boric acid salts). *Czech. Pat.* CS 250,043 (Cl. CO7H1/06), 15 May 1988, Appl. 85/8,929, 06 Dec. 1985; 3 pp.; *C.A.*, 110 (1989) 137395s.
- 3294 Silvanovich, A. and Jamieson, J.C.: Studies on the structure of the oligosaccharide chains of α_1 -acid glycoprotein associated with rough membranes from rat liver. *Biochem. Cell Biol.*, 67 (1989) 1-7.
- 3295 Takahashi, Y. and Orii, T.: Severity of GM1 gangliosidosis and urinary oligosaccharide excretion. *Clin. Chim. Acta*, 179 (1989) 153-162.
- 3296 Takahashi, Y. and Orii, T.: Diagnosis of subtypes of GM1 gangliosidosis *in vitro* and *in vivo* - using urinary oligosaccharides as substrates. *Clin. Chim. Acta*, 179 (1989) 219-228.
- 3297 Takatsu, A. and Nishi, S.: Determination of serum glucose by isotope dilution mass spectrometry after off-line liquid chromatographic separation. *Anal. Sci.*, 5 (1989) 13-17; *C.A.*, 110 (1989) 131774t.
- 3298 Verostek, M.F., Bartholomew, L.E. and Weber, P.: Automated analysis of 2,3-diamino-2,3-dideoxy-D-glucuronic acid by cation exchange chromatography with fluorometric postcolumn derivatization. *Anal. Biochem.*, 176 (1989) 63-65.
- 3299 Vorob'eva, L.D. and Kazakevich, Yu.V.: (Retention of mono and oligosaccharides in HPLC as a function of mobile phase composition). *Zh. Anal. Khim.*, 43 (1988) 1109-1112; *C.A.*, 110 (1989) 107346j.

For additional information see:
C.A., 110 (1989) 77961m, 117576y.

See also 3177, 3197, 3302, 3317, 3326, 3448, 3657.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 3300 Barrowcliffe, T.W., Mulloy, B., Johnson, E.A. and Thomas, D.P.: The anti-coagulant activity of heparin: measurement and relationship to chemical structure. *J. Pharm. Biomed. Anal.*, 7 (1989) 217-226.
- 3301 Choi, H.U., Johnson, T.L., Pal, S., Tang, L., Rosenberg, L. and Neame, P.J.: Characterization of the dermatan sulfate proteoglycans, DS-PGI and DS-PGII from bovine articular cartilage and skin isolated by octyl-Sepharose chromatography. *J. Biol. Chem.*, 264 (1989) 2876-2884.
- 3302 Damm, J.B.L., Voshol, H., Hard, K., Kamerling, J.P. and Vliegthart, J.F.G.: Analysis of N-acetyl-4-O-acetylneuraminic-acid-containing N-linked carbohydrate chains released by peptide N⁴-(N-acetyl- β -glucosaminyl)asparagine amidase F. Application to the structure determination of the carbohydrate chains of equine fibrinogen. *Eur. J. Biochem.*, 180 (1989) 101-110.
- 3303 De Vries, J.X.: Analysis of heparins by size-exclusion and reversed-phase high-performance liquid chromatography with photodiode-array detection. *J. Chromatogr.*, 465 (1989) 297-304.
- 3304 Fujihara, M. and Nagumo, T.: Determination of the molecular weights of alginates by agarose gel filtration. *J. Chromatogr.*, 465 (1989) 386-389.
- 3305 Iozzo, R.V.: Presence of unsulfated heparan chains on the heparan sulfate proteoglycan of human colon carcinoma cells. Implications for heparan sulfate proteoglycan biosynthesis. *J. Biol. Chem.*, 264 (1989) 2690-2699.

- 3306 Irick, T.J., West, K., Brownell, H.H., Schwald, W. and Saddler, J.N.: Comparison of colorimetric and HPLC techniques for quantitating the carbohydrate components of steam-treated wood. *Appl. Biochem. Biotechnol.*, 17 (1988) 137-149; *C.A.*, 110 (1989) 137233n.
- 3307 Jackson, D.S., Choto-Owen, C., Waniska, R.D. and Rooney, L.W.: Characterization of starch cooked in alkali by aqueous high-performance size-exclusion chromatography. *Cereal Chem.*, 65 (1988) 493-496; *C.A.*, 110 (1989) 93665y.
- 3308 Jin, H.L., Stalcup, A.M. and Armstrong, D.W.: Separation of cyclodextrins using cyclodextrin bonded phases. *J. Liq. Chromatogr.*, 11 (1988) 3295-3304.
- 3309 Kaya, S., Araki, Y. and Ito, E.: The structure of the O-specific chain of lipopolysaccharide from *Pseudomonas aeruginosa* IID 1012 (ATCC 27588). *J. Biochem. (Tokyo)*, 105 (1989) 29-34.
- 3310 Lehtonen, P.: Effect of method of solution on observed molecular weight distribution of barley starch and starch derivatives in size exclusion chromatography. *Chromatographia*, 26 (1988) 157-159.
- 3311 Midura, R.J. and Hascall, V.C.: Analysis of the proteoglycans synthesized by corneal explants from embryonic chicken. II. Structural characterization of the keratan sulfate and dermatan sulfate proteoglycans from corneal stroma. *J. Biol. Chem.*, 264 (1989) 1423-1430.
- 3312 Midura, R.J., Toledo, O.M.S., Yanagishita, M. and Hascall, V.C.: Analysis of the proteoglycans synthesized by corneal explants from embryonic chicken. I. Characterization of the culture system with emphasis on stromal proteoglycan biosynthesis. *J. Biol. Chem.*, 264 (1989) 1414-1422.
- 3313 Onodera, S.: Biochemical and immunochemical characterization of proteodermatan sulfate from calf skin. *Chem. Pharm. Bull.*, 36 (1988) 4881-4890.
- 3314 Ueno, Y., Tanaka, Y., Horie, K. and Tokuyasu, K.: Low-angle laser light scattering measurements on highly purified sodium hyaluronate from rooster comb. *Chem. Pharm. Bull.*, 36 (1988) 4971-4975.
- 3315 Vasil'ev, B.K. and Gladkikh, R.V.: (Examination of intermolecular interactions of dextrans with low-molecular weight substances by zone-interference gel permeation chromatography). *Khim.-Farm. Zh.*, 22 (1988) 1504-1507; *C.A.*, 110 (1989) 121218a.
- 3316 Wieczorek, M. and Soloniewicz, R.: (Composition of dextran hydrolyzates). *Przem. Chem.*, 67 (1988) 512-513; *C.A.*, 110 (1989) 137379q.
- 3317 Yoshida, K., Miyauchi, S., Kikuchi, H., Tawada, A. and Tokuyasu, K.: Analysis of unsaturated disaccharides from glycosaminoglycuronan by high-performance liquid chromatography. *Anal. Biochem.*, 177 (1989) 327-332.

See also 3291.

10c. Glycoproteins and their components

- 3318 Bardales, R., Bhavanandan, V.P., Wiseman, G. and Bramwell, M.E.: Purification and characterization of the epitectin from human laryngeal carcinoma cells. *J. Biol. Chem.*, 264 (1989) 1980-1987.
- 3319 Drechou, A., Perez-Gonzalez, N., Biou, D., Rouzeau, J.D., Feger, J. and Durand, G.: One-step purification of rat plasma α_1 -acid glycoprotein by antibody affinity chromatography: application to normal and inflamed rat sera. *J. Chromatogr.*, 489 (1989) 273-281.
- 3320 Goldin, B.F., Voulalas, P.J. and Orr, G.A.: Characterization of the maturation-associated galactose oxidase-sensitive glycoproteins of rat caudal sperm plasma membrane and epididymal fluid. *Arch. Biochem. Biophys.*, 268 (1989) 208-218.
- 3321 Hubbard, S.C.: Regulation of glycosylation. The influence of protein structure on N-linked oligosaccharide processing. *J. Biol. Chem.*, 263 (1988) 19303-19317.
- 3322 Imokawa, M., Okabe, H., Ochi, Y. and Kajita, Y.: Clinical significance of mucin-like high molecular weight glycoprotein originated from lung cancer as tumor marker. *Clin. Chim. Acta*, 180 (1989) 45-48.
- 3323 Irie, S., Minguell, J.J. and Tavassoli, M.: Comparison of desialylation of rat transferrin by cellular and non-cellular methods. *Biochem. J.*, 259 (1989) 427-431.
- 3324 Kato, S., Ito, S., Noguchi, T. and Naito, H.: Effects of brefeldin A on the synthesis and secretion of egg white proteins in primary cultured oviduct cells of laying Japanese quail (*Coturnix coturnix japonica*). *Biochim. Biophys. Acta*, 991 (1989) 36-43.

- 3325 Kraujelis, K. and Desrius, A.: Transcortin biosynthesis and intracellular distribution of rat liver polyribosomes synthesizing transcortin. *J. Steroid Biochem.*, 32 (1989) 121-125.
- 3326 Laferte, S. and Dennis, J.W.: Purification of two glycoproteins expressing B1-6 branched Asn-linked oligosaccharides from metastatic tumour cells. *Biochem. J.*, 259 (1989) 569-576.
- 3327 Lotan, R., Carralero, D., Lotan, D. and Raz, A.: Biochemical and immunological characterization of K-1735P melanoma galactoside-binding lectins and their modulation by differentiation inducers. *Cancer Res.*, 49 (1989) 1261-1268.
- 3328 Macdonald, M.M., Dunstan, R.H. and Dewey, F.M.: Detection of low-M₂ glycoproteins in surface washes of some fungal cultures by gel-filtration HPLC and by monoclonal antibodies. *J. Gen. Microbiol.*, 135 (1989) 375-383; *C.A.*, 110 (1989) 131776v.
- 3329 Miller, K.R., Remy, C.N. and Smith, P.B.: Studies on asparagine-linked protein glycosylation in differentiating skeletal muscle cells. *Arch. Biochem. Biophys.*, 268 (1989) 242-254.
- 3330 Sandy, J.D., O'Neill, J.R. and Razlaff, L.C.: Acquisition of hyaluronate-binding affinity *in vivo* by newly synthesized cartilage proteoglycans. *Biochem. J.*, 258 (1989) 875-880.
- 3331 Sano, A., Radin, N.S., Johnson, L.L. and Tarr, G.E.: The activator protein for glucosylceramide β -glucosidase from guinea pig liver. Improved isolation method and complete amino acid sequence. *J. Biol. Chem.*, 263 (1988) 19597-19601.
- 3332 Saunier, B., Goulut, C., Nato, F. and Brourrillon, R.: Biosynthesis of high molecular weight poly-lactosamine-type glycopeptides in rat Zajdela hepatoma ascites cells. *Biochim. Biophys. Acta*, 1011 (1989) 110-116.
- 3333 Van Beurden-Lamers, W.M.O., Spee-Brand, R., Dekker, J. and Strous, G.J.: Sulphation causes heterogeneity of gastric mucins. *Biochim. Biophys. Acta*, 990 (1989) 232-239.
- For additional information see:
C.A., 110 (1989) 91669d.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 3334 Balakrishnan, A., Cramer, S., Bandyopadhyay, G.K., Imagawa, W., Yang, J., Elias, J., Beattie, C.W., Das Gupta, T.K. and Nandi, S.: Differential proliferative response to linoleate in cultures of epithelial cells from normal human breast and fibroadenomas. *Cancer Res.*, 49 (1989) 857-862.
- 3335 Bandyopadhyay, G.K., Mckenzie, K.E., Imagawa, W. and Nandi, S.: Docosaehaenoic acid is neither synthesized nor retroconverted by the normal and tumor mouse mammary epithelial cell in primary culture. *Biochem. Biophys. Res. Commun.*, 158 (1989) 730-736.
- 3336 Bao, Q.: (Determination of abscisic acid by reversed-phase high performance liquid chromatography). *Sepu*, 6 (1988) 357-359; *C.A.*, 110 (1989) 91493s.
- 3337 Bory, C., Boullieu, R., Chantin, C. and Mathieu, M.: Homogentisic acid determined in biological fluids by HPLC. *Clin. Chem. (Winston-Salem)*, 35 (1989) 321-322.
- 3338 Chandrasekhara Rao, T., Kale, V., Vijayalakshmi, P., Gangadhar, A., Subbarao, R. and Lakshminarayana, G.: Chromatographic methods for the determination of monomer, dimer and trimer fractions in dimer fatty acids. *J. Chromatogr.*, 466 (1989) 403-406.
- 3339 Delcour, J.A., Vinkx, C.J.A., Vanhamel, S. and Block, G.G.A.G.: Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase high-performance liquid chromatographic separations of natural phenolic acids. *J. Chromatogr.*, 467 (1989) 149-157.
- 3340 Fernandez-Ruiz, J.J., Alvarez-Sanz, C. and Ramos, J.A.: 2-Hydroxyestradiol is not mediating the effects of estradiol on tuberoinfundibular dopaminergic neurons controlling prolactin secretion in female rats. *J. Steroid Biochem.*, 32 (1989) 71-75.
- 3341 Fishcer, K.-H., Laskawy, G. and Grosch, W.: Autoxidation of methyl α -eleostearate - identification of the low molecular weight decomposition products. *Fat Sci. Technol.*, 91 (1989) 58-61.

- 3342 Hasan, A., Waterman, P. and Iftikhar, N.: The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha*. *J. Chromatogr.*, 466 (1989) 399-402.
- 3343 Hawkins, D.J. and Brash, A.R.: Lipoxygenase metabolism of polyunsaturated fatty acids in oocytes of the frog *Xenopus laevis*. *Arch. Biochem. Biophys.*, 268 (1989) 447-455.
- 3344 Hsu, N., Diosady, L.L. and Rubin, L.J.: Catalytic behavior of palladium in the hydrogenation of edible oils II. Geometrical and positional isomerization characteristics. *J. Am. Oil Chem. Soc.*, 66 (1989) 232-236.
- 3345 Imaizumi, N., Hayakawa, K., Miyazaki, M. and Imai, K.: Stability of bis(2,4,6-trichlorophenyl)oxalate in high-performance liquid chromatography for chemiluminescence detection. *Analyst (London)*, 114 (1989) 161-164.
- 3346 Kim, M.R. and Sok, D.-E.: Formation of 6,13-dihydroxyoctadecatrienoic acid isomers from γ -linolenic acid. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1154-1160.
- 3347 Mosandl, A. and Günther, C.: Stereoisomeric flavor compounds. 20. Structure and properties of γ -lactone enantiomers. *J. Agric. Food Chem.*, 37 (1989) 413-418.
- 3348 Oliw, E.H. and Sprecher, H.: Metabolism of polyunsaturated fatty acids by an (n-6)-lipoxygenase associated with human ejaculates. *Biochim. Biophys. Acta*, 1002 (1989) 283-291.
- 3349 Petrarulo, M., Pellegrino, S., Bianco, O., Marangella, M., Linari, F. and Mentasti, E.: Derivatization and high-performance liquid chromatographic determination of urinary glycolic acid. *J. Chromatogr.*, 465 (1989) 87-93.
- 3350 Philip, T. and Chen, T.S.: Quantitative analyses of major carotenoid fatty acid esters in fruits by liquid chromatography: persimmon and papaya. *J. Food Sci.*, 53 (1988) 1720-1745; *C.A.*, 110 (1989) 133761k.
- 3351 Shimizu, S., Akimoto, K., Kawashima, H., Shinmen, Y. and Yamada, H.: Production of dihomogamma-linolenic acid by *Mortierella alpina* 1S-4. *J. Am. Oil Chem. Soc.*, 66 (1989) 237-241.
- 3352 Stewart, J.T., Lang, J.R. and Honigberg, I.L.: Flow injection analysis of carboxylic acid drugs using cationic dyes and on-line ion-pair extraction. *J. Liq. Chromatogr.*, 11 (1988) 3353-3373.
- 3353 Van Rollins, M., Frade, P.D. and Carretero, O.A.: Synthesis of epoxide and vicinal diol regioisomers from docosahexaenoate methyl esters. *J. Lipid Res.*, 30 (1989) 275-286.
- 3354 Zhang, H., Davis, W.B., Chen, X., Whisler, R.L. and Cornwell, D.G.: Studies on oxidized low density lipoproteins. Controlled oxidation and a prostaglandin artifact. *J. Lipid Res.*, 30 (1989) 141-148.

For additional information see:

C.A., 110 (1989) 91479s.

See also 3160, 3173, 3177, 3199, 3202, 3211, 3219, 3261, 3367, 3386, 3953.

11b. Prostaglandins

- 3355 Hecker, M., Brüne, B., Decker, K. and Ullrich, V.: The sulfhydryl reagent thimerosal elicits human platelet aggregation by mobilization of intracellular calcium and secondary prostaglandin endoperoxide formation. *Biochem. Biophys. Res. Commun.*, 159 (1989) 961-968.
- 3356 Mansuy, D., Boucher, J.L., Delaforge, M. and Leclaire, J.: Hydroxylation of leukotriene B₄ in leukocytes from various species: identification of a metabolite to authentic 5S,12R,19-trihydroxy-6Z,8E,10E,14Z-eicosatetraenoic acid and relative importance of 19- and 20-hydroxylations. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1283-1289.
- 3357 Martin, I. and Lille, U.: Separation and molecular weight determination of prostaglandin B₁ oligomers by size-exclusion chromatography. *J. Chromatogr.*, 466 (1989) 339-345.
- 3358 Tagari, P., Ethier, D., Carry, M., Korley, V., Charleson, S., Girard, Y. and Zamboni, R.: Measurement of urinary leukotrienes by reversed-phase liquid chromatography and radioimmunoassay. *Clin. Chem. (Winston-Salem)*, 35 (1989) 388-391.
- 3359 Un Hoi Do, Ahern, D.G., Iles, J., Maniscalco, M. and Tutunjian, M.: Specific radioactivity determination of labeled eicosanoids. *J. Chromatogr.*, 489 (1989) 359-363.

- 3360 Wirthumer-Hoche, C., Virgolini, I. and Sinzinger, H.: HPLC analysis of radiolabelled prostaglandins and fatty acids with the radial compression column. *Exp. Pathol.*, 35 (1988) 35-39; *C.A.*, 110 (1989) 108302d.

11c. *Lipids and their constituents*

- 3361 Brown, H.G. and Snyder, H.E.: Factors influencing phospholipid adsorption on silica from soybean oil miscella. *J. Am. Oil Chem. Soc.*, 66 (1989) 353-355.
- 3362 Chang, P.S. and Rhee, J.S.: Simultaneous high-performance liquid chromatographic analysis of oleic acid and simple glycerides of oleic acid. *J. Chromatogr.*, 465 (1989) 438-441.
- 3363 Chilton, F.H.: Potential phospholipid source(s) of arachidonate used for the synthesis of leukotrienes by the human neutrophil. *Biochem. J.*, 258 (1989) 327-333.
- 3364 Fiore, S. and Serhan, C.N.: Phospholipid bilayers enhance the stability of leukotriene A₄ and epoxytetraenes: stabilization of eicosanoids by liposomes. *Biochem. Biophys. Res. Commun.*, 159 (1989) 477-481.
- 3365 Gilkison, I.S.: Quantitative and qualitative analysis of triglycerides using gradient elution with UV-detection. *Chromatographia*, 26 (1988) 181-185.
- 3366 Hamilton, J.G. and Comai, K.: Rapid separation of neutral lipids, free fatty acids and polar lipids using prepacked silica Sep-Pak columns. *Lipids*, 23 (1988) 1146-1149; *C.A.*, 110 (1989) 91484q.
- 3367 Hamilton, J.G. and Comai, K.: Separation of neutral lipid, free fatty acid and phospholipid classes by normal phase HPLC. *Lipids*, 23 (1988) 1150-1153; *C.A.*, 110 (1989) 131562x.
- 3368 Kozumplik, V., Staffa, F. and Hoffmann, G.E.: Purification of pancreatic phospholipase A₂ from human duodenal juice. *Biochim. Biophys. Acta*, 1002 (1989) 395-397.
- 3369 Kundu, M., Basu, J., Chakrabarti, P. and Rakshit, M.M.: Abnormalities in the erythrocyte membrane in acute lymphoid leukaemia. *Biochem. J.*, 258 (1989) 903-906.
- 3370 Nickolaus, G.: (Investigation of soluble substances in leather by high-performance liquid chromatography and other chromatographic procedures). *Leder*, 40 (1989) 1-12; *C.A.*, 110 (1989) 137423z.
- 3371 Palmer, A.J. and Palmer, F.J.: Rapid analysis of triacylglycerols using high-performance liquid chromatography with light scattering detection. *J. Chromatogr.*, 465 (1989) 369-377.
- 3372 Parinandi, N.L., Weis, B.K. and Schmid, H.H.O.: Assay of cardiolipid peroxidation by HPLC. *Chem. Phys. Lipids*, 49 (1988) 215-220; *C.A.*, 110 (1989) 111066k.
- 3373 Peters, J.H., Nolen, H.W., III, Gordon, G.R., Bradford, W.W., III, Bupp, J.E. and Reist, E.J.: Combined chromatographic-isotopic dilution analysis of fecapentaenes in human feces. *J. Chromatogr.*, 488 (1989) 301-313.
- 3374 Prokazova, N.V., Mukhin, D.N., Orekhov, A.N., Gladkaya, E.M., Vasilevskaya, V.V., Mikhailenko, I.A., Sadovskaya, V.L., Bushuev, V.N. and Bergelson, L.D.: Neutral glycolipids of atherosclerotic plaques and unaffected human aorta tissue. *Eur. J. Biochem.*, 180 (1989) 167-171.
- 3375 Shiao, M.-S., Lin, L.-J. and Chen, C.-S.: Determination of stereo- and positional isomers of oxygenated triterpenoids by reversed phase high performance liquid chromatography. *J. Lipid Res.*, 30 (1989) 287-291.
- 3376 Tanaka, T., Miyazaki, K., Kishimoto, Y., Stoskopf, M., Kan, L.S., Demirev, P., Fenselau, C. and Ando, S.: 2,4-Dinitrophenylhydrazides of polysialogangliosides. *Chem. Phys. Lipids*, 48 (1988) 261-266; *C.A.*, 110 (1989) 91613f.
- 3377 Toda, K., Kobayashi, T., Goto, I., Kurokawa, T. and Ogomori, K.: Accumulation of lysosulfatide (sulfolactosylsphingosine) in tissues of a boy with metachromatic leukodystrophy. *Biochem. Biophys. Res. Commun.*, 159 (1989) 605-611.
- 3378 Trost, V.W.: Characterization of corn oil, soybean oil and sunflowerseed oil nonpolar material. *J. Am. Oil Chem. Soc.*, 66 (1989) 325-333.
- 3379 Van Haastert, P.J.M., de Vries, M.J., Penning, L.C., Roovers, E., van der Kaay, J., Erneux, C. and van Lookeren Campagne, M.M.: Chemoattractant and guanosine 5'-[γ-thio]triphosphate induce the accumulation of inositol 1,4,5-triphosphate in *Dictyostelium* cells that are labelled with [³H]inositol by electroporation. *Biochem. J.*, 258 (1989) 577-586.

- 3380 Xia, X.-J., Gu, X.-B., Santorelli, A.C. and Yu, R.K.: Effects of inducers of differentiation on protein kinase C and CMP-N-acetylneuraminic acid: lactosylceramide sialyltransferase activities of HL-60 leukemia cells. *J. Lipid Res.*, 30 (1989) 181-188.

For additional information see:
C.A., 110 (1989) 127826u, 137477v.

See also 3287, 3408.

11d. Lipoproteins and their constituents

- 3381 Bayot, P., Luu, B., Jones, L.R. and Trifilieff, E.: Purification of phospholamban from bovine cardiac muscle with organic solvents. *Arch. Biochem. Biophys.*, 268 (1989) 639-645.
- 3382 Clevidence, B.A. and Lehmann, J.: Alpha- and gamma-tocopherol levels in lipoproteins fractionated by affinity chromatography. *Lipids*, 24 (1989) 137-140; *C.A.*, 110 (1989) 131602k.
- 3383 Ohta, T., Hattori, S., Murakami, M., Horiuchi, S., Nishiyama, S. and Matsuda, I.: Isolation of apolipoprotein A-I-containing lipoproteins by immunoaffinity chromatography using a formylated derivative of cellulose gel. *Clin. Chim. Acta*, 179 (1989) 183-190.
- 3384 Rapacz, J., Jr., Hasler-Rapacz, J., Rapacz, J. and McConathy, W.J.: Separation of swine plasma LDL from Lpb^{2/3} heterozygotes into two apoB allelic haplotypes Lpb² and Lpb³, with apoB epitope specific antibodies. *J. Lipid Res.*, 30 (1989) 199-206.
- 3385 Wilson, H.M., Griffin, B.A. and Skinner, E.R.: A novel procedure for the separation of high-density lipoprotein subspecies by affinity chromatography. *Biochem. Soc. Trans.*, 17 (1989) 152-153; *C.A.*, 110 (1989) 111080k.

See also 3354, 3597.

12. ORGANIC PEROXIDES

- 3386 Hatzelmann, A., Schatz, M. and Ullrich, V.: Involvement of glutathione peroxidase activity in the stimulation of 5-lipoxygenase activity by glutathione-depleting agents in human polymorphonuclear leukocytes. *Eur. J. Biochem.*, 180 (1989) 527-533.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 3387 Al-Habet, S.M.H. and Lee, H.J.: High-performance liquid chromatographic determination of prednisolone and its steroid 21-oate ester derivatives in rat plasma: pharmacokinetic applications. *J. Pharm. Sci.*, 78 (1989) 105-108.
- 3388 Bednarski, P.J. and Nelson, S.D.: Dissociation of 19-hydroxy-, 19-oxo, and aromatizing-activities in human placental microsomes through the use of suicide substrates to aromatase. *J. Steroid Biochem.*, 32 (1989) 309-316.
- 3389 Chichila, T.M.P., Edlund, P.O., Henion, J.D., Wilson, R. and Epstein, R.L.: Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase high-performance liquid chromatography. *J. Chromatogr.*, 488 (1989) 389-406.
- 3390 De Beer, J.O.: On-line high-performance liquid chromatographic diode array spectrophotometric analysis of steroidal hormones in illegal preparations. *J. Chromatogr.*, 489 (1989) 139-155.
- 3391 Erkoc, F.Ü., Özsar, S., Güven, B., Kalkandelen, G. and Ugrar, E.: High-performance liquid chromatographic analysis of steroid hormones. *J. Chromatogr. Sci.*, 27 (1989) 86-90.

- 3392 Flowers, N.L., O'Donnell, J.P. and Colby, H.D.: Spironolactone metabolism in target tissues. Characteristics of deacetylation in kidney, liver, adrenal cortex, and testes. *Drug Metab. Disp.*, 17 (1989) 186-189.
- 3393 Görög, S., Lauko, A., Herenyi, B., Georgakis, A., Csizér, E., Balogh, G., Gálik, G., Mahó, S. and Tuba, Z.: Analysis of steroids XXXIX. Estimation of the impurity profile of 5 α -androst-2-ene-17-one. *Chromatographia*, 26 (1988) 316-320.
- 3394 Haasnoot, W., Schilt, R., Hamers, A.R.M., Huf, F.A., Farjam, A., Frei, R.W. and Brinkman, U.A.T.: Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by high-performance liquid chromatography with on-line immunoaffinity sample pretreatment. *J. Chromatogr.*, 489 (1989) 157-171.
- 3395 Lejeune-Lenain, C., Bosson, D. and Linkowski, P.: Specific determination of plasma dexamethasone by HPLC and RIA - application to standard dexamethasone suppression test in psychiatric patients. *Clin. Chim. Acta*, 179 (1989) 13-22.
- 3396 Philip, A., Pike, A.W., Fennessey, P.V. and Murphy, B.E.P.: Identification of 20 α -hydroxy-5 α -pregnan-3-one and 20 β -hydroxy-5 α -pregnan-3-one in human pregnancy urine. *J. Steroid Biochem.*, 32 (1989) 317-319.
- 3397 Rapp, M. and Meyer, H.H.D.: Determination of hormone contaminants in milk replacers by high-performance liquid chromatography and immunoassay. *J. Chromatogr.*, 489 (1989) 181-189.
- 3398 Sheikh, S.U., Tallarida, R.J., Smith, J.B. and Touchstone, J.C.: Estimation of steroids in rabbit aorta by high-performance liquid chromatography. *J. High Resolut. Chromatogr.*, 12 (1989) 116-119.
- 3399 Smith, K.E., Latif, S. and Kirk, D.N.: Microbial transformation of steroids - II. Transformations of progesterone, testosterone and androstenedione by *Phycomyces blakesleeanus*. *J. Steroid Biochem.*, 32 (1989) 445-451.
- 3400 Toscano, V., Balducci, R., Adamo, M.V., Mangiantini, A., Cives, C. and Boscherini, B.: Changes in steroid pattern following acute and chronic adrenocorticotropin administration in premature adrenarche. *J. Steroid Biochem.*, 32 (1989) 321-326.
- 3401 Van Peteghem, C., van Look, L. and de Guesquiere, A.: Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue. *J. Chromatogr.*, 489 (1989) 219-223.
- 3402 Yoshitake, T., Hara, S., Yamaguchi, M., Nakamura, M., Ohkura, Y. and Görög, S.: Measurement of 21-hydroxycorticosteroids in human and rat sera by high-performance liquid chromatography with fluorimetric detection. *J. Chromatogr.*, 489 (1989) 364-370.

For additional information see:

C.A., 110 (1989) 101928d, 108308k.

See also 3631, 3827, 3942 - 3945, 3948, 3949.

13b. Estrogens

- 3403 De Ruiter, C., Tai Tin Tsoi, J.N.L., Brinkman, U.A.T. and Frei, R.W.: On-line procedures for the phase-transfer-catalyzed dansylation of phenolic steroids - application to biological samples. *Chromatographia*, 26 (1988) 267-273.
- 3404 Lonning, P.E., Skulstad, P., Sunde, A. and Thorsen, T.: Separation of urinary metabolites of radiolabelled estrogens in man by HPLC. *J. Steroid Biochem.*, 32 (1989) 91-97.
- 3405 O'Keefe, M. and Hopkins, J.P.: Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay. *J. Chromatogr.*, 489 (1989) 199-204.
- 3406 Tiefenauer, L.X., Bodmer, D.M., Frei, W. and Andres, R.Y.: Prevention of bridge binding in immunoassays: a general estradiol tracer structure. *J. Steroid Biochem.*, 32 (1989) 251-257.

For additional information see:

C.A., 110 (1989) 88771a.

See also 3391, 3398, 3939.

13c. Sterols

- 3407 Kim, H.-S., Wilson, W.K., Needleman, D.H., Pinkerton, F.D., Wilson, D.K., Quiocho, F.A. and Schroepfer, G.J., Jr.: Inhibitors of sterol synthesis. Chemical synthesis, structure, and biological activities of (25R)-3 β ,26-dihydroxy-5 α -cholest-8(14)-en-15-one, a metabolite of 3 β -hydroxy-5 α -cholest-8(14)-en-15-one. *J. Lipid Res.*, 30 (1989) 247-261.
- 3408 Rejskova, D. and Hradec, J.: Chromatographic determination of cholesteryl esters synthesized *in vitro*. *J. Chromatogr.*, 466 (1989) 446-448.

13d. Bile acids and alcohols

- 3409 Maucher, H., Nuber, R., Stange, E.F. and Ditschuneit, H.: Gas chromatographic determination of serum bile acids - application of a novel extraction procedure. *Chromatographia*, 26 (1988) 343-344.

13f. Other steroids

- 3410 Yang, S., Zeng, B. and Zhang, Z.: (Determination of steroid compounds in fungi extracts by HPLC). *Sepu*, 6 (1988) 217-220; *C.A.*, 110 (1989) 111043a.

14. STEROID GLYCOSIDES AND SAPONINS

- 3411 Hattori, M., Kawata, Y., Kakiuchi, N., Matsuura, K., Tomimori, T. and Namba, T.: Application of liquid chromatography/mass spectrometry to the qualitative analysis of saponins. II. *Chem. Pharm. Bull.*, 36 (1988) 4467-4473.
- 3412 Nakashima, H., Tsutsumi, K., Hashiguchi, M., Kumagai, Y. and Ebihara, A.: Determination of β -methylidigoxin and its metabolites by high-performance liquid chromatography and fluorescence polarization immunoassay. *J. Chromatogr.*, 489 (1989) 425-431.
- 3413 Okuyama, T., Takata, M., Takahashi, K., Ishikawa, T., Miyasaka, K. and Kaneyama, N.: High-performance liquid chromatographic analysis of naturally occurring glycosides and saponins. *J. Chromatogr.*, 466 (1989) 390-398.
- 3414 Shimada, K., Oe, T., Kanno, C. and Nambara, T.: Utility of cyclodextrin in mobile phase for high-performance liquid chromatographic separation of cardenolides. *Anal. Sci.*, 4 (1988) 377-380; *C.A.*, 109 (1988) 237110t.

For additional information see:

C.A., 110 (1989) 101575m.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 3415 Ebel, S. and Fischer, A.: HPLC determination of menthyl acetate in several peppermint oils by polarimetric detection. *Arch. Pharm. (Weinheim)*, 322 (1989) 83-88; *C.A.*, 110 (1989) 120982h.

16. NITRO AND NITROSO COMPOUNDS

- 3416 Conboy, J.J. and Hotchkiss, J.H.: Photolytic interface for high-performance liquid chromatography-luminescence detection of nonvolatile N-nitroso compounds. *Analyst (London)*, 114 (1989) 155-159.
- 3417 Smith, R.A., Tibbels, T.S. and Cohen, S.M.: Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet. *J. Chromatogr.*, 465 (1989) 442-447.

- 3418 Tripathi, A.M., Mhalas, J.G. and Rama Rao, N.V.: Determination of 2,6- and 4,6-dinitrocresols by high-performance liquid chromatography on a β -cyclodextrin bonded column. *J. Chromatogr.*, 466 (1989) 442-445.

For additional information see:

C.A., 110 (1989) 98233r, 98234s, 129950d.

See also 3189, 3202, 3204.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 3419 Chiavari, G., Galletti, G.C. and Vitali, P.: HPLC determination of catabolic amines in silage using their dansyl derivatives and an electrochemical detector. *Chromatographia*, 27 (1989) 216-220.
- 3420 Feth, F. and Wagner, K.G.: Determination of ornithine, putrescine, N-methyl-putrescine and N-methylpyrrolidine pools in tobacco tissue by HPLC. *Physiol. Plant.*, 75 (1989) 71-74; *C.A.*, 110 (1989) 111057h.
- 3421 Kremmer, T., Boldizsar, M. and Paulik, E.: Application of high-performance liquid chromatographic methods in the monitoring of enzyme-targeted chemotherapy. *Chromatographia*, 26 (1988) 423-428.
- 3422 Lamarre, C., Gilbert, R. and Gendron, A.: Liquid chromatographic determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants. *J. Chromatogr.*, 467 (1989) 249-258.
- 3423 Nakahara, Y., Ishigami, A. and Takeda, Y.: Electrochemical label for high-performance liquid chromatography. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines. *J. Chromatogr.*, 489 (1989) 371-376.
- 3424 Van der Hoorn, F.A.J., Boomsma, F., Man in t' Veld, A.J. and Schalekamp, M.A.D.H.: Determination of catecholamines in human plasma by high-performance liquid chromatography: comparison between a new method with fluorescence detection and an established method with electrochemical detection. *J. Chromatogr.*, 487 (1989) 17-28.

For additional information see:

C.A., 110 (1989) 131757q.

See also 3189, 3202, 3204, 3211, 3218, 3340, 3437, 3441, 3971, 3993.

17b. Catecholamines and their metabolites

- 3425 Da Prada, M., Kettler, R., Keller, H.H., Burkard, W.P., Muggli-Maniglio, D. and Haefely, W.E.: Neurochemical profile of moclobemide, a short-acting and reversible inhibitor of monoamine oxidase type A¹. *J. Pharmacol. Exp. Ther.*, 248 (1989) 400-414.
- 3426 Davis, B.A.: Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects. *J. Chromatogr.*, 466 (1989) 89-218 - a review with 972 refs.
- 3427 Grossi, G., Bargossi, A., Battistoni, R., Lippi, A. and Sprovieri, G.: Full automation of catecholamine metabolite determination by column switching and high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 113-119.
- 3428 Hariharan, M., VanNoord, T., Cameron, O.G., Curtis, G.C. and Ostrow, D.G.: Free 3-methoxy-4-hydroxyphenylglycol determined in plasma by liquid chromatography with coulometric detection. *Clin. Chem. (Winston-Salem)*, 35 (1989) 202-205.
- 3429 Nohta, H., Yamaguchi, E., Ohkura, Y. and Watanabe, H.: Simultaneous high-performance liquid chromatographic determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction. *J. Chromatogr.*, 467 (1989) 237-247.
- 3430 Tsuchiya, H., Koike, T. and Hayashi, T.: On-line purification for the determination of catecholamines by liquid chromatography. *Anal. Chim. Acta*, 218 (1989) 119-127.

- 3431 Ukai, T., Ogawa, K., Satake, T., Kaneda, N. and Nagatsu, T.: A new HPLC-fluorescence assay of adrenaline in brain: changes of brain adrenaline in spontaneously hypertensive rats. *Biol. Amines*, 6 (1989) 87-90; *C.A.*, 110 (1989) 88778h.

For additional information see:

C.A., 110 (1989) 88779j, 88792h.

See also 3424, 3441.

17c. Urea and guanidine derivatives

- 3432 Heeremans, C.E.M., Te Koppele, J.M., Niessen, W.M.A., van der Greef, J., Brussee, J., la Vos, G.F., Ten Noever de Brauw, M.C. and van der Greef, J.: Off-line liquid chromatographic fast atom bombardment tandem mass spectrometric analysis of two diastereomeric glutathione conjugates of α -bromoisovaleryl urea. *Bioméd. Environ. Mass Spectrom.*, 17 (1988) 181-186; *C.A.*, 110 (1989) 107473y.
- 3433 Koeniger, M., Engelhardt, G., Schmitt, A. and Wallnoefer, P.R.: (Determination of ethylenethiourea in white wines). *Dtsch. Lebensm.-Rundsch.*, 85 (1989) 5-7; *C.A.*, 110 (1989) 113097v.
- 3434 Walker, T.A.: Separation of simple guanidines on cation-exchange columns using indirect ultraviolet detection. *J. Chromatogr.*, 466 (1989) 438-441.

For additional information see:

C.A., 110 (1989) 101933b.

17d. Other amine derivatives and amides (excluding peptides)

- 3435 Macaudiere, P., Lienne, M., Caude, M., Rosset, R. and Tambute, A.: Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier. *J. Chromatogr.*, 467 (1989) 357-372.
- 3436 Molenda, M.: (Application of Sephadex G-15 gel for the separation (and determination) of amino ketones in the urine). *Bromatol. Chem. Toksykol.*, 21 (1988) 222-227; *C.A.*, 110 (1989) 91648w.

For additional information see:

C.A., 110 (1989) 111030u.

See also 3160.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 3437 Auvin-Guette, C. and Rips, R.: Polyamines and corresponding aminoacids measured together. *Chromatographia*, 26 (1988) 60-62.
- 3438 Baeyens, W., Bruggeman, J. and Lin, B.: Enhanced chemiluminescence detection of some dansyl amino acids in liquid chromatography. *Chromatographia*, 27 (1989) 191-193.
- 3439 Barkholt, V. and Jensen, A.L.: Amino acid analysis: determination of cysteine plus half-cystine in proteins after hydrochloric acid hydrolysis with a disulfide compound as additive. *Anal. Biochem.*, 177 (1989) 318-322.
- 3440 Boomsma, F., van der Hoorn, F.A.J., Man in t' Veld, A.J. and Schalekamp, M.A.D.H.: Determination of 3,4-dihydroxyphenylalanine (DOPA) in plasma and cerebrospinal fluid by high-performance liquid chromatography with electrochemical detection. *Clin. Chim. Acta*, 178 (1988) 59-70.
- 3441 Boulton, A.A., Durden, D.A. and Davis, B.A.: Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example. *J. Chromatogr.*, 488 (1989) 129-143 - a review with 37 refs.

- 3442 Breslav, M. and Kalejs, U.: (Synthesis and chromatographic separation of diastereomeric amino acid α -phenylethylamides). *Latv. PSR Zinat. Akad. Vestis, Kim. Ser.*, (1988) 552-556; *C.A.*, 110 (1989) 135676k.
- 3443 Brückner, H. and Reinecke, C.: Chromatographic assays for the rapid and sensitive detection of peptaibol mycotoxins (antibiotics) in filamentous fungi. *J. High Resolut. Chromatogr.*, 12 (1989) 113-116.
- 3444 Euerby, M.R., Nunn, P.B. and Partridge, L.Z.: Resolution of neuroexcitatory non-protein amino acid enantiomers by high-performance liquid chromatography utilising pre-column derivatisation with *o*-phthaldialdehyde chiral thiols. Application to ω -N-oxalyl diamino acids. *J. Chromatogr.*, 466 (1989) 407-414.
- 3445 Fischer, P.M. and Howden, M.E.H.: Analysis of 4-N,N-dimethylaminoazobenzene 4'-thiodydantoin amino acids at sub-picomole levels by high-performance liquid chromatography: simultaneous manual sequencing of picomole quantities of several polypeptides. *Anal. Biochem.*, 177 (1989) 46-49.
- 3446 Flynn, K.J.: Some practical aspects of measurements of dissolved free amino acids in natural waters and within microalgae by the use of HPLC. *Chem. Ecol.*, 3 (1988) 269-293; *C.A.*, 110 (1989) 146897j.
- 3447 Foureman, G.L. and Eling, T.E.: Peroxidase-mediated formation of glutathione conjugates from polycyclic aromatic dihydrodiols and insecticides. *Arch. Biochem. Biophys.*, 268 (1989) 55-68.
- 3448 Grünfeld, E., Vincent, C. and Bagnara, D.: High-performance liquid chromatography analysis of nectar and pollen of strawberry flowers. *J. Agric. Food Chem.*, 37 (1989) 290-294.
- 3449 Guinebault, P., Dubruc, C., Haddouche, A., Colafranceschi, C. and Bianchetti, G.: An improved method for the determination of S-carboxymethyl-L-cysteine in biological fluids with precolumn derivatization and on-line clean-up. *Chromatographia*, 26 (1988) 377-382.
- 3450 Hayakawa, K. and Oizumi, J.: Determination of lipoyllsine derived from enzymes by liquid chromatography. *J. Chromatogr.*, 490 (1989) 33-41.
- 3451 Ishimitsu, S., Fujimoto, S. and Ohara, A.: High-performance liquid chromatographic determination of *m*-tyrosine and *o*-tyrosine in rat urine. *J. Chromatogr.*, 489 (1989) 377-383.
- 3452 Jenny, P.D., Weber, A. and Smith, A.L.: Quantitation of *p*-aminohippuric acid in biological fluids by high-performance liquid chromatography and dual-wavelength ultraviolet detection. *J. Chromatogr.*, 490 (1989) 213-218.
- 3453 Lash, L.H. and Anders, M.W.: Uptake of nephrotoxic S-conjugates by isolated rat renal proximal tubular cells. *J. Pharmacol. Exp. Ther.*, 248 (1989) 531-537.
- 3454 Macek, J., Lichy, A., Pesakova, V. and Adam, M.: Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by high-performance liquid chromatography with on-line radiometric detection. *J. Chromatogr.*, 488 (1989) 267-274.
- 3455 Mawatari, K.-I., Iinuma, F. and Watanabe, M.: Fluorimetric determination of kynurenine in human serum by high-performance liquid chromatography coupled with post-column phytochemical reaction with hydrogen peroxide. *J. Chromatogr.*, 488 (1989) 349-355.
- 3456 Morineau, G., Azoulay, M. and Frappier, F.: Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to high-performance liquid chromatography determination. *J. Chromatogr.*, 467 (1989) 209-216.
- 3457 Nishi, H., Ishii, K., Taku, K., Shimizu, R. and Tsumagari, N.: New chiral derivatization reagent for the resolution of amino acids as diastereomers by TLC and HPLC. *Chromatographia*, 27 (1989) 301-305.
- 3458 Oates, M.D. and Jorgenson, J.W.: Determination of naphthalene-2,3-dicarboxaldehyde-labelled aminoacids by open tubular liquid chromatography with electrochemical detection. *Anal. Chem.*, 61 (1989) 432-435.
- 3459 Otten, G. and Barka, G.: (Automatic derivatization and determination of amino acids). *GIT Fachz. Lab.*, 32 (1988) 1218-1221; *C.A.*, 110 (1989) 146882a.
- 3460 Pecci, L., Antonucci, A., Nardini, M. and Cavallini, D.: Detection of cystathionine and lanthionine ketimines in human urine. *Biochem. Int.*, 17 (1988) 877-883; *C.A.*, 110 (1989) 91483p.
- 3461 Russel, F.G.M., Wouterse, A.C. and van Ginneken, C.A.M.: Renal clearance of substituted hippurates in the dog. II. 4-Amino, hydroxy- and methoxy-substituted benzoylglycines. *J. Pharmacol. Exp. Ther.*, 248 (1989) 436-446.
- 3462 Smith, R.M., Saunders, I. and Ghani, A.A.: Dansyl amino acids as electrochemically active derivatives. *J. High Resolut. Chromatogr.*, 12 (1989) 187-188.

- 3463 Spustova, V., Cernay, P. and Golier, I.: Inhibition of glucose utilization in uremia by hippurate: liquid chromatographic isolation and mass spectrometric and nuclear magnetic resonance spectroscopic identification. *J. Chromatogr.*, 490 (1989) 186-192.
- 3464 Welch, L.E., LaCourse, W.R., Mead, D.A., Jr. and Johnson, D.: Comparison of pulsed coulometric detection and potential-sweep pulsed coulometric detection for underivatized amino acids in liquid chromatography. *Anal. Chem.*, 61 (1989) 555-559.
- 3465 Yoshiura, M., Iwamoto, T., Lee, T., Oinuma, S. and Iriyama, K.: Liquid chromatographic determination of glutathione, ascorbic acid and uric acid in a rat lens. *Jikeikai Med. J.*, 35 (1988) 249-263; *C.A.*, 110 (1989) 111029a.
- 3466 Ziegler, S.J., Meier, B. and Sticher, O.: Knoblauchanalytik. Neue Möglichkeiten für die qualitative und quantitative Bestimmung genuiner Inhaltsstoffe. *Dtsch. Apoth.-Ztg.*, 129 (1989) 318-322.

For additional information see:

C.A., 110 (1989) 93614f, 111313p.

See also 3173, 3218, 3421, 3521, 3734, 3737, 3930, 3971.

18b. *Peptides and peptidic and proteinous hormones*

- 3467 Bohler, U., Blind, E., Vogel, G., Hitzler, W., Flentje, D. and Schmidt-Gayk, H.: Two-site immunochemiluminometric assay of intact human parathyrin in serum with use of a tracer peptide purified by reversed-phase high-performance liquid chromatography. *Clin. Chem. (Winston-Salem)*, 35 (1989) 215-222.
- 3468 Cui, J.-Y., Wakabayashi, S., Wada, K., Fukuyama, K. and Matsubara, H.: Isolation and sequence studies of cysteinyl peptides from *Spirulina* glutathione reductase: comparison of active site cysteine peptides with those of other flavoprotein disulfide oxidoreductases. *J. Biochem. (Tokyo)*, 105 (1989) 390-394.
- 3469 Duckworth, W.C., Garcia, J.V., Liepnieks, J.J., Hamel, F.G., Hermodson, M.A., Frank, B.H. and Rosner, M.R.: *Drosophila* insulin degrading enzyme and rat skeletal muscle insulin protease cleave insulin at similar sites. *Biochemistry*, 28 (1989) 2471-2477.
- 3470 Farid, N.A., Atkins, L.M., Becker, G.W., Dinner, A., Heiney, R.E., Miner, D.J. and Riggin, R.M.: Liquid chromatographic control of the identity, purity and "potency" of biomolecules used as drugs. *J. Pharm. Biomed. Anal.*, 7 (1989) 185-188.
- 3471 Farmer, S.G., Burch, R.M., Dehaas, C.J., Togo, J. and Steranka, L.R.: [Arg¹-D-Phe⁷]-substituted bradykinin analogs inhibit bradykinin- and vasopressin-induced contractions of uterine smooth muscle. *J. Pharmacol. Exp. Ther.*, 248 (1989) 677-681.
- 3472 Fullerton, M.J., Smith, A.I., Clements, J.A. and Funder, J.W.: Gonadal steroids and anterior lobe dynorphin in the male rat. *J. Steroid Biochem.*, 32 (1989) 303-308.
- 3473 Gellerfors, P., Eketorp, G., Fhølenhag, K., Pavlu, B., Johansson, S. and Fryklund, L.: Characterisation of a secreted form of recombinant derived human growth hormone, expressed in *Escherichia coli* cells. *J. Pharm. Biomed. Anal.*, 7 (1989) 173-183.
- 3474 Guo, L., Funakoshi, S., Fujii, N. and Yajima, H.: Studies on peptides. CLXV. Combination of anew amide-precursor reagent and trimethylsilyl bromide deprotection for the 9-fluorenylmethoxycarbonyl-based solid-phase synthesis of chicken antral peptide. *Chem. Pharm. Bull.*, 36 (1988) 4989-4992.
- 3475 Guo, L., Murayama, E., Funakoshi, S., Fujii, N., Aono, M., Matsuda, M., Moriga, M. and Yajima, H.: Studies on peptides. CLXIV. Solution-phase synthesis of a 36-residue peptide amide corresponding to the entire amino acid sequence of chicken antral peptide. *Chem. Pharm. Bull.*, 36 (1988) 4364-4376.
- 3476 Kabzinski, A.K.M. and Paryjczak, T.: Separation of polythiolate peptides and metalloptides by covalent affinity chromatography. *Chromatographia*, 27 (1989) 247-252.
- 3477 Knight, M.: Countercurrent chromatography for peptides. *Chromatogr. Sci.*, 44 (Countercurrent Chromatogr.) (1988) 583-616; *C.A.*, 110 (1989) 135666g - a review with 31 refs.
- 3478 Krieter, P.A. and Trapani, A.J.: Metabolism of atrial natriuretic peptide. Extraction by organs in the rat. *Drug Metab. Disp.*, 17 (1989) 14-19.

- 3479 Manning, J.N., Sullivan, G.S. and Davis, P.F.: Reversed-phase liquid chromatography of elastin peptides. *J. Chromatogr.*, 487 (1989) 41-50.
- 3480 Maxl, F. and Siehr, W.: The use of high-performance liquid chromatography in the quality control of oxytocin, vasopressin and synthetic analogues. *J. Pharm. Biomed. Anal.*, 7 (1989) 211-216.
- 3481 Moore, M.L., Bryan, W.M., Fakhoury, S.A., Magaard, V.W., Huffman, W.F., Dayton, B.D., Meek, T.D., Hyland, L., Dreyer, G.B., Metcalf, B.W., Strickler, J.E., Gorniak, J.G. and Debouck, C.: Peptide substrates and inhibitors of the HIV-1 protease. *Biochem. Biophys. Res. Commun.*, 159 (1989) 420-425.
- 3482 Rhodes, G.R., Rubenfield, M.J. and Garvie, C.T.: Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing high-performance liquid chromatography with fluorescence. *J. Chromatogr.*, 488 (1989) 456-462.
- 3483 Robey, F.A. and Fields, R.L.: Automated synthesis of N-bromoacetyl-modified peptides for the preparation of synthetic peptide polymers, peptide-protein conjugates, and cyclic peptides. *Anal. Biochem.*, 177 (1989) 373-377.
- 3484 Saito, Y., Nakao, K., Itoh, H., Yamada, T., Mukoyama, M., Arai, H., Hosoda, K., Shirakami, G., Suga, S.-i., Minamino, N., Kangawa, K., Matsuo, H. and Imura, H.: Brain natriuretic peptide is a novel cardiac hormone. *Biochem. Biophys. Res. Commun.*, 158 (1989) 360-368.
- 3485 Sakina, K., Kawazura, K., Morihara, K. and Yajima, H.: Thermolysin-catalyzed synthesis of peptide amides. *Chem. Pharm. Bull.*, 36 (1988) 4345-4354.
- 3486 Schwabe, C., Büllsbach, E.E., Heyn, H. and Yoshioka, M.: Cetacean relaxin. Isolation and sequence of relaxins from *Balaenoptera acutorostrata* and *Balaenoptera edeni*. *J. Biol. Chem.*, 264 (1989) 940-943.
- 3487 Stralfors, P., Hemmings, H.C., Jr. and Greengard, P.: Inhibitors to protein phosphatase-1. Inhibitor-1 of bovine adipose tissue and a dopamine- and cAMP-regulated phosphoprotein of bovine brain are identical. *Eur. J. Biochem.*, 180 (1989) 143-148.
- 3488 Tomori, E., Horvath, G., Sandor, P. and Koltai, E.: Equilibrium structures of the arg-aldehyde moiety upon HPLC of peptides. *Chromatographia*, 27 (1989) 228-232.
- 3489 Tsuda, T., Uchiyama, M., Sato, T., Yoshino, H., Tsuchiya, Y., Ishikawa, S., Ohmae, M., Watanabe, S. and Miyake, Y.: Identification of secretin diastereoisomers produced during synthesis. *J. Pharm. Sci.*, 78 (1989) 91-94.
- 3490 Tucker, I.G., Dowty, M.E., Veillard, M., Longer, M.A. and Robinson, J.R.: Reversed-phase high-performance liquid chromatographic analysis of oligoglycines (one to six amino acid residues). *Pharm. Res.*, 6 (1989) 100-102; *C.A.*, 110 (1989) 127917z.
- 3491 Yoshioka, S., Iwaki, K., Mayashi, Y., Aso, Y., Takeda, Y. and Uchiyama, M.: Application of gel permeation chromatograph-low angle laser light scattering system to kinetic study on degradation of bioerodible polymers. *Chem. Pharm. Bull.*, 36 (1988) 4951-4957.

For additional information see:

C.A., 110 (1989) 107974n, 110979y, 111048f.

See also 3113, 3326, 3521, 3534, 3537, 3542, 3681.

18c. Elucidation of structure of proteins and enzymes

- 3492 Amico, V., Foti, S., Saletti, R., Cambria, A. and Petrone, G.: Identification of iodination sites in cytochrome C by high-performance liquid chromatography and fast atom bombardment mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 431-437; *C.A.*, 110 (1989) 91610c.
- 3493 Bisseret, F., Keith, G., Rihn, B., Amiri, I., Werneburg, B., Girardot, R., Baldacini, O., Green, G., Nguyen, V.K. and Monteil, H.: *Clostridium difficile* toxin B: characterization and sequence of three peptides. *J. Chromatogr.*, 490 (1989) 91-100.
- 3494 Chashchin, V.I., Shkumatov, V.M., Lapko, A.G., Degtereva, L.N. and Sherman, S.A.: (The structural organization of the active center of Fe₂S₂-ferredoxins). *Biokhimiya (Moscow)*, 54 (1989) 559-563.
- 3495 Cohn, C.L., Hermodson, M.A. and Krogmann, D.W.: The amino acid sequence of cytochrome c₅₅₃ from *Microcystis aeruginosa*. *Arch. Biochem. Biophys.*, 268 (1989) 219-226.

- 3496 Cohn, C.I., Sprinkle, J.R., Alam, J., Hermodson, M., Meyer, T. and Krogmann, D.W.: The amino acid sequence of low-potential cytochrome c₅₅₀ from the cyanobacterium *Microcystis aeruginosa*. *Arch. Biochem. Biophys.*, 268 (1989) 227-235.
- 3497 Crimmins, D.L., Thoma, R.S., McCourt, D.W. and Schwartz, B.D.: Strong-cation-exchange sulfoethyl aspartamide chromatography for peptide mapping of *Staphylococcus aureus* V8 protein digests. *Anal. Biochem.*, 176 (1989) 255-260.
- 3498 Drohse, H.B. and Foltmann, B.: Specificity of milk-clotting enzymes towards bovine κ-casein. *Biochim. Biophys. Acta*, 995 (1989) 221-224.
- 3499 Ferri, G., Stoppini, M., Iadarola, P., Bellotti, V. and Merlini, G.: Structural characterization of KII Inc, a new amyloid immunoglobulin. *Biochim. Biophys. Acta*, 995 (1989) 103-108.
- 3500 Hara, S., Makino, J. and Ikenaka, T.: Amino acid sequences and disulfide bridges of serine proteinase inhibitors from bitter melon (*Momordica charantia* Linn.) seeds. *J. Biochem. (Tokyo)*, 105 (1989) 88-92.
- 3501 Hara, S., Yamamura, Y., Fujii, Y., Mega, T. and Ikenaka, T.: Purification and characterization of chitinase produced by *Streptomyces erythraeus*. *J. Biochem. (Tokyo)*, 105 (1989) 484-489.
- 3502 Homandberg, G.A., Litwiller, R.D. and Peanasky, R.J.: Carboxypeptidase inhibitors from *Ascaris suum*: The primary structure. *Arch. Biochem. Biophys.*, 268 (1989) 153-161.
- 3503 Huang, W.-Y., Stoops, J.K. and Wakil, S.J.: Complete amino acid sequence of chicken liver acyl carrier protein derived from the fatty acid synthase. *Arch. Biochem. Biophys.*, 268 (1989) 92-98.
- 3504 Kaji, H., Kumagai, I., Takeda, A., Miura, K.-i. and Samejima, T.: Studies on chemical synthesis of human cystatin A gene and its expression in *Escherichia coli*. *J. Biochem. (Tokyo)*, 105 (1989) 143-147.
- 3505 Kojima, M., Mizuno, K., Kangawa, K. and Matsuo, H.: Purification and characterization of a peptide C-terminal α-amidating enzyme from porcine atrium. *J. Biochem. (Tokyo)*, 105 (1989) 440-443.
- 3506 Kondo, K., Zhang, J.-K., Xu, K. and Kagamiyama, H.: Amino acid sequence of a presynaptic neurotoxin, agkistrodotoxin, from the venom of *Agkistrodon halys* Pallas. *J. Biochem. (Tokyo)*, 105 (1989) 196-203.
- 3507 Liu, C.-S., Chen, J.-P., Chang, C.-S. and Lo, T.-B.: Amino acid sequence of a short chain neurotoxin from the venom of banded krait (*Bungarus fasciatus*). *J. Biochem. (Tokyo)*, 105 (1989) 93-97.
- 3508 Lundgren, E., Kandefer-Szerszen, M., Andersson, G. and Ekre, H.-P.: Interferon-α: a gene family in therapeutic use. *J. Pharm. Biomed. Anal.*, 7 (1989) 233-238.
- 3509 Murakami, K., Yubisui, T., Takeshita, M. and Miyata, T.: The NH₂-terminal structures of human and rat liver microsomal NADH-cytochrome b₅ reductases. *J. Biochem. (Tokyo)*, 105 (1989) 312-317.
- 3510 Simpson, R.J., Moritz, R.L., Begg, G.S., Rubira, M.R. and Nice, E.C.: Micro-preparative procedures for high sensitivity sequencing of peptides and proteins. *Anal. Biochem.*, 177 (1989) 221-236 - a review with 91 refs.
- 3511 Valaitis, A.P., Foe, L.G., Kwiatkowska, D., Latshaw, S.P. and Kemp, R.G.: The sites of phosphorylation of rabbit brain phosphofructo-1-kinase by cyclic AMP-dependent protein kinase. *Biochim. Biophys. Acta*, 995 (1989) 187-194.
- 3512 Williams, T., Marumo, K., Waite, J.H. and Henkens, R.W.: Mussel glue protein has an open conformation. *Arch. Biochem. Biophys.*, 268 (1989) 415-422.
- 3513 Yang, C.-Y., Gu, Z.-W., Chong, I., Xiong, W., Rosseneu, M., Yang, H.-X., Lee, B.-R., Gotto, A.M., Jr. and Chan, L.: The primary structure of human apolipoprotein A-IV. *Biochim. Biophys. Acta*, 1002 (1989) 231-237.

19. PROTEINS

19a. General techniques

- 3514 Goss, J.: A new approach to protein purification. *Aust. J. Biotechnol.*, 1 (1987) 18-21; *C.A.*, 110 (1989) 111235q.
- 3515 Haginaka, J., Wakai, J. and Yasuda, H.: Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs. *J. Chromatogr.*, 488 (1989) 341-348.

- 3516 Hammond, P.M., Sherwood, R.F., Atkinson, T. and Scawen, M.D.: Hydrophobic interaction chromatography for large scale purification of proteins. *Chim. Oggi*, (1987) 57-59; *C.A.*, 110 (1989) 111039d.
- 3517 Hearn, M.T.W., Janson, J.C., Regnier, F.E., Unger, K.K. and Wehr, C.T. (Editors): *Seventh International Symposium on High-Performance Liquid Chromatography of Proteins, Peptides and Polynucleotides*, Washington, 1987, Pt. 1. *J. Chromatogr.*, Vol. 443, Elsevier, Amsterdam, 1988, 401 p.
- 3518 Hearn, M.T.W., Janson, J.C., Regnier, F.E., Unger, K.K. and Wehr, C.T. (Editors): *Seventh International Symposium on High-Performance Liquid Chromatography of Proteins, Peptides and Polynucleotides*, Washington, 1987, Pt. 2. *J. Chromatogr.*, Vol. 444, Elsevier, Amsterdam, 1988, 365 p.
- 3519 Kang, K. and McCoy, B.J.: Protein separation by ion exchange chromatography: a model for gradient elution. *Biotechnol. Bioeng.*, 33 (1989) 786-790; *C.A.*, 110 (1989) 111070g.
- 3520 Katoh, H. and Yoshioka, M.: (Analysis of proteins and peptides). *Rinsho Kensa*, 32 (1988) 1132-1141; *C.A.*, 110 (1989) 131488c - a review with 21 refs.
- 3521 Szepesy, L. and Horvath, C.: Specific salt effects in hydrophobic interaction chromatography of proteins. *Chromatographia*, 26 (1988) 13-18.
- 3522 Takagi, T.: (Efficient use of SDS (sodium dodecyl sulphate) derivatives in the field of biochemistry). *Yukagaku*, 37 (1988) 402-407; *C.A.*, 109 (1988) 112431s - a review with 20 refs.
- 3523 Wehr, C.T., Lundgard, R.P. and Nugent, K.D.: Hydrophobic proteins: a challenge for reversed-phase HPLC. *LC-GC*, 7 (1989) 32-37; *C.A.*, 110 (1989) 131486a - a review with 4 refs.
- 3524 Whitley, R.D., Wachter, R., Liu, F. and Wang, N.-H.L.: Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity. *J. Chromatogr.*, 465 (1989) 137-156.

For additional information see:

C.A., 110 (1989) 110955n, 111044b.

19b. *Proteins of cells, viruses and subcellular particles*

- 3525 Chiu, M.L. and O'Keefe, E.J.: Placental keratinocyte growth factor: partial purification and comparison with epidermal growth factor. *Arch. Biochem. Biophys.*, 268 (1989) 75-85.
- 3526 Denman, R., Weitzmann, C., Cunningham, P.R., Negre, D., Nurse, K., Colgan, J., Pan, Y., Miedel, M. and Ofengand, J.: *In vitro* assembly of 30S and 70S bacterial ribosomes from 16S RNA containing single base substitutions, insertions, and deletions around the decoding site (C1400). *Biochemistry*, 28 (1989) 1002-1011.
- 3527 El Rassi, Z.: HPLC of membrane proteins. *BioChromatography*, 3 (1988) 188-200; *C.A.*, 110 (1989) 110966s - a review with 67 refs.
- 3528 Iwase, K., Hummel, B.C.W. and Walfish, P.G.: Cytosol components from human placenta and rat liver in iodothyronine 5- and 5'-deiodination. *Biochem. Cell Biol.*, 67 (1989) 58-63.
- 3529 Lees-Miller, S.P. and Anderson, C.W.: Two human 90-kDa heat shock proteins are phosphorylated *in vivo* at conserved serines that are phosphorylated *in vitro* by casein kinase II. *J. Biol. Chem.*, 264 (1989) 2431-2437.
- 3530 Sassa, T., Richter, W.W., Uda, N., Sugauma, M., Suguri, H., Yoshizawa, S., Hirota, M. and Fujiki, H.: Apparent "activation" of protein kinases by okadaic acid class tumor promoters. *Biochem. Biophys. Res. Commun.*, 159 (1989) 939-944.
- 3531 Walz, A. and Baggiolini, M.: A novel cleavage product of β -thromboglobulin formed in cultures of stimulated mononuclear cells activates human neutrophils. *Biochem. Biophys. Res. Commun.*, 159 (1989) 969-975.
- 3532 Watanabe, S., Georgescu, H.I., Kuhns, D.B. and Evans, C.H.: Chondrocyte activation by a putative interleukin-1 derived from lapine polymorphonuclear leukocytes. *Arch. Biochem. Biophys.*, 268 (1989) 69-76.

For additional information see:

C.A., 110 (1989) 91625m, 131505f.

See also 3586.

19c. *Proteins synthesized by genetic manipulation*

- 3533 Hochuli, E., Bannwarth, W., Doebeli, H., Gentz, R. and Stueber, D.: Genetic approach to facilitate purification of recombinant proteins with a novel metal chelate adsorbent. *Bio/Technology*, 6 (1988) 1321-1325; *C.A.*, 110 (1989) 91615h.
- 3534 Honda, S., Asano, T., Kajio, T. and Nishimura, O.: *Escherichia coli*-derived human interferon- γ with Cys-Tyr-Cys at the N-terminus is partially N^α-acylated. *Arch. Biochem. Biophys.*, 268 (1989) 612-622.
- 3535 Kamihira, M., Taniguchi, M., Iijima, S. and Kobayashi, T.: Purification of recombinant α -amylase with immuno-affinity chromatography using monoclonal antibody. *J. Ferment. Technol.*, 66 (1988) 625-631; *C.A.*, 110 (1989) 110579t.
- 3536 Poiesi, C., Tamanini, A., Ghielmi, S. and Albertini, A.: Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 101-111.
- 3537 Utsumi, J., Yamamoto-Terasawa, I., Yamazaki, S. and Shimizu, H.: Elimination of contaminating *Escherichia coli* peptides in the purification of *Escherichia coli*-derived recombinant human interferon- β 1 by zinc chelate affinity chromatography. *J. Chromatogr.*, 490 (1989) 193-197.
- 3538 Zimmer, A.M., Kazikiewicz, J.M., Spies, S.M. and Rosen, S.T.: Rapid miniaturized chromatography for indium-111 labeled monoclonal antibodies: comparison to size exclusion high performance liquid chromatography. *Nucl. Med. Biol.*, 15 (1988) 717-720; *C.A.*, 110 (1989) 141621e.

For additional information see:
C.A., 110 (1989) 107528v.

See also 3473, 3504, 3548.

19d. *Microbial and plant proteins*

- 3539 Balint, J., Jr., Totorica, C., Stewart, J. and Cochran, S.: Detection, isolation and characterization of staphylococcal enterotoxin B in protein A preparations purified by immunoglobulin G affinity chromatography. *J. Immunol. Methods*, 116 (1989) 37-43; *C.A.*, 110 (1989) 91589c.
- 3540 Bayer, E.A., Ben-Hur, H., Hiller, Y. and Wilchek, M.: Postsecretory modifications of streptavidin. *Biochem. J.*, 259 (1989) 369-376.
- 3541 Freitag, N. and McEntee, K.: Affinity chromatography of RecA protein and RecA nucleoprotein complexes on RecA protein-agarose columns. *J. Biol. Chem.*, 263 (1988) 19525-19534.
- 3542 Hummel, M., Herbst, H. and Stein, H.: Gene synthesis, expression in *Escherichia coli* and purification of immunoreactive human insulin-like growth factors I and II. Application of a modified HPLC separation technique for hydrophobic proteins. *Eur. J. Biochem.*, 180 (1989) 555-561.
- 3543 Kamesaki, T., Kajii, E. and Ikemoto, S.: Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by high-performance liquid chromatography. *J. Chromatogr.*, 489 (1989) 384-389.
- 3544 Kent, K.A., Lemcke, R.M. and Lysons, R.J.: Production, purification and molecular weight determination of the hemolysin of *Treponema hyodysenteriae*. *J. Med. Microbiol.*, 27 (1988) 215-224; *C.A.*, 110 (1989) 131737h.
- 3545 Khurana, A.L. and Bhowmik, S.R.: Isolation and determination of soybean trypsin inhibitor by using HPL-affinity chromatography. *J. Liq. Chromatogr.*, 11 (1988) 3393-3402.

19e. *Proteins of blood, serum and blood cells*

- 3546 Adam, A., Damas, J., Renard, C., Calay, G. and Bourdon, V.: Purification and characterization of plasma T-kininogen from Wistar and brown Norway rats. *Biochem. Cell Biol.*, 67 (1989) 86-92.
- 3547 Boegli, C., Hofer, A. and Furlan, M.: Isolation of fibrinogen A α -chain by affinity chromatography on concanavalin A-Sepharose. *Thromb. Haemostasis*, 60 (1988) 308-310; *C.A.*, 110 (1989) 111027y.
- 3548 Bush, D.A. and Winkler, M.A.: Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies. *J. Chromatogr.*, 489 (1989) 303-311.

- 3549 Chen, F.M. and Epstein, A.L.: Preparative separation of IgM monoclonal antibody from mouse ascites and purification of F(ab¹)₂ fragments - the use of ABx and Superose columns. *Antibody, Immunoconjugates, Radiopharm.*, 1 (1988) 333-341; *C.A.*, 110 (1989) 91294c.
- 3550 Grinenko, T.V., Tretyachenko, V.G., Skomorovskaya, V. and Kudinov, S.A.: (The binding of Glu-plasminogen to fibrinogen and products of its proteolysis). *Biokhimiya (Moscow)*, 54 (1989) 213-220.
- 3551 Henriksen, R.A. and Mann, K.G.: Substitution of valine for glycine-558 in the congenital dysthrombin thrombin Quick II alters primary substrate specificity. *Biochemistry*, 28 (1989) 2078-2082.
- 3552 Kimura, S., Nagoya, T. and Aoki, N.: Monoclonal antibodies to human thrombomodulin whose binding is calcium dependent. *J. Biochem. (Tokyo)*, 105 (1989) 478-483.
- 3553 Liberatore, F.A., Comeau, R.D. and Lawton, R.G.: Heterobifunctional cross-linking of a monoclonal antibody with 2-methyl-N¹-benzenesulfonyl-N⁴-bromoacetyl-quinonediimide. *Biochem. Biophys. Res. Commun.*, 158 (1989) 640-645.
- 3554 Serejskaya, A.A., Osadchuk, T.V., Kornelyuk, A.I., Pekhnik, I.V. and Serebryany, S.B.: (The enzymatic properties of the human thrombin isolated B-chain). *Biokhimiya (Moscow)*, 54 (1989) 542-548.
- 3555 Shapiro, R., Fox, E.A. and Riordan, J.F.: Role of lysines in human angiogenin: chemical modification and site-directed mutagenesis. *Biochemistry*, 28 (1989) 1726-1732.
- 3556 Yamasaki, Y. and Kato, Y.: Separation of intravenous IgG containing albumin by high-performance size-exclusion chromatography on TSKgel G3000SWXL. *J. Chromatogr.*, 467 (1989) 436-440.

For additional information see:
C.A., 110 (1989) 93124w.

See also 3508, 3515, 3598.

19f. Structural and muscle proteins

- 3557 Deyl, Z. and Adam, M.: Separation methods for the study of collagen and treatment of collagen disorders. *J. Chromatogr.*, 488 (1989) 161-197 - a review with 102 refs.
- 3558 Huston, E.E., Grammer, J.C. and Yount, R.G.: Flexibility of the myosin heavy chain: direct evidence that the region containing SH₁ and SH₂ can move 10 Å under the influence of nucleotide binding. *Biochemistry*, 27 (1988) 8945-8952.
- 3559 Ikemoto, F., Song, G.-B., Tominaga, M. and Yamamoto, K.: Endogenous inhibitor of angiotensin converting enzyme in the rat heart. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1093-1099.
- 3560 Kobayashi, T., Takagi, T., Konishi, K. and Cox, J.A.: Amino acid sequence of crayfish troponin I. *J. Biol. Chem.*, 264 (1989) 1551-1557.
- 3561 Loret, C., Chaufer, B., Sebille, B., Hanselin, M., Blain, Y. and LeHir, A.: Characterization and hydrodynamic behavior of modified gelatin: II. Characterization by high performance size exclusion chromatography - comparison with dextrans and proteins. *Int. J. Biol. Macromol.*, 10 (1988) 366-372; *C.A.*, 110 (1989) 91485r.
- 3562 Resing, K.A., Walsh, K.A., Haugen-Scotfield, J. and Dale, B.A.: Identification of proteolytic cleavage sites in the conversion of profilaggrin to filaggrin in mammalian epidermis. *J. Biol. Chem.*, 264 (1989) 1837-1845.
- 3563 Stein, T.A., Cohen, J.R., Mandell, C. and Wise, L.: Measurement of elastin hydrolysis by reverse-phase HPLC with on-line post-column derivatization. *Chromatographia*, 27 (1989) 225-227.

19g. Protamines, histones and other chromosomal proteins

- 3564 Chartier, F., Crevel, G., Laine, B. and Sautiere, P.: High-performance liquid-chromatographic separation of variants of chromosomal proteins from prokaryotes. *J. Chromatogr.*, 466 (1989) 331-337.

19h. Chromoproteins and metalloproteins

- 3565 Boreham, C.J. and Fookes, C.J.R.: Separation of nickel(II) alkylporphyrins by reversed-phase high-performance liquid chromatography. Methodology and application. *J. Chromatogr.*, 467 (1989) 195-208.
- 3566 Gulaeva, L.F., Khatsenko, O.G., Gerasimov, K.E., Mitrofanov, D.V. and Mishin, V.M.: (Identification of molecular forms of cytochrome P-450 isolated from liver microsomes of phenobarbital- and methylcholanthrene-induced Wistar rats). *Biokhimiya (Moscow)*, 54 (1989) 487-494.
- 3567 Manca, L., Demuro, P. and Masala, B.: Hb G-Philadelphia, or [α68(E17)Asn→Lys], in North Sardinia: detection by isoelectric focusing and identification by HPLC of tryptic peptides. *Clin. Chim. Acta*, 177 (1988) 231-238.
- 3568 Paleari, R., Arcelloni, C., Paroni, R., Fermo, I. and Mosca, A.: Chromatofocusing and isoelectric focusing in immobilized pH gradients compared for characterization of human hemoglobin variants. *Clin. Chem. (Winston-Salem)*, 35 (1989) 425-430.
- 3569 Passaniti, A. and Roth, T.F.: Purification of chicken liver ferritin by two model methods and structural comparison with horse spleen ferritin. *Biochem. J.*, 258 (1989) 413-419.
- 3570 Regoeczi, E., Bolyos, M. and Chindemi, P.A.: Rat aglycotransferrin and human monoglycotransferrin: Production and metabolic properties. *Arch. Biochem. Biophys.*, 268 (1989) 637-642.
- 3571 Takabe, T. and Ishikawa, H.: Kinetic studies on a cross-linked complex between plastocyanin and cytochrome f. *J. Biochem. (Tokyo)*, 105 (1989) 98-102.
- 3572 Torke, N.S., Mehta, P.S., Vohra, R.M., Patel, A.R. and Shah, P.C.: Comparative analysis of glycosylated hemoglobins by ion-exchange column chromatography and HPLC in patients with hemoglobinopathies. *Am. J. Clin. Pathol.*, 90 (1988) 697-701; *C.A.*, 110 (1989) 111028z.
- 3573 Usanov, S.A., Chashchin, V.L. and Akhrem, A.A.: (Cytochrome P-450_{SCC} interaction with cytochrome b₅). *Biokhimiya (Moscow)*, 54 (1989) 472-486.

See also 3476.

19i. Proteins of glands, gland products and various zymogens (including milk proteins)

- 3574 Bahraoui, E.M., El Ayeb, M., Granier, C., Beress, L. and Rochat, H.: Specificity of antibodies to sea anemone toxin III and immunogenicity of the pharmacological site of anemone and scorpion toxins. *Eur. J. Biochem.*, 180 (1989) 55-60.
- 3575 Cariello, L., de Santis, A., Fiore, F., Piccoli, R., Spagnuolo, A., Zanetti, L. and Parente, A.: Calitoxin, a neurotoxic peptide from the sea anemone *Calliactis parasitica*: amino acid sequence and electrophysiological properties. *Biochemistry*, 28 (1989) 2484-2489.
- 3576 Chauviere, M., Martinage, A., Briand, G., Sautiere, P. and Chevallier, P.: Nuclear basic protein transition during sperm differentiation. Primary structure of the spermatid-specific protein S2 from the dog-fish *Scylliorhinus caniculus*. *Eur. J. Biochem.*, 180 (1989) 329-335.
- 3577 Errasfa, M., Rothhut, B. and Russo-Marie, F.: Phospholipase A2 inhibitory activity in thymocytes of dexamethasone-treated mice - possible implication of lipocortins. *Biochem. Biophys. Res. Commun.*, 159 (1989) 53-60.
- 3578 Grinberg, N., Blanco, R., Yarmush, D.M. and Karger, B.L.: Protein aggregation in high-performance liquid chromatography: hydrophobic interaction chromatography of β-lactoglobulin A. *Anal. Chem.*, 61 (1989) 514-520.
- 3579 Skinner, W.S., Adams, M.E., Quistad, G.B., Kataoka, H., Cesarin, B.J., Enderlin, F.E. and Schooley, D.A.: Purification and characterization of two classes of neurotoxins from the funnel web spider, *Agelenopsis aperta*. *J. Biol. Chem.*, 264 (1989) 2150-2155.
- 3580 Swan, J.S., Azadpur, M., Bharucha, A.J. and Krafczyk, M.A.: Separation of proteins in human milk. *J. Liq. Chromatogr.*, 11 (1988) 3385-3392.

- 3581 Van den Bedem, J.W. and Leenheer, J.: Heat treatment classification of low heat and extra low heat skim milk powder by HPLC. *Neth. Milk Dairy J.*, 42 (1988) 345-350; *C.A.*, 110 (1989) 93637r.

For additional information see:
C.A., 110 (1989) 131704v.

See also 3607.

19j. *Proteins of brain, cerebrospinal fluid and eye*

- 3582 Horvath, A. and Kastin, A.J.: Isolation of tyrosine-melanocyte-stimulating hormone release-inhibiting factor 1 from bovine brain tissue. *J. Biol. Chem.*, 264 (1989) 2175-2179.
- 3583 Paturle, L., Wehland, J., Margolis, R.L. and Job, D.: Complete separation of tyrosinated, detyrosinated, and nontyrosinatable brain tubulin subpopulations using affinity chromatography. *Biochemistry*, 28 (1989) 2698-2704.
- 3584 Ravid, K., Rosenthal, R.A., Doctrow, S.R. and Lowenstein, J.M.: 28 kDa Adenosine-binding proteins of brain and other tissues. *Biochem. J.*, 258 (1989) 653-661.
- 3585 Tieche, J.-M. and Leonora, J.: Biological and chemical evidence for the existence of a porcine hypothalamic parotic hormone-releasing factor. *Biochem. Biophys. Res. Commun.*, 159 (1989) 899-906.

See also 3589.

19k. *Proteins of neoplastic tissue and transformed cells*

- 3586 Tamatani, T., Kimura, S., Hashimoto, T. and Onozaki, K.: Purification of guinea pig tumor necrosis factor (TNF): comparison of its antiproliferative and differentiative activities for myeloid leukemic cell lines with those of recombinant human TNF. *J. Biochem. (Tokyo)*, 105 (1989) 55-60.

See also 3318.

19l. *Specific binding and receptor proteins*

- 3587 Bonifer, C., Dahlman, K., Strömstedt, P.-E., Flock, J.-I. and Gustafsson, J.-A.: DNA binding of glucocorticoid receptor protein A fusion proteins expressed in *E. coli*. *J. Steroid Biochem.*, 32 (1989) 5-11.
- 3588 Das, T., Sa, G. and Mukherjea, M.: Human fetal liver fatty acid binding proteins. Role on glucose-6-phosphate dehydrogenase activity. *Biochim. Biophys. Acta*, 1002 (1989) 164-172.
- 3589 DuVal, G. and Fowler, B.A.: Preliminary purification and characterization studies of a low molecular weight, high affinity cytosolic lead-binding protein in rat brain. *Biochem. Biophys. Res. Commun.*, 159 (1989) 177-184.
- 3590 Evans, T.C. and Nelson, D.L.: The cilia of *Paramecium tetraurelia* contain both Ca²⁺-dependent and Ca²⁺-inhibitible calmodulin-binding proteins. *Biochem. J.*, 259 (1989) 285-296.
- 3591 Fontaine, M., Demares, M.J., Koistinen, V., Day, A.J., Davrinche, C., Sim, R.B. and Ripoché, J.: Truncated forms of human complement factor H. *Biochem. J.*, 258 (1989) 927-930.
- 3592 Huebers, H.A., Huebers, E., Josephson, B. and Csiba, E.: A highly efficient chemical isolation procedure for the rat placental transferrin receptor. *Biochim. Biophys. Acta*, 991 (1989) 30-35.
- 3593 Hutchens, T.W. and Lee, C.M.: Estrogen receptor interaction with immobilized metals: differential molecular recognition of zinc(2+), copper(2+) and nickel(2+) and separation of receptor isoforms. *J. Mol. Recognit.*, 1 (1988) 80-92; *C.A.*, 110 (1989) 111032w.
- 3594 Hydar, S.M., Shahabi, N.A. and Wittliff, J.L.: Microanalysis of estrogen receptors from human uteri by multidimensional HPLC. *BioChromatography*, 3 (1988) 216-224; *C.A.*, 110 (1989) 131568d.
- 3595 Kanaho, Y., Crooke, S.T. and Stadel, J.M.: Purification and characterization of predominant G-protein from bovine lung membranes. Biochemical and immunochemical comparison with G₁₁ and G₀ purified from brain. *Biochem. J.*, 259 (1989) 499-506.

- 3596 Luis, J., Martin, J.-M., El Battari, A., Reynier, M., Marvaldi, J. and Pichon, J.: A human melanoma-derived cell line (IGR39) with a very high number of vasoactive-intestinal-peptide (VIP) receptors. 1. Molecular characterization of the binding site. *Eur. J. Biochem.*, 180 (1989) 429-433.
- 3597 Nishide, T., Tollefson, J.H. and Albers, J.J.: Inhibition of lipid transfer by a unique high density lipoprotein subclass containing an inhibitor protein. *J. Lipid Res.*, 30 (1989) 149-158.
- 3598 Ohmori, T., Kikuchi, A., Yamamoto, K., Kim, S. and Takai, Y.: Small molecular weight GTP-binding proteins in human platelet membranes. Purification and characterization of a novel GTP-binding protein with a molecular weight of 22,000. *J. Biol. Chem.*, 264 (1989) 1877-1881.
- 3599 Rossini, G.P.: Particulate untransformed glucocorticoid-receptor complexes from HeLa cells crosslinked *in vivo*. *Biochim. Biophys. Acta*, 1011 (1989) 183-191.
- 3600 Smith, V.L. and Dedman, J.R.: Rapid purification of the 30 kDa calcimedin using DNase I affinity chromatography. *Biochem. Biophys. Res. Commun.*, 159 (1989) 828-833.
- 3601 Sviridov, O.V., Ermolenko, M.N. and Strel'chyonok, O.A.: (New aspects of isolation and purification of thyroxine-binding globulin from human body fluids). *Biokhimiya (Moscow)*, 54 (1989) 495-502.
- 3602 Thomas, J.E., Carroll, R., Sy, L.P. and Watanabe, M.: Isolation and characterization of a 50 kDa testosterone-binding protein from *Pseudomonas testosteroni*. *J. Steroid Biochem.*, 32 (1989) 27-34.
- 3603 Wiegand, M., Ofenloch-Hähnle, B. and Eisele, K.: Reactivation of the androgen receptor from murine preputial gland by thioredoxin or GSH. *J. Steroid Biochem.*, 32 (1989) 53-58.
- 3604 Ye, Z., Sun, D. and Guo, J.: (Preparation of calmodulin affinity column and its application on the preparation of calmodulin-binding proteins). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 15 (1988) 394-397; *C.A.*, 110 (1989) 131604n.
- 3605 Zhuang, Q. and Stracher, A.: Purification and characterization of a calcium binding protein with "synexin-like" activity from human blood platelets. *Biochem. Biophys. Res. Commun.*, 159 (1989) 236-241.

For additional information see:

C.A., 110 (1989) 111041y, 131567c.

See also 3576, 3584, 3705.

19n. Other proteins

- 3606 Jiang, L.: (Imitating physiological fluid by HPLC). *Sepu*, 6 (1988) 291-293; *C.A.*, 110 (1989) 109496g.
- 3607 Kitani, T. and Fujisawa, H.: Purification and characterization of antizyme inhibitor of ornithine decarboxylase from rat liver. *Biochim. Biophys. Acta*, 991 (1989) 44-49.
- 3608 Raspi, G., Lo Moro, A., Spinetti, M. and Molinari, M.: RP-HPLC as an evaluation method for the behaviour of urinary trypsin inhibitors. *Chromatographia*, 26 (1988) 369-371.
- 3609 Sugino, K., Nakamura, T., Takio, K., Titani, K., Miyamoto, K., Hasegawa, Y., Igarashi, M. and Sugino, H.: Inhibin alpha-subunit monomer is present in bovine follicular fluid. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1323-1329.
- 3610 Yoshizaki, H., Arai, K., Mizoguchi, T., Shiratsuchi, M., Hattori, Y., Nagoya, T., Shidara, Y. and Maki, M.: Isolation and characterization of an anticoagulant protein from human placenta. *J. Biochem. (Tokyo)*, 105 (1989) 178-183.

For additional information see:

C.A., 110 (1989) 131565a, 133500z.

20. ENZYMES AND ENZYME ACTIVITY ESTIMATION

- 3611 Shataeva, L.K., Potekhina, T.S., Chernova, I.A. and Samsonov, G.V.: (Sorption and chromatographic preparative methods of microbial enzyme separation). *Biotekhnologiya*, 4 (1988) 745-750; *C.A.*, 110 (1989) 130879u - a review with 13 refs.

20a. Oxidoreductases

- 3612 Bhat, G.B., Iwase, K., Hummel, B.C.W. and Walfish, P.G.: Kinetic characteristics of a thioredoxin-activated rat hepatic and renal low- K_m iodothyronine 5'-deiodinase. *Biochem. J.*, 258 (1989) 784-792.
- 3613 Combalbert, J., Fabre, I., Fabre, G., Dalet, I., Derancourt, J., Cano, J.P. and Maurel, P.: Metabolism of cyclosporin A. IV. Purification and identification of the rifampicin-inducible human liver cytochrome P-450 (cyclosporin A oxidase) as a product of P450IIIA gene subfamily. *Drug Metab. Disp.*, 17 (1989) 197-207.
- 3614 Farres, J., Guan, K.-L. and Weiner, H.: Primary structures of rat and bovine liver mitochondrial aldehyde dehydrogenases deduced from cDNA sequences. *Eur. J. Biochem.*, 180 (1989) 67-74.
- 3615 Friedrich, T., Hofhaus, G., Ise, W., Nehls, U., Schmitz, B. and Weiss, H.: A small isoform of NADH:ubiquinone oxidoreductase (complex I) without mitochondrially encoded subunits is made in chloramphenicol-treated *Neurospora crassa*. *Eur. J. Biochem.*, 180 (1989) 173-180.
- 3616 Glasfeld, A. and Benner, S.A.: The stereospecificity of the ferrous-ion-dependent alcohol dehydrogenase from *Zymomonas mobilis*. *Eur. J. Biochem.*, 180 (1989) 373-375.
- 3617 Greenberg, M.-L. and Hershfield, M.S.: A radiochemical-high-performance liquid chromatographic assay for urate oxidase in human plasma. *Anal. Biochem.*, 170 (1989) 290-293.
- 3618 Guo, R., Lim, C.K. and Peters, T.J.: Accurate and specific HPLC assay of coproporphyrinogen III oxidase activity in human peripheral leucocytes. *Clin. Chim. Acta*, 177 (1988) 245-252.
- 3619 Halpert, J., Jaw, J.-Y., Cornfield, L.J., Balfour, C. and Mash, E.A.: Selective inactivation of rat liver cytochromes P-450 by 21-chlorinated steroids. *Drug Metab. Disp.*, 17 (1989) 26-31.
- 3620 Hasler, T. and Curtius, H.-C.: Purification and characterization of 6-pyruvoyl tetrahydropterin synthase from salmon liver. *Eur. J. Biochem.*, 180 (1989) 205-211.
- 3621 Kipke, C.A., Enemark, J.H. and Sunde, R.A.: Purification of prosthetically intact sulfite oxidase from chicken liver using a modified procedure. *Arch. Biochem. Biophys.*, 268 (1989) 383-390.
- 3622 Mateescu, M.A., Fortier, G., Neidhart, S. and Roger, S.: The selective immobilization of ceruloplasmin onto a chromatographic material used for its purification. *Chromatographia*, 26 (1988) 110-114.
- 3623 Numazawa, M. and Satoh, S.: Kinetic studies of inhibition of estradiol 2- and 16 α -hydroxylases with 17 α -ethynyl and 17 β -cyano steroids: preferential inhibition of the 16 α -hydroxylase. *J. Steroid Biochem.*, 32 (1989) 85-90.
- 3624 Ohgiya, N., Yokota, H. and Yuasa, A.: Purification and properties of cytochrome P-450 generally acting as a catalyst on benzo[a]pyrene hydroxylation from liver microsomes of untreated rats. *J. Biochem. (Tokyo)*, 105 (1989) 234-238.
- 3625 Pesliakas, J.-H.J., Zutautas, V.D. and Glemza, A.A.: Affinity partitioning of yeast and horse liver alcohol dehydrogenases in polyethylene glycol-dyes/dextran two-phase systems. *Chromatographia*, 26 (1988) 85-90.
- 3626 Sherratt, A.J. and Damani, L.A.: Activities of cytosolic and microsomal drug oxidases of rat hepatocytes in primary culture. *Drug Metab. Disp.*, 17 (1989) 20-25.
- 3627 Tishkov, V.I., Galkin, A.G. and Egorov, A.M.: (NAD⁺-dependent formate dehydrogenase from methylotrophic yeast: purification and physico-chemical properties). *Biokhimiya (Moscow)*, 54 (1989) 299-305.
- 3628 Villarroya, A., Juan, E., Egestad, B. and Jörnvall, H.: The primary structure of alcohol dehydrogenase from *Drosophila lebanonensis*. Extensive variation within insect "short-chain" alcohol dehydrogenase lacking zinc. *Eur. J. Biochem.*, 180 (1989) 191-197.
- 3629 Winyard, P.G., Hider, R.C., Brailsford, S., Drake, A.F., Lunec, J. and Blake, D.R.: Effects of oxidative stress on some physicochemical properties of caeruloplasmin. *Biochem. J.*, 258 (1989) 435-445.

For additional information see:
C.A., 110 (1989) 110503p.

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 3630 Boyle, F.A. and Peters, T.J.: Characterisation of galactosyltransferase isoforms by ion-exchange and lectin affinity chromatography. *Clin. Chim. Acta*, 178 (1988) 289-296.
- 3631 Hobkirk, R., Renaud, R. and Raeside, J.I.: Partial characterization of steroid sulfohydrolase and steroid sulfotransferase activities in purified porcine Leydig cells. *J. Steroid Biochem.*, 32 (1989) 387-392.
- 3632 Hosaki, S., Sawamoto, J., Hagiwara, M., Kusano, T., Oda, H. and Shiina, S.-I.: Stability of serum γ -glutamyltranspeptidase fractionated by gel permeation using high-performance liquid chromatography and fast protein liquid chromatography. *J. Chromatogr.*, 488 (1989) 503-505.
- 3633 Jaspers, S.R., Rulfs, J., Johnson, G.L., Mole, J.E. and Miller, T.B., Jr.: Amino-terminal sequence analysis of rat heart and muscle glycogen synthase: Homology to the rabbit enzyme and the implications of hormonal control. *Arch. Biochem. Biophys.*, 268 (1989) 630-636.
- 3634 Mocali, A. and Paoletti, F.: Transketolase from human leukocytes. Isolation, properties and induction of polyclonal antibodies. *Eur. J. Biochem.*, 180 (1989) 213-219.
- 3635 Mozier, N.M., McConnell, K.P. and Hoffman, J.L.: S-Adenosyl-L-methionine: thioether S-methyltransferase, a new enzyme in sulfur and selenium metabolism. *J. Biol. Chem.*, 263 (1988) 4527-4531.
- 3636 Praznik, W., Beck, R.H.F., Spies, T. and Huber, A.: Detection of enzymatically formed ^{14}C -labelled fructan oligomers by means of size exclusion chromatography with an on-line liquid scintillation counter. *Chromatographia*, 26 (1988) 359-362.
- 3637 Tirmenstein, M.A. and Reed, D.J.: Role of a partially purified glutathione S-transferase from rat liver nuclei in the inhibition of nuclear lipid peroxidation. *Biochim. Biophys. Acta*, 995 (1989) 174-180.

See also 3653.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 3638 Elizarov, S.M. and Stepanov, A.S.: (Isolation and characterization of casein kinases I and II from rabbit liver and analysis of their effects on protein biosynthesis in living cells). *Biokhimiya (Moscow)*, 54 (1989) 409-420.
- 3639 Hsuan, J.J., Downward, J., Clark, S. and Waterfield, M.D.: Proteolytic generation of constitutive tyrosine kinase activity of the human insulin receptor. *Biochem. J.*, 259 (1989) 519-527.
- 3640 Jenö, P., Jäggi, N., Luther, H., Siegmann, M. and Thomas, G.: Purification and characterization of a 40 S ribosomal protein S6 kinase from vanadate-stimulated Swiss 3T3 cells. *J. Biol. Chem.*, 264 (1989) 1293-1297.
- 3641 Kandror, K.V., Benumov, A.O. and Stepanov, A.S.: Casein kinase II from *Rana temporaria* oocytes. Intracellular localization and activity during progesterone-induced maturation. *Eur. J. Biochem.*, 180 (1989) 441-448.
- 3642 Lang, U. and Vallotton, M.B.: Effects of angiotensin II and of phorbol ester on protein kinase C activity and on prostacyclin production in cultured rat aortic smooth-muscle cells. *Biochem. J.*, 259 (1989) 477-484.
- 3643 Laurensse, E.J., Pinedo, H.M. and Peters, G.J.: A sensitive non-radioactive assay for pyrimidine nucleoside phosphorylase using reversed-phase high-performance liquid chromatography. *Clin. Chim. Acta*, 178 (1988) 71-78.
- 3644 Mina, M. and Rossomando, E.F.: Assay of ATP-sulfurylase activity from rat liver by high-performance liquid chromatography. *J. Chromatogr.*, 433 (1988) 63-72.
- 3645 Mizote, T. and Nakayama, H.: Purification and properties of hydroxymethyl-pyrimidine kinase from *Escherichia coli*. *Biochim. Biophys. Acta*, 991 (1989) 109-113.
- 3646 Stevens, A. and Maupin, M.K.: 5,6-Dichloro-1- β -D-ribofuranosylbenzimidazole inhibits a HeLa protein kinase that phosphorylates an RNA polymerase II-derived peptide. *Biochem. Biophys. Res. Commun.*, 159 (1989) 506-515.
- 3647 Tamiya, N., Yusa, T., Yamaguchi, Y., Tsukifuji, R., Kuroiwa, N., Moriyama, Y. and Fujimura, S.: Co-purification of thymidylate kinase and cytosolic thymidine kinase from human term placenta by affinity chromatography. *Biochim. Biophys. Acta*, 995 (1989) 28-35.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

- 3648 Basnakyan, A.G., Bubnov, N.V. and Votrin, I.I.: (Cell nuclear DNases: multiplicity and heterogeneity). *Biokhimiya (Moscow)*, 54 (1989) 273-283.
- 3649 Camici, G., Manao, G., Cappugi, G., Modesti, A., Stefani, M. and Ramponi, G.: The complete amino acid sequence of the low molecular weight cytosolic acid phosphatase. *J. Biol. Chem.*, 264 (1989) 2560-2567.
- 3650 Erdödi, F., Rokolya, A., Barany, M. and Barany, K.: Dephosphorylation of distinct sites in myosin light chain by two types of phosphatase in aortic smooth muscle. *Biochim. Biophys. Acta*, 1011 (1989) 67-74.
- 3651 Hara, S., Kudo, I., Chang, H.W., Matsuta, K., Miyamoto, T. and Inoue, K.: Purification and characterization of extracellular phospholipase A₂ from human synovial fluid in rheumatoid arthritis. *J. Biochem. (Tokyo)*, 105 (1989) 395-399.
- 3652 Hubbard, M.J. and Cohen, P.: The glycogen-binding subunit of protein phosphatase-1_C from rabbit skeletal muscle. Further characterisation of its structure and glycogen-binding properties. *Eur. J. Biochem.*, 180 (1989) 457-465.
- 3653 Jessup, C., Goris, J., Cayla, X., Hermann, J., Hendrix, P., Ozon, R. and Merlevede, W.: Tubulin and MAP2 regulate the PCS_L phosphatase activity. A possible new role for microtubular proteins. *Eur. J. Biochem.*, 180 (1989) 15-22.
- 3654 Sakharov, I.Yu., Makarova, I.E., Lakhtin, V.M. and Arbatsky, N.P.: (The isoforms and amino acid and carbohydrate composition of alkaline phosphatase from seal intestinal mucosa). *Biokhimiya (Moscow)*, 54 (1989) 250-255.
- 3655 Schliender, K.K., Wang, W. and Wilson, S.E.: Evidence for a latent form of protein phosphatase 1 associated with cardiac myofibrils. *Biochem. Biophys. Res. Commun.*, 159 (1989) 72-78.
- 3656 Wang, P., Nishihata, J., Takabori, E., Yamamoto, K., Toyoshima, S. and Osawa, T.: Purification and partial amino acid sequences of a phospholipase C-associated GTP-binding protein from calf thymocytes. *J. Biochem. (Tokyo)*, 105 (1989) 461-466.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 3657 Franco, J.M., Murado, M.A., Siso, M.I.G., Miron, J. and Gonzales, M.P.: A HPLC method for specific determination of α -amylase and glucoamylase in complex enzymatic preparations. *Chromatographia*, 27 (1989) 328-332.
- 3658 Goi, G., Fabi, A., Lombardo, A., Bairati, C., Bovati, L., Burlina, A.B., Agosti, S., Serio, C. and Tettamanti, G.: The lysosomal β -D-N-acetylglucosaminidase isozymes in human plasma during pregnancy: separation and quantification by a simple automated procedure. *Clin. Chim. Acta*, 179 (1989) 327-340.
- 3659 Kohno, A., Nanmori, T. and Shinke, R.: Purification of β -amylase from alfalfa (*Medicago sativa* L) seeds. *J. Biochem. (Tokyo)*, 105 (1989) 231-233.
- 3660 Mel'nik, M.S., Rabinovich, M.L. and Klyosov, A.A.: (A new type of *Clostridium thermocellum* endoglucanase produced by the recombinant strain of *E. coli*: purification and separation of multiple forms). *Biokhimiya (Moscow)*, 54 (1989) 284-291.
- 3661 Ogden, J.M., O'Keefe, S.J.D., Ehlers, M.R.W., Kirsch, R.E. and Marks, I.N.: Single step affinity chromatographic purification of human α -amylase from aspirated duodenal juice and its application in the measurement of pancreatic alpha-amylase synthesis rates in man. *Clin. Chim. Acta*, 180 (1989) 129-140.
- 3662 Ono, K. and Oka, S.: (Immobilized glucoamylase inhibitors and their properties and application). *Bio Ind.*, 5 (1988) 691-699; *C.A.*, 110 (1989) 130870j - a review with 14 refs.
- 3663 Somers, W., van Treit, K., Rozie, H., Rombouts, F.M. and Visser, J.: Isolation and purification of endo-polygalacturonase by affinity chromatography in a fluidized-bed reactor. *Chem. Eng. J.*, 40 (1989) B7-B19; *C.A.*, 110 (1989) 91068g.

See also 3535.

20f. Other hydrolases

- 3664 Asgeirsson, B., Fox, J.W. and Bjarnason, J.B.: Purification and characterization of trypsin from the poikilotherm *Gadus morhua*. *Eur. J. Biochem.*, 180 (1989) 85-94.
- 3665 Cole, T.-C., Melrose, J. and Ghosh, P.: Isolation and characterization of a neutral proteinase from the canine intervertebrate disc. *Biochim. Biophys. Acta*, 990 (1989) 254-262.
- 3666 Garin, J., Michel, L., Dupuis, A., Issartel, J.-P., Lunardi, J., Hoppe, J. and Vignais, P.: Photolabeling of the phosphate binding site of mitochondrial F₁-ATPase by [³²P]azidonitrophenyl phosphate. Identification of the photo-labeled amino acid residues. *Biochemistry*, 28 (1989) 1442-1448.
- 3667 Janska, H. and Light, A.: A direct high-performance liquid chromatography assay of the enzymatic activity of enterokinase (enteropeptidase). *Anal. Biochem.*, 176 (1989) 132-136.
- 3668 Kasten, M., Burkhardt, H., von Roden, H.-J. and Rauls, S.: A spectroscopic collagenase assay using peroxidase-labeled collagen. *Anal. Biochem.*, 176 (1989) 150-156.
- 3669 Kikuchi, M., Fukuyama, K., Hirayama, K. and Epstein, W.L.: Purification and characterization of carboxypeptidase from terminally differentiated rat epidermal cells. *Biochim. Biophys. Acta*, 991 (1989) 19-24.
- 3670 Kodama, H., Ohhashi, T., Ohba, C., Ohno, T., Arata, J., Kubonishi, I. and Miyoshi, I.: Characteristics and partial purification of prolidase and prolinase from leukocytes of a normal human and a patient with prolidase deficiency. *Clin. Chim. Acta*, 180 (1989) 65-72.
- 3671 Kucerova, Z.: Fractionation of human gastric proteinases by immobilized metal chelate (Fe³⁺) affinity chromatography. *J. Chromatogr.*, 489 (1989) 390-393.
- 3672 Kumazaki, T., Kobayashi, M. and Ishii, S.: Anhydroelastase: enhanced affinity toward product-type ligands revealed by affinity chromatography. *J. Mol. Recognit.*, 1 (1988) 93-98; *C.A.*, 110 (1989) 110655q.
- 3673 Mann, D.M. and Vanaman, T.C.: Topographical mapping of calmodulin-target enzyme interaction domains. *J. Biol. Chem.*, 264 (1989) 2373-2378.
- 3674 Mehdi, S. and Wiseman, J.S.: An assay for dihydroorotase using high-performance liquid chromatography with radioactivity detection. *Anal. Biochem.*, 176 (1989) 105-108.
- 3675 Miyazaki, T., Kai, M. and Ohkura, Y.: Determination of renin activity in human plasma by column-switching high-performance liquid chromatography with fluorescence detection. *J. Chromatogr.*, 490 (1989) 43-51.
- 3676 Myers, J.L. and Shaw, R.W.: Production, purification and spectral properties of metal-dependent β -lactamases of *Bacillus cereus*. *Biochim. Biophys. Acta*, 995 (1989) 264-272.
- 3677 Ramamoorthy, S. and Balasubramanian, A.S.: Stimulation by ATP-Mg²⁺ and inactivation by cyclic-AMP-dependent phosphorylation of a cytosolic monkey brain aminopeptidase. *Biochem. J.*, 258 (1989) 777-783.
- 3678 Richter, A.M., Lancaster, G.L., Choy, F.Y.M. and Hechtman, P.: Purification and characterization of activated human erythrocyte prolidase. *Biochem. Cell Biol.*, 67 (1989) 34-41.
- 3679 Saitoh, Y., Yokosawa, H., Takahashi, K. and Ishii, S.-I.: Purification and characterization of multicatalytic proteinase from eggs of the ascidian *Halocynthia roretzi*. *J. Biochem. (Tokyo)*, 105 (1989) 254-260.
- 3680 Sakato, K., Hoshino, K. and Nakagawa, H.: Purification and characterization of exudate gelatinases in the chronic-phase of carrageenin-induced inflammation in rats. *J. Biochem. (Tokyo)*, 105 (1989) 384-389.
- 3681 Stein, T.A., Cohen, J.R., Mandell, C. and Wise, L.: Determination of elastase activity by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 461 (1989) 267-270.
- 3682 Thomas, G.J. and Davies, M.: The potential role of human kidney cortex cysteine proteinases in glomerular basement membrane degradation. *Biochim. Biophys. Acta*, 990 (1989) 246-253.
- 3683 Vanha-Perttula, T.: Dipeptidyl peptidase III and alanyl aminopeptidase in the human seminal plasma: origin and biochemical properties. *Clin. Chim. Acta*, 177 (1988) 179-196.
- 3684 Wingfield, P., Graber, P., Turcatti, G., Movva, N.R., Pelletier, M., Craig, S., Rose, K. and Miller, C.G.: Purification and characterization of a methionine-specific aminopeptidase from *Salmonella typhimurium*. *Eur. J. Biochem.*, 180 (1989) 23-32.

- 3685 Yagi, K., Arai, Y., Kato, N., Hirota, K. and Miura, Y.: Purification of ATP diphosphohydrolase from bovine aorta microsomes. *Eur. J. Biochem.*, 180 (1989) 509-513.

For additional information see:
C.A., 110 (1989) 130959v.

See also 3481, 3543.

20g. Lyases

- 3686 Adjarov, D.G. and Elder, G.H.: A simplified method for determination of uroporphyrinogen decarboxylase activity in human blood. *Clin. Chim. Acta*, 177 (1988) 123-130.
- 3687 Consalvo, A.P., Young, S.D., Jones, B. and Tamburini, P.P.: A rapid fluorometric assay for N-terminal glutaminy cyclase activity using high-performance liquid chromatography. *Anal. Biochem.*, 175 (1988) 131-138.

20h. Isomerases

- 3688 Abe, I., Ebizuka, Y. and Sankawa, U.: Purification of 2,3-oxidosqualene: cycloartenol cyclase from pea seedlings. *Chem. Pharm. Bull.*, 36 (1988) 5031-5034.

20i. Ligases

For additional information see:
C.A., 110 (1989) 130953p.

20j. Complex mixtures and incompletely identified enzymes

- 3689 Bito, H., Ohishi, N., Miki, I., Minami, M., Tanabe, T., Shimizu, T. and Seyama, Y.: Leukotriene A₄ hydrolase from guinea pig lung: the presence of two catalytically active forms. *J. Biochem. (Tokyo)*, 105 (1989) 261-264.
- 3690 MacKintosh, R.W., Hardie, D.G. and Slabas, A.R.: A new assay procedure to study the induction of β -ketoacyl-ACP synthase I and II, and the complete purification of β -ketoacyl-ACP synthase I from developing seeds of oilseed rape (*Brassica napus*). *Biochim. Biophys. Acta*, 1002 (1989) 114-124.
- 3691 Pennings, E.J.M., van den Bosch, R.A., van den Heijden, R., Stevens, L.H., Duine, J.A. and Verpoorte, R.: Assay of strictosidine synthase from plant cell cultures by high-performance liquid chromatography. *Anal. Biochem.*, 176 (1989) 412-415.
- 3692 Smith, J.M., Harrison, K., Colby, J. and Taylor, S.C.: Determination of D-2-halopropionate dehalogenase activity from *Pseudomonas putida* strain AJ1/23 by ion chromatography. *FEMS Microbiol. Lett.*, 57 (1989) 71-74; *C.A.*, 110 (1989) 130927h.
- 3693 Yasumasu, S., Iuchi, I. and Yamagami, K.: Purification and partial characterization of high choriolytic enzyme (HCE), a component of the hatching enzyme of the teleost, *Oryzias latipes*. *J. Biochem. (Tokyo)*, 105 (1989) 204-211.
- 3694 Yasumasu, S., Iuchi, I. and Yamagami, K.: Isolation and some properties of low choriolytic enzyme (LCE), a component of the hatching enzyme of the teleost, *Oryzias latipes*. *J. Biochem. (Tokyo)*, 105 (1989) 212-218.

See also 3226.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 3695 Annan, R.S., Kresbach, G.M., Giese, R.W. and Vouros, P.: Trace detection of modified DNA bases via moving-belt liquid chromatography-mass spectrometry using electrophoretic derivatization and negative chemical ionization. *J. Chromatogr.*, 465 (1989) 285-296.

- 3696 Griest, W.H., Maskarinec, M.P. and Row, K.H.: Evaluation of micellar electrokinetic capillary chromatography for the separation and detection of normal and modified deoxyribonucleosides and deoxyribonucleotides. *Sep. Sci. Technol.*, 23 (1988) 1905-1914; *C.A.*, 110 (1989) 91553m.
- 3697 Guattari, B.: Simultaneous quantitative high-performance liquid chromatographic determination of cyclic adenosine 3',5'-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect *in vivo*. *J. Chromatogr.*, 489 (1989) 394-398.
- 3698 Kang, G.J., Cooney, D.A., Moyer, J.D., Kelley, J.A., Kim, H., Marquez, V.E. and Johns, D.G.: Cyclopentenylcytosine triphosphate. Formation and inhibition of CTP synthetase. *J. Biol. Chem.*, 264 (1989) 713-718.
- 3699 Marquardt, R.R., Arbid, M.S.S. and Frohlich, A.A.: Preparation of crystalline isouracil from convicine by acid hydrolysis and isolation of two decomposition products of isouramil. *J. Agric. Food Chem.*, 37 (1989) 448-454.
- 3700 Marquardt, R.R., Frohlich, A.A. and Arbid, M.S.S.: Isolation of crystalline divicine from an acid hydrolysate of vicine and a crystalline decomposition product of divicine and some properties of these compounds. *J. Agric. Food Chem.*, 37 (1989) 455-462.
- 3701 McEntire, J.E., Kuo, K.C., Smith, M.E., Stalling, D.L., Richens, J.W., Jr., Zumwalt, R.W., Gehrke, C.W. and Papermaster, B.W.: Classification of lung cancer patients and controls by chromatography of modified nucleosides in serum. *Cancer Res.*, 49 (1989) 1057-1062.
- 3702 Piall, E.M., Curtin, N.J., Aherne, G.W., Harris, A.L. and Marks, V.: The quantitation by radioimmunoassay of 2'-deoxyuridine 5'-triphosphate in extracts of thymidylate synthase-inhibited cells. *Anal. Biochem.*, 177 (1989) 347-352.
- 3703 Tsygankov, A.Yu., Motorin, Yu.A., Wolfson, A.D., Kirpotin, D.B. and Orlovsky, A.F.: High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients. *J. Chromatogr.*, 465 (1989) 325-329.
- 3704 Yao, T., Matsumoto, Y. and Wasa, T.: Specific detection of nicotinamide coenzymes by liquid chromatography and amperometric detection with immobilized glucose-6-phosphate dehydrogenase. *Anal. Chim. Acta*, 218 (1989) 129-135.

For additional information see:
C.A., 110 (1989) 91478r.

See also 3220, 3421, 3644, 3901.

21b. Nucleic acids, RNA

- 3705 Makover, A., Soprano, D.R., Wyatt, M.L. and Goodman, D.S.: Localization of retinol-binding protein messenger RNA in the rat kidney and in perinephric fat tissue. *J. Lipid Res.*, 30 (1989) 171-180.

21c. Nucleic acids, DNA

- 3706 McClung, J.K. and Gonzales, R.A.: Purification of plasmid DNA by fast protein liquid chromatography on Superose 6 preparative grade. *Anal. Biochem.*, 177 (1989) 378-382.
- 3707 Yamasaki, Y., Yokoyama, A., Ohnaka, A., Kato, Y., Murotsu, T. and Matsubara, K.-I.: High-performance hydroxyapatite chromatography of nucleic acids. *J. Chromatogr.*, 467 (1988) 299-303.

For additional information see:
C.A., 110 (1989) 91667b.

21e. Structural studies on DNA and DNA mapping

- 3708 Ellegren, H. and Laas, T.: Size-exclusion chromatography of DNA restriction fragments. Fragment length determination and a comparison with the behaviour of proteins in size-exclusion chromatography. *J. Chromatogr.*, 467 (1989) 217-226.

22. ALKALOIDS

- 3709 Durif, C., Ribes, M., Kister, G. and Puech, A.: (Comparison of the behavior of HPLC stationary phases for the determination of pilocarpine and its impurities or degradation products). *Pharm. Acta Helv.*, 63 (1988) 294-298; *C.A.*, 110 (1988) 101942d.
- 3710 Durif, C., Ribes, M., Kister, G. and Puech, A.: (Validation of an HPLC technique for determining pilocarpine and its impurities or degradation products). *Pharm. Acta Helv.*, 63 (1988) 315-320; *C.A.*, 110 (1989) 101943e.
- 3711 Geraghty, C.A. and Cashaw, J.L.: Method for the identification of tetrahydro-papaveroline using the Pictet-Spengler condensation reaction and high-performance liquid chromatography. *J. Chromatogr.*, 489 (1989) 399-403.
- 3712 Godin, J. and Hellier, G.: Methode de dosage de la nicotine et de la cotinine dans l'urine par chromatographie liquide à haute performance. *J. Chromatogr.*, 488 (1989) 487-491.
- 3713 Ishida, T., Kumagai, Y., Ikeda, Y., Ito, K., Yano, M., Toki, S., Mihashi, K., Fujioka, T., Iwase, Y. and Hachiyama, S.: (8S)-(Glutathion-S-yl)dihydro-morphinone, a novel metabolite of morphine from guinea pig bile. *Drug Metab. Disp.*, 17 (1989) 77-81.
- 3714 Jeffcoat, A.R., Perez-Reyes, M., Hill, J.M., Sadler, B.M. and Cook, C.E.: Cocaine disposition in humans after intravenous injection, nasal insufflation (snorting), or smoking. *Drug Metab. Disp.*, 17 (1989) 153-159.
- 3715 Koleva, M., Tencheva, Zh., Bakalov, V. and Georgieva, T.: (Liquid chromatographic method for quantitative determination of papaverine hydrochloride and ephedrine hydrochloride). *Probl. Farmakol. Farm.*, 2 (1988) 116-120; *C.A.*, 110 (1989) 121516w.
- 3716 Morad, A.M., Al-Meshal, I.A., Nasir, M. and El-Feraly, F.S.: High-performance liquid chromatographic determination of (-)-cathinone in plasma. *Chromatographia*, 27 (1989) 201-204.
- 3717 Sugimoto, T., Miyase, T., Kuroyanagi, M. and Ueno, A.: Limonoids and quinolone alkaloids from *Evodia rutaecarpa* Benth. *Chem. Pharm. Bull.*, 36 (1988) 4453-4461.
- 3718 Tagliaro, F., Carli, G., Cristofori, F., Campagnari, G. and Marigo, M.: HPLC determination of morphine with amperometric detection at low potentials under basic pH conditions. *Chromatographia*, 26 (1988) 163-167.
- 3719 Tagliaro, F., Franchi, D., Dorizzi, R. and Marigo, M.: High-performance liquid chromatographic determination of morphine in biological samples: an overview of separation methods and detection technique. *J. Chromatogr.*, 488 (1988) 215-228 - a review with 84 refs.
- 3720 Unni, L.K., Hannant, M.E., Becker, R.E. and Glacobini, E.: Determination of physostigmine in plasma and cerebrospinal fluid by liquid chromatography with electrochemical detection. *Clin. Chem. (Winston-Salem)*, 35 (1989) 292-295.
- 3721 Vandrig, D.E.M.M. and Holthuis, J.J.M.: Trace level analysis of vinca alkaloids in biological fluids. *TrAC*, 8 (1989) 141-145 - a review with 13 refs.

For additional information see:

C.A., 110 (1989) 141632j.

See also 3232, 3423.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23b. Bile pigments

- 3722 Jamani, A., Pudek, M. and Schreiber, W.E.: Liquid-chromatographic assay of urinary porphobilinogen. *Clin. Chem. (Winston-Salem)*, 35 (1989) 471-475.

23c. Indole derivatives

- 3723 Erlandsson, P., Isaksson, R., Nilsson, I. and Wold, S.: Chemometric approach to explain the liquid chromatographic retention of some chiral indoles on swollen microcrystalline triacetylcellulose. *J. Chromatogr.*, 466 (1989) 364-370.

- 3724 Kikugawa, K., Kato, T. and Takahashi, T.: Inactivation of mutagenic heterocyclic and aryl amines by linoleic acid 13-monohydroperoxide and methemoglobin. *Chem. Pharm. Bull.*, 36 (1988) 4963-4970.
- 3725 Quigley, M.E. and Lawson, G.J.: Urinary 5-hydroxyindoleacetic acid by HPLC with electrochemical detection. *Clin. Chem. (Winston-Salem)*, 35 (1989) 507.

See also 3419.

23d. Pyridine derivatives

- 3726 Schroeder, A.C., DiGiovanni, J.H., von Bredow, J. and Heiffer, M.H.: Pralidoxime chloride stability-indicating assay and analysis of solution samples stored at room temperature for ten years. *J. Pharm. Sci.*, 78 (1989) 132-136.
- 3727 Shats, V.D., Brivkaine, L. and Mekss, P.: (Retention of pyridine bases on Silasorb C18. II. Aqueous eluents modified by acetonitrile and sodium dodecyl sulphate). *Latv. PSR Zinat. Akad. Vestis, Kim. Ser.*, (1988) 681-686; *C.A.*, 110 (1989) 122210d.

23e. Other N-heterocyclic compounds

- 3728 Demian, I. and Gripshover, D.F.: Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and high-performance liquid chromatographic separation. *J. Chromatogr.*, 466 (1989) 415-420.
- 3729 Lawrence, J.F. and Menard, C.: Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by high-performance liquid chromatography with confirmation by chemical derivatization. *J. Chromatogr.*, 466 (1989) 421-426.
- 3730 Marunaka, T., Matsushima, E., Minami, Y., Yoshida, K.-I. and Azuma, R.: Degradation of β -lactamase inhibitor, (2S,3R,5S)-3-methyl-7-oxo-3-(1H-1,2,3-triazol-1-yl-methyl)-4-thia-1-azabicyclo[3,2,0]heptane-2-carboxylic acid 4,4-dioxide (YTR-830H), in aqueous solutions and alkaline methanol solution: pathway and structural elucidation of products. *Chem. Pharm. Bull.*, 36 (1988) 4478-4487.
- 3731 Matsushima, E., Yoshida, K.-I., Azuma, R., Minami, Y. and Marunaka, T.: Degradation of β -lactamase inhibitor, (2S,3R,5S)-3-methyl-7-oxo-3-(1H-1,2,3-triazol-1-yl-methyl)-4-thia-1-azabicyclo[3,2,0]-heptane-2-carboxylic acid 4,4-dioxide (YTR-830H) in the solid state: structural elucidation. *Chem. Pharm. Bull.*, 36 (1988) 4593-4596.
- 3732 Pena, C., Medina, J.H., Novas, M.L., de Robertis, E. and Paladini, A.C.: Determination of *n*-butyl- β -carboline-3-carboxylate in aqueous brain extracts. *J. Chromatogr.*, 431 (1988) 192-196.
- 3733 Pozo, R.G. and Saitua, E.S.: (Determination of histamine in fish and derivative products by HPLC with fluorimetric detection). *Alimentaria*, 196 (1988) 27-29; *C.A.*, 110 (1989) 93620e.

For additional information see:
C.A., 110 (1989) 122142h.

See also 3160, 3199, 3419, 3734.

24. ORGANIC SULPHUR COMPOUNDS

- 3734 Bitteur, S. and Rosset, R.: Chromatographic and potentiometric determination of dissociation constants of weakly basic aroma compounds. *Chromatographia*, 27 (1989) 194-200.
- 3735 Bravo, J., Moreno, A. and Bengoechea, C.: (Determination of sulphones in free oil of LAS by HPLC). *Comun. Jorn. Com. Esp. Deterg.*, 19 (1988) 359-367; *C.A.*, 110 (1989) 97577u.
- 3736 Cannon, J.M., Brown, R.D., Murrill, E.A. and Arneson, D.W.: Characterization of sulphonic acid isomers of dehydrothio-*p*-toluidine. *Appl. Spectrosc.*, 42 (1988) 705-707; *C.A.*, 110 (1989) 87719c.
- 3737 Cavrini, V., Gatti, R., Roveri, P. and Di Pietra, A.: Analysis of thiols by HPLC after fluorescent prelabelling with 4-(6-methylnaphthalen-2-yl)-4-oxobuten-2-oic acid. *Chromatographia*, 27 (1989) 185-190.

- 3738 Haldna, U. and Kleemeier, T.: (Ion chromatographic behavior of organic sulphonic acids). *Zh. Anal. Khim.*, 43 (1988) 1337-1339; *C.A.*, 110 (1989) 146892d.
- 3739 Parbery, C. and Taylor, C.D.: Determination of methylene bis(thiocyanate) and 2-(thiocyanatomethylthio)benzo[*d*]thiazole in leather process liquors by high-performance liquid chromatography. *Analyst (London)*, 114 (1989) 361-363.
- 3740 Pratt, K.J., Carles, C., Carne, T.J., Danson, M.J. and Stevenson, K.J.: Detection of bacterial lipoic acid. A modified gas-chromatographic-mass spectrometric procedure. *Biochem. J.*, 258 (1989) 749-754.
- 3741 Rennie, P.J.: Determination of 2-mercaptobenzothiazole in river water by HPLC. *Chromatographia*, 26 (1988) 297-299.

See also 3173, 3176, 3417, 3930, 3965.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCLUDING SUGAR PHOSPHATES)

- 3742 Chizhova, E.B., Melenevskii, A.T., Samsonov, G.V. and Pirogov, V.S.: (Cellosorb ion-exchange chromatographic separation of thiamine and adenosine phosphate esters). *Khim.-Farm. Zh.*, 22 (1988) 1377-1381; *C.A.*, 110 (1989) 121514u.
- 3743 Krikorian, S.E., Chorn, T.A., King, J.W. and Ellzy, M.V.: Determination of the partition coefficients of organophosphorus compounds using high-performance liquid chromatography). *Report* 1987, CRDEC-CR-88015; Order No. AD-A189276, pp. 21, Avail. NTIS; *C.A.*, 110 (1989) 122439k.
- 3744 Liu, Y. and Zhang, Z.: (HPLC determination of phosphorylcreatine in biological samples). *Sepu*, 6 (1988) 249-251; *C.A.*, 110 (1989) 111046d.
- 3745 Mouillac, B., Balestre, M.-N. and Guillon, G.: Transient inositol (1,4,5)triphosphate accumulation under vasopressin stimulation in WRK₁ cells: correlation with intracellular calcium mobilization. *Biochem. Biophys. Res. Commun.*, 159 (1989) 953-960.
- 3746 Radicke, J., Hartung, J., Pommer, U. and Böhlend, H.: Einsatz der Hochleistungs-flüssigkeitschromatographie bei der Untersuchung der metallionkatalysierten Methanolyse des Phosphorsäurephenylesterdiamids. *J. Chromatogr.*, 467 (1989) 304-308.

For additional information see:
C.A., 110 (1989) 87727d.

See also 3928.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 3747 Maruo, M., Hirayama, N., Wada, H. and Kuwamoto, T.: Separation and determination of organoarsenic compounds with a microbore column and ultraviolet detection. *J. Chromatogr.*, 466 (1989) 379-383.
- 3748 Nakagawa, T., Aoyama, E., Hasegawa, N., Kobayashi, N. and Tanaka, H.: High-performance liquid chromatography - fluorometric determination of selenium based on selenotrisulfide formation reaction. *Anal. Chem.*, 61 (1989) 233-236.
- 3749 Parks, E.J., Brinckman, F.E., Jewett, K.L., Blair, W.R. and Weiss, C.S.: Trace speciation by HPLC-graphite furnace atomic absorption spectroscopy for tin- and lead-bearing organometallic compounds, with signal increases induced by transition-metal ion. *Appl. Organomet. Chem.*, 2 (1988) 441-450; *C.A.*, 110 (1989) 127801g.
- 3750 Suyani, H., Creed, J., Davidson, T. and Caruso, J.: Inductively coupled plasma mass spectrometry and atomic emission spectrometry coupled to high-performance liquid chromatography for speciation and detection of organotin compounds. *J. Chromatogr. Sci.*, 27 (1989) 139-143.

For additional information see:
C.A., 110 (1989) 113963z.

26b. Boranes, silanes and related non-metallic compounds

See 3176.

26c. Coordination compounds

- 3751 Killa, H.M.A. and Rabenstein, D.L.: Separation and detection of bis(alkylthio) selenides of penicillamide and glutathione by liquid chromatography with electrochemical detection. *J. Chromatogr.*, 465 (1989) 359-368.
- 3752 Liodakis, S., Pappa, A. and Parissakis, G.: Influence of temperature on separation of metal chelates by adsorption HPLC. *J. Chromatogr. Sci.*, 27 (1989) 149-152.

See also 3269.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 3753 Bhat, P.V. and Lacroix, A.: Metabolism of retinol and retinoic acid in N-methyl-N-nitrosourea-induced mammary carcinomas in rats. *Cancer Res.*, 49 (1989) 139-144.
- 3754 Bushway, R.J., King, J.M., Perkins, B. and Krishnan, M.: High-performance liquid chromatographic determination of ascorbic acid in fruits, vegetables and juices. *J. Liq. Chromatogr.*, 11 (1988) 3415-3423.
- 3755 Edwards, P., Liu, P.K.S. and Rose, G.A.: A simple liquid-chromatographic method for measuring vitamin B₆ compounds in plasma. *Clin. Chem. (Winston-Salem)*, 35 (1989) 241-245.
- 3756 Gray, R.W. and Ghazarian, J.G.: Solubilization and reconstitution of kidney 25-hydroxyvitamin D₃ 1 α - and 24-hydroxylases from vitamin D-repleted pigs. *Biochem. J.*, 259 (1989) 561-568.
- 3757 Halloran, B.P., Bikle, D.D., Castro, M.E. and Gee, E.: Isotopic labeling affects 1,25-dihydroxyvitamin D metabolism. *Biochemistry*, 28 (1989) 1278-1281.
- 3758 Kimura, M.: (Methods for determination of total thiamin, thiamin and its phosphate esters in blood by HPLC with post-column derivatization). *Vitamin*, 63 (1989) 15-24; *C.A.*, 110 (1989) 111076p.
- 3759 Leo, M.A., Lasker, J.M., Raucy, J.L., Kim, C.-I., Black, M. and Lieber, C.S.: Metabolism of retinol and retinoic acid by human liver cytochrome P450IIC8. *Arch. Biochem. Biophys.*, 268 (1989) 305-312.
- 3760 Lumb, M., Bottiglieri, T., Deacon, R., Perry, J. and Chanarin, I.: Regulation of 5-methyltetrahydrofolate synthesis. *Biochem. J.*, 258 (1989) 611-612.
- 3761 Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S.: Separation of water-soluble vitamins by micellar electrokinetic chromatography. *J. Chromatogr.*, 465 (1989) 331-343.
- 3762 Reddy, G.S. and Tserng, K.: Calcitroic acid, end product of renal metabolism of 1,25-dihydroxyvitamin D₃ through C-24 oxidation pathway. *Biochemistry*, 28 (1989) 1763-1769.
- 3763 Suormala, T.M., Baumgartner, E.R., Bausch, J., Holick, W. and Wick, H.: Quantitative determination of biocytin in urine of patients with biotinidase deficiency using high-performance liquid chromatography (HPLC). *Clin. Chim. Acta*, 177 (1988) 253-270.
- 3764 Suzuki, Y. and Fukuda, K.: Anion-exchange high-performance liquid chromatographic determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate *in vitro* and *in vivo*. *J. Chromatogr.*, 489 (1989) 283-290.
- 3765 Usui, Y., Nishimura, N., Kobayashi, N., Okanoue, T., Kimoto, M. and Ozawa, K.: Measurement of vitamin K in human liver by gradient elution high-performance liquid chromatography using platinum-black catalyst reduction and fluorimetric detection. *J. Chromatogr.*, 489 (1989) 291-301.

- 3766 Vanotovskii, M.T.: (Unification of the analytical monitoring of technological mixtures of fine organic synthesis). *Zh. Anal. Khim.*, 43 (1988) 748-754; *C.A.*, 109 (1988) 182770a.

For additional information see:

C.A., 110 (1989) 113306n, 121509w, 133555w, 133790u, 133796a.

See also 3465, 3740, 3742, 3808.

28. ANTIBIOTICS

- 3767 Braco, L., Bano, C., Chillaron, F. and Abad, C.: Dimer-monomer conformational equilibrium of gramicidin A in 1-alkanols as studied by HPLC and fluorescence spectroscopy. *Int. J. Biol. Macromol.*, 10 (1988) 343-348; *C.A.*, 110 (1989) 90870a.
- 3768 Chen, X.-C., Kihara, T., Ying, X., Uramoto, M., Osada, H., Kusakabe, H., Wang, B.-N., Kobayashi, Y., Ko, K., Yamaguchi, I., Shen, Y.-C. and Isono, K.: A new antibiotic, tautomycetin. *J. Antibiot.*, 42 (1989) 141-144.
- 3769 Ciabatti, R., Kettenring, J.K., Winters, G., Tuan, G., Zerilli, L. and Cavalleri, B.: Ramoplanin (A-16686), a new glycolipopeptide antibiotic. III. Structure elucidation. *J. Antibiot.*, 42 (1989) 254-267.
- 3770 Decker, H., Bormann, C., Fiedler, H.-P., Zähler, H., Heitsch, H. and König, W.A.: Metabolic products of microorganisms. 252. Isolation of new nikkomycins from *Streptomyces tendae*. *J. Antibiot.*, 42 (1989) 230-235.
- 3771 Demotes-Mainard, F.M., Vincon, G.A., Jarry, C.H. and Albin, H.C.: Micro-method for the determination of roxithromycin in human plasma and urine by high-performance liquid chromatography using electrochemical detection. *J. Chromatogr.*, 490 (1989) 115-123.
- 3772 Ebey, W.J., Boucher, B.A. and Pieper, J.A.: A rapid HPLC method for determination of imipenem in plasma. *J. Liq. Chromatogr.*, 11 (1988) 3471-3481.
- 3773 Edwards, D.M.: Direct liquid introduction LC-MS of polyene macrolide antibiotics: comment on the structure of filipin II. *J. Antibiot.*, 42 (1989) 322-324.
- 3774 Evtushenko, N.S. and Kudryavtseva, M.P.: (Use of high-performance liquid chromatography to analyze aminoglycoside antibiotics: prospects). *Farmatsiya (Moscow)*, 38 (1989) 76-80; *C.A.*, 110 (1989) 141620d - a review with 54 refs.
- 3775 Fan-Havard, P. and Nahata, M.C.: A rapid analysis of nafcillin using high-performance liquid chromatography. *Ther. Drug Monit.*, 11 (1989) 105-108; *C.A.*, 110 (1989) 87874z.
- 3776 Fiedler, H.-P., Hörner, T. and Decker, H.: Purification of the hydrophilic antibiotics epidermin, gallidermin and nikkomycin Z by preparative reversed-phase HPLC. *Chromatographia*, 26 (1988) 215-220.
- 3777 Ha, S.T.K., Wilkins, C.L. and Abidi, S.L.: Analysis of antimycin A by reversed-phase liquid chromatography/nuclear magnetic resonance spectrometry. *Anal. Chem.*, 61 (1989) 404-408.
- 3778 Jamaluddin, A.B.M., Sarwar, G., Rahim, M.A. and Rahman, M.K.: Assay for cloxacillin in human serum utilising high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 490 (1989) 243-246.
- 3779 Kedzierewicz, F., Finance, C., Nicolas, A., Dixneuf, P. and Hoffman, M.: Stability of parenteral ceftriaxone disodium solutions in frozen and liquid states: effect of freezing and microwave thawing. *J. Pharm. Sci.*, 78 (1989) 73-77.
- 3780 Kimura, K.-I., Nakayama, S., Miyata, N. and Kawanishi, G.: Structural alteration of SN-07 chromophore. *J. Antibiot.*, 42 (1989) 127-131.
- 3781 MacNeill, J.D., Korsrud, G.O., Naylor, J.M. and Yates, W.D.G.: Bioassay techniques and HPLC for detection of oxytetracycline residues in tissues from calves. *Am. J. Vet. Res.*, 50 (1989) 72-74; *C.A.*, 110 (1989) 113307p.
- 3782 Oka, K., Hosoda, K., Hirano, T., Sakurai, E. and Kozaki, M.: Determination of cyclosporin A in the serum of kidney transplant patients by rapid-flow fractionation and normal phase high-performance liquid chromatography. *J. Chromatogr.*, 490 (1989) 145-154.
- 3783 Ohshima, T., Johno, I., Hasegawa, T. and Kitazawa, S.: Determination of cefpiramide in plasma by high-performance liquid chromatography with internal surface reversed-phase silica column. *J. Liq. Chromatogr.*, 11 (1988) 3457-3470.

- 3784 Ragheb, H.S., Ridge, S. and Din, A.: Determination of virginiamycin in combination with chlortetracyclin in feeds by anion-exchange chromatography. *Analyst (London)*, 114 (1989) 57-60.
- 3785 Ramos, M., Martin de Pozuelo, M. and Reuvers, T.: (Determination of chloramphenicol in swine muscle using high-efficiency liquid-liquid chromatography). *Alimentaria*, 196 (1988) 21-26; *C.A.*, 110 (1989) 93619m.
- 3786 Rance, M.J., Ruddock, J.C., Pacey, M.S., Cullen, W.P., Huang, L.H., Jefferson, M.T., Whipple, E.B., Maeda, H. and Tone, J.: UK-63,052 complex, new quinomycin antibiotics from *Streptomyces braegensis* subsp. *japonicus*: taxonomy, fermentation, isolation, characterisation and antimicrobial activity. *J. Antibiot.*, 42 (1989) 206-217.
- 3787 Ray, A. and Harris, R.: High-performance liquid chromatography as an alternative to microbiological measurements in the assay of tetracyclines. *J. Chromatogr.*, 467 (1989) 430-435.
- 3788 Raymond, G.G.: Quantification of Amphotericin B in aqueous solutions by high-performance liquid chromatography. *LC-GC*, 7 (1989) 58-60; *C.A.*, 110 (1989) 82592w.
- 3789 Riond, J.-L., Hedeon, K.M., Tyczkowska, K. and Riviere, J.E.: Determination of doxycycline in bovine tissues and body fluids by high-performance liquid chromatography using photodiode array ultraviolet-visible detection. *J. Pharm. Sci.*, 78 (1989) 44-47.
- 3790 Rosseel, M.T., Bogaert, M.G. and Valcke, Y.J.: High-performance liquid chromatographic assay of ampicillin in plasma and broncho-alveolar lavage fluid, using fluorescence detection. *Chromatographia*, 27 (1989) 243-246.
- 3791 Stout, S.J., Wilson, L.A., Kleiner, A.I., DaCunha, A.R. and Francl, T.J.: Mass spectrometric approaches to the confirmation of maduramicin α in chicken fat. *Biomed. Environ. Mass Spectrom.*, 18 (1989) 57-63; *C.A.*, 110 (1989) 113315q.
- 3792 Tawa, R., Hirose, S. and Fujimoto, T.: Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by high-performance liquid chromatography with pre-column derivatization and fluorimetric detection. *J. Chromatogr.*, 490 (1989) 125-132.
- 3793 Tico Grau, J.R., Del Pozo Carrascosa, A., Salazar Macian, R. and Cemeli Pons, J.: (Determination of amoxicillin in pharmaceutical forms: application of a new method to a lyophilized pharmaceutical form). *Circ. Farm.*, 46 (1988) 79-90; *C.A.*, 110 (1989) 82604b.
- 3794 Tyczkowska, K., Voyksner, R.D. and Aronson, A.L.: Development of an analytical method for penicillin G in bovine milk by liquid chromatography with ultraviolet-visible detection and confirmation by mass spectrometric detection. *J. Chromatogr.*, 490 (1989) 101-113.
- 3795 Zanol, M., Cometti, A., Borghi, A. and Lancini, G.C.: Isolation and structure determination of minor components of teicoplanin. *Chromatographia*, 26 (1988) 234-236.

For additional information see:

C.A., 110 (1989) 87892d, 133549x, 141643p.

See also 3893.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29b. Phosphorus insecticides

- 3796 Barcelo, D.: (Determination of organophosphorus pesticides by thermospray liquid chromatography-mass spectrometry). *Quim. Anal.*, 7 (1988) 144-157; *C.A.*, 110 (1989) 110009g.
- 3797 Dickinson, C.M., Sullivan, J.J. and Allen, C.R.: A liquid chromatographic study of the effect of adsorption on the concentration of aqueous temephos solutions. *J. Liq. Chromatogr.*, 11 (1988) 3435-3446.

For additional information see:

C.A., 110 (1989) 90030b.

29d. *Herbicides*

- 3798 Camilleri, P., Gray, A., Weaver, K., Bowyer, J.R. and Williams, D.J.: Herbicidal diphenyl ethers: stereochemical studies using enantiomers of a novel diphenyl ether phthalide. *J. Agric. Food Chem.*, 37 (1989) 519-523.
- 3799 Godin, C.S. and Brooks, P.A.: N-Methylation as a toxication route for xenobiotics. II. *In vivo* formation of N,N'-dimethyl-4,4'-bipyridyl ion (paraquat) from 4,4'-bipyridyl in the guinea pig. *Drug Metab. Disp.*, 17 (1989) 180-185.
- 3800 Reuvers, T.B.A., Ortiz, G., Ramos, M. and de Pozuelo, M.M.: Rapid high-performance liquid chromatographic method for the determination of bencetonium chloride residues in fish products: confirmation by thin-layer chromatography. *J. Chromatogr.*, 467 (1989) 321-326.
- 3801 Smith, A.E.: High-pressure liquid chromatographic analysis of hexazinone in alfalfa tissue (*Medicago sativa* L.). *J. Agric. Food Chem.*, 37 (1989) 358-360.
- 3802 Verheij, E.R., van der Greef, J., la Vos, G.F., van der Pol, W. and Niessen, W.M.A.: Identification of diuron and four of its metabolites in human *postmortem* plasma and urine by LC/MS with a moving-belt interface. *J. Anal. Toxicol.*, 13 (1989) 8-12; *C.A.*, 110 (1989) 129983s.

For additional information see:
C.A., 110 (1989) 90474z.

29e. *Fungicides*

- 3803 Szeto, S.Y., Burlinson, N.E., Rahe, J.E. and Oloffs, P.C.: Kinetics of hydrolysis of the dicarboximide fungicide vinclozolin. *J. Agric. Food Chem.*, 37 (1989) 523-529.
- 3804 Szeto, S.Y., Burlinson, N.E., Rahe, J.E. and Oloffs, P.C.: Persistence of the fungicide vinclozolin on pea leaves under laboratory conditions. *J. Agric. Food Chem.*, 37 (1989) 529-534.

See also 3800, 3807.

30. SYNTHETIC AND NATURAL DYES

30a. *Synthetic dyes*

- 3805 Nagase, M., Osaki, Y. and Matsueda, T.: Determination of Methyl Yellow, Sudan I and Sudan II in water by high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 434-437.
- 3806 Richfield-Fratz, N., Baczynskyj, W.M., Miller, G.C. and Bailey, J.E., Jr.: Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40. *J. Chromatogr.*, 467 (1989) 167-176.
- 3807 Roybal, J.E., Munns, R.K., Hurlbut, J.A. and Shimoda, W.: High-performance liquid chromatography of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection. *J. Chromatogr.*, 467 (1989) 259-266.

For additional information see:
C.A., 110 (1989) 116634d.

30b. *Chloroplast and other natural pigments*

- 3808 Biacs, P.A., Daood, H.G., Pavisa, A. and Hajdu, F.: Studies on the carotenoid pigments of paprika (*Capsicum annuum* L. var. Sz-20). *J. Agric. Food Chem.*, 37 (1989) 350-353.
- 3809 Forni, E., Ghezzi, M. and Polesello, A.: HPLC separation and fluorimetric estimation of chlorophylls and pheophytins in fresh and frozen peas. *Chromatographia*, 26 (1988) 120-124.
- 3810 Isaksen, M. and Francis, G.W.: Preparative HPLC of carotenoids. *Chromatographia*, 27 (1989) 325-327.

31. PLASTICS AND THEIR INTERMEDIATES

- 3811 Blagodatskikh, I.V., Dubrovina, L.V. and Pavlova, S.S.A.: (Separation of oligoarylates according to functionality and molecular weight by liquid chromatography with the "Milichrom" device). *Vysokomol. Soedin., Ser. A*, 30 (1988) 2622-2626; *C.A.*, 110 (1989) 115650u.
- 3812 Dekmezian, A.H. and Morioka, T.: Interface to eliminate high-boiling gel permeation chromatographic solvents on-line for polymer composition drift studies. *Anal. Chem.*, 61 (1989) 458-461.
- 3813 Ghosh, N.N., Gupta, G.N., Mandal, B.M. and Guhaniyogi, S.C.: Phase-transfer-catalyzed free radical polymerization. III. Characterization of polymers containing tetrabutylammonium sulphato end groups. *J. Polym. Mater.*, 5 (1988) 227-231; *C.A.*, 110 (1989) 136115p.
- 3814 Gorshkov, A.V., Verenich, S.S., Evreinov, V.V. and Entelis, S.G.: Separation of epoxy resins by functionality types. *Chromatographia*, 26 (1988) 338-342.
- 3815 Jandera, P.: Mechanism and prediction of retention of oligomers in normal-phase and reversed-phase HPLC. *Chromatographia*, 26 (1988) 417-422.
- 3816 Lazaris, A.Ya., Beloded, L.N., Aronovich, D.A. and Murokh, A.F.: (Analysis of anaerobic compositions by liquid chromatography). *Plast. Massy*, (1988) 41-43; *C.A.*, 110 (1989) 115651v.
- 3817 Marot, G. and Lescq, J.: Size exclusion chromatography of polyamides. *J. Liq. Chromatogr.*, 11 (1988) 3305-3319.
- 3818 Mori, S.: Secondary effects in aqueous size exclusion chromatography of sodium poly(styrenesulfonate) compounds. *Anal. Chem.*, 61 (1989) 530-534.

For additional information see:
C.A., 110 (1989) 135765p.

See also 3164, 3625, 3741.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 3819 Chung, P.H., Chan, S.F., Lee, A.R. and Tsou, T.L.: (Ion-pair high-performance liquid chromatography and its application in drug analysis). *Chung-Hua Yao Hsueh Tsa Chih*, 40 (1988) 53-76; *C.A.*, 110 (1989) 87802z - a review with 183 refs.
- 3820 De Smet, M. and Massart, D.L.: High-performance liquid chromatography of basic drugs on cyanopropyl-bonded phases: practical aspects. *TrAC*, 8 (1989) 96-101.
- 3821 Grizodub, O.I., Levin, M.G. and Georgiev'skii, V.P.: Control of water content in dilute alcoholic extracts and infusions. *Farm. Zh. (Kiev)*, (1988) 41-43; *C.A.*, 110 (1989) 82632j.
- 3822 Krstulovic, A.M.: Racemates versus enantiomerically pure drugs: Putting high-performance liquid chromatography to work in the selection process. *J. Chromatogr.*, 488 (1989) 53-72 - a review with 45 refs.
- 3823 Mehta, A.C.: Therapeutic monitoring of free (unbound) drug levels: analytical aspects. *TrAC*, 8 (1989) 107-112 - a review with 33 refs.
- 3824 Sun, H. and An, D.: (Surfactants and micellar chromatography). *Yaowu Fenxi Zazhi*, 8 (1988) 366-370; *C.A.*, 110 (1989) 141617h - a review with 16 refs.
- 3825 Wang, Z. and Fan, Z.: (Application of ion-exchange reagents in biochemical pharmaceuticals). *Lizi Jiaohuan Yu Xifu*, 3 (1987) 69-75; *C.A.*, 110 (1989) 82309j - a review with 49 refs.

For additional information see:
C.A., 110 (1989) 107519t, 127936e.

See also 3116, 3117, 3236, 3515, 3959.

32b. Antirheumatics and antiinflammatory drugs

- 3826 Cook, C.E. and Drayer, D.E.: Antibodies: A rich source of novel chemical agents for pharmacological studies. *Trends Pharmacol. Sci.*, 9 (1988) 373-375.
- 3827 Dimitrova, B. and Dimov, Kh.: (Liquid-chromatographic method for separation and quantitative determination of prednisolone in the presence of cyanoacrylic tissue adhesive). *Prob. Farmakol. Farm.*, 2 (1988) 120-127; *C.A.*, 110 (1989) 121517x.
- 3828 Jira, T., Matzko-Hollenbach, K. and Mezey, G.: Retentionsverhalten von Indometacin-zubereitungen bei der HPLC mit verschiedenen Ionen-Interaktions-Reagentien. *Pharmazie*, 44 (1989) 28-30.
- 3829 Kiang, C.-H., Lee, C. and Kushinsky, S.: Isolation and identification of 6-desmethylnaproxen sulfate as a new metabolite of naproxen in human plasma. *Drug Metab. Disp.*, 17 (1989) 43-48.
- 3830 Kostova, L. and Pashankov, P.: (Reversed phase HPLC of naproxen and its degradation products). *Izv. Durzh. Inst. Kontrol Lek. Sredstva*, 21 (1988) 10-17; *C.A.*, 110 (1989) 101945g.
- 3831 Newton, J.F., Yodis, L.P., Keohane, D., Eckardt, R., Dewey, R., Dent, J. and Mico, B.: Pharmacokinetics and metabolism of SKBF 86002 in male and female Sprague-Dawley rats. *Drug Metab. Disp.*, 17 (1989) 174-179.
- 3832 Ramis, J., Mis, R. and Forn, J.: Pharmacokinetic of fosfosal in rats and dogs. *Arzneim.-Forsch.*, 39 (1989) 74-77.

32c. Autonomic and cardiovascular drugs

- 3833 Bechgaard, E.: Sensitive high-performance liquid chromatographic determination of amiloride in human plasma by direct injection with pre-column enrichment. *J. Chromatogr.*, 490 (1989) 219-223.
- 3834 Bersford, A.P., Macrae, P.V., Alker, D. and Kobylecki, R.J.: Biotransformation of amlodipine. Identification and synthesis of metabolites found in rat, dog and human urine. Confirmation of structures by gas-chromatography-mass spectrometry and liquid chromatography-mass spectrometry. *Arzneim.-Forsch.*, 39 (1989) 201-209.
- 3835 Boppana, V.K., Lynn, R.K. and Ziemniak, J.A.: Immobilized sulfatase: β -glucuronidase enzymes for the qualitative and quantitative analysis of drug conjugates. *J. Pharm. Sci.*, 78 (1989) 127-131.
- 3836 Chin, S.K., Hui, A.C. and Giacomini, K.M.: High-performance liquid chromatographic determination of the enantiomers of β -adrenoceptor blocking agents in biological fluids. II. Studies with atenolol. *J. Chromatogr.*, 489 (1989) 438-445.
- 3837 Di Pietra, A.M., Cavrini, V., Gatti, R. and Raggi, M.A.: Determination of amiodarone hydrochloride in pharmaceutical formulations by derivative UV spectrophotometry and high-performance liquid chromatography (HPLC). *Pharm. Res.*, 5 (1988) 709-712; *C.A.*, 110 (1989) 82602z.
- 3838 Gobetti, M., di Bitetto, M. and Rossi, R.: Rapid, sensitive high-performance liquid chromatographic method for the analysis of buflomedil hydrochloride and its potential by-products. *J. Chromatogr.*, 467 (1989) 327-331.
- 3839 Guttendorf, R.J., Kostenbauder, H.B. and Wedlund, P.J.: Quantification of propranolol enantiomers in small blood samples from rats by reversed-phase high-performance liquid chromatography chiral derivatization. *J. Chromatogr.*, 489 (1989) 333-343.
- 3840 Klima, J., Grafnetterova, J., Kubelka, Z. and Klima, J.: HPLC determination and antihypertensive effect of metipamide. *Chromatographia*, 26 (1988) 206-208.
- 3841 Laganriere, S., Kwong, E. and Shen, D.D.: Stereoselective high-performance liquid chromatographic assay for propranolol enantiomers in serum. *J. Chromatogr.*, 488 (1989) 407-416.
- 3842 Lambert, W.E., Yousouf, M.A., van Liedekerke, B.M., de Roose, J.E. and de Leenheer, A.P.: Simultaneous determination of pentoxifylline and three metabolites in biological fluids by liquid chromatography. *Clin. Chem. (Winston-Salem)*, 35 (1989) 298-301.
- 3843 Moncrieff, J. and Simpson, D.: Determination of metoprolol and its α -hydroxy metabolite in urine by direct-injection reversed-phase high-performance liquid chromatography with fluorimetric detection. *J. Chromatogr.*, 488 (1989) 498-502.
- 3844 Morris, R.G.: Improved liquid chromatographic fluorescence method for estimation of plasma sotalol concentrations. *Ther. Drug Monit.*, 11 (1989) 63-66; *C.A.*, 110 (1989) 107490b.

- 3845 Neubert, P. and Hölck, J.-P.: Automated pre-column high-performance liquid chromatographic method for the investigation of adibendan metabolism. *J. Chromatogr.*, 490 (1989) 155-164.
- 3846 Rustum, A.M.: Determination of cadralazine in human whole blood using reversed-phase high-performance liquid chromatography: utilizing a salting-out extraction procedure. *J. Chromatogr.*, 489 (1989) 345-352.
- 3847 Sadana, G.S. and Gaokar, M.V.: High-performance liquid chromatographic determination of clopamide in pharmaceutical dosage forms using tinidazole as an internal standard. *Indian Drugs*, 25 (1988) 377-381; *C.A.*, 110 (1989) 121565m.
- 3848 Salama, Z.B., Dilger, C., Czogalla, W., Otto, R. and Jaeger, H.: Quantitative determination of verapamil and metabolites in human serum by high-performance liquid chromatography and its application to biopharmaceutic investigations. *Arzneim.-Forsch.*, 39 (1989) 210-215.
- 3849 Schiantarelli, P., Acerbi, D., Botta, G.C., Bonati, L., Capelli, P. and Rondelli, I.: Evidence of pulmonary tropism of bamifylline and its main active metabolite. *Arzneim.-Forsch.*, 39 (1989) 215-219.
- 3850 Spahn, H., Wellstein, A., Pflugmann, G., Mutschler, E. and Palm, D.: Radio-receptor assay of metoprolol in human plasma: comparison with an enantio-specific high-performance liquid chromatographic (HPLC) procedure. *Pharm. Res.*, 6 (1989) 152-155; *C.A.*, 110 (1989) 127942g.
- 3851 Spink, D.C., Aldous, K.M. and Kaminsky, L.S.: Analysis of oxidative warfarin metabolism by thermospray high-performance liquid chromatography/mass spectrometry. *Anal. Biochem.*, 177 (1989) 307-313.
- 3852 Sztruhar, I., Ladanyi, L., Simonyi, I. and Furdyga, E.: Direct determination of the racemate ratio of labetalol hydrochloride by HPLC. *Chromatographia*, 27 (1989) 364-366.
- 3853 Turgeon, J., Funck-Brentano, C., Gray, H.T. and Roden, D.M.: Improved high-performance liquid chromatographic assay for encainide and its metabolites in human body fluids. *J. Chromatogr.*, 490 (1989) 165-174.
- 3854 Vio, L. and Mamolo, M.G.: Quantitative high-pressure liquid chromatographic determination of amiodarone in pharmaceutical formulations. *Farmaco, Ed. Prat.*, 43 (1988) 365-372; *C.A.*, 110 (1989) 141660s.
- 3855 Zschesche, M. and Baumann, A.: Determination of the β -adrenoceptor blocking drug B24/76 in serum by high-performance liquid chromatography with fluorimetric detection after pre-column dansylation. *J. Chromatogr.*, 488 (1989) 482-486.

For additional information see:
C.A., 110 (1989) 121174h.

See also 3259, 3392, 3412, 3894, 3926, 3936.

32d. Central nervous system drugs

- 3856 Albeck, H., Woodfield, S. and Kreek, M.J.: Quantitative and pharmacokinetic analysis of naloxone in plasma using high-performance liquid chromatography with electrochemical detection and solid-phase extraction. *J. Chromatogr.*, 488 (1989) 435-445.
- 3857 Clark, C.R. and Garcia-Roura, L.E.: Liquid chromatographic studies on the aqueous solution conformation of substituted benzamide drug models. *J. Chromatogr. Sci.*, 27 (1989) 111-117.
- 3858 De Schutter, J.A., D'Hont, A.M. and de Moerloose, P.: Reversed-phase ion-pair liquid chromatographic separation of weak analgesics and related drugs. *J. Chromatogr.*, 465 (1989) 402-409.
- 3859 Dean, M., Penglis, S. and Stock, B.: The pharmacokinetics of salicylate in the pregnant Wistar rat. *Drug Metab. Disp.*, 17 (1989) 87-90.
- 3860 Elsayed, N.M., Ryabik, J.R.G., Ferraris, S., Wheeler, C.R. and Korte, D.W., Jr.: Determination of physostigmine in plasma by high-performance liquid chromatography and fluorescence detection. *Anal. Biochem.*, 177 (1989) 207-211.
- 3861 Ensing, K.: Optimization of radioreceptor assays for anticholinergic drugs in biofluids. In: Piemonte, G. (Editor), *Dev. Anal. Methods Pharm., Biomed., Forensic Sci. (Proc. Int. Conf.) 1986*, Plenum, New York, 1987, pp. 209-216.
- 3862 Fitzgerald, R.L., Blanke, R.V., Glennon, R.A., Yousif, M.Y., Rosecrans, J.A. and Poklis, A.: Determination of 3,4-methylenedioxymphetamine and 3,4-methylenedioxymethamphetamine enantiomers in whole blood. *J. Chromatogr.*, 490 (1989) 59-69.

- 3863 Fuerst, R.H., Graves, N.M., Kriegl, R.L. and Olson, R.: Absorption and safety of rectally administered phenytoin. *Eur. J. Drug Metab.*, 13 (1988) 257-260.
- 3864 Fujii, M., Harada, K., Yamanobe, K. and Matsumoto, M.: Dissolution and bio-availability of phenytoin in solid dispersion with phosphatidylcholine. *Chem. Pharm. Bull.*, 36 (1988) 4908-4913.
- 3865 Fujiwara, K., Iwamoto, K., Kawai, S. and Sakamoto, T.: (Behavior of chlorpheniramine *in vivo* after administration of D-an-1-chlorpheniramine maleate). *Yakugaku Zasshi*, 109 (1989) 59-64; *C.A.*, 110 (1989) 128026v.
- 3866 Kaka, J.S.: Rapid method for cimetidine and ranitidine determination in human and rat plasma by HPLC. *J. Liq. Chromatogr.*, 11 (1988) 3447-3456.
- 3867 Lienne, M., Caude, M., Rosset, R. and Tambute, A.: Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP). *J. Chromatogr.*, 467 (1988) 406-413.
- 3868 Lij, W.H. and Hooper, W.D.: Stereoselective metabolism and pharmacokinetics of racemic methylphenobarbital in humans. *Drug Metab. Disp.*, 17 (1989) 212-217.
- 3869 Liu, J., Liu, P. and Shen, Y.: (Determination of blood concentration of amitriptyline and nortriptyline by high-pressure liquid chromatography). *Beijing Yike Daxue Xuebao*, 19 (1987) 113-115; *C.A.*, 110 (1989) 87881z.
- 3870 Marziani, F.C. and Sisco, W.R.: Liquid chromatographic separation of positional isomers of suprofen on a cyclodextrin-bonded phase. *J. Chromatogr.*, 465 (1989) 422-428.
- 3871 Matsumoto, K., Kanba, S., Kubo, H., Yagi, G., Iri, H. and Yuki, H.: Automated determination of drugs in serum by column-switching high-performance liquid chromatography. IV. Separation of tricyclic and tetracyclic antidepressants and their metabolites. *Clin. Chem. (Winston-Salem)*, 35 (1989) 453-456.
- 3872 Mikhailova, S., Tencheva, Zh. and Chakurova, P.: (Qualitative and quantitative methods for analysis of Paracofdal tablets). *Probl. Farmakol. Farm.*, 2 (1988) 107-115; *C.A.*, 110 (1989) 141656v.
- 3873 Nagata, O., Terasaki, T., Yada, E., Sato, H., Tamai, I. and Tsuji, A.: Degradation kinetics of (\pm)-4'-ethyl-2-methyl-3-(1-pyrrolidinyl)propiphenone hydrochloride (HY-770) and structure-stability relationship among its analogues in aqueous solution. *J. Pharm. Sci.*, 78 (1989) 57-61.
- 3874 Nakahara, Y. and Takeda, Y.: β -Naphthoquinone sulfonate as electrochemical labelling reagent for high-sensitivity LC analysis of drugs in biological fluids. *Chromatographia*, 26 (1988) 263-268.
- 3875 Ohta, T., Oribe, H., Ige, M. and Takitani, S.: Formation of N-acetyl-p-benzoquinone imine, the well-known toxic metabolite of acetaminophen, by the reaction of acetaminophen with nitrite under model stomach conditions. *Chem. Pharm. Bull.*, 36 (1988) 4634-4637.
- 3876 Osawa, Y. and Coon, M.J.: Selective mechanism-based inactivation of the major phenobarbital-inducible P-450 cytochrome from rabbit liver by phencyclidine and its oxidation product, the iminium compound. *Drug Metab. Disp.*, 17 (1989) 7-13.
- 3877 Osman, M.A., Dunning, L.K., Cheng, L.K. and Wright, G.J.: Determination of bromfenac in plasma by high-performance liquid chromatography. *J. Chromatogr.*, 489 (1989) 452-458.
- 3878 Oyler, A.R., Naldi, R.E., Stefanick, S.M., Lloyd, J.R., Graden, D.A. and Cotter, M.L.: Characterization of the solution degradation products of etintidine, an H₂-receptor antagonist. *J. Pharm. Sci.*, 78 (1989) 21-24.
- 3879 Park, J., Shin, Y.O. and Choo, H.-Y.P.: Metabolism and pharmacokinetic studies of propionylpromazine in horses. *J. Chromatogr.*, 489 (1989) 313-321.
- 3880 Prueksaritanont, T., Sittichai, N., Prueksaritanont, S. and Vongsaraj, R.: Simultaneous determination of ranitidine and its metabolites in human plasma and urine by high-performance liquid chromatography. *J. Chromatogr.*, 490 (1989) 175-185.
- 3881 Renberg, L., Simonsson, R. and Hoffmann, K.-J.: Identification of two main urinary metabolites of [¹⁴C]omeprazole in humans. *Drug Metab. Disp.*, 17 (1989) 69-76.
- 3882 Riley, C.M. and Ren, T.: Simple method for the determination of paeonol in human and rabbit plasma by high-performance liquid chromatography using solid-phase extraction and ultraviolet detection. *J. Chromatogr.*, 489 (1989) 432-437.
- 3883 Roy, D. and Snodgrass, W.R.: Isocratic separation of phenytoin metabolites by high-performance liquid chromatography from human and animal microsomes and urine. *Ther. Drug Monit.*, 11 (1989) 57-62; *C.A.*, 110 (1989) 87873y.

- 3884 Suleiman, M.S., Najib, N.V., El-Sayed, Y.M. and Badwan, A.: Stability-indicating high-performance liquid chromatographic assay for the determination of metoclopramine hydrochloride in pharmaceutical dosage forms. *Analyst (London)*, 114 (1989) 365-368.
- 3885 Suzuki, H., Akimoto, K., Nakagawa, H. and Sugimoto, I.: Quantitative analysis of trazodone hydrochloride in tablets by an ion-selective electrode. *J. Pharm. Sci.*, 78 (1989) 62-65.
- 3886 Tarloff, J.B., Goldstein, R.S., Mico, B.A. and Hook, J.B.: Role of pharmacokinetics and metabolism in the enhanced susceptibility of middle-aged male Sprague-Dawley rats to acetaminophen nephrotoxicity. *Drug Metab. Disp.*, 17 (1989) 139-146.
- 3887 Tremaine, L.M., Stroh, J.G. and Ronfeld, R.A.: Characterization of a carbamic acid ester glucuronide of the secondary amine sertraline. *Drug Metab. Disp.*, 17 (1989) 58-63.
- 3888 Vickers, F.F., Bowman, T.A., Dvorchik, B.H., Passananti, G.T., Hughes, D.M. and Vesell, E.S.: On the antipyrine test in laboratory animals. Studies in the dog and monkey. *Drug Metab. Disp.*, 17 (1989) 160-165.
- 3889 Wang, N.-S. and Lemmer, B.: Determination of citalopram in plasma and brain tissue of the rat by high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr.*, 488 (1989) 492-497.
- 3890 Williams, M., Bennett, D.A., Loo, P.S., Braunwalder, A.F., Amrick, C.L., Wilson, D.E., Thompson, T.N., Schmutz, M., Yokoyama, N. and Wasley, J.W.F.: CGS 20625, a novel pyrazolopyridine anxiolytic. *J. Pharmacol. Exp. Ther.*, 248 (1989) 89-96.
- 3891 Zmitek, J., Stendler, T., Rusjakovski, B., Kocjan, D. and Boznar, B.: Use of ¹H NMR spectroscopy in the selection of the mobile phase for high-performance liquid chromatographic monitoring of the synthesis of ibuproxam. *J. Chromatogr.*, 467 (1989) 276-278.

For additional information see:

C.A., 110 (1989) 87922p, 87923q, 90013y, 127902r, 127918a, 127923y.

See also 3245, 3423, 3426, 3714, 3715, 3829, 3859, 3993.

32e. Chemotherapeutics (except cytostatics and antibiotics)

- 3892 Buchele, A., Schloz, U., Müller-Wellensiek, A. and Voelter, W.: Metabolisierungsstudien von 5-Ethyl-2'-desoxyuridin mit Leberextrakt, Leberzellen und Leberzellstrukturen. *Arzneim.-Forsch.*, 39 (1989) 220-222.
- 3893 Chen, T.S., Inamine, E.S., Hensens, O.D., Zink, D. and Ostlind, D.A.: Directed biosynthesis of avermectins. *Arch. Biochem. Biophys.*, 268 (1989) 544-547.
- 3894 Cohen, J.L., Ko, R.J., Lo, A.T.L., Shields, M.D. and Gilman, T.M.: High-pressure liquid chromatographic analysis of eflornithine in serum. *J. Pharm. Sci.*, 78 (1989) 114-116.
- 3895 Fenn, R.J. and Alexander, M.T.: Determination of zinc pyrithione in hair care products by normal phase liquid chromatography. *J. Liq. Chromatogr.*, 11 (1988) 3403-3413.
- 3896 Frazoi, L., Gioia, B., De Castiglione, R., Vigevani, A. and Williamson, M.J.: HPLC method for quantitative determination of synthetic ceruletide and its impurities. *Farmaco, Ed. Prat.*, 43 (1988) 317-323; C.A., 110 (1989) 101944f.
- 3897 Gamberini, G. and Ferioli, V.: Determination of optical purity by high-performance liquid chromatography of compounds of pharmaceutical interest. *Farmaco, Ed. Prat.*, 43 (1988) 357-363; C.A., 110 (1989) 141659y.
- 3898 Malisch, R.: (Determination of amprolium in chicken eggs and poultry meat). *Dtsch. Lebens.-Rundsch.*, 84 (1988) 282-286; C.A., 110 (1989) 73919f.
- 3899 Meatherall, R.: HPLC determination of trimethoprim in serum. *Ther. Drug Monit.*, 11 (1989) 79-83; C.A., 110 (1989) 107492d.
- 3900 Petterson, K.-J., Nordgren, T. and Westerlund, D.: Determination of fosfonomate (foscarnet) in biological fluids by ion-pair reversed-phase liquid chromatography. *J. Chromatogr.*, 488 (1989) 447-455.
- 3901 Rimmel, R.P., Yeom, Y.-H., Hua, M., Vince, R. and Zimmermann, C.L.: Liquid chromatographic assay of carbovir, a carboxylic nucleoside active against human immunodeficiency virus. *J. Chromatogr.*, 489 (1989) 323-331.

- 3902 Rona, K., Winkler, V., Riesz, T. and Gachalyi, B.: An assay of sulphasalazine, sulphapyridine and its acetylated and hydroxylated metabolites in biological fluids by liquid chromatography. *Chromatographia*, 26 (1988) 393-398.
- 3903 Vacha, J., Tkaczykova, M. and Rejholcova, M.: Determination of sodium azide in the presence of proteins by high-performance liquid chromatography. *J. Chromatogr.*, 488 (1989) 506-508.

For additional information see:
C.A., 110 (1989) 101934c, 141657w.

32f. Cytostatics

- 3904 Avdeeva, A.A., Birenberg, E.M., Svetlaeva, V.M., Sheiman, B.M., Yanotovskii, M.T.: (Determination of methotrexate and calcium folinate by HPLC). *Zh. Anal. Khim.*, 43 (1988) 2246-2250; *C.A.*, 110 (1989) 141650p.
- 3905 Avramis, V.I., Weinberg, K.I., Sato, J.K., Lenarsky, C., Willoughby, M.L., Coates, T.D., Ozkaynak, M.F. and Parkman, R.: Pharmacology studies of 1- β -D-arabino-furanosylcytosine in pediatric patients with leukemia and lymphoma after a biochemically optimal regimen of loading bolus plus continuous infusion of the drug. *Cancer Res.*, 49 (1989) 241-247.
- 3906 Baer, J.C., SLack, J.A. and Pettit, G.R.: Stability-indicating high-performance liquid chromatography assay for the anticancer drug bryostatin 1. *J. Chromatogr.*, 467 (1989) 332-335.
- 3907 Bank, B.B., Kanganis, D., Liebes, L.F. and Silber, R.: Chlorambucil pharmacokinetics and DNA binding in chronic lymphocytic leukemia lymphocytes. *Cancer Res.*, 49 (1989) 554-559.
- 3908 Choi, K.E., Ratain, M.J., Williams, S.F., Golick, J.A., Beschoner, J.C., Fullem, L.J. and Bitran, J.D.: Plasma pharmacokinetics of high-dose oral melphalan in patients treated with trialkylator chemotherapy and autologous bone marrow reinfusion. *Cancer Res.*, 49 (1989) 1318-1321.
- 3909 Dorr, R.T., Liddil, J.D., von Hoff, D.D., Soble, M. and Osborne, C.K.: Antitumor activity and murine pharmacokinetics of parenteral acronycine. *Cancer Res.*, 49 (1989) 340-344.
- 3910 Eksborg, S. and Nilsson, B.: Reversed-phase liquid chromatographic determination of idarubicin and its 13-hydroxy metabolite in human plasma. *J. Chromatogr.*, 488 (1989) 427-434.
- 3911 Gibbons, G.R., Wyrick, S. and Chaney, S.G.: Rapid reduction of tetrachloro-(D,L-*trans*)-1,2-diaminocyclohexaneplatinum(IV) (tetraplatin) in RPMI 1640 tissue culture medium. *Cancer Res.*, 49 (1989) 1402-1407.
- 3912 Gluth, W.P. and Dann, O.: Determination of antileukemic diimidazolynyl compounds in plasma of experimental animals by high-performance liquid chromatography. *Pharmazie*, 44 (1989) 123-125.
- 3913 Hassan, M., Ehrsson, H., Wallin, I. and Eksborg, S.: Pharmacokinetic and metabolic studies of busulfan in rat plasma and brain. *Eur. J. Drug Metab.*, 13 (1988) 301-305.
- 3914 King, S.-Y.P., Basista, A.M. and Torosian, G.: Self-association and solubility behaviors of a novel anticancer agent, brequinar sodium. *J. Pharm. Sci.*, 78 (1989) 95-100.
- 3915 Lin, K.T., Rivard, G.E. and Leclerc, J.-M.: High-performance liquid chromatographic determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation. *J. Chromatogr.*, 465 (1989) 75-86.
- 3916 Masurel, D. and Wainer, I.W.: Analytical and preparative high-performance liquid chromatographic separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma. *J. Chromatogr.*, 490 (1989) 133-143.
- 3917 Reid, J.M., Stobaugh, J.F. and Sternson, L.A.: Liquid chromatographic determination of cyclophosphamide enantiomers in plasma by precolumn chiral derivatization. *Anal. Chem.*, 61 (1989) 441-446.
- 3918 Richard, B., Fabre, G., Fabre, I. and Cano, J.-P.: Excretion and metabolism of mitoxantrone in rabbits. *Cancer Res.*, 49 (1989) 833-837.
- 3919 Springolo, V., Borella, F., Finardi, G.P., Gatti, M.T. and Coppi, G.: High-performance liquid chromatographic determination of *m*-bis(chloroethyl)aminophenyl-L-alanine in plasma. *J. Chromatogr.*, 490 (1989) 224-229.

- 3920 Springolo, V., Finardi, G.P. and Coppi, G.: (HPLC identification and characterization of *m*-sarcolysin and its peptides). *Boll. Chim. Farm.*, 126 (1987) 462-466; *C.A.*, 110 (1989) 141628n.
- 3921 Van Tellingen, O., van der Woude, H.R., Beijnen, J.H., van Beers, C.J.T. and Nooyen, W.J.: Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids. *J. Chromatogr.*, 488 (1989) 379-388.
- 3922 Winckler, K., Klinkmüller, K.D. and Schmahl, H.-J.: Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidide (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples. *J. Chromatogr.*, 488 (1989) 417-426.

See also 3721, 3894.

32g. Other drug categories

- 3923 Abdelnasser, M.A., Deutsch, E. and Heineman, W.R.: Anion-exchange high-performance liquid chromatography of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations. *J. Chromatogr.*, 488 (1989) 463-469.
- 3924 Bocic Vvildosola, R., Lopez Silva, F. and Vallejos Ramos, C.: (Application of partition chromatography to the analysis of pharmaceutical antitussive preparations with chlophedianol). *An. R. Acad. Farm.*, 54 (1988) 101-109; *C.A.*, 110 (1989) 82607e.
- 3925 Cheah, I.C.L., Sitaram, B.R., Pappas, A., Thi, N.L., Finnin, B.C. and Reed, B.L.: Normal-phase and reversed-phase liquid chromatographic techniques for the determination of dithranol and its degradation products. *J. Chromatogr.*, 467 (1989) 414-422.
- 3926 Cooper, S.F., Masse, R. and Dugal, R.: Comprehensive screening procedure for diuretics in urine by high-performance liquid chromatography. *J. Chromatogr.*, 489 (1989) 65-88.
- 3927 De Jesus, O.T., Tokars, M.L., van Moffaert, G.J.C., Chen, Y.W., Woolverton, W.L. and Cooper, M.D.: Characterization of C-11-SCH 23390 and its possible metabolites in primate blood using high-performance liquid chromatography. *J. Radioanal. Nucl. Chem.*, 125 (1988) 65-73; *C.A.*, 110 (1989) 87837q.
- 3928 Flesch, G. and Hauffe, S.A.: Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorescamine, high-performance liquid chromatography and fluorescence detection. *J. Chromatogr.*, 489 (1989) 446-451.
- 3929 Gagliardi, L., Cimorelli, A., Cavazzutti, G., Montanarella, L. and Tonelli, D.: Determination of 4-*tert*-butylphenol and 4-*tert*-butylcatechol in cosmetic products by reversed-phase high-performance liquid chromatography. *J. Chromatogr.*, 466 (1989) 433-437.
- 3930 Karim, E.F.I.A., Millership, J.S., Temple, D.J. and Woolfson, A.D.: An investigation of the metabolism of S-carboxymethyl-L-cysteine in man using a novel HPLC-ECD method. *Eur. J. Drug Metab.*, 13 (1988) 253-256.
- 3931 Klima, J., Grafnetterova, J., Kubelka, Z. and Klima, J.: Therapeutic monitoring of metipamide during antihypertensive therapy. *J. Chromatogr.*, 488 (1989) 295-300.
- 3932 Lachman, M.F., Romeo, R. and McComb, R.B.: Emetine identified in urine by HPLC, with fluorescence and ultraviolet/diode array detection, in a patient with cardiomyopathy. *Clin. Chem. (Winston-Salem)*, 35 (1989) 499-502.
- 3933 Marzo, A., Monti, N., Ripamonti, M., Cardace, G. and Martelli, E.A.: High-performance liquid chromatographic evaluation of PCF 39, a new immunomodulator agent. *J. Chromatogr.*, 465 (1989) 95-99.
- 3934 Niwa, T., Tokuma, Y., Nakagawa, K. and Noguchi, H.: Stereoselective oxidation of nilvadipine, a new dihydropyridine calcium antagonist, in rat and dog liver. *Drug Metab. Disp.*, 17 (1989) 64-68.
- 3935 Sato, Y., Nishikawa, M. and Shinkai, H.: High performance liquid chromatographic method for quantitation of a new antidiabetic agent in plasma. *J. Liq. Chromatogr.*, 11 (1988) 3425-3433.
- 3936 Schöneshöfer, M., Heilmann, P., Schmidt, L. and Schwartzkopff, W.: Automated column liquid chromatographic determination of probucol in human serum and lipoprotein fractions. *J. Chromatogr.*, 490 (1989) 230-235.

- 3937 Woolfson, A.D., Gorman, S.P., McCafferty, D.F. and Jones, D.S.: Assay procedures for Taurolin solutions using pre-column derivatization and high-performance liquid chromatography with fluorescence detection. *Int. J. Pharm.*, 49 (1989) 135-140; *C.A.*, 110 (1989) 141652r.
- 3938 Wright, A.G., Berridge, J.C. and Fell, A.F.: Development and optimisation of high-performance liquid chromatographic assay for tioconazole and its potential impurities. Part II. Selection of detection conditions for potential impurities. *Analyst (London)*, 114 (1989) 53-56.

For additional information see:
C.A., 110 (1989) 87887f, 101958p.

See also 3199, 3709, 3710, 3807, 3880.

32h. Toxicological and forensic applications

- 3939 Arts, C.J.M. and van den Berg, H.: Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay. *J. Chromatogr.*, 489 (1989) 225-234.
- 3940 De Ruig, W.G., Stephany, R.W. and Dijkstra, G.: Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds. *J. Chromatogr.*, 489 (1989) 89-93.
- 3941 De Zeeuw, R.A.: Modern chromatographic procedures in systematic toxicological analysis. *J. Chromatogr.*, 488 (1989) 199-213 - a review with 28 refs.
- 3942 Hoogenboom, L.A.P., Berghmans, M.C.J. and Traag, W.A.: Biotransformation of β -nortestosterone by cultured porcine hepatocytes. *J. Chromatogr.*, 489 (1989) 105-109.
- 3943 Jansen, E.H.J.M., Both-Miedema, R. and van den Berg, R.H.: Application of optimization procedures for the separation of anabolic compounds by high-performance liquid chromatography. *J. Chromatogr.*, 489 (1989) 57-64.
- 3944 Meyer, H.H.D., Hartmann, F.-X. and Rapp, M.: Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using high-performance liquid chromatography and enzyme immunoassay. *J. Chromatogr.*, 489 (1989) 173-180.
- 3945 Metzler, M.: Metabolism of some anabolic agents: toxicological and analytical aspects. *J. Chromatogr.*, 489 (1989) 11-21.
- 3946 Nagashima, Y., Noguchi, T. and Mashimoto, K.: Analysis of paralytic shellfish poisons, in particular protogonyautoxins, by ion-pairing high performance liquid chromatography. In: Okaichi, T., Anderson, D.M. and Nemoto, T. (Editors), *Red Tides: Bull., Environ. Sci., Toxicol., Proc. Int. Symp., 1st 1987*, Elsevier, New York, 1989, pp. 427-430.
- 3947 Stephany, R.W.: Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness. *J. Chromatogr.*, 489 (1989) 3-9.
- 3948 Van Ginkel, L.A., Stephany, R.W., van Rossum, H.J., Steinbuch, H.M., Zomer, G., van de Heeft, E. and de Jong, A.P.J.M.: Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat. *J. Chromatogr.*, 489 (1989) 111-120.
- 3949 Van Ginkel, L.A., Stephany, R.W., van Rossum, H.J., van Blitterswijk, H., Zoontjes, P.W., Hooijschuur, R.C.M. and Zuydendorp, J.: Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile. *J. Chromatogr.*, 489 (1989) 95-104.

For additional information see:
C.A., 110 (1989) 121228d.

See also 3229, 3275, 3390, 3394, 3397, 3401, 3405, 3802, 3886, 3926.

32i. Plant extracts

- 3950 Clausen, T.P., Evans, T.P., Reichardt, P.B. and Bryant, J.P.: A simple method for the isolation of salicortin, tremulacin and tremuloiden from quaking aspen (*Populus tremuloides*). *J. Nat. Prod.*, 52 (1989) 207-209; *C.A.*, 110 (1989) 111072j.

- 3951 De Groot, G., Koops, R., Hogendoorn, E.A., Goewie, C.E., Savelkoul, T.J.F. and van Vloten, P.: Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by high-performance liquid chromatography. *J. Chromatogr.*, 456 (1988) 71-81.
- 3952 Hurst, W.J., Martin, R.A., Jr., Tarka, S.M., Jr. and Hall, G.H.: Authentication of cocoa in Maya vessels using high-performance liquid chromatographic techniques. *J. Chromatogr.*, 466 (1989) 279-289.
- 3953 Liu, S.-H., Norris, D.M. and Lyne, P.: Volatiles from the foliage of soybean, *Glycine max*, and lima bean, *Phaseolus lunatus*: their behavioral effects on the insects *Trichoplusia ni* and *Epilachna varivestis*. *J. Agric. Food Chem.*, 37 (1989) 496-501.
- 3954 Schulz, H. and Albroscheit, G.: Characterization of oakmoss products used in perfumery by high-performance liquid chromatography. *J. Chromatogr.*, 466 (1989) 301-306.
- 3955 Yamamoto, M., Maeda, Y. and Masui, T.: (Studies on analysis of barbaloin in *Aloe mitriformis* Miller). *Shizuoka-Ken Eisei Kankyo Senta Hokoku*, 30 (1987) 93-95; *C.A.*, 110 (1989) 93638s.

For additional information see:

C.A., 110 (1989) 72005t, 82573r, 101767a, 101991x, 121508v, 141635n, 141638r.

See also 3266, 3267, 3342, 3413, 3415, 3466, 3882.

33. CLINICO-CHEMICAL APPLICATIONS

33a. General papers and reviews

- 3956 Deyl, Z. and Kabra, P.M. (Editors): *Chromatography and Electrophoresis in Routine Clinical Analysis*. *J. Chromatogr.*, Vol. 429, Elsevier, Amsterdam, 1988, 452 p.
- 3957 Jellum, E. and Thorsrud, A.K.: Profiling cells and body fluids - chromatography and two-dimensional electrophoresis as complementary techniques. *J. Chromatogr.*, 488 (1989) 105-127 - a review with 56 refs.

See also 3606.

33b. Complex mixtures and profiling (single compounds by cross ref. only)

For additional information see:

C.A., 110 (1989) 117013b.

See also 3212, 3284, 3295 - 3297, 3322, 3349, 3358, 3395, 3404, 3428, 3436, 3440, 3449, 3452, 3460, 3563, 3567, 3568, 3572, 3613, 3618, 3658, 3670, 3671, 3686, 3722, 3725, 3732, 3755, 3763, 3840, 3871, 3874, 3902, 3932.

34. FOOD ANALYSIS

34a. General papers and reviews

- 3958 Ducci, L. and Scotti, A.: (Analysis of the aroma components in foods. Part 2). *Prod. Chim. Aerosol. Sel.*, 29 (1988) 42-52; *C.A.*, 110 (1989) 73894u.

34b. Complex mixtures (single compounds by cross ref. only)

See 3269, 3272, 3275, 3347, 3350, 3397, 3401, 3405, 3417, 3433, 3581, 3729, 3733, 3754, 3781, 3784, 3785, 3791, 3794, 3898, 3944, 3948, 3975.

35. ENVIRONMENTAL ANALYSIS

35a. General papers and reviews

3959 Balchunas, A.T., Swaik, D.F., Powell, A.C. and Sepaniak, M.J.: Separations of compounds of biological and environmental interest by micellar electrokinetic capillary chromatography. *Sep. Sci. Technol.*, 23 (1988) 1891-1904; *C.A.*, 110 (1989) 107353j.

35b. Air pollution (complex mixtures; single compounds by cross ref. only)

3960 Pibarot, P., Clair, P., Hillard, P., Colas, C. and Cassan, J.: Analysis of heavy organic pollutants of confined atmospheres. *Chromatographia*, 26 (1988) 300-304.

35c. Water pollution (complex mixtures; single compounds by cross ref. only)

3961 Ramsteiner, K.A.: Automated on-line trace enrichment and determination of organic compounds in ground and tap water by high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 410-416.

See also 3189, 3260, 3446, 3741, 3981, 3985, 3995.

35d. Soil pollution (complex mixtures; single compounds by cross ref. only)

See 3260.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

3962 Desbene, P.L., Desmazieres, B., Basselier, J.J. and Desbene-Monvernay, A.: Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography. *J. Chromatogr.*, 465 (1989) 69-74.

3963 Desbene, P.L., Even, V., Desmazieres, B., Basselier, J.J. and Minssieux, L.: (Possibilities offered by liquid chromatography on diol bonded silica gel for the determination of nonionic surfactants used in petroleum recovery). *Analisis*, 16 (1988) 44-47; *C.A.*, 110 (1989) 137520d.

3964 Escott, R.E.A. and Chandler, D.W.: The use of ammonium acetate as an ion-pairing electrolyte for ethoxylated surfactant analysis by thermospray LC/MS. *J. Chromatogr. Sci.*, 27 (1989) 134-138.

3965 Schreuder, R.H., Martijn, A. and van de Kraats, C.: Determination of diisobutyl- and diisopropyl-naphthalenesulphonates in pesticide wetttable powders and dispersible granules by high-performance liquid chromatography. *J. Chromatogr.*, 467 (1989) 177-184.

3966 Sottocommissione Detergenti e Tensioattivi: Quantitative determination of sodium nitrilotriacetate (NTA) in household detergents by HPLC: a ring-test. *Riv. Ital. Sostanze Grasse*, 65 (1988) 33-38; *C.A.*, 110 (1989) 97581r.

36b. Antioxidants and preservatives

See 3268.

36c. Various technical products

3967 Bartle, K.D.: Chromatographic techniques in coal science. *NATO ASI Ser., Ser. C*, 244 (1988) 271-285; *C.A.*, 110 (1989) 78818g - a review with 31 refs.

3968 Maiorova, N.A. and Zanozina, I.I.: (Separation of high-boiling intermediates from petrochemical synthesis by high-performance liquid chromatography). In: *Apparatura i Metody Instrum. Zhidkost. Khromatografii v Nauch. Issled.*, Kiev, 1987, pp. 65-70; *C.A.*, 110 (1989) 82914c.

- 3969 Stock, A.F. and Button, J.: Relationship among parameters derived from high-performance liquid chromatography, physical properties, and pavement performance in Texas. *Transpl. Res. Rec.*, 1115 (1987) 33-45; *C.A.*, 109 (1988) 60374d.

For additional information see:

C.A., 110 (1989) 80976a, 122150j, 146673h, 146916q.

See also 3256, 3370, 3965.

36d. *Complex mixtures and unidentified compounds*

- 3970 Himmel, M.E., Oh, K.K., Quigley, D.R. and Grohmann, K.: Alkaline size-exclusion chromatography of lignins and coal extrats using cross-linked dextran gels. *J. Chromatogr.*, 467 (1989) 309-314.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

- 3971 Kennedy, R.T. and Jorgenson, J.W.: Quantitative analysis of individual neurons by open tubular liquid chromatography with voltammetric detection. *Anal. Chem.*, 61 (1989) 436-441.
- 3972 Maruyama, A., Tsuruta, T., Kataoka, K. and Sakurai, Y.: Quantitative evaluation of rat lymphocyte adsorption on microdomain structured surfaces of poly(2-hydroxyethyl methacrylate)polyamine. *Biomaterials*, 9 (1988) 471-481; *C.A.*, 110 (1989) 101714f.
- 3973 Pidgeon, C. and Venkataram, U.V.: Immobilized artificial membrane chromatography: supports composed of membrane lipids. *Anal. Biochem.*, 176 (1989) 36-47.
- 3974 Rasilo, M.-L. and Yamagata, T.: The glucose polymer of PC12 cells in susceptible to trypsinization. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1-6.

38. INORGANIC COMPOUNDS

38a. *Cations*

- 3975 Ajlec, R. and Stupar, J.: Determination of iron in wine by ion-exchange chromatography - Flame atomic absorption spectrometry. *Analyst (London)*, 114 (1989) 138-142.
- 3976 Bertsch, P.M. and Anderson, M.A.: Speciation of aluminium in aqueous solutions using ion chromatography. *Anal. Chem.*, 61 (1989) 535-539.
- 3977 Brown, D.M. and Pietrzyk, D.J.: Anion-cation separations on a mixed bed alumina-silica column. *J. Chromatogr.*, 466 (1989) 291-300.
- 3978 Chang, C.A., Woodhouse, T.E., Wu, Q., Sheu, C. and McManus, K.: Substitution-inert metal complex mobile phases in nonsuppressed cation chromatography. *J. Chin. Chem. Soc. (Taipei)*, 35 (1988) 253-260; *C.A.*, 110 (1989) 107178f.
- 3979 Collins, K.E., Bonato, P.S., Archundia, C., de Queiroz, M.E.L.R. and Collins, C.H.: Column chromatographic speciation of chromium for Cr(VI) and several species of Cr(III). *Chromatographia*, 26 (1988) 160-162.
- 3980 Das, N.R. and Chattopadhyay, P.: Solvent and reversed-phase extraction chromatographic separation of niobium, zirconium and hafnium with Aliquat 336. *Bull. Chem. Soc. Jpn.*, 61 (1988) 4423-4426; *C.A.*, 110 (1989) 127680s.
- 3981 Dean, J.R.: Ion chromatographic determination of aluminium with ultraviolet spectrophotometric detection. *Analyst (London)*, 114 (1989) 165-171.
- 3982 Fan, B. and Li, C.: (Crown ether phase inorganic liquid chromatography). *Yejin Fenxi*, 7 (1987) 38-43; *C.A.*, 109 (1988) 103646p - a review with 57 refs.
- 3983 Kirk, A.D., Riske, W., Finke, R.G., Lyon, D.K. and Rapko, B.: Rapid, high-resolution, reversed-phase HPLC separation of highly charged polyoxometalates using ion-interaction reagents and competing ions. *Inorg. Chem.*, 28 (1989) 792-797; *C.A.*, 110 (1989) 127511n.

- 3984 Tang, Y.B., Hu, Z.D. and Liu, M.C.: Rapid reversed-phase chromatographic separation and determination of selenium and tellurium. *Chromatographia*, 27 (1989) 292-296.

For additional information see:

C.A., 110 (1989) 76560t, 127678x, 127735p, 146782t.

See also 3172, 3175, 3220, 3224, 3764, 3996.

38b. Anions

- 3985 Cerk, T., Gorenc, D., Gorenc, B., Bizjak, M. and Hudnik, V.: Comparison of ion chromatography and standard method for determination of some anions in mineral waters. *Vest. Slov. Kem. Drus.*; 35 (1988) 243-252; C.A., 110 (1989) 82136a.
- 3986 Murayama, M., Suzuki, M. and Takitani, S.: Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography. *J. Chromatogr.*, 466 (1989) 355-363.
- 3987 Nonomura, M. and Hobo, T.: Ion chromatographic determination of cyanide compounds by chloramine-T and conductivity measurement. *J. Chromatogr.*, 465 (1989) 395-401.
- 3988 Pohland-Watson, C., Hemmings, M.J., Barnes, D.E. and Pansi, G.W.: The determination, by ion-interaction chromatography, of sulphur species in cyanide solutions. Laboratory method No. 16/30. In: Rep. - MINTEK, M353, 1988, 6 p; C.A., 110 (1989) 50326w.
- 3989 Sato, H. and Miyanaga, A.: Background suppression by chelation in the ion-exchange chromatographic separations of anions. *Anal. Chem.*, 61 (1989) 122-125.
- 3990 Talasek, R.T.: Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes. *J. Chromatogr.*, 465 (1989) 1-10.
- 3991 Ubom, G.A. and Tsuchiya, Y.: Determination of iodide in natural water by ion chromatography. *Water Res.*, 22 (1988) 1455-1458; C.A., 110 (1989) 101406g.
- 3992 Xianren, Q., Baeyens, W. and Michotte, Y.: Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography. *J. Chromatogr.*, 467 (1989) 15-30.

For additional information see:

C.A., 110 (1989) 113123a, 127712d.

See also 3216, 3977.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 3993 Adam, M.J., Grierson, J.R. and Jivan, S.: An improved HPLC system for the analysis and purification of organic amine radiopharmaceuticals. *Appl. Radiat. Isot.*, 40 (1989) 91-92; C.A., 110 (1989) 141651q.
- 3994 Aoyama, T., Aida, M., Fujii, Y. and Okamoto, M.: Uranium isotope effects in uranyl carbonate complex system. *J. Phys. Chem.*, 93 (1989) 2666-2668; C.A., 110 (1989) 143089m.
- 3995 Diemert, K., Schnippering, H.G., Holberg, H., Jacob, H. and Ritzl, F.: Removal of radioactivity from contaminated clinical sewage using the "chromatography procedure". *NucCompact.*, 19 (1988) 75-80; C.A., 110 (1989) 140836s.
- 3996 Muscatello, A.C. and Navratil, J.D.: Plutonium removal from nitric acid waste streams. *J. Radioanal. Nucl. Chem.*, 128 (1988) 463-477; C.A., 110 (1989) 84008j.

See also 3172, 3359, 3979.

Gas Chromatography

1. REVIEWS AND BOOKS

- 1412 Berezkin, V.G. and Volkov, S.M.: Capillary gas adsorption chromatography. *Chem. Rev.*, 89 (1989) 287-308; *C.A.*, 110 (1989) 160792c - a review with 114 refs.
- 1413 Charpentier, B.A. and Sevenants, M.R.: *Supercritical Fluid Extraction and Chromatography. Techniques and Applications*. ACS Symp. Series No. 366. Am. Chem. Soc., Washington, DC, 1988, pp. 253.
- 1414 Hais, I.M.: Chromatography beyond analytical chemistry. *J. Chromatogr.*, 488 (1989) 25-30.
- 1415 Howard, B.: 1989 Market projection for scientific instruments: Result of a pool of 1989 Pittsburgh conference attendees. *Am. Lab. (Fairfield)*, 27, No. 1 (1989) 108-110.
- 1416 Lederer, M.: The role of chromatography and electrophoresis in biomedical sciences. *J. Chromatogr.*, 488 (1989) 5-24.
- 1417 Roger, L.B.: Analytical separations: two decades of explosive growth. *Am. Lab. (Fairfield)*, 20, No. 10 (1988) 29-32 - a review with 7 refs.
- 1418 Schmitz, F.P.: *Chromatographie mit überkritischen verdichteten Gasen zur Trennung von Oligomeren und Polymeren*. Profil Verlag, Munich, 1988.
- 1419 Wagman, G.H. and Cooper, R. (Editors): *Natural Products Isolation. Separation Methods for Antimicrobials, Antivirals and Enzyme Inhibitors*. *J. Chromatogr. Libr.*, Vol. 43, Elsevier, Amsterdam, 1989.

See also 1459, 1469, 1470, 1474, 1483, 1486, 1489, 1497, 1500, 1501, 1502, 1545, 1560, 1563, 1675, 1750, 1895, 1897, 1925, 2003.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 1420 Shaevich, A.B.: (Ensuring the reliability of information necessary for forming and using chromatographic retention data bases). *Zh. Anal. Khim.*, 44 (1989) 221-224.

2b. Thermodynamic and theoretical relationships

- 1421 Filippov, L.: Theoretical background of multicomponent gas chromatography for high concentrations. *Chromatographia*, 26 (1988) 125-132.
- 1422 Hung Lang Bang: Effect of temperature and mobile phase composition on retention behavior in gas-solid chromatography. Available *Diss. Abstr. Int. B*, 49 (1988) 2157-2158; *Univ. Microfilms*, Order No. DA8818145 (1988) 124 pp.; *C.A.*, 110 (1989) 165280u.
- 1423 Merkovic, M.M., Kopecni, M.M., Milonjic, S.K. and Ceranic, T.S.: Thermodynamics of adsorption of organic liquids on Ni-modified solid obtained from colloidal silica. *Chromatographia*, 26 (1988) 387-392.
- 1424 Milonjic, S.K., Zhigunova, L.K. and Pavasovic, V.L.: Adsorption of organic liquids on alkaline earth-metal modified silica. *Chromatographia*, 26 (1988) 324-328.

See also 1495.

2c. Relationship between structure and chromatographic behaviour

- 1425 Maeck, M., Touabet, A., Badjah Hadj Ahmed, A.Y. and Meklati, B.Y.: A numerical interpolation of Kovats indices without dead time correction. *Chromatographia*, 27 (1989) 205-208.

See also 1442, 1547, 1558, 1566, 1568, 1633.

2d. Measurement of physico-chemical and related values

- 1426 Ahsan, T., Colenutt, B.A. and Sing, K.S.W.: Application of gas chromatography for the study of precipitated calcium carbonate. *J. Chromatogr.*, 464 (1989) 416-421.
- 1427 Bender, A.O., Zainel, H.A., Sarkissian, T.M. and Talib, E.K.: A study of the effect of ethylene glycol on the extraction properties of N-formylmorpholine by GLC. *J. Pet. Res.*, 7 (1988) 131-144; *C.A.*, 110 (1989) 117105u.
- 1428 Chen Wufent, Zhou Xiaoxian, Ji Ruizhi and Zheng Guokang: (Study on the kinetics of Diels-Alder reaction by pulse gas chromatography). *Daxue Huaxue*, 3, No. 3 (1988) 33-39; *C.A.*, 110 (1989) 94244x.
- 1429 Durand, J.P., Fafet, A. and Barreau, A.: Direct and automatic capillary GC analysis for molecular weight determination and distribution in crude oils and condensates up to C₂₀. *J. High Resolut. Chromatogr.*, 12 (1989) 230-233.
- 1430 Gavrilova, T.B., Kiselev, A.V. and Roshchina, T.M.: (Adsorption and gas-chromatographic properties of tungsten selenide.) *Kolloidn. Zh.*, 50 (1988) 1078-1082; *C.A.*, 110 (1989) 102344x.
- 1431 Juang, M., Morgan, G.K. and Arnold, D.W.: Infinite-dilution activity coefficients of organic solutes in fluorene and dibenzofuran. *J. Chem. Eng. Data*, 34 (1989) 161-165.
- 1432 Khudyakov, V.L.: (Gas chromatographic determination of heats of sublimation and melting of naphthalene). *Zh. Fiz. Khim.*, 62 (1988) 3329.
- 1433 Knoop, C., Tiegs, D. and Gmehling, J.: Measurement of γ^{∞} using gas-liquid chromatography. 3. Results for the stationary phases 10-nonadecanone, N-formylmorpholine, 1-pentanol, m-xylene, and toluene. *J. Chem. Eng. Data*, 34 (1989) 240-247.
- 1434 Koliadima, A., Agathonos, P. and Karaiskakis, G.: Estimation of solubility and interaction parameters in binary liquid mixtures by reversed-flow gas chromatography. *Chromatographia*, 26 (1988) 29-33.
- 1435 Komarov, V.S. and Gornak, A.I.: (Gas-chromatographic study of thermodynamics of adsorption of hydrocarbons on some organoclays.) *Vestsi Akad. Navuk BSSR, Ser. Khim. Navuk*, No. 5 (1988) 6-10; *C.A.*, 110 (1989) 82872n.
- 1436 Laub, R.J. and Tyagi, O.S.: Practical alternative to activity coefficient measurements in inverse gas chromatography. *Polym. Mater. Sci. Eng.*, 58 (1988) 661-666; *C.A.*, 110 (1989) 165272t.
- 1437 Mukhamadiev, N.K., Khusainov, Kh.Sh., Gulamova, M.T., Volkov, S.A. and Rastyannikov, E.G.: (Analysis of the equilibrium vapor phase of sea buckthorn oil by gas chromatography-mass spectrometry). *Dokl. Akad. Nauk UzSSR*, No. 8 (1988) 41-42; *C.A.*, 110 (1989) 121521u.
- 1438 Park, J.H.: Headspace gas chromatographic measurement and applications of limiting activity coefficients. Available *Diss. Abstr. Int. B*, 49 (1988) 1134; *Univ. Microfilms*, Order No. DA8811091 (1988) 299 pp.; *C.A.*, 110 (1989) 161186v.
- 1439 Shen Shubao, Wang Shaokun, Zhang Juzen and Shi Jun: (Determination and application of activity coefficients at infinite dilution). *Huagong Xuebao*, 39 (1988) 501-507; *C.A.*, 110 (1989) 122547u.
- 1440 Takeuchi, K., Oyama, T. and Kato, S.: (Monitoring dissolution rate of uranium hexafluoride in laser-assisted uranium enrichment). *Jpn. Kokai Tokkyo Koho Pat.* JP 63,242,328 (88,242,328) (Cl. B01D59/34), 7 Oct. 1988, Appl. 87/78,181, 31 Mar. 1987; 2 pp.; *C.A.*, 110 (1989) 143283v.
- 1441 Vejrosta, J., Mikesova, M. and Drozd, J.: Sorption of n-alkanes on Tenax. *J. Chromatogr.*, 464 (1989) 394-399.
- 1442 Voelkel, A.: Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). *J. Chromatogr.*, 464 (1989) 251-263.

- 1443 Zgeng Guokang, Zhu Yan, Zhou Xiaoxian and Chen Wufeng: (Determination of activity coefficients of aromatic-aromatic derivative systems by gas-liquid chromatography). *Xuexiao Huaxue Xuebao*, 9 (1988) 814-818; *C.A.*, 110 (1989) 153697x.

See also 1423, 1481, 1486, 1559, 1724, 1731, 1733, 1833, 1904.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1444 Arutyunov, Ya.I., Khalitov, D.M. and Khusnutdinov, I.: (Pyrolyzer for gas chromatographs). *U.S.S.R. Pat.* SU 1,420,524 (Cl. G01N31/12), 30 Aug. 1988, Appl. 4,152,259, 27 Nov. 1986; *C.A.*, 110 (1989) 87743f.
- 1445 Berg, J.R.: A new high temperature gas chromatograph incorporating a temperature programmable direct injector. *J. High Resolut. Chromatogr.*, 12 (1989) 133-137.
- 1446 Cook, L. and Rooney, T.: An advanced computing integrator for chromatography. *Am. Lab. (Fairfield)*, 27, No. 1 (1989) 74-81.
- 1447 Gomes Marco, E.N., Bacelar, F.O., Amancio da Silva, R., Barreto de Azevedo, J.I. and Rangel Marcus, V.S.: (Improved gas chromatograph for use in petroleum prospecting). *Braz. Pedido PI Pat.* BR 86 06,368 (Cl. G01N27/16), 12 Jul. 1988, Appl. 86/6,368, 22 Dec. 1986; 31 pp.; *C.A.*, 110 (1989) 79055t.
- 1448 Hinshaw, J.V.: Setting up an inlet splitter. *LC-GC*, 2, No. 5 (1989) 24-29.
- 1449 Liebman, S.A., Levy, E.J., Lurcott, S., O'Neill, S., Guthrie, J., Ryan, T. and Yocklovich, S.: Integrated intelligent instruments: Supercritical fluid extraction, desorption, reaction, and chromatography. *J. Chromatogr. Sci.*, 27 (1989) 118-126.
- 1450 Mersman, J.H., Panneman, H.J. and Beenackers, A.A.C.M.: Automated on-line gas chromatographic injection of samples completely liquified by pressure. *Chromatographia*, 26 (1988) 383-386.
- 1451 Revel'skii, I.A., Karavaeva, V.G., Kurochkin, V.K., Bokarev, V.A., Khlebnikov, V.B., Zirko, B.I. and Kostyanovskii, R.G.: (Method of gas chromatographic analysis with increased accuracy and possible automation). *U.S.S.R. Pat.* SU 1,427,293 (Cl. G01N30/06), 30 Sep. 1988, Appl. 4,119,126, 16 Sep. 1986; *C.A.*, 110 (1989) 87751g.
- 1452 Schlutow, G.: (Device for the withdrawal and/or insertion of gaseous samples). *Eur. Pat. Appl.* EP 292,844 (Cl. G01N30/18), 30 Nov. 1988, DE Appl. 8,707,698, 29 May 1987; 8 pp.; *C.A.*, 110 (1989) 107381s.
- 1453 Schmid, R.W. and Wolf, C.: Large volume sample application by a simplified "closed" on-column injector in capillary gas chromatography. *Chromatographia*, 27 (1989) 221-224.

See also 1514, 1532, 1538, 1539, 1541, 1543, 1693, 1701, 1772, 1930, 1993.

3b. Detectors and detection reagents

- 1454 Akira, K. and Baba, S.: Improved synchronized accumulating radioisotope detector for gas chromatography. *J. Chromatogr.*, 489 (1989) 255-262.
- 1455 Bagheri, H. and Creaser, C.S.: Fluorescence spectrometry as a detector for capillary column gas chromatography. In: C.S. Creaser and A.M.C. Davies (Editors), *Analytical and Applied Spectroscopy*, Chem. Society, London, 1988, pp. 388-391; *C.A.*, 110 (1989) 146908p.
- 1456 Bondarenko, I.V., Budovich, V.L., Bykhovskii, M.Ya. and Skornyakov, E.P.: (Photoionization detector for capillary gas chromatographs). *U.S.S.R. Pat.* SU 1,444,659 (Cl. G01N27/62), 15 Dec. 1988, Appl. 4,275,866, 12 May 1987; *C.A.*, 110 (1989) 165301b.
- 1457 Bondarenko, I.V., Budovich, V.L., Bykhovskii, M.Ya., Zakstel'skaya, O.A., Katsis, L.F., Lopatin, V.A. and Skornyakov, E.P.: (Photoionization detector for gas chromatographs). *U.S.S.R. Pat.* SU 1,430,862 (Cl. G01N27/62), 15 Oct. 1988, Appl. 4,218,334, 27 Mar. 1987; *C.A.*, 110 (1989) 127824s.

- 1458 Dimatteo, R.: Sensor for hand-held gas chromatograph. *U.S. Pat.* US 4,787,239 (Cl. 73-23.1; G01N30/66), 29 Nov. 1988, Appl. 142,120,11 Jan. 1988; 10 pp.; *C.A.*, 110 (1989) 107383u.
- 1459 Hoevermann, W.: (Gas chromatographic detectors). *Nachr. Chem., Tech. Lab.*, 36 (1988) 150-163; *C.A.*, 110 (1989) 107322y - a review with 23 refs.
- 1460 Jiang, M., Fielden, P.R. and Snook, R.D.: A microwave induced plasma detector for gas chromatography. *Anal. Proc.*, 26 (1989) 41-42.
- 1461 Liu, G.H. and Fu, P.R.: Effects of hydrocarbon quenching in gas chromatography when using the flame photometric detector. *Chromatographia*, 27 (1989) 159-163.
- 1462 Louis, R.H.S., Siems, W.F. and Hill, H.H., Jr.: Ion mobility detection after capillary gas chromatography. *LC-GC*, 2, No. 4 (1989) 48-52.
- 1463 Maeda, M. and Hearn, K.: The development of a "high-performance" thermal conductivity detector. *Adv. Instrum.*, 42 (1987) 513-538; *C.A.*, 110 (1989) 87523j.
- 1464 Matucha, M.: (Radioactivity detection in the effluent from capillary columns for gas chromatography of tritium- and carbon-14-labeled compounds). *Radioisotopy*, 29 (1988) 144-156; *C.A.*, 110 (1989) 83963e.
- 1465 Parcher, J.F., Barbour, C.J. and Murray, R.W.: Solid-state voltametry and polymer electrolyte plasticization as a basis for an electrochemical gas chromatographic detector. *Anal. Chem.*, 61 (1989) 584-589.
- 1466 Rosiek, J. and Lasa, J.: Electron-capture detector with an ion signal. *J. Chromatogr.*, 465 (1989) 215-226.
- 1467 Yu Weile: Development and application of a microwave-induced plasma emission spectrometric detector for gas chromatography in China. *J. Anal. At. Spectrom.*, 3 (1988) 893-900; *C.A.*, 110 (1989) 146878a.
- See also 1507, 1537, 1538, 1540, 1544, 1546, 1548, 1552, 1560, 1562, 1576, 1692, 1695, 1697, 1961, 1981, 1996.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 1468 Berezkin, V.G., Shukurova, K.N. and Alishoev, V.R.: (Packed columns with immobilized stationary phases for gas-liquid chromatography). *Zavod. Lab.*, 54, No. 8 (1988) 22-24.
- 1469 Blum, W.: (Columns for gas chromatography (GC)). *Nachr. Chem., Tech. Lab.*, 36 (1988) 166-172; *C.A.*, 110 (1989) 107321x - a review with 46 refs.
- 1470 Chen Guoliang and Zhang Daodao: (Application of cyclodextrins in analytical chemistry). *Huaxue Tongbao*, No. 7 (1988) 1-5; *C.A.*, 110 (1989) 87685p - a review with 26 refs.
- 1471 Ciganek, M., Dressler, M. and Teply, J.: Column packing for gas chromatography containing immobilized poly(ethylene glycol) stationary phase. *Chromatographia*, 27 (1989) 109-112.
- 1472 Goekeler, U. and Urban, J.: Capillary column in process gas chromatography - experience after 10 years of practical use. *Adv. Instrum.*, 42 (1987) 497-512; *C.A.*, 110 (1989) 146896h.
- 1473 Hinshaw, J.V. and Ettore, L.S.: Aspects of high-temperature capillary gas chromatography. *J. High Resolut. Chromatogr.*, 12 (1989) 251-254.
- 1474 Horka, M., Janak, K. and Tesarik, K.: (Poly(ethyleneoxide) type stationary phases and their immobilization). *Chem. Listy*, 83 (1989) 125-142 - a review with 128 refs.
- 1475 Huang Aijin, Nan Nan, Chen Min, Pu Xin, Tang Hang and Sun Yiliang: (A modified sodium chloride deposition method for surface roughening of glass capillary columns). *Beijing Daxue Xuebao, Ziran Kexueban*, 24 (1988) 425-429; *C.A.*, 110 (1989) 121975v.
- 1476 Hyver, K.J. and de Veaux, R.D.: An application of factorial design to the development of fused silica capillary columns. *J. High Resolut. Chromatogr.*, 12 (1989) 208-212.
- 1477 Kirsh, S.I., Karabanov, N.T., Fomicheva, T.N. and Vigdergauz, M.S.: (Maintenance characteristics of aerosil-based colloid stationary phases). *Zh. Anal. Khim.*, 44 (1989) 230-233.
- 1478 Kita, T.: (Chromatographic column). *Jpn. Kokai Tokkyo Koho Pat.* JP 63,210,662 (88,210,662) (Cl. G01N30/60), 1 Sep. 1988, Appl. 87/44,854, 26 Feb. 1987; 2 pp.; *C.A.*, 110 (1989) 107380r.

- 1479 Kobzar, A.I.: (Method of producing an adsorbent for gas chromatographs). *U.S.S.R. Pat.* SU 1,422,141 (Cl. G01N30/48), 7 Sep. 1988, Appl. 4,071,706, 24 Mar. 1986; *C.A.*, 110 (1989) 87749n.
- 1480 Kominar, R.J. and Koebel, W.C.: Single step end seal and retention gap procedure for preparation of fused silica capillary columns. *J. High Resolut. Chromatogr.*, 12 (1989) 255-257.
- 1481 Kopečni, M.M., Todorovic, M., Comor, J.J. and Laub, R.J.: On the modification of solid adsorbents with volatile organics II. The role of the layer adsorbed. *Chromatographia*, 26 (1988) 408-412.
- 1482 Lai, G., Nicholson, G. and Bayer, E.: Immobilization of Chirasil-Val on glass capillaries. *Chromatographia*, 26 (1988) 229-233.
- 1483 Majors, R.E.: New columns for chromatography. A review, part II. *LC-GC*, 2, No. 5 (1989) 10-18.
- 1484 Nawrocki, J., Moir, D.L. and Szczepaniak, W.: Investigation of small populations of reactive silanols on silica surfaces. *J. Chromatogr.*, 467 (1989) 31-40.
- 1485 Noij, T., Rijks, J.A. and Cramers, C.A.: Problems caused by the activity of Al₂O₃-PLOT columns in the capillary gas chromatographic analysis of volatile organic compounds. *Chromatographia*, 26 (1988) 139-141.
- 1486 Poole, C.F. and Poole, S.K.: (Characterization of solvent properties of gas chromatographic liquid phases). *Chem. Rev.*, 89 (1989) 377-395; *C.A.*, 110 (1989) 165249r.
- 1487 Struppe, H.G., Anders, G., Anders, K., Nowak, S., Jonsch, J., Schroeder, H. and Rosemann, P.: (Capillary column for gas chromatography). *Ger. (East) Pat.* DD 256,194 (Cl. G01N30/60), 27 Apr. 1988, Appl. 282,284, 31 Oct. 1985; 10 pp.; *C.A.*, 110 (1989) 157503d.
- 1488 Wang Yonghun, Zhou Wenmin and Feng Huihua: (A copper(II) containing pre-column as pyridine attractor in gas chromatography). *Sepu*, 7 (1989) 42-44.
- 1489 Witkiewicz, Z.: Application of liquid crystals in chromatography. *J. Chromatogr.*, 466 (1989) 37-87 - a review with 274 refs.
- 1490 Yang Haiying and Lu Wenzhen: (Preparation of PLOT with carbon molecular sieve and its application). *Fenxi Huaxue*, 16 (1988) 175-178; *C.A.*, 110 (1989) 165136b.
- 1491 Zhang Sihui, Zhang Jiaqi, Lin Chunrong and Chen Xiande: (Inactivation of diatomite support for gas chromatography with plasma). *Sepu*, 7 (1989) 18-21.
- See also 1424, 1434, 1496, 1498, 1518, 1521, 1523, 1524, 1532, 1550, 1553, 1555, 1556, 1564, 1656, 1703.

3d. Quantitative analysis

- 1492 Craft, N.E., Byrd, G.D. and Hilpert, L.R.: Preparation and certification of standard reference material 1507: 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in freeze-dried urine. *Anal. Chem.*, 61 (1989) 540-544.
- 1493 Kozhenkov, A.V., Sobolev, D.M. and Kononov, V.P.: (Calibration of gas-liquid chromatograph by employing mathematical design). *Khim.-Farm. Zh.*, 22 (1988) 1512-1515; *C.A.*, 110 (1989) 91496v.
- 1494 Schomburg, G., Behlau, H., Häusig, U., Hoening, B. and Roeder, W.: Quantitation in miniaturized GC and SFC systems. *J. High Resolut. Chromatogr.*, 12 (1989) 142-148.

See also 1461, 1569, 1734, 1741, 1753, 1762, 1896, 1926.

3e. Preparative scale chromatography

See 1483, 1701.

3f. Programmed temperature, pressure, vapors, gradients

- 1495 Lanin, S.N., Lysko, O.V. and Nikitin, Yu.S.: Modelling of *n*-alkane retention and optimization of the conditions for analysis in gas adsorption chromatography with temperature programming. *Chromatographia*, 26 (1988) 63-69.

See also 1532, 1535, 1554, 1557.

3g. High performance procedures

- 1496 Firor, R.L. and Phillips, R.J.: Fused silica columns for high-temperature simulated distillation. *J. High Resolut. Chromatogr.*, 12 (1989) 181-183.
- 1497 Kalo, P.: (Reaction gas chromatography - a microchemical technique for structure elucidation). *Kem.-Keml.*, 15 (1988) 871-874; *C.A.*, 110 (1989) 153393v - a review with 37 refs.
- 1498 Villalobos, R. and Annino, R.: The computer-aided optimization of capillary columns for minimum time analysis and minimum detectability. *J. High Resolut. Chromatogr.*, 12 (1989) 149-160.

4. SPECIAL TECHNIQUES

4a. Automation and computerization

- 1499 Li Haochun, Di Ling, Liu Binsheng and Lu Peichang: (Establishment and application of chromatogram bank). *Sepu*, 7 (1989) 1-4.

See also 1446, 1450, 1498, 1591.

4b. Combination of various chromatographic techniques

- 1500 Bartle, K.D., Davies, I., Raynor, M.W., Clifford, A.A. and Kithinji, J.P.: Unified multidimensional microcolumn chromatography. *J. Microcolumn Chromatogr.*, 1 (1989) 63-70 - a review with 71 refs.
- 1501 Brinkman, U.A.: The relative merits of planar and column chromatographic methods in organic trace-level analysis. *J. Planar Chromatogr.*, 1 (1988) 150-160.
- 1502 Davies, I.L., Markides, K.E., Lee, M.L., Raynor, M.W. and Bartle, K.D.: Application of coupled LC-GC: A review. *J. High Resolut. Chromatogr.*, 12 (1989) 193-207 - a review with 94 refs.
- 1503 Tarandjiiska, R. and Nguyen, H.: Triglyceride analysis of orange seed oil by argentation TLC. *Riv. Ital. Sost. Grasse*, 65 (1988) 489-492.

See also 1416, 1417, 1419, 1483, 1489, 1494, 1522, 1550, 1555, 1577, 1578, 1592, 1599, 1612, 1631, 1644, 1649, 1670, 1675, 1676, 1680, 1683, 1711, 1716, 1741, 1745, 1775, 1795, 1799, 1808, 1853, 1875, 1882, 1895, 1934, 1975.

4c. Combination with other physico-chemical techniques

- 1504 Basset, F.: Panorama des nouveautes en spectrometrie de masse et techniques hyphenes. *Parf. Cosmet. Aromes*, No. 83 (1988) 131-135.
- 1505 Bombick, D.D.: The use of thermionic emission materials in mass spectrometry and gas chromatography. Available *Diss. Abstr. Int. B*, 49 (1988) 713; *Univ. Microfilms*, Order No. DA8807039 (1987) 315 pp.; *C.A.*, 110 (1989) 107330z.
- 1506 Doumenq, P., Guiliano, M. and Mille, G.: Methodologie d'etude de melanges chimiques complexes par couplage chromatographie en phase gazeuse/spectroscopie infrarouge a transformee de Fourier. *Analyst (London)*, 17 (1989) 39-49.
- 1507 Kempfert, K.D.: Evaluation and apparent sensitivity enhancement in GC/FTIR using multidimensional GC techniques. *J. Chromatogr. Sci.*, 27 (1989) 63-70.
- 1508 Lu Xujin, Zhang Lefeng, Song Guonan and Che Xun: (Study of the effects of lightpipe temperature on gas chromatography/Fourier transform infrared spectroscopy). *Fenxi Huaxue*, 16 (1988) 562-565; *C.A.*, 110 (1989) 127796j.
- 1509 Nemets, V.M., Petrov, A.A., Solovev, A.A. and Funtov, V.N.: (Isotopic-chromatographic-spectral analysis of high-purity inorganic gases). *Vysokochist. Veshchestva*, No. 4 (1988) 222-229; *C.A.*, 110 (1989) 107197m.
- 1510 Pinkston, J.D. and Owens, G.D.: Supercritical fluid injection of polysiloxane solutions for calibration and tuning in supercritical fluid chromatography/mass spectrometry. *Anal. Chem.*, 61 (1989) 775-777.

- 1511 Zhou Wenmin, Feng Huihua, Sun Zongguang and Wan Yonhua: (Study on splitless injection/copper(2+) precolumn-capillary GC-FTIR). *Zhongguo Huanjing Kexue*, 8, No. 4, (1988) 68-72; *C.A.*, 110 (1989) 160097e.

See also 1543, 1551, 1577, 1590, 1685, 1689, 1690, 1692, 1721, 1786, 1897, 1914, 1944, 1956, 1987.

4e. Functional analysis

- 1512 Crabtree, D.V., Adler, A.J. and Handelman, G.J.: Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in gas chromatography. *J. Chromatogr.*, 466 (1989) 251-270.
- 1513 Olias, J.M., Rios, J.J. and Valle, M.: Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation. *J. Chromatogr.*, 467 (1989) 279-284.
- 1514 Yang Zedong: (Qualitative analysis of low molecular organic compounds by pyrolysis gas chromatography). *Sepu*, 7 (1989) 23-25.

See also 1694.

4f. Trace analysis and preseparation techniques

- 1515 Bobylev, A.V. and Vasserman, I.I.: (Chromatographic method for determination of impurities in gases). *U.S.S.R. Pat.* SU 1,442,907 (Cl. G01N30/08), 7 Dec. 1988, Appl. 4,045,454, 31 Mar. 1986; *C.A.*, 110 (1989) 165305f.
- 1516 Hawthorne, S.B., Krieger, M.S. and Miller, D.J.: Supercritical carbon dioxide extraction of polychlorinated biphenyls, polycyclic hydrocarbons, heteroatom-containing aromatic hydrocarbons, and *n*-alkanes from polyurethane foam sorbents. *Anal. Chem.*, 61 (1989) 736-740.
- 1517 Hinshaw, J.V.: Large-volume injection in capillary GC: Problems and solutions. *LC-GC*, 7, No. 1 (1989) 26-31.
- 1518 Raymer, J.H., Cooper, S.D. and Pellizzari, E.D.: Studies into analyte competition on polyimide sorbents using a deuterated tracer pulse technique. *Polym. Mater. Sci. Eng.*, 58 (1988) 923-926; *C.A.*, 110 (1989) 120296n.
- 1519 Roeraade, J. and Blomberg, S.: New methodologies in trace analysis of volatile organic compounds. *J. High Resolut. Chromatogr.*, 12 (1989) 138-141.
- 1520 Schaller, H.: Zweidimensionale Kapillar-Gaschromatographie für die Spurenanalytik. *LaborPraxis*, 13 (1989) 186-195.

See also 1449, 1509, 1531, 1551, 1569, 1575, 1710, 1752, 1819, 1834, 1883, 1885, 1898, 1908, 1916, 1918, 1919, 1926, 1928, 1930, 1932, 1942, 1948.

4g. Separation of enantiomers

- 1521 Aichholz, R. and Fischer, P.: Systematic investigation of enantiomer resolution of *N*-pivaloyl derivatized amino acid esters. Preparation of glass capillary columns coated with the chiral phase XE-60-L-val-pea. *J. High Resolut. Chromatogr.*, 12 (1989) 213-217.
- 1522 Armstrong, D.W. and Han, S.M.: Enantiomeric separations in chromatography. *CRC Crit. Rev. Anal. Chem.*, 19 (1988) 175-224; *C.A.*, 110 (1989) 146864w.
- 1523 Blink, A., Suijkerbuijk, M.L., Ishiwata, T. and Feringa, B.L.: Gas chromatographic method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases. *J. Chromatogr.*, 467 (1989) 285-291.
- 1524 Ehlers, Z., Koenig, W.A., Lutz, S., Wenz, G. and Ton Dieck, H.: (Gas chromatographic separation of enantiomeric olefins). *Angew. Chem.*, 100 (1988) 1614-1615; *C.A.*, 110 (1989) 74756n.
- 1525 Koenig, W.A., Lutz, S., Wenz, G., Goergen, G., Neumann, C., Gaebler, A. and Boland, W.: (Gas chromatographic determination of the enantiomeric composition of epoxy alcohols). *Angew. Chem.*, 101 (1989) 180-181; *C.A.*, 110 (1989) 134988b.

- 1526 Kuesters, E. and Rahmen, W.: (Allo compounds with unusual behavior in gas chromatography using chiral stationary phase). *Z. Naturforsch., B: Chem. Sci.*, 43 (1988) 619-622; *C.A.*, 110 (1989) 76002n.
- 1527 Park Manki, Yang Jeongseen and Ko Changbum: (Separation of amino acid enantiomers by gas chromatography (III). (S)-5-Isobutyl-N³-phenyl-2-thiohydantoin as chiral stationary phase). *Yakhak Hoechi*, 32 (1988) 112-116; *C.A.*, 110 (1989) 95737x.
- 1528 Park Manki, Yang Joengseen, Ko Changbum and Lee Miyung: (Separation of amino acid enantiomers by gas chromatography on phenylthiohydantoin derivatives as chiral stationary phases). *Yakhak Hoechi*, 32 (1988) 170-176; *C.A.*, 110 (1989) 154820u.
- 1529 Schurig, V., Ossig, J. and Link, R.: (Proof of a temperature-dependent reversal of the elution sequence in complexation-gas chromatography on chiral phases). *Angew. Chem.*, 101 (1989) 197-198; *C.A.*, 110 (1989) 134647q.
- 1530 Wanc Wenging, Su Yali, Wu Jilan, Qi Shengchu and Zhou Yurong: (Study on the source of optical activity. I. Gas chromatographic analysis for the radiolytic products of ethanol - optical isomers of 2,3-butanediol). *He Huaxue Yu Fangshe Huaxue*, 10 (1988) 151-156; *C.A.*, 110 (1989) 127815q.

See also 1482, 1555, 1682.

4h. Other special techniques

See 1434.

4i. Supercritical fluid chromatography

- 1531 Anton, K., Menes, R. and Widmer, H.W.: Direct coupling of CO₂ fluid extraction with capillary supercritical fluid chromatography. *Chromatographia*, 26 (1988) 221-223.
- 1532 Anton, K., Pericles, N., Feilds, S.M. and Widmer, H.W.: Pressure-programming of a binary, on-line mixed mobile phase for capillary column SFC using a packed column SFC pumping system. *Chromatographia*, 26 (1988) 224-228.
- 1533 Barker, I.K., Kithinji, J.P., Bartle, K.D., Clifford, A.A., Raynor, M.W., Shilstone, G.F. and Halford-Maw, P.A.: Supercritical fluid chromatography of coal-derived polycyclic aromatic hydrocarbons on packed columns. *Analyst (London)*, 114 (1989) 41-45.
- 1534 Berger, T.A., Deye, J.F., Ashraf-Khorassani, M. and Taylor, L.T.: Gradient separation of PTH-amino acids employing supercritical CO₂ and modifiers. *J. Chromatogr. Sci.*, 27 (1989) 105-110.
- 1535 Berger, T.A. and Toney, C.: Linear velocity control in capillary supercritical fluid chromatography by restrictor temperature programming. *J. Chromatogr.*, 465 (1989) 157-167.
- 1536 Bohm, M., Umland, F. and Wenclawiak, B.: Splitting control and solvent effects in supercritical fluid chromatography with fused-silica capillary columns. *J. Chromatogr.*, 465 (1989) 17-21.
- 1537 Bornhop, D.J., Murphy, B.J. and Krieger-Jones, L.: Chemiluminescence sulfur detection in capillary supercritical fluid chromatography. *Anal. Chem.*, 61 (1989) 797-800.
- 1538 Bruno, A.E., Gassmann, E., Pericles, N. and Anton, K.: On-column capillary flow cell utilizing optical waveguides for chromatographic applications. *Anal. Chem.*, 61 (1989) 876-883.
- 1539 Davies, I.L., Xu Bingjiu, Markides, K.E., Bartle, K.D. and Lee, M.L.: Multidimensional open-tubular column supercritical fluid chromatography using a flow-switching interface. *J. Microcolumn Chromatogr.*, 1 (1989) 71-84.
- 1540 Foreman, W.T., Shellum, C.L., Birks, J.W. and Sievers, R.E.: Supercritical fluid chromatography with sulfur chemiluminescence detection. *J. Chromatogr.*, 465 (1989) 23-33.
- 1541 Hawthorne, S.B. and Miller, D.J.: An almost on-column injector for capillary supercritical fluid chromatography. *J. Chromatogr. Sci.*, 27 (1989) 197-202.
- 1542 Ishii, D. and Takeuchi, T.: Unified fluid chromatography. *J. Chromatogr. Sci.*, 27 (1989) 71-74.

- 1543 Jahn, K.R. and Wenclawiak, B.: Direct on-line coupling of small subcritical and supercritical fluid extractors with packed column supercritical fluid chromatography. *Chromatographia*, 26 (1988) 345-350.
- 1544 Kennedy, S. and Wall, R.J.: Electron-capture detection of agrochemicals in supercritical fluid chromatography. *LC-GC*, 2, No. 3 (1989) 56-57.
- 1545 Klesper, E.G.: (Supercritical-fluid chromatography (SFC)). *Nachr. Chem., Tech. Lab.*, 36 (1988) 93-100; *C.A.*, 110 (1989) 107325b - a review with 78 refs.
- 1546 Mathiasson, L., Jönsson, J.A. and Karlsson, L.: Determination of nitrogen compounds by supercritical fluid chromatography using nitrous oxide as the mobile phase and nitrogen-sensitive detection. *J. Chromatogr.*, 467 (1989) 61-74.
- 1547 Ndiomu, D.P. and Simpson, C.F.: Retention behaviour in supercritical fluid chromatography using pentane as mobile phase. *Anal. Proc.*, 26 (1989) 65-67.
- 1548 Nizery, D., Thiebaut, D., Caude, M., Rosset, R., Lafosse, M. and Dreux, M.: Improved evaporative light-scattering detection for supercritical fluid chromatography with carbon dioxide-methanol mobile phases. *J. Chromatogr.*, 467 (1989) 49-60.
- 1549 Perrin, J.L. and Prevot, A.: La chromatographie en phase supercritique: impacts dans le domaine des corps gras. *Rev. Fr. Corps Gras*, 35 (1988) 485-494.
- 1550 Phillips, J.H. and Robey, R.J.: Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane. *J. Chromatogr.*, 465 (1989) 177-188.
- 1551 Ramsey, E.D., Perkins, J.R., Games, D.E. and Startin, J.R.: Analysis of drug residues in tissue by combined supercritical-fluid extraction-supercritical-fluid chromatography - mass spectrometry - mass spectrometry. *J. Chromatogr.*, 464 (1989) 353-364.
- 1552 Raynor, M.W., Clifford, A.A., Bartle, K.D., Reyner, C., Williams, A. and Cook, B.W.: Microcolumn supercritical fluid chromatography with on-line Fourier transform infrared detection. *J. Microcolumn Chromatogr.*, 1 (1989) 101-109.
- 1553 Rosselli, A.C., Boyer, D.S. and Houck, R.K.: Reproducibility of packed-column supercritical fluid chromatography with helium head-pressure carbon dioxide. *J. Chromatogr.*, 465 (1989) 11-15.
- 1554 Roth, M. and Ansorgova, A.: Column pressure drop in capillary supercritical fluid chromatography. *J. Chromatogr.*, 465 (1989) 169-176.
- 1555 Ruffing, F.-J., Lux, J.A., Roeder, W. and Schomburg, G.: Chiral stationary phases for LC and SFC obtained by "polymer coating". *Chromatographia*, 26 (1988) 19-28.
- 1556 Sanagi, M.M. and Smith, R.M.: Selectivity studies in supercritical fluid chromatography. *Anal. Proc.*, 26 (1989) 22-24.
- 1557 Schomburg, G. and Roeder, M.: Sampling techniques for SFC using peak focusing by pressure and/or temperature programming. *J. High Resolut. Chromatogr.*, 12 (1989) 218-225.
- 1558 Smith, R.M. and Sanagi, M.M.: Retention indices in supercritical fluid chromatography on a polystyrene-divinylbenzene column. *Chromatographia*, 26 (1988) 77-84.
- 1559 Strubinger, J.R. and Parcher, J.F.: Surface excess (Gibbs) adsorption isotherms of supercritical carbon dioxide on octadecyl-bonded silica stationary phases. *Anal. Chem.*, 61 (1989) 951-955.
- 1560 Taylor, L.T. and Calvey, E.M.: Supercritical fluid chromatography with infrared spectrometric detection. *Chem. Rev.*, 89 (1989) 321-330; *C.A.*, 110 (1989) 165248q - a review with 32 refs.
- 1561 Veuthey, J.L., Caude, M. and Rosset, R.: Separation of some amino acids by supercritical fluid chromatography after a pre-derivatization step with classical reagents. *Chromatographia*, 27 (1989) 105-108.
- 1562 Weinberger, S.R. and Bornhop, D.J.: Scanning ultraviolet detection in capillary supercritical fluid chromatography. *J. Microcolumn Chromatogr.*, 1 (1989) 90-95.

See also 1413, 1418, 1449, 1494, 1500, 1510, 1516, 1574, 1636, 1651, 1701, 1844, 1851, 1878.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

- 1563 Alajbeg, A.: (Study of biomarkers using a gas chromatography-mass spectrometry coupled system). *Nafta (Zagreb)*, 39 (1988) 399-408; *C.A.*, 110 (1989) 157194d - a review with 32 refs.
- 1564 Takeuchi, T., Ohta, K. and Ishii, D.: New approach to the GC separation of hydrocarbons by using LC-like microcolumns. *Chromatographia*, 27 (1989) 182-184.

See also 1441, 1506, 1524, 1541, 1558, 1828, 1847, 1887, 1930, 1949, 1990, 1993.

5b. Cyclic hydrocarbons

- 1565 Blanco, C.G., Blanco, J., Bermejo, J. and Guillen, M.D.: Capillary gas chromatography of some polycyclic aromatic compounds on several stationary phases. *J. Chromatogr.*, 465 (1989) 378-385.
- 1566 Matisova, E., Kovacikova, E., Holotik, S. and Kocan, A.: (Identification of alkylbenzenes by capillary GC and combination of GC/MS in industrial samples). *Ropa Uhlie*, 31 (1989) 112-121.
- 1567 Wu Renming, Bai Shuming, Ge Ningchun, Jiang Yiman and Qiao Shujun: (The determination of polynuclear aromatic hydrocarbons in cigarette smoke condensate). *Sepu*, 7 (1989) 52-54.

See also 1506, 1516, 1533, 1543, 1558, 1776, 1777, 1895, 1900, 1907, 1909, 1915, 1916, 1934, 1942, 1971, 1976, 1979.

5c. Halogen derivatives

- 1568 Collins, C.H., Bertran, C.A., Pires Valente, A.L., de A. Leone, P., Murta, A.L.M. and Collins, K.E.: Interpolation of relative retentions as a tool for identification of perhalogenated compounds. *Chromatographia*, 26 (1988) 168-170.
- 1569 Noij, T., Fabian, P., Borchers, R., Cramers, C. and Rijks, J.: Trace analysis of halogenated hydrocarbons in gaseous samples by capillary gas chromatography. Part II. Quantitative aspects and ECD calibration. *Chromatographia*, 26 (1988) 149-156.

See also 1516, 1702, 1703, 1714, 1834, 1848, 1876, 1883, 1904, 1918, 1919, 1930, 1933, 1935, 1985, 1993.

5d. Complex hydrocarbon mixtures

See 1429, 1919, 1954, 1958, 1982.

6. ALCOHOLS

- 1570 Camelbeeck, J.P., Comberbach, D.M., Goossens, J. and Roelants, P.: On-line fermenter headspace gas analysis of methanol and ethanol by capillary inlet mass spectrometry. *Biotechnol. Tech.*, 2 (1988) 183-188; *C.A.*, 110 (1989) 6153p.
- 1571 Xiao Anmin: (Quantitative analysis of glycerol oligomers by gas chromatography). *Shanghai Keji Daxue Xuebao*, 11 (1988) 96-102; *C.A.*, 110 (1989) 156450x.
- 1572 Yuan Songyue, Wang Jingchun and Cai Shuiyu: (Analysis of the products in synthesis of alcohols at constant temperature). *Fenxi Huaxue*, 16 (1988) 573; *C.A.*, 110 (1989) 165275w.

See also 1512, 1523, 1525, 1526, 1530, 1570, 1635, 1779, 1847, 1949.

7. PHENOLS

- 1573 Chen Oujun and Huang Guoliang: (Determination of 2,6-xyleneol with packed column gas chromatography). *Huaxue Shijie*, (1988) 320-322; *C.A.*, 110 (1989) 165290x.

See also 1499, 1909, 1929, 1937.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8c. Other compounds with heterocyclic oxygen (including tennins)

- 1574 Roach, J.A.G., Sphon, J.A., Easterling, J.A. and Calvey, E.M.: Capillary supercritical fluid chromatography/negative ion chemical ionization mass spectrometry of trichothecenes. *Biomed. Environ. Mass Spectrom.*, 18 (1989) 64-70; *C.A.*, 110 (1989) 109500d.

See also 1529, 1933, 1939.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 1575 Hall, P.M.: Analysis of aldehydes desorbed from an aluminium surface using dynamic headspace gas chromatography-mass spectrometry. *LC-GC*, 7, No. 1 (1989) 52-57.
- 1576 O'Hara, D. and Singh, H.B.: Sensitive gas-chromatographic detection of acetaldehyde and acetone using a reduction gas detector. *Atmos. Environ.*, 22 (1988) 2613-2615; *C.A.*, 110 (1989) 100823d.
- 1577 Selley, M.L., Bartlett, M.R., McGuinness, J.A., Hapel, A.J., Ardlie, N.G. and Lacey, M.J.: Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by high-performance liquid chromatography and combined capillary column gas chromatography-negative-ion chemical ionisation mass spectrometry. *J. Chromatogr.*, 488 (1989) 329-340.

See also 1442, 1558, 1660, 1784, 1847, 1901, 1906, 1910, 1912, 1918, 1962.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 1578 Hearthers, G.P., Juehne, T., Rubin, L.J., Corr, P.B. and Evers, A.S.: Anion exchange chromatographic separation of inositol phosphates and their quantification by gas chromatography. *Anal. Biochem.*, 176 (1989) 109-116.
- 1579 Hoebler, C., Barry, J.L., David, A. and Delort-Labal, J.: Rapid acid hydrolysis of plant cell wall polysaccharides and simplified quantitative determination of their neutral monosaccharides by gas-liquid chromatography. *J. Agric. Food Chem.*, 37 (1989) 360-367.
- 1580 Kajiyama, K. and Tsuruoka, T.: (Gas chromatographic retention behaviors of alditol acetates of various O-methyl- and O-ethylglucoses). *Sen'i Gakkaishi*, 44 (1988) 490-496; *C.A.*, 110 (1989) 135613n.
- 1581 Morgenlie, S., Garmo, T.H. and Sundstoel, F.: Gas chromatography of monosaccharides as O-isopropylidene derivatives. Analysis of hay, grass silage, and alkali-treated barley straw after mild and strong acid hydrolysis. *J. Sci. Food Agric.*, 46 (1989) 187-193; *C.A.*, 110 (1989) 73946n.

See also 1798, 1805, 1821, 1853, 1952, 1964.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

See 1946.

10c. *Glycoproteins and their components*

- 1582 Biondi, P.A., Manca, F., Negri, A., Tedeschi, G. and Secchi, C.: Gas chromatographic determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates. *J. Chromatogr.*, 467 (1989) 315-320.

11. ORGANIC ACIDS AND LIPIDS

11a. *Organic acids and simple esters*

- 1583 Abou-El-Ela, S.H., Prasse, K.W., Carroll, R., Wade, A.E., Dharwadkar, S. and Bunce, O.R.: Eicosanoid synthesis in 7,12-dimethylbenz[*a*]anthracene-induced mammary carcinomas in Sprague-Dawley rats fed primrose oil, menhaden oil or corn oil diet. *Lipids*, 23 (1988) 948-954.
- 1584 Agren, J.J., Hänninen, O., Laitinen, M., Seppänen, K., Bernhardt, I., Fogelholm, L., Herranen, J. and Panttilä, I.: Boreal freshwater fish diet modifies the plasma lipids and prostanoids and membrane fatty acids in man. *Lipids*, 23 (1988) 924-929.
- 1585 Alam, S.Q., Ren Yun-Fang and Alam, B.S.: Effect of dietary *trans* fatty acids on some membrane - associated enzymes and receptors in rat heart. *Lipids*, 24 (1989) 39-44.
- 1586 Baba, T., Kaneda, K., Kusunose, E., Kusunose, M. and Yano, I.: Molecular species of mycolic acid subclasses in eight strains of *Mycobacterium smegmatis*. *Lipids*, 23 (1988) 1132-1138.
- 1587 Barcelli, U.O., Beach, D.C., Thompson, B., Weiss, M. and Pollak, V.E.: A diet containing n-3 and n-6 fatty acids favorably alters the renal phospholipids, eicosanoid synthesis and plasma lipids in nephrotic rats. *Lipids*, 23 (1988) 1059-1063.
- 1588 Biagi, P.L., Bordoni, A., Castelli, G.P., Hrelia, S., Izipisua, J.C., Lenaz, G. and Lercker, G.: (Lipid composition of whole brain and synaptic and microsomal membranes of rats fed a cafeteria diet). *Riv. Ital. Sost. Grasse*, 65 (1988) 699-701.
- 1589 Carballeira, N.M. and Lopez, M.R.: On the isolation of 2-hydroxydocosanoic and 2-hydroxytricosanoic acids from the marine sponge *Aphimedon compressa*. *Lipids*, 24 (1989) 89-91.
- 1590 Carballeira, N.M., Shalabi, F. and Negron, V.: 2-Hydroxy fatty acids from marine sponges. 2. The phospholipid fatty acids of the Caribbean sponges *Verongula gigantea* and *Aplysina archeri*. *Lipids*, 24 (1989) 229-232.
- 1591 Caruso, U., Romano, C. and Raverdino, V.: Gas chromatographic/mass spectrometric and gas chromatographic/Fourier transform infrared analysis of organic acids: preliminary data. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 285-288; *C.A.*, 110 (1989) 72100v.
- 1592 Chen Huei-Mei and Lifchitz, C.H.: Preparation of fecal samples of volatile fatty acids by gas-liquid chromatography and high-performance liquid chromatography. *Clin. Chem. (Winston-Salem)*, 35 (1989) 74-76.
- 1593 Chimi, H., Sadik, A., Le Tutour, B. and Rahmani, M.: Contribution a l'etude comparative des pouvoirs antioxydants dans l'huile d'olive du tyrosol, de l'hydroxytyrosol, de l'acide cafeique, de l'oleuropeine et du B.H.T. *Rev. Fr. Corps Gras*, 35 (1988) 339-344.
- 1594 Christie, W.W., Brechany, E.Y. and Shukla, V.K.S.: Analysis of seed oils containing cyclopentenyl fatty acids by combined chromatographic procedures. *Lipids*, 24 (1989) 116-120.
- 1595 Couders, F., Aurelle, H., Prome, D., Savagnac, A. and Prome, J.C.: Analysis of fatty acids by negative ion gas chromatography/tandem mass spectrometry: Structural correlations between α -mycolic acid chains and Δ -5-monounsaturated fatty acids from *Mycobacterium pheli*. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 317-321; *C.A.*, 110 (1989) 72101w.

- 1596 Emken, E.A., Adlof, R.O., Rohwedder, W.K. and Gulley, R.M.: Incorporation of *trans*-8- and *cis*-octadecenoic acid isomers in human plasma and lipoprotein lipids. *Lipids*, 24 (1989) 61-69.
- 1597 Fahlstadius, P.: *cis*-9,10-Epoxy stearic acid in human leukocytes: isolation and quantitative determination. *Lipids*, 23 (1988) 1015-1018.
- 1598 Gillan, F.T., Stoilov, I.L., Thompson, J.E., Hogg, R.W., Wilkinson, C.R. and Djerassi, C.: Fatty acids as biological markers for bacterial symbionts in sponges. *Lipids*, 23 (1988) 1139-1145.
- 1599 Gorst-Allman, C.P., Puchta, V. and Spitteller, G.: Investigations of the origin of the furan fatty acids (F-acids). *Lipids*, 23 (1988) 1032-1036.
- 1600 Henningson, P.J., Vick, B.A., Bugbee, W.M. and Gudmestad, N.C.: Characterization of 12-methyl-*cis*-4-tetradecenoic acid from *Corynebacterium sepedonicum*. *Lipids*, 23 (1988) 1086-1088.
- 1601 Hoy, C.-E. and Holmer, G.: Dietary linoleic acid and the fatty acid profiles in rats fed partially hydrogenated marine oils. *Lipids*, 23 (1988) 973-980.
- 1602 Hsu, N., Diosady, L.L. and Rubin, L.J.: Catalytic behavior of palladium in the hydrogenation of edible oils. II. Geometrical and positional isomerization characteristics. *J. Am. Oil Chem. Soc.*, 66 (1989) 232-236.
- 1603 Innis, S.M., Kuhnlein, H.V. and Kinloch, D.: The consumption of red cell membrane phospholipids in Canadian Inuit consuming a diet high in marine mammals. *Lipids*, 23 (1988) 1064-1068.
- 1604 Jerzykiewicz, W.: *cis-trans* Isomerization in the synthesis of fatty acid nitriles. *J. Am. Oil Chem. Soc.*, 65 (1988) 1932-1935.
- 1605 Johnson, C.B., Purchas, R.W. and Birch, E.J.: Fatty acid composition of fats of differing melting points extracted from ram subcutaneous tissue. *Lipids*, 23 (1988) 1049-1052.
- 1606 Khusainov, Kh.Sh., Mukhamadiev, N.K. and Gulamova, M.T.: (Gas-chromatographic analysis of the fatty acid composition of sea buckthorn oil from the Zarafshansk valley). *Dokl. Akad. Nauk UzSSR*, No. 9 (1988) 47-49; *C.A.*, 110 (1989) 121520t.
- 1607 Lawson, M.P., Thompson, J.E. and Djerassi, C.: Localization of long-chain fatty acids and unconventional sterols in spherulous cells of a marine sponge. *Lipids*, 23 (1988) 1037-1048.
- 1608 Lokesh, B.R., Black, J.M., German, J.B. and Kinsella, J.E.: Docosahexaenoic acid and other dietary polyunsaturated fatty acids suppress leukotriene synthesis by mouse peritoneal macrophages. *Lipids*, 23 (1988) 968-972.
- 1609 Mallet, G., Dimitriades, C. and Ucciani, E.: Quelques exemples de repartition entre pulpes et graines des acides palmitoleique et *cis*-vaccenique. *Rev. Fr. Corps Gras*, 35 (1988) 479-483.
- 1610 Mills, D.E., Ward, R.P., Mah, M. and DeVette, L.: Dietary N-6 and N-3 fatty acids and salt-induced hypertension in the borderline hypertensive rat. *Lipids*, 24 (1989) 17-24.
- 1611 Nalbone, G., Leonard, J., Termine, E., Portugal, H., Lechene, P., Pauli, A.-M. and Lafont, H.: Effects of fish oil, corn oil and lard diets on lipid peroxidation status and glutathione peroxidase activities in rat heart. *Lipids*, 24 (1989) 179-186.
- 1612 Palmer, A.J. and Palmer, F.J.: Rapid analysis of triacylglycerols using high-performance liquid chromatography with light scattering detection. *J. Chromatogr.*, 465 (1989) 369-377.
- 1613 Piretti, M.V., Pagliuca, G. and Vasina, M.: Further investigations concerning the alkaline reducing transmethylation (ART) of lipids. *Rev. Fr. Corps Gras*, 35 (1988) 387-390.
- 1614 Rand, M.L., Hennissen, A.A.H.M. and Hornstra, G.: Effects of dietary palm oil on arterial thrombosis, platelet responses and platelet membrane fluidity in rats. *Lipids*, 23 (1988) 1019-1023.
- 1615 Rosenthal, M.D., Brown, M.E., III and Jones, J.E.: Esterification of 8,11,14-eicosatrienoate and arachidonate into alkylacyl- and diacylglycerophosphocholine by vascular endothelial cells. *Lipids*, 23 (1988) 1089-1092.
- 1616 Schuchardt, U. and Lopes, O.C.: Tetramethylguanidine catalyzed transesterification of fats and oils: A new method for rapid determination of their composition. *J. Am. Oil Chem. Soc.*, 65 (1988) 1940-1941.
- 1617 Simpson, J.T., Weldon, P.J. and Sharp, T.R.: Identification of major lipids from the scent gland secretions of Dumeril's ground boa (*Acrantophis dumerili* Jan) by gas chromatography-mass spectrometry. *Z. Naturforsch., C: Biosci.*, 43 (1988) 914-917; *C.A.*, 110 (1989) 112008e.

- 1618 Sonnet, P.E. and Moore, G.G.: Esterifications of 1- and *rac*-2-octanols with selected acids and acid derivatives using lipases. *Lipids*, 23 (1988) 955-960.
- 1619 Tsanev, R. and Goranov, I.: (Chromatographic method for determination of fatty acid composition of lipids from organs and tissues). *Khig. Zdraveopaz.*, 31, No. 5 (1988) 68-75; *C.A.*, 110 (1989) 73943j.
- 1620 Tsanev, R. and Goranov, I.: (Chromatographic method for determination of fatty acid composition of phospholipids in erythrocytes). *Khig. Zdraveopaz.*, 31, No. 4 (1988) 76-80; *C.A.*, 110 (1989) 91477q.
- 1621 Viden, I. and Rezanka, T.: Capillary gas chromatography-mass spectrometry of very-long-chain α,ω -dicarboxylic acid dimethyl esters from *Equisetum* (horse-tail). *J. Chromatogr.*, 465 (1989) 390-394.
- 1622 Wang Shiyu, Lin Zuming, Zhang Shuhong, Yan Kunkai and Jin Sheng: (GC determination of synthetic 10-HDA). *Yiyao Gongye*, 19 (1988) 550-551; *C.A.*, 110 (1989) 160444r.
- 1623 Weithmann, K.U., Peterson, H. and Sevanian, A.: Incorporation of arachidonic, dihomogamma linolenic and eicosapentaenoic acids into cultured V79 cells. *Lipids*, 24 (1989) 173-178.
- 1624 Yeh Yu-Yan: Long chain fatty acid deficits in brain myelin sphingolipids of undernourished rat pups. *Lipids*, 23 (1988) 1114-1118.
- 1625 Yu, Q.T., Liu, B.N., Zhang, J.Y. and Huang, Z.H.: Location of double bonds in fatty acids of fish oil and rat testis lipids. Gas chromatography-mass spectrometry of the exazoline derivatives. *Lipids*, 24 (1989) 79-83.
- 1626 Zhang, J.Y., Wang, N.Y., Yu, Q.T., Yu, X.J., Liu, B.N. and Huang, Z.H.: The structures of cyclopentenyl fatty acids in the seed oils of *Flacourtiaceae* species by GC-MS of their 4,4-dimethylloxazoline derivatives. *J. Am. Oil Chem. Soc.*, 66 (1989) 242-246.
- 1627 Zhang, J.Y., Yu, X.J., Wang, H.Y., Liu, B.N., Yu, Q.T. and Huang, Z.H.: Location of triple bonds in the fatty acids from the kernel oil of *Pyrularia edulis* by GC-MS of their 4,4-dimethylloxazoline derivatives. *J. Am. Oil Chem. Soc.*, 66 (1989) 256-259.
- 1628 Zimmerman, M.P., Thomas, F.C., Thompson, J.E., Djerassi, C., Streiner, H., Avans, E. and Murphy, P.T.: The distribution of lipids and sterols in cell types from the marine sponge *Pseudaxinyssa* sp. *Lipids*, 24 (1989) 210-216.
- 1629 Zykina, L.F., Akzhigitov, G.N., Samygin, V.M., Cherchenko, I.I., Anan'ev, V.V., Pestretsova, I.N. and Naiman, E.L.: (Gas chromatographic analysis of the fatty acid composition of *Pseudomonas aeruginosa*). *Zh. Mikrobiol., Epidemiol. Immunobiol.*, No. 12 (1988) 35-38; *C.A.*, 110 (1989) 91502u.
- See also 1437, 1503, 1506, 1512, 1513, 1549, 1632, 1635, 1562, 1670, 1769, 1794, 1797, 1799, 1803, 1806, 1808, 1809, 1810, 1811, 1812, 1814, 1816, 1818, 1822, 1825, 1828, 1829, 1830, 1831, 1838, 1841, 1847, 1849, 1852, 1854, 1857, 1859, 1863, 1865, 1866, 1867, 1874, 1875, 1878, 1880, 1886, 1890, 1891, 1894, 1927, 1944, 1945, 1949, 1957, 1985.

11b. Prostaglandins

- 1630 Ishibashi, M., Watanabe, K., Harima, N. and Krolik, S.: Dimethylisopropylsilyl ether derivative in gas chromatography/mass spectrometry of 11-dehydrothromboxane B₂. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 133-135; *C.A.*, 110 (1989) 69481q.
- 1631 Rosenfeld, J.M., Mureika-Russell, M. and Love, M.: Solid-phase sample preparation method for prostaglandins: Integration of procedures for isolation and derivatization for gas chromatographic determination. *J. Chromatogr.*, 489 (1989) 263-272.

11c. Lipids and their constituents

- 1632 Bugaut, M.: *In vivo* incorporation of lauric acid into rat adipose tissue triacylglycerols. *Lipids*, 24 (1989) 193-203.
- 1633 Chaves das Neves, H.J. and Vasconcelos, A.M.P.: Characterization of fatty oils by pattern recognition of triglycerides profiles. *J. High Resolut. Chromatogr.*, 12 (1989) 226-229.
- 1634 Diaz, G.B., Cortizo, A.M., Garcia, M.E. and Gagliardino, J.J.: Lipid composition of normal male rat islets. *Lipids*, 23 (1988) 1125-1128.

- 1635 Koritala, S.: Microbiological synthesis of wax esters by *Euglena gracilis*. *J. Am. Oil Chem. Soc.*, 66 (1989) 133-134.
- 1636 Vasconcelos, A.M.P., Goncalves, M., Gomes de Azevedo, E.J.C., Nunes da Ponte, M. and Cheves das Neves, H.J.: Use of computerized pattern recognition of triglyceride profiles in monitoring SFC-CO₂ extraction of fatty oils. *J. High Resolut. Chromatogr.*, 12 (1989) 244-247.

See also 1541, 1577, 1583, 1585, 1588, 1596, 1608, 1610, 1612, 1616, 1617, 1619, 1801, 1811, 1826, 1832, 1846, 1851, 1860, 1872, 1975.

11d. Lipoproteins and their constituents

- 1637 Mallet, A.I.: Analysis of lyso-platelet activating factor by negative ion gas chromatography/mass spectrometry of the nitrobenzal acetal derivatives. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 207-210; *C.A.*, 110 (1989) 72030x.
- 1638 Yasuda, K., Satouchi, K., Nakayama, R. and Saito, K.: Acyl type platelet-activating factor in normal rat uterus determined by gas chromatography/mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 137-141; *C.A.*, 110 (1989) 72897k.

See also 1587, 1590, 1603, 1611, 1614, 1615, 1620, 1624, 1796, 1809.

13. STEROIDS

13a. Pregnane and androstane derivatives

- 1639 Dumasia, M.C. and Houghton, E.: Biotransformation of 1-dehydrotestosterone in the equine male castrate: identification of the neutral unconjugated and glucuronic acid conjugated metabolites in horse urine. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 383-392; *C.A.*, 110 (1989) 69535k.
- 1640 Dumasia, M.C., Houghton, E., Moss, M.S., Gower, D.B. and Marshall, D.E.: Gas chromatographic-mass spectrometric identification of some 3,16-dioxygenated steroids in non-pregnant and in pregnant mare urine and placental tissue. *Biochem. Soc. Trans.*, 17 (1989) 148-150; *C.A.*, 110 (1989) 148664e.
- 1641 Evershed, R.P. and Goad, L.J.: Capillary gas chromatography/mass spectrometry of intact fatty acyl esters of pregnane steroids. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 169-174; *C.A.*, 110 (1989) 69478u.
- 1642 Görög, S., Lauko, A., Herenyi, B., Georgakis, A., Scizer, E., Balogh, G., Galik, Gy. Maho, S. and Tuba, Z.: Analysis of steroids XXXIX. Estimation of the purity profile of 5 α -androst-2-ene-17-one. *Chromatographia*, 26 (1988) 316-320.

See also 1804, 1813.

13b. Estrogens

- 1643 Ginkel, L.A., Stephany, R.W., van Rossum, H.J., van Blitterswijk, H., Zoontjes, P.W., Hooijschuur, R.C.M. and Zuydendorp, J.: Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile. *J. Chromatogr.*, 489 (1989) 95-104.
- 1644 Haasnoot, W., Schilt, R., Hamers, A.R.M., Huf, F.A., Farjam, A., Frei, R.W. and Brinkman, U.A.T.: Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by high-performance liquid chromatography with on-line immunoaffinity sample pretreatment. *J. Chromatogr.*, 489 (1989) 157-171.
- 1645 Hoogenboom, L.A.P., Berghmans, M.C.J. and Traag, W.A.: Biotransformation of β -nortestosterone by cultured porcine hepatocytes. *J. Chromatogr.*, 489 (1989) 105-109.

13c. Sterols

- 1646 Artaud, J., Iatrides, M.C., Baccou, J.C. and Sauvaire, Y.: Particularites de la composition sterolique des huiles de deux *Trigonella*. *Rev. Fr. Corps Gras*, 35 (1988) 435-440.
- 1647 Kahlos, K. and Hiltunen, R.: Gas chromatographic-mass spectrometric identification of some lanostanes from *Inonotus obliquus*. *Acta Pharm. Fenn.*, 97, No. 2 (1988) 45-49; *C.A.*, 110 (1989) 91616j.
- 1648 Mac Donald, D.L. and Ritter, K.S.: Effect of host sterols on the sterol composition and virulence of a nuclear polyhedrosis virus of *Heliothis zea*. *Lipids*, 23 (1988) 1107-1113.
- 1649 Perrin, J.L. and Raoux, R.: Separation de sterols par CLHP a polarite de phases inversee en milieu non aqueuse. *Rev. Fr. Corps Gras*, 35 (1988) 329-333.

See also 1607, 1617, 1628, 1650, 1700, 1801, 1826, 1832, 1846, 1859, 1863, 1881, 1889.

13d. Bile acids and alcohols

- 1650 Cohen, B.I., Matoba, N., Mosbach, E.H. and McSherry, C.K.: Dietary induction of cholesterol gallstones in hamsters from three different sources. *Lipids*, 24 (1989) 151-156.

See also 1819, 1823.

13e. Ecdysones and other insect steroid hormones

- 1651 Raymor, M.W., Kithinji, J.P., Bartle, K.D., Games, D.E., Mylchreest, I.C., Lafont, R., Morgan, E.D. and Wilson, I.D.: Packed column supercritical-fluid chromatography and linked supercritical-fluid chromatography-mass spectrometry for the analysis of phytoecdysteroids from *Silene mutans* and *Silene otites*. *J. Chromatogr.*, 467 (1989) 292-298.

13f. Other steroids

- 1652 Harrison, L.M., Martin, D., Gotlin, R.W. and Fennessey, P.V.: Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism. *J. Chromatogr.*, 489 (1989) 121-126.
- 1653 Masse, R., Ayotte, C. and Dugal, R.: Studies on anabolic steroids. I. Integrated methodological approach to the gas chromatographic-mass spectrometric analysis of anabolic steroid metabolites in urine. *J. Chromatogr.*, 489 (1989) 23-50.

See also 1734.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 1654 Huopalahti, R., Lahtinen, R., Hiltunen, R. and Laakso, I.: Studies on the essential oils of dill herb, *Anethum graveolens* L. *Flavour Fragrance J.*, 3 (1988) 121-125; *C.A.*, 110 (1989) 152871n.

See also 1647, 1778, 1790, 1826, 1965.

15b. Essential oils

- 1655 Bernard, T., Perineau, F., Bravo, R., Delmas, M. and Gaset, A.: Extraction des huiles essentielles: (1) Ambrette. *Parf. Cosmet. Aromes*, 84 (1988) 77-84.
- 1656 Betts, T.J.: Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short gas chromatographic retention times. *J. Chromatogr.*, 467 (1989) 272-275.

- 1657 Cheng, D., Lidgard, R.O., Duffied, P.H., Duffied, A.M. and Brophy, J.J.: Identification by methane chemical ionization gas chromatography/mass spectrometry of the products obtained by steam distillation and aqueous acid extraction of commercial *Piper methysticum*. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 371-376; *C.A.*, 110 (1989) 70574d.
- 1658 Haque, I.: Analysis of volatile constituents of Pakistani *Coleus aromaticus* plant oil by capillary gas chromatography/mass spectrometry. *J. Chem. Soc. Pak.*, 10 (1988) 369-371; *C.A.*, 110 (1989) 72500a.
- 1659 Holm, Y., Hiltunen, R. and Nykanen, I.: Capillary gas chromatographic-mass spectrometric determination of the flavor composition of dragonhead (*Dragocephalum moldavica* L.). *Flavour Fragrance J.*, 3 (1988) 109-112; *C.A.*, 110 (1989) 132177n.
- 1660 Niemela, K.: GLC-MS studies on pine kraft liquors. Part IV. The formation of 2-hydroxy-2-cyclopenten-1-ones from polysaccharides during kraft pulping of pinewood. *Carbohydr. Res.*, 184 (1988) 131-137; *C.A.*, 110 (1989) 97414p.
- 1661 Nitz, S., Kollmannsberger, H. and Drawert, F.: Analysis of flavors by means of combined cryogenic headspace enrichment and multidimensional GC. *Bioflavour '87, Proc. Int. Conf.*, (1987, Pub. 1988) 123-135; *C.A.*, 110 (1989) 73916c.
- 1662 Oderinde, R.A.: Evaluation of the properties of the oils of citrus fruits wastes. *Riv. Ital. Sost. Grasse*, 65 (1988) 501-503.
- 1663 Smadja, J., Gaydou, E.M., Lamaty, G. and Conan, J.Y.: Essais d'identification des constituants de l'huile essentielle de vetyver bourbon. *Parf. Cosmet. Aromes*, 84 (1988) 61-66.
- 1664 Sur, S.V. and Tulyupa, F.M.: (Gas-liquid chromatographic determination of anethole in anise and fennel, fennel essential oil and ammonium chloride-anise drops). *Farmatsiya (Moscow)*, 38 (1989) 31-34; *C.A.*, 110 (1989) 160453t.
- 1665 Van Wassenhove, F., Dirinck, P. and Schamp, N.: Analysis of the key components of celery by two dimensional capillary gas chromatography. *Bioflavour '87, Proc. Int. Conf.*, (1987, Pub. 1988) 137-144; *C.A.*, 110 (1989) 73917d.
- 1666 Vincieri, F.F., Coran, S.A., Mulinacci, N. and Bambagiotti-Alberti, M.: An insight into *Oenanthe aquatica* L. fruit tincture through the MS identification of its gas-chromatographable [sic] compounds. *Pharm. Acta Helv.*, 64 (1989) 30-32; *C.A.*, 110 (1989) 160445s.
- 1667 Widmer, W.W.: Analysis of essential oils from various cultivars of *Pelargonium quercifolium* and *Pelargonium denticulatum* by gas chromatography/mass spectroscopy. Available *Diss. Abstr. Int. B*, 49 (1988) 1500; *Univ. Microfilms*, Order No. DA8812206 (1988) 85 pp.; *C.A.*, 110 (1989) 120981g.
- 1668 Yan Zhongkai, Pan Ning, Neu Zhiduo, Yang Xiuwei and Yang Ye: (GC-MS analysis of the essential oils in the needles of pine in Northeast China). *Zhongyao Tongbao*, 13 (1988) 418-420; *C.A.*, 110 (1989) 120977k.
- 1669 Zhang Wenguang, Li Xulin and Cai Zhaonan: (Determination of cinnamaldehyde in cinnamon oil by gas chromatography). *Zhongyao Tongbao*, 13 (1988) 742-744; *C.A.*, 110 (1989) 101939h.

See also 1654, 1961.

15c. Bitter substances

- 1670 Hairfield, E.M., Hairfield, H.H., Jr. and McNair, H.M.: GC, GC/MS and TLC of β -boswellic acid and O-acetyl- β -boswellic acid from *B. serrata*, *B. cartei* and *B. papyrifera*. *J. Chromatogr. Sci.*, 27 (1989) 127-133.

16. NITRO AND NITROSO COMPOUNDS

- 1671 Halkiewicz, J. and Sawicki, W.: Some remarks on the determination of isosorbide dinitrate and its metabolites in human plasma by GLC with electron-capture detection. *Pharmazie*, 43 (1988) 865-866; *C.A.*, 110 (1989) 147057x.
- 1672 Hynning, P.-A., Remberger, M. and Neilson, A.H.: Synthesis, gas-liquid chromatographic analysis and gas chromatographic-mass spectrometric identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols. *J. Chromatogr.*, 467 (1989) 99-110 - retention times for 19 derivatives.

- 1673 Langseth-Manrique, K.: Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary gas chromatography. *J. Chromatogr.*, 489 (1989) 462-463.
- 1674 Roberts, J.M., Fajer, R.W. and Springston, S.R.: Capillary gas chromatographic separation of alkyl nitrates and peroxy-carboxylic nitric anhydrides. *Anal. Chem.*, 61 (1989) 777-772.

See also 1745, 1892, 1924, 1936, 1966, 1967.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 1675 Davis, B.A.: Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects. *J. Chromatogr.*, 466 (1989) 89-218 - a review with 972 refs.
- 1676 Higuchi, K., Yamashina, T. and Hirata, H.: The erythro/threo separation of non-trimethylsilylated sphingolipid bases by normal phase HPLC and GLC. *Yukagaku*, 37 (1988) 422-426; *C.A.*, 110 (1989) 94460q.

See also 1526, 1546, 1793.

17c. Urea and guanidine derivatives

See 1840.

17d. Other amine derivatives and amides (excluding peptides)

- 1677 Devinsky, F. and Gorrod, J.W.: Pyrolysis gas-liquid chromatography of N,N-dimethylalkylamide N-oxide and their mixtures. *J. Chromatogr.*, 466 (1989) 347-353.

See also 1604, 1797, 1803, 1887, 1997.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1678 Arrendale, R.F., Gueldner, R.C., Chortyk, D.T. and Crumley, F.G.: Characterization of the amino acids of antifungal peptides from *B. subtilis* by cold on-column injection capillary GC/MS. *J. Microbiol. Methods*, 8 (1988) 249-257; *C.A.*, 109 (1988) 226590y.
- 1679 Liu, De-Ming: Capillary gas chromatographic analysis of amino acids in geological environments with electron capture detection. *J. High Resolut. Chromatogr.*, 12 (1989) 239-243 - retention times for 20 amino acid esters.
- 1680 Lonergan, G., Psachoulia, C., Marmaras, V., Hondrelis, J., Sanida, C. and Matsoukas, J.: Isolation and identification of free amino acids as crystalline N-t-butylloxycarbonyl-O-phenyl derivatives. *Anal. Biochem.*, 176 (1989) 368-372.
- 1681 Mataga, N., Hayashi, T., Naruse, H. and Iida, Y.: Determination of kynurenine in human plasma by gas chromatography/negative ion chemical ionization mass spectrometry. *Shitsuryo Bunseki*, 36 (1988) 99-105; *C.A.*, 110 (1989) 111252t.
- 1682 Spisni, A., Corradini, R., Marchelli, R. and Dossena, A.: Chiral recognition of amino acid derivatives: an NMR investigation of the selector and the diastereomeric complexes. *J. Org. Chem.*, 54 (1989) 684-688; *C.A.*, 110 (1989) 76023v.

See also 1521, 1527, 1528, 1534, 1561, 1800, 1815.

18b. Peptides and peptidic and proteinous hormones

See 1678.

19. PROTEINS

19e. *Proteins of blood, serum and blood cells*

See 1684.

20. ENZYMES AND ENZYME ACTIVITY ESTIMATION

20a. *Oxidoreductases*

1683 Guichardant, M., Bordet, J.C. and Lagarde, M.: Lipid chromatography and gas chromatography/mass spectrometry of lipoxxygenase and cycloxygenase products from platelets and endothelial cells. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 245-248; *C.A.*, 110 (1989) 69479v.

See also 1767.

20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*

See 1768.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

1684 Cherrah, Y., Falconnet, J.B., Desage, M., Brazier, J.L., Zini, R. and Tillement, J.P.: Study of isotope effects on protein binding by gas chromatography/mass spectrometry of theophylline-phenobarbitone and deuterium, carbon-13, nitrogen-15 isotopomers. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 245-250; *C.A.*, 110 (1989) 87984k.

22. ALKALOIDS

1685 Balsevich, J., Hogge, L.R., Berry, A.J., Games, D.E. and Mylchreest, I.C.: Analysis of indole alkaloids from leaves of *Catharanthus roseus* by means of supercritical fluid chromatography/mass spectrometry. *J. Nat. Prod.*, 51 (1988) 1173-1177; *C.A.*, 110 (1989) 72011s.

1686 Hendriks, H., Bruins, A.P. and Huizing, H.J.: Detection of curassavine and some related pyrrolizidine alkaloids in an *Anchusa officinalis* strain by means of positive ion and negative ion chemical ionization GC-MS. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 129-132; *C.A.*, 110 (1989) 82570n.

1687 Manners, G.D. and Ralphs, M.H.: Capillary gas chromatography of *Delphinium* diterpenoid alkaloids. *J. Chromatogr.*, 466 (1989) 427-432.

1688 Steinbach, R.A. and Miething, H.: (Determination of the pyrrolizidine alkaloid senkirkine in Farfarae leaves). *Pharm. Ztg.*, 134 (1989) 25-29; *C.A.*, 110 (1989) 141631h.

See also 1773, 1781, 1789, 1887, 1913.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23d. *Pyridine derivatives*

See 1488, 1972.

23e. Other N-heterocyclic compounds

See 1565.

24. ORGANIC SULPHUR COMPOUNDS

- 1689 Mossoba, M.M., Shaw, G.J., Andrzejewski, D., Sphon, J.A. and Page, S.W.: Application of gas chromatography/matrix isolation/Fourier transform infrared spectrometry to the identification of glucosinolates from Brassica vegetables. *J. Agric. Food Chem.*, 37 (1989) 367-372.
- 1690 Shaw, G.J., Andrzejewski, D., Roach, J.A.G. and Sphon, J.A.: Separation and identification of glucosinolates from Brassica vegetables using high-performance capillary gas chromatography (GC)-positive-ion chemical ionization mass spectrometry (PICIMS) and GC-PICIMS/MS. *J. Agric. Food Chem.*, 37 (1989) 372-378.

See also 1461, 1537, 1565.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCLUDING SUGAR PHOSPHATES)

- 1691 Tornes, J.A. and Johnsen, B.A.: Gas chromatographic determination of methylphosphonic acids by methylation with trimethylphenylammonium hydroxide. *J. Chromatogr.*, 467 (1989) 129-138.

See also 1578, 1902, 1953.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

- 1692 Forster, R.C. and Howard, A.G.: The capillary gas chromatography-atomic absorption spectrometry of organotin and organolead compounds. *Anal. Proc.*, 26 (1989) 34-36.
- 1693 Lansens, P., Baeyens, W. and Termonia, M.: Modification of the Perkin Elmer HS-6 headspace sampler for the determination of organomercury compounds. *J. High Resolut. Chromatogr.*, 12 (1989) 132-133.
- 1694 Liang Yuzhi: (Gas chromatographic analysis of the alkyl and alkoxy in the isoprenylaluminium). *Harbin Kexue Jishu Daxue Xuebao*, No. 2 (1988) 84-88; *C.A.*, 110 (1989) 127817s.
- 1695 Martin-Landa, I., de Pablos, F. and Marr, I.L.: Determination of organotins in fish and sediments by gas chromatography with flame photometric detection. *Anal. Proc.*, 26 (1989) 16-18.
- 1696 Ruthenberg, K. and Madetzki, C.: Gas chromatographic/mass spectrometric determination of mono- and dioctyltinchloride in aqueous solutions and biological samples. *Chromatographia*, 26 (1988) 251-254.
- 1697 Sun, Xun-Yun and Aue, W.A.: Selective detection of volatile iron compounds by flame photometry. *J. Chromatogr.*, 467 (1989) 75-84.
- 1698 Takahashi, K.: (Determination of leaching rate of triphenyltin from antifouling paint by gas chromatography). *Shikizai Kyokaiishi*, 61 (1988) 550-554; *C.A.*, 110 (1989) 77550b.

See also 1871, 1921, 1940.

26c. Coordination compounds

See 1932.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 1699 Coldwell, R.D., Trafford, D.J.H., Varley, M.J., Makin, H.L.J. and Kirk, D.N.: The measurement of vitamins D₂ and D₃ and seven major metabolites in a single sample of human plasma using gas chromatography/mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 81-85; *C.A.*, 110 (1989) 72098a.
- 1700 Marks, C.: Determination of free tocopherols in deodorizer distillate by capillary gas chromatography. *J. Am. Oil Chem. Soc.*, 65 (1988) 1936-1939.
- 1701 Saito, M., Yamauchi, Y., Inomata, K., Kottkamp, W.: Enrichment of tocopherols in wheat germ by directly coupled supercritical fluid extraction and semi-preparative supercritical fluid chromatography. *J. Chromatogr. Sci.*, 27 (1989) 79-85.

See also 1549, 1649, 1795, 1826, 1828, 1863.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. Chlorinated insecticides

- 1702 Guirguis, M.J., Cahill, W.R. and Street, K.W., Jr.: Separation of chlordane residues from aroclor 1248, 1254 and 1260 and soil degradation products. *Anal. Lett.*, 22 (1989) 457-467.
- 1703 Issaq, H.J., Fox, S.D. and Muschik, G.M.: The simultaneous use of solute vapor pressure and geometry in multidimensional capillary gas chromatographic separations of polychlorinated biphenyls. *J. Chromatogr. Sci.*, 27 (1989) 172-175.
- 1704 Klaue, W. and Kraus, G.: (Application of liquid-crystal separation phases for the gas chromatographic analysis of organochlorine pesticides and polychlorinated biphenyls). *Lebensmittelindustrie*, 35 (1988) 156-157; *C.A.*, 110 (1989) 130360t.
- 1705 Nakamura, Y., Matsumura, S., Kozu, T. and Fukumoto, Y.: (Simultaneous determination of organochlorine pesticides in cereals and assorted feeds by capillary gas chromatography with electron-capture detection). *Chikusan no Kenkyu*, 42 (1988) 1361-1367; *C.A.*, 110 (1989) 133787y.

See also 1836, 1843, 1883, 1896, 1922, 1928, 1951, 1973.

29b. Phosphorus insecticides

- 1706 Minemoto, M., Eto, S. and Noda, H.: (Determination of an organophosphate pesticide, fenitrothion, by gas chromatography-mass spectrometry in biological samples of patients for acute-chemical substance intoxication). *Kyushu Yakugakkai Kaiho*, No. 42 (1988) 65-70; *C.A.*, 110 (1989) 90031c.
- 1707 Takahashi, S. and Ohnishi, S.: (Analysis of organophosphate pesticides by gas chromatography/mass spectrometry). *Shimadzu Hyoron*, 45 (1988) 219-237; *C.A.*, 110 (1989) 11001a.
- 1708 Xu Yong, Chen Hexin, Fan Defang and Lu Yitong: (Determination of methamidophos residues in straw, hull and bran of rice). *Huanjing Wuran Yu Fangzhi*, 10, No. 3 (1988) 44, 31; *C.A.*, 110 (1989) 149255j.
- 1709 Zhang Qiao, Li Weige, Huang Shizhong, Zhai Yanlu and Li Zhixiang: (GC method for simultaneous determination of organophosphorus pesticides). *Huanjing Kexue Xuebao*, 8 (1988) 367-372; *C.A.*, 110 (1989) 130367a.
- 1710 Zhu Hong and Yie Yongmao: (A capillary GC multiresidue method for the organophosphorus (OP) pesticides). *Sepu*, 7 (1989) 30-33.

See also 1883, 1884, 1922, 1943, 1951, 1973.

29c. Carbamates

- 1711 Li Qing Xiao, Gee, S.J., McChesney, M.M., Hammock, B.D. and Seiber, J.N.: Comparison of an enzyme-linked immunosorbent assay and gas chromatographic procedure for the determination of molinate residues. *Anal. Chem.*, 61 (1989) 819-823.

See also 1546, 1864, 1875, 1879, 1941.

29d. Herbicides

- 1712 Allender, W.J.: Determination of chlorophenoxy herbicides in plant material exposed to spray drift. *J. Chromatogr. Sci.*, 27 (1989) 193-196.
- 1713 Class, T.J., Casida, J.E. and Ruzo, L.O.: Photochemistry of ethofenprox and three related pyrethroids with ether, alkane and alkene central linkages. *J. Agric. Food Chem.*, 37 (1989) 216-222.

See also 1802, 1862, 1920, 1923.

29e. Fungicides

- 1714 Suzuki, T., Ishizaka, T., Sasaki, K. and Saito, Y.: Some problems with 1,2-dibromoethane residue analysis. *J. Agric. Food Chem.*, 37 (1989) 564-567.

See also 1835, 1848, 1871.

29f. Other types of pesticides and various agrochemicals

- 1715 Ludwicki, J.K., Goralczyk, K. and Czaja, K.: (Determination of insecticides from the group of synthetic pyrethroids in plant materials). *Rocz. Panstw. Zakl. Hig.*, 39 (1988) 302-308; *C.A.*, 110 (1989) 93651r.

See also 1544, 1713, 1842, 1923.

31. PLASTICS AND THEIR INTERMEDIATES

- 1716 Cortes, H.J., Jewett, G.L., Pfeiffer, C.D., Martin, S. and Smith, C.: Multi-dimensional chromatography using on-line microcolumn liquid chromatography and pyrolysis gas chromatography for polymer characterization. *Anal. Chem.*, 61 (1989) 961-965.
- 1717 Derenne, S., Largeau, C., Casadevall, E., Tegelaar, E. and De Leeuw, J.W.: Relationships between algal coals and resistant cell wall biopolymers of extant algae as revealed by Py-GC-MS. *Fuel Process. Technol.*, 20 (1988) 93-101; *C.A.*, 110 (1989) 98458t.
- 1718 Elomas, M., Salo, S., Plit, L., Lindberg, J.J., Kulik, E. and Kaljurans, M.: (New methods of pyrolysis gas chromatography for the analysis of polymers). *Kem.-Kemi*, 15 (1988) 875-880; *C.A.*, 110 (1989) 136068a.
- 1719 Faix, O., Meier, D. and Fortmann, I.: Pyrolysis-gas chromatography-mass spectrometry of two trimeric lignin model compounds with alkyl-aryl ether structure. *J. Anal. Appl. Pyrolysis*, 14 (1988) 135-148; *C.A.*, 110 (1989) 97398m.
- 1720 Harris, R.F.: Structural features of poly(alkylene ether carbonate) diol oligomers by capillary gas chromatography. *J. Appl. Polym. Sci.*, 37 (1989) 183-200; *C.A.*, 110 (1989) 115618q.
- 1721 Jansen, J.A.J., Haas, W.E., Neutkens, H.G.M. and Leenen, A.J.H.: Evaluation of outgassing processes of plastics and rubbers using on-line thermal desorption-GC-DTIR-MS. *Thermochim. Acta*, 134 (1988) 307-312; *C.A.*, 110 (1989) 96368q.
- 1722 Liu Bo, Chen Silei and Fang Xusheng: (Indirect determination of the residual monomer amount in acrylic-melamine paints. 1. Establishment of chemical analysis method). *Tuliao Gongye*, No. 4 (1988) 47-48; *C.A.*, 110 (1989) 137018w.

- 1723 Lu Jiashen: (Gas chromatographic analysis of glycidyl methacrylate). *Huaxue Shijie*, 29 (1988) 410-413; *C.A.*, 110 (1989) 95823x.
- 1724 Mandal, B.M., Bhattacharya, C. and Bhattacharyya, S.N.: Thermodynamic characterization of binary polymer blends by inverse gas chromatography. *J. Macromol. Sci., Chem.*, A26 (1989) 175-212; *C.A.*, 110 (1989) 135998s.
- 1725 Mokeeva, R.N., Tsarfin, Ya.A. and Dukhanina, I.N.: (Gas-chromatographic determination of ethylene oxide, nitrogen, and water in the gas phase during synthesis of hydroxyethyl cellulose). *Plast. Massy*, No. 12 (1988) 49-50; *C.A.*, 110 (1989) 137244s.
- 1726 Saprykin, L.V., Kiseleva, N.V. and Temerdashev, Z.A.: (Pyrolysis gas chromatography for study of thermal degradation of natural polymers). *Khim. Drev.*, No. 1 (1989) 107-109; *C.A.*, 110 (1989) 137226n.
- 1727 Shadrina, N.E., Pavlova, V.F., Badyrov, B.Kh., Asamov, M.K. and Podlesskaya, N.K.: (Study of the structure of copolymers of tetrafluoroethylene with vinyl acetate by pyrolytic gas chromatography). *Vysokomol. Soedin., Ser. A*, 30 (1988) 2618-2622; *C.A.*, 110 (1989) 102273y.
- 1728 Sun Xunyun, Wang Qingfan, Chia Zangfang and Liu Jun: (Analysis of alkylene oxide polymers by gas chromatography). *Sepu*, 7 (1989) 50-52.
- 1729 Verdu, E., Devesa, J., Maldonado, F. and Porta, N.: (Pyrolysis gas chromatography for analysis of ethylene-vinyl acetate copolymers). *Rev. Plast. Mod.*, 56 (1988) 893-904; *C.A.*, 110 (1989) 96168z.
- 1730 Vokina, O.G., Tsarik, L.Ya., Istomina, S.N., Kazantsova, G.V., Solov'eva, E.D., Amosova, S.V. and Kulabina, A.V.: (Porous network copolymers of divinyl sulfide). *Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. Nauk*, No. 6 (1988) 107-112; *C.A.*, 110 (1989) 136211s.
- 1731 Voznyakovskii, A.P. and Genkin, A.N.: Interphase interactions of components in block copolymers and their sorption of low-molecular-weight compounds. *Vysokomol. Soedin., Ser. A*, 30 (1988) 2319-2322; *C.A.*, 110 (1989) 76495a.
- 1732 Washall, J.W. and Wampler, T.P.: Analytical pyrolysis of complex multicomponent samples. *J. Chromatogr. Sci.*, 27 (1989) 144-148.
- 1733 Wisniewski, M. and Szymanowski, J.: Polarity and hydrophile-lipophile balance of polydisperse poly(oxyethylene) 4-alkylphenylamines as determined by gas chromatography. *Colloid Polym. Sci.*, 267 (1989) 59-64; *C.A.*, 110 (1989) 137527m.

See also 1418, 1510, 1782, 1977, 1984.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

- 1734 De Ruig, W.G., Stephany, R.W. and Dijkstra, G.: Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds. *J. Chromatogr.*, 489 (1989) 89-93.
- 1735 Gorog, S., Lauko, A. and Herenyi, B.: Estimation of impurity profiles in drugs and related materials. *J. Pharm. Biomed. Anal.*, 6 (1987, Pub. 1988) 697-705; *C.A.*, 110 (1989) 82603a.
- 1736 Popescu-Dimofte, L.M.: (Determination of water in drugs and lyophilized products by gas chromatography). *Rom. Pat.* RO 90,834 (Cl. G01N31/08), 30 Jan. 1987, Appl. 116,032, 19 Oct. 1984; 2 pp.; *C.A.*, 110 (1989) 141699m.
- 1737 Tsuchihashi, H., Ono, H. and Tatsuno, M.: (Retrieval system for drugs with dual fused silica capillary gas chromatography). *Eisei Kagaku*, 34 (1988) 256-265; *C.A.*, 110 (1989) 149268r.

See also 1653, 1753, 1783, 1787.

32b. Antirheumatics and antiinflammatory drugs

- 1738 Khusanova, E.T., Mikhailova, V.V., Narmetova, G.R. and Sakhibov, A.D.: (Chromatographic and mass spectrometric analysis of antipyrine using a universal liquid phase). *Uzb. Khim. Zh.*, No. 5 (1988) 67-70; *C.A.*, 110 (1989) 101984u.

See also 1653.

32c. Autonomic and cardiovascular drugs

- 1739 Abdullaeva, M.U., Ikramov, L.T. and Islamov, T.Kh.: (Chromatographic methods for the detection of phencarol). *Farmatsiya (Moscow)*, 38 (1989) 38-40; *C.A.*, 110 (1989) 160471x.
- 1740 Constanzer, M.L., Matuszewski, B.K., Hsieh, J.K. and Wayne, W.F.: Determination of picogram levels of a novel α_2 -adrenergic receptor antagonist in plasma using solid-phase extraction and capillary gas chromatography with nitrogen-selective detection. *J. Chromatogr.*, 488 (1989) 476-481.
- 1741 Hynning, P.-A., Anderson, P., Bondesson, U. and Boreus, L.O.: Liquid-chromatographic quantification compared with gas-chromatographic-mass spectrometric determination of verapamil and norverapamil in plasma. *Clin. Chem. (Winston-Salem)*, 34 (1988) 2502-2503.
- 1742 Kintz, P., Godelar, B., Mangin, P., Chaumont, A.J. and Lugnier, A.A.: Identification and quantification of trihexyphenidyl and its hydroxylated metabolite by gas chromatography with nitrogen-phosphorus detection. *J. Anal. Toxicol.*, 13 (1989) 47-49; *C.A.*, 110 (1989) 107493e.
- 1743 Leloux, M.S., De Jong, E.G. and Maes, R.A.A.: Improved screening method for beta-blockers in urine using solid-phase extraction and capillary gas chromatography-mass spectrometry. *J. Chromatogr.*, 488 (1989) 357-367.
- 1744 Musson, D.G., Tobias, R.J., Jr., Maglietto, B.K., Ramjit, H.G. and Bayne, W.F.: A sensitive gas chromatographic-mass spectrometric assay for a novel dopamine agonist, (+)-*trans*-3,4,4a,5,6,10b-hexahydro-4-propyl-2H-naphth(1,2-b)(1,4)oxazin-9-ol, in human plasma. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 293-298; *C.A.*, 110 (1989) 68868j.
- 1745 Sha Zhenfang, Sun Wenji, Gao Hai and Zhao Shengqi: (Determination of content of nitroglycerin tablets by HPLC and GC). *Sepu*, 7 (1989) 60-61.
- 1746 Song Xiaoxuan: (Determination of gossypol by gas-liquid chromatography). *Zhiwu Shenglixue Tongxun*, No. 6 (1988) 61-63; *C.A.*, 110 (1989) 111077q.

See also 1671, 1673, 1774, 1780.

32d. Central nervous system drugs

- 1747 Banditt, P., Quednow, B. and Walther, H.: (Gas chromatographic determination of lidocaine in blood serum). *Zentralbl. Pharm., Pharmakother. Laboratoriums-diagn.*, 127 (1988) 717-719; *C.A.*, 110 (1989) 68899v.
- 1748 Braselton, W.E., Jr., Ray, J.S., Slanker, M.R. and Rumler, P.C.: Determination of embutramide in mammalian tissues. *Vet. Hum. Toxicol.*, 30 (1988) 536-539; *C.A.*, 110 (1989) 70624v.
- 1749 Culea, M., Palibroda, N., Moldovan, Z., Vegh, P. and Abraham, A.D.: Determination of procaine in rat liver and brain tissues by capillary gas chromatography and gas chromatography-mass spectrometry. *Rev. Roum. Biochim.*, 25 (1988) 255-261; *C.A.*, 110 (1989) 107504j.
- 1750 Gomita, Y., Furuno, K. and Araki, Y.: (Determination of antiepilepsy drugs in blood). *Rinsho Kensa*, 32 (1988) 1453-1458; *C.A.*, 110 (1989) 127876k - a review with 14 refs.
- 1751 Kintz, P., Mangin, P., Lugnier, A.A., Chaumont, A.J.: Simultaneous determination of fentanyl and its major metabolites and fentanyl analogues using gas chromatography and nitrogen-selective detection. *J. Chromatogr.*, 489 (1989) 459-461.
- 1752 Leis, H.J., Gleispach, H., Nitsche, V. and Malle, E.: Femtomole analysis of diclofenac in human plasma by gas chromatography/negative ion chemical ionization mass spectrometry using ($^{18}\text{O}_2$)-diclofenac as internal standard. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 437-441; *C.A.*, 110 (1989) 87838r.
- 1753 Leppik, I.E., Oles, K.S., Sheehan, M.L., Penry, J.K., Parker, D.R., Gallagher, T.K., Caron, G.P., Rosenfeld, W. and Salmon, J.J.: Phenytoin and phenobarbital concentrations in serum: a comparison of Ames Seralyzer with GLC, TDx, and EMIT. *Ther. Drug Monit.*, 11 (1989) 73-78; *C.A.*, 110 (1989) 107491c.
- 1754 Okudzhava, V.M., Chankvetadze, B.G. and Rukhadze, M.D.: (Simultaneous quantitative determination of benzonal (or phenobarbital), primidone, and diphenylhydantoin by gas-liquid chromatography). *Soobsheh. Akad. Nauk Gruz. SSR*, 132 (1988) 61-64; *C.A.*, 110 (1989) 107497j.

- 1755 Park, Jongsei, Shin Yunsuk O., Choo Hea-Young P.: Metabolism and pharmacokinetic studies of propionylpromazine in horses. *J. Chromatogr.*, 489 (1989) 313-321.
- 1756 Posthuma, R.M.: (A gas-liquid chromatographic method for the determination of mepivacaine in plasma). *Ziekenhuisfarmacie*, 4 (1988) 120-122; *C.A.*, 110 (1989) 127934c.
- 1757 Ribet, J.P., Pitet, G., Autin, J.M. and Cousse, H.: Analytical profile of dizatrifone, a new analgesic drug. *Boll. Chim. Farm.*, 126 (1987) 449-457; *C.A.*, 110 (1989) 121532y.
- 1758 Takahashi, M., Nakayama, K., Uehara, S., Kamata, K., Hagiwara, T. and Akiyama, K.: (Determination of nonpyrin preparations for common cold. IV. Antihistaminics). *Kenkyu Nenpo - Tokyo-toritsu Eisei Kenkyusho*, No. 39 (1988) 65-68; *C.A.*, 110 (1989) 160467a.
- 1759 Wasels, R., Belleville, F., Paysant, P., Nabet, P. and Krakowski, I.: Determination of morphine in plasma by gas chromatography using a macrobore column and thermionic detection after Extrelut column extraction: Application to follow-up morphine treatment in cancer patients. *J. Chromatogr.*, 489 (1989) 411-418.
- 1760 Xu, B.M.: (Studies on gas chromatographic quantitative determination and identification of compound tablets of theophylline). *Yaowue Xuebao*, 23 (1988) 835-838; *C.A.*, 110 (1989) 141667z.

See also 1788, 1903.

32e. *Chemotherapeutics (except cytostatics and antibiotics)*

- 1761 Al-Sayegh, A.J. and Lyle, S.J.: Pyrolysis-gas chromatography of separated zones on thin-layer chromatograms. IV. Application to the determination of some sulfonamide drugs. *J. Anal. Appl. Pyrolysis*, 14 (1989) 323-330.
- 1762 Dunphy, M.J. and Smith, D.J.: Quantitation of N,N,N',N'-tetrakis(2-hydroxypropyl)-ethylenediamine in plasma by gas chromatography. *J. Chromatogr.*, 488 (1989) 369-377.
- 1763 Sadana, G.S. and Gaonkar, M.V.: Quantitative determination of metronidazole benzoate in pharmaceutical dosage forms by GC. *J. Indian Chem. Soc.*, 65 (1988) 608-610; *C.A.*, 110 (1989) 121530w.

See also 1419.

32f. *Cytostatics*

See 1841.

32g. *Other drug categories*

- 1764 Bogdarin, Yu.A.: (Gas chromatographic determination of tissue carnitine). *Khim.-Farm. Zh.*, 22 (1988) 1516-1518; *C.A.*, 110 (1989) 91497w.
- 1765 Huang Wei, Liu Guojun, Zhang Yiguang, Mu Wenxuan and Zhang Jiyong: Total residue analysis of amitraz in the rabbit tissue by gas chromatography. *Huaxi Yike Daxue Xuebao*, 19 (1988) 419-421; *C.A.*, 110 (1989) 73965t.
- 1766 Schilt, R., Weseman, J.M., Hooijerink, H., Korbee, H.J., Traag, W.A., van Steenberghe, M.J. and Haasnoot, W.: Screening and confirmation of thyreostatics in urine by gas chromatography with nitrogen-phosphorus detection and gas chromatography-mass spectrometry after sample clean-up with a mercurated affinity column. *J. Chromatogr.*, 489 (1989) 127-137.
- 1767 Schneider, W., Keller, B. and Degen, P.H.: Determination of the new nomaamine oxidase inhibitor brofaromine and its major metabolite in biological material by gas chromatography with electron-capture detection. *J. Chromatogr.*, 488 (1989) 275-282.
- 1768 Tsacomas, C., Devissaguet, M. and Padieu, P.: Gas chromatography-mass spectrometry of perindopril and its active free metabolite, an angiotensin convertase inhibitor: Choice of derivatives and ionization modes. *J. Chromatogr.*, 488 (1989) 249-265.
- 1769 Xu Jingyao, Ren Baoqin and Zhou Qin: (Isolation and identification of royal jelly acid in royal jelly pharmaceuticals). *Yaowue Tongbao*, 23 (1988) 462-463; *C.A.*, 110 (1989) 82579x.

- 1770 Zavrazhnaya, T.A.: (Use of gas chromatography for determination of nicotinic acid). *Farmatsiya (Moscow)*, 38 (1989) 36-38; *C.A.*, 110 (1989) 160455v.

See also 1551.

32h. *Toxicological and forensic applications*

- 1771 Barnfield, C., Burns, S., Byrom, D.L. and Kemmence, A.V.: The routine profiling of forensic heroin samples. *Forensic Sci. Int.*, 39 (1988) 107-117; *C.A.*, 110 (1989) 109539y.
- 1772 Bertol, A., Mari, F. and di Milia, M.G.: Programmable temperature vaporizer applications in an high-resolution gas chromatographic method for the quantitation of impurities in illicit heroin. *J. Chromatogr.*, 466 (1989) 384-389.
- 1773 Cone, E.J. and Mitchell, J.: Validity testing of commercial urine cocaine metabolite assays: II. Sensitivity, specificity, accuracy, and confirmation by gas chromatography/mass spectrometry. *J. Forensic Sci.*, 34 (1989) 32-45; *C.A.*, 110 (1989) 149273p.
- 1774 Delbeke, F.T., Debackere, M., Desmet, N. and Maertens, F.: Comparative study of extraction methods for the GC and GC-MS screening of urine for beta-blocker abuse. *J. Pharm. Biomed. Anal.*, 6 (1987, Pub. 1988) 827-835; *C.A.*, 110 (1989) 70613r.
- 1775 De Zeeuw, R.A.: Modern chromatographic procedures in systematic toxicological analysis. *J. Chromatogr.*, 488 (1989) 199-213.
- 1776 Engstroem, K. and Riihimaeki, V.: Determination of xylenes in blood by head-space gas chromatography. *IARC Sci. Publ.*, 85 (1988) 307-311; *C.A.*, 110 (1989) 70589n.
- 1777 Hara, K., Kageura, M., Morinaga, M., Hieda, Y., Takamoto, M., Kashimura, S. and Tsuji, T.: Detection of toluene in a putrefied human body. *Nippon Hoigaku Zasshi*, 42 (1988) 354-357; *C.A.*, 110 (1989) 90044j.
- 1778 Johansson, E., Noren, K., Sjoevall, J. and Halldin, M.M.: Determination of Δ^1 -tetrahydrocannabinol in human fat biopsies from marijuana users by gas chromatography-mass spectrometry. *Biomed. Chromatogr.*, 3 (1989) 35-38; *C.A.*, 110 (1989) 109553y.
- 1779 Jonsson, J.A., Eklund, A. and Molin, L.: Determination of ethylene glycol in *postmortem* blood by capillary gas chromatography. *J. Anal. Toxicol.*, 13 (1989) 25-26; *C.A.*, 110 (1989) 90041f.
- 1780 Mule, S.J. and Casella, G.A.: Confirmation and quantitation of barbiturates in human urine by gas chromatography/mass spectrometry. *J. Anal. Toxicol.*, 13 (1989) 13-16; *C.A.*, 110 (1989) 90039m.
- 1781 Paul, B.D., Mitchell, J.M., Mell, L.D., Jr. and Irving, J.: Gas chromatography/electron impact mass fragmentometric determination of urinary 6-acetylmorphine, a metabolite of heroin. *J. Anal. Toxicol.*, 13 (1989) 2-7; *C.A.*, 110 (1989) 90038k.
- 1782 Payne, J.J.: Applications of chemistry to criminalistics: A. Pyrolysis gas chromatography of tire rubber on implements involved in tire slashings. B. Solvent interferences with the Intoxilyzer 5000. Available *Diss. Abstr. Int. B*, 49 (1988) 1661; *Univ. Microfilms*, Order No. DA8811668 (1987) 187 pp.; *C.A.*, 110 (1989) 109548a.
- 1783 Pudill, R. and Prison, R.: (Gas-chromatographic-mass-spectrometric detection and identification of additives, and drug substitutes in confiscated samples of drugs of abuse and on drug users' equipment). *Labor.-Med.*, 11 (1988) 607-612; *C.A.*, 110 (1989) 109547z.
- 1784 Rizov, N., Benchev, I., Tashkov, V. and Kolarska, A.: (Determination of volatile toxic substances in biological products by gas chromatography-head space analysis. IV. Determination of formaldehyde in urine). *Khig. Zdraveopaz.*, 31, No. 4 (1988) 74-76; *C.A.*, 110 (1989) 70595m.
- 1785 Rosenfeld, J.M., Moharir, Y. and Sandler, S.D.: Selective sample preparation for determination of 11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol from human urine by gas chromatography with electron capture detection. *Anal. Chem.*, 61 (1989) 925-928.
- 1786 Selala, M.I., Janssens, J.J., Coucke, V., Andries, S. and Schepens, P.J.C.: Positive confirmation of identity of doping agents using gas chromatography-mass spectrometry with Fourier transform infrared spectrometry. *J. Chromatogr.*, 489 (1989) 51-56.

- 1787 Stephany, R.W.: Molecular spectroscopy in forensic residue analysis: A general overview of reliability, applicability and cost effectiveness. *J. Chromatogr.*, 489 (1989) 3-9.
- 1788 Tsuchihashi, H., Nakajima, K., Nishikawa, M., Shiomi, K. and Takahashi, S.: Headspace gas chromatography of stimulants in urine by in-column trifluoroacetyl derivatization method. *J. Chromatogr.*, 467 (1989) 227-235.
- 1789 Verebey, K. and DePace, A.: Rapid confirmation of enzyme multiplied immunoassay technique (EMIT) cocaine positive urine samples by capillary gas-liquid chromatography/nitrogen phosphorus detection (GLC/NPD). *J. Forensic Sci.*, 34 (1989) 46-52; *C.A.*, 110 (1989) 149274q.

See also 1492, 1653, 1706, 1742, 1806, 1820, 1896, 1903, 1960.

32i. *Plant extracts*

- 1790 Miyazawa, M., Kamecka, H., Morinaga, K., Negoro, K. and Mura, N.: Hydrocineole: Four new metabolites of 1,8-cineole in rabbits. *J. Agric Food Chem.*, 37 (1989) 222-226.
- 1791 Zhu Jingsheng, Heo Chenfu, Wei Minji, Wang Xi and Luo Xu: (Quality assessment of the traditional Chinese medicine Houpo, the bark of *Magnolia officinalis* by chemical pattern recognition). *Fenxi Ceshi Tongbao*, 7, No. 5 (1988) 20-26; *C.A.*, 110 (1989) 141638r.

33. CLINICO-CHEMICAL APPLICATIONS

33b. *Complex mixtures and profiling (single compounds by cross ref. only)*

- 1792 Antoshechkin, A.G., Golovkin, A.B., Maximova, L.A. and Bakharev, V.A.: Screening of amniotic fluid metabolites by gas chromatography-mass spectrometry. *J. Chromatogr.*, 489 (1989) 353-358.
- 1793 Avery, M.J.: Determination of aromatic amines in urine and serum. *J. Chromatogr.*, 488 (1989) 470-475.
- 1794 Bellemonk, G., Boniglia, C., Carratu, B., Falconieri, G., Filesi, C., Franciosa, G., Giammarioli, S., Mosca, M., Sanzini, E. and Signoretti, A.: GC study of erythrocyte fatty acids in newborns as influenced by the diet). *Riv. Ital. Sost. Grasse*, 65 (1988) 535-540.
- 1795 Bories, G. and Fernandez Suarez, A.: Profiling of free and conjugated [³H]zseranol metabolites in pig plasma. *J. Chromatogr.*, 489 (1989) 191-197.
- 1796 Bossant, M.J., Farinotti, R., De Maack, F., Mahuzier, G., Benveniste, J. and Ninio, E.: Capillary gas chromatography and tandem mass spectrometry of paf-acether and analogs: Absence of 1-O-alkyl-2-propionyl-sn-glycero-3-phosphocholine in human polymorphonuclear neutrophils. *Lipids*, 24 (1989) 121-124.
- 1797 Boulton, A.A., Durden, D.A. and Davis, B.A.: Isolation, separation and analysis in neurochemistry: Trace amines and acids as an illustrative example. *J. Chromatogr.*, 488 (1989) 129-143.
- 1798 Cai Minghong, Chen Gang and Yang Xiangjing: (Gas-chromatographic determination of sorbitol in serum). *Yaowu Fenxi Zazhi*, 8 (1988) 350-352; *C.A.*, 110 (1989) 107516q.
- 1799 Cardillo, M., Camurati, F. and Fedeli, E.: (Preparation of pancreatic lipase immobilized on insoluble supports and study of optimum conditions for fats hydrolysis). *Riv. Ital. Sost. Grasse*, 65 (1988) 525-527.
- 1800 Chaves das Neves, H.J. and Vasconcelos, A.M.P.: Amino acid profiling using HRGC-FTIR of tert.-butyldimethylsilyl derivatives. *Chromatographia*, 27 (1989) 233-237.
- 1801 Choi, Yong-Soon, Goto, S., Ikeda, I. and Sugano, M.: Effect of dietary n-3 polyunsaturated fatty acids on cholesterol synthesis and degradation in rats of different ages. *Lipids*, 24 (1989) 45-50.
- 1802 De Felip, E., Di Domenico, A. and Volpi, F.: Gas chromatographic-mass spectrometric method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine. *J. Chromatogr.*, 489 (1989) 404-410.

- 1803 Diez Ibanez, M.A., Chessebeuf-Padieu, M. and Padieu, P.: Gas chromatographic-mass spectrometric study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction. *J. Chromatogr.*, 488 (1989) 237-248.
- 1804 Dumasia, M.C., Houghton, E. and Jackiw, M.: Steroids in equine testes: the identification of endogenous 19-hydroxy and 19-nor neutral steroids by gas chromatography-mass spectrometry. *J. Endocrinol.*, 120 (1989) 223-229; *C.A.*, 110 (1989) 108394k.
- 1805 Eades, D.M., Williamson, J.R. and Sherman, W.R.: Rapid analysis of sorbitol, galactinol, mannitol and myoinositol mixtures from biological sources. *J. Chromatogr.*, 490 (1989) 1-8.
- 1806 Engstroem, K. and Riihimaeki, V.: Determination of methylhippuric acids in urine by gas chromatography. *IARC Sci. Publ.*, 85 (1988) 313-318; *C.A.*, 110 (1989) 89996q.
- 1807 Jellum, E., Kvittingen, E.A. and Stokke, O.: Mass spectrometry in diagnosis of metabolic disorders. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 57-62; *C.A.*, 110 (1989) 150863n.
- 1808 Jellum, E. and Thorsrud, A.K.: Profiling cells and body fluids - chromatography and two-dimensional electrophoresis as complementary techniques. *J. Chromatogr.*, 488 (1989) 105-127.
- 1809 Johnson, S.B., Kramer, T.R., Briske-Anderson, M. and Holman, R.T.: Fatty acid pattern of tissue phospholipids in copper and iron deficiencies. *Lipids*, 24 (1989) 141-145.
- 1810 Jone, C.M. and Wu, A.H.B.: An unusual case of toluene-induced metabolic acidosis. *Clin. Chem. (Winston-Salem)*, 34 (1988) 2596-2599.
- 1811 Kamido, H., Matsuzawa, Y. and Tarui, S.: Lipid composition of platelets from patients with atherosclerosis: Effect of purified eicosapentaenoic acid ethyl ester administration. *Lipids*, 23 (1988) 917-923.
- 1812 Kassel, D.B., Glerum, M., Robinson, B.H. and Sweeley, C.C.: Determination of U-¹³C glucose turnover into various metabolite pools for the differential diagnosis of lactic acidemias. *Anal. Biochem.*, 176 (1989) 382-389.
- 1813 Kasuya, Y., Furuta, T. and Hirota, N.: Determination of cortisol in human plasma by stable isotope dilution mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 16 (1987; Pub. 1988) 309-311; *C.A.*, 110 (1989) 108300b.
- 1814 Kohda, Y., Matsui, M., Yamamoto, K., Nishihara, K. and Saitoh, Y.: Solvent flush method for determination of valproic acid in plasma by gas chromatography. *Chem. Pharm. Bull.*, 36 (1988) 5012-5015; *C.A.*, 110 (1989) 127920v.
- 1815 Labadarios, D., Moodie, I.M., Hough, B.J. and Burger, J.A.: Determination of amino acids in human cerebrospinal fluid by gas chromatography. *J. High Resolut. Chromatogr.*, 12 (1989) 234-238.
- 1816 Liebich, H.M. and Dotzauer, A.: Quantitative determination of oxocarboxylic and hydrocarboxylic acids in normal and ketoacidotic patients. *J. High Resolut. Chromatogr.*, 12 (1989) 160-163.
- 1817 Malle, E., Gleispach, H., Kostner, G.M. and Leis, H.J.: Isotope dilution gas chromatography-mass spectrometry for the study of eicosanoid metabolism in human blood platelets. *J. Chromatogr.*, 488 (1989) 283-293.
- 1818 Marra, C.A., de Alaniz, M.J.T. and Brenner, R.R.: Effect of various steroids on the biosynthesis of arachidonic acid in isolated hepatocytes and HTC cells. *Lipids*, 23 (1988) 1053-1058.
- 1819 Maucher, H., Nuber, R., Stange, E.F. and Ditschuneit, H.: Gas chromatographic determination of serum bile acids - application of a novel extraction procedure. *Chromatographia*, 26 (1988) 343-344.
- 1820 Mikkelsen, S.L. and Ash, K.O.: Adulterants causing false negatives in illicit drug testing. *Clin. Chem. (Winston-Salem)*, 34 (1988) 2333-2336.
- 1821 Mitchell, S.L., Ross, B.D., Krick, T. and Garwood, M.: Gas chromatographic-mass spectrometric analysis of hexose monophosphate shunt activity in cultured cells. *Biochem. Biophys. Res. Commun.*, 158 (1989) 474-479; *C.A.*, 110 (1989) 111275c.
- 1822 Okawa, Y. and Satou, S.: (Studies on the determination of absolute quantities of fatty acids in serum). *Yukagaku*, 37 (1988) 985-990; *C.A.*, 110 (1989) 111113y.
- 1823 Shoda, J., Osuga, T., Mahara, R., Tohma, M., Matsuura, K., Tanaka, N., Matsuzaki, Y. and Miyazaki, H.: Altered metabolism of bile acids in cholestasis: Determination of 1 β - and 6 α -hydroxylated metabolites. *J. Chromatogr.*, 488 (1989) 315-328.

- 1824 Vreman, H.J., Mahoney, J.J., van Kessel, A.L.O. and Stevenson, D.K.: Carboxy-hemoglobin as measured by gas chromatography and with the IL 282 and 482 CO-oxinator. *Clin. Chem. (Winston-Salem)*, 34 (1988) 2562-2566.
- 1825 Williams, L.L., Doodly, D.M. and Horrocks, L.A.: Serum fatty acid proportions are altered during the year following acute Epstein-Barr virus infection. *Lipids*, 23 (1988) 981-988.

See also 1592, 1675.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross ref. only)

- 1826 Abu-Hadeed, A.M. and Kotb, A.R.: A method for the quantitative determination of individual oils in a blend. *J. Am. Oil Chem. Soc.*, 65 (1988) 1922-1926.
- 1827 Adamczyk, B., Genuit, W. and Boon, J.J.: A simple approach to the dynamic headspace analysis of volatile flavors using a gas chromatography-photoionization mass spectrometer. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 373-375; *C.A.*, 110 (1989) 73921a.
- 1828 Ahmed, F.A., Sharaf, A., Mahrout, T.S. and El-Saadamy, S.S.: Effect of kinetin (plant growth regulator) on lipid composition of soybean and safflower. *Grasas Aceites*, 39 (1988) 213-218.
- 1829 Al-Kahtani, H.A.: Quality of soybeans and their crude oils in Saudi Arabia. *J. Am. Oil Chem. Soc.*, 66 (1989) 109-113.
- 1830 Banerji, R., Chowdhury, A.R., Misra, G. and Nigam, S.K.: Chemical composition of *Acacia* seeds. *J. Am. Oil Chem. Soc.*, 65 (1988) 1959-1960.
- 1831 Bocca, A., Del Giovine, L., Delise, N. and Rondinone, R.: (Hydrogenated fats in products destined to a particular age consumers). *Riv. Ital. Sost. Grasse*, 65 (1988) 271-275.
- 1832 Brunetti, L., Daghetta, A., Fedeli, E., Kikic, I. and Zanderighi, L.: Deacidification of olive oils by supercritical carbon dioxide. *J. Am. Oil Chem. Soc.*, 66 (1989) 209-217.
- 1833 Carrillo, P.J., Gilbert, S.G. and Daun, H.: Starch/sucrose interactions by organic probe analysis: an inverse gas chromatography study. *J. Food Sci.*, 54 (1989) 162-165; *C.A.*, 110 (1989) 152913c.
- 1834 Cossa, G., Trova, C. and Gandolfo, G.: (Determination of tetrachloroethylene in extravirgin olive oils by means of transesterification and direct injection). *Riv. Ital. Sost. Grasse*, 65 (1988) 447-449.
- 1835 Daft, J.L.: Determination of fumigants and related chemicals in fatty and nonfatty foods. *J. Agric. Food Chem.*, 37 (1989) 560-564.
- 1836 Daft, J.L.: Determination of pesticide residues in food with a 6% cyanopropyl-phenyl capillary column. *J. Chromatogr. Sci.*, 27 (1989) 75-78.
- 1837 Dai Xin, Wang Guizhi and Cui Shulan: (Determination of micro-amount of cyanide in grain by gas chromatography). *Sepeu*, 7 (1989) 59-60.
- 1838 Dorey, F., Brodin, D., Le Querler, J.F. and Kuzdzal-Savoie, S.: (Fatty acid analysis of butter by gas chromatography coupled with mass spectrometry). *Ind. Aliment. Agric.*, 105 (1988) 437-442; *C.A.*, 110 (1989) 73935h.
- 1839 Fischer, K.-H., Laskawy, G. and Grosch, W.: Autoxidation of methyl α -eleostearate. Identification of the low molecular weight decomposition products. *Fat Sci. Technol.*, 91 (1989) 58-61.
- 1840 Gatti, G.C., Zoboli, G., Colombini, L. and Lanzarini, S.: (Gas-chromatographic determination of dodine (*n*-dodecylguanidine acetate) residues in apples). *Ind. Aliment. (Pinerolo, Italy)*, 27 (1988) 274-276; *C.A.*, 110 (1989) 73931d.
- 1841 Ha, Y.L., Grimm, N.K. and Pariza, M.W.: Newly recognized anticarcinogenic fatty acids: Identification and quantification in natural and processed cheese. *J. Agric. Food Chem.*, 37 (1989) 75-81.
- 1842 Hajslova, J., Jehlickova, Z., Pudil, E. and Davidek, J.: Residues of clopyralide (3,6-dichloropicolinic acid) in strawberries and their changes. *Nahrung*, 32 (1988) 861-865; *C.A.*, 110 (1989) 133841m.
- 1843 Hansen, L.G., Sullivan, J.M., Neff, C.C., Sanders, P.E., Lambert, R.J., Beasley, V.R. and Storr-Hansen, E.: Polychlorinated biphenyl contamination of domestic turkeys from building materials. *J. Agric. Food Chem.*, 37 (1989) 135-139.

- 1844 Harima, M.: (Separation techniques for food constituents by the supercritical fluid method and supercritical fluid chromatography). *Gekkan Fudo Kemikaru*, 4, No. 12 (1988) 65-74; *C.A.*, 110 (1989) 113289j.
- 1845 Hempel, G. and Ruedt, U.: (Determination of monomeric volatile components in model foods). *Dtsch. Lebensm.-Rundsch.*, 84 (1988) 286-290; *C.A.*, 110 (1989) 73920z.
- 1846 Homberg, E. and Bielefeld, B.: Zusammensetzung von Sterinen in 41 verschiedenen pflanzlichen und tierischen Fetten. *Fat Sci. Technol.*, 91 (1989) 23-27.
- 1847 Hsieh, T.C.Y., Williams, S.S., Vejaphan, W. and Meyers, S.P.: Characterization of volatile components of menhaden fish (*Brevoortia tyrannus*) oil. *J. Am. Oil Chem. Soc.*, 66 (1989) 114-117.
- 1848 Husain, S., Sarma, P.N. and Swamy, G.Y.S.K.: Monitoring ethylene dibromide residue in Indian black pepper by gas-liquid chromatography using electron capture detector. *Indian J. Technol.*, 26 (1988) 403-404; *C.A.*, 110 (1989) 133777v.
- 1849 Julin, L., Sarkki, J. and Manninen, A.: Analysis of erucic content of vegetable oil. *Riv. Ital. Sostanze Grasse*, 65 (1988) 143-145; *C.A.*, 110 (1989) 73940f.
- 1850 Jung, M.Y., Yoon, S.H. and Min, D.B.: Effect of processing steps on the contents of minor compounds and oxidation of soybean oil. *J. Am. Oil Chem. Soc.*, 66 (1989) 118-120.
- 1851 Kallio, H., Laakso, P., Huapalahti, R., Linko, R.R. and Oksman, P.: Analysis of butter fat triacylglycerols by supercritical fluid chromatography/electron impact mass spectrometry. *Anal. Chem.*, 61 (1989) 698-700.
- 1852 Kanya, T.C.S. and Urs, M.K.: Studies on taramira (*Eruca sativa*) seed oil and meal. *J. Am. Oil Chem. Soc.*, 66 (1989) 139-140.
- 1853 Kato, H., Nagai, Y., Yamamoto, K. and Sakabe, Y.: Determination of poly-sorbates in foods by colorimetry with confirmation by infrared spectrophotometry, thin-layer chromatography, and gas chromatography. *J. Assoc. Off. Anal. Chem.*, 72 (1989) 27-29.
- 1854 Khalafy, H.M.E. and Fadel, H.M.: Studies on the fatty acid composition of Egyptian rice bran oils. *Seifen Ole Fette Wachse*, 115 (1989) 8-10.
- 1855 Kihara, K.: (Evaluation analysis of soy sauce. III. Use of two types of capillary column for gas chromatographic analyses). *Nippon Shoyu Kenkyusho Zasshi*, 14 (1988) 193-197; *C.A.*, 110 (1989) 152880q.
- 1856 Kitada, Y., Sasaki, M. and Yamazoe, Y.: (Determination of BHT and BHA in foods by gas chromatography with wide bore columns). *Nippon Shokuhin Kogyo Gakkaishi*, 35 (1988) 786-789; *C.A.*, 110 (1989) 113316r.
- 1857 Konwer, D., Taylor, S.E., Gordon, B.E., Otvos, J.W. and Calvin, M.: Liquid fuels from *Mesua ferrea* L. seed oil. *J. Am. Oil Chem. Soc.*, 66 (1989) 223-226.
- 1858 Lang Peizhen, Wang Minjian, Long Fengshan and Yuan Xing: (Analysis of organic pollutants in bodies of fish by gas chromatography). *Fenxi Ceshi Tongbao*, 7, No. 6 (1988) 38-40; *C.A.*, 110 (1989) 149267q.
- 1859 Lazos, E.S. and Servos, D.C.: Nutritional and chemical characteristics of orange seed oil. *Grasas Aceites*, 39 (1988) 232-234.
- 1860 Leone, A.M., Santoro, M., Liuzzi, V.A., La Notte, E. and Gambacorta, G.: (The structure of diglycerides and their occurrence in olive oils as means to characterize high quality products). *Riv. Ital. Sost. Grasse*, 65 (1988) 613-622.
- 1861 Leonte, M. and Rapp, A.: The gas chromatographic analysis of the flavor components in Muscat-Ottonel wine obtained in the presence of natural anti-oxidizing agents. *An. Univ. Galati, Fasc. 6*, No. 5 (1987) 7-12; *C.A.*, 110 (1989) 113110u.
- 1862 Liang Tianxi and Lou Xiaohua: (Analytical method for dicofol residues in vegetables). *Huynjing Huaxue*, 7, No. 5 (1988) 36-40; *C.A.*, 110 (1989) 152888y.
- 1863 Lognay, G., Marlier, M., Baudart, E., Severin, M. and Casimir, J.: Contribution a l'etude de l'huile du mil a chandelle (*Pennisetum americanum* L. Schum.). *Riv. Ital. Sost. Grasse*, 65 (1988) 291-294.
- 1864 MacNamara, K., Burke, N., Mullins, E. and Rapp, A.: Direct quantification of ethyl carbamate in distilled alcoholic beverages using a cold capillary injection system and optimised selected ion monitoring. *Chromatographia*, 27 (1989) 209-215.

- 1865 Manabe, M., Shinshi, E., Goto, T., Tanaka, K. and Misawa, Y.: (Fluorescent constituents in fermented foods. VIII. Gas-liquid chromatographic analytical system for kojic acid). *Nippon Shoyu Kenkyusho Zasshi*, 14 (1988) 183-186; *C.A.*, 110 (1989) 93652s.
- 1866 Matter, L., Schenker, D., Schomburg, G. and Husmann, H.: Characterization of animal fats via the gas-chromatographic pattern of FAME (fatty acid methyl ester) mixtures obtained by transesterification of the triglycerides. *GIT Fachz. Lab.*, 33, No. 1 (1989) 20-25; *C.A.*, 110 (1989) 152903z.
- 1867 Maurer, P. and Hanser, A.: Identification de certains produits aromatisants dans des aromes naturels. *Parf. Cosmet. Aromes*, 82 (1988) 69-72.
- 1868 Moshonas, M.G. and Shaw, P.E.: Changes in composition of volatile components in aseptically packaged orange juice during storage. *J. Agric. Food Chem.*, 37 (1989) 157-161.
- 1869 Murray, S., Gooderham, N.J., Boobis, A.R. and Davies, D.S.: An assay for 2-amino-3,8-dimethylimidazo(4,5-f)quinoxaline and 2-amino-3,4,8-trimethylimidazo(4,5-f)quinoxaline in fried beef using capillary column gas chromatography electron capture negative ion chemical ionization mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 16 (1987, Pub. 1988) 221-224; *C.A.*, 110 (1989) 113297k.
- 1870 Nishimura, O., Yamaguchi, K., Mihara, S. and Shibamoto, T.: Volatile constituents of guava fruits (*Psidium guajava* L.) and canned puree. *J. Agric. Food Chem.*, 37 (1989) 139-142.
- 1871 Niu Xiye, Wang Keou and Wang Haijun: (Determination of peropal and its degradation products in apples and soils). *Huanjing Huaxue*, 7, No. 5 (1988) 41-44; *C.A.*, 110 (1989) 130370w.
- 1872 Precht, D.: (Classification of butter fat quality and rapid determination of iodine number by triglyceride analysis). *Z. Lebensm.-Unters. Forsch.*, 187 (1988) 457-462; *C.A.*, 110 (1989) 113318t.
- 1873 Profumo, A., Riolo, C., Pesavento, M. and Francoli, A.: Evolution of the Italian distillate "grappa" during aging in wood: a gas chromatographic and high performance liquid chromatographic study. *Am. J. Enol. Vitic.*, 39 (1988) 273-278; *C.A.*, 110 (1989) 113114y.
- 1874 Ramarathnam, N., Osawa, T., Namiki, M. and Kawakishi, S.: Studies on changes in fatty acid composition and constant of endogenous antioxidants during γ -irradiation of rice seeds. *J. Am. Oil Chem. Soc.*, 66 (1989) 105-108.
- 1875 Rathbone, E.B., Patel, G.D., Botters, R.W., Cookson, D. and Robinson, J.L.: Occurrence of 2-(4-methoxyphenoxy)propanoic acid in roasted coffee beans: Analysis by gas-liquid chromatography and by high-performance liquid chromatography. *J. Agric. Food Chem.*, 37 (1989) 54-58.
- 1876 Russo, M.V., Goretti, G. and Liberti, A.: Direct headspace gas chromatographic determination of dichloromethane in decaffeinated green and roasted coffee. *J. Chromatogr.*, 465 (1989) 429-433.
- 1877 Saito, K., Horie, M., Yoji, H., Nose, N., Mochizuki, E. and Nakazawa, H.: (Gas chromatographic determination of alliin in garlic products). *Etsei Kagaku*, 34 (1988) 536-541; *C.A.*, 110 (1989) 133806d.
- 1878 Sakaki, K., Sako, T., Sato, S., Sugata, T., Suzuki, O., Nakazawa, N., Shirata, T. and Yokochi, T.: (Concentration of γ -linolenic acid by chromatography). *Kokai Tokkyo Koho Pat.* JP 63,216,845 (88,216,845) (Cl. C07C67/56), 9 Sep. 1988, Appl. 87/50,984, 5 Mar. 1987; 5 pp.; *C.A.*, 110 (1989) 137477v.
- 1879 Sarishvili, N.G., Nagaichuk, V.V., Solov'ev, O.A. and Subbotin, B.S.: (Determination of ethyl carbamate in wine-making). *Pishch. Prom-st. (Moscow)*, No. 1 (1989) 71-73; *C.A.*, 110 (1989) 152685e.
- 1880 Schiller, H.: Fettbegleitstoffe des Sanddornöls. *Fat Sci. Technol.*, 91 (1989) 66-68.
- 1881 Simal Lozano, J., Creus Vidal, J.M., Paseiro Losada, P. and Fernandez Muino, M.A.: (Use of the sterol fraction to differentiate Padron peppers). *Alimentaria (Madrid)*, 25 (1988) 37-42; *C.A.*, 110 (1989) 73936j.
- 1882 Solinas, M., Angerosa, F. and Camera, L.: (Oxidation process in vegetable oils during frying: Determination of volatile components by HRGC and HPLC). *Riv. Ital Sost. Grasse*, 65 (1988) 567-574.
- 1883 Stan, H.J.: Application of capillary gas chromatography with mass selective detection to pesticide residue analysis. *J. Chromatogr.*, 467 (1989) 85-98.

- 1884 Stan, H.J. and Christall, B.: (Residue analysis of organophosphorus pesticides with capillary gas chromatography and flame photometric detection. Injection of large sample volumes with the cold splitless technique with a combination of programmed temperature vaporization solvent elimination and retention gap). *Dtsch. Lebensm.-Rundsch.*, 84 (1988) 375-381; *C.A.*, 110 (1989) 113308q.
- 1885 Subcommittee of vegetable and animal fats: (Determination of halogenated solvents in vegetable oils). *Riv. Ital. Sost. Grasse*, 65 (1988) 463-464.
- 1886 Subcommittee of vegetable and animal fats: (Determination of trans-unsaturated fatty acids in fats by means of GC analysis). *Riv. Ital. Sost. Grasse*, 65 (1988) 325-327.
- 1887 Tanaka, A., Iijima, M., Kikuchi, Y., Hoshino, Y. and Nose, N.: Gas chromatographic determination of nicotinamide in meat and meat products as 3-cyanopyridine. *J. Chromatogr.*, 466 (1989) 307-317.
- 1888 Urushizaki, S., Ota, Y., Haruyama, T., Kano, H., Matsumoto, K., Haga, M. and Sekizawa, Y.: Automated gas chromatographic monitoring of ethylene evolution out of rice seedlings infected with blast fungus. *Agric. Biol. Chem.*, 52 (1988) 3159-3161; *C.A.*, 110 (1989) 72664g.
- 1889 Van de Bovenkamp, P., Kosmeijer-Schuil, T.G. and Katan, M.B.: Quantification of oxysterols in Dutch foods: Egg products and mixed diets. *Lipids*, 23 (1988) 1079-1085.
- 1890 Wang Qiwu, Rong Jingfang, Wei Jianjun and Zhang Goushang: (GC-MS and GC determination of the aliphatic acids in oils and fats). *Zhongguo Kexue Jishu Daxue Xuebao*, 18 (1988) 279-283; *C.A.*, 110 (1989) 77996b.
- 1891 Xu Hongsheng and Duan Zhengkang: (Determination of fatty acids in grape-seed oil by gas chromatography). *Sepu*, 7 (1989) 58-59.
- 1892 Yang Yinghua, Ding Jiyhua, Song Jiehuai, Jiang Yunfei, Liu Guixin and Wu Xia: (GC/MS quantification of four volatile N-nitrosamines in vegetables, grains and soybean products). *Fenxi Ceshi Tongbao*, 7, No. 5 (1988) 37-39; *C.A.*, 110 (1989) 152884u.
- 1893 Yoo, Y.J., Fedeli, E. and Nawar, W.W.: The volatile components produced from olive oil by heating. *Riv. Ital. Sost. Grasse*, 65 (1988) 277-281.
- 1894 Younes, N.A. and Nasr, M.A.: Fatty acid content of imported butter oil. *Grasas Aceites*, 39 (1988) 242-244.

See also 1602, 1633, 1636, 1695.

35. ENVIRONMENTAL ANALYSIS

35a. General papers and reviews

- 1895 Bulycheva, Z.Yu. and Rudenko, V.A.: (Chromatographic determination of polycyclic arenes in environmental samples). *Zh. Anal. Khim.*, 44 (1989) 197-216 - a review with 176 refs.
- 1896 Eganhouse, R.P., Could, B.R., Olaguer, D.M., Phinney, C.S. and Sherblom, P.M.: Congener-specific determination of chlorobiphenyls in biological tissues using an aroclor-based secondary calibration standard. *Int. J. Environ. Anal. Chem.*, 35 (1989) 175-198.
- 1897 Wurrey, C.J.: Application of gas chromatography-Fourier transform IR spectroscopy in environmental analysis. *TrAC*, 8 (1989) 52-58 - a review with 15 refs.

35b. Air pollution (complex mixtures; single compounds by cross ref. only)

- 1898 Buedel, T., Porch, R., Bursey, J., Homolya, J., Fuerst, R., Logan, T. and Nidgett, R.: Application of megabore capillary gas chromatography/mass spectrometry in the analysis of samples generated by the volatile organic sampling train. *Biomed. Environ. Mass Spectrom.*, 18 (1989) 138-144; *C.A.*, 110 (1989) 120336a.
- 1899 Cobb, G.P., Braman, R.S. and Gilbert, R.A.: Identification of atmospheric organic sources using the carbon hollow tube-gas chromatography method and factor analysis. *Anal. Chem.*, 61 (1989) 838-843.

- 1900 Dan Wu Lan San, Hanai, Y. and Katou, T.: (Analysis of aromatic compounds in the atmosphere by the continuous measuring system). *Yokohama Kokuritsu Daigaku Kankyo Kagaku Kenkyu Senta Kiyo*, 14 (1987) 27-32; *C.A.*, 110 (1989) 140591h.
- 1901 Dmitriev, M.T. and Kartashova, A.V.: (Gas chromatographic determination of aldehydes in atmospheric air). *Gig. Sanit.*, No. 12 (1988) 40-42; *C.A.*, 110 (1989) 100831e.
- 1902 Dzhandzhapanyan, A.N. and Puzyan, E.A.: (Gas chromatographic determination of triphenyl phosphate and diphenyl-(2-ethyl)hexyl phosphate in air). *Gig. Sanit.*, No. 12 (1988) 47; *C.A.*, 110 (1989) 81623v.
- 1903 Fardman, S.Sh. and Sarycheva, E.N.: (Gas-liquid chromatographic determination of anesthesin in the air). *Khim.-Farm. Zh.*, 23 (1989) 229-230; *C.A.*, 110 (1989) 159597m.
- 1904 Foster, P., Perraud, R. and Laffond, M.: Etudes d'interactions chloro-hydrocarbures en reacteur de simulation atmospherique. Analyse des produits formes par couplege chromatographie en phase gazeuse-spectrometrie de masse. *Int. J. Environ. Anal. Chem.*, 35 (1989) 17-34.
- 1905 Kosheleva, L.M. and Ogloblina, I.P.: (Gas chromatographic identification of isopropyl alcohol, chloroform and *m*-xylene in air). *Gig. Sanit.*, No. 1 (1989) 34-35; *C.A.*, 110 (1989) 159594h.
- 1906 Lyapkin, A.A., Plashkina, E.L., Churakova, N.S. and Kopylova, I.V.: Gas-chromatographic method for determination of formaldehyde in air. *U.S.S.R. Pat. SU 1,458,814 (Cl. G01N30/00)*, 15 Feb. 1989, Appl. 4,287,783, 21 Jul. 1987; *C.A.*, 110 (1989) 140725e.
- 1907 Morselli, L. and Zappoli, S.: PAH detection and distribution in a USW incinerator plant and in the surrounding environment. *Analysis*, 16, No. 9/10 Suppl. (1988) 165-168.
- 1908 Peltonen, K.: Sampling and determination of carbon disulphide in air by gas chromatography with electron-capture detection. *J. Chromatogr.*, 464 (1989) 422-427.
- 1909 Pibarot, P., Clair, P., Hillard, P., Colas, C. and Cassan, J.: Analysis of heavy organic pollutants of confined atmospheres. *Chromatographia*, 26 (1988) 300-304.
- 1910 Rutten, G.A., Burtner, C.W.J., Visser, H. and Rijks, J.A.: The determination of aldehydes in the exhaust gases of LPG fuelled engines. *Chromatographia*, 26 (1988) 274-280.
- 1911 Shcherbakov, L.P., Gaziev, G.A. and Kurpel, V.V.: (Gas chromatographic determination of chloroacetyl chloride in the air). *Gig. Sanit.*, No. 2 (1989) 47-49; *C.A.*, 110 (1989) 159593g.
- 1912 Solov'ev, S.A. and Belokleitseva, G.M.: (Method for the gas-chromatographic determination of traces of formaldehyde and products of its oxidation in air mixtures). *Khim. Tekhnol. (Kiev)*, No. 1 (1989) 48-49; *C.A.*, 110 (1989) 140607t.
- 1913 Thompson, C.V., Jenkins, R.A. and Higgins, C.E.: A thermal desorption method for the determination of nicotine in indoor environments. *Environ. Sci. Technol.*, 23 (1989) 429-435; *C.A.*, 110 (1989) 120298q.
- 1914 Valerio, F., Brescianini, C. and Lastraioli, S.: Airborne metals in urban areas. *Int. J. Environ. Anal. Chem.*, 35 (1989) 101-110.
- 1915 Xian Yinlin, Wang Ganfeng, Wang Yongfu and Chen Baosheng: (Sampling, separation, identification and determination of polynuclear aromatic hydrocarbons in air). *Zhonghua Yufang Yixue Zazhi*, 22 (1988) 157-160; *C.A.*, 110 (1989) 81608u.

See also 1518, 1567, 2001.

35c. Water pollution (complex mixtures; single compounds by cross ref. only)

- 1916 Barnung, T.N. and Grahl-Nielsen, O.: Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography. *J. Chromatogr.*, 466 (1989) 271-278.
- 1917 Bassoli, A., Di Gregorio, G., Nali, M., Rindone, B., Tollari, S., Chioccare, F. and Balice, V.: (Improvement of gas chromatography-mass spectrometry analytical methods in wastewater analysis). *Acqua Aria*, (1988) 1011-1018; *C.A.*, 110 (1989) 120834m.

- 1918 Bianchi, A. and Varney, M.S.: Analysis of methyl *tert.*-butyl ether and 1,2-dihaloethanes in estuarine water and sediments using purge-and-trap/gas chromatography. *J. High Resolut. Chromatogr.*, 12 (1989) 184-186.
- 1919 Bianchi, A., Varney, M.S. and Phillips, J.: Modified analytical technique for the determination of trace organics in water using dynamic headspace and gas chromatography-mass spectrometry. *J. Chromatogr.*, 467 (1989) 111-128.
- 1920 Brooks, M.W., Jenkins, J., Jimenet, M., Quinn, T. and Clark, J.M.: Rapid method of the determination of alachlor, atrazine and metachlor in groundwater by solid-phase extraction. *Analyst (London)*, 114 (1989) 405-406.
- 1921 Das, V.G. Kumar and Chee Ong Ghee: Determination of *n*-butyl- and phenyltin(IV) halides contained in aqueous samples by gas chromatography after derivatization to tetraorganotin. *Malays. J. Sci.*, 9 (1987) 111-120; *C.A.*, 110 (1989) 101403d.
- 1922 Guong Jianzhong and Che Chunling: (Simultaneous determination of trace organochlorine and organophosphorus pesticides in karst groundwater by gas chromatography). *Huanjing Huaxue*, 7, No. 6 (1988) 52-58; *C.A.*, 110 (1989) 120848u.
- 1923 Hale, J.R., Walla, M.D. and Bryson, T.A.: Determination of fenvalerate in seawater and sediment utilizing isotopic dilution and GC/MS. *J. Agric. Food Chem.*, 37 (1989) 70-74.
- 1924 Han Changmian: (Determination of nitrobenzene in water by head-space gas chromatography). *Huanjing Huaxue*, 7, No. 6 (1988) 64-67; *C.A.*, 110 (1989) 101416k.
- 1925 Hein, H.: (Determination of organic substances in water by gas chromatography). *Chem. Labor Metr.*, 39 (1988) 618-620; *C.A.*, 110 (1989) 120700q.
- 1926 Ho J. Shou-Yien: A sequential analysis for volatile organics in water by purge-and-trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series. *J. Chromatogr. Sci.*, 27 (1989) 91-98.
- 1927 Ireland, J.C., Moore, L.A., Pourmoghaddas, H. and Stevens, A.A.: Gas chromatography/mass spectrometry study of mixed haloacetic acids expected to be found in chlorinated drinking water. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 483-486; *C.A.*, 110 (1989) 82132w.
- 1928 Karps, P., Persin, M. and Durand, G.: Couplage de la chromatographie en phase gazeuse a colonne capillaire avec une colonne d'extraction liquid-liquid pulsee comme etage de preconcentration. Application au dosage de pesticides organochlores presents dans les eaux. *Analisis*, 17 (1989) 50-58.
- 1929 Korenman, Ya.I. and Fokin, V.N.: (Gas-chromatographic determination of microquantities of phenols in treated wastewaters with preliminary two-stage concentration). *Khim. Tekhnol. Vody*, 11 (1989) 118-119; *C.A.*, 110 (1989) 160106g.
- 1930 Maitoza, P., Valade, J.A. and Madigan, W.T.: Continuous monitoring of volatile hydrocarbons in water at the ppb level with a sparger and process chromatograph. *Am. Lab. (Fairfield)*, 21, No. 1 (1989) 23-28.
- 1931 Maros, L., Kaldy, M. and Igaz, S.: Simultaneous determination of bromide and iodide as acetone derivatives by gas chromatography and electron capture detection in natural waters and biological fluids. *Anal. Chem.*, 61 (1989) 733-735.
- 1932 Measures, C.I. and Edmond, J.M.: Shipboard determination of aluminium in seawater at the nanomolar level by electron capture detection gas chromatography. *Anal. Chem.*, 61 (1989) 544-547.
- 1933 Onodera, S., Igarashi, K., Fukuda, A., Ouchi, J. and Suzuki, S.: Chemical changes of organic compounds in chlorinated water. XVI. Gas chromatographic-mass spectrometric studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solutions. *J. Chromatogr.*, 466 (1989) 233-249.
- 1934 Radke, M., Willsch, H. and Ramanampisoa, L.: Isolation of aromatic compounds from a coal extract by semipreparative HPLC. *Chromatographia*, 26 (1988) 259-266.
- 1935 Shi Meier, Wang Gensheng and Hu Zenyuan: (Determination of polychlorobiphenyls in water by gas chromatography). *Huanjing Huaxue*, 7, No. 6 (1988) 59-63; *C.A.*, 110 (1989) 120849v.
- 1936 Thakkar, N., Kondawar, V.K. and Saxena, K.L.: Use of alkali flame ionization detector in the analysis of volatile N-nitrosamines in aquatic environment. *Indian J. Environ. Prot.*, 8 (1988) 564-567; *C.A.*, 110 (1989) 101393a.
- 1937 Wang Zhongzhu, Cui Xianzhou, Shan Baotian, Zhou Xuebing and Zhang Zhongdong: (Gas chromatographic determination of phenol and cresol isomers in seawater). *Shandong Haiyang Xueyuan Xuebao*, 17 (1987) 78-84; *C.A.*, 110 (1989) 82148f.

- 1938 Yakubenok, E.F., Sukhov, V.S., Starovoitov, I.I., Svatikov, V.P. and Popova, N.V.: (Gas-chromatographic method for waste-water analysis for Nekal content). *Khim. Tekhnol. Vody*, 10 (1988) 539-541; *C.A.*, 110 (1989) 101407h.

35d. *Soil pollution (complex mixtures; single compounds by cross ref. only)*

- 1939 Draper, W.M., Phillips, J., Harnly, M. and Stephens, R.D.: Assessing environmental contamination from a pentachlorophenol fire: screening soils for octachlorodibenzo-p-dioxin. *Chemosphere*, 17 (1988) 1831-1850; *C.A.*, 110 (1989) 87733c.
- 1940 Matthias, C.L., Bellama, J.M., Olson, G.J. and Brinckman, F.E.: Determination of di- and tributyltin in sediment and microbial biofilms using acidified methanol extraction, sodium borohydride derivatization and gas chromatography with flame photometric detection. *Int. J. Environ. Anal. Chem.*, 35 (1989) 61-68.
- 1941 Onal, G.: Determination of 2,4-D residues in soil and barley by gas chromatography with electron capture detector. *J. Fac. Sci., Ege Univ., Ser. A*, 11, No. 1 (1988) 19-23; *C.A.*, 110 (1989) 90535v.
- 1942 Püttmann, W.: Analysis of polycyclic aromatic hydrocarbons in solid sample material using a desorption device coupled to a GC/MS system. *Chromatographia*, 26 (1988) 171-177.
- 1943 Roy, D.N. and Konar, S.K.: Development of an analytical method for the determination of glyphosate and (aminomethyl) phosphonic acid residues in soils by nitrogen-selective gas chromatography. *J. Agric. Food Chem.*, 37 (1989) 441-443.

See also 1679, 1695, 1702, 1871, 1914, 1918, 1923.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. *Surfactants*

- 1944 Kumar, T.N., Sastry, Y.S.R. and Lakshminarayana, G.: Preparation and surfactant properties of diglycerol esters of fatty acids. *J. Am. Oil Chem. Soc.*, 66 (1989) 153-157.
- 1945 Mercade, E., Robert, M., Espuny, M.J., Bosch, M.P., Manresa, M.A., Parra, J.L. and Guinea, J.: New surfactant isolated from *Pseudomonas* 42A2. *J. Am. Oil Chem. Soc.*, 65 (1988) 1915-1916.
- 1946 Parra, J.L., Guinea, J., Manresa, M.A., Robert, M., Mercade, M.E., Comelles, F. and Bosch, M.P.: Chemical characterization and physicochemical behavior of biosurfactants. *J. Am. Oil Chem. Soc.*, 66 (1989) 141-145.

See also 1442.

36b. *Antioxidants and preservatives*

See 1593.

36c. *Various technical products*

- 1947 Black, S.A. and Matthews, G.P.: Colorimetric and gas chromatographic determination of total fluoride in tooth pastes containing ionic and covalent fluoride. *Anal. Proc.*, 26 (1989) 67-69.
- 1948 Bradley, N. and Morgan, E.D.: Sampling and analysis of organic vapours in the flue gases from pottery kilns. *Anal. Proc.*, 26 (1989) 6-8.
- 1949 Brüsweiler, H., Felber, H. and Schwager, F.: Bienenwachs - Zusammensetzung und Beurteilung der Reinheit durch gaschromatographische Analyse. *Fat Sci. Technol.*, 91 (1989) 73-79.
- 1950 Cecchi, F., Basei, R., Fazzini, G., Traverso, P.G. and De Poli, F.: (Gas chromatographic determination of volatile fatty acids, ethanol, methanol, and lactic acid in monitoring of anaerobic digestion processes). *Acqua Aria*, (1988) 993-997; *C.A.*, 110 (1989) 133547v.

- 1951 Cetinkaya, M.: (Gas chromatographic determination of organochloro- and organo-phosphoro-residues in cosmetics and skin-care products). *Dtsch. Lebensm.-Rundsch.*, 84 (1988) 388-391; *C.A.*, 110 (1989) 120985m.
- 1952 Chai Duanren and Yuan Jiamin: (Determination of the molar ratio of konjak glucomannan by gas chromatography). *Jinan Lixi Xuebao*, No. 3 (1988) 37-40; *C.A.*, 110 (1989) 152998j.
- 1953 D'Agostino, P.A., Provost, L.R. and Looye, K.M.: Identification of tabun impurities by combined capillary column gas chromatography-mass spectrometry. *J. Chromatogr.*, 465 (1989) 271-283.
- 1954 Desbene, P.L., Jauseau-Pierre, N., Desmazieres, B. and Basselier, J.J.: Analytical study of various heavy oil residues using a transalkylation reaction. *Chromatographia*, 26 (1988) 70-76.
- 1955 Doretto, L., Madalosso, F., Audisio, G., Rossini, A. and Traldi, P.: Gas-chromatography/mass spectrometry analysis of the pyrolysis products of fire retardant and intumescent paints. *Ann. Occup. Hyg.*, 32 (1988) 463-470; *C.A.*, 110 (1989) 159621q.
- 1956 Durig, J.R., Calvert, G.D. and Esterle, J.S.: Development of a pyrolysis-gas chromatographic-Fourier transform infrared spectroscopic technique for the study of woody peats. *J. Anal. Appl. Pyrolysis*, 14 (1989) 295-308; *C.A.*, 110 (1989) 138470z.
- 1957 Galochkina, V.P.: (Determination of lactic acid and volatile fatty acids in silage by gas-liquid chromatography). *Byull. Vses. Nauchno-Issled. Inst. Fiziol., Biokhim. Pitan. S-kh. Zhivotn.*, No. 4 (1987) 64-68; *C.A.*, 110 (1989) 152882s.
- 1958 Huang Tao, Wei Feng, Xu Shuying, Gu Yongda and Qian Shuan: (Application of GC-MS to analysis of fractions of saturated hydrocarbons and single-ring aromatics of light diesel oil from catalytic cracking). *Shiyou Huagong*, 17 (1988) 652-659; *C.A.*, 110 (1989) 157309v.
- 1959 Ishiwatari, M., Sakashita, H., Tatsumi, T., Ujihira, Y. and Tominaga, H.: Pyrolysis behavior of oil shales examined with stepwise pyrolysis gas chromatography. *Sogo Shikensho Nenpo (Tokyo Daigaku Kogakubu)*, 47 (1988) 197-204; *C.A.*, 110 (1989) 138367w.
- 1960 Keto, R.O.: Comparison of smokeless powders by pyrolysis capillary gas chromatography and pattern recognition. *J. Forensic Sci.*, 34 (1989) 74-82; *C.A.*, 110 (1989) 149275r.
- 1961 Lakszner, K. and Szepeszy, L.: Application of the O-FID oxygen analyzer in the cosmetic industry. *Chromatographia*, 26 (1988) 91-96.
- 1962 Lao, N.T., Rajan, R.R. and Bushar, H.F.: Residual ethylene oxide determination in poly(methyl methacrylate) disks and intraocular lenses by headspace gas analysis and N,N-dimethylformamide extraction. *J. Pharm. Sci.*, 78 (1989) 40-43.
- 1963 LaVoie, E.J., Tucciarone, P., Kagan, M., Adams, J.D. and Hoffmann, D.: Analyses of steam distillates and aqueous extract of smokeless tobacco. *J. Agric. Food Chem.*, 37 (1989) 154-157.
- 1964 Li Jian, Chen Qizhao and Zhang Guilan: (Determination of sugars in fibrous raw materials and pulps with glycol acetate-derivatization gas chromatography). *Zhongguo Zaoshu*, 7, No. 3 (1988) 48-52; *C.A.*, 110 (1989) 77835y.
- 1965 Lin Ding Ping, Litorja, L.A. and Abbas, N.M.: (Determination of pentacyclic triterpanes in Arabian crude oil using gas chromatography/high-resolution mass spectrometry). *Fuel*, 68 (1989) 257-259; *C.A.*, 110 (1989) 138282q.
- 1966 Liu Huwei and Fu Ruonong: Investigation of thermal decomposition of cyclo-tetramethylenetetranitramine (HMX) and cyclomethylenetrinitramine (RDX) by pyrolysis-gas chromatography. *Thermochim. Acta*, 138 (1989) 167-171; *C.A.*, 110 (1989) 138193m.
- 1967 Liu Huwei and Fu Ruonong: Studies on thermal decomposition of nitrocellulose by pyrolysis-gas chromatography. *J. Anal. Appl. Pyrolysis*, 14 (1988) 163-169.
- 1968 Li Xiuqi, He Huannan, Zhu Jianying, Yu Bohua and Mao Pingtian: (Determination of trace amounts of oxygen plus argon, nitrogen, carbon monoxide, methane, and carbon dioxide in ultrapure hydrogen by gas chromatography). *Fenxi Huaxue*, 16 (1988) 581-584; *C.A.*, 110 (1989) 146799d.
- 1969 Li Zhaolin and Chen Yaozu: (Analysis of chemical constituents in the fragrant volatile fraction of fresh flowers by precolumn adsorption-capillary gas chromatography-mass spectrometry). *Fenxi Ceshi Tongbao*, 7, No. 5 (1988) 50-53; *C.A.*, 110 (1989) 131763p.

- 1970 Luge-mwa, F.N., Lwande, N., Bentley, M.D., Mendel, M.J. and Alford, A.R.: Volatiles of wild blueberry, *Vaccinium augustifolium*: Possible attractants for the blueberry maggot fruit fly, *Rhagoletis mendax*. *J. Agric. Food Chem.*, 37 (1989) 232-233.
- 1971 Marciniak, B.: Preparation of high purity aromatic hydrocarbons. Part I. Preparation of high purity coal-tar anthracene. *Mol. Cryst. Liq. Cryst.*, 162B (1988) 301-313; *C.A.*, 110 (1989) 153877f.
- 1972 Mushrush, G.W., Cooney, J.V., Watkins, J.M., Beal, E.J. and Hardy, D.R.: Characterization of nitrogen compounds in shale-derived fuels by gas chromatography-mass spectrometry. *LC-GC*, 2, No. 5 (1989) 42-44.
- 1973 Ogierman, L.: (Application of on-column methylation for the chromatographic analysis of pesticide formulations). *Pr. Nauk. Inst. Ochr. Rosl.*, 28 (1987) 337-367; *C.A.*, 110 (1989) 90473y.
- 1974 Porcu, M. and Spanedda, L.: (Gas-chromatographic determination of synthetic musks in alcohol-containing perfumes). *Riv. Merceol.*, 27 (1988) 175-185; *C.A.*, 110 (1989) 141222a.
- 1975 Rao, T.C., Kale, V., Vijayalakshmi, P., Gandaghar, A., Subbarao, R. and Lakshminarayana, G.: Chromatographic methods for the determination of monomer, dimer and trimer fraction in dimer fatty acids. *J. Chromatogr.*, 466 (1989) 403-406.
- 1976 Rashid, Hassanin, A., Fakhri, Nabeel, A., Dekran, Sarmad, B. and Abdulla, Nooraldeen, I.: Chromatographic separation and characterization of mono-, di-, and triaromatic hydrocarbons in gas oil. *Fuel Sci. Technol. Int.*, 7 (1989) 281-291; *C.A.*, 110 (1989) 157311q.
- 1977 Ryabikova, V.M., Zigel, A.N., Ivanova, T.L. and Popova, G.S.: (Identification of the polymer base of composite materials by pyrolysis gas chromatography). *Vysokomol. Soedin., Ser. A*, 31 (1989) 212-216; *C.A.*, 110 (1989) 115757j.
- 1978 Sarafyan, G.D., Ovsepyan, A.M., Ter-Stepanyan, E.S. and Ter-Gevorgyan, S.T.: (Gas-chromatographic method for determination of trace moisture in natural gas). *Prom.-st., Stroit. Arkhit. Arm.*, No. 8 (1988) 67-68; *C.A.*, 110 (1989) 117893z.
- 1979 Schaefer, R.G. and Höltkemeier, J.: Direct analysis of alkyl-naphthalenes in crude oils by two-dimensional capillary gas chromatography. *Chromatographia*, 26 (1988) 311-315.
- 1980 Schedrina, M.M., Kayukova, G.D., Midlin, L.O., Rudol'fi, T.A. and Voshchinina, I.F.: (Determination of perfume components). *Pishch. Prom.-st. (Moscow)*, No. 12 (1988) 50-51; *C.A.*, 110 (1989) 160194j.
- 1981 Steinhöller, D.: An oxygen selective detector for the determination of additives in fuels. *Am. Lab. (Fairfield)*, 21, No. 3 (1989) 120-126.
- 1982 Struppe, H.G. and Kratzsch, T.: Analyse in der Pyrolyse von hochsiedender Kohlenwasserstoff-Fraktionen. *Chem. Tech. (Leipzig)*, 40 (1988) 528-533.
- 1983 Tuang Zhiqiang, Peng Sanhe, Nie Hongyong and Shen Shaolin: (Study on headspace gas chromatographic method for determination of residual solvents in extracted oil). *Sepu*, 7 (1989) 28-30.
- 1984 Yu Yanjun: (Determination of monomer residue in polymer emulsions by gas chromatography). *Sepu*, 7 (1989) 56-57.

See also 1516, 1533, 1566, 1732, 1782, 1845, 1991, 1992, 1999.

36d. *Complex mixtures and unidentified compounds*

- 1985 Masse, R., Messier, F., Ayotte, C., Levasque, M.F. and Sylvestre, M.: A comprehensive gas chromatographic/mass spectrometric analysis of 4-chlorobiphenyl bacterial degradation products. *Biomed. Environ. Mass Spectrom.*, 18 (1989) 27-47; *C.A.*, 110 (1989) 109499k.
- 1986 Morgan, S.L., Fox, A. and Gilbert, J.: Profiling, structural characterization, and trace detection of chemical markers for microorganisms by gas chromatography-mass spectrometry. *J. Microbiol. Methods*, 9 (1989) 57-69; *C.A.*, 110 (1989) 150624k.
- 1987 Schubert, A.J.: The development of techniques for complex mixture analysis by means of gas chromatography/triple quadrupole mass spectrometry. Available *Diss. Abstr. Int. B*, 49 (1988) 1662; *Univ. Microfilms*, Order No. DA8814903 (1988) 190 pp.; *C.A.*, 110 (1989) 117948w.

- 1988 Yang Yongjia and Pi Zulan: (Gas chromatographic analysis of Reimer-Tiemann reaction products). *Hunan Shifan Daxue Ziran Kexue Xuebao*, 11 (1988) 133-137; *C.A.*, 110 (1989) 146917r.

See also 1420, 1661, 1893, 1950.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

- 1989 Drucker, D.B. and Jenkins, S.A.: Applications of mass spectrometry including combined gas chromatography-mass spectrometry in taxonomic studies of bacteria. *Biochem. Soc. Trans.*, 17 (1989) 245-249; *C.A.*, 110 (1989) 131767t.

See also 1586, 1595, 1597, 1598, 1600, 1623, 1628, 1629, 1648, 1670, 1678, 1717, 1986.

38. INORGANIC COMPOUNDS

38b. Anions

See 1837, 1931, 1947.

38c. Permanent and rare gases

- 1990 Bhattacharjee, A. and Ganguly, S.: Determination of permanent gases and light hydrocarbons present in a mixture by gas chromatography. *Fuel Sci. Technol.*, 7 (1988) 43-46; *C.A.*, 110 (1989) 157314t.
- 1991 Biro, E. and Reznik, S.: GC analysis of the gas filling of incandescent lamps: Determination of oxygen impurity in argon. *Chromatographia*, 26 (1988) 413-416.
- 1992 Brodda, B.-G., Dix, S. and Merz, E.R.: Radiolytic gas formation in high-level liquid waste solutions. *Analyst (London)*, 114 (1989) 335-337.
- 1993 Hagy, L., Biro, E. and Balla, J.: GC analysis of gas in halogen lamps using a new sampling device. *Chromatographia*, 26 (1988) 34-36.
- 1994 Liu Huifang and Shen Huihua: (Gas chromatographic analysis of para-hydrogen). *Sepu*, 7 (1989) 26-27.
- 1995 Wiederholt, E.: (The investigation of air in education: from the floating candle experiment to gas chromatography). *Chem. Labor. Betr.*, 39 (1988) 608-613; *C.A.*, 110 (1989) 74422a.

See also 1509, 1824, 1850, 1968, 2000, 2002.

38d. Volatile inorganic compounds

- 1996 Ogino, H., Aomura, Y., Suzuki, T. and Hatano, M.: Gas chromatographic determination of trace levels of nitrogen trifluoride using an oxygen-rich hydrogen flame ionization detector. *Anal. Sci.*, 4 (1988) 425-426; *C.A.*, 110 (1989) 127698d.
- 1997 Pertsovskii, A.L. and Nemytskii, A.S.: (Method for determination of acrylonitrile by gas chromatography). *U.S.S.R. Pat.* SU 1,422,143 (Cl. G01N31/00), 7 Sep. 1988, Appl. 4,217,649, 30 Mar. 1987; *C.A.*, 110 (1989) 87758q.
- 1998 Valentin, J.R.: Multiplex gas chromatography. An alternative concept for gas chromatographic analysis of planetary atmospheres. *LC-GC*, 2, No. 3 (1989) 32-41.
- 1999 Valin, F., Egret, J. and Botter, F.: A rapid and simple gas chromatographic analysis of carbon dioxide, hydrogen sulfide and water vapor in methane. *Analisis*, 16, No. 9/10 Supp. (1988) 97-100.
- 2000 Yang Haiying, Zou Naizhong and Lu Wanzhen: (A new method of multidimensional gas chromatography for refinery gases). *Fenxi Huaxue*, 16 (1988) 673-677; *C.A.*, 110 (1989) 117961v.

- 2001 Ye Yiwei and Lin Yiqing: (Rapid determination of sulfur hexafluoride and bromochlorodifluoromethane in air by gas chromatography). *Fexi Huaxue*, 16 (1988) 46-48; *C.A.*, 110 (1989) 81618x.

See also 1440, 1908, 1968, 1978, 1990, 1992.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 2002 Deng Zhongguo, Lin Zhihao, Lai Yunxiang, Jing Kangcai and Wu Runxian: (Determination of hydrogen, deuterium, tritium, helium, oxygen, nitrogen and carbon monoxide in the gas mixture by GC-GCMS). *He Huaxue Yu Fangshe Huaxue*, 10 (1988) 143-150; *C.A.*, 110 (1989) 146794y.
- 2003 Jockisch, W. and Matucha, M.: Experiences with the conversion of the effluent in the gas chromatography of tritium- and carbon-14-labelled compounds. *Radioisotopy*, 29 (1988) 136-143; *C.A.*, 110 (1989) 83667m.

See also 1464, 1684, 1752.

Planar Chromatography

1. REVIEWS AND BOOKS

- 622 Brinkman, U.A.T.: The relative merits of planar and column chromatographic methods in organic trace-level analysis. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 150-160; *C.A.*, 110 (1989) 107315y - a review with 27 refs.
- 623 Duenges, W.: (Sample preprocessing for chromatography). *Nachr. Chem., Tech. Lab.*, 36 (Spec. Issue) (1988) 11-26; *C.A.*, 110 (1989) 107320w - a review.
- 624 Ebel, S.: Thin-layer chromatography (TLC). *Nachr. Chem., Tech. Lab.*, 36 (Spec. Issue) (1988) 107-114; *C.A.*, 110 (1989) 107324 - a review.
- 625 Kaiser, R.E.: Scope and limitations of modern planar chromatography. Part 1: sampling. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 182-187; *C.A.*, 110 (1989) 107124k - a review with 14 refs.
- 626 Middleditch, M.S.: *Analytical Artificats: GC, MS, HPLC, TLC and PC*. *J. Chromatogr. Libr.*, Vol. 44, Elsevier, Amsterdam, 1989, XXIV + 1028 p.
- 627 Vamos, J., Kokosi, J., Hanko Novak, K., Jozan, M. and Kapolka, P.: (Possibilities of determination of hydrophobic constants by thin-layer chromatography). *Acta pharm. Hung.*, 58 (1988) 247-266; *C.A.*, 110 (1989) 141616g - a review with 105 refs.

See also 643, 644.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 628 Grinberg, N., Bicker, G., Tway, P. and Baiano, J.A.: Recognition of artifacts occurring in TLC. *J. Liq. Chromatogr.*, 11 (1988) 3183-3204.
- 629 Hais, I.M.: Advances in chromatography and electrophoresis in biomedicine. *J. Chromatogr.*, 488 (1989) 1-3.
- 630 Hais, I.M.: Chromatography beyond analytical chemistry. *J. Chromatogr.*, 488 (1989) 25-30.
- 631 Lederer, M.: The role of chromatography and electrophoresis in biomedical sciences. *J. Chromatogr.*, 488 (1989) 5-24.

2b. Thermodynamics and theoretical relationships

- 632 Kerzhner, B.K., Kofanov, V.I. and Vrubel, T.L.: The magic square. The usage of double bonds photoisomerization for identification of organic compounds by thin-layer chromatography. II. Identification of substances forming isomerizing derivatives. *J. Liq. Chromatogr.*, 11 (1988) 3091-3102.
- 633 Kowalska, T.: The influence of sorbent activity and mobile phase polarity on the "solute" activity coefficients in chromatographic "binary solutions". II. *Riv. Ital. Sostanze Grasse*, 64, No. 1 (1987) 23-27; *C.A.*, 110 (1989) 146890b.

See also 797.

2d. Measurement of physico-chemical and related values

See 627, 648.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

See 634.

3b. Detectors and detection reagents

- 634 Il'yasov, L.V., Isaev, Yu.V. and Martirosyants, L.A.: (Detecting device for thin-layer chromatographs). *U.S.S.R. Pat.* SU 1,430,883 (Cl. G01N30/90), 15 Oct. 1988, Appl. 4,217,654, 30 Mar. 1987; *C.A.*, 110 (1989) 50486y.

See also 652, 725.

3c. Sorbents, carriers, column and layer performance, packing procedures

- 635 Arai, K. and Udagawa, H.: Application of photoresponsive groups-containing cellulose as an adsorbent for thin-layer chromatography. *Makromol. Chem., Rapid Commun.*, 9 (1988) 797-800; *C.A.*, 110 (1989) 50467t.
- 636 Hinze, W.L., Pharr, D.Y., Fu, Z.S. and Burkert, W.G.: Thin-layer chromatography with urea-solubilized β -cyclodextrin mobile phases. *Anal. Chem.*, 61 (1989) 422-428.
- 637 Jost, W. and Hauck, H.E.: The use of hydrophilic modified sorbents in TLC. *GIT-Suppl.*, No. 3 (1988) 70-77; *C.A.*, 110 (1989) 50451h.
- 638 Khurana, A.L. and Ho, C.-T.: Determination of surface silanols of silica gels and HPLC bonded phases. *J. Liq. Chromatogr.*, 11 (1988) 3205-3211.
- 639 Rozylo, J.K., Gwis-Chomicz, D. and Malinowska, I.: Chitin as stationary phase in TLC. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 235-238; *C.A.*, 110 (1989) 127800f.

See also 748.

4. SPECIAL TECHNIQUES

4b. Combination of various chromatographic techniques

- 640 Jaenchen, D.: (Direct coupling of column liquid chromatography and TLC). *GIT-Suppl.*, No. 3 (1988) 78-82; *C.A.*, 110 (1989) 50454m.
- 641 Markowski, W. and Bieganowska, M.L.: Correlation of various physicochemical parameters of organic amides with their retention data and biological activity. *Chromatographia*, 26 (1988) 97-100.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

- 642 Tamura, J., Sakamoto, S. and Kubota, E.: A newly developed direct analysis system using thin-layer chromatography/fast-atom-bombardment mass spectrometry and some of its applications. *Analusis*, 16, No. 6 (1988) 64-69; *C.A.*, 110 (1989) 146873y.

4g. Separation of enantiomers

- 643 Mack, M. and Hauck, H.E.: Separation of enantiomers in thin-layer chromatography. *Chromatographia*, 26 (1988) 197-205 - a review with 48 refs.

See also 759, 767.

4h. Other special techniques

- 644 Chen, Z.: (New analysis technique of chromatography: over-pressured TLC). *Yaowu Fenxi Zashi*, 8 (1988) 370-374; *C.A.*, 110 (1989) 141618j - a review.

- 645 Kalasz, H., Bathori, M. and Nagy, J.: Displacement and spacer displacement chromatography. Alteration of spot profile in displacement thin-layer chromatography. *Chromatographia*, 27 (1989) 253-256.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

See 647.

5b. Cyclic hydrocarbons

- 646 Marciniak, B.: Preparation of high purity aromatic hydrocarbons. Part I. Preparation of high purity coaltar anthracene. *Mol. Cryst. Liq. Cryst.*, 162B (1988) 301-313; *C.A.*, 110 (1989) 153877f.

See also 636, 647.

5d. Complex hydrocarbon mixtures

- 647 Holmes, S.A.: Sequential hydrocarbon and nitrogen detection in thin-layer chromatographic analysis of oil shale bitumen. *J. Chromatogr.*, 465 (1989) 345-358.

6. ALCOHOLS

- 648 Wlodarz, J.: (Evaluation of the hydrophobic properties of the higher aliphatic alcohols by means of adsorption TLC). *Pr. Nauk. Univ. Slask. Katowicach*, 872 (1987) 56-61; *C.A.*, 110 (1989) 122144k.

See also 653, 689, 756.

7. PHENOLS

- 649 Cui, J., Zhang, G. and Song, W.: (Analysis of magnolol and honokiol in traditional Chinese drug Houpo). *Yaowu Fenxi Zazhi*, 8 (1988) 274-277; *C.A.*, 110 (1989) 63817g.
- 650 Hoffmann, A. and Funk, W.: (High-performance TLC post-chromatographic derivatization of phenols). *GIT-Suppl.*, No. 3 (1988) 12-19; *C.A.*, 110 (1989) 87707x.
- 651 Kastelan-Macan, M., Cerjan-Stefanovic, S. and Petrovic, M.: Phenol adsorption on active carbon by means of thin-layer chromatography. *Chromatographia*, 27 (1989) 297-300.
- 652 Steklac, M. and Psarsky, L.: Utilization of 2-amino-7-oxo-5,5-dimethyl-4,5,6,7-tetrahydrobenzothiazole for detection of alkylphenols in waters. *Acta Fac. Rerum Nat. Univ. Comenianae, Chim.*, 35 (1987) 27-32; *C.A.*, 110 (1989) 141089n.

See also 632, 636, 755.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

- 653 Franco, T.T. and Kurebayashi, A.K.: (Isolation of propolis drugs by 2-dimensional paper chromatography and spectrophotometric determination). *Rev. Inst. Adolfo Lutz*, 46, No. 1-2 (1986, Publ. 1988) 81-86; *C.A.*, 110 (1989) 82572q.

- 654 Nie, Q.: (TLC-densitometric determination of dracorhodin in Dragon's blood). *Zhongyao Tongbao*, 13 (1988) 615-616; *C.A.*, 110 (1989) 82575t.

See also 837.

8b. *Aflatoxins and other mycotoxins*

- 655 Li, X.: (Determination of aflatoxin B₁ in soy sauce). *Gongye Weishengwu*, 18 (1988) 29,38; *C.A.*, 110 (1989) 133789a.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

- 656 Asabe, Y., Anraku, M. and Takitani, S.: (Spectrophotometric determination of *p*-quinones and related compounds using 3-ethylrhodanine). *Iyakuin Kenkyu*, 19 (1988) 700-708; *C.A.*, 110 (1989) 127812m.
- 657 Fischer, K.-H., Laskawy, G. and Grosch, W.: Autoxidation of methyl α -oleostearate - identification of the low molecular weight decomposition products. *Fat Sci. Technol.*, 91 (1989) 58-61.
- 658 Iketani, Y., Taguchi, H., Yuda, M. and Sasaki, H.: (Pharmaceuticals containing Schisandra-origin lignan for treatment of liver diseases). *Jpn. Kokai Tokkyo Koho Pat.* JP 63,196,513 (88,196,513) (Cl. A61K31/09), 15 Aug. 1988, Appl. 87/27, 999, 12 Feb. 1987; *C.A.*, 110 (1989) 44935c.
- 659 Long, Y., Ye, C. and Huang, R.: (Separation of the geometric isomers of alkyl aryl ketone oxime by TLC). *Gaodeng Xueixiao Huaxue Xuebao*, 9 (1988) 963-965; *C.A.*, 110 (1989) 146900e.
- 660 Nasirullah and Nagaraja, K.V.: Oxidative rancidity in refined sunflower oil with respect to storage variation. *Fat Sci. Technol.*, 91 (1989) 80-82.
- 661 Rietveld, E.C., Hoet, R.M.A., Seutter-Berlage, F. and van Rossum, J.M.: Percutaneous absorption of ¹⁴C-labelled 2-chlorobenzaldehyde in rats. Metabolism and toxicokinetics. *Eur. J. Drug Metab.*, 13 (1988) 231-240.

See also 632.

10. CARBOHYDRATES

10a. *Mono and oligosaccharides. Structural studies*

- 662 Eriksson, L., Jonsson, J., Sjoestroem, M., Wikstroem, C. and Wold, S.: Multivariate derivation of descriptive scales for monosaccharides. *Acta Chem. Scand. Ser. B*, B42 (1988) 504-514; *C.A.*, 110 (1989) 135587g.
- 663 Freeman, C. and Hopwood, J.J.: Human liver glucuronate 2-sulphatase. Purification, characterization and catalytical properties. *Biochem. J.*, 259 (1989) 209-216.
- 664 Hughes, H.M., Powell, G.M., Snodin, D.J., Daniel, J.W., Crawford, A., Sanders, J.K.M. and Curtis, C.G.: Glutathione-dependent dechlorination of 1,6-dichloro-1,6-dideoxyfructose. *Biochem. J.*, 259 (1989) 537-543.
- 665 Jarzebinski, J., Tonska, S. and Kleps, J.: (Determination of heparin in the form of its decomposition products. III. Spectrophotometric and densitometric methods for determining the biopolymer). *Acta Pol. Pharm.*, 45 (1988) 329-333; *C.A.*, 110 (1989) 141648u.
- 666 Kanda, T., Yatomi, H., Makishima, S., Amano, Y. and Nisizawa, K.: Substrate specificities of exo- and endo-type cellulases in the hydrolysis of β -(1 \rightarrow 3)- and β -(1 \rightarrow 4)-mixed D-glucans. *J. Biochem. (Tokyo)*, 105 (1989) 127-132.
- 667 Maoret, J.-J., Font, J., Augeron, C., Codogno, P., Bauvy, C., Aubery, M. and Laboisse, C.L.: A mucus-secreting human colonic cancer cell line. Purification and partial characterization of the secreted mucins. *Biochem. J.*, 258 (1989) 793-799.
- 668 Prakash, B.S., Suyama, K., Itoh, T. and Adachi, S.: Structure elucidation of major galacto oligosaccharides formed by growing culture of *Trichoderma harzianum*. *J. Agric. Food Chem.*, 37 (1989) 334-337.

- 669 Silbert, C.K., Palmer, M.E., Humphries, D.E. and Silbert, J.E.: Production of [³H]hexosamine-labeled proteoglycans by cultures of normal and diabetic skin fibroblasts: Dilution of exogenous [³H]glucosamine by endogenous hexosamine from glucose and other sources. *Arch. Biochem. Biophys.*, 268 (1989) 393-397.
- 670 Slomiany, B.L., Piotrowski, J., Nishikawa, H. and Slomiany, A.: Enzymatic sulfation of salivary mucins: structural features of 35S-labeled oligosaccharides. *Biochem. Biophys. Res. Commun.*, 157 (1989) 61-67.

See also 631, 635.

10b. *Polysaccharides, mucopolysaccharides, lipopolysaccharides*

- 671 Damm, J.B.L., Voshol, H., Hard, K., Kamerling, J.P. and Vliegenthart, J.F.G.: Analysis of N-acetyl-4-O-acetylneuraminic-acid-containing N-linked carbohydrate chains released by peptide N⁴-(N-acetyl-β-glucosaminyl)asparagine amidase F. Application to the structure determination of the carbohydrate chains of equine fibrinogen. *Eur. J. Biochem.*, 180 (1989) 101-110.

See also 665.

11. ORGANIC ACIDS AND LIPIDS

11a. *Organic acids and simple esters*

- 672 Mokhov, A.A., Leonteva, L.B., Bardin, V.V., Krauklish, I.V. and Tselinskii, I.V.: (Paper-chromatographic method of determining 3,4,5-trihydroxybenzoic acid). *U.S.S.R. Pat. SU 1,434,364* (Cl. GO1N30/94), 30 Oct. 1988, Appl. 4,243,467, 11 May 1987; *C.A.*, 110 (1989) 87755m.
- 673 Van Rollins, M., Frade, P.D. and Carretero, O.A.: Synthesis of epoxide and vicinal diol regioisomers from docosahexaenoate methyl esters. *J. Lipid Res.*, 30 (1989) 275-286.

See also 636, 643, 657, 685, 696, 715, 721, 755, 756, 757, 818, 837, 839.

11b. *Prostaglandins*

- 674 Burgess, J.R., Chow, N.-W.I., Reddy, C.C. and Tu, C.-P.D.: Amino acid substitutions in the human glutathione S-transferases confer different specificities in the prostaglandin endoperoxide conversion pathway. *Biochem. Biophys. Res. Commun.*, 158 (1989) 497-502.
- 675 Rosenfeld, J.M., Mureika-Russell, M. and Love, M.: Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for gas chromatographic determination. *J. Chromatogr.*, 489 (1989) 263-272.

11c. *Lipids and their constituents*

- 676 Agwu, D.E., McPhail, L.C., Wykle, R.L. and McCall, C.E.: Mass determination of receptor-mediated accumulation of phosphatidate and diglycerides in human neutrophils measured by Coomassie blue staining and densitometry. *Biochem. Biophys. Res. Commun.*, 159 (1989) 79-86.
- 677 Ariga, T., Suzuki, M., Yu, R.K., Kuroda, R.K., Shimada, I., Inagaki, F. and Miyatake, T.: Accumulation of unique globo-series glycolipids in PC 12h pheochromocytoma cells. *J. Biol. Chem.*, 264 (1989) 1516-1521.
- 678 Aukema, H.M. and Holub, B.J.: Effect of dietary supplementation with a fish oil concentrate on the alkenylacyl classes of ethanolamine phospholipid in human platelets. *J. Lipid Res.*, 30 (1989) 59-64.
- 679 Black, D.D. and Davidson, N.O.: Intestinal apolipoprotein synthesis and secretion in the suckling pig. *J. Lipid Res.*, 30 (1989) 207-218.
- 680 Careaga-Houck, M. and Sprecher, H.: Effect of a fish oil diet on the composition of rat neutrophil lipids and the molecular species of choline and ethanolamine glycerophospholipids. *J. Lipid Res.*, 30 (1989) 77-87.

- 681 Castuma, C.E. and Brenner, R.R.: The influence of fatty acid unsaturation and physical properties of microsomal membrane phospholipids on UDP-glucuronyl-transferase activity. *Biochem. J.*, 258 (1989) 723-731.
- 682 Chang, P.S. and Rhee, J.S.: Simultaneous high-performance liquid chromatographic analysis of oleic acid and simple glycerides of oleic acid. *J. Chromatogr.*, 465 (1989) 438-441.
- 683 Chilton, F.H.: Potential phospholipid source(s) of arachidonate used for the synthesis of leukotrienes by the human neutrophil. *Biochem. J.*, 258 (1989) 327-333.
- 684 Cocco, L., Martelli, A.M., Gilmour, R.S., Ognibene, A., Manzoli, F.A. and Irvine, R.F.: Changes in nuclear inositol phospholipids induced in intact cells by insulin-like growth factor I. *Biochem. Biophys. Res. Commun.*, 159 (1989) 720-725.
- 685 Colard, O., Breton, M., Pepin, D., Chevy, F., Bereziat, G. and Polonovski, J.: Arachidonate cannot be released directly from diacyl-sn-glycerol-3-phosphocholine in thrombin-stimulated platelets. *Biochem. J.*, 259 (1989) 333-339.
- 686 Furukawa, K., Yamaguchi, H., Oettgen, H.F., Old, L.J. and Lloyd, K.O.: Two human monoclonal antibodies reacting with the major gangliosides of human melanomas and comparison with corresponding mouse monoclonal antibodies. *Cancer Res.*, 49 (1989) 191-196.
- 687 Godfrey, P.P.: Potentiation by lithium of CMP-phosphatidate formation in carbachol-stimulated rat cerebral-cortical slices and its reversal by myo-inositol. *Biochem. J.*, 258 (1989) 621-624.
- 688 Grubauer, G., Feingold, K.R., Harris, R.M. and Elias, P.M.: Lipid content and lipid type as determinants of the epidermal permeability barrier. *J. Lipid Res.*, 30 (1989) 89-96.
- 689 Jensen, R.G. and Ferraina, R.A.: Separation of tri-, 1,3-di- and 1-monooleoyl-glycerols and oleic acid by flash chromatography. *J. Am. Oil Chem. Soc.*, 66 (1989) 135-136.
- 690 Jiao, B., Freudenberg, M. and Galanos, C.: Characterization of the lipid A component of genuine smooth-form lipopolysaccharide. *Eur. J. Biochem.*, 180 (1989) 515-518.
- 691 Khan, B., Wilcox, H.G. and Heimberg, M.: Cholesterol is required for secretion of very-low-density lipoprotein by rat liver. *Biochem. J.*, 258 (1989) 807-816.
- 692 Knight, C.G. and Stephens, T.: Xanthene-dye-labelled phosphatidylethanolamines as probes of interfacial pH. Studies in phospholipid vesicles. *Biochem. J.*, 258 (1989) 683-689.
- 693 Krauss, J.H., Seydel, U., Weckesser, J. and Mayer, H.: Structural analysis of the nontoxic lipid A of *Rhodobacter capsulatus* 37b4. *Eur. J. Biochem.*, 180 (1989) 519-526.
- 694 Kubushiro, K., Kojima, K., Mikami, M., Nozawa, S., Iizuka, R., Iwamori, M. and Nagai, Y.: Menstrual cycle-associated alteration of sulfogalactosylceramide in human uterine endometrium: Possible induction of glycolipid sulfation by sex steroid hormones. *Arch. Biochem. Biophys.*, 268 (1989) 129-136.
- 695 Kundu, M., Basu, J., Chakrabarti, P. and Rakshit, M.M.: Abnormalities in the erythrocyte membrane in acute lymphoid leukaemia. *Biochem. J.*, 258 (1989) 903-906.
- 696 Leaver, I.H., Lewis, D.M. and Westmoreland, D.J.: Analysis of wool lipids using thin-layer chromatography with flame ionization detection. *Text. Res. J.*, 58 (1988) 593-600; *C.A.*, 110 (1989) 77341j.
- 697 McConville, M.J. and Bacic, A.: A family of glycoinositol phospholipids from *Leishmania major*. Isolation, characterization, and antigenicity. *J. Biol. Chem.*, 264 (1989) 757-766.
- 698 Medlock, K.A. and Merrill, A.H., Jr.: Rapid turnover of sphingosine synthesized *de novo* from [¹⁴C]serine by Chinese hamster ovary cells. *Biochem. Biophys. Res. Commun.*, 157 (1989) 232-237.
- 699 Melnik, B.C., Hollmann, J., Erler, E., Verhoeven, B. and Flewig, G.: Micro-analytical screening of all major stratum corneum lipids by sequential high-performance thin-layer chromatography. *J. Invest. Dermatol.*, 92 (1988) 231-234; *C.A.*, 110 (1989) 150720p.
- 700 Minor, L.K., Rothblat, G.H. and Glick, J.M.: Triglyceride and cholesteryl ester hydrolysis in a cell culture model of smooth muscle foam cells. *J. Lipid Res.*, 30 (1989) 189-197.
- 701 Naveen Kumar, T., Sastry, Y.S.R. and Lakshminarayana, G.: Preparation and surfactant properties of diglycerol esters of fatty acids. *J. Am. Oil Chem. Soc.*, 66 (1989) 153-157.

- 702 Ortiz, P., Lopez Azorin, F., Cano Sanchez, F., Meseguer Matinez, A. and Martinez Hernandez, J.: (Blood interference in the determination of phospholipids in amniotic fluid by thin-layer chromatography). *Laboratorio (Granada)*, 492 (1987) 9-15; *C.A.*, 110 (1989) 72001p.
- 703 Nakashima, S., Suganuma, A., Matsui, A., Hattori, H., Sato, M., Takenaka, A. and Nozawa, Y.: Primary role of calcium ions in arachidonic acid release from rat platelet membranes. Comparison with human platelet membranes. *Biochem. J.*, 259 (1989) 139-144.
- 704 Parra, J.L., Guinea, J., Manresa, M.A., Robert, M., Mercade, M.E., Comelles, F. and Bosch, M.P.: Chemical characterization and physicochemical behavior of biosurfactants. *J. Am. Oil Chem. Soc.*, 66 (1989) 141-145.
- 705 Prokazova, N.V., Mukhin, D.N., Orekhov, A.N., Gladkaya, E.M., Vasilevskaya, V.V., Mikhailenko, I.A., Sadovskaya, V.L., Bushuev, V.N. and Bergelson, L.D.: Neutral glycolipids of atherosclerotic plaques and unaffected human aorta tissue. *Eur. J. Biochem.*, 180 (1989) 167-171.
- 706 Roldan, E.R.S. and Harrison, R.A.P.: Polyphosphoinositide breakdown and subsequent exocytosis in the Ca^{2+} /ionophore-induced acrosome reaction of mammalian spermatozoa. *Biochem. J.*, 259 (1989) 397-406.
- 707 Sharma, R.J., Woods, N.M., Cobbold, P.H. and Grant, D.A.W.: Receptor-mediated endocytosis of asialoglycoproteins and diferric transferrin is independent of second messengers. *Biochem. J.*, 259 (1989) 81-89.
- 708 Shcherbakov, V.G., Lobanov, V.G., Kozhukhov, A.I. and Shmyglya, E.V.: (Method for stereospecific analysis of triacylglycerols). *U.S.S.R. Pat. SU 1,430,888* (Cl. G0133/00), 15 Oct. 1988, Appl. 4,146,365, 13 Nov. 1986; *C.A.*, 110 (1989) 127826u.
- 709 Smiles, A., Kakuda, Y. and MacDonald, B.E.: Effect of degumming reagents on the composition and emulsifying properties of canola, soybean and sunflower acetone insolubles. *J. Am. Oil Chem. Soc.*, 66 (1989) 348-352.
- 710 Stephens, L.I., Hawkins, P.T. and Downes, C.P.: Metabolic and structural evidence for the existence of a third species of polyphosphoinositide in cells: D-phosphatidyl-myo-inositol 3-phosphate. *Biochem. J.*, 259 (1989) 267-276.
- 711 Strasberg, P., Grey, A., Warren, I. and Skomorowski, M.A.: Simultaneous fractionation of four placental neutral glycosphingolipids with a continuous gradient. *J. Lipid Res.*, 30 (1989) 121-127.
- 712 Takayama, H., Kroll, M.H., Gimbrone, M.A., Jr. and Schafer, A.I.: Turnover of eicosanoid precursor fatty acids among phospholipid classes and subclasses of cultured human umbilical vein endothelial cells. *Biochem. J.*, 258 (1989) 427-434.
- 713 Tokumura, A., Takauchi, K., Asai, T., Kamiyasu, K., Ogawa, T. and Tsukatani, H.: Novel molecular analogues of phosphatidylcholines in a lipid extract from bovine brain: 1-long-chain acyl-2-short-chain acyl-sn-glycero-3-phosphocholines. *J. Lipid Res.*, 30 (1989) 219-224.
- 714 Trincone, A., de Rosa, M., Gambacorta, A., Lanzotii, V., Nocolaus, B., Harris, J.E. and Grant, W.: A simple chromatographic procedure for the detection of cyclized archaeobacterial glycerol-bisdiphytanyl-glycerol tetraether core lipids. *J. Gen. Microbiol.*, 134 (1988) 3159-3163; *C.A.*, 110 (1989) 150689k.
- 715 Tsanev, R. and Goranov, I.: (Chromatographic method for determination of fatty acid composition of phospholipids in erythrocytes). *Khig. Zdraveopaz.*, 31 (1988) 91477q.
- 716 Van Haastert, P.J.M., de Vries, M.J., Penning, L.C., Roovers, E., van der Kaay, J., Erneux, C. and van Lookeren Campagne, M.M.: Chemoattractant and guanosine 5'-[γ -thio]triphosphate induce the accumulation of inositol 1,4,5-triphosphate in *Dictyostelium* cells that are labelled with [3H]inositol by electroporation. *Biochem. J.*, 258 (1989) 577-586.
- 717 Weis, M.T. and Malik, K.U.: Uptake and hormonally induced hydrolysis of [3H]phosphatidyl choline in the isolated rabbit heart. *J. Pharmacol. Exp. Ther.*, 248 (1989) 614-620.
- 718 Williams, M.A., Gross, S.K., Evans, J.E. and McCluer, R.H.: Glycolipid stage-specific embryonic antigens (SSEA-1) in kidneys of male and female C 57BL/6J and beige adult mice. *J. Lipid Res.*, 29 (1988) 1613-1619.
- 719 Xia, X.-J., Gu, X.-B., Santorelli, A.C. and Yu, R.K.: Effects of inducers of differentiation on protein kinase C and CMP-N-acetylneuraminic acid:lactosyl-ceramide sialyltransferase activities of HL-60 leukemia cells. *J. Lipid Res.*, 30 (1989) 181-188.

- 720 Zhang, H., Davis, W.B., Chen, X., Whisler, R.L. and Cornwell, D.G.: Studies on oxidized low density lipoproteins. Controlled oxidation and a prostaglandin artifact. *J. Lipid Res.*, 30 (1989) 141-148.

See also 642, 660.

11d. *Lipoproteins and their constituents*

See 720.

12. ORGANIC PEROXIDES

- 721 Hatzelmann, A., Schatz, M. and Ullrich, V.: Involvement of glutathione peroxidase activity in the stimulation of 5-lipoxygenase activity by glutathione-depleting agents in human polymorphonuclear leukocytes. *Eur. J. Biochem.*, 180 (1989) 527-533.

13. STEROIDS

13a. *Pregnane and androstane derivatives*

- 722 Campbell, J.S. and Karavolas, H.J.: The kinetic mechanism of the hypothalamic progesterone 5 α -reductase. *J. Steroid Biochem.*, 32 (1989) 283-289.
- 723 Galbraith, R.A. and Jellinck, P.H.: Cobalt-protoporphyrin, a synthetic heme analogue, feminizes hepatic androgen metabolism in the rat. *J. Steroid Biochem.*, 32 (1989) 421-426.
- 724 Halpert, J., Jaw, J.-Y., Cornfield, L.J., Balfour, C. and Mash, E.A.: Selective inactivation of rat liver cytochromes P-450 by 21-chlorinated steroids. *Drug Metab. Disp.*, 17 (1989) 26-31.
- 725 Jansen, E.H.J.M., van den Bosch, D., Stephany, R.W., van Look, L.J. and van Peteghem, C.: Quantitative analysis of anabolics on thin-layer chromatographic plates using image analysis techniques. *J. Chromatogr.*, 489 (1989) 205-212.
- 726 Leonard, R.J.: Flash-flow, fused, bioerodable sustained-release pharmaceutical implant pellets and apparatus and process for their manufacture. *PCT Int. Pat. Appl.* WO 88 07,816 (Cl. A01N37/18), 20 Oct. 1988, US Appl. 35,379, 06 Apr. 1987; *C.A.*, 110 (1989) 63771n.
- 727 Monder, C. and Lakshmi, V.: Evidence for kinetically distinct forms of corticosteroid 11 β -dehydrogenase in rat liver microsomes. *J. Steroid Biochem.*, 32 (1989) 77-83.
- 728 Petrow, V., Padilla, G.M., McPhail, A.T., Bruchovsky, N. and Schneider, S.L.: Prostate III - a structural feature characteristic of the rat prostate 5 α -reductase active site. *J. Steroid Biochem.*, 32 (1989) 399-407.
- 729 Pinilla, L., Cocconi, M., Zoppi, S. and Martini, L.: Effect of neonatal estrogenization on testosterone metabolism in the prostate and in the epididymis of the rat. *J. Steroid Biochem.*, 32 (1989) 459-465.
- 730 Raimondi, S.G., Olivier, N.S., Patrino, L.C. and Flury, A.: Regulation of the 3 β -hydroxysteroid dehydrogenase activity in tissue fragments and microsomes from human term placenta: kinetic analysis and inhibition by steroids. *J. Steroid Biochem.*, 32 (1989) 413-420.
- 731 Smith, K.E., Latif, S. and Kirk, D.N.: Microbial transformation of steroids - II. Transformations of progesterone, testosterone and androstenedione by *Phycomyces blakesleeanus*. *J. Steroid Biochem.*, 32 (1989) 445-451.
- 732 Van Look, L., Deschuytere, P. and van Peteghem, C.: Thin-layer chromatographic method for the detection of anabolics in fatty tissues. *J. Chromatogr.*, 489 (1989) 213-218 - R_f values for 30 compounds.
- 733 Zhao, W.: (Silica gel thin-layer chromatography and its application in the isolation and purification of steroids in fish). *Dongyuxue Zazhi*, 23 (1988) 27-30; *C.A.*, 110 (1989) 91474m.

See also 631, 645.

13b. Estrogens

- 734 Tiefenauer, L.X., Bodmer, D.M., Frei, W. and Andres, R.Y.: Prevention of bridge binding in immunoassays: a general estradiol tracer structure. *J. Steroid Biochem.*, 32 (1989) 251-257.

See also 725, 732, 733.

13c. Sterols

- 735 Aviram, M., Bierman, E.L. and Oram, J.F.: High density lipoprotein stimulates sterol translocation between intracellular and plasma membrane pools in human monocyte-derived macrophages. *J. Lipid Res.*, 30 (1989) 65-76.
- 736 Homberg, E. and Bielefeld, B.: Sterinzusammensetzung und Steringehalt in 41 verschiedenen pflanzlichen und tierischen Fetten. *Fat Sci. Technol.*, 91 (1989) 23-27.
- 737 Hwang, P.L.H. and Matin, A.: Interactions of sterols with antiestrogenbinding sites: structural requirements for high-affinity binding. *J. Lipid Res.*, 30 (1989) 239-245.
- 738 Kim, H.-S., Wilson, W.K., Needleman, D.H., Pinkerton, F.D., Wilson, D.K., Quiocho, F.A. and Schroepfer, G.J., Jr.: Inhibitors of sterol synthesis. Chemical synthesis, structure and biological activities of (25R)-3 β ,26-dihydroxy-5 α -cholest-8(14)-en-15-one, a metabolite of 3 β -hydroxy-5 α -cholest-8(14)-en-15-one. *J. Lipid Res.*, 30 (1989) 247-261.
- 739 Rao, B.S., Rao, V.S., Ramakrishna, Y. and Bhat, R.V.: Rapid and specific method for screening ergosterol as an index of fungal contamination in cereal grains. *Food Chem.*, 31 (1989) 51-56; *C.A.*, 110 (1989) 133795z.
- 740 Sultan, F., Lagrange, D., Le Liepvre, X. and Griglio, S.: Chylomicron-remnant uptake by freshly isolated hepatocytes. Effect of heparin and of hepatic triacylglycerol lipase. *Biochem. J.*, 258 (1989) 587-594.

See also 679, 688, 691, 696, 700, 726.

13d. Bile acids and alcohols

- 741 Guo, Y. and Sun, W.: (TLC and paper chromatography in determination of artificially drained and natural bear gall). *Zhongyao Tongbao*, 13 (1988) 617-619; *C.A.*, 110 (1989) 101923y.
- 742 Shen, J. and Zhou, W.: (Isolation and identification of cholanic acids from hog bile). *Yiyao Gongye*, 19 (1988) 529-531; *C.A.*, 110 (1989) 141356x.
- 743 Zang, F. and Zhang, X.: (TLC-colorimetric assay of cholic acid in bezoar and Angong Nihuang Wan). *Zhongyao Tongbao*, 13 (1988) 732-734; *C.A.*, 110 (1989) 101937f.
- 744 Zhao, T., Wu, X., Jiao, Q., Wang, Y. and Yu, R.: (Determination of cholic acid in *Zaozys dhummades* by pH gradient layer). *Zhongguo Yaoke Daxue Xuebao*, 19 (1988) 288-290; *C.A.*, 110 (1989) 141634m.

See also 642.

14. STEROID GLYCOSIDES AND SAPONINS

- 745 Baghdadi, H.H., Aziz, K.S. and Metwally, A.M.: A study of the sapogenin content of Egyptian fenugreek seeds. *Alexandria J. Pharm. Sci.*, 2, No. 1 (1988) 35-38; *C.A.*, 110 (1989) 82342q.
- 746 Gao, G. and Guo, Y.: (Evaluation of the quality of 12 species of *Bupleurum*). *Zhongyao*, 19 (1988) 443-446; *C.A.*, 110 (1989) 63566z.
- 747 Iskenderov, G.B.: (Study of Polysponin saponins). *Farmatsiya (Moscow)*, 37, No. 6 (1988) 18-21; *C.A.*, 110 (1989) 63569c.
- 748 Okamoto, M.: Preparation and evaluation of mono-, di- and triphenyl-treated plates for the high-performance thin-layer chromatographic analysis of bufadienolides in *Bufois venenum*. *Chromatographia*, 26 (1988) 145-148.
- 749 Robaina, C., Garcia, J., Fernandez, A., Becquer, G., Lopez, B. and Corrales, I.: (Comparative phytochemical study of four *Agave* species). *Rev. Cubana Farm.*, 22, No. 2 (1988) 111-119; *C.A.*, 110 (1989) 63567a.

- 750 Tanker, M., Kurucu, S., Tarhan, O., Terem, B., Mericli, F., Dogan, M. and Sakar, K.: (Evaluation of the possibilities to prepare cardioactive glycosides from *Digitalis* species growing in Turkey and estimation of elements of cost). *Doga Turk Tip Eczacilik Derg.*, 12 (1988) 170-182; *C.A.*, 110 (1989) 101575m.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

- 751 Hairfield, E.M., Hairfield, H.H., Jr. and McNair, H.M.: GC, GC/MS and TLC of β -boswellic acid and O-acetyl- β -boswellic acid from *B. serrata*, *B. carteli* and *B. papyrifera*. *J. Chromatogr. Sci.*, 27 (1989) 127-133.
- 752 Wagner, H., Bauer, R. and Ott, H.: Isolation of sesquiterpene esters from *Parthenium integrifolium* as immunomodulators. *Ger. Pat. Offen. DE 3,638,715* (Cl. CO7D303/16), 26 May 1988, Appl. 13 Nov. 1986; *C.A.*, 110 (1989) 141524a.

See also 840.

16. NITRO AND NITROSO COMPOUNDS

See 636, 644.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

- 753 Wertz, P.W. and Downing, D.T.: Free sphingosines in porcine epidermis. *Biochem. Biophys. Acta*, 1002 (1989) 213-217.
- 754 Yang, J., He, P. and Yu, B.: (Thin-layer chromatography and fluorometry for plant polyamines). *Zhijiu Shenglixue Tongxun*, No. 6 (1988) 63-66; *C.A.*, 110 (1989) 111286g.

See also 632, 633, 636, 643, 647, 650, 844.

17b. Catecholamines and their metabolites

- 755 Boulton, A.A., Durden, D.A. and Davis, B.A.: Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example. *J. Chromatogr.*, 488 (1989) 129-143.
- 756 Ryan, P.J., Lesicki, R. and Roberts, J.: Separation of norepinephrine and metabolites as dns derivatives by two-dimensional thin-layer chromatography. *J. Chromatogr.*, 465 (1989) 448-450.

17d. Other amine derivatives and amides (excluding peptides)

- 757 Montetn, D., Pina, M., Graille, J., Renard, G. and Grimaud, J.: Synthesis of N-lauryloleamide by the *Mucor miehei* lipase in an organic medium. *Fat Sci. Technol.*, 91 (1989) 14-18.

See also 636, 767, 808, 844.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 758 Alonso, E. and Rubio, V.: Participation of ornithine aminotransferase in the synthesis and catabolism of ornithine in mice. Studies using gabaculine and arginine deprivation. *Biochem. J.*, 259 (1989) 131-138.

- 759 Bhushan, R.: Methods of TLC resolution of enantiomeric amino acids and their derivatives. *J. Liq. Chromatogr.*, 11 (1988) 3049-3065.
- 760 Bhushan, R. and Reddy, G.P.: Some solvent systems for the resolution of dansyl amino acids by silica gel thin-layer chromatography. *J. Liq. Chromatogr.*, 11 (1988) 3163-3170.
- 761 Eriksson, L., Jonsson, J., Sjoestroem, M. and Wold, S.: Multivariate parametrization of amino acid properties by thin-layer chromatography. *Quant. Struct.-Act. Relat.*, 7 (1988) 144-150; *C.A.*, 110 (1989) 72102x.
- 762 Illes, Z. and Cserhati, T.: Effect of surface pH value of silica on the retention of dansyl amino acids. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 231-234; *C.A.*, 110 (1989) 107352h.
- 763 Maillard, C., Barlatier, A., Debrauwer, L., Calaf, R. and Balansard, G.: Identification of the amino acids in the aerial parts of *Capsella bursa-pastoris* Moench. Significance for routine assay. *Ann. Pharm. Fr.*, 46 (1988) 211-216; *C.A.*, 110 (1989) 63819j.
- 764 Marutoiu, C., Gheban, D., Condor, M. and Gheban, L.: (Separation and identification of an amino acid mixture used in the medical practice by thin-layer chromatography). *Rev. Chim. (Bucharest)*, 39 (1988) 706-707; *C.A.*, 110 (1989) 45005m.
- 765 Manicagli, C.: (Chemical characterization of a collagen-based product). *Chim. Oggi*, No. 11 (1987) 38-40; *C.A.*, 110 (1989) 101718k.
- 766 Neufeld, E., Goren, H.J. and Boland, D.: Thin-layer chromatography can resolve phosphotyrosine, phosphoserine, and phosphothreonine in a protein hydrolyzate. *Anal. Biochem.*, 177 (1989) 138-143.
- 767 Nishi, H., Ishii, K., Taku, K., Shimizu, R. and Tsumagari, N.: New chiral derivatization reagent for the resolution of maino acids as diastereomers by TLC and HPLC. *Chromatographia*, 27 (1989) 301-305.
- 768 Sritharan, V., Wheeler, P.R. and Ratledge, C.: Metabolism of aspartate in *Mycobacterium smegmatis*. *Eur. J. Biochem.*, 180 (1989) 587-593.
- 769 Yoshida, M.: (Purification of middle molecules responsible for hepatic coma by use of radioactive amino acids). *Med. Philos.*, 7 (1988) 907-909; *C.A.*, 110 (1989) 150881s.

See also 630, 631, 635, 643, 771, 774, 805, 834.

18b. Peptides and peptidic and proteinous hormones

- 770 Bille, V., Plainchamp, D., Lavielle, S., Chassaing, G. and Remacle, J.: Effect of the microenvironment on the kinetic properties of immobilized enzymes. *Eur. J. Biochem.*, 180 (1989) 41-47.
- 771 Bissonnette, M., Kuhn, D. and de Lanerolle, P.: Purification and characterization of myosin light-chain kinase from rat pancreas. *Biochem. J.*, 258 (1989) 739-747.
- 772 Dunphy, J.C. and Busch, K.L.: Imaging analysis and selected sequence monitoring of small peptides using planar chromatography/secondary ion mass spectrometry. *Biomed. Environ. Mass Spectrom.*, 17 (1988) 405-410; *C.A.*, 110 (1989) 91612e.
- 773 Stralfors, P., Hemmings, H.C., Jr. and Greengard, P.: Inhibitors of protein phosphatase-1. Inhibitor-1 of bovine adipose tissue and a dopamine- and cAMP-regulated phosphoprotein of bovine brain are identical. *Eur. J. Biochem.*, 180 (1989) 143-148.

See also 643.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

- 774 Cserhati, T. and Szogyi, M.: Adenine-amino acid interactions studied by charge-transfer chromatography. *J. Liq. Chromatogr.*, 11 (1988) 3067-3078.
- 775 Guindy, Y.S., Samuelsson, T. and Johansen, T.-I.: Unconventional codon reeding of *Mycoplasma mycoides* tRNAs as revealed by partial sequence analysis. *Biochem. J.*, 258 (1989) 869-873.
- 776 Khaitbaev, Kh.Kh., Ziyaev, Kh.L., Trofimova, N.P. and Greshnykh, R.D.: (Batriken quality control). *Farmatsiya (Moscow)*, 37, No. 6 (1988) 65-66; *C.A.*, 110 (1989) 121537d.

- 777 Mörikofer-Zwez, S. and Walter, P.: Binding of ADP to rat liver cytosolic proteins and its influence on the ratio of free ATP/free ADP. *Biochem. J.*, 259 (1989) 117-124.
- 778 Ogilvie, A., Lüthje, J., Pohl, U. and Busse, R.: Identification and partial characterization of an adenosine (5')tetraphospho(5')adenosine hydrolase on intact bovine aortic endothelial cells. *Biochem. J.*, 259 (1989) 97-103.

21d. *Structural studies on RNA and RNA mapping*

See 775.

22. ALKALOIDS

- 779 Gaitonde, R.V. and Bhat, U.V.: TLC-spectrophotometric determination of alkaloid berberine from marketed tablet formulation of *Berberis aristata* DC. *Adli Tip Derg.*, 4, No. 1-2 (1988) 11-13; *C.A.*, 110 (1989) 45000f.
- 780 Gaitonde, B.V. and Bhat, U.V.: TLC-spectrophotometric determination of vasicine alkaloid from marketed formulation of *Adhatoda vasica* nees. *Adli Tip Derg.*, 4, No. 1-2 (1988) 15-17; *C.A.*, 110 (1989) 45001g.
- 781 Molokhova, E.I., Astakhova, T.V., Shimolina, L.L. and Minina, S.A.: (Determination of indole alkaloids in *Rauwolfia serpentina* tissue cultures by using chromatography and photocolourimetry). *Khim. Prir. Soedin.*, (1987) 918-919; *C.A.*, 110 (1989) 141627m.
- 782 Popovic, M. and Perisic-Janjic, N.: Separation and fluorodensitometric determination of some purine derivative drugs by thin-layer chromatography on starch and cellulose. *Chromatographia*, 26 (1988) 244-246.
- 783 Sherma, J., Bernardo, J.E. and Higgs, M.H.: Screening of benzoylecgonine in urine cyclobond solid phase extraction and high performance TLC. *J. Liq. Chromatogr.*, 11 (1988) 3135-3143.
- 784 Tagliaro, F., Franchi, D., Dorizzi, R. and Marigo, M.: High-performance liquid chromatographic determination of morphine in biological samples: an overview of separation methods and detection techniques. *J. Chromatogr.*, 488 (1989) 215-228.
- 785 Tang, Y.: (Determination of berberine in 14 Chinese patent medicines with HPLC-scanning). *Zhongcaoyao*, 19 (1988) 347-348; *C.A.*, 110 (1989) 101925a.
- 786 Wu, F., Jiang, J., Fang, L., Wang, Y. and Su, D.: (Kinetic study of oxidative degradation of codeine phosphate by TLC-DM method). *Shenyang Yaowu Xuebao*, 5 (1988) 253-258; *C.A.*, 110 (1989) 101652j.
- 787 Wu, Z. and Jin, W.: (Quantitative determination of tetrandrine in Chinese drugs fourstamen stephania (*Stephania tetrandra*) and its preparations by TLC-scanning). *Zhongcaoyao*, 19 (1988) 349-350; *C.A.*, 110 (1989) 101926b.
- 788 Yang, Y., Zhao, S. and Liu, C.: (Dual-wavelength TLC densitometric determination of alkaloids in *Stephaniae tetrandrae* radix). *Zhongyao Tongbao*, 13 (1988) 740-742; *C.A.*, 110 (1989) 101938g.
- 789 Zhang, X. and Wang, Z.: (The determination of berberine in Xianglian wan). *Shenyang Yaowu Xuebao*, 5 (1988) 291-295; *C.A.*, 110 (1989) 101934c.
- 790 Zhong, J.F. and Jin, H.J.: (TLC-scanning determination of alkaloids in the Chinese drug Qinjiao (*Gentiana macrophylla*)). *Yaowu Xuebao*, 23 (1988) 601-605; *C.A.*, 110 (1989) 101919b.
- 791 Zhou, Z. and Lu, M.: (Quantitative determination of rhynchophylline in eight *Uncaria* species). *Yaowu Fenxi Zashi*, 8 (1988) 292-294; *C.A.*, 110 (1989) 45002h.

See also 629, 835, 839, 840.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

- 792 Polo, C.F., Afonso, S.G. and Batlle, A.M.D.C.: (A simplified method for the esterification and extraction of porphyrins). *Acta Bioquim. Clin. Latinoam.*, 22 (1988) 439-441; *C.A.*, 109 (1989) 91622h.

See also 840.

23c. Indole derivatives

See 755.

23d. Pyridine derivatives

See 647.

23e. Other N-heterocyclic compounds

- 793 Markovits, J., Garbay-Jaureguiberry, C., Roques, B.P. and Le Pecq, J.-B.: Acridine dimers: influence of the intercalating ring and of the linking-chain nature on the equilibrium and kinetic DNA-binding parameters. *Eur. J. Biochem.*, 180 (1989) 359-366.

See also 630, 641, 647.

24. ORGANIC SULPHUR COMPOUNDS

- 794 Cannon, J.M., Brown, R.D., Murrill, E.A. and Arneson, D.W.: Characterization of sulfonic acid isomers of dehydrothio-*p*-toluidine. *Appl. Spectrosc.*, 42 (1988) 705-707; *C.A.*, 110 (1989) 87719c.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCLUDING SUGAR PHOSPHATES)

- 795 Sagami, H., Lennarz, W.J. and Ogura, K.: The biosynthesis of dehydrodolichyl phosphates by rat liver microsomes. *Biochim. Biophys. Acta*, 1002 (1989) 218-224.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26c. Coordination compounds

- 796 Li, S. and Sun, Y.: (Three determination methods for titanate coupling agent content). *Fenzi Huaxue*, 16 (1988) 575; *C.A.*, 110 (1989) 146910h.
- 797 Tyukhtenko, S.I., Kofanov, V.I. and Vruble, T.L.: Magic square. III. Reverse isomerization of tris-chelate complexes of cobalt(III) with nitrosonaphthols. *J. Liq. Chromatogr.*, 11 (1988) 3103-3133.

See also 847, 848.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

See 818, 842.

28. ANTIBIOTICS

- 798 Abidi, S.L.: Reversed-phase thin-layer chromatography of homologues of antimycin A and related derivatives. *J. Chromatogr.*, 464 (1989) 453-458.
- 799 Chen, Y., Wilmott, N., Anderson, J. and Florence, A.T.: Hemoglobin, transferrin and albumin/polyaspartic acid microspheres as carriers for the cytotoxic drug adriamycin. I. Ultrastructural appearance and drug content. *J. Controlled Release*, 8, No. 2 (1988) 93-101; *C.A.*, 110 (1989) 63664e.
- 800 Liu, C. and Bi, R.: (The purification of 7-aminodesacetoxycephalosporanic acid and its purity analysis). *Kangshengsu*, 13 (1988) 293-295; *C.A.*, 110 (1989) 121196s.
- 801 Tico, J.R., Dandachi, K., Salazar, R. and Cemeli, J.: (Chromatographic study of sodium amoxicillin and its degradation products). *Cienc. Ind. Farm.*, 7 (1988) 210-216; *C.A.*, 110 (1989) 82605c.
- 802 Wang, G.: (TLC-UV spectrometric determination of the capreomycin sulfate component I). *Kangshengsu*, 13 (1988) 376-377; *C.A.*, 110 (1989) 141644q.

See also 642.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

See 640.

29a. Chlorinated insecticides

See 636.

29b. Phosphorus insecticides

- 803 Chukwudebe, A., March, R.B., Othman, M. and Fukuto, T.R.: Formation of trialkyl phosphorothioate esters from organophosphorus insecticides after exposure to either ultraviolet light or sunlight. *J. Agric. Food Chem.*, 37 (1989) 539-545.

29c. Carbamates

- 804 Avramova, Yu., Zaikov, Kh. and Chokhadzhieva, D.: (Densitometric determination of carbamate pesticides and some of their metabolites in urine). *Khig. Zdraveopaz.*, 31, No. 4 (1988) 80-85; *C.A.*, 110 (1989) 70596n.

29d. Herbicides

- 805 Cserhati, T., Szögyi, M. and Szigeti, Z.: Interaction of amino acids with the herbicides diquat and paraquat studied by charge-transfer chromatography. *Chromatographia*, 26 (1988) 305-310.
- 806 Rathore, H.S. and Khan, H.A.: Plain thin-layer chromatography of some herbicides and related compounds on admixture of barium sulfate and calcium sulphate in mixed solvents. *J. Liq. Chromatogr.*, 11 (1988) 3171-3181.

29e. Fungicides

- 807 Rouchaud, J., Metsue, M., Benoit, F., Ceustermans, N. and Vanachter, A.: Fate of the fungicide furalaxyl in the nutrient solution of tomato crops by the nutrient film technique. *J. Agric. Food Chem.*, 37 (1989) 492-495.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

- 808 Beauchemin, B.T., Jr. and Brown, P.R.: Quantitative analysis of diazonaphthoquinones by thin-layer chromatographic/diffuse reflectance infrared Fourier transform spectrometry. *Anal. Chem.*, 61 (1989) 615-618.

- 809 Masuda, K., Harada, K., Suzuki, M., Oka, H., Kawamura, N. and Yamada, M.: Identification of food dyes by TLC/SIMS with a condensation technique. *Org. Mass Spectrom.*, 24, No. 1 (1989) 74-75; *C.A.*, 110 (1989) 73945m.

See also 645.

30b. *Chloroplast and other natural pigments*

- 810 Forni, E., Ghezzi, M. and Polesello, A.: HPLC separation and fluorimetric estimation of chlorophylls and pheophytins in fresh and frozen peas. *Chromatographia*, 26 (1988) 120-124.
- 811 Isaksen, M. and Francis, G.W.: Preparative HPLC of carotenoids. *Chromatographia*, 27 (1989) 325-327.
- 812 Wu, S. and Zhou, X.: (Methods of removing interfering effect of lipochrome on ABA radioimmunoassay in plant extracts). *Zhijiu Shenglixue Tongxun*, No. 6 (1988) 51-55; *C.A.*, 110 (1989) 111285f.

32. DRUG ANALYSIS

See 630.

32a. *Drug analysis, general techniques*

See 629, 835.

32b. *Antirheumatics and antiinflammatory drugs*

- 813 Abdel-Moety, E.M., Al-Obaid, A.M., Jado, A.I. and Iotfi, E.A.: Coupling of TLC and UV-measurement for quantification of naproxen and its metabolite in urine. *Eur. J. Drug Metab.*, 13 (1988) 267-271.
- 814 Mazzi, G., Vincieri, F.F., Forni, F., Mulinacci, N. and Celli, S.: Formation of inclusion complex between the nonsteroidal antiinflammatory drug (RS)-2-(4-isobutylphenyl)propiohydroxamic acid and β -cyclodextrin. *Acta Pharm. Technol.*, 34, No. 1 (1988) 17-21; *C.A.*, 110 (1989) 63585e.

32d. *Central nervous system drugs*

- 815 Corti, P., Murratzu, C., Caricchia, A. and Corbini, G.: Thin-layer chromatography and densitometry for drug assay. Note IV. Assay of 1,4-benzodiazepine compound in the urine. *Boll. Chim. Farm.*, 126 (1987) 376-384; *C.A.*, 110 (1989) 107476b.
- 816 Dunckova, E., Cizmarik, J. and Springer, V.: Bestimmung des Heptacainhydrochlorids und einiger seiner Metabolite im menschlichen Harn und Plasma. *Pharmazie*, 44 (1989) 156.
- 817 Gupta, M.K., Parolia, A., Khare, N. and Gupta, P.C.: Separation and identification of tranquilizers in biological material by thin-layer chromatography. *J. Indian Chem. Soc.*, 65 (1988) 866-867; *C.A.*, 110 (1989) 127946h.
- 818 Jarzebinski, J. and Ciszewska-Jedrasik, M.: (Densitometric measurements in determining active compounds in pharmaceuticals. XIII. Determination of active compounds in some pharmaceutical preparations containing organic acids). *Acta Pol. Pharm.*, 45 (1988) 141-145; *C.A.*, 110 (1989) 121556j.
- 819 Jarzebinski, J. and Gryz, K.: (Application of densitometry in determining active substances in pharmaceutical preparations. XIV. Preparations containing quaternary ammonium salts). *Acta Pol. Pharm.*, 45 (1988) 324-328; *C.A.*, 110 (1989) 141687f.
- 820 Kosmeas, N. and Clerc, J.T.: (A rapid thin-layer-chromatographic method for the simultaneous determination of paracetamol, caffeine, phenobarbital and propyphenazone in plasma). *Pharm. Acta Helv.*, 64 (1988) 2-7; *C.A.*, 110 (1989) 127924z.
- 821 Lin, L.: (Optimization of the separation of antiepileptics by adsorption thin-layer chromatography). *Seppu*, 6 (1988) 244-246; *C.A.*, 110 (1989) 101960h.
- 822 Mikhailova, S., Tencheva, Zh. and Chakurova, P.: (Qualitative and quantitative methods for analysis of Paracofdal tablets). *Probl. Farmakol. Farm.*, 2 (1988) 107-115; *C.A.*, 110 (1989) 141656v.

- 823 Oneto de Bello, M.L., Montalto de Mecca, M., Paviolo, M. and Graells de Kempny, R.S.: (Determination of tricyclic antidepressants by thin-layer chromatography and high-performance liquid chromatography (erratum to document cited in *C.A.*, 108 (17):143727q)). *Acta Bioquím. Clín. Latinoam.*, 22 (1988) 315; *C.A.*, 110 (1989) 107472x.
- 824 Parolia, A., Gupta, M.K., Mishra, U.C. and Gupta, P.C.: Isolation and identification of barbiturates in biological material by thin-layer chromatography. *J. Indian Chem. Soc.*, 65 (1988) 887-888; *C.A.*, 110 (1989) 147050q.
- 825 Perina, Z., Sarsunova, M., Zemanova, E. and Protiva, M.: Parameter der Adsorptionschromatographie. 6. Mitteilung: Adsorptionsparameter in einer Gruppe von CNS-wirksamen Stoffen und ihre Bedeutung für Beziehungen zwischen chemischer Struktur und biologischer Wirkung. *Pharmazie*, 44 (1989) 125-128.
- 826 Ribet, J.P., Pitet, G., Autin, J.M. and Cousse, H.: Analytical profile of dizatrifone, a new analgesic drug. *Boll. Chim. Farm.*, 126 (1987) 449-457; *C.A.*, 110 (1989) 121532y.
- 827 Selkamaa, R. and Tammlilehto, S.: Photochemical decomposition of midazolam. I. Isolation and identification of products. *Int. J. Pharm.*, 49, No. 1 (1987) 83-89; *C.A.*, 110 (1989) 121210s.

See also 636, 643, 645.

32e. *Chemotherapeutics (except cytostatics and antibiotics)*

- 828 Al-Sayegh, A.J.: Determination of mixtures of sulfonamides by pyrolysis-gas chromatography following thin-layer chromatographic separation. *Univ. Microfilms Int.*, Order No. BRDX81392; *C.A.*, 110 (1989) 63839r.
- 829 Buchele, A., Schloz, U., Müller-Wellensiek, A. and Voelter, W.: Metabolisierungsstudien von 5-ethyl-2'-desoxyuridin mit Leberextrakt, Leberzellen und Leberzellstrukturen. *Arzneim.-Forsch.*, 39 (1989) 220-222.
- 830 Datta, K. and Das, S.K.: Thin-layer chromatographic method for rapid quantification and identification of trimethoprim and sulfamethoxazole in pharmaceutical dosage forms. *J. Liq. Chromatogr.*, 11 (1988) 3079-3089.

See also 776, 819.

32f. *Cytostatics*

- 831 Quaglia, M.G., Carlucci, G., Maurizi, G. and Mazzeo, P.: Determination of 5-fluorouracil in 5-fluorocytosine by high-performance thin-layer chromatography and derivative UV spectrophotometry. *Pharm. Acta Helv.*, 63 (1988) 347-349; *C.A.*, 110 (1989) 45029x.

32g. *Other drug categories*

- 832 Muzhanovskii, E.B., Fartushnyi, A.F., Sukhin, A.P. and Sedov, A.I.: (Identification and determination of antidiabetics). *Farmatsiya (Moscow)*, 37 (1988) 68-70; *C.A.*, 110 (1989) 70626x.
- 833 Pfeifer, S., Niepel, C. and Franke, P.: Biotransformation von 5-Phenyl-1,3,4-benzotriazepinen. *Pharmazie*, 44 (1989) 51-55.
- 834 Sherma, J. and Pilgrim, M.: Determination of cinnamyl anthranilate in perfume, cologne and toilet water by reversed-phase thin-layer chromatography and fluorescence densitometry. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 360-361; *C.A.*, 110 (1989) 141223b.

See also 725, 732, 854, 855, 856, 858.

32h. *Toxicological and forensic applications*

- 835 De Zeeuw, R.A.: Modern chromatographic procedures in systematic toxicological analysis. *J. Chromatogr.*, 488 (1989) 199-213.

See also 832.

32i. *Plant extracts*

- 836 King, D.L., Gabor, M.J., Martel, P.A. and O'Donnell, C.M.: A rapid sample-preparation technique for thin-layer chromatographic analysis for 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in human urine. *Clin. Chem. (Winston-Salem)*, 35 (1989) 163-166.
- 837 Lu, F., Lan, Q. and Luo, G.: (Prediction of stability of Yinhuang injections with TLCs). *Zhongcaoyao*, 19 (1988) 449-451; *C.A.*, 110 (1989) 82378f.
- 838 Matysik, G. and Soczewinski, E.: Gradient thin-layer chromatography of plant extracts. *Chromatographia*, 26 (1988) 178-180.
- 839 Meng, G., Zhan, G. and Huang, Q.: Quantitative studies on the relationship between the amount of extractives and principal constituents in decoctions of Chinese traditional drugs. *Yaoxue Tongbao*, 23 (1988) 459-461; *C.A.*, 110 (1989) 82345t.
- 840 Nakatani, M.: (Quantitative analysis of the components in crude drugs in Japanese pharmacopeia with a thin-layer chromatoscanner). *Shimadzu Hyoron*, 45 (1988) 199-202; *C.A.*, 110 (1989) 121518y.
- 841 Peishan, X. and Yan, Y.: Application of HPTLC fingerprint analysis to stability evaluation of ginsenosides in ginseng preparations. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 258-260; *C.A.*, 110 (1989) 44787f.
- 842 Yan, Y., Zhou, G. and Zhang, G.: (TLC analysis of "Li Jia Shou" tablets). *Fenxi Ceshi Tongbao*, 7, No. 5 (1988) 82-85; *C.A.*, 110 (1989) 141639s.
- 843 Zhang, X., Xiong, G., Yang, C. and He, G.: Separation of Sanchi ginsenosides by rotating-disk thin-layer chromatography - isolation of saponin R_{g1} and R_{b1} . *Jinan Liyi Xuebao*, No. 1 (1988) 97-100; *C.A.*, 110 (1989) 82334p.

33. CLINICO-CHEMICAL APPLICATIONS

33b. *Complex mixtures and profiling (single compounds by cross ref. only)*

See 694, 792.

34. FOOD ANALYSIS

34b. *Complex mixtures (single compounds by cross ref. only)*

See 739.

35. ENVIRONMENTAL ANALYSIS

35b. *Air pollution (complex mixtures; single compounds by cross ref. only)*

- 844 Jerzak, B. and Kotarski, A.: (Method of concentrating and determining trace impurities in gases, vapors, and liquids using thin-layer chromatography). *Pol. Pat.* PL 142,815 (Cl. GO1N30/14), 31 Dec. 1987, Appl. 251,412, 31 Dec. 1984; *C.A.*, 110 (1989) 87660b.

35c. *Water pollution (complex mixtures; single compounds by cross ref. only)*

See 640, 652, 844.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

- 845 El-Khateeb, S.Z. and Abdel-Moety, M.E.: Determination of quaternary ammonium surfactants in pharmaceutical formulations by the hypochromic effect. *Talanta*, 35 (1988) 813-815; *C.A.*, 110 (1989) 82614e.

See also 640, 701, 704.

38. INORGANIC COMPOUNDS

38a. Cations

- 846 Ajmal, M., Mohammad, A., Fatima, N. and Ahmad, J.: TLC separation of vanadium(V) from numerous metal ions with formic acid-tributylamine-alcohol/ketone solvent systems. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 239-245; *C.A.*, 110 (1989) 107181b.
- 847 Gupta, M. and Kansal, B.D.: Thin-layer chromatographic detection and separation of metal ion complexes with tridentate Schiff base. *J. Chin. Chem. Soc. (Taipei)*, 35, No. 1 (1988) 35-37; *C.A.*, 110 (1989) 50282d.
- 848 Ravindhranath, K.: Chromatographic separation of vanadium(IV) from vanadium(V) and iron(II) from iron(III). *Proc. Indian Natl. Sci. Acad.*, Part A, 54, No. 1 (1988) 162-167; *C.A.*, 110 (1989) 50280b.
- 849 Wang, J., Hu, Z. and Zheng, J.: (Separation of heavy rare-earth elements by thin-layer chromatography). *Yankuang Ceshi*, 7, No. 1 (1988) 10-14; *C.A.*, 110 (1989) 107180a.

38b. Anions

- 850 Bulbulia, S., Ramirez, F., Itrube, J.L., Collins, C.H. and Collins, K.E.: Chromatographic and electrophoretic identification of the form of fluorine-18 obtained from some reactor-irradiated lithium compounds. *Analyst (London)*, 114 (1989) 349-350.
- 851 Dabral, S.K., Muktawat, K.P.S. and Rawat, J.P.: Ion-exchange chromatographic separations of some anions on hydrated stannic oxide impregnated paper. *Indian J. Chem.*, Sect. A, 27A (1988) 745-746; *C.A.*, 110 (1989) 107179g.
- 852 Misra, A.K. and Rajput, R.P.S.: Effect of silica gel "G" on the ion exchange behaviour of antimononic acid thin layers in the chromatographic study of anions in some aqueous organic acid systems: determination of ferricyanide and dichromate ions. *J. Liq. Chromatogr.*, 11 (1988) 3145-3161.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

- 853 Hammermaier, A., Reichert, T., Reich, E. and Bogl, K.W.: (Chromatographic control of the radiochemical purity of technetium-99m methylenediphosphonate (MDP), technetium-99m diethylenetriaminepentaacetic acid (DTPA), iodine-131/iodine-123 *m*-iodobenzylguanidine (MIBG) and iodine-123 iodoamphetamine (IAMP)). *ISH-Heft*, 119 (1987) 111 p.; *C.A.*, 110 (1989) 101739t.
- 854 Kleinert, P. and Ender, G.: (Thin-layer chromatographic rapid method for quality control of technetium-99m radiopharmaceuticals). *NucCompact*, 19, No. 2 (1988) 72-74; *C.A.*, 110 (1989) 63842m.
- 855 Ozker, K., Ercan, M., Sungur, A., Bodur, N., Ergun, A., Hoskan, N., Ardagil, N. and Aydin, N.: The reduction of pertechnetate by hydrochloric acid following separation of technetium-99m by solvent extraction. *Turk. J. Nucl. Sci.*, 14, No. 1-2 (1987) 56-66; *C.A.*, 110 (1989) 121351p.
- 856 Proulx, A., Ballinger, J.R. and Gulenchyn, K.Y.: Routine determination of radiochemical purity of ^{99m}Tc-MIBI. *Appl. Radiat. Isot.*, 40, No. 1 (1989) 95-97; *C.A.*, 110 (1989) 121546f.

- 857 Sajjad, M., Lambrecht, R.M. and Bakr, S.A.: Chromatographic evaluation of the radiochemical purity of reductant-free iodine-123. *Nucl. Med. Biol.*, 15 (1988) 721-722; *C.A.*, 110 (1989) 82633k.
- 858 Van Gansbeke, B., Jeghers, O., Ermans, A.M. and Schoutens, A.: Paper and ITLC chromatography of technetium-99m radiopharmaceuticals: an explanation for some artifacts. *J. Radioanal. Nucl. Chem.*, 129, No. 1 (1989) 33-41; *C.A.*, 110 (1989) 121570j.
- 859 Zimmer, A.M., Kazikiewicz, J.M., Spies, S.M. and Rosen, S.T.: Rapid miniaturized chromatography for indium-111 labelled monoclonal antibodies: comparison to size exclusion high performance liquid chromatography. *Nucl. Med. Biol.*, 15 (1988) 717-720; *C.A.*, 110 (1989) 141621e.

See also 850.

Electrophoresis

1. REVIEWS AND BOOKS

- 1146 Aebersold, P.B., Winans, G.A., Teel, D.J., Milner, G.B. and Utter, F.M.: Manual for starch gel electrophoresis: a method for the detection of genetic variation. *Report*, 1987, NOAA-TR-NMFS-61; Order No. PB88-193651; 27 pp.; *C.A.*, 110 (1989) 150196x.
- 1147 Knox, J.H.: Thermal effects and band spreading in capillary electro-separation. *Chromatographia*, 26 (1988) 329-337 - a review with 24 refs.
- 1148 Lederer, M.: The role of chromatography and electrophoresis in biomedical sciences. *J. Chromatogr.*, 488 (1989) 5-24 - a review with 19 refs.
- 1149 Terabe, S.: Electrokinetic chromatography: an interference between electrophoresis and chromatography. *TrAC*, 8 (1989) 129-134 - a review with 15 refs.

See also 1615.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

- 1150 Allison, M.A. and Fujimura, R.K.: Optimization of the Southern electrophoretic transfer method. *Report*, 1987, DOE/OR/00033-T382; Order No. DE8804527, 12 pp.; *C.A.*, 110 (1989) 150801r.
- 1151 Debets, A.J.J., Frei, R.W., Hupe, K.-P. and Kok, W.T.: Automated zone-electrophoretic sample treatment for the analysis of biological samples by high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 315-323.
- 1152 Dukhin, S.S., Mishchuk, N.A., Tarovskii, A.A. and Baran, A.A.: (Electrophoresis of the second order). *Dokl. Akad. Nauk Ukr. SSR., Ser. B: Geol., Khim. Biol. Nauki*, (1987) 43-45; *C.A.*, 110 (1989) 142088y.
- 1153 Marshall, T. and Williams, K.M.: High sample throughput using sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *BioTechniques*, 6 (1988) 948-950; *C.A.*, 110 (1989) 150800q.
- 1154 Rolchigo, P.M.: Analytical and preparative electrophoretic separations in a non-uniform electric field. Univ. Pennsylvania, Philadelphia, 1988, pp. 219. Avail. *Univ. Microfilms Int.*, Order No. DA8816221; *C.A.*, 110 (1989) 117283a.
- 1155 Stellwagern, J. and Stellwagen, N.C.: Orientation of the agarose gel matrix in pulsed electric fields. *Nucleic Acids Res.*, 17 (1989) 1537-1548; *C.A.*, 110 (1989) 150818b.

See also 1622, 1623.

2b. Thermodynamics and theoretical relationships

- 1156 Michov, B.M.: The two radii of a charged particle. *Electrophoresis (Weinheim)*, 10 (1989) 16-19.
- 1157 Orban, L., Fawcett, J.S., Tietz, D. and Chrambach, A.: Sieving of ionic constituents across moving boundaries in gel electrophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 254-259.
- 1158 Schnitzer, J.E.: Analysis of steric partition behavior of molecules in membranes using statistical physics. Application to gel chromatography and electrophoresis. *Biophys. J.*, 54 (1988) 1065-1076; *C.A.*, 110 (1989) 122156r.

See also 1267.

2c. Relationship between structure and electrophoretic behaviour

- 1159 Gombocz, E. and Chrambach, A.: Program in BASIC for Ferguson plot analysis, using a personal computer: application to gel electrophoresis in a continuous buffer. *Electrophoresis (Weinheim)*, 10 (1989) 199-214.

2d. Measurement of physico chemical and related values

See 1258.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

- 1160 Flesher, R.W., Barnes, K.J., Lynn, R.W. and Blakesley, R.W.: Vertical gel slab electrophoresis apparatus. *U.S. Pat.* US 4,773,984 (Cl. 204-299R; G01N27/28), 27 Sep. 1988, Appl. 9,708, 02 Feb. 1987; 13 pp.; *C.A.*, 110 (1989) 82926h.
- 1161 Fuji, H.: (Apparatus for electrophoresis gel preparation). *Jpn. Kokai Tokyo Koho Pat.* JP 63 88,437 (88 88,437) (Cl. G01N27/26), 19 Apr. 1988, Appl. 86/233,917, 30 Sep. 1986, 5 pp.; *C.A.*, 110 (1989) 150928n.
- 1162 Kyhse-Andersen, J.: Multi-chamber apparatus for preparative isoelectric focusing. *Electrophoresis (Weinheim)*, 10 (1989) 6-10.

3b. Detection procedures and detectors

- 1163 Huang, X.: Conductivity detection in capillary zone electrophoresis. Stanford Univ., Stanford, 1988, 149 p. Avail. *Univ. Microfilms Int.*, Order No. DA8808373; *C.A.*, 110 (1989) 87538t.
- 1164 Liu, Y., Nan, G. and Gengrong, Z.: (Quantitative method of dual-wave length scanning for G_{γ} and A_{γ} bands in electrophoresis of HbF). *Shengwu Huaaxue Yu Shengwu Wuli Jinzhan*, 15 (1988) 385-386; *C.A.*, 110 (1989) 150813w.
- 1165 Taube, D. and Neuhoff, V.: Vertical remission densitometry for the evaluation of nontransparent samples. *Electrophoresis (Weinheim)*, 10 (1989) 215-217.
- 1166 Taube, D. and Neuhoff, V.: Mirror densitometry for higher sensitivity and resolution. *Electrophoresis (Weinheim)*, 10 (1989) 218-219.

See also 1259, 1441, 1504, 1592.

3c. Electrophoresis in stabilized media

- 1167 Aiton, J.F. and Cramb, G.: Use of a rapid method for dehydrating polyacrylamide gels after electrophoresis of cell adhesion molecules. *Biochem. Soc. Trans.*, 17 (1989) 126-127; *C.A.*, 110 (1989) 111176w.
- 1168 Ogawa, M. and Suefuji, M.: (Gel media for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 63 32,362 (88 32,362) (Cl. G01N27/26), 12 Feb. 1988, Appl. 86/176,418, 25 Jul. 1986, 7 pp.; *C.A.*, 110 (1989) 131795a.
- 1169 Shaffer, E.O., II and Olvera de la Cruz, M.: Dynamics of gel electrophoresis. *Macromolecules*, 22 (1989) 1351-1355; *C.A.*, 110 (1989) 136013d.
- 1170 Sugihara, M. and Ogawa, M.: (Gel media for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 63 70,156 (88 70,156) (Cl. G01N27/26), 30 Mar. 1988, Appl. 86/214,878, 11 Sep. 1986, 7 pp.; *C.A.*, 110 (1989) 111320p.
- 1171 Sugihara, M. and Ogawa, M.: (Gel media for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 63 70,157 (88 70,157) (Cl. G01N27/26), 30 Mar. 1988, Appl. 86/214,879, 11 Sep. 1986, 8 pp.; *C.A.*, 110 (1989) 111321q.
- 1172 Sugimoto, N., Ogawa, M. and Kato, T.: (Laminated media for gel electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 63 01,963 (88 01,963) (Cl. G01N27/26), 06 Jan. 1988, Appl. 86/145,479, 20 Jun. 1986, 7 pp.; *C.A.*, 110 (1989) 150950p.
- 1173 Sugimoto, N., Ogawa, M. and Kato, T.: (Laminated gel media for electrophoresis). *Jpn. Kokai Tokkyo Koho Pat.* JP 63 01,964 (88 01,964) (Cl. G01N27/26), 06 Jan. 1988, Appl. 86/145,480, 20 Jun. 1986, 7 pp.; *C.A.*, 110 (1989) 150949v.

See also 1155.

4. SPECIAL TECHNIQUES

4b. Preparative and continuous procedures

- 1174 Claessens, H.A., Lemmens, A.A.G., Sparidans, R.W. and Everaerts, F.M.: Pretreatment of body fluids by preparative isotachopheresis prior to chromatographic analysis. *Chromatographia*, 26 (1988) 351-358.

See also 1154, 1202, 1287, 1294, 1354.

4c. Isoelectric focusing

See 1162, 1202, 1286.

4d. Isotachopheresis

- 1175 Abelev, G.I. and Karamova, E.R.: Performance of multistep immunochemical reactions by counterflow isotachopheresis on nitrocellulose membranes. *Mol. Immunol.*, 26 (1989) 41-47; *C.A.*, 110 (1989) 131697v.
- 1176 Abelev, G.I., Karamova, E.R., Yazova, A.K. and Gusev, A.I.: Performance of multistep immunochemical reactions by counterflow isotachopheresis on nitrocellulose membranes. *Mol. Immunol.*, 26 (1989) 49-52; *C.A.*, 110 (1989) 133204f.
- 1177 Carchon, H. and Eggermont, E.: Automation and data management in isotachopheresis. *Anal. Chim. Acta*, 219 (1989) 247-256.
- 1178 Manabe, T., Yamamoto, H. and Okuyama, T.: Fully automated capillary isotachopheresis of proteins. *Electrophoresis (Weinheim)*, 10 (1989) 172-177.
- 1179 Sudor, J., Stransky, Z., Chmela, Z. and Bocek, P.: The use of a bivalent counter anion to control the effective mobility of the hydrogen ion constituent in cationic isotachopheresis. *Electrophoresis (Weinheim)*, 9 (1988) 799-803.
- 1180 Udseth, H.R., Loo, J.A. and Smith, R.D.: Capillary isotachopheresis/mass spectrometry. *Anal. Chem.*, 61 (1989) 228-232.

See also 1208, 1345, 1436, 1613, 1617, 1634.

4e. Two dimensional electrophoresis

- 1181 Booz, M.L.: A practical approach to the analysis of 2-D gels. *BioPharm*, 2 (1989) 44-49; *C.A.*, 110 (1989) 131747m.
- 1182 Collins, P.J. and Krauss, M.R.: Quantitative 2-D electrophoresis and computer-assisted analysis. *BioPharm*, 2 (1989) 50-52; *C.A.*, 110 (1989) 131490x.
- 1183 Flengsrud, R. and Kobro, G.: A method for two-dimensional electrophoresis of proteins from green plant tissues. *Anal. Biochem.*, 177 (1989) 33-36.
- 1184 Hanash, S.M. and Strahler, J.R.: Advances in two-dimensional electrophoresis. *Nature*, 337 (1989) 485-486; *C.A.*, 110 (1989) 150809z.
- 1185 Righetti, P.G., Gelfi, C. and Gianazza, E.: Recent developments in two-dimensional maps. *Chim. Oggi*, (1987) 56-60; *C.A.*, 110 (1989) 131483x.
- 1186 Schiff, T.A. and Freedberg, I.M.: A simple method for accurately locating and cutting strips from the isoelectric focusing gel during two-dimensional electrophoresis using the PhastSystem. *Electrophoresis (Weinheim)*, 10 (1989) 223-224.

See also 1222, 1237, 1243, 1249 - 1251, 1254, 1257, 1261, 1265, 1271, 1291, 1293, 1309, 1313, 1317, 1319 - 1322, 1324, 1325, 1327, 1328, 1330, 1331, 1355, 1369, 1392, 1397, 1418, 1508, 1529, 1626.

4f. Affinity electrophoresis

See 1260.

4g. Other special techniques

- 1187 Grushka, E., McCormick, R.M. and Kirkland, J.J.: Effect of temperature gradients on the efficiency of capillary zone electrophoresis separations. *Anal. Chem.*, 61 (1989) 241-246.
- 1188 Guzman, N.A., Hernandez, L. and Hoebel, B.G.: Capillary electrophoresis: a new era in microseparations. *BioPharm*, 2 (1989) 22-37; *C.A.*, 110 (1989) 110967t.
- 1189 Haneji, T. and Koide, S.S.: Transblot identification of biotin-containing proteins in rat liver. *Anal. Biochem.*, 177 (1989) 57-61.
- 1190 Honda, S., Suzuki, K. and Kakehi, K.: Simultaneous determination of iodate and periodate by capillary zone electrophoresis: application to carbohydrate analysis. *Anal. Biochem.*, 177 (1989) 62-66.
- 1191 Jones, A.E. and Grushka, E.: Nature of temperature gradients in capillary zone electrophoresis. *J. Chromatogr.*, 466 (1989) 219-225.
- 1192 Nielsen, R.G., Sittampalam, G.S. and Rickard, E.C.: Capillary zone electrophoresis of insulin and growth hormone. *Anal. Biochem.*, 177 (1989) 20-26.
- 1193 Stanley, M.S. and Busch, K.J.: Imaging analysis of polyacrylamide gel electropherograms by secondary-ion mass spectrometry. *J. Planar Chromatogr.-Mod. TLC*, 1 (1988) 135-140; *C.A.*, 110 (1989) 131732c.

See also 1149, 1163, 1180, 1195, 1256, 1271, 1530, 1558, 1565, 1612.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

- 1194 Furukawa, K., Roberts, D.D., Endo, T. and Kobata, A.: Structural study of the sugar chains of human platelet thrombospondin. *Arch. Biochem. Biophys.*, 268 (1989) 302-312.
- 1195 Honda, S., Iwase, S., Makino, A. and Fujiwara, S.: Simultaneous determination of reducing monosaccharides by capillary zone electrophoresis as the borate complexes of N-2-pyridylglycamines. *Anal. Biochem.*, 176 (1989) 72-77.
- 1196 Ohbayashi, H., Endo, T., Mihaesco, E., Gonzales, M.G., Kochibe, N. and Kobata, A.: Structural studies of the asparagine-linked sugar chains of two immunoglobulin M's purified from a patient with Waldenström's macroglobulinemia. *Arch. Biochem. Biophys.*, 268 (1989) 463-475.
- 1197 Pospisilik, K.: Determination of carboxymethyl-D-glucoses in the product of hydrolytic depolymerization of carboxymethylcellulose by isotachophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 20-22.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

- 1198 Barrowcliffe, T.W., Mulloy, B., Johnson, E.A. and Thomas, D.P.: The anticoagulant activity of heparin: measurement and relationship to chemical structure. *J. Pharm. Biomed. Anal.*, 7 (1989) 217-226.

10c. Glycoproteins and their components

- 1199 Bladier, D., Joubert, R., Avellana-Adalid, V., Kemeny, J.-L., Doinel, C., Amoroux, J. and Caron, M.: Purification and characterization of a galactose-binding lectin from human brain. *Arch. Biochem. Biophys.*, 268 (1989) 433-439.
- 1200 Couraud, P.-O., Casentini-Borocz, D., Bringman, T.S., Griffith, J., McGrogan, M. and Nedwin, G.E.: Molecular cloning, characterization, and expression of a human 14-kDa lectin. *J. Biol. Chem.*, 264 (1989) 1310-1316.
- 1201 Delcayre, A.X., Fiandino, A., Lyamani, F., Barel, M. and Frade, R.: Enhancement of Epstein-Barr virus/C3d receptor (EBV/C3dR or CR2) and nuclear p120 ribonucleoprotein phosphorylation by specific EBV/C3dR ligands in subcellular fractions of the human B lymphoma cell line, Raji. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1213-1220.

- 1202 Evans, C.H., Wilson, A.C. and Gelleri, B.A.: Preparative isoelectric focusing in ampholine electrofocusing columns *versus* immobilized polyacrylamide gel for the purification of biologically active leukoregulin. *Anal. Biochem.*, 177 (1989) 358-363.
- 1203 Hilken, J., Buijs, F. and Ligtenberg, M.: Complexity of MAM-6, an epithelial sialomucin associated with carcinomas. *Cancer Res.*, 49 (1989) 786-793.
- 1204 Laine, A.-C.: Significant immunological cross-reactivity of plant glycoproteins. *Electrophoresis (Weinheim)*, 9 (1988) 841-844.
- 1205 Laine, A., Hachulla, E. and Hayem, A.: The microheterogeneity of serum α_1 -antichymotrypsin revealed by interaction with concanavalin A in crossed immunoelectrophoresis and in affinity chromatography. *Electrophoresis (Weinheim)*, 10 (1989) 227-233.
- 1206 Lotan, R., Carralero, D., Lotan, D. and Raz, A.: Biochemical and immunological characterization of K-1735P melanoma galactoside-binding lectins and their modulation by differentiation inducers. *Cancer Res.*, 49 (1989) 1261-1268.
- 1207 Patton, S., Huston, G.E., Jenness, R. and Vaucher, Y.: Differences between individuals in high-molecular weight glycoproteins from mammary epithelia of several species. *Biochim. Biophys. Acta*, 980 (1989) 333-338.

See also 1412.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

- 1208 Dolnik, V., Deml, M. and Bocek, P.: Determination of oxalate in human serum by multicolumn isotachopheresis. *Electrophoresis (Weinheim)*, 9 (1988) 839-841.

See also 1237.

11d. Lipoproteins and their constituents

- 1209 Aufenanger, J., Haux, P., Weber, U. and Kattermann, R.: A specific method for the direct determination of lipoprotein cholesterol in electrophoretic patterns. *Clin. Chim. Acta*, 177 (1988) 197-208.
- 1210 Bachorik, P.S. and Kwiterovich, P.O., Jr.: Apolipoprotein measurements in clinical biochemistry and their utility vis-a-vis conventional assays. *Clin. Chim. Acta*, 278 (1988) 1-34.
- 1211 Black, D.D. and Davidson, N.O.: Intestinal apolipoprotein synthesis and secretion in the suckling pig. *J. Lipid Res.*, 30 (1989) 20--218.
- 1212 Cheng, M.L., Kammerer, C.M., Lowe, W.F., Dyke, B. and Van de Berg, J.L.: Method for quantitating cholesterol in subfractions of serum lipoproteins separated by gradient gel electrophoresis. *Biochem. Genet.*, 26 (1988) 657-681; *C.A.*, 110 (1989) 11291e.
- 1213 Cupello, A. and Melloni, E.: Electrophoretic separation of myo-inositol from D-myo-inositol-1-phosphate. *Med. Sci. Res.*, 16 (1988) 1311-1312; *C.A.*, 110 (1989) 150805v.
- 1214 James, R.W., Proudfoot, A. and Pometta, D.: Immunoaffinity fractionation of high-density lipoprotein subclasses 2 and 3 using anti-apolipoprotein A-I and A-II immunosorbent gels. *Biochim. Biophys. Acta*, 1002 (1989) 292-301.
- 1215 Maeda, H., Nakamura, H., Kobori, S., Okada, M., Mori, H., Niki, H., Ogura, T. and Higara, S.: Identification of human apolipoprotein E variant gene: apolipoprotein E7 (Glu_{244,245}→Lys_{244,245}). *J. Biochem. (Tokyo)*, 105 (1989) 51-54.
- 1216 Overturf, M.L., Smith, S.A., Hewett-Emmett, D., Loose-Mitchell, D.S., Soma, M.R., Gotto, A.M., Jr. and Morrisett, J.D.: Development and partial metabolic characterization of a dietary cholesterol-resistant colony of rabbits. *J. Lipid Res.*, 30 (1989) 263-273.
- 1217 Rapacz, J., Jr., Hasler-Rapacz, J., Rapacz, J. and McConathy, W.J.: Separation of swine plasma LDL from Lpb^{2/3} heterozygotes into two apoB allelic haplotypes, Lpb² and Lpb³, with apoB epitope specific antibodies. *J. Lipid Res.*, 30 (1989) 199-206.

- 1218 Snyder, J.M., Rodgers, H.F., Nielsen, H.C. and O'Brien, J.A.: Uptake of the 35 kDa major surfactant apoprotein SP-A by neonatal rabbit lung tissue. *Biochim. Biophys. Acta*, 1002 (1989) 1-7.
- 1219 Swaney, J.B. and Orishimo, M.W.: Effects of heparin-induced lipolytic activity on the structure of rat high-density lipoprotein. *Biochim. Biophys. Acta*, 1002 (1989) 338-347.
- 1220 Thurin, J., Brodin, T., Bechtel, B., Jovall, P.-A., Karlsson, H., Strömberg, N., Teneberg, S., Sjögren, H.O. and Karlsson, K.-A.: Novel isoglobo-neolacto-series hybrid glycolipid detected by a monoclonal antibody is a rat colon tumor-associated antigen. *Biochim. Biophys. Acta*, 1002 (1989) 267-272.
- 1221 Young, S.G., Witztum, J.L., Carew, T.E., Krauss, R.M. and Lindgren, F.T.: Colestipol-induced changes in LDL composition and metabolism. II. Studies in humans. *J. Lipid Res.*, 30 (1989) 225-238.

See also 1429, 1609.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

See 1180.

17b. Catecholamines and their metabolites

See 1612.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

- 1222 Hildebrandt, E. and Fried, V.A.: Phosphoamino acid analysis of protein immobilized on polyvinylidene difluoride membrane. *Anal. Biochem.*, 177 (1989) 407-412.
- 1223 Jiao, J.-A. and Chollet, R.: Regulatory seryl-phosphorylation of C₄ phosphoenolpyruvate carboxylase by a soluble protein kinase from maize leaves. *Arch. Biochem. Biophys.*, 268 (1989) 526-535.

18b. Peptides and peptidic and proteinous hormones

- 1224 Aiyar, N., Valinski, W., Nambi, P., Minnich, M., Stassen, F.L. and Crooke, S.T.: Solubilization of a guanine nucleotide-sensitive form of vasopressin V₂ receptors from porcine kidney. *Arch. Biochem. Biophys.*, 268 (1989) 698-706.
- 1225 Gellerfors, P., Eketorp, G., Fhølenhag, K., Pavlu, B., Johansson, S. and Fryklund, L.: Characterization of a secreted form of recombinant derived human growth hormone, expressed in *Escherichia coli* cells. *J. Pharm. Biomed. Anal.*, 7 (1989) 173-183.
- 1226 Hildebrandt, A.: Identification of the β -endorphin-binding subunit of the SC5b-9 complement complex: S protein exhibits specific β -endorphin-binding sites upon complex formation with complement proteins. *Biochem. Biophys. Res. Commun.*, 159 (1989) 799-806.
- 1227 Hilf, G. and Merz, W.E.: Influence of cyclic nucleotides on the processing of the carbohydrate part of the α -subunit of human choriogonadotropin by first trimester human placenta tissue. *Biochem. Biophys. Res. Commun.*, 159 (1989) 26-33.
- 1228 Miyazono, K. and Heldin, C.-H.: High-yield purification of platelet-derived endothelial cell growth factor: structural characterization and establishment of a specific antiserum. *Biochemistry*, 28 (1989) 1704-1710.
- 1229 Peyron, J.-F., Aussel, C., Ferruna, B., Häring, H. and Fehlmann, M.: Phosphorylation of two cytosolic proteins. An early event of T-cell activation. *Biochem. J.*, 258 (1989) 505-510.

- 1230 Stralfors, P., Hemmings, H.C., Jr. and Greengard, P.: Inhibitors of protein phosphatase-1. Inhibitor-1 of bovine adipose tissue and a dopamine- and cAMP-regulated phosphoprotein of bovine brain are identical. *Eur. J. Biochem.*, 180 (1989) 143-148.

See also 1192.

18c. *Elucidation of structure of proteins and enzymes*

- 1231 Burton-Wurster, N. and Lust, G.: Molecular and immunologic differences in canine fibronectins from articular cartilage and plasma. *Arch. Biochem. Biophys.*, 268 (1989) 32-45.
- 1232 Hennessey, J.P., Jr. and Scarborough, G.A.: An optimized procedure for sodium dodecyl sulfate polyacrylamide gel electrophoresis analysis of hydrophobic peptides from an integral membrane protein. *Anal. Biochem.*, 176 (1989) 284-289.
- 1233 Levina, N.B., Slepak, V.Z., Kiselev, O.G., Shemyakin, V.V. and Chochlachev, A.A.: (Electroblotting as a method of protein and protein fragment sample preparation for microsequencing). *Bioorg. Khim.*, 15 (1989) 24-31; *C.A.*, 110 (1989) 150808y.
- 1234 Lorenz, B., Schneider, K., Kratzin, H. and Schlegel, H.G.: Immunological comparison of subunits isolated from various hydrogenases of aerobic hydrogen bacteria. *Biochim. Biophys. Acta*, 995 (1989) 1-9.
- 1235 McGowan, E.B., Becker, E. and Detwiler, T.C.: Inhibition of calpain in intact platelets by the thiol protease inhibitor E-64d. *Biochem. Biophys. Res. Commun.*, 158 (1989) 432-435.
- 1236 Sokolov, B.P., Sher, B.M. and Kalinin, V.N.: Modified method for peptide mapping of collagen chains using cyanogen bromide-cleavage of protein within polyacrylamide gels. *Anal. Biochem.*, 176 (1989) 365-367.
- 1237 Sweatt, J.D., Kennedy, T.E., Wager-Smith, K., Ganowicz, M.A., Barzilai, A., Karl, K.A. and Kandel, E.R.: Development of a database of amino acid sequences for proteins identified and isolated on two-dimensional polyacrylamide gels. *Electrophoresis (Weinheim)*, 10 (1989) 152-157.
- 1238 Tsubata, T. and Takahashi, K.: Limited proteolysis of bovine myelin basic protein by calcium-dependent proteinase from bovine spinal cord. *J. Biochem. (Tokyo)*, 105 (1989) 23-28.
- 1239 Voskoboinikova, N.E., Dunaevsky, Ya.E., Belozersky, M.A. and Rudenskaya, G.N.: (The specificity of action of buckwheat seed metalloproteinase towards protein substrates). *Biokhimiya (Moscow)*, 54 (1989) 676-680.

See also 1352.

19. PROTEINS

19a. *General techniques*

- 1240 Bartolini, P., Arkaten, R. and Ribela, M.T.: Ultraviolet scanning densitometry for detection, quantitation and preparative elution of protein bands from unstained gels. *Anal. Biochem.*, 176 (1989) 400-405.
- 1241 Braun, W. and Abraham, R.: Modified diffusion blotting for rapid and efficient protein transfer with PhastSystem. *Electrophoresis (Weinheim)*, 10 (1989) 249-253.
- 1242 Carracedo, A., Andrade-Vide, C., Sol Rodriguez-Calvo, M., Montiel, M.D. and Lareu, M.V.: Fast isoelectric focusing of some polymorphic proteins and enzymes in miniaturized gels using an automated system. *J. Forensic Sci.*, 33 (1988) 1379-1384; *C.A.*, 110 (1989) 109532r.
- 1243 Fawcett, J.S., Sullivan, J.V. and Chrambach, A.: Toward a steady-state pore limit electrophoresis dimension for native proteins in two-dimensional polyacrylamide gel electrophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 182-185.
- 1244 Glordano, P.C. and Bernini, L.F.: Advantages of combined fingerprint and HPLC techniques in protein analysis. *Chromatogram*, 9 (1988) 8-11; *C.A.*, 110 (1989) 150700g.
- 1245 Goss, J.: A new approach to protein purification. *Aust. J. Biotechnol.*, 1 (1987) 18-21; *C.A.*, 110 (1989) 111235q.

- 1246 Hopwood, D., Yeaman, G. and Milne, G.: Differentiating the effects of microwave and heat on tissue proteins and their crosslinking by formaldehyde. *Histochem. J.*, 20 (1988) 341-346; *C.A.*, 110 (1989) 111253u.
- 1247 Houston, B. and Peddie, D.: A method for detecting proteins immobilized on nitrocellulose membranes by *in situ* derivatization with fluorescein isothiocyanate. *Anal. Biochem.*, 177 (1989) 263-267.
- 1248 Jones, Jolynda, Kopf, G.S. and Schultz, R.M.: Variability in electrophoretic mobility of G_i-like proteins: effect of SDS. *FEBS Lett.*, 243 (1989) 409-412; *C.A.*, 110 (1989) 150892w.
- 1249 Klose, J.: Systematic analysis of the total proteins of a mammalian organism: principles, problems and implications for sequencing the human genome. *Electrophoresis (Weinheim)*, 10 (1989) 140-152.
- 1250 Krauss, M.R. and Collins, P.J.: Protein database development: identification of glycosylated and phosphorylated proteins in unfractionated rat fibroblast lysates. *Electrophoresis (Weinheim)*, 10 (1989) 158-163.
- 1251 Lemkin, P.F. and Lester, E.P.: Database and search techniques for two-dimensional gel protein data: a comparison of paradigms for exploratory data analysis and prospects for biological modeling. *Electrophoresis (Weinheim)*, 10 (1989) 122-140.
- 1252 Macfarlane, D.E.: Two-dimensional benzyldimethyl- α -hexadecylammonium chloride \rightarrow sodium dodecyl sulfate preparative polyacrylamide gel electrophoresis: a high capacity high resolution technique for the purification of proteins from complex mixtures. *Anal. Biochem.*, 179 (1989) 457-463.
- 1253 Marshall, T., Gaston, S.J.S. and Williams, K.M.: Sodium dodecyl sulfate-polyacrylamide gel electrophoresis without a stacking gel: use for high sample throughput. *Electrophoresis (Weinheim)*, 10 (1989) 63-65.
- 1254 Meyer, Y., Grosset, J., Chartier, Y. and Cleyet-Marel, J.-C.: Preparation by two-dimensional electrophoresis of proteins for antibody production: antibodies against proteins whose synthesis is reduced by auxin in tobacco mesophyll protoplasts. *Electrophoresis (Weinheim)*, 67 (1988) 704-712.
- 1255 Mohamed, M.A., Lerro, K.A. and Prestwich, G.D.: Polyacrylamide gel miniaturization improves protein visualization and autoradiographic detection. *Anal. Biochem.*, 177 (1989) 287-290.
- 1256 Mosher, R.A., Dewey, D., Thormann, W., Saville, D.A. and Bier, M.: Computer simulation and experimental validation of the electrophoretic behavior of proteins. *Anal. Chem.*, 61 (1989) 362-366.
- 1257 Neidhardt, F.C., Appleby, D.B., Sankar, P., Hutton, M.E. and Phillips, T.A.: Genomically linked cellular protein databases derived from two-dimensional polyacrylamide gel electrophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 116-122.
- 1258 Nishizawa, H., Kita, N., Okimura, S., Takao, E. and Abe, Y.: Determination of molecular weight of native proteins by polyacrylamide gradient gel electrophoresis. *Electrophoresis (Weinheim)*, 9 (1988) 803-806.
- 1259 Osset, M., Pinol, M., Fallon, M.J.M., de Llorens, R. and Cuchillo, C.M.: Interference of the carbohydrate moiety in Coomassie Brilliant Blue R-250 protein staining. *Electrophoresis (Weinheim)*, 10 (1989) 271-273.
- 1260 Patterson, S.D. and Bell, K.: Application of an affinity electrophoretic and *in situ* oxidation method to the study of the equine protease inhibitory proteins. *Electrophoresis (Weinheim)*, 10 (1989) 40-45.
- 1261 Rowlands, D.G., Flook, A., Payne, P.I., van Hoff, A., Niblett, T. and McKee, S.: GESA - a two-dimensional processing system using knowledge base techniques. *Electrophoresis (Weinheim)*, 9 (1988) 820-830.
- 1262 Saxena, A.K. and Bamezai, R.: Visualization and comparison of protein bands in the same SDS-PAGE with simultaneous use of three different stains. *Indian J. Exp. Biol.*, 26 (1988) 866-868; *C.A.*, 110 (1989) 131608s.
- 1263 Shimura, K. and Kasai, K.-i.: Influence of a soluble anionic polymer on the electrophoresis of proteins. *Electrophoresis (Weinheim)*, 10 (1989) 238-242.
- 1264 Van den Oetelaar, P.J.M., de Man, B. and Hoenders, H.J.: Protein folding and aggregation studied by isoelectric focusing across a urea gradient and isoelectric focusing in two dimensions. *Biochim. Biophys. Acta*, 995 (1989) 82-90.
- 1265 Vanfleteren, J.R.: Sequential two-dimensional and acetic acid/urea/Triton X-100 gel electrophoresis of proteins. *Anal. Biochem.*, 177 (1989) 388-391.

- 1266 Villar, M., Gaget, M. and Dumas, C.: Micro-isoelectric focusing of proteins from single stigmas of *Populus*. *Can. J. For. Res.*, 18 (1988) 1261-1264; *C.A.*, 110 (1989) 111152k.
- 1267 Winston, V.: Use of a polynomial exponential function to describe migration of proteins on sodium dodecyl sulfate-polyacrylamide gels. *Electrophoresis (Weinheim)*, 10 (1989) 220-222.

See also 1165, 1166.

19b. *Proteins of cells, viruses and subcellular particles*

- 1268 Allen, R.A., Erickson, R.W. and Jesaitis, A.J.: Identification of a human neutrophil protein of M_r 24 000 that binds N-formyl peptides: co-sedimentation with specific granules. *Biochim. Biophys. Acta*, 991 (1989) 123-133.
- 1269 Borneleit, P., Blechschmidt, B. and Kleber, H.-P.: Interactions between lipopolysaccharide and outer membrane proteins of *Acinetobacter calcoaceticus* studied by an affinity electrophoresis system. *Electrophoresis (Weinheim)*, 10 (1989) 234-237.
- 1270 Briars, S.-A. and Evans, D.E.: The calmodulin-stimulated ATPase of maize coleoptiles forms a phosphorylated intermediate. *Biochem. Biophys. Res. Commun.*, 159 (1989) 185-191.
- 1271 Celis, J.E., Ratz, G.P., Madsen, P., Gesser, B., Lauridsen, J.B., Hansen, K.P.B., Kwee, S., Rasmussen, H.H., Nielsen, H.V., Crüger, D., Basse, B., Leffers, H., Honore, B., Møller, O. and Celis, A.: Computerized comprehensive databases of cellular and secreted proteins from normal human embryonic lung MRC-5 fibroblasts: identification of transformation and/or proliferation sensitive proteins. *Electrophoresis (Weinheim)*, 10 (1989) 76-115.
- 1272 Debrenzy, M., Gombos, Z., Csizmadia, V., Varkonyi, Z. and Szalontai, B.: Chromophore conformational analysis in phycocyanin and in related chromopeptides by surface enhanced Raman spectroscopy. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1227-1232.
- 1273 Derijard, B., Aissa, B., Lubochinsky, B. and Cenatiempo, Y.: Evidence for a membrane-associated GTP-binding protein in *Stigmatella aurantiaca*, a prokaryotic cell. *Biochem. Biophys. Res. Commun.*, 158 (1989) 562-568.
- 1274 Evers, C., Meier, P.J., Biber, J. and Murer, H.: Separation of hepatocyte plasma membrane domains by free flow electrophoresis. *Anal. Biochem.*, 176 (1989) 338-343.
- 1275 Fawell, E.H., Boyer, I.J., Brostrom, M.A. and Brostrom, C.O.: A novel calcium-dependent phosphorylation of a ribosome-associated protein. *J. Biol. Chem.*, 264 (1989) 1650-1655.
- 1276 Fischer, T.H. and White, G.C., II: cAMP-Dependent protein kinase substrates in platelets. Evidence that thrombolamban, a 22,000 dalton substrate, and the Ca^{++} -ATPase are not associated proteins. *Biochem. Biophys. Res. Commun.*, 159 (1989) 644-650.
- 1277 Ganguly, A., Chiou, S., West, L.A. and Davis, J.S.: Atrial natriuretic factor inhibits angiotensin-induced aldosterone secretion: not through cGMA or interference with phospholipase C. *Biochem. Biophys. Res. Commun.*, 159 (1989) 148-154.
- 1278 Goren, H.J. and Boland, D.: In the absence of antibody IgG sorb precipitates human placenta phosphotyrosine-containing proteins. *Biochem. Biophys. Res. Commun.*, 159 (1989) 332-336.
- 1279 Kornberg, L.J. and Liberti, J.P.: Nb2 cell mitogenesis: effect of lactogens on cAMP and protein phosphorylation. *Biochim. Biophys. Acta*, 1011 (1989) 205-211.
- 1280 Koth, M. and Beachey, E.H.: Serine and tyrosine phosphorylation of 28- and 35-kDa proteins of human T lymphocytes stimulated by streptococcal M protein. *Biochem. Biophys. Res. Commun.*, 158 (1989) 803-810.
- 1281 Kumamoto, T., Ito, A. and Omura, T.: Critical region in the extension peptide for the import of cytochrome P-450(SCC) precursor into mitochondria. *J. Biochem. (Tokyo)*, 105 (1989) 72-78.
- 1282 Kunimoto, M., Shibata, K. and Miura, T.: Comparison of the cytoskeleton fractions of rat red blood cells prepared with non-ionic detergents. *J. Biochem. (Tokyo)*, 105 (1989) 190-195.
- 1283 Kurihara, H., Yoshizumi, M., Sugiyama, T., Takaku, F., Yanagisawa, M., Masaki, T., Hamaaki, M., Kato, H. and Yazaki, Y.: Transforming growth factor- β stimulates the expression of endothelin mRNA by vascular endothelial cells. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1435-1440.

- 1284 Lang, A., Friemert, C. and Gassen, H.G.: On the role of the termination factor RF-2 and the 16S RNA in protein synthesis. *Eur. J. Biochem.*, 180 (1989) 547-554.
- 1285 Liu, Y., Carraway, K.L. and Carraway, C.A.C.: Isolation and characterization of a 58-kDa membrane- and microfilament-associated protein from ascites tumor cell microvilli. *J. Biol. Chem.*, 264 (1989) 1208-1214.
- 1286 Maeda, H. and Hirata, R.: (1D-IEF analysis of HLA antigens). *Med. Immunol.*, 16 (1988) 925-930; *C.A.*, 110 (1989) 152320g.
- 1287 McCroskey, M.C., Palazuk, B.J., Pierce-Ramsey, P.A., Colca, J.R. and Pearson, J.D.: Insulin-like effects of histones H3 and H4 on isolated rat adipocytes. *Biochim. Biophys. Acta*, 1011 (1989) 212-219.
- 1288 Mizuno, K., Nakamura, T., Ohshima, T., Tanaka, S. and Matsuo, H.: Characterization of KEX2-encoded endopeptidase from yeast *Saccharomyces cerevisiae*. *Biochem. Biophys. Res. Commun.*, 159 (1989) 305-311.
- 1289 Oesch, F., Waxman, D.J., Morrissey, J.J., Honscha, W., Kissel, W. and Friedberg, T.: Antibodies targeted against hypervariable and constant regions of cytochromes P450IIB1 and P450IIB2. *Arch. Biochem. Biophys.*, 268 (1989) 23-32.
- 1290 Pushkarev, V.M., Tronko, N.D. and Mikosha, A.S.: (cAMP Involvement in the control of adrenal mineralocorticoid function by potassium ions). *Biokhimiya (Moscow)*, 54 (1989) 323-327.
- 1291 Radford, J.: 2-D Gel comparison of membrane proteins from freshly isolated and cultured fetal and adult hepatocytes. *Cell Biol. Int. Rep.*, 12 (1988) 1011-1025; *C.A.*, 110 (1989) 131667k.
- 1292 Sakai, K., Asahi, M., Kobayashi, T., Tanaka, Y., Inazu, T., Nakamura, S.-i. and Yamamura, H.: Effect of poly-basic amino acids on the phosphorylation of various substrate proteins by cytosolic protein-tyrosine kinase from porcine spleen. *Biochem. Biophys. Res. Commun.*, 158 (1989) 1043-1049.
- 1293 Tauber, A.I., Cox, J.A., Curnutte, J.T., Carrol, P.M., Nakakuma, H., Warren, B., Gilbert, H. and Blumberg, P.M.: Activation of human neutrophil NADPH-oxidase *in vitro* by the catalytic fragment of protein kinase-C. *Biochem. Biophys. Res. Commun.*, 158 (1989) 884-890.
- 1294 Tessmer, U. and Dernick, R.: Preparative separation of poliovirus structural polypeptides by sodium dodecyl sulfate-polyacrylamide gel electrophoresis, copper staining and electroelution, and induction of monospecific antisera. *Electrophoresis (Weinheim)*, 10 (1989) 277-279.
- 1295 Tiozzo, R., Cingi, M.R., Pietrangelo, A., Albertazzi, L., Calandra, S. and Milani, M.R.: Effect of heparin-like compounds on the *in vitro* proliferation and protein synthesis of various cell types. *Arzneim.-Forsch.*, 39 (1989) 15-20.

See also 1201, 1250, 1302, 1305, 1307, 1403, 1412, 1583.

19c. Proteins synthesized by genetic manipulation

- 1296 Comerford, J.G., Gibson, J.R., Dawson, A.P. and Gibson, I.: Ras p21 and other G α proteins are detected in mammalian cell lines by [γ -³⁵S]GTP γ S binding. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1269-1274.
- 1297 Inouye, S., Aoyama, S., Miyata, T., Tsuji, F.I. and Sakaki, Y.: Overexpression and purification of the recombinant Ca²⁺-binding protein, apoaequorin. *J. Biochem. (Tokyo)*, 105 (1989) 473-477.
- 1298 Janson, R.W., Vertosick, F.T., Jr. and Kelly, R.H.: A method for recovery of native, clonally-restricted immunoglobulins from agarose gels. *Electrophoresis (Weinheim)*, 10 (1989) 11-15.
- 1299 Lally, E.T., Kieba, I.R., Demuth, D.R., Rosenbloom, J., Golub, E.E., Taichman, N.S. and Gibson, C.W.: Identification and expression of the *Actinobacillus actinomycetancomitans* leukotoxin gene. *Biochem. Biophys. Res. Commun.*, 159 (1989) 256-262.
- 1300 Nishida, T., Nishino, N., Takano, M., Sekiguchi, Y., Kawai, K., Mizuno, K., Nakai, S., Masui, Y. and Hirai, Y.: Molecular cloning and expression of rat interleukin-1 α cDNA. *J. Biochem. (Tokyo)*, 105 (1989) 351-357.
- 1301 Ohya, Y. and Anraku, Y.: Functional expression of chicken calmodulin in yeast. *Biochem. Biophys. Res. Commun.*, 158 (1989) 541-547.
- 1302 Philipps, C., Rose-John, S., Rincke, G., Furstenberger, G. and Marks, F.: cDNA-Cloning, sequencing and expression in glucocorticoid-stimulated quiescent Swiss 3T3 fibroblasts of mouse lipocortin I. *Biochem. Biophys. Res. Commun.*, 159 (1989) 155-162.

- 1303 Poesi, C., Tamanini, A., Ghielmi, S. and Albertini, A.: Protein A, hydroxy-apatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by high-performance liquid chromatography. *J. Chromatogr.*, 465 (1989) 101-111.
- 1304 Salmoms, B., Moritz-Legrand, S., Garcha, I. and Günzburg, W.H.: Construction and characterization of a packaging cell line for MMTV-based conditional retroviral vectors. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1191-1198.
- 1305 Sawada, T. and Cabral, F.: Expression and function of β -tubulin isotypes in chinese hamster ovary cells. *J. Biol. Chem.*, 264 (1989) 3013-3020.
- 1306 Shimada, H., Fukasawa, T. and Ishimura, Y.: Expression of bovine myoglobin cDNA as a functionally active holoprotein in *Saccharomyces cerevisiae*. *J. Biochem. (Tokyo)*, 105 (1989) 417-422.
- 1307 Ueda, T., Kikuchi, A., Ohga, N., Yamamoto, J. and Takai, Y.: GTPase activating proteins for the smg-21 GTP-binding protein having the same effector domain as the ras proteins in human platelets. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1411-1419.
- 1308 Wang, R.W., Pickett, C.B. and Lu, A.Y.H.: Expression of a cDNA encoding a rat liver glutathione S-transferase Ya subunit in *Escherichia coli*. *Arch. Biochem. Biophys.*, 268 (1989) 536-543.

See also 1609.

19d. *Microbial and plant proteins*

- 1309 Bataille, N., Thoraval, D. and Boucherie, H.: Two-dimensional gel analysis of yeast proteins: application to the study of changes in the levels of major polypeptides of *Saccharomyces cerevisiae* depending on the fermentable or nonfermentable nature of the carbon source. *Electrophoresis (Weinheim)*, 9 (1988) 774-780.
- 1310 Bayer, E.A., Ben-Hur, H., Hiller, Y. and Wilchek, M.: Postsecretory modifications of streptavidin. *Biochem. J.*, 259 (1989) 369-376.
- 1311 Bisseret, F., Keith, G., Rihn, B., Amiri, I., Werneburg, B., Girardot, R., Baldacini, O., Green, G., Nguyen, V.K. and Monteil, H.: *Clostridium difficile* toxin B: characterization and sequence of three peptides. *J. Chromatogr.*, 490 (1989) 91-100.
- 1312 Camm, E.L. and Green, B.R.: The chlorophyll ab complex, CP29, is associated with the Photosystem II reaction centre core. *Biochim. Biophys. Acta*, 974 (1989) 180-184.
- 1313 De Vienne, D., Leonardi, A. and Damerval, C.: Genetic aspects of variation of protein amounts in maize and pea. *Electrophoresis (Weinheim)*, 9 (1988) 742-750.
- 1314 Dure, III, L.: Characteristics of the storage proteins of cotton. *J. Am. Oil Chem. Soc.*, 66 (1989) 356-359.
- 1315 Faulkner, M.: Polypeptide patterns obtained by polyacrylamide gel electrophoresis of thylakoid membranes isolated from light and dark grown strains of *Chlorogloea fritschii*. *Electrophoresis (Weinheim)*, 9 (1988) 807-811.
- 1316 Gabellini, N., Gao, Z., Oesterheit, D., Venturoli, G. and Melandri, B.A.: Reconstitution of cyclic electron transport and photophosphorylation by incorporation of the reaction center, cytochrome bc_1 complex and ATP synthase from *Rhodobacter capulatus* into ubiquinone-10/phospholipid vesicles. *Biochim. Biophys. Acta*, 974 (1989) 202-210.
- 1317 Garcia-Olmedo, F., Salcedo, G., Aragoncillo, C., Sanchez-Monge, R., Collada, C. and Gomez, L.: Two-dimensional electrophoresis as a tool for structural and genetic studies of seed proteins from *Poaceae* and *Fagaceae*. *Electrophoresis (Weinheim)*, 9 (1988) 719-727.
- 1318 Gehrung, K.B. and Nikaido, H.: Existence and purification of porin heterotrimers of *Escherichia coli* K12 OmpC, OmpF, and PhoE proteins. *J. Biol. Chem.*, 264 (1989) 2810-2815.
- 1319 Goday, A., Torrent, M., Ludevid, M.D. and Puigdomenech, P.: The use of two-dimensional gel electrophoresis in the analysis of organ-specific maize proteins. *Electrophoresis (Weinheim)*, 9 (1988) 738-741.
- 1320 Görg, A., Postel, W., Domscheit, A. and Günther, S.: Two-dimensional electrophoresis with immobilized pH gradients of leaf proteins from barley (*Hordeum vulgare*): method, reproducibility and genetic aspects. *Electrophoresis (Weinheim)*, 9 (1988) 681-692.

- 1321 Granier, F.: Extraction of plant proteins for two-dimensional electrophoresis. *Electrophoresis (Weinheim)*, 9 (1988) 712-718.
- 1322 Guy, C.L. and Haskell, D.: Detection of polypeptides associated with the cold acclimation process in spinach. *Electrophoresis (Weinheim)*, 9 (1988) 787-796.
- 1323 Hueros, G., Sanz, J.C. and Jouve, N.: Chromosomal location by F₁ monosomic analysis of endosperm proteins in bread wheat. 1. One-dimensional electrophoresis of glutenins and gliadins. *Theor. Appl. Genet.*, 76 (1988) 781-787; *C.A.*, 110 (1989) 131665h.
- 1324 Hurkman, W.J. and Tanaka, C.K.: Polypeptide changes induced by salt stress, water deficit, and osmotic stress in barley roots: a comparison using two-dimensional gel electrophoresis. *Electrophoresis (Weinheim)*, 9 (1988) 781-787.
- 1325 Krochko, J.E. and Bewley, J.D.: Use of electrophoretic techniques in determining the composition of seed storage proteins in alfalfa. *Electrophoresis (Weinheim)*, 9 (1988) 751-763.
- 1326 Leonardi, A., Damerval, C. and de Vienne, D.: Organ-specific variability and inheritance of maize proteins revealed by two-dimensional electrophoresis. *Genet. Res.*, 52 (1988) 97-103; *C.A.*, 110 (1989) 111155p.
- 1327 Marlow, G.C., Wurst, D.E. and Loschke, D.C.: The use of ultrathin-layer polyacrylamide gel isoelectric focusing in two-dimensional analysis of plant and fungal proteins. *Electrophoresis (Weinheim)*, 9 (1988) 693-704.
- 1328 Montoy, A.F., Gardiner, W.E. and Schwartzbach, S.D.: Photocontrol of organelle and cell type specific changes in the polypeptide composition of *Euglena* and sorghum. *Electrophoresis (Weinheim)*, 9 (1988) 764-773.
- 1329 Odintsova, T.I. and Egorov, Ts.A.: (Isolation and characterization of gliadins from *Aegilops squarrosa* seeds). *Biokhimiya (Moscow)*, 54 (1989) 396-408.
- 1330 Orr, A.R., Wagner, B.A., Howard, C.T. and Schwartz, O.A.: Assay of plant proteins with bicinchoninic acid for high resolution two-dimensional polyacrylamide gel electrophoresis. *Plant Cell Rep.*, 7 (1988) 598-601; *C.A.*, 110 (1989) 111265z.
- 1331 Shewry, P.R., Parmar, S. and Field, J.M.: Two-dimensional electrophoresis of cereal prolamins: applications to biochemical and genetic analyses. *Electrophoresis (Weinheim)*, 9 (1988) 727-737.
- 1332 Smirnova, T.A., Kintsurashvili, L.N., Manamshyan, T.A., Noskov, V.A. and Liryanov, G.I.: (Isolated cells of barley aleurone layer as a model for the analysis of structural changes in chromatin of individual genes during the phytohormonal induction of gene expression). *Biokhimiya (Moscow)*, 54 (1989) 456-463.
- 1333 Somers, D.J., Cummins, W.R. and Filion, W.G.: Characterization of the heat-shock response in spinach (*Spinacia oleracea* L.). *Biochem. Cell Biol.*, 67 (1989) 113-120.
- 1334 Spangler, B.D. and Westbrook, E.M.: Crystallization of isoelectrically homogeneous cholera toxin. *Biochemistry*, 28 (1989) 1333-1340.
- 1335 Yoshimoto, T., Tone, H., Honda, T., Osatomi, K., Kobayashi, R. and Tsuru, D.: Sequencing and high expression of aminopeptidase P gene from *Escherichia coli* HB101. *J. Biochem. (Tokyo)*, 105 (1989) 412-416.

See also 1183, 1266, 1269, 1288, 1389.

19e. *Proteins of blood, serum and blood cells*

- 1336 Atkinson, B.G., Dean, R.L., Tomlinson, J. and Blaker, T.W.: Rapid purification of ferritin from lysates of red blood cells using proteinase-K. *Biochem. Cell Biol.*, 67 (1989) 52-57.
- 1337 Badwey, J.A., Heyworth, P.G. and Karnovsky, M.L.: Phosphorylation of both 47 and 49 kDa proteins accompanies superoxide release by neutrophils. *Biochem. Biophys. Res. Commun.*, 158 (1989) 1029-1035.
- 1338 Berry, S., Dawicki, D.D. and Steiner, M.: The resolved analysis of tubulin phosphorylation during platelet activation. *Biochem. Biophys. Res. Commun.*, 159 (1989) 170-176.
- 1339 Der Terrossian, E., Deprette, C. and Cassoly, R.: Caldesmon is present in human and pig erythrocytes. *Biochem. Biophys. Res. Commun.*, 159 (1989) 395-401.

- 1340 Fasullo, F.J., Jr., Fritsche, H.A., Jr., Liu, F.J. and Hamilton, R.G.: IgG heavy-chain subclass typing of myeloma paraproteins by isoelectric focusing immunoblot analysis. *Clin. Chem. (Winston-Salem)*, 35 (1989) 364-368.
- 1341 Fernandez, F.J., Noguerol, P., Sosa, R., Cuesta, B., Paramo, J.A. and Rocha, E.: Fibrinogen Sevilla, a congenital dysfibrinogenemia characterized by an abnormal monomer aggregation a defective plasmin lysis. *Clin. Chim. Acta*, 179 (1989) 239-250.
- 1342 Griffith, L.C., Schulman, H. and Tagawa, M.: *In vivo* and *in vitro* phosphorylation of murine lymphocyte differentiation antigen CD5. *Biochem. Biophys. Res. Commun.*, 159 (1989) 536-541.
- 1343 Hammer, C.H., Jacobs, R.M. and Frank, M.M.: Isolation and characterization of a novel plasma protein which binds to activated C4 of the classical complement pathway. *J. Biol. Chem.*, 264 (1989) 2283-2291.
- 1344 Hanash, S.M., Kuick, R., Nichols, D. and Stoolman, L.: Quantitative analysis of a new marker for common acute lymphoblastic leukemia detected by two-dimensional electrophoresis. *Dis. Markers*, 6 (1988) 209-220; *C.A.*, 110 (1989) 131666j.
- 1345 Kajii, E. and Ikemoto, S.: Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders. *J. Chromatogr.*, 490 (1989) 53-58.
- 1346 Kamboh, M.I. and Ferrell, R.E.: Genetic studies of low abundance human plasma proteins. X. Coagulation factor XIII B variants in Blacks. *Electrophoresis (Weinheim)*, 10 (1989) 53-57.
- 1347 Kawamoto, S., Bengur, A.R., Sellers, J.R. and Adelstein, R.S.: *In situ* phosphorylation of human platelet myosin heavy and light chains by protein kinase C. *J. Biol. Chem.*, 264 (1989) 2258-2265.
- 1348 Kroll, J.: The subunit composition of factor XIII proteins in normal and factor XIII deficient plasma and serum analysed by line immunoelectrophoresis. *Clin. Chim. Acta*, 179 (1989) 279-284.
- 1349 Lazarowski, E.R. and Lapetina, E.G.: Activation of platelet phospholipase C by fluoride is inhibited by elevation of cyclic AMP. *Biochem. Biophys. Res. Commun.*, 158 (1989) 440-444.
- 1350 Liberatore, F.A., Comeau, R.D. and Lawton, R.G.: Heterobifunctional cross-linking of a monoclonal antibody with 2-methyl-N¹-benzenesulfonyl-N⁴-bromoacetylquinonediimide. *Biochem. Biophys. Res. Commun.*, 158 (1989) 640-645.
- 1351 McLachlan, R.: Monoclonal immunoglobulins: affinity blotting for low concentrations in serum. *Clin. Chem. (Winston-Salem)*, 35 (1989) 478-481.
- 1352 Miyata, T., Furukawa, K., Iwanaga, S., Takamatsu, J. and Saito, H.: Fibrinogen Nogoya, a replacement of glutamine-329 by arginine in the γ -chain that impairs the polymerization of fibrin monomer. *J. Biochem. (Tokyo)*, 105 (1989) 10-14.
- 1353 Raida, M., Wendel, J., Kojro, E., Fahrenholz, F., Fasold, H., Legrum, B. and Passow, H.: Major proteolytic fragments of the murine band 3 protein as obtained after *in situ* proteolysis. *Biochim. Biophys. Acta*, 980 (1989) 291-298.
- 1354 Richter, M., Cyranka, U. and Markwardt, F.: Präparation von Rattenfibrinogen. *Pharmazie*, 44 (1989) 147-149.
- 1355 Russ, I., Günther, S. and Pirschner, F.: Analysis of porcine erythrocyte lysate proteins by horizontal two-dimensional electrophoresis with immobilized pH gradient in the first dimension. *Electrophoresis (Weinheim)*, 10 (1989) 273-277.
- 1356 Savu, L., Vranckx, R., Maya, M. and Nunez, E.A.: Binding activities of thyroxine binding globulin versus thyroxine binding prealbumin in rat sera: differential modulation by thyroid hormone ligands, oleic acid and pharmacological drugs. *Biochem. Biophys. Res. Commun.*, 159 (1989) 919-926.
- 1357 Sevaljevic, L., Ivanovic-Matic, S., Petrovic, M., Glibetic, M., Pantelic, D. and Poznanovic, G.: Regulation of plasma acute-phase protein and albumin levels in the liver of scalded rats. *Biochem. J.*, 258 (1989) 663-668.
- 1358 Tanaka, T., Nakamura, K. and Takeo, K.: A simple method for determination of the concentration of anti-dextran IgG in antiserum by means of affinity electrophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 178-182.
- 1359 Tsai, H.-M., Nagel, R.L., Hatcher, V.B. and Sussman, I.I.: Endothelial cell-derived high molecular weight von Willebrand factor is converted into the plasma multimer pattern by granulocyte proteases. *Biochem. Biophys. Res. Commun.*, 158 (1989) 980-985.

- 1360 Ulmer, J.B. and Palade, G.E.: Anomalies in the translocation and processing of glycophorin precursors in murine erythroleukemia cells. *J. Biol. Chem.*, 264 (1989) 1084-1091.
- 1361 Whitehouse, D.B., Lovegrove, J.U. and Hopkinson, D.A.: Variation in alpha-1-antitrypsin phenotypes associated with penicillamine therapy. *Clin. Chim. Acta*, 179 (1989) 109-116.

See also 1175, 1176, 1205, 1268, 1446, 1449, 1501, 1516.

19f. *Structural and muscle proteins*

- 1362 Candelas, G.C., Ortiz, A. and Ortiz, N.: Features of the cell-free translation of a spider fibroin mRNA. *Biochem. Cell Biol.*, 67 (1989) 173-176.
- 1363 Jukkola, A. and Niemelä, O.: Covalent binding of acetaldehyde to type III collagen. *Biochem. Biophys. Res. Commun.*, 159 (1989) 163-169.
- 1364 Kittelberger, R., Davis, P.F. and Greenhill, N.S.: Immunolocalization of type VIII collagen in vascular tissue. *Biochem. Biophys. Res. Commun.*, 159 (1989) 414-419.
- 1365 Morimoto, S. and Ohtsuki, I.: Ca^{2+} Binding to skeletal muscle troponin C in skeletal and cardiac myofibrils. *J. Biochem. (Tokyo)*, 105 (1989) 435-439.
- 1366 Murayama, T., Nakauchi, Y., Kimura, S. and Maruyama, K.: Binding of connectin to myosin filaments. *J. Biochem. (Tokyo)*, 105 (1989) 323-326.
- 1367 Nakamura, K., Inoue, S.-i., Abiko, S., Aoki, H. and Takeo, K.: Improved separation of alpha chains of collagen type I, type III, and type V by non-interrupted electrophoresis using thioglycolic acid as a negatively charged reducer. *Electrophoresis (Weinheim)*, 10 (1989) 29-33.
- 1368 Ogata, Y., Shimokawa, H. and Sasaki, S.: Purification, characterization, and biosynthesis of bovine enamelin. *Calcif. Tissue Int.*, 43 (1988) 389-399; *C.A.*, 110 (1989) 150866r.
- 1369 Slavkin, H.C., Bessem, C., Fincham, A.G., Bringas, P., Jr., Santos, V., Snead, M.L. and Zeichner-David, M.: Human and mouse cementum proteins immunologically related to enamel proteins. *Biochim. Biophys. Acta*, 991 (1989) 12-18.

See also 1301, 1347.

19g. *Protamines, histones and other chromosomal proteins*

- 1370 Borowicz, B. and Domaniewski, J.: (Isolation and electrophoretic analysis of nuclear proteins obtained from nuclear matrix by way of dissociation in SDS and phenolization). *Diagn. Lab.*, 24 (1988) 203-209; *C.A.*, 110 (1989) 150810t.
- 1371 Guo, J.Z. and Gorski, J.: Estrogen effects on modifications of chromatin proteins in the rat uterus. *J. Steroid Biochem.*, 32 (1989) 13-20.
- 1372 Ivanchenko, M.G. and Georgieva, E.I.: Electrophoretic heterogeneity of maize histones. *Electrophoresis (Weinheim)*, 9 (1988) 812-815.
- 1373 Kamps, M.P. and Sefton, B.M.: Acid and base hydrolysis of phosphoproteins bound to Immobilon facilitates analysis of phosphoamino acids in gel-fractionated proteins. *Anal. Biochem.*, 176 (1989) 22-27.
- 1374 Munir, K.M., Custer, R.P. and Sorol, S.: Normal hepatocytes exhibiting histone H3 with antibody accessible sites that are cryptic in carcinogen-altered hepatocytes. *Cancer Res.*, 49 (1989) 424-432.
- 1375 Nickel, B.E. and Davie, J.R.: Structure of polyubiquitinated histone H2A. *Biochemistry*, 28 (1989) 964-968.
- 1376 Nickel, B.E., Allis, C.D. and Davie, J.R.: Ubiquitinated histone H2B is preferentially located in transcriptionally active chromatin. *Biochemistry*, 28 (1989) 958-963.
- 1377 Wei, Y.-F., Morgan, J.E. and Matthews, H.R.: Studies of histidine phosphorylation by a nuclear protein histidine kinase show that histidine-75 in histone H4 is masked in nucleosome core particles and in chromatin. *Arch. Biochem. Biophys.*, 268 (1989) 546-550.

19h. Chromoproteins and metalloproteins

- 1378 Cupp, J.R. and Vickery, L.E.: Adrenodoxin with a COOH-terminal deletion (des 116-128) exhibits enhanced activity. *J. Biol. Chem.*, 264 (1989) 1602-1607.
- 1379 Fujiwara, T., Fukumori, Y. and Yamanaka, T.: Purification and properties of *Halobacterium halobium* "cytochrome a_3 " which lacks Cu_A and Cu_B . *J. Biochem. (Tokyo)*, 105 (1989) 287-292.
- 1380 Ingelman-Sundberg, M., Johansson, I., Penttila, K.E., Glaumann, H. and Lindros, K.O.: Centrilobular expression of ethanol-inducible cytochrome P-450 (IIE1) in rat liver. *Biochem. Biophys. Res. Commun.*, 157 (1988) 55-60.
- 1381 Kilar, F. and Hjerten, S.: Fast and high resolution analysis of human serum transferrin by high performance isoelectric focusing in capillaries. *Electrophoresis (Weinheim)*, 10 (1989) 23-29.
- 1382 Kilar, F., Seidel, A.G. and Häggström, L.: Zero-field Mössbauer studies of diferric human transferrin. *Biochem. Biophys. Res. Commun.*, 158 (1989) 755-761.
- 1383 Kraus, J.S. and Khankhanian, N.K.: HPLC determination of hemoglobin A_{1c} in the presence of the fast hemoglobin I-Philadelphia. *Clin. Chem. (Winston-Salem)*, 35 (1989) 494-495.
- 1384 Manca, L., Demuro, P. and Masala, B.: Hb G-Philadelphia, or [α68(E17)Asn→Lys], in North Sardinia: detection by isoelectric focusing and identification by HPLC of tryptic peptides. *Clin. Chim. Acta*, 177 (1988) 231-238.
- 1385 Melkonian, V.A. and Nalbandyan, R.M.: (Cu-Thionein from the roots of cucumber seedlings). *Biokhimiya (Moscow)*, 54 (1989) 306-312.
- 1386 Ohmachi, T., Fujii, H., Sagami, I., Suzuki, Y., Fujiwara, T. and Watanabe, M.: Purification and characterization of cytochromes P-450 from liver microsomes of 3-methylcholanthrene-treated crab-eating monkeys. *J. Biochem. (Tokyo)*, 105 (1989) 307-311.
- 1387 Paleari, R., Arcelloni, C., Paroni, R., Fermo, I. and Mosca, A.: Chromatofocusing and isoelectric focusing in immobilized pH gradients compared for characterization of human hemoglobin variants. *Clin. Chem. (Winston-Salem)*, 35 (1989) 425-430.
- 1388 Pribyl, T., Aleynikova, T.D., Vasilyev, V.B., Monakhov, N.K. and Shavlovsky, M.M.: (Some properties of silver-containing rat ceruloplasmin). *Biokhimiya (Moscow)*, 54 (1989) 601-609.
- 1389 Ross, P.E., Helgerson, S.L., Miercke, L.J.W. and Dratz, E.A.: Isoelectric focusing studies of bacteriorhodopsin. *Biochim. Biophys. Acta*, 991 (1989) 134-140.

19i. Proteins of glands, gland products and various zymogens (including milk proteins)

- 1390 Bedi, G.S.: Purification and characterization of an inducible cysteine proteinase inhibitor from submandibular glands of isoproterenol-treated rats. *Arch. Biochem. Biophys.*, 268 (1989) 335-343.
- 1391 Gan, Z., Gould, R.J., Jacobs, J.W., Friedman, P.A. and Polokoff, M.A.: Echistatin. A potent platelet aggregation inhibitor from the venom of the viper, *Echis carinatus*. *J. Biol. Chem.*, 263 (1988) 19827-19832.
- 1392 Goldfarb, M.F., Savadove, M.S. and Inman, J.A.: Two-dimensional electrophoretic analysis of human milk proteins. *Electrophoresis (Weinheim)*, 10 (1989) 67-70.
- 1393 Kageyama, T., Ichinose, M., Miki, K., Athauda, S.B., Tanji, M. and Takahashi, K.: Difference of activation processes and structure of activation peptides in human pepsinogens A and progastricsin. *J. Biochem. (Tokyo)*, 105 (1989) 15-22.
- 1394 Marshall, T., Lynass, R.C. and Williams, K.M.: Electrophoresis of human salivary proteins: response to natural stimulation. *Electrophoresis (Weinheim)*, 10 (1989) 269-271.
- 1395 Thean, E.T. and Toh, B.H.: Western immunoblotting: temperature-dependent reduction in background staining. *Anal. Biochem.*, 177 (1989) 256-258.
- 1396 Zeece, M.G., Holt, D.L., Wehling, R.L., Liewen, M.B. and Bush, L.R.: High-resolution two-dimensional electrophoresis of bovine caseins. *J. Agric. Food Chem.*, 37 (1989) 378-383.

See also 1207, 1289, 1422, 1428.

19j. *Proteins of brain, cerebrospinal fluid and eye*

- 1397 Eckerskorn, C., Jungblut, P., Mewes, W., Klose, J. and Lottspeich, F.: Identification of mouse brain proteins after two-dimensional electrophoresis and electroblotting by microsequence analysis and amino acid composition analysis. *Electrophoresis (Weinheim)*, 9 (1988) 830-838.
- 1398 Feyles, V., Dixon, W.T., Sikora, L.K.J. and Jerry, L.M.: Inhibition of neuro-glandular antigen (NGA) glycosylation by phorbol ester in human melanoma cells. *Biochem. Biophys. Res. Commun.*, 158 (1989) 837-843.
- 1399 Kocha, T., Fukuda, T., Isobe, T. and Okuyama, T.: Specific purification of glyceraldehyde-3-phosphate dehydrogenase by hydrophobic chromatography on immobilized colchicine. *Biochim. Biophys. Acta*, 991 (1989) 56-61.
- 1400 Matsumura, K., Shimizu, T., Mannen, T. and Maruyama, K.: The immunological homology between two filamentous cross-linker phosphoproteins, connectin and cross-bridge region of neurofilament-H, is not affected by the phosphorylation state. *J. Biochem. (Tokyo)*, 105 (1989) 226-230.
- 1401 Nespolo, A., Bianchi, G., Salmaggi, A., Lazzaroni, M., Cerrato, D. and Tajoli, L.M.: Immunoblotting techniques with picogram sensitivity in cerebrospinal fluid protein detection. *Electrophoresis (Weinheim)*, 10 (1989) 34-40.
- 1402 Ruder, G.K., Ovsenek, N., Heikkila, J.J. and Downer, R.G.H.: Examination of heat shock gene expression in nerve cord isolated from heat-stressed American cockroach, *Periplaneta americana*. *Biochem. Cell Biol.*, 67 (1989) 168-172.
- 1403 Shiozawa, J.A., Brandts, J.F. and Jacobson, B.S.: Binding of plasma membrane glycoproteins to the cytoskeleton during patching and capping is consistent with an entropy-enhancement model. *Biochim. Biophys. Acta*, 980 (1989) 361-366.
- 1404 Stoeckli, E.T., Lemkin, P.F., Kuhn, T.B., Ruegg, M.A., Heller, M. and Sonderegger, P.: Identification of proteins secreted from axons of embryotic dorsal-root-ganglia neurons. *Eur. J. Biochem.*, 180 (1989) 249-258.
- 1405 Takemoto, L., Emmons, T., Granstrom, D. and Jacobs, S.: Antisera to synthetic peptides as probes of structural changes during aging of α -crystallin from the bovine lens. *Biochim. Biophys. Acta*, 995 (1989) 259-263.
- 1406 Tokutake, S. and Tanaka, K.: Isolation of a stable tetramer of the low molecular weight component of neurofilaments (NF-L). *J. Biochem. (Tokyo)*, 105 (1989) 39-43.
- 1407 Tripathi, R.C., Millard, C.B. and Tripathi, B.J.: Protein composition of human aqueous humor: SDS-PAGE analysis of surgical and *postmortem* samples. *Exp. Eye Res.*, 48 (1989) 117-130; *C.A.*, 110 (1989) 131669n.
- 1408 Van den Oetelaar, P.J.M. and Hoenders, H.J.: Folding-unfolding and aggregation-dissociation of bovine α -crystallin subunits; evidence for unfolding intermediates of the α A subunits. *Biochim. Biophys. Acta*, 995 (1989) 91-96.
- 1409 Wessling-Resnick, M. and Johnson, G.L.: Evidence for oligomeric forms of transducin's alpha subunit: formation of intermolecular alpha-alpha disulfide linkages. *Biochem. Biophys. Res. Commun.*, 159 (1989) 651-657.

19k. *Proteins of neoplastic tissue and transformed cells*

- 1410 Iozzo, R.V. and Hassell, J.R.: Identification of the precursor protein for the heparan sulfate proteoglycan of human colon carcinoma cells and its post-translational modifications. *Arch. Biochem. Biophys.*, 268 (1989) 239-249.
- 1411 Lichtner, R.B., Julian, J.A., Glasser, S.R. and Nicolson, G.L.: Characterization of cytokeratins expressed in metastatic rat mammary adenocarcinoma cells. *Cancer Res.*, 49 (1989) 104-111.
- 1412 Motte, P., Takahashi, H., Ozturk, M., Wilson, B.E. and Wands, J.R.: Characterization of a malignant phenotype-associated cell surface glycoprotein common to various human tumor cells and preferentially expressed on adenocarcinoma of the lung. *Cancer Res.*, 49 (1989) 1349-1356.
- 1413 Rakowicz-Szulczynska, E.M., Otwiaska, D., Rodeck, U. and Koprowski, H.: Epidermal growth factor (EGF) and monoclonal antibody to cell surface EGF receptor bind to the same chromatin receptor. *Arch. Biochem. Biophys.*, 268 (1989) 456-464.
- 1414 Sommer, E.W. and Heizmann, C.W.: Expression of the tumor-specific and calcium-binding protein oncomodulin during chemical transformation of rat fibroblasts. *Cancer Res.*, 49 (1989) 899-905.

- 1415 Srivastava, P.K. and Old, L.J.: Identification of a human homologue of the murine tumor rejection antigen GP96. *Cancer Res.*, 49 (1989) 1341-1343.
- 1416 Worland, P.J., Bronzert, D., Dickson, R.B., Lippman, M.E., Hampton, L., Thorgeirsson, S.S. and Wirth, P.J.: Secreted and cellular polypeptide patterns of MCF-7 human breast cancer cells following either estrogen stimulation or v-H-ras transfection. *Cancer Res.*, 49 (1989) 51-57.

See also 1468.

19L. *Specific binding and receptor proteins*

- 1417 Bonifer, C., Dahlman, K., Strömstedt, P.-E., Flock, J.-I. and Gustafsson, J.A.: DNA binding of glucocorticoid receptor protein A fusion proteins expressed in *E. coli*. *J. Steroid Biochem.*, 32 (1989) 5-11.
- 1418 Champaneria, S., Holland, P.C., Karpati, G. and Guerin, C.: Developmental regulation of cell-surface glycoproteins in clonal cultures of human skeletal muscle satellite cells. *Biochem. Cell Biol.*, 67 (1989) 128-136.
- 1419 Claesson-Welsh, L., Hammacher, A., Westermarck, B., Heldin, C.-H. and Nister, M.: Identification and structural analysis of the A type receptor for platelet-derived growth factor. Similarities with the B type receptor. *J. Biol. Chem.*, 264 (1989) 1742-1747.
- 1420 Demyan, W.F., Sarkar, F.H., Murty, C.V.R. and Roy, A.K.: Purification and immunochemical characterization of the cytoplasmic androgen-binding protein of rat liver. *Biochemistry*, 28 (1989) 1732-1736.
- 1421 Ezaki, O., Bono, N., Itakura, H. and Kasahara, M.: Co-localization of a glucose transporter and the insulin receptor in microsomes of insulin-treated rat adipocytes. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1368-1374.
- 1422 Gallagher, M.P., Pearce, S.R. and Higgins, C.F.: Identification and localization of the membrane-associated, ATP-binding subunit of the oligopeptide permease of *Salmonella typhimurium*. *Eur. J. Biochem.*, 180 (1989) 133-141.
- 1423 Gliemann, J., Davidsen, O. and Moestrup, K.: Characterization, size estimation and solubilization of α -macroglobulin complex receptors in liver membranes. *Biochim. Biophys. Acta*, 980 (1989) 326-332.
- 1424 Hahn, M.E., Goldstein, J.A., Linko, P. and Gasiewicz, T.A.: Interaction of hexachlorobenzene with the receptor for 2,3,7,8-tetrachlorodibenzo-*p*-dioxin *in vitro* and *in vivo*. *Arch. Biochem. Biophys.*, 268 (1989) 344-355.
- 1425 Hirano, K., Yamamoto, K., Kobayashi, Y. and Osawa, T.: Characterization of specific high-affinity receptor for human lymphotoxin. *J. Biochem. (Tokyo)*, 105 (1989) 120-126.
- 1426 Kaplan, G.C., Pillion, D.J., Rutter, W.J., Kim, H. and Barker, P.E.: Insulin receptor overexpression in a human pre-B acute lymphocytic leukemia cell line with a t(1;19) chromosome translocation near the INSR locus. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1275-1282.
- 1427 Kubar, J. and van Obberghen, E.: Oligomeric states of the insulin receptor: binding and autophosphorylation properties. *Biochemistry*, 28 (1989) 1086-1093.
- 1428 Leiser, M. and Sherwood, L.M.: Calcium-binding proteins in the parathyroid gland. Detailed studies of parathyroid secretory protein. *J. Biol. Chem.*, 264 (1989) 2792-2800.
- 1429 Nishide, T., Tollefson, J.H. and Albers, J.J.: Inhibition of lipid transfer by a unique high density lipoprotein subclass containing an inhibitor protein. *J. Lipid Res.*, 30 (1989) 149-158.
- 1430 O'Brien, R., Houslay, M.D., Brindle, N.P.J., Milligan, G., Whittaker, J. and Siddle, K.: Binding to GDP-agarose identifies a novel 60 kDa substrate for the insulin receptor tyrosyl kinase in mouse NTH-3T3 cells expressing high concentrations of the human insulin receptor. *Biochem. Biophys. Res. Commun.*, 158 (1989) 743-748.
- 1431 Ocrant, I., Pham, H., Oh, Y. and Rosenfeld, R.G.: Characterization of insulin-like growth factor binding proteins of cultured rat astroglial and neuronal cells. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1316-1322.
- 1432 Osaka, H., Sonoda, T., Tsunoda, K. and Isono, K.: A new biological role of sangivamycin; inhibition of protein kinases. *J. Antibiot.*, 42 (1989) 102-106.
- 1433 Rieber, M., Urbina, C. and Rieber, M.S.: DNA on membrane receptors: a target for monoclonal anti-DNA antibody induced by a nucleoprotein shed in systemic lupus erythematosus. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1441-1447.

- 1434 Roy, N. and Majumder, G.C.: Purification and characterization of an anti-sticking factor from goat epididymal plasma that inhibits sperm-glass and sperm-sperm adhesions. *Biochim. Biophys. Acta*, 991 (1989) 114-122.
- 1435 Sharp, A.H. and Campbell, K.P.: Characterization of the 1,4-dihydropyridine receptor using subunit-specific polyclonal antibodies. Evidence for a 32,000-Da subunit. *J. Biol. Chem.*, 264 (1989) 2816-2825.
- 1436 Smith, V.L. and Dedman, J.R.: Rapid purification of the 30 kDa calcimedlin using DNase I affinity chromatography. *Biochem. Biophys. Res. Commun.*, 159 (1989) 828-833.
- 1437 Sojar, H.T. and Bahl, O.P.: Characterization of rat ovarian lutropin receptor. Role of thiol groups in receptor association. *J. Biol. Chem.*, 264 (1989) 2552-2559.
- 1438 Wang, P., Matsumoto, N., Toyoshima, S. and Osawa, T.: Concanavalin A receptor(s) possibly interacts with at least two kinds of GTP-binding proteins in murine thymocytes. *J. Biochem. (Tokyo)*, 105 (1989) 4-9.
- 1439 Waugh, S.M. and Pilch, P.F.: Insulin binding changes the interface region between α subunits of the insulin receptor. *Biochemistry*, 28 (1989) 2722-2727.
- 1440 Zhuang, Q. and Stracher, A.: Purification and characterization of a calcium binding protein with "synexin-like" activity from human blood platelets. *Biochem. Biophys. Res. Commun.*, 159 (1989) 236-241.

See also 1281, 1297, 1366, 1544.

19m. Urinary proteins

- 1441 Scherberich, J.E., Fischer, P., Bigalke, A., Stangl, P., Wolf, G.B., Haimerl, M. and Schoeppe, W.: Routine diagnosis with PhastSystem compared to conventional electrophoresis: automated sodium dodecyl sulfate-polyacrylamide gel electrophoresis, silver staining and Western blotting of urinary proteins. *Electrophoresis (Weinheim)*, 10 (1989) 58-62.
- 1442 Wu, H., Wang, X., He, H., Zhang, X. and Liu, S.: (Agarose gel electrophoresis of urinary proteins). *Zhonghua Yixue Jiaoyan Zazhi*, 11 (1988) 285-286; *C.A.*, 110 (1989) 150820w.

19n. Other proteins

- 1443 Faulkner, M.: The application of sodium dodecyl sulphate-polyacrylamide gel electrophoresis to the taxonomic identification of the total body protein band profiles of *Diplostomum* spp. *Metacercariae (Digenea)*, parasites of fish eyes. *Electrophoresis (Weinheim)*, 10 (1989) 260-264.
- 1444 Kuivanen, P.C., Capulong, R.B., Harkins, R.N., deSombre, E.R. and Nowakowski, B.E.: The estrogen-responsive 110 K and 74 K rat uterine secretory proteins are structurally related to complement component C3. *Biochem. Biophys. Res. Commun.*, 158 (1989) 898-905.
- 1445 May, L.T., Torcia, G., Cozzolino, F., Ray, A., Tatter, S.B., Santhanam, U., Sehgal, P.B. and Stern, D.: Interleukin-6 gene expression in human endothelial cells: RNA start sites, multiple IL-6 proteins and inhibition of proliferation. *Biochem. Biophys. Res. Commun.*, 159 (1989) 991-998.
- 1446 Naiki, H., Higuchi, K., Hosokawa, M. and Takeda, T.: Fluorometric determination of amyloid fibrils *in vitro* using the fluorescent dye, thioflavine T. *Anal. Biochem.*, 177 (1989) 244-249.
- 1447 O'Reilly, M.A., Weaver, T.E., Pilot-Matias, T., Sarin, V.K., Gazdar, A.F. and Whitsett, J.A.: *In vitro* translation, post-translational processing and secretion of pulmonary surfactant protein B precursors. *Biochim. Biophys. Acta*, 1011 (1989) 140-148.
- 1448 Sakai, A., Sakakibara, R. and Ishiguro, M.: Human chorionic gonadotropin-ricin A chain hybrid protein: a hormone analog for the study of signal transduction. *J. Biochem. (Tokyo)*, 105 (1989) 275-280.
- 1449 Takeno-Uchi, T.: (Analysis of HLA-D region antigens by two-dimensional gel electrophoresis). *Med. Immunol.*, 16 (1988) 931-937; *C.A.*, 110 (1989) 152270r.
- 1450 Tovey, E.R., Ford, S.A. and Baldo, B.A.: Enhanced immunodetection of blotted house dust mite protein allergens on nitrocellulose following blocking with Tween 20. *Electrophoresis (Weinheim)*, 10 (1989) 243-249.

- 1451 Van der Horst, A.R., Lardy, N.M. and de Waal, L.P.: Analysis of the HLA-A10-cross reacting group of antigens by one-dimensional isoelectric focusing. *Immunogenetics.*, 29 (1989) 1-5; *C.A.*, 110 (1989) 112718m.

See also 1260, 1361, 1402.

20. ENZYMES AND ENZYME ACTIVITY ESTIMATION

- 1452 Dässler, H.-G. and Schmiedel, T.: Die Ultradünnschichtstärkegelelektrophorese - ein geeignetes Verfahren zur Lösung spezifischer Probleme der Enzymanalytik. *Pharmazie*, 44 (1989) 34-36.
- 1453 Kuhn, R. and Wagner, H.: Free flow electrophoresis as a method for the purification of enzymes from *E. coli* cell extract. *Electrophoresis (Weinheim)*, 10 (1989) 165-172.

20a. Oxidoreductases

- 1454 Baccanari, D.P., Tansik, R.L., Joyner, S.S., Fling, M.E., Smith, P.L. and Freisheim, J.H.: Characterization of *Candida albicans* dihydrofolate reductase. *J. Biol. Chem.*, 264 (1989) 1100-1107.
- 1455 DeBruin, L.S. and Josephy, P.D.: Dichlorobenzidine-DNA binding catalyzed by peroxidative activation in *Salmonella typhimurium*. *Arch. Biochem. Biophys.*, 268 (1989) 25-31.
- 1456 Droillard, M.-J., Bureau, D., Paulin, A. and Daussant, J.: Identification of different classes of superoxide dismutase in carnation petals. *Electrophoresis (Weinheim)*, 10 (1989) 46-48.
- 1457 Draheim, J.E., Carroll, R.T., McNemar, T.B., Dunham, W.R., Sands, R.H. and Funk, M.O., Jr.: Lipoygenase isoenzymes: a spectroscopic and structural characterization of soybean seed enzymes. *Arch. Biochem. Biophys.*, 268 (1989) 208-218.
- 1458 Giannoulaki, E.E., Kalpaxis, D.L., Tentas, C. and Fessas, P.: Lactate dehydrogenase isoenzyme pattern in sera of patients with malignant diseases. *Clin. Chem. (Winston-Salem)*, 35 (1989) 396-399.
- 1459 Grebenschikova, O.G. and Prozorovsky, V.N.: (Antipeptide antibodies to the porcine lactate dehydrogenase isoenzyme M₄ active center fragment as a probe for the structural analysis of active centers of human lactate dehydrogenase isoforms). *Biokhimiya (Moscow)*, 54 (1989) 370-374.
- 1460 Grebenschikova, O.G., Andrianova, L.E. and Prozorovsky, V.N.: (The antigenic activity of porcine muscle lactate dehydrogenase fragment 180-214 containing the histidine residue of the isoenzyme active center). *Biokhimiya (Moscow)*, 54 (1989) 361-369.
- 1461 Hirano, T., Matsuzaki, H. and Sekine, T.: Identification of an extra lactate dehydrogenase band in human erythrocytes. *Clin. Chim. Acta*, 180 (1989) 59-64.
- 1462 Keung, W.M. and Yip, P.K.: Rabbit liver alcohol dehydrogenase: isolation and characterization of class I isozymes. *Biochem. Biophys. Res. Commun.*, 158 (1989) 445-453.
- 1463 Kulmacz, R.J. and Wu, K.K.: Topographic studies of microsomal and pure prostaglandin H synthase. *Arch. Biochem. Biophys.*, 268 (1989) 502-515.
- 1464 Numata, M., Yamazaki, T., Fukumori, Y. and Yamanaka, T.: Some properties of *Nitrosomonas europaea* cytochrome c oxidase (aa₃-type) which lacks Cu_A. *J. Biochem. (Tokyo)*, 105 (1989) 245-248.
- 1465 Ogata, M., Suzuki, K. and Satoh, Y.: Characterization of human residual catalase of an acatalasemic patient by isoelectric focusing and sodium dodecyl sulfate-polyacrylamide gel electrophoresis followed by electrophoretic blotting and immunodetection. *Electrophoresis (Weinheim)*, 10 (1989) 194-198.
- 1466 Penarrubia, L., Moreno, J. and Carrasco, P.: A visual-electrophoretic method for following the purification of ribulose-1,5-diphosphate carboxylase oxygenase. *Biochem. Educ.*, 16 (1988) 234-236; *C.A.*, 110 (1989) 113757k.
- 1467 Privalle, C.T., Beyer, W.F., Jr. and Fridovich, I.: Anaerobic induction of proMn-superoxide dismutase in *Escherichia coli*. *J. Biol. Chem.*, 264 (1989) 2758-2763.
- 1468 Romero-Saravia, O., Solem, E. and Lorenz, M.: High resolution of human lactate dehydrogenase: new multiple forms and potential tumor markers. *Electrophoresis (Weinheim)*, 9 (1988) 816-819.

- 1469 Wall, L. and Meighen, E.: Covalent reaction of cerulenin at the active site of acyl-CoA reductase of *Photobacterium phosphoreum*. *Biochem. Cell Biol.*, 67 (1989) 163-167.

See also 1399.

20b. *Transferases (excluding E.C. 2.7.-.-)*

- 1470 Abei, M., Harada, S., Tanaka, N., McNeil, M. and Osuga, T.: Immunohistochemical localization of human liver glutathione S-transferase (GST) isozymes with special reference to polymorphic GST1. *Biochim. Biophys. Acta*, 995 (1989) 279-284.
- 1471 Miyaura, S., Horie, K. and Isono, H.: Studies on the subunits of rabbit hepatic glutathione S-transferase. *Chem. Pharm. Bull.*, 36 (1988) 4527-4533.
- 1472 Numazawa, T., Yamada, S., Hase, T. and Sugiyama, T.: Aspartate aminotransferase from *Panicum maximum* Jacq. var. *trichoglume* Eyles, a C₄ plant: purification, molecular properties, and preparation of antibody. *Arch. Biochem. Biophys.*, 268 (1989) 313-319.
- 1473 Sugiyama, M., Takeda, A., Paik, S.-Y. and Nimi, O.: Isolation and properties of a blastidicin S acetylating enzyme from a producer organism. *J. Antibiot.*, 42 (1989) 135-137.

See also 1348.

20c. *Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)*

- 1474 Al-Mudhaffer, S.A. and Al-Toma, F.J.: Isoelectric focusing of CPK isoenzymes separated from serum of children affected by kava-azar. *J. Iraqi Chem. Soc.*, 12 (1987) 57-68; *C.A.*, 110 (1989) 110548g.
- 1475 Aseev, V.V. and Zaitseva, G.N.: (Nuclear DNA-dependent RNA-polymerases of *Criethidia oncopelti*. Isolation and subunit composition of two enzyme forms). *Biokhimiya (Moscow)*, 54 (1989) 221-227.
- 1476 Hanna, M.L. and Taylor, R.T.: Radioactive-electrophoretic assay of adenosine 5'-triphosphate sulfurylase activity in crude extracts with sulfate or selenate as a substrate. *Anal. Biochem.*, 176 (1989) 294-302.
- 1477 Heesbeen, E.C., Rijksen, G., Batenburg, J.J., van Golde, L.M.G. and Staal, G.E.J.: Phosphofructokinase in alveolar type II cells isolated from fetal and adult rat lung. *Biochim. Biophys. Acta*, 1002 (1989) 388-394.
- 1478 Hengst, J.A., Georgoff, I., Isom, H.C. and Jacob, S.T.: Association of newly synthesized poly(A) polymerase with four distinct polypeptides. *J. Biol. Chem.*, 263 (1988) 19270-19273.
- 1479 Masmoudi, A., Labourdette, G., Mersel, M., Huang, F.L., Huang, K., Vincendon, G. and Malviya, A.N.: Protein kinase C located in rat liver nuclei. Partial purification and biochemical and immunochemical characterization. *J. Biol. Chem.*, 264 (1989) 1172-1179.
- 1480 Morozov, V.E., Eronina, T.B., Andreeva, I.E., Silonova, G.V., Solovyeva, N.V., Shchors, E.I., Livanova, N.B., Poglazov, B.F.: (Purification, quaternary structure and regulatory properties of phosphorylase kinase from pigeon skeletal muscle). *Biokhimiya (Moscow)*, 54 (1989) 448-455.
- 1481 Pflug, W.: Subtyping of phosphoglucomutase 1 (PGM1) in microstains of different biological materials with subsequent species differentiation without further stain material consumption. *Electrophoresis (Weinheim)*, 9 (1988) 438-443.
- 1482 Ramamoorthy, S. and Balasubramanian, A.S.: Identification of Zn²⁺-dependent and Mg²⁺/Triton X-100-dependent tyrosine protein kinases in ethylenediaminetetraacetate-treated P₂ membrane fraction of monkey brain basal ganglia. *Arch. Biochem. Biophys.*, 268 (1989) 148-155.
- 1483 Roberts, S.J. and Somero, G.N.: Properties of the interaction between phosphofructokinase and actin. *Arch. Biochem. Biophys.*, 268 (1989) 284-294.
- 1484 Sanghera, J.S. and Vance, D.E.: CTP:phosphocholine cytidyltransferase is a substrate for cAMP-dependent protein kinase *in vitro*. *J. Biol. Chem.*, 264 (1989) 1215-1223.
- 1485 Williams, J., Williams, K.M. and Marshall, T.: Heterogeneity of serum creatine kinase isoenzyme MM in myocardial infarction: clinical significance and post-synthetic conversion of "abnormal" sub-bands. *Clin. Chem. (Winston-Salem)*, 35 (1989) 206-210.

- 1486 Yu, M., Martin, R.L., Jain, S., Chen, L.J. and Segel, I.H.: Rat liver ATP-sulfurylase: purification, kinetic characterization, and interaction with arsenate, selenate, phosphate and other inorganic oxyanions. *Arch. Biochem. Biophys.*, 268 (1989) 156-174.
- 20d. *Hydrolases, acting on ester bonds (E.C. 3.1.-.-)*
- 1487 Dabbeni-Sala, F., Vazquez-Laslop, N., Fachinetti, A., Devars, S. and Dreyfus, G.: Modulation of mitochondrial F₀F₁ catalysis by boundary and bulk phase phospholipids. *Biochem. Biophys. Res. Commun.*, 158 (1989) 1013-1020.
- 1488 Hada, T., Ohue, T., Imanishi, H., Nakaoka, H., Hirotsaki, A., Fujikura, M., Yamamoto, T., Amuro, Y. and Higashino, K.: Alteration of serum cholinesterase isozyme in patients with liver cirrhosis. *Clin. Chim. Acta*, 178 (1988) 111-112.
- 1489 Himeno, M., Koutoku, H., Ishikawa, T. and Kato, K.: Acid phosphatase in rat liver lysosomal membranes: purification and characterization. *J. Biochem. (Tokyo)*, 105 (1989) 449-456.
- 1490 Jacobsen, T., Poulsen, O.M. and Hau, J.: Enzyme activity electrophoresis and rocket immunoelectrophoresis for the qualitative and quantitative analysis of *Geotrichum candidum* lipase activity. *Electrophoresis (Weinheim)*, 10 (1989) 49-52.
- 1491 Ohba, Y., Mizuno, Y. and Shikawa, H.: Ontogenic expression of the two isozymes, Ch1 and Ch2, of chicken muscle acylphosphatase. *J. Biochem. (Tokyo)*, 105 (1989) 173-177.
- 1492 Philippe, J.C., Picard, B., Gouillet, P. and Krishnamoorthy, R.: Electrophoretic data in designing strategies for purification and identification of a highly polymorphic bacterial esterase. *J. Biochem. Biophys. Methods*, 17 (1988) 51-60; *C.A.*, 110 (1989) 3445z.
- 1493 Qi, X. and Meng, Z.: (Experimental study on liver and bone alkaline phosphatase isoenzymes separated by electrophoresis). *Zhonghua Yixue Jianyan Zazhi*, 11 (1988) 197-199; *C.A.*, 110 (1989) 130908c.
- 1494 Rosalki, S.B. and Ying Poo, A.: Effect of Triton X-100 on precipitation of binary phosphatase by wheat-germ lectin. *Clin. Chem. (Winston-Salem)*, 35 (1989) 513.
- 1495 Sano, S.-i., Matsuda, Y. and Nakagawa, H.: A novel brain-specific antigen: a glycoprotein electrophoretically similar to but immunochemically different from type B nucleoside diphosphatase. *J. Biochem. (Tokyo)*, 105 (1989) 457-460.
- 1496 Sato, M., Furiya, K., Tanaka, S., Sakagishi, Y. and Komoda, T.: Allelic polymorphism of human placental alkaline phosphatase in three races: sugar chain heterogeneities. *Clin. Chim. Acta*, 178 (1988) 101-108.
- 1497 Tibi, L., Collier, A., Patrick, A.W., Clarke, B.F. and Smith, A.F.: Plasma alkaline phosphatase isoenzymes in diabetes mellitus. *Clin. Chim. Acta*, 177 (1988) 147-156.
- 1498 Tomlinson, G. and Kinsch, E.M.: S-Mercuric-N-dansyl-cysteine labels the free sulfhydryl groups of human serum cholinesterase. *Biochem. Biophys. Res. Commun.*, 158 (1989) 503-507.
- 1499 Tung, H.Y.L. and Reed, L.J.: Purification and characterization of protein phosphatase I₁ activating kinase from bovine brain cytosolic and particulate fractions. *J. Biol. Chem.*, 264 (1989) 2985-2990.

See also 1270.

20e. *Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)*

- 1500 Baskaeva, E.M., Shono, N.I., Kozlova, I.K. and Wiederschain, G.Ya.: (Substrate specificity of multiple forms of human α -D-galactosidase and α -D-fucosidase). *Biokhimiya (Moscow)*, 54 (1989) 421-426.
- 1501 Mörsky, P.: Detection of lysozyme and alpha₂-macroglobulin-lysozyme complexes by immunoblotting. *Clin. Chim. Acta*, 178 (1988) 327-336.

20f. *Other hydrolases*

- 1502 Abe, O. and Kuromizu, : Stoichiometry of the interaction of human plasma α ₁-proteinase inhibitor with subtilisin BPN. *J. Biochem. (Tokyo)*, 105 (1989) 66-71.

- 1503 Dasarathy, Y., Stevens, J., Fanburg, B.L. and Lanzillo, J.J.: A peptidyl dipeptidase-4 from *Pseudomonas maltophilia*: purification and properties. *Arch. Biochem. Biophys.*, 268 (1989) 255-266.
- 1504 De Llano, J.J.M., Garcia-Segura, J.M. and Gavillanes, J.G.: Selective silver staining of urease activity in polyacrylamide gels. *Anal. Biochem.*, 177 (1989) 37-40.
- 1505 Ikai, A., Nakashima, M. and Aoki, Y.: Inhibition of inflammatory proteinase, medullasin, by α_2 -macroglobulin and ovomacroglobulin. *Biochem. Biophys. Res. Commun.*, 158 (1989) 831-836.
- 1506 Kamada, M., Aoki, K., Ikekita, M., Kizuki, K., Moriya, M., Kamo, M. and Tsugita, A.: Generation of α - and β -kallikreins from porcine pancreatic prokallikrein by the action of trypsin. *Chem. Pharm. Bull.*, 36 (1988) 4891-4899.
- 1507 Kikuchi, M., Fukuyama, K., Hirayama, K. and Epstein, W.L.: Purification and characterization of carboxypeptidase from terminally differentiated rat epidermal cells. *Biochim. Biophys. Acta*, 991 (1989) 19-24.
- 1508 Kurosawa, N. and Ogita, Z.-i.: Classification of mouse submaxillary gland esteroproteases by their substrate specificities. *Electrophoresis (Weinheim)*, 10 (1989) 189-194.
- 1509 Matheson, N., Bathurst, I. and Travis, J.: The primary role of the P₁' residue (ser³⁵⁹) of alpha-1-proteinase inhibitor. *Biochem. Biophys. Res. Commun.*, 159 (1989) 271-277.
- 1510 Nakano, M., Tanaka, Y., Kimura, T., Hatanaka, Y. and Tobita, T.: Boar acrosin digestion of the porcine egg coat, zona pellucidae, and rearrangement of the zona proteins. *J. Biochem. (Tokyo)*, 105 (1989) 138-142.
- 1511 Nakayama, K., Kim, W.-S., Hatsuzawa, K., Hashiba, K. and Murakami, K.: Tissue distribution and characterization of protein-converting enzyme in mouse. *Biochem. Biophys. Res. Commun.*, 158 (1989) 369-376.
- 1512 Orłowski, M., Lesser, M., Ayala, J., Lasdun, A., Kam, C.-M. and Powers, J.C.: Substrate specificity and inhibitors of a capillary injury-related protease from sheep lung lymph. *Arch. Biochem. Biophys.*, 268 (1989) 125-136.
- 1513 Sanderink, G.-J., Artur, Y., Paille, F. and Siest, G.: Clinical significance of a new isoform of serum alanine aminopeptidase: relationship with liver disease and alcohol consumption. *Clin. Chim. Acta*, 179 (1989) 23-32.
- 1514 Schraw, W.P. and Post, R.L.: Inhibition and labeling of sodium, potassium ATPase by the dialdehyde derivative of ATP. *Atch. Biochem. Biophys.*, 268 (1989) 327-338.
- 1515 Wolf, G.B., Scherberich, J.E., Fischer, P. and Schoeppe, W.: Isolation and characterization of dipeptidyl aminopeptidase IV from human kidney cortex. *Clin. Chim. Acta*, 179 (1989) 61-72.
- 1516 Yamamoto, K., Yamada, M. and Kato, Y.: Age-related and phenylhydrazine-induced activation of the membrane-associated cathepsin E in human erythrocytes. *J. Biochem. (Tokyo)*, 105 (1989) 114-119.

See also 1627.

20g. Lyases

- 1517 Belyaeva, E.V., Timoshenko, V.F. and Doman, N.G.: (Determining the activity of ribulose biphosphate carboxylase). *Prikl. Biokhim. Mikrobiol.*, 25 (1989) 123-129; *C.A.*, 110 (1989) 130941h.
- 1518 Goyard, S., Orlando, C., Sabatier, J.-M., Labruyere, E., d'Alayer, J., Fontan, G., van Rietschoten, J., Mock, M., Danchin, A., Ullmann, A. and Monneron, A.: Identification of a common domain in calmodulin-activated eukaryotic and bacterial adenylate cyclases. *Biochemistry*, 28 (1989) 1964-1967.
- 1519 Hoffenberg, S.I. and Zhuravlyov, I.V.: (Regulation of adenylate cyclase activity in chicken tissues by cations). *Biokhimiya (Moscow)*, 53 (1988) 1214-1219.
- 1520 Kornblatt, M.J. and Klugerman, A.: Characterization of the enolase isozymes of rabbit brain: kinetic differences between mammalian and yeast enolases. *Biochem. Cell Biol.*, 67 (1989) 103-107.
- 1521 Sakakibara, M., Takahashi, I., Takasaki, Y., Mukai, T. and Hori, K.: Construction and expression of human aldolase A and B expression plasmids in *Escherichia coli* host. *Biochim. Biophys. Acta*, 1007 (1989) 334-342.

- 1522 Takahashi, I., Takasaki, Y. and Hori, K.: Site-directed mutagenesis of human aldolase isozymes: the role of Cys-72 and Cys-338 residues of aldolase A and of the carboxy-terminal Tyr residues of aldolases A and B. *J. Biochem. (Tokyo)*, 105 (1989) 281-286.

See also 1189, 1223.

20h. *Isomerases*

- 1523 Constantinou, A., Henning-Chubb, C. and Huberman, E.: Novobiocin- and phorbol-12-myristate-13-acetate-induced differentiation of human leukemia cells associated with a reduction in topoisomerase II activity. *Cancer Res.*, 49 (1989) 1110-1117.
- 1524 Melendy, T. and Ray, D.S.: Novobiocin affinity purification of mitochondrial type II topoisomerase from the trypanosomatid *Crithidia fasciculata*. *J. Biol. Chem.*, 264 (1989) 1870-1876.
- 1525 Tsou, A.Y., Ransom, S.C., Gerlt, J.A., Powers, V.M. and Kenyon, G.L.: Selection and characterization of a mutant of the cloned gene for mandelate racemase that confers resistance to an affinity label by greatly enhanced production of enzyme. *Biochemistry*, 28 (1989) 969-975.

20j. *Complex mixtures and incompletely identified enzymes*

- 1526 Bessoule, J.-J., Lessire, R. and Cassagne, C.: Partial purification of the acyl-CoA elongase of *Allium porrum* leaves. *Arch. Biochem. Biophys.*, 268 (1989) 475-484.
- 1527 Yasumasu, S., Iuchi, I. and Yamagami, K.: Purification and partial characterization of high choriolytic enzyme (HCE), a component of the hatching enzyme of the teleost, *Oryzias latipes*. *J. Biochem. (Tokyo)*, 105 (1989) 204-211.
- 1528 Yasumasu, S., Iuchi, I. and Yamagami, K.: Isolation and some properties of low choriolytic enzyme (LCE), a component of the hatching enzyme of the teleost, *Oryzias latipes*. *J. Biochem. (Tokyo)*, 105 (1989) 212-218.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. *Purines, pyrimidines, nucleosides, nucleotides*

- 1529 Coelen, R.J., Flynn, L.M. and Mackenzie, J.S.: Two-dimensional gel electrophoresis of RNase II-resistant oligonucleotides of flavivirus RNA using ultrathin gels. *J. Virol. Methods*, 23 (1989) 71-76; *C.A.*, 110 (1989) 150802s.
- 1530 Cohen, A.S., Majarian, D.R., Paulus, A., Guttman, A., Smith, J.A. and Karger, B.L.: Rapid separation and purification of oligonucleotides by high-performance capillary gel electrophoresis. *Proc. Natl. Acad. Sci. U.S.A.*, 85 (1988) 9660-9663; *C.A.*, 110 (1989) 111158s.
- 1531 Zarudnaya, M.I. and Zheltovskii, N.V.: (Determination of association constants between homopolyribonucleotides and lysine derivative by agarose gel electrophoresis). *Mol. Biol.*, 23 (1989) 215-224; *C.A.*, 110 (1989) 150812v.

21b. *Nucleic acids, RNA*

- 1532 Clinton, M., Frangou-Lazaridis, M., Pannerselvam, C. and Horecker, B.L.: Prothymosin α and parathymosin: mRNA and polypeptide levels in rodent tissues. *Arch. Biochem. Biophys.*, 268 (1989) 256-263.
- 1533 Delehay, M.C., Cohen, R., Segond, N., Pidoux, E., Treilhou-Lahille, F., Milhaud, G. and Moukhtar, M.S.: Elevated levels of calcitonin mRNA: a marker for the spontaneous development of medullary thyroid carcinoma in rats. *Biochem. Biophys. Res. Commun.*, 159 (1989) 528-535.
- 1534 Freeman, K.B., Heffernan, M., Dhalla, Z. and Patel, H.V.: Effect of exposure temperature on brown adipose tissue uncoupling protein mRNA levels. *Biochem. Cell Biol.*, 67 (1989) 147-151.
- 1535 Goldstein, B.J. and Kahn, C.R.: Analysis of mRNA heterogeneity by ribonuclease H mapping: application to the insulin receptor. *Biochem. Biophys. Res. Commun.*, 159 (1989) 664-669.

- 1536 Grossman, M.H., Creveling, C.R. and Breakefield, X.O.: Isolation of the mRNA encoding rat liver catechol-O-methyltransferase. *Biochem. Biophys. Res. Commun.*, 158 (1989) 776-782.
- 1537 Hart, I.R., Rao, J. and Wilson, R.E.: c-AMP-Induced c-fos expression in cells of melanocyte origin. *Biochem. Biophys. Res. Commun.*, 159 (1989) 408-413.
- 1538 Huang, S., Zhang, X., Li, B. and Li, S.: (Purification of *E. coli* tRNA^{Leu}). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 15 (1988) 397-399; *C.A.*, 110 (1989) 150893x.
- 1539 Krajci, P., Solberg, R., Sandberg, M., Oyen, O., Jahnsen, T. and Brandtzaeg, P.: Molecular cloning of the human transmembrane secretory component (poly-Ig receptor) and its mRNA expression in human tissues. *Biochem. Biophys. Res. Commun.*, 158 (1989) 783-789.
- 1540 La Fauci, G., Lahiri, D.K., Salton, S.R. and Robakis, N.K.: Characterization of the 5'-end region and the first two exons of the β -protein precursor gene. *Biochem. Biophys. Res. Commun.*, 159 (1989) 297-304.
- 1541 Lafarge-Frayssinet, C., Torres, J.M., Frain, M. and Uriel, J.: Alpha-fetoprotein gene expression in human lymphoblastoid cells and in PHA-stimulated normal T-lymphocytes. *Biochem. Biophys. Res. Commun.*, 159 (1989) 112-118.
- 1542 Lee, K.-L., Makkinje, A., Ch'ang, L.Y. and Kenney, F.T.: Molecular cloning and analysis of full-length cDNAs cognate to a rat gene under multihormonal control. *Arch. Biochem. Biophys.*, 268 (1989) 106-113.
- 1543 MacManus, J.P., Gillen, M.F., Korczak, B. and Nojima, H.: Differential calmodulin gene expression in fetal, adult, and neoplastic tissues of rodents. *Biochem. Biophys. Res. Commun.*, 159 (1989) 278-282.
- 1544 Makover, A., Soprano, D.R., Wyatt, M.L. and Goodman, D.S.: Localization of retinol-binding protein messenger RNA in the rat kidney and in perinephric fat tissue. *J. Lipid Res.*, 30 (1989) 171-180.
- 1545 Miyaura, C., Jin, C.H., Yamaguchi, Y., Tomida, M., Hozumi, M., Matsuda, T., Hirano, T., Kishimoto, T. and Suda, T.: Production of interleukin 6 and its relation to the macrophage differentiation of mouse myeloid leukemia cells (M1) treated with differentiation-inducing factor and 1 α ,25-dihydroxyvitamin D₃. *Biochem. Biophys. Res. Commun.*, 158 (1989) 660-666.
- 1546 Nishikimi, M., Hosokawa, Y., Toda, H., Suzuki, H. and Ozawa, T.: Cloning and sequence analysis of a cDNA encoding the Rieske iron-sulfur protein of rat mitochondrial cytochrome bc₁ complex. *Biochem. Biophys. Res. Commun.*, 159 (1989) 19-25.
- 1547 Okuda, A., Matsuzaki, A. and Kimura, G.: Transient increase in the c-fos mRNA level after change of culture condition from serum absence to serum presence and after cycloheximide addition in rat 3Y1 fibroblasts. *Biochem. Biophys. Res. Commun.*, 159 (1989) 501-507.
- 1548 Rich, C.B. and Foster, J.A.: Characterization of rat heart tropoelastin. *Arch. Biochem. Biophys.*, 268 (1989) 551-558.
- 1549 Saitta, B., Buttice, G. and Gambino, R.: Isolation of a putative collagen-like gene from the sea urchin *Paracentrotus lividus*. *Biochem. Biophys. Res. Commun.*, 158 (1989) 633-639.
- 1550 Sano, K., Kikuchi, A., Matsui, Y., Teranishi, Y. and Takai, Y.: Tissue-specific expression of a novel GTP-binding protein (smg p25A) mRNA and its increase by nerve growth factor and cyclic AMP in rat pheochromocytoma PC-12 cells. *Biochem. Biophys. Res. Commun.*, 158 (1989) 377-385.
- 1551 Sudoh, T., Maekawa, K., Kojima, M., Minamino, N., Kangawa, K. and Matsuo, H.: Cloning and sequence analysis of cDNA encoding a precursor for human brain natriuretic peptide. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1427-1434.
- 1552 Tada, M., Fukamizu, A., Seo, M.S., Takahashi, S. and Murakami, K.: Renin expression in the kidney and brain is reciprocally controlled by captopril. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1065-1071.
- 1553 Terada, Y., Shinomiya, H. and Nakano, M.: Defect of calmodulin-binding protein in expression of interleukin-1 β gene by LPS-nonresponder C3H/HeJ mouse macrophages. *Biochem. Biophys. Res. Commun.*, 158 (1989) 723-729.
- 1554 Terao, M., Tabe, L., Garattini, E., Sartori, D., Studer, M. and Mintz, B.: Isolation and characterization of variant cDNAs encoding mouse tyrosinase. *Biochem. Biophys. Res. Commun.*, 159 (1989) 848-853.
- 1555 Tomita, N., Izumoto, Y., Horri, A., Doi, S., Yokouchi, H., Ogawa, M., Mori, T. and Matsubara, K.: Molecular cloning and nucleotide sequence of human pancreatic prechymotrypsinogen cDNA. *Biochem. Biophys. Res. Commun.*, 158 (1989) 569-575.

- 1556 Yamada, T., Sasaki, H., Dohura, K., Goto, I. and Sakaki, Y.: Structure and expression of the alternatively-spliced forms of mRNA for the mouse homolog of Alzheimer's disease amyloid beta protein precursor. *Biochem. Biophys. Res. Commun.*, 158 (1989) 906-912.

See also 1284, 1584, 1590.

21c. *Nucleic acids, DNA*

- 1557 Bergerheim, U., Nordenskjöld, M. and Collins, V.P.: Deletion mapping in human renal cell carcinoma. *Cancer Res.*, 49 (1989) 1390-1396.
- 1558 Beverley, S.M.: Estimation of circular DNA size using γ -irradiation and pulsed-field gel electrophoresis. *Anal. Biochem.*, 177 (1989) 110-114.
- 1559 Birren, B.W., Lai, E., Hood, L. and Simon, M.I.: Pulsed field gel electrophoresis techniques for separating 1- to 50-kilobase DNA fragments. *Anal. Biochem.*, 177 (1989) 282-286.
- 1560 Courtois, G., Lebeau, J. and Goubin, G.: Molecular cloning of the 25 kbp region upstream of exon 0 of the human Ki-ras oncogene and its conservation in transformed mouse NIH 3T3 cells. *Biochem. Biophys. Res. Commun.*, 159 (1989) 324-331.
- 1561 Deutsch, J.M. and Madden, T.L.: Theoretical studies of DNA during gel electrophoresis. *J. Chem. Phys.*, 90 (1989) 2476-2485; *C.A.*, 110 (1989) 149974t.
- 1562 Devos, K.M. and Verduyck-Dewitte, D.: Preparation of plant DNA for separation by pulsed field gel electrophoresis. *Electrophoresis (Weinheim)*, 10 (1989) 267-268.
- 1563 Fehr, S., Schmale, H. and Richter, D.: Differential polyadenylation of the mutant vasopressin mRNA during development of Brattleboro rats. *Biochem. Biophys. Res. Commun.*, 158 (1989) 555-561.
- 1564 Ferris, S., Freeby, S., Zoller, P., Ragsdale, C. and Stevens, A.: A megabase DNA electrophoresis system. *Am. Biotechnol. Lab.*, 7 (1989) 36-42; *C.A.*, 110 (1989) 150626n.
- 1565 Flanagan, J., Ventra, L. and Weiss, A.S.: Rapid method for preparation and cleavage of bacterial DNA for pulsed-field gel electrophoresis. *Nucleic Acids Res.*, 17 (1989) 814; *C.A.*, 110 (1989) 150888z.
- 1566 Fleming, J.E. and Paull, T.T.: Semi-dry electroblotting of DNA. *BioTechniques*, 6 (1988) 926-929; *C.A.*, 110 (1989) 111154n.
- 1567 Fronko, G.E., Long, W.K., Wu, B., Papadopoulos, T. and Henderson, E.E.: Relationship between methylation status and expression of an Epstein-Barr virus (EBV) capsid antigen gene. *Biochem. Biophys. Res. Commun.*, 159 (1989) 263-270.
- 1568 Hightower, R.C., Bliska, J.B., Cozzarelli, N.R. and Santi, D.V.: Analysis of amplified DNAs from drug-resistant *Leishmania* by orthogonal field-alternation gel electrophoresis. The effect of size and topology on mobility. *J. Biol. Chem.*, 264 (1989) 2979-2984.
- 1569 John, D.C.A., Rosamund, J. and Douglas, K.T.: Tight binding of a copper(II) phthalocyanine (Cuprolinic Blue) to DNA. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1256-1262.
- 1570 Juang, J.-K., Huang, H.W., Chen, C.-M. and Liu, H.J.: A new compound, with-angulatin A, promotes type II DNA topoisomerase-mediated DNA damage. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1128-1134.
- 1571 Keller, G.H., Huang, D.-P. and Manak, M.M.: Labeling of DNA probes with a photoactivatable hapten. *Anal. Biochem.*, 177 (1989) 392-395.
- 1572 Kim, Y. and Tu, S.-C.: Molecular cloning of salicylate hydroxylase genes from *Pseudomonas cepacia* and *Pseudomonas putida*. *Arch. Biochem. Biophys.*, 268 (1989) 295-304.
- 1573 Klopper-Sams, P.J. and Stegeman, J.J.: The temporal relationships between P450E protein content, catalytic activity, and mRNA levels in the teleost *Fundulus heteroclitus* following treatment with β -naphthoflavone. *Arch. Biochem. Biophys.*, 268 (1989) 525-535.
- 1574 Lai, E., Davi, N.A. and Hood, L.E.: Effect of electric field switching on the electrophoretic mobility of single-stranded DNA molecules in polyacrylamide gel. *Electrophoresis (Weinheim)*, 10 (1989) 65-67.
- 1575 Miroshnichenko, G.P., Borisjuk, N.V. and Volkov, R.A.: (Organization of rDNA repeat units in the *Solanaceae* sexual and parasexual hybrids). *Biokhimiya (Moscow)*, 54 (1989) 669-675.

- 1576 Mohamed, R. and Lavin, M.F.: Abnormality in DNA-protein binding in ataxia-telangiectasia nuclear extracts. *Biochem. Biophys. Res. Commun.*, 158 (1989) 749-754.
- 1577 Nakanishi, Y., Koideda, S., Shibata, H. and Masamune, Y.: Interactions of factors bound at two different sites in the 5'-upstream region of the adenovirus 12 E1A gene. *Biochem. Biophys. Res. Commun.*, 158 (1989) 685-689.
- 1578 Picard-Pasquier, N., Ouagued, M., Picard, B., Goullet, P. and Krishnamoorthy, R.: A simple, sensitive method of analyzing bacterial ribosomal DNA polymorphism. *Electrophoresis (Weinheim)*, 10 (1989) 186-189.
- 1579 Ripka, J., Pierce, M. and Fregien, N.: DNA-Mediated transformation of N-acetylglucosaminyltransferase I activity into an enzyme deficient cell line. *Biochem. Biophys. Res. Commun.*, 159 (1989) 554-560.
- 1580 Seino, S. and Bell, G.I.: Alternative splicing of human insulin receptor messenger RNA. *Biochem. Biophys. Res. Commun.*, 159 (1989) 312-316.
- 1581 Smith, S.B., Aldridge, P.K. and Callis, J.B.: Observation of individual DNA molecules undergoing gel electrophoresis. *Science*, 243 (1989) 203-206; *C.A.*, 110 (1989) 111266a.
- 1582 Sopchak, L., King, S.R., Miller, D.A., Gabra, N., Thrush, G.R. and Lerman, S.P.: Progression of transplanted SJL/J lymphomas attributed to a single aggressive H-SD^b-negative lymphoma. *Cancer Res.*, 49 (1989) 665-671.
- 1583 Tosoni-Pittoni, E., Joab, I., Nicolas, J.C. and Perricaudet, M.: Complete characterization of the gene coding for the Epstein-Barr virus major membrane antigen gp 220/240 and selective expression of a secreted form of gp 220. *Biochem. Biophys. Res. Commun.*, 158 (1989) 676-684.
- 1584 Tsuchiya, T., Tojo, A. and Shibuya, M.: Multi-copy introduction and high-level expression of interleukin-3 genes by retroviral vector superinfection. *Biochem. Biophys. Res. Commun.*, 158 (1989) 576-583.
- 1585 Vlach, J., Dvorak, M., Bartunek, P., Pecenka, V., Travnicek, M. and Sponar, J.: Supercoil-induced Z-DNA formation within 5'-end of chicken myb proto-oncogene. *Biochem. Biophys. Res. Commun.*, 158 (1989) 737-742.
- 1586 Wang, Y. and Sauerbier, W.: Flanking AT-rich sequences may lower the activation energy of cruciform extrusion in supercoiled DNA. *Biochem. Biophys. Res. Commun.*, 158 (1989) 423-431.
- 1587 Wang, Y., Sauerbier, W. and Blumenfeld, M.: Interactions between structure transitions in a torsionally constrained DNA. *Biochem. Biophys. Res. Commun.*, 158 (1989) 696-704.
- 1588 Wert, K. and Furst, A.: High-resolution electrophoretic separations of megabase DNA molecules. *BioPharm*, 2 (1989) 38-52; *C.A.*, 110 (1989) 131489d.
- 1589 Yamaguchi, M., Hayashi, Y. and Matsukage, A.: Dual *cis*-acting negative regulatory elements located upstream of the mouse DNA polymerase β gene. *J. Biochem. (Tokyo)*, 105 (1989) 79-83.
- 1590 Yamamoto, A., Horai, S. and Yuasa, Y.: Increased level of mitochondrial gene expression in polyps of familial polyposis coli patients. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1100-1106.
- 1591 Yoshida, K.: (Electrophoretic separation of large DNA-PFGE method). *BaioSaiensu To Indasutori*, 46 (1988) 3722-3726; *C.A.*, 110 (1989) 131508j.
- 1592 Zapolski, E.Z. and Gersten, D.M.: A system for automated DNA electrophoresis, molecular hybridization and electronic detection: II. Electronic detection. *Electrophoresis (Weinheim)*, 10 (1989) 1-6.
- 21d. *Structural studies on RNA and RNA mapping*
- 1593 Ehrhardt, W., Englisch, U. and Neuhoff, V.: Automatic evaluation of nucleic acid sequencing gel autoradiographs. *Electrophoresis (Weinheim)*, 10 (1989) 265-266.
- 1594 Hecker, R., Wang, Z., Steger, G. and Riesner, D.: Analysis of RNA structures by temperature-gradient gel electrophoresis: viroid replication and processing. *Gene*, 72 (1988) 59-74; *C.A.*, 110 (1989) 130664v.
- 1595 Wan, Y.-J.Y. and Chou, J.Y.: Expression of the α -fetoprotein gene in adult rat liver. *Arch. Biochem. Biophys.*, 268 (1989) 267-276.

See also 1529, 1542.

21e. Structural studies on DNA and DNA mapping

- 1596 Bautsch, W.: Rapid physical mapping of the *Mycoplasma mobile* genome by two-dimensional field inversion gel electrophoresis techniques. *Nucleic Acids Res.*, 16 (1988) 11461-11467; *C.A.*, 110 (1989) 109405b.
- 1597 Dybczynski, I. and Plucienniczak, A.: A protocol for DNA fragment extraction from polyacrylamide gels. *BioTechniques*, 6 (1988) 924-926; *C.A.*, 110 (1989) 111247v.
- 1598 Gromova, I.I., Bronshtein, I.B., Tomofeev, A.V., Razin, S.V., Kalandadze, A.G. and Kafiani, K.A.: (Specific splitting of the α^A -globin gene by calf thymus DNA topoisomerase molecular forms). *Biokhimiya (Moscow)*, 54 (1989) 640-650.
- 1599 Kambara, H. and Nishikawa, T.: Electrophoresis-fluorometric system for DNA base analysis. *Eur. Pat. Appl.* EP 275,440 (Cl. G01N27/26), 27 Jul. 1988, JP Appl. 87/12,363, 23 Jan. 1987, 8 pp.; *C.A.*, 110 (1989) 131788a.
- 1600 Kato, M., Aiba, H. and Mizuno, T.: Molecular analysis by deletion and site-directed mutagenesis of the *cis*-acting upstream sequence involved in activation of the *ompF* promoter in *Escherichia coli*. *J. Biochem. (Tokyo)*, 105 (1989) 341-347.
- 1601 LeBlond, G.F. and Ts'o, P.O.P.: Discriminatory 32 P 3'-end labelling of restriction endonuclease co-digested DNA fragments. *Anal. Biochem.*, 177 (1989) 413-418.
- 1602 Lopez, B. and Coppey, J.: Molecular analysis of homologous recombination catalysed by human nuclear extract: fidelity and DNase protection. *Biochem. Biophys. Res. Commun.*, 158 (1989) 454-461.
- 1603 Marrot, L. and Leng, M.: Chemical probes of the conformation of DNA modified by *cis*-diammine dichloroplatinum(II). *Biochemistry*, 28 (1989) 1454-1461.
- 1604 Mathis, J.M., Houser, W.H., Brasnick, E., Cidlowski, J.A., Hines, R.N., Prough, R.A. and Simpson, E.R.: Glucocorticoid regulation of the rat cytochrome P450c (P450IA1) gene: receptor binding within intron I. *Arch. Biochem. Biophys.*, 268 (1989) 93-105.
- 1605 Obata, S., Taguchi, S., Kubagai, I. and Miura, K.-i.: Molecular cloning and nucleotide sequence determination of gene encoding *Streptomyces* subtilisin inhibitor (SSI). *J. Biochem. (Tokyo)*, 105 (1989) 367-371.
- 1606 Rimm, D.L., Pollard, T.D. and Hieter, P.: Resolution of *Acanthamoeba castellanii* chromosomes by pulsed field gel electrophoresis and construction of the initial linkage map. *Chromosoma*, 97 (1988) 219-223; *C.A.*, 110 (1989) 111157r.
- 1607 Sato, S., Nakada, Y., Hon-nami, K., Yasui, K. and Shiratsuchi, A.: Molecular cloning and the nucleotide sequence of the *Clostridium thermocellum* *trpE* gene. *J. Biochem. (Tokyo)*, 105 (1989) 362-366.
- 1608 Spirin, K.S., Grigorev, S.A. and Krasheninnikov, I.A.: Mechanism of generation of oligonucleosome associates in the course of electrophoresis. *Mol. Biol.*, 22 (1988) 1530-1538; *C.A.*, 110 (1989) 111159t.
- 1609 Tajima, S., Yamamura, T., Menju, M. and Yamamoto, A.: Analysis of apolipoprotein E7 (apolipoprotein E-Suita) gene from a patient with hyperlipoproteinemia. *J. Biochem. (Tokyo)*, 105 (1989) 249-253.
- 1610 Toh, Y., Yamamoto, M., Endo, H., Fujita, A., Misumi, Y. and Ikehara, Y.: Sequence divergence of 5' extremities in rat liver alkaline phosphatase mRNAs. *J. Biochem. (Tokyo)*, 105 (1989) 61-65.
- 1611 Vassetzky, Y.S., Jr., Razin, S.V. and Georgieiev, G.P.: DNA fragments which specifically bind to isolated nuclear matrix *in vitro* interact with matrix-associated DNA topoisomerase II. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1263-1268.

22. ALKALOIDS

See 1174.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23c. Indole derivatives

- 1612 Wallingford, R.A. and Ewing, A.G.: Separation of serotonin from catechols by capillary zone electrophoresis with electrochemical detection. *Anal. Chem.*, 61 (1989) 98-100.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCLUDING SUGAR PHOSPHATES)

- 1613 Zhu, G. and Ma, K.: (Determination of 2,3-diphosphoglycerate in blood by isotachopheresis). *Zhonghua Yixue Jianyan Zazhi*, 11 (1988) 269-271; *C.A.*, 110 (1989) 150819c.

See also 1180, 1213, 1222.

27. VITAMINS AND VARIOUS GROWTH REGULATORS (NON-PEPTIDIC)

- 1614 Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S.: Separation of water-soluble vitamins by micellar electrokinetic chromatography. *J. Chromatogr.*, 465 (1989) 331-343.

28. ANTIBIOTICS

See 1469.

32. DRUG ANALYSIS

32h. Toxicological and forensic applications

See 1481.

33. CLINICO-CHEMICAL APPLICATIONS

33b. Complex mixtures and profiling (single compounds by cross ref. only)

- 1615 Jellum, E. and Thorsrud, A.K.: Profiling cells and body fluids - chromatography and two-dimensional electrophoresis as complementary techniques. *J. Chromatogr.*, 488 (1989) 105-127 - a review with 56 refs.

See also 1174, 1210, 1340, 1344, 1345, 1351, 1383, 1384, 1387, 1458, 1485, 1488, 1494, 1497, 1513.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross ref. only)

- 1616 Hine, T. and Tsuda, T.: (Determination of kansui in Chinese noodle by capillary isotachopheresis). *Shimadzu Hyoron*, 45 (1988) 195-198; *C.A.*, 110 (1989) 152878v.

- 1617 Yagi, T.: (Microanalysis of food components by electrophoresis. Capillary isotachophoresis and its application). *Gekkan Fudo Kemikaru*, 4 (1988) 58-64; *C.A.*, 110 (1989) 113280z.

35. ENVIRONMENTAL ANALYSIS

35c. Water pollution (complex mixtures; single compounds by cross ref. only)

- 1618 Zheng, S., Zhang, M., Zhao, H., Zhang, Z. and Liu, L.: (A microelectrophoretic study on suspended particles in seawater. I. Effect of pH, trace metal ions and organic matters on the electrophoretic mobility of goethite and δ -manganese dioxide). *Shandong Haiyang Xueyuan Xuebao*, 17 (1987) 37-43; *C.A.*, 110 (1989) 82041r.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36c. Various technical products

- 1619 Dukhin, S.S., Tarovskii, A.A. and Baran, A.A.: (Electrophoresis of the second kind of metallic particles). *Kolloidn. Zh.*, 50 (1988) 1222-1223; *C.A.*, 110 (1989) 102419a.
- 1620 Fair, M.C. and Anderson, J.L.: Electrophoresis of nonuniformly charged ellipsoidal particles. *J. Colloid Interface Sci.*, 127 (1989) 388-400; *C.A.*, 110 (1989) 122187b.
- 1621 Kozak, M.W. and Davis, E.J.: Electrokinetic of concentrated suspensions and porous media. *J. Colloid Interface Sci.*, 127 (1989) 497-510; *C.A.*, 110 (1989) 122188c.
- 1622 Mishchuk, N.A. and Dukhin, S.S.: (Electrophoresis of spherical nonconducting particles under conditions of strong concentration polarization of the electric double layer). *Kolloidn. Zh.*, 50 (1988) 1111-1118; *C.A.*, 110 (1989) 122167v.
- 1623 Yoon, B.J. and Kim, S.: Electrophoresis of spheroidal particles. *J. Colloid Interface Sci.*, 128 (1989) 275-288; *C.A.*, 110 (1989) 142114d.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

- 1624 Dorval, B.L., Chow, M. and Klibanov, A.M.: Stabilization of poliovirus against heat inactivation. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1177-1183.
- 1625 Jault, J.M., di Pietro, A., Falson, P., Gautheron, D.C., Boutry, M. and Goffeau, A.: A yeast strain with mutated β -subunits of mitochondrial ATPase-ATP synthase: high azide and bicarbonate sensitivity of the ATPase activity. *Biochem. Biophys. Res. Commun.*, 158 (1989) 392-399.
- 1626 Serwer, P., Easom, R.A., Hayes, S.J. and Olson, M.S.: Rapid detection and characterization of multimolecular cellular constituents by two-dimensional agarose gel electrophoresis. *Trends Biochem. Sci.*, 14 (1989) 4-7; *C.A.*, 110 (1989) 150804u.
- 1627 Tanaka, K. and Ichihara, A.: Autodegradation of rat liver proteasomes (large multicatalytic proteinase complex). *Biochem. Biophys. Res. Commun.*, 158 (1989) 548-554.
- 1628 Tanaka, K. and Ichihara, A.: Half-life of proteasomes (multiprotease complexes) in rat liver. *Biochem. Biophys. Res. Commun.*, 159 (1989) 1309-1315.
- 1629 Wang, W.Q., Natsuaki, T., Okuda, S. and Teranaka, M.: Comparison of cucumber mosaic virus isolates by double-stranded RNA synthesis. *Nippon Shokubutsu Byori Gakkaiho*, 54 (1988) 536-539; *C.A.*, 110 (1989) 131670f.

See also 1276, 1585, 1606, 1608.

38. INORGANIC COMPOUNDS

38a. Cations

- 1630 Luebkeova, S., Valaskova, I. and Majer, J.: (Method for separation of a mixture of gallium(3+), indium(3+), thallium(3+) and thallium(1+) ions by paper electrophoresis). *Czech. Pat.* CS 252 702 (Cl. G01N27/26), 15 Oct. 1988, Appl. 84/5,072, 02 Jul. 1984; 3 pp.; *C.A.*, 110 (1989) 87658g.
- 1631 Luebkeova, S., Valaskova, I. and Majer, J.: (Electrophoretic separation of ion mixture of gallium, indium and thallium). *Czech. Pat.* CS 252,703 (Cl. G01N27/26), 15 Oct. 1988, Appl. 84/5,074, 02 Jul. 1984; 3 pp.; *C.A.*, 110 (1989) 107303t.
- 1632 Luebkeova, S., Valaskova, I. and Majer, J.: (Reagent for separation of metal ion mixtures by paper electrophoresis). *Czech. Pat.* CS 252,704 (Cl. G01N27/26), 15 Oct. 1988, Appl. 84/5,075, 02 Jul. 1984; 3 pp.; *C.A.*, 110 (1989) 107300q.

38b. Anions

- 1633 Bulbulian, S., Ramirez, F. de M., Itrube, J.L., Collins, C.H. and Collins, K.E.: Chromatographic and electrophoretic identification of the form of fluorin-18 obtained from some reactor-irradiated lithium compounds. *Analyst (London)*, 114 (1989) 349-350.
- 1634 Matejovic, I. and Bielikova, M.: Isotachophoresis determination of soluble nitrates, nitrites, sulfates and phosphates in plant material. *Collect. Czech. Chem. Commun.*, 53 (1988) 3067-3071; *C.A.*, 110 (1989) 111167u.

Erratum

J. Chromatogr., 486 (1989) B279-B418
Page B348-B362: Entries 956, 961, 992, 1006, 1026, 1037, 1052, 1057, 1076, 1124 and 1145. The journal name and volume should read: "*J. High Resolut. Chromatogr. Chromatogr. Commun.*, Vol. 11".

PUBLICATION SCHEDULE FOR 1989

Journal of Chromatography and Journal of Chromatography, Biomedical Applications

MONTH	J	F	M	A	M	J	J	A	S	O	
Journal of Chromatography	461 462 463/1	463/2 464/1	464/2 465/1 465/2	466 467/1 467/2	468 469 470/1 470/2	471 472/1 472/2 473/1	473/2 474/1 474/2 475	476 477/1 477/2	478/1 478/2 479/1		The publication schedule for further issues will be published later
Bibliography Section		486/1		486/2		486/3		486/4		486/5	
Biomedical Applications	487/1	487/2	488/1 488/2	489/1 489/2	490/1 490/2	491/1	491/2	492 493/1	493/2 494	495	

INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 445, pp. 453–456. A free reprint can be obtained by application to the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Notes, Review articles and Letters to the Editor. Notes are usually descriptions of short investigations and reflect the same quality of research as Full-length papers, but should preferably not exceed six printed pages. Letters to the Editor can comment on (parts of) previously published articles, or they can report minor technical improvements of previously published procedures; they should preferably not exceed two printed pages. For review articles, see inside front cover under Submission of Papers.

Submission. Every paper must be accompanied by a letter from the senior author, stating that he is submitting the paper for publication in the *Journal of Chromatography*. Please do not send a letter signed by the director of the institute or the professor unless he is one of the authors.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. Authors of papers in French or German are requested to supply an English translation of the title of the paper. As a rule, papers should be divided into sections, headed by a caption (*e.g.*, Summary, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

Introduction. Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

Summary. Full-length papers and Review articles should have a summary of 50–100 words which clearly and briefly indicates what is new, different and significant. In the case of French or German articles an additional summary in English, headed by an English translation of the title, should also be provided. (Notes and Letters to the Editor are published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the *legends* being typed (with double spacing) together on a *separate sheet*. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press" (journal should be specified), "submitted for publication" (journal should be specified), "in preparation" or "personal communication".

Dispatch. Before sending the manuscript to the Editor please check that the envelope contains three copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Notes and Letters to the Editor will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

Send for a
SAMPLE COPY

CHROMATOGRAPHY ABSTRACTS

EDITORS

E. R. Adlard and P. A. Sewell

AIMS AND SCOPE

Chromatography Abstracts are designed to provide an essential service to chromatographers throughout the world. A team of well-qualified abstractors continuously scans all the major world journals for papers reporting advances in chromatographic techniques and their application to specific problems. A feature of the Abstracts is the detailed annual subject index, helping readers to locate information on a particular topic rapidly and, if desired, transfer this information to a data base. For the convenience of readers Gas and Liquid Chromatography Abstracts are kept completely separate, each having its own author and subject index.

The Abstracts are sponsored by the Chromatographic Society and will reflect the expanding interests of the Society by means of a gradual extension to other aspects of separation science, in addition to their comprehensive coverage of the chromatographic literature.

ISSN: 0268 6287

SUBSCRIPTION INFORMATION

Frequency: One volume, eleven issues per volume.

Volume 32 (1989): UK delivery £309.00; Outside UK delivery £340.00.

All subscriptions are airspeeded.

Published for The Chromatographic Society
by Elsevier Applied Science Publishers

Requests for sample copies and subscription enquiries should be sent to the appropriate address



ELSEVIER APPLIED SCIENCE PUBLISHERS

Crown House, Linton Road, Barking, Essex IG11 8JU, UK

In USA and Canada:

Journal Information Center, Elsevier Science Publishing Co., Inc.,
655 Avenue of the Americas, New York, NY 10010, USA.