

ISSN 0021-9673

VOL. 501 FEBRUARY 9, 1990

COMPLETE IN ONE ISSUE

CUMULATIVE
AUTHOR AND SUBJECT INDEXES
VOLUMES 451-500

JOURNAL OF

CHROMATOGRAPHY

INCLUDING ELECTROPHORESIS AND OTHER SEPARATION METHODS

EDITORS

R. W. Giese (Boston, MA)
J. K. Haken (Kensington, N.S.W.)
K. Macek (Prague)
L. R. Snyder (Orinda, CA)

EDITOR, SYMPOSIUM VOLUMES, E. Heftmann (Orinda, CA)

EDITORIAL BOARD

D. W. Armstrong (Rella, MO)
W. A. Aue (Halifax)
P. Beček (Brno)
A. A. Boulton (Saskatoon)
P. W. Carr (Minneapolis, MN)
N. H. C. Cooke (San Ramon, CA)
V. A. Davank (Meadow)
Z. Deyl (Prague)
S. Dilli (Kensington, N.S.W.)
H. Engelhardt (Saarbrücken)
F. Erni (Basel)
M. B. Evans (Hatfield)
J. L. Glajch (N. Billerica, MA)
G. A. Guiochon (Knoxville, TN)
P. R. Haddad (Kensington, N.S.W.)
I. M. Hais (Hradec Králové)
W. S. Hancock (San Francisco, CA)
S. Hjertqvist (Uppsala)
Cs. Horváth (New Haven, CT)
J. F. K. Huber (Vienna)
K.-P. Hupe (Waldbrunn)
T. W. Hutchens (Houston, TX)
J. Janák (Brno)
P. Jandera (Pardubice)
B. L. Karger (Boston, MA)
E. sz. Kováts (Lausanne)
A. J. P. Martin (Cambridge)
L. W. McLaughlin (Chestnut Hill, MA)
E. D. Morgan (Keele)
J. D. Pearson (Kalamazoo, MI)
H. Poppe (Amsterdam)
F. E. Regnier (West Lafayette, IN)
P. G. Righetti (Milan)
P. Schoenmakers (Eindhoven)
G. Schomburg (Mülheim/Ruhr)
R. Schiratzki (Tübingen)
R. E. Smith (West Lafayette, IN)
A. M. S. de Silva (Maastricht)
D. J. Strydom (Boston, MA)
K. K. Unger (Mainz)
R. Verpoorte (Leiden)
Gy. Vigh (College Station, TX)
J. F. Walker (West Lafayette, IN)
D. Westphal (Uppsala)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)

ELSEVIER

JOURNAL OF CHROMATOGRAPHY

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electrophoresis and related methods. Contributions consist mainly of research papers dealing with chromatographic theory, instrumental development and their applications. The section *Biomedical Applications*, which is under separate editorship, deals with the following aspects: developments in and applications of chromatographic and electrophoretic techniques related to clinical diagnosis or alterations during medical treatment; screening and profiling of body fluids or tissues with special reference to metabolic disorders; results from basic medical research with direct consequences in clinical practice; drug level monitoring and pharmacokinetic studies; clinical toxicology; analytical studies in occupational medicine.

Submission of Papers. Manuscripts (in English; *four* copies are required) should be submitted to: Editorial Office of *Journal of Chromatography*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands, Telefax (+31-20) 5862 304, or to: The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, 1000 AR Amsterdam, The Netherlands. Review articles are invited or proposed by letter to the Editors. An outline of the proposed review should first be forwarded to the Editors for preliminary discussion prior to preparation. Submission of an article is understood to imply that the article is original and unpublished and is not being considered for publication elsewhere. For copyright regulations, see below.

Subscription Orders. Subscription orders should be sent to: Elsevier Science Publishers B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel. (+31-20) 5803 911, Telex 18582 ESPA NL, Telefax (+31-20) 5803 598. The *Journal of Chromatography* and the *Biomedical Applications* section can be subscribed to separately.

Publication. The *Journal of Chromatography* (incl. *Biomedical Applications*) has 37 volumes in 1990. The subscription prices for 1990 are:

J. Chromatogr. (incl. *Cum. Indexes, Vols. 451-500*) + *Biomed. Appl.* (Vols. 498-534):

Dfl. 6734.00 plus Dfl. 1036.00 (p.p.h.) (total ca. US\$ 4365.25)

J. Chromatogr. (incl. *Cum. Indexes, Vols. 451-500*) only (Vols. 498-524):

Dfl. 5616.00 plus Dfl. 756.00 (p.p.h.) (total ca. US\$ 3579.75)

Biomed. Appl. only (Vols. 525-534):

Dfl. 2080.00 plus Dfl. 280.00 (p.p.h.) (total ca. US\$ 1325.75).

Our p.p.h. (postage, package and handling) charge includes surface delivery of all issues, except to subscribers in Argentina, Australia, Brasil, Canada, China, Hong Kong, India, Israel, Malaysia, Mexico, New Zealand, Pakistan, Singapore, South Africa, South Korea, Taiwan, Thailand and the U.S.A. who receive all issues by air delivery (S.A.L. — Surface Air Lifted) at no extra cost. For Japan, air delivery requires 50% additional charge; for all other countries airmail and S.A.L. charges are available upon request. Back volumes of the *Journal of Chromatography* (Vols. 1-497) are available at Dfl. 195.00 (plus postage). Claims for missing issues will be honoured, free of charge, within three months after publication of the issue. Customers in the U.S.A. and Canada wishing information on this and other Elsevier journals, please contact Journal Information Center, Elsevier Science Publishing Co. Inc., 655 Avenue of the Americas, New York, NY 10010, U.S.A., Tel. (+1-212) 633 3750, Telefax (+1-212) 633 3990.

Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PAS-CAL-CNRS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology.

See inside back cover for Publication Schedule, Information for Authors and information on Advertisements.

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1990

0021-9673/90/\$03.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the materials herein. Because of rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This issue is printed on acid-free paper.

Printed in The Netherlands

JOURNAL OF CHROMATOGRAPHY

VOL. 501 (1990)

JOURNAL of CHROMATOGRAPHY

INCLUDING ELECTROPHORESIS AND OTHER SEPARATION METHODS

EDITORS

R. W. GIESE (Boston, MA), J. K. HAKEN (Kensington, N.S.W.), K. MACEK (Prague),
L. R. SNYDER (Orinda, CA)

EDITOR, SYMPOSIUM VOLUMES

E. HEFTMANN (Orinda, CA)

EDITORIAL BOARD

D. W. Armstrong (Rolla, MO), W. A. Aue (Halifax), P. Boček (Brno), A. A. Boulton (Saskatoon), P. W. Carr (Minneapolis, MN), N. H. C. Cooke (San Ramon, CA), V. A. Davankov (Moscow), Z. Deyl (Prague), S. Dilli (Kensington, N.S.W.), H. Engelhardt (Saarbrücken), F. Erni (Basle), M. B. Evans (Hatfield), J. L. Glajch (N. Billerica, MA), G. A. Guiochon (Knoxville, TN), P. R. Haddad (Kensington, N.S.W.), I. M. Hais (Hradec Králové), W. S. Hancock (San Francisco, CA), S. Hjertén (Uppsala), Cs. Horváth (New Haven, CT), J. F. K. Huber (Vienna), K.-P. Hupe (Waldbronn), T. W. Hutchens (Houston, TX), J. Janák (Brno), P. Jandera (Pardubice), B. L. Karger (Boston, MA), E. sz. Kováts (Lausanne), A. J. P. Martin (Cambridge), L. W. McLaughlin (Chestnut Hill, MA), E. D. Morgan (Keele), J. D. Pearson (Kalamazoo, MI), H. Poppe (Amsterdam), F. E. Regnier (West Lafayette, IN), P. G. Righetti (Milan), P. Schoenmakers (Eindhoven), G. Schomburg (Mülheim/Ruhr), R. Schwarzenbach (Dübendorf), R. E. Shoup (West Lafayette, IN), A. M. Siouffi (Marseille), D. J. Strydom (Boston, MA), K. K. Unger (Mainz), R. Verpoorte (Leiden), Gy. Vigh (College Station, TX), J. T. Watson (East Lansing, MI), B. D. Westerlund (Uppsala)

EDITORS, BIBLIOGRAPHY SECTION

Z. Deyl (Prague), J. Janák (Brno), V. Schwarz (Prague), K. Macek (Prague)



ELSEVIER
AMSTERDAM — OXFORD — NEW YORK — TOKYO

J. Chromatogr., Vol. 501 (1990)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US\$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the materials herein. Because of rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This issue is printed on acid-free paper.

SPECIAL VOLUME

Cumulative Author and Subject Indexes
Volumes 451–500 (1988–1990)

AUTHOR INDEX

VOLUMES 451-500

A

- Aanesrud, A., see Iversen, B. 493 (1989) 217
- Aanesrud, A., see Rasmussen, K.E. 496 (1989) 355
- Aaron, D.T., see Boswell, G.W. 491 (1989) 513
- Aasen, A.J., see Ruud-Christensen, M. 491 (1989) 355
- Abad, C., see Del Carmen Bañó, M. 458 (1988) 105
- Abad, C., see Pérez-Payá, E. 461 (1989) 229
- Abbott, F.S., see Chan, G.L.-Y. 495 (1989) 349
- Abbott, S.R., see Williams, S.S. 485 (1989) 267
- Abdelnasser, M.A., Deutsch, E. and Heineman, W.R.
Anion-exchange HPLC of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 488 (1989) 463
- Abidi, S.L.
Reversed-phase TLC of homologues of antimycin A and related derivatives 464 (1989) 453
- Abramson, R.K., see Kiel, J.S. 485 (1989) 585
- Aburatani, R., see Okamoto, Y. 477 (1989) 367
- Acevedo, F.
Isotachopheresis of proteins 470 (1989) 407
- Adachi, K., Saitoh, K. and Suzuki, N.
Reversed-phase HPTLC and column LC of metal complexes of pheophorbide *a* 457 (1988) 99
- Adachi, T., see Mogi, M. 496 (1989) 194
- Adam, A., see Ong, H. 497 (1989) 213
- Adam, M., see Deyl, Z. 480 (1989) 371
- Adam, M., see Deyl, Z. 488 (1989) 161
- Adam, M., see Macek, J. 488 (1989) 267
- Adámek, V., Králová, B., Šüchová, M., Valentová, O. and Demnerová, K.
Purification of microbial uricase 497 (1989) 268
- Aderjan, R. and Bogusz, M.
Nitroalkanes as a multidetector retention index scale for drug identification in GC 454 (1988) 345
- Adlard, M.W., see Orford, C.D. 481 (1989) 245
- Adler, A.J., see Crabtree, D.V. 466 (1989) 251
- Aerts, M.M.L., Beek, W.M.J. and Brinkman, U.A.T.
On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofurans residues in edible products 500 (1990) 453
- Aerts, M.M.L., Beek, W.M.J., Keukens, H.J. and Brinkman, U.A.T.
Determination of residues of carbadox and some of its metabolites in swine tissues by HPLC using on-line pre-column enrichment and post-column derivatization with UV-VIS detection 456 (1988) 105
- Aerts, M.M.L., see Keukens, H.J. 464 (1989) 149
- Afeyan, N.B., Gordon, N.F. and Cooney, C.L.
Mathematical modelling of the continuous affinity-recycle extraction purification technique 478 (1989) 1
- Agostini, O., Moneti, G., Bonacchi, G., Fedi, M. and Manzini, S.
Determination of the antihypertensive drug 1-[2-ethoxy-2-(3'-pyridyl)ethyl]-4-(2'-methoxyphenyl)piperazine (IP/66) in rat and human plasma by HPLC and isotope dilution MS 487 (1989) 331
- Aguilar, M., Huang, X. and Zare, R.N.
Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427
- Aguilar, M.I., see Hearn, M.T.W. 458 (1988) 27

- Aguilar, M.I., see Hearn, M.T.W. 458 (1988) 45
- Aguilar, M.I., see Hodder, A.N. 476 (1989) 391
- Aguilar, M.I., see Purcell, A.W. 476 (1989) 113
- Aguilar, M.I., see Purcell, A.W. 476 (1989) 125
- Ahern, D.G., see Do, U.H. 489 (1989) 359
- Ahsan, T., Colenutt, B.A. and Sing, K.S.W.
Application of GC for the study of precipitated calcium carbonate 464 (1989) 416
- Ahsan, T., Colenutt, B.A. and Sing, K.S.W.
GC of pure and surface-modified precipitated calcium carbonate 479 (1989) 17
- Ahuja, S.
Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489
- Ahuja, S., Thompson, G. and Smith, J.
Trace/ultratrace analyses of unstable compounds. Investigations on hydrazobenzene and azobenzene 471 (1989) 443
- Aitio, A., see Pekari, K. 491 (1989) 309
- Ajima, A., Nakagawa, T. and Kato, T.
Simultaneous measurement of acetylcholine and dopamine releases in rat striatum under freely moving conditions with a brain dialysis method 494 (1989) 297
- Akama, Y., see Tong, A. 478 (1989) 408
- Akapo, S.O., Furst, A., Khong, T.M. and Simpson, C.F.
Chromatographic evaluation of oligomeric C₈ reversed phases for use in HPLC 471 (1989) 283
- Åkerstedt, T., see Hjemdahl, P. 494 (1989) 53
- Akira, K. and Baba, S.
Improved synchronized accumulating radioisotope detector for GC 489 (1989) 255
- Akira, K. and Baba, S.
Radio-GC on wide-bore capillary columns equipped with a synchronized accumulating radioisotope detector 490 (1989) 21
- Akporhonor, E.E., Le Vent, S. and Taylor, D.R.
Calculation of programmed temperature GC characteristics from isothermal data. II. Predicted retention times and elution temperatures 463 (1989) 271
- Alary, J., Carrera, G., Blanquat, G.D.S.S., Anglade, F. and Escricout, C.
Reversed-phase ion-pair HPLC determination of 2-carboxythiazolidine-4-carboxylic acid in plasma 496 (1989) 485
- Alary, J., see Cantin, D. 478 (1989) 231
- Alary, J., see Vergnes, M.F. 455 (1988) 369
- Alawi, M., see Fayyad, M. 481 (1989) 439
- Albaigés, J., see Barceló, D. 474 (1989) 163
- Albaigés, J., see Fernández, P. 456 (1988) 155
- Albeck, H., Woodfield, S. and Kreek, M.J.
Quantitative and pharmacokinetic analysis of naloxone in plasma using HPLC with electrochemical detection and solid-phase extraction 488 (1989) 435
- Albert, K., Kunst, M., Bayer, E., Spraul, M. and Bermel, W.
Reversed-phase HPLC-NMR on-line coupling with solvent non-excitation 463 (1989) 355
- Albert, K., see Buszewski, B. 499 (1990) 305
- Albert, K., see Hetem, M. 479 (1989) 269
- Alberti, K.G.M.M., see Cassidy, D.M. 491 (1989) 1
- Albertini, A., see Poesi, C. 465 (1989) 101
- Albin, H.C., see Demotes-Mainard, F.M. 490 (1989) 115
- Alborn, H., see Stenhagen, G. 474 (1989) 285
- Albrecht, W., see Engel, K.-H. 479 (1989) 176
- Albroscheit, G., see Schulz, H. 466 (1989) 301
- Aldegunde, M., see Martin, F. 491 (1989) 221
- Alexander, R., see Forster, P.G. 483 (1989) 384
- Alfthan, H. and Stenman, U.-H.
Purification of labelled antibodies by hydrophobic interaction chromatography 470 (1989) 385
- Alinovi, R., see Ghiggeri, G.M. 452 (1988) 347
- Alkonyi, I., see Sandor, A. 497 (1989) 250
- Allam, K., Saha, M. and Giese, R.W.
Preparation of electrophoric derivatives of N7-(2-hydroxyethyl)guanine, an ethylene oxide DNA adduct 499 (1990) 571
- Allen, P.D., see Lema, M.J. 491 (1989) 61
- Allenmark, S. and Chelminska-Bertilsson, M.
Determination of carboxylic acids by LC after phase-transfer-catalysed fluorogenic labelling 456 (1988) 410
- Allenmark, S., see Andersson, S. 498 (1990) 81
- Allenmark, S., see Thompson, R.A. 465 (1989) 263
- Alpert, A.J.
Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 499 (1990) 177
- Alpizar, L., see Oropeza, C. 456 (1988) 405
- Al-Thamir, W.K.
Rapid analysis of light hydrocarbons in stabilized crude oils by GC 498 (1990) 231
- Amadó, R., see Bettler, B. 498 (1990) 213
- Amadó, R., see Bettler, B. 498 (1990) 223
- Ames, M.M. and Mathiesen, D.A.
HPLC assay and preclinical pharmacologic studies with the experimental antitumor agent batracylin 491 (1989) 488

- Amiot, J., see Lemieux, L. 473 (1989) 189
- Amiri, I., see Bisseret, F. 490 (1989) 91
- Amis, L., see Dixon, D.W. 462 (1989) 411
- An, D.K., see Zhang, X.Y. 495 (1989) 343
- Andary, C., see Enjalbert, F. 462 (1989) 442
- Andersson, K., see Levin, J.-O. 454 (1988) 121
- Andersson, L.I., see O'Shannessy, D.J. 470 (1989) 391
- Andersson, S., Allenmark, S., Erlandsson, P. and Nilsson, S.
Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81
- Andersson, S., Hedsten, U. and Jacobsson, S.
Quantitation of polydimethylsiloxane in pharmaceutical formulations by GPC 477 (1989) 474
- Andersson, S., see Thompson, R.A. 465 (1989) 263
- Andersson, T., see Hagel, L. 476 (1989) 329
- Anderzén, I., see Hjemdahl, P. 494 (1989) 53
- Ando, S., see Waki, H. 494 (1989) 408
- Andrawes, F., Chang, T. and Scharrer, R.
Analysis of volatiles in tall oil by GC flame-photometric detection, flame-ionization detection and MS 468 (1989) 145
- Andries, S., see Selala, M.I. 489 (1989) 51
- Andronikashvili, T.G., see Hradil, J. 462 (1989) 61
- Angelo, H.R., Herrstedt, J. and Jørgensen, M.
HPLC method with fluorescence detection for the simultaneous determination of metopimazine and its acid metabolite in serum 496 (1989) 472
- Angers, D.A., Nadeau, P. and Mehuys, G.R.
Determination of carbohydrate composition of soil hydrolysates by HPLC 454 (1988) 444
- Anglade, F., see Alary, J. 496 (1989) 485
- Annan, R.S., Kresbach, G.M., Giese, R.W. and Vouros, P.
Trace detection of modified DNA bases via moving-belt LC-MS using electrophoretic derivatization and negative chemical ionization 465 (1989) 285
- Annan, R.S., see Bakthavachalam, J. 500 (1990) 373
- Ansari, G.A.S., see Bandi, Z.L. 475 (1989) 461
- Ansari, G.A.S., see Bhat, H.K. 462 (1989) 467
- Ansari, G.A.S., see Bhat, H.K. 483 (1989) 369
- Ansari, K.A. and Shoeman, D.W.
Measurement of hydroperoxydocosahexaenoic acid in rat brain homogenates by reversed-phase HPLC 475 (1989) 457
- Ansorgová, A., see Roth, M. 465 (1989) 169
- Anspach, B., Unger, K.K., Davies, J. and Hearn, M.T.W.
Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195
- Anspach, F.B., Johnston, A., Wirth, H.-J., Unger, K.K. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205
- Anspach, F.B., Johnston, A., Wirth, H.-J., Unger, K.K. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103
- Antalík, M., see Podhradský, D. 455 (1988) 344
- Anthony, L.J. and Holland, R.A.
New method for surface characterization by GC 477 (1989) 291
- Antia, F.D. and Horváth, C.
Gradient elution in non-linear preparative LC 484 (1989) 1
- Antia, F.D., see Maa, Y.-F. 452 (1988) 331
- Antonozzi, I., Carducci, C., Vestri, L., Pontecorvi, A. and Moretti, F.
Rapid and sensitive method for HPLC analysis of pterins in biological fluids 459 (1988) 319
- Antonucci, V.L., see Shelly, D.C. 458 (1988) 267
- Antoshechkin, A.G., Golovkin, A.B., Maximova, L.A. and Bakharev, V.A.
Screening of amniotic fluid metabolites by GC-MS 489 (1989) 353
- Anttila, M., see Vuorilehto, L. 497 (1989) 282
- Aoki, I., see Miyabayashi, T. 494 (1989) 209
- Aoki, N., see Hamano, T. 457 (1988) 403
- Aomura, Y., see Ogino, H. 472 (1989) 389
- Aoyama, T., Kotaki, H. and Saitoh, Y.
GC-MS analysis of *threo*-methylphenidate enantiomers in plasma 494 (1989) 420
- Aoyama, T., see Ohtsubo, K. 496 (1989) 397
- Appelt, G., see Engelhardt, H. 499 (1990) 165
- Appleton, J.D., see Cook, A.P. 467 (1989) 395

- Apps, P.J. and Pretorius, V.
Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81
- Arai, A., see Blanco, R. 482 (1989) 1
- Arai, T., Matsuda, H. and Ōizumi, H.
Determination of optical purity by HPLC on chiral stationary phases: pantothenic acid and related compounds 474 (1989) 405
- Araki, M., see Tanaka, N. 475 (1989) 195
- Aramaki, S., see Tanaka, T. 496 (1989) 407
- Aratskova, A.A., see Hradil, J. 475 (1989) 209
- Arboix, M., see Guitart, R. 491 (1989) 271
- Arbutina, Ž.J., see Janjić, T.J. 481 (1989) 465
- Archer, A.W.
Analysis of vanilla essences by HPLC 462 (1989) 461
- Arco, A. Del, see Montes, M. 481 (1989) 97
- Ardlie, N.G., see Selley, M.L. 488 (1989) 329
- Ariga, T., see El Rassi, Z. 488 (1989) 229
- Arimoto, H., see Kawano, H. 493 (1989) 71
- Arimoto, H., see Suzuki, S.-I. 475 (1989) 400
- Arm, H., see Däppen, R. 464 (1989) 39
- Armstrong, D.W., Faulkner, Jr., J.R. and Han, S.M.
Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323
- Armstrong, D.W. and Jin, H.L.
Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219
- Armstrong, D.W. and Yang, X.F.
Hot TLC fractionation of polyethylene 456 (1988) 440
- Armstrong, D.W., see Seeman, J.I. 483 (1989) 169
- Armstrong, D.W., see Stalcup, A.M. 499 (1990) 627
- Aronson, A.L., see Tyczkowska, K. 490 (1989) 101
- Aronson, A.L., see Tyczkowska, K. 493 (1989) 337
- Arrigoni Martelli, E., see Marzo, A. 465 (1989) 95
- Årstrand, K., see Kågedal, B. 473 (1989) 359
- Arts, C.J.M. and Van den Berg, H.
Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225
- Artz, W.E., see Schmitz, H.H. 479 (1989) 261
- Arvidsson, E., Crommen, J., Schill, G. and Westerlund, D.
Indirect detection in reversed-phase LC. Response deviations in ion-pairing systems 461 (1989) 429
- Arvidsson, E., see Schill, G. 492 (1989) 299
- Arvidsson, T., see Marle, I. 456 (1988) 323
- Arzamastzev, A.P., see Levchenko, N.K. 456 (1988) 427
- Arzese, A., see Radin, L. 459 (1988) 331
- Asai, M., see Takeuchi, T. 499 (1990) 549
- Asano, T., see Takeuchi, T. 471 (1989) 297
- Ascah, T.L. and Hunter, B.T.
Simultaneous HPLC determination of propoxyphene and acetaminophen in pharmaceutical preparations 455 (1988) 279
- Ascalone, V., Dal Bo, L., Deschamps, N. and Guinebault, P.
Determination of the gabaergic antidepressant drug fengabine and some of its metabolites in plasma by capillary GC with electron-capture detection 490 (1989) 81
- Ascalone, V. and Flaminio, L.
Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358
- Ashley, D.L., see Orti, D.L. 462 (1989) 269
- Ashmore, S.P., Thomson, A.H. and Simpson, H.
HPLC technique for the rapid determination of histamine in both the plasma and cellular components of blood 496 (1989) 435
- Ashmore, S.P., see Patel, H.R. 495 (1989) 269
- Ashraf, M., see Singh, A.K. 473 (1989) 215
- Ashraf, M., see Singh, A.K. 479 (1989) 233
- Ashraf, S.M., Rajiah, A., Krishna, M.R. and Rao, M.B.
Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163
- Ashton, D.S., see Pullen, F.S. 474 (1989) 335
- Asmundsdottir, A.M., see Torsi, G. 482 (1989) 207
- Astrua Testori, S., see Maisano, F. 472 (1989) 422
- Atamańczuk, B., see Wiśniewski, M. 462 (1989) 39
- Atamna, I.Z., Muschik, G.M. and Issaq, H.J.
Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477
- Attygalle, A.B., Zlatkis, Z. and Middleditch, B.S.
Derivatization with 1,1-dimethylhydrazine for identification of carbonyl compounds resulting from ozonolysis 472 (1989) 284
- Au, J.L.-S., see Dalton, J.T. 495 (1989) 330

- Aubel, M.T. and Guiochon, G.
Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281
- Aubert, C., see Drouet-Coassolo, C. 487 (1989) 295
- Aucoin, D.P., see Tyczkowska, K. 493 (1989) 337
- Audunsson, G., see Nilvé, G. 471 (1989) 151
- Aue, W.A., Siu, K.W.M., Beauchemin, D. and Berman, S.S.
Hypercoulemetry of the second kind in electron-capture detection 500 (1990) 95
- Aue, W.A., see Nawrocki, J. 456 (1988) 337
- Aue, W.A., see Sun, X.-Y. 467 (1989) 75
- Aue, W.A., see Tang, Y.-Z. 457 (1988) 149
- Auriola, S., Ranta, V.-P., Naaranlahti, T. and Lapinjoki, S.P.
Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181
- Auriola, S., see Järvinen, T. 495 (1989) 13
- Ausili, A., see Di Muccio, A. 456 (1988) 143
- Ausili, A., see Di Muccio, A. 456 (1988) 149
- Aussems, M., see Duchateau, A. 461 (1989) 419
- Avery, M.J.
Determination of aromatic amines in urine and serum 488 (1989) 470
- Avgerinos, A. and Malamatari, S.
HPLC determination of indomethacin in human plasma and urine 495 (1989) 309
- Avila, J.P., see Tápanes, R.D. 493 (1989) 196
- Avila, J.P., see Tápanes, R.D. 493 (1989) 202
- Avilés, F.X., see Burgos, F.J. 481 (1989) 233
- Avilés, F.X., see Serra, M.A. 479 (1989) 27
- Awni, W.M., see St. Peter, J.V. 494 (1989) 424
- Axelsson, J.E., see Chan, G.L.-Y. 495 (1989) 349
- Ayers, C.R., see Herold, D.A. 496 (1989) 180
- Ayotte, C., see Massé, R. 489 (1989) 23
- Ayotte, C., see Massé, R. 497 (1990) 17
- Ayyangar, N.R., Tambe, A.S. and Biswas, S.S.
Evaluation of 4-(2'-phenylisopropyl)phenol esters as stationary phases for GLC 483 (1989) 33
- Ayyangar, N.R. and Bhide, S.R.
Separation of 1-naphthylamine from the five known impurities and sub-ppm level detection and quantitation of 2-naphthylamine by normal-phase HPLC 464 (1989) 201
- Azerad, R., Boucher, J.L., Dansette, P. and Delaforge, M.
HPLC separation of 11-hydroxy lauric acid enantiomers. Application to the determination of the stereochemistry of microsomal lauric acids ($\omega - 1$) hydroxylation 498 (1990) 293
- Azoulay, M., see Morineau, G. 467 (1989) 209

B

- Baba, S.
Radio-GC (Review) 492 (1989) 137
- Baba, S., see Akira, K. 489 (1989) 255
- Baba, S., see Akira, K. 490 (1989) 21
- Baba, Y.
Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143
- Baba, Y., Fukuda, M. and Yoza, N.
Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385
- Baba, Y. and Ito, M.K.
Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647
- Baba, Y., see Katoh, H. 473 (1989) 241
- Baba, Y., see Kiniwa, H. 461 (1989) 397
- Babadjamian, A., see Vidal-Ollivier, E. 463 (1989) 227
- Babashak, J.V. and Phillips, T.M.
Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 476 (1989) 187
- Babashak, J.V., see Phillips, T.M. 458 (1988) 185
- Bachman, W.J. and Stewart, J.T.
Optimization in photochemical reaction detection. Application to HPLC-photolysis-electrochemical detection 481 (1989) 121
- Bächmann, K., Blaskowitz, K.-H., Bukatsch, H., Pohl, S. and Sprenger, U.
New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307
- Bächmann, K. and Polzer, J.
Determination of tropospheric phosgene and other halocarbons by capillary GC 481 (1989) 373
- Bacolod, M.D., see El Rassi, A. 499 (1990) 141
- Baczynskyj, W.M., see Richfield-Fratz, N. 467 (1989) 167
- Badamchian, M., Strickler, M.P., Stone, M.J. and Goldstein, A.L.
Rapid isolation of thymosin β_4 from

- thymosin β_4 from thymosin fraction 5 by preparative HPLC 459 (1988) 291
- Baehr, D.N., see Szczerba, T.J. 458 (1988) 281
- Baer, J.C., Slack, J.A. and Pettit, G.R.
Stability-indicating HPLC assay for the anticancer drug bryostatins 1 467 (1989) 332
- Baeyens, W., see Xianren, Q. 456 (1988) 267
- Baeyens, W., see Xianren, Q. 467 (1989) 15
- Bagchi, S.P., see Jindal, S.P. 493 (1989) 392
- Baig, M.S., see Qureshi, G.A. 459 (1988) 237
- Bailey, C.A. and Chen, B.H.
Simultaneous separation and identification of carotenoids and chlorophylls in turf bermudagrass by HPLC 455 (1988) 396
- Bailey, Jr., J.E., see Richfield-Fratz, N. 467 (1989) 167
- Baillet, G., Pourcelot, A., Weil, A., Prevost, C. and Guichard, J.P.
Radio HPLC determination of ^{14}C -labelled LF 2-0254, a 1,4-dihydropyridine calcium antagonist, in rat and dog plasma using off-line liquid scintillation counting 456 (1988) 183
- Baker, C., Bowlen, C., Koharski, D. and McNamara, P.
Purification of radiolabeled pharmaceuticals 484 (1989) 347
- Baker, J.K., see Wall, G.M. 491 (1989) 151
- Bakharev, V.A., see Antoshechkin, A.G. 489 (1989) 353
- Bakthavachalam, J., Annan, R.S., Beland, F.A., Vouros, P. and Giese, R.W.
Selection of electrophoretic derivatives of 1-aminopyrene and 2-aminofluorene for determination by GC with electron-capture negative-ion MS 500 (1990) 373
- Balansard, G., see Vidal-Ollivier, E. 463 (1989) 227
- Baldacini, O., see Bisseret, F. 490 (1989) 91
- Baldessarini, R.J., see Trainor, T.M. 457 (1988) 257
- Baldew, G.S., De Goeij, J.J.M. and Vermeulen, N.P.E.
Determination of ^{75}Se -labelled selenite and metabolites in plasma and urine by HPLC with on-line radioactivity detection 496 (1989) 111
- Baldew, G.S., Volkens, K.J., De Goeij, J.J.M. and Vermeulen, N.P.E.
Determination of cisplatin and related platinum complexes in plasma ultrafiltrate and urine by HPLC with on-line radioactivity detection 491 (1989) 163
- Baldwin, M.A., see Harrison, M.E. 474 (1989) 139
- Baldwin, M.A., see Pullen, F.S. 474 (1989) 335
- Balíková, M. and Kohlíček, J.
GC of simple phenols in biological fluids 497 (1989) 159
- Balinova, A.
GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391
- Balkom, C.A.A. Van, see Geerdink, R.B. 481 (1989) 275
- Ballester, P., see García-Raso, A. 463 (1989) 441
- Balmér, K., Persson, B.-A. and Schill, G.
Optimization of detection sensitivity for enantiomers of metoprolol on silica-bonded α_1 -acid glycoprotein 477 (1989) 107
- Balmér, K., see Persson, B.-A. 500 (1990) 629
- Balschukat, D. and Kunesch, H.
Determination of taurine: influence of the coil temperature on the taurine peak purity (in German) 462 (1989) 105
- Bament, G.S., see Smith, R.M. 455 (1988) 349
- Ban, T., see Oeda, T. 482 (1989) 117
- Bandi, Z.L. and Ansari, G.A.S.
Isolation of hydroxy fatty acids from livers of carbon tetrachloride-treated rats by TLC 475 (1989) 461
- Bandyopadhyay, M.K., see Ray, R.K. 469 (1989) 383
- Banks, Jr., J.F. and Novotny, M.V.
Microcolumn LC of small nucleic acid constituents 475 (1989) 13
- Banks, Jr., J.F., see Dolnik, V. 480 (1989) 321
- Banks, M.A., see Porter, D.W. 454 (1988) 311
- Bannwarth, B., see Lapique, F. 496 (1989) 301
- Bao, Z., see Yang, S.K. 461 (1989) 377
- Barazi, S., see Marliac, Y. 491 (1989) 461
- Barbaro, A.M., see Biagi, G.L. 469 (1989) 121
- Barbaro, A.M., see Biagi, G.L. 498 (1990) 179
- Barbieri, S., see Biagi, G.L. 498 (1990) 179
- Barceló, D. and Albaigés, J.
Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163
- Barceló, D., see Farran, A. 455 (1988) 163
- Barceló, D., see Fernández, P. 456 (1988) 155
- Barchielli, M., see Coppi, G. 495 (1989) 245
- Bardarov, V., Zaikov, C. and Mitewa, M.
Application of HPLC with spectrophotometric and electrochemical detection to the analysis of alkylenebis(dithiocarbamates) and their metabolites 479 (1989) 97
- Bardarov, V. and Mitewa, M.
HPLC and GC of dialkylphosphates, dialkylthiophosphates and

- dialkyldithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233
- Barefoot, A.C., Reiser, R.W. and Cousins, S.A. Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39
- Barford, R.A., Kumosinski, T.F., Parris, N. and White, A.E. Salt-binding effects in hydrophobic-interaction chromatography 458 (1988) 57
- Barnoux, H., see Pinche, C. 463 (1989) 201
- Bargossi, A., see Grossi, G. 465 (1989) 113
- Barinaga, C.J., see Edmonds, C.G. 474 (1989) 21
- Barinaga, C.J., see Smith, R.D. 480 (1989) 211
- Barker, S.A., Long, A.R. and Short, C.R. Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353
- Barker, S.A., see Long, A.R. 475 (1989) 404
- Barker, T. and Brown, S.D. Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77
- Barkley, R.M., see McNamara, E.A. 452 (1988) 75
- Barman, B.N., see Jones, H.K. 455 (1988) 1
- Barman, T., see Guasch, A. 473 (1989) 281
- Barnes, K.W., see Sentell, K.B. 455 (1988) 95
- Barnikol, W.K.R., Burkhard, O. and Pöttschke, H. Use of erythrocin of the earthworm (*Lumbricus terrestris*) as calibration standard in gel chromatography (in German) 497 (1989) 231
- Barnung, T.N. and Grahl-Nielsen, O. Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 466 (1989) 271
- Barroso, C.G., see Cela, R. 485 (1989) 477
- Barrow, L., see Patel, H.R. 495 (1989) 269
- Barry, E.F., see Costanzo, R.B. 467 (1989) 373
- Barth, H.G., see Glöckner, G. 499 (1990) 645
- Bartha, A., Billiet, H.A.H. and De Galan, L. Practical optimization of the separation of a limited subset of components by using isoelutropic ternary eluent mixtures in reversed-phase HPLC 458 (1988) 371
- Bartha, A., Billiet, H.A.H. and De Galan, L. Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225
- Bartha, A. and Vigh, G. Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383
- Bartha, A., Vigh, G. and Ståhlberg, J. Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403
- Bartha, A., Vigh, G. and Varga-Puchony, Z. Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair HPLC 499 (1990) 423
- Bartha, A., see Low, G.K.-C. 478 (1989) 21
- Bartha, Á., see Schoenmakers, P.J. 458 (1988) 355
- Bartha, Á., see Ståhlberg, J. 456 (1988) 253
- Bartha, A., see Strasters, J.K. 499 (1990) 523
- Barthomeuf, C. Application of enzyme purification processes to proteolytic enzymes (Review) 473 (1989) 1
- Bartle, K.D., see Payne, K.M. 477 (1989) 161
- Bartle, K.D., see Raynor, M.W. 467 (1989) 292
- Bartlett, M.R., see Selley, M.L. 488 (1989) 329
- Bartlett, W.A. Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1
- Bartley, T.D., see Klein, M.I. 454 (1988) 205
- Barzaghi, B., see Righetti, P.G. 470 (1989) 337
- Basa, L.J. and Spellman, M.W. Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography 499 (1990) 205
- Base, J., see Hanis, T. 452 (1988) 443
- Bass, J.L., see Sagliano, Jr, N. 458 (1988) 225
- Basselier, J.J., see Desbene, P.L. 461 (1989) 305
- Basselier, J.J., see Desbene, P.L. 465 (1989) 69
- Bassler, B.J., Kaliszan, R. and Hartwick, R.A. Retention mechanisms on metallic stationary phases 461 (1989) 139
- Bassler, B.J., see Kaliszan, R. 499 (1990) 333
- Batt, A.M., see Schmitt, P. 491 (1989) 495
- Batten, C.F., see Wentworth, W.E. 468 (1989) 215
- Batterham, M.P., see Simpson, R.J. 476 (1989) 345
- Battista, C., see Moro, L. 490 (1989) 285
- Battista, M., Di Corcia, A. and Marchetti, M. HPLC method for determining triazine herbicide residues in soil 454 (1988) 233
- Battistoni, R., see Grossi, G. 465 (1989) 113
- Bäuerle, A., see Pickert, A. 495 (1989) 95

- Baumann, A., see Zschiesche, M. 488 (1989) 482
- Baumann, J., see Steuer, W. 500 (1990) 469
- Baumann, U., see Zimmerli, B. 462 (1989) 406
- Baur, J.E. and Wightman, R.M.
Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed LC 482 (1989) 65
- Bayer, E., see Albert, K. 463 (1989) 355
- Bayer, E., see Buszewski, B. 499 (1990) 305
- Bayer, E., see Hetem, M. 479 (1989) 269
- Bayer, E., see Koppenhoefer, B. 477 (1989) 139
- Bayer, E., see Pfliederer, B. 468 (1989) 67
- Bayne, W.F., see Constanzer, M.L. 488 (1989) 476
- Bayona, J.M., see Fernández, P. 456 (1988) 155
- Beale, S.C., Hsieh, Y.-Z., Wiesler, D. and Novotny, M.
Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by LC with laser-induced fluorescence detection 499 (1990) 579
- Bear, G.R.
Universal detection and quantitation of surfactants by HPLC by means of the evaporative light-scattering detector 459 (1988) 91
- Beattie, I.G. and Blake, T.J.A.
Application of thermospray LC-MS and LC-tandem MS for the identification of cynomolgus monkey and human metabolites of SK&F 101468, a dopamine D₂ receptor agonist 474 (1989) 123
- Beauchemin, D., see Aue, W.A. 500 (1990) 95
- Beaulieu, N., see Ong, H. 497 (1989) 213
- Beauvais, F., see Roussel, C. 462 (1989) 95
- Bechalany, A., Röthlisberger, T., El Tayar, N. and Testa, B.
Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115
- Bechalany, A., see El Tayar, N. 469 (1989) 91
- Bechemin, C., Delmas, D. and Garet, M.-J.
Improvement of a carbon-nitrogen elemental analyser for marine samples collected on glass-fibre filters 469 (1989) 399
- Bechgaard, E.
Sensitive HPLC determination of amiloride in human plasma by direct injection with pre-column enrichment 490 (1989) 219
- Beck, D.J., see Krishnamurthy, T. 469 (1989) 209
- Beckers, J.L. and Everaerts, F.M.
Determination of the specific zone resistance and calculation of the response factor in isotachopheresis 470 (1989) 277
- Beckers, J.L. and Everaerts, F.M.
General mathematical model for the steady state in isotachopheresis. Calculation of the effective mobility of terminating H⁺ ions and two-buffer electrolyte systems 480 (1989) 69
- Beckers, J.L., Verheggen, T.P.E.M. and Everaerts, F.M.
Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591
- Beckers, J.L., see Verheggen, T.P.E.M. 452 (1988) 615
- Beebe, J.M., Brown, P.R. and Turcotte, J.G.
Preparative-scale HPLC of omega-3 polyunsaturated fatty acid esters derived from fish oil 459 (1988) 369
- Beebe, J.M., Brown, P.R. and Turcotte, J.G.
Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225
- Beech, J., see Sweeney, R.W. 494 (1989) 278
- Beek, T.A. Van and Blaakmeer, A.
Determination of limonin in grapefruit juice and other citrus juices by HPLC 464 (1989) 375
- Beek, W.M.J., see Aerts, M.M.L. 456 (1988) 105
- Beek, W.M.J., see Aerts, M.M.L. 500 (1990) 453
- Beeman, C.S. and Rossomando, E.F.
Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101
- Beenackers, A.A.C.M., see Marsman, J.H. 483 (1989) 111
- Beer, J.O. De
On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 489 (1989) 139
- Beer, M.T., see Page, J.A. 474 (1989) 51
- Beerhaee, M., see Jack, D.B. 452 (1988) 257
- Beers, C.J.T. Van, see Van Tellingen, O. 488 (1989) 379
- Beger, J., see Voelkel, A. 454 (1988) 51
- Bégos, E., see Sallé, M. 475 (1989) 153
- Beijnen, J.H., see Van Tellingen, O. 488 (1989) 379
- Beland, F.A., see Bakthavachalam, J. 500 (1990) 373
- Belenkii, A.B., see Ruban, V.F. 467 (1989) 41
- Belenkii, B.G., see Ruban, V.F. 467 (1989) 41
- Belenkii, B.G., see Tennikova, T.B. 475 (1989) 187
- Beljakova, L.D., see Hradil, J. 475 (1989) 209
- Bellemare, M., see Ong, H. 497 (1989) 213
- Belleville, F., see Wasels, R. 489 (1989) 411

- Belloq, J., see Garrigues, P. 473 (1989) 207
- Bellotti, V., see Pianezzola, E. 495 (1989) 205
- Belolipetskaja, V.G., Piotrovskii, V.K., Metelitsa, V.I. and Pavlinov, S.A.
Ion-exchange HPLC in drug assay in biological fluids. V. Propranolol and metabolites 491 (1989) 507
- Belyakova, L.D., see Hradil, J. 469 (1989) 143
- Bemgård, A. and Blomberg, L.
Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37
- Benassi, C.A., Semenzato, A. and Bettero, A.
HPLC determination of free formaldehyde in cosmetics 464 (1989) 387
- Benedek, K.
Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93
- Benedek, P. and Jankó, T.
Investigation and improvement of the Horváth-Lin equation of state 499 (1990) 463
- Benedict, C.R., see Bodola, F. 459 (1988) 281
- Beneš, M.J., see Turková, J. 500 (1990) 585
- Benet, L.Z., see Teng, R.-L. 493 (1989) 421
- Benfenati, E., see Celardo, A. 490 (1989) 432
- Benická, E., see Repka, D. 463 (1989) 243
- Benigni, A., see Chiabrando, C. 495 (1989) 1
- Benjaminsen, T., see Hustvedt, S.O. 494 (1989) 335
- Bennekom, W.P. Van, see Van Opstal, M.A.J. 495 (1989) 139
- Bennett, S., see Trumbore, C.N. 481 (1989) 111
- Benny, A.G., Ockelford, P.A., Brimer, C.M. and Morgan, A.K.
Separation of vitamin K-dependent coagulation factors on sulphated cellulose 487 (1989) 173
- Benowitz, N.L., see Lee, B.L. 494 (1989) 109
- Berezkin, V.G., Viktorova, E.N. and Gavrichev, V.S.
GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351
- Berezkina, L.G. and Souhodolova, V.I.
Chromatographic method for studying the hygroscopic qualities of solids 457 (1988) 159
- Berg, H. Van den, see Arts, C.J.M. 489 (1989) 225
- Berg, J.H.M. Van den, see Lammers, N.G.F.M. 499 (1990) 541
- Berg, J.H.M. Van den, see Tipker, J. 452 (1988) 227
- Berg, R.H. Van den, see Jansen, E.H.J.M. 489 (1989) 57
- Berg, R.H. Van den, see Jansen, E.H.J.M. 489 (1989) 245
- Bergamaschi, E., see Ghiggeri, G.M. 452 (1988) 347
- Bergenheim, N. and Carlsson, U.
Some new by-products in primary structure analysis with dimethylaminoazobenzene isothiocyanate as an aid in the TLC identification of residues 472 (1989) 318
- Berger, A.W., see Driscoll, J.N. 468 (1989) 303
- Berger, B.J., Hall, J.E. and Tidwell, R.R.
HPLC method for the quantification of several diamidine compounds with potential chemotherapeutic value 494 (1989) 191
- Berger, J.A., see Pinche, C. 463 (1989) 201
- Berger, T.A.
Effects of temperature and density on retention in capillary SFC 478 (1989) 311
- Berger, T.A. and Toney, C.
Linear velocity control in capillary SFC by restrictor temperature programming 465 (1989) 157
- Bergers, P.J.M., see Niessen, W.M.A. 454 (1988) 243
- Berghmans, M.C.J., see Hoogenboom, L.A.P. 489 (1989) 105
- Bergh-Swart, J.K. Van den, see Tipker, J. 452 (1988) 227
- Bergren, M.S., see Foust, D.W. 469 (1989) 161
- Berkel-Geldof, O. Van, Kraak, J.C. and Poppe, H.
Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345
- Berkowitz, J., see Strassburg, R. 482 (1989) 343
- Berman, S.S., see Aue, W.A. 500 (1990) 95
- Berman, S.S., see Siu, K.W.M. 475 (1989) 373
- Bermejo, J., see Blanco, C.G. 465 (1989) 378
- Bermejo, J., see Díez, M.A. 464 (1989) 93
- Bermel, W., see Albert, K. 463 (1989) 355
- Bernard, B. De, see Moro, L. 490 (1989) 285
- Berndt, H., see Kuroпка, R. 481 (1989) 380
- Berner, S., see Isaksson, R. 498 (1990) 257
- Bernreuther, A., Christoph, N. and Schreier, P.
Determination of the enantiomeric composition of γ -lactones in complex natural matrices using multidimensional capillary GC 481 (1989) 363
- Berridge, J.C.
Simplex optimization of HPLC separations (Review) 485 (1989) 3

- Berridge, J.C., see Wright, A.G. 458 (1988) 335
 Berridge, J.C., see Wright, A.G. 464 (1989) 27
 Berry, S.L., see Tseng, A. 474 (1989) 424
 Bersaques, J.P. De, see De Leenheer, A.P. 500 (1990) 637
 Berthod, A., Chartier, F. and Rocca, J.-L.
 Contribution of longitudinal diffusion to band broadening in LC 469 (1989) 53
 Bertol, E., Mari, F. and Di Milia, M.G.
 Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384
 Bertolini, J., Guthridge, M. and Hearn, M.T.W.
 Rapid chromatographic isolation and immunoblot characterization of immunoreactive fibroblast growth factor-related polypeptides from various tissues 491 (1989) 49
 Bertolini, J., see Guthridge, M. 476 (1989) 445
 Bertolo, P.L., see Gennaro, M.C. 472 (1989) 433
 Bertsch, W., see Green, L.S. 471 (1989) 113
 Bertsch, W., see Holzer, G. 468 (1989) 181
 Bertsch, W., see Roberts, D. 477 (1989) 59
 Betina, V.
 Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187
 Betowski, L.D., see Yinon, J. 482 (1989) 75
 Bettero, A., see Benassi, C.A. 464 (1989) 387
 Betti, A., see Coppi, S. 472 (1989) 406
 Bettler, B., Amadò, R. and Neukom, H.
 Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213
 Bettler, B., Amadò, R. and Neukom, H.
 Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223
 Betto, P., Ricciarello, G., Giambenedetti, M., Lucarelli, C., Ruggeri, S. and Stocchi, F.
 Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341
 Betts, T.J.
 Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272
 Betz, W.R. and Supina, W.R.
 Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105
 Bever, C.T., see Leslie, J. 496 (1989) 214
 Bhat, H.K. and Ansari, G.A.S.
 Chromatographic separation of cholesteryl acetate and its chloro analogues 462 (1989) 467
 Bhat, H.K. and Ansari, G.A.S.
 Improved separation of lipid esters by TLC 483 (1989) 369
 Bhatnagar, M., Oka, H. and Ito, Y.
 Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317
 Bhaumik, K. and Huisman, T.H.J.
 Application of HPLC methodology to the analysis of hemoglobins synthesized in erythroid progenitor cells 496 (1989) 83
 Bhavnagri, V.P., see Osman, M.A. 496 (1989) 478
 Bhide, S.R., see Ayyangar, N.R. 464 (1989) 201
 Bi, H., see Massé, R. 497 (1990) 17
 Biacs, P., see Daood, H.G. 472 (1989) 296
 Biaggi-McEachern, M., see Binder, S.R. 473 (1989) 325
 Biagi, G.L., Guerra, M.C., Barbaro, A.M., Barbieri, S., Recanatini, M., Borea, P.A. and Pietrogrande, M.C.
 Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and $\log P$ values 498 (1990) 179
 Biagi, G.L., Pietrogrande, M.C., Barbaro, A.M., Guerra, M.C., Borea, P.A. and Cantelli Forti, G.
 Study of the lipophilic character of a series of β -carboline 469 (1989) 121
 Bianchi, A., Varney, M.S. and Phillips, J.
 Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111
 Bianchi, G.
 HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481
 Bianchi, M., see Magnani, M. 491 (1989) 215
 Bianco, O., see Petrarulo, M. 465 (1989) 87
 Bicchi, C., Rubiolo, P. and Frattini, C.
 Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161
 Bicking, M.K.L., Cooke, W.M., Kawahara, F.K. and Longbottom, J.E.

- Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310
- Bidlingmeyer, B., see Chou, T.-Y. 454 (1988) 169
- Bidló-Iglóy, M.
Reversed-phase TLC and HPLC of aromatic alkoxy and hydroxy acids 475 (1989) 321
- Biemer, T.A.
Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463
- Bier, M., Twitty, G.E. and Sloan, J.E.
Recycling isoelectric focusing and isotachopheresis 470 (1989) 369
- Bier, M., see Sloan, J.E. 457 (1988) 137
- Bier, M., see Wenger, P. 455 (1988) 225
- Biernat, J.F., see Kostrowicki, J. 454 (1988) 340
- Biggs, W.R., see Jinno, K. 461 (1989) 209
- Bighi, C., see Dondi, F. 462 (1989) 205
- Bighi, C., see Pietrogrande, M.C. 471 (1989) 407
- Biljon, P.L. Van and Olivier, S.P.
Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 473 (1989) 305
- Billard, J.P., see Pinche, C. 463 (1989) 201
- Billedeau, S.M.
Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371
- Billiet, H.A.H. and De Galan, L.
Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27
- Billiet, H.A.H., see Bartha, A. 458 (1988) 371
- Billiet, H.A.H., see Bartha, A. 464 (1989) 225
- Billiet, H.A.H., see Herman, D.P. 463 (1989) 1
- Billiet, H.A.H., see Low, G.K.-C. 478 (1989) 21
- Billiet, H.A.H., see Strasters, J.K. 499 (1990) 499
- Billiet, H.A.H., see Strasters, J.K. 499 (1990) 523
- Binder, S.R., Regalia, M., Biaggi-McEachern, M. and Mazhar, M.
Automated LC analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 473 (1989) 325
- Binder, S.R., see Mazhar, M. 497 (1989) 201
- Bingham, B., see Newland, P. 483 (1989) 406
- Binsbergen, H. Van, see Genuit, W. 474 (1989) 145
- Billaz, J., see Munafo, A. 490 (1989) 450
- Biondi, P.A., Manca, F., Negri, A., Secchi, C., Tedeschi, G. and Lucarelli, C.
Improved HPLC determination of bacterial collagenase activity in ointments 459 (1988) 337
- Biondi, P.A., Manca, F., Negri, A., Tedeschi, G. and Secchi, C.
GC determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates 467 (1989) 315
- Biondi, P.A., Secchi, C., Negri, A., Tedeschi, G. and Ronchi, S.
Improved HPLC determination of diamine oxidase activity 491 (1989) 209
- Bioque, G., see Gelpi, E. 492 (1989) 223
- Biou, D., see Drechou, A. 489 (1989) 273
- Birder, L.A., see Foglia, J.P. 495 (1989) 295
- Birks, J.W., see Foreman, W.T. 465 (1989) 23
- Bischoff, R., Clesse, D., Whitechurch, O., Lepage, P. and Roitsch, C.
Isolation of recombinant hirudin by preparative HPLC 476 (1989) 245
- Bishr, M.M., see Walash, M.I. 469 (1989) 390
- Bisseret, F., Keith, G., Rihn, B., Amiri, I., Werneburg, B., Girardot, R., Baldacini, O., Green, G., Nguyen, V.K. and Monteil, H.
Clostridium difficile toxin B: characterization and sequence of three peptides 490 (1989) 91
- Biswas, S.S., see Ayyangar, N.R. 483 (1989) 33
- Bitetto, M. Di, see Gobetti, M. 467 (1989) 327
- Bitsch, R. and Möller, J.
Analysis of B₆ vitamers in foods using a modified HPLC method 463 (1989) 207
- Bjerrum, O.J. and Heegaard, N.H.H.
Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351
- Björkholm, E., Hultman, A. and Rudling, J.
Determination of chlorine and chlorine dioxide in workplace air by impinger collection and ion-chromatographic analysis 457 (1988) 409
- Björkman, S., see Karlsson, A. 494 (1989) 157
- Blaakmeer, A., see Van Beek, T.A. 464 (1989) 375
- Blaas, W., see Tiebach, R. 454 (1988) 372
- Blaauboer, B.J., see Van Pelt, F.N.A.M. 487 (1989) 489
- Black, D.B., Dawson, B.A. and Neville, G.A.
Analytical HPLC system for separation of components in nonoxynol-9 spermicidal agents 478 (1989) 244
- Black, J.A., see Burke, T.W.L. 476 (1989) 377
- Black, J.A., see Mant, C.T. 458 (1988) 193
- Bladeren, P.J. Van, see Bogaards, J.J.P. 474 (1989) 435
- Blain, R.W., see Kaliszán, R. 458 (1988) 395
- Blair, I.A., see Prakash, C. 493 (1989) 325

- Blake, T.J.A., see Beattie, I.G. 474 (1989) 123
- Blakemore, M., see Thompson, Jr., H.C. 467 (1989) 159
- Blancaert, N., see Heirwegh, K.P.M. 496 (1989) 1
- Blanco, C.G., Blanco, J., Bermejo, J. and Guillén, M.D.
Capillary GC of some polycyclic aromatic compounds on several stationary phases 465 (1989) 378
- Blanco, C.G., see Díez, M.A. 464 (1989) 93
- Blanco, J., see Blanco, C.G. 465 (1989) 378
- Blanco, R., Arai, A., Grinberg, N., Yarmush, D.M. and Karger, B.L.
Role of association on protein adsorption isotherms. β -Lactoglobulin A adsorbed on a weakly hydrophobic surface 482 (1989) 1
- Blanco, R., see Oroszlan, P. 500 (1990) 481
- Blanke, R.V., see Fitzgerald, R.L. 490 (1989) 59
- Blanquat, G.D.S.S., see Alary, J. 496 (1989) 485
- Blaskowitz, K.-H., see Bächmann, K. 482 (1989) 307
- Bleau, G. and Desaulniers, M.
HPLC assay of benzalkonium in plasma 487 (1989) 221
- Blessington, B. and Crabb, N.
Chiral HPLC analysis of phenoxy herbicide mixtures 454 (1988) 450
- Blessington, B. and Crabb, N.
Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349
- Blessington, B., Crabb, N., Karkee, S. and Northage, A.
Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183
- Blink, A., Suijkerbuijk, M.L., Ishiwata, T. and Feringa, B.L.
GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285
- Blitterswijk, H. Van, see Van Ginkel, L.A. 489 (1989) 95
- Blo, G., see Dondi, F. 461 (1989) 281
- Blobel, H., see Sting, R. 497 (1989) 258
- Block, G.G.A.G., see Delcour, J.A. 467 (1989) 149
- Blomberg, L., see Bemgård, A. 473 (1989) 37
- Blume, D.E., see Chung, H.L. 474 (1989) 329
- Bo, L. Dal, see Ascalone, V. 490 (1989) 81
- Boaretto, A., see Pastore, P. 475 (1989) 331
- Boček, P., Deml, M. and Pospíchal, J.
New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 500 (1990) 673
- Boček, P., Deml, M., Pospíchal, J. and Sudor, J.
Dynamic programming of pH—a new option in analytical capillary electrophoresis 470 (1989) 309
- Boček, P., see Dolnik, V. 480 (1989) 321
- Boček, P., see Foret, F. 452 (1988) 601
- Boček, P., see Foret, F. 470 (1989) 299
- Boček, P., see Gebauer, P. 470 (1989) 3
- Boček, P., see Pospíchal, J. 470 (1989) 43
- Boček, P., see Šustáček, V. 480 (1989) 271
- Bochner, F., see Chen, Z.R. 491 (1989) 367
- Bochner, F., see Chen, Z.R. 493 (1989) 313
- Boddi, V., see Heimler, D. 466 (1989) 371
- Boddington, K.D.B.T., Clifford, A.A. and Shilstone, G.F.
Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347
- Bodola, F. and Benedict, C.R.
Measurement of the release of adenine nucleotides during platelet aggregation by small-bore-column isocratic HPLC 459 (1988) 281
- Boel, E., see Mortensen, S.B. 476 (1989) 227
- Boer, E. De, see Teerlink, T. 491 (1989) 418
- Boesten, W.H.J., see Duchateau, A. 471 (1989) 263
- Boeyé, A., see Foriers, A. 498 (1990) 105
- Bogaards, J.J.P., Van Ommen, B. and Van Bladeren, P.J.
An improved method for the separation and quantification of glutathione S-transferase subunits in rat tissue using HPLC 474 (1989) 435
- Bogart, G.R., Leyden, D.E., Wade, T.M., Schafer, W. and Carr, P.W.
Spectroscopic investigation of the hydrolysis of γ -glycidoxypropylsilane bound to silica surfaces 483 (1989) 209
- Bogusz, M., see Aderjan, R. 454 (1988) 345
- Böhland, H., see Radicke, J. 467 (1989) 304
- Böhm, H.B., Feltes, J., Volmer, D. and Levsen, K.
Identification of nitrophenols in rain-water by HPLC with photodiode array detection 478 (1989) 399
- Bohm, M., Umland, F. and Wenclawiak, B.
Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

- Bokx, P.K. De, see Schoenmakers, P.J. 459 (1988) 201
- Boldizsár, M., see Kremmer, T. 493 (1989) 45
- Bonacchi, G., see Agostini, O. 487 (1989) 331
- Bonasia, P.J., see Wenzel, T.J. 463 (1989) 171
- Bonati, M., see Celardo, A. 490 (1989) 432
- Bongers, J., see Duchateau, A. 461 (1989) 419
- Bonn, G., Reiffenstuhel, S. and Jandik, P.
Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669
- Bonn, G., see Reiffenstuhel, S. 482 (1989) 289
- Boomsma, F., see Van der Hoorn, F.A.J. 487 (1989) 17
- Boos, K.-S., Wilmers, B., Schlimme, E. and Sauerbrey, R.
On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93
- Boppana, V.K., Dolce, K.M., Cyronak, M.J. and Ziemniak, J.A.
Simplified procedures for the determination of fenoldopam and its metabolites in human plasma by HPLC with electrochemical detection: comparison of manual and robotic sample preparation methods 487 (1989) 385
- Borders, D.B., see Williams, D.R. 484 (1989) 381
- Borea, P.A., see Biagi, G.L. 469 (1989) 121
- Borea, P.A., see Biagi, G.L. 498 (1990) 179
- Borea, P.A., see Pietrogrande, M.C. 471 (1989) 407
- Boreham, C.J. and Fookes, C.J.R.
Separation of nickel(II) alkylporphyrins by reversed-phase HPLC. Methodology and application 467 (1989) 195
- Borella, F., see Springolo, V. 490 (1989) 224
- Borén, H., see Lundgren, B. 482 (1989) 23
- Bories, G. and Suarez, A.F.
Profiling of free and conjugated [³H]zeranol metabolites in pig plasma 489 (1989) 191
- Bornhop, D.J., Schmidt, S. and Porter, N.L.
Use of two simultaneous detectors in capillary SFC 459 (1988) 193
- Borówko, M. and Jaroniec, M.
Studies of adsorption and partition effects in LC with mixed mobile phases 452 (1988) 131
- Bortolotti, A., see Celardo, A. 490 (1989) 432
- Bosch, D. Van den, see Jansen, E.H.J.M. 489 (1989) 205
- Boshoven, C., see Tock, P.P.H. 477 (1989) 95
- Bosserhoff, A., Wallach, J. and Frank, R.W.
Micropreparative separation of peptides derived from sodium dodecyl sulphate-solubilized proteins 473 (1989) 71
- Bosset, J.O. and Gauch, R.
Simple sample preparation for the quantitative multiple-headspace analysis of volatile components using adsorption patterns (in German) 456 (1988) 417
- Böswart, J., Schmidt, T., Kostiuk, P., Pacáková, V. and Štulík, K.
HPLC determination of some polar phospholipids in serum 495 (1989) 61
- Boswell, G.W., Munoz, A.C., Aaron, D.T., Chin, C.L. and Quinn, K.P.
HPLC assay for RA 642, a compound with cardiovascular effect, in human and rabbit serum 491 (1989) 513
- Boter, H.L., see Kientz, C.E. 467 (1989) 385
- Both-Miedema, R., see Jansen, E.H.J.M. 489 (1989) 57
- Boto, K.G., see Susic, M. 482 (1989) 175
- Botros, H.G. and M.Vijayalakshmi,
Cell surface interactions with metal chelates 495 (1989) 113
- Botta, G.A., see Radin, L. 459 (1988) 331
- Bottalico, A., see Palmisano, F. 465 (1989) 305
- Boucher, J.L., see Azerad, R. 498 (1990) 293
- Boudinot, F.D., see Satterwhite, J.H. 497 (1989) 330
- Boukharta, M., Girardin, M. and Metche, M.
Gallic acid esters of procyanidins of vines *Vitis vinifera*. Separation and identification by HPLC and GC (in French) 455 (1988) 406
- Boulton, A.A., Durden, D.A. and Davis, B.A.
Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 488 (1989) 129
- Bourne, D.J., see Duffield, A.M. 475 (1989) 273
- Bourne, T.F., see Holzer, G. 468 (1989) 181
- Bourrier, M.J., see Enjalbert, F. 462 (1989) 442
- Bousquet, J.-F., see Kollmann, A. 473 (1989) 293
- Boutagy, J., Rumble, F. and Dunagan, F.
Determination of isradipine and the oxidative pyridine metabolite in human plasma by HPLC 487 (1989) 483
- Boutar, M., see Lebrun, M.H. 464 (1989) 307
- Bowers, L., see Edlund, P.O. 487 (1989) 341
- Bowers, L., see Edlund, P.O. 497 (1989) 49
- Bowers, L.D., see Pedigo, S. 499 (1990) 279
- Bowlen, C., see Baker, C. 484 (1989) 347
- Bowling, D.J., see Pinkston, J.D. 474 (1989) 97
- Boyer, D.S., see Rosselli, A.C. 465 (1989) 11
- Boyle, D.M. and Van der Walt, L.A.
High performance affinity chromatography of human progesterone receptor 455 (1988) 434
- Boysen, R., see Molnar, I. 485 (1989) 569

- Božnar, B., see Žmitek, J. 467 (1989) 276
- Braco, L., see Del Carmen Bañó, M. 458 (1988) 105
- Braco, L., see Pérez-Payá, E. 461 (1989) 229
- Bradford, III, W.W., see Peters, J.H. 488 (1989) 301
- Bradley, N., see Morgan, E.D. 468 (1989) 339
- Bradley, T., see Hjemdahl, P. 494 (1989) 53
- Bradshaw, J.S., see Tarbet, B.J. 473 (1989) 103
- Brajter-Toth, A., see Volk, K.J. 474 (1989) 231
- Brand, F., see Simon, P. 479 (1989) 445
- Brandin, M.P., see Rutty, Y. 491 (1989) 299
- Braumann, T., see Techel, D. 483 (1989) 427
- Brayan, J.G., see Haddad, P.R. 461 (1989) 337
- Breckenridge, A.M., see Idowu, O.R. 493 (1989) 125
- Breckenridge, G.H.M.G., see Christie, W.W. 469 (1989) 261
- Bree, H. De, see Lammers, N. 496 (1989) 291
- Breiner, S.J., see Lochmüller, C.H. 480 (1989) 293
- Brendel, E., see Meineke, I. 493 (1989) 287
- Brenn, E., see Giancesello, V. 473 (1989) 343
- Brenner, M., Moirand, C. and Schlimme, R.
High-efficiency liquid extractor for isolation of a desired material from complex organic mixtures 499 (1990) 721
- Brent, D.A., see Minick, D.J. 461 (1989) 177
- Breton, L., Serkiz, B., Volland, J.-P. and Lepagnol, J.
A new rapid method for phospholipid separation by HPLC with light-scattering detection 497 (1989) 243
- Bretschneider, W., see Sherma, J. 463 (1989) 229
- Brewitt, T., see Wenzel, T.J. 463 (1989) 171
- Bridge, T.P., Williams, M.H. and Fell, A.F.
Artificial intelligence techniques for peak homogeneity validation in LC 465 (1989) 59
- Brimer, C.M., see Benny, A.C. 487 (1989) 173
- Brindle, I.D. and Li, X.-F.
Investigation into the factors affecting performance in the determination of polycyclic aromatic hydrocarbons using capillary GC-MS with splitless injection 498 (1990) 11
- Brindle, P.A., see Brooks, C.J.W. 468 (1989) 201
- Brinkman, U.A.T., Frei, R.W. and Lingeman, H.
Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251
- Brinkman, U.A.T., see Aerts, M.M.L. 456 (1988) 105
- Brinkman, U.A.T., see Aerts, M.M.L. 500 (1990) 453
- Brinkman, U.A.T., see Farjam, A. 452 (1988) 419
- Brinkman, U.A.T., see Haasnoot, W. 489 (1989) 157
- Brinkman, U.A.T., see Irth, H. 482 (1989) 317
- Brinkman, U.A.T., see Irth, H. 491 (1989) 321
- Brinkman, U.A.T., see Irth, H. 499 (1990) 617
- Brinkman, U.A.T., see Kientz, C.E. 467 (1989) 385
- Brinkman, U.A.T., see Kwakman, P.J.M. 459 (1988) 139
- Brinkman, U.A.T., see Lipschitz, C. 471 (1989) 321
- Brinkman, U.A.T., see Nielen, M.W.F. 474 (1989) 388
- Brinkman, U.A.T., see Thiebaut, D. 477 (1989) 151
- Brinkman, U.A.T., see Van der Horst, F.A.L. 500 (1990) 443
- Brittain, H.G., see Kadin, H. 487 (1989) 135
- Britten, A.J., see Palmentier, J.-P.F. 469 (1989) 241
- Brocklin, L. Van, see Chen, T.-W. 484 (1989) 167
- Broek, H.H. Van den, see Kootstra, P.R. 458 (1988) 175
- Bromet, N., see Tsaconas, C. 487 (1989) 313
- Brooks, B.R., see Turner, J.G. 487 (1989) 275
- Brooks, C.J.W., Cole, W.J. and Brindle, P.A.
Characterisation of products formed by condensations of primary amines with polygodial, and their scope for enantiomer analyses 468 (1989) 201
- Brooks, S.P.J. and Storey, K.B.
Purification of phosphofructokinase using transition-state analogue affinity chromatography 455 (1988) 291
- Brooksbank, R.A., see Jackson, P.J. 452 (1988) 359
- Broquet, P., see Martin, A. 497 (1989) 319
- Brorson, T., see Skarping, G. 479 (1989) 125
- Brouwer, H.-J., see Geerdink, R.B. 481 (1989) 275
- Brouwer, K.L.R., see Jewell, R.C. 487 (1989) 257
- Brown, D.M. and Pietrzyk, D.J.
Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291
- Brown, D.W., see Krahn, M.M. 481 (1989) 263
- Brown, F.R. and Draper, W.M.
Separation of phenols and their glucuronide and sulfate conjugates by anion-exchange LC 479 (1989) 441
- Brown, J., see O'Flynn, M.A. 452 (1988) 469
- Brown, J.M., see Whitley, R.D. 483 (1989) 263
- Brown, N.D., Poon, B.T. and Phillips, L.R.
Identification and determination of a carboxylic acid metabolite of chloroquine in human urine by HPLC 487 (1989) 189

- Brown, P.R., see Beebe, J.M. 459 (1988) 369
- Brown, P.R., see Beebe, J.M. 468 (1989) 225
- Brown, P.R., see Fadool, D.A. 452 (1988) 491
- Brown, P.R., see Grushka, E. 485 (1989) 617
- Brown, P.R., see Turcotte, J.G. 499 (1990) 55
- Brown, R.C., Evans, C.E., Hoskins, J.A. and Peacock, J.
Production of tyrosine isomers in mice by therapeutic doses of ^{60}Co irradiation 497 (1989) 360
- Brown, S.D., see Barker, T. 469 (1989) 77
- Brown, S.W., see Kolbe, H.V.J. 476 (1989) 99
- Brown, S.Y., see Garland, W.A. 472 (1989) 250
- Brown, Y.L., Kandrotas, R.J., Douglas, J.B. and Gal, P.
HPLC determination of indomethacin serum concentrations 459 (1988) 275
- Brownlee, R.G., see Kasper, T.J. 458 (1988) 303
- Brownlee, R.G., see Schwartz, H.E. 480 (1989) 129
- Brownstein, A.D., see Sandra, P. 477 (1989) 63
- Brtko, J., see Hutta, M. 470 (1989) 223
- Brubaker, Jr., W.F. and Williams, E.D.
Rapid, high-sensitivity reversed-phase LC assay for 9-chloro-2-(2-furyl) [1,2,4]triazolo[1,5-c]quinazolin-5-imine and its oxo metabolite in plasma using fluorescence detection 496 (1989) 377
- Bruce, J.I., see Mohareb, E.W. 480 (1989) 421
- Bruchelt, G., Buedenbender, M., Treumer, J., Niethammer, D. and Schmidt, K.
Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185
- Brückner, C., see Schneider, G. 483 (1989) 459
- Brückner, H., see Lork, K.D. 476 (1989) 135
- Brückner, H., Wittner, R. and Godel, H.
Automated enantioseparation of amino acids by derivatization with *o*-phthaldialdehyde and *N*-acylated cysteines 476 (1989) 73
- Bruhn, M., see Ellerbroek, L. 495 (1989) 314
- Bruin, G.J.M., Chang, J.P., Kuhlman, R.H., Zegers, K., Kraak, J.C. and Poppe, H.
Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429
- Bruin, G.J.M., Huisden, R., Kraak, J.C. and Poppe, H.
Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339
- Bruins, C.H.P., see Smilde, A.K. 485 (1989) 169
- Brune, K., see Geisslinger, G. 491 (1989) 139
- Bruner, F., Crescentini, G., Mangani, F. and Lattanzi, L.
New perspectives in capillary chromatography 473 (1989) 93
- Bruner, F., see Mangani, F. 452 (1988) 527
- Bruner, F., see Min, X. 468 (1989) 365
- Brunet, P., Sarrobert, B. and Paris-Pireyre, N.
Modified procedure for the HPLC analysis of amino acids in xylem sap (in French) 455 (1988) 173
- Brunet, P., see Sarrobert, B. 462 (1989) 303
- Brunnekreeft, J.W.I., Eidhof, H. and Gerrits, J.
Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89
- Brunner, C.A. and Wainer, I.
Direct stereochemical resolution of enantiomeric amides via TLC on a covalently bonded chiral stationary phase 472 (1989) 277
- Brunner, G., see Tsikas, D. 470 (1989) 191
- Brunovská, A., see Repka, D. 463 (1989) 235
- Brusilow, S.W. and Hauser, E.
Simple method of measurement of orotic acid and orotidine in urine 493 (1989) 388
- Bruyere, Jr., H.J., see Kapil, R.P. 493 (1989) 182
- Bryan, L.J. and O'Donnell, S.R.
Analysis of the *O*-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29
- Bryn, K., see Sonesson, A. 487 (1989) 1
- Bubeck, J.I., see Liebich, H.M. 500 (1990) 615
- Buchacher, A., see Jungbauer, A. 476 (1989) 257
- Buchberger, W. and Rieger, G.
Determination of cations in tear fluid samples by non-suppressed ion chromatography with indirect UV detection 482 (1989) 407
- Buchberger, W. and Winsauer, K.
Alumina as stationary phase for ion chromatography and column-coupling techniques 482 (1989) 401
- Bucheli, F., see Wyss, R. 456 (1988) 33
- Buchs, A., see Gülaçar, F.O. 479 (1989) 61
- Buckley, J.J. and Wetlaufer, D.B.
Use of the surfactant 3-(3-cholamidopropyl)-dimethylammonio propane sulfonate in hydrophobic interaction chromatography of proteins 464 (1989) 61
- Budahegyi, M.V., see Tarján, T. 472 (1989) 1
- Buedenbender, M., see Bruchelt, G. 470 (1989) 185

- Bufo, G., see Grasso, G. 454 (1988) 411
- Bukatsch, H., see Bächmann, K. 482 (1989) 307
- Bulbena, O., see Gelpí, E. 492 (1989) 223
- Bulbena, O., see Ramis, I. 496 (1989) 416
- Bult, A., see Van Opstal, M.A.J. 495 (1989) 139
- Bupp, J.E., see Peters, J.H. 488 (1989) 301
- Burcinová, A., Tichý, M., Pacáková, V. and Štulík, K.
Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420
- Burd, S., see Zhu, M. 480 (1989) 311
- Burford, R.P., see Haken, J.K. 452 (1988) 37
- Burford, R.P., see Haken, J.K. 500 (1990) 367
- Burford, R.P., see Harahap, N. 477 (1989) 53
- Burger, J.A., see Labadarios, D. 487 (1989) 428
- Burgos, F.J., Pascual, R., Vendrell, J., Cuchillo, C.M. and Avilés, F.X.
The separation of pancreatic procarboxypeptidases by HPLC and chromatofocusing 481 (1989) 233
- Burinsky, D.J., see Motto, M.G. 481 (1989) 255
- Burke, III, J.A., see Pirkle, W.H. 479 (1989) 377
- Burke, J.T., see Krstulović, A.M. 452 (1988) 477
- Burke, T.W.L., Mant, C.T., Black, J.A. and Hodges, R.S.
Strong cation-exchange HPLC of peptides. Effect of non-specific hydrophobic interactions and linearization of peptide retention behaviour 476 (1989) 377
- Burke, T.W.L., see Mant, C.T. 458 (1988) 193
- Burke, Jr., T.R. and Chandrasekhar, B.
Preparative reversed-phase HPLC in the synthesis of viscosin, a cyclic depsipeptide 484 (1989) 293
- Burkhard, O., see Barnikol, W.K.R. 497 (1989) 231
- Burkholder, H.R., see Sawyer, D.J. 455 (1988) 193
- Bürki, C., see Häkkinen, V.M.A. 473 (1989) 353
- Bürkle, W., see Schurig, V. 475 (1989) 23
- Burlina, A., see Plebani, M. 476 (1989) 93
- Burne, T.W.L., see Mant, C.T. 485 (1989) 365
- Burr, C.M., see Smith, R.M. 475 (1989) 57
- Burr, C.M., see Smith, R.M. 475 (1989) 75
- Burr, C.M., see Smith, R.M. 481 (1989) 71
- Burr, C.M., see Smith, R.M. 481 (1989) 85
- Burr, C.M., see Smith, R.M. 485 (1989) 325
- Burstein, E.S. and Greenblatt, D.J.
Simplified GC analysis of ethanol in blood and tissue 487 (1989) 228
- Burton, S.J., Stead, C.V. and Lowe, C.R.
Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201
- Bush, D.A. and Winkler, M.A.
Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 489 (1989) 303
- Bush, H., see Derrico, E.M. 461 (1989) 35
- Bush, H., see Miller, L. 484 (1989) 259
- Bush, H., see Miller, L. 484 (1989) 337
- Bushey, M.M. and Jorgenson, J.W.
Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301
- Bushuk, W., see Sapirstein, H.D. 469 (1989) 127
- Bushway, R.J.
HPLC determination of carbaryl in fruit juices 457 (1988) 437
- Buskens, C.A.F., see Jansen, E.H.J.M. 489 (1989) 245
- Buszewski, B., Sieńko, D. and Suprynowicz, Z.
Effect of the structure and density of chemically bonded C₁₈ phase on the recovery of tryptophan and its metabolites from human urine 464 (1989) 73
- Buszewski, B., Suprynowicz, Z., Staszczuk, P., Albert, K., Pfeleiderer, B. and Bayer, E.
Effect of coverage density on the retention mechanism in reversed-phase HPLC 499 (1990) 305
- Buszewski, B., see Suprynowicz, Z. 456 (1988) 219
- Buydens, L., see De Smet, M. 457 (1988) 25
- Buydens, L., see De Smet, M. 485 (1989) 237
- Buydens, L., see Hindriks, R. 485 (1989) 255
- Büyüktimkin, N., Keller, F. and Schunack, W.
GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402
- By, A., Ethier, J.C., Laurialt, G., LeBelle, M., Lodge, B.A., Savard, C., Sy, W.-W. and Wilson, W.L.
Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

C

- Cabras, P., Meloni, M., Plumitallo, A. and Gennari, M.
HPLC determination of ethiofencarb and its metabolic products 462 (1989) 430
- Cabras, P., Spanedda, L., Pellecchia, M. and Gennari, M.
HPLC determination of the herbicide terbutylazine and its dealkylated metabolites in soil 472 (1989) 411
- Cabras, P., Spanedda, L., Tuberoso, C. and Gennari, M.
Separation of pirimicarb and its metabolites by HPLC 478 (1989) 250
- Cabr , F., Canela, E.I. and Canela, M.A.
Accuracy and precision in the determination of Stokes radii and molecular masses of proteins by gel filtration chromatography 472 (1989) 347
- Caccamese, S.
Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in HPLC 457 (1988) 366
- Caccamese, S., Cascio, O. and Compagnini, A.
Isolation of an antimicrobial bromoditerpene from a marine alga aided by improved bioautography 478 (1989) 255
- Cachia, C., Flamion, P.-J. and Schreiber, J.-P.
Purification of core salt-extracted *E. coli* 30S ribosomal proteins by HPLC under non-denaturing conditions 498 (1990) 417
- Cadelis, F., see Kirchberger, J. 483 (1989) 289
- Caesar, R., Weightman, H. and Mintz, G.R.
HPLC determination of alkylamidopropyl-N,N-dimethyl-N-(2,3-dihydroxypropyl)ammonium chlorides in aqueous solutions and cosmetic formulations 478 (1989) 191
- Caffey, K.P., see Salotto, A.W. 498 (1990) 55
- Cain-Janicke, K., see Crary, J.R. 462 (1989) 85
- Callahan, J., see Dixon, D.W. 462 (1989) 411
- Callery, P.S., see Grubb, M.F. 469 (1989) 191
- Callery, P.S., see Musser, S.M. 474 (1989) 197
- Calvert, A.H., see Graham, M.A. 491 (1989) 253
- Calvo, M.B., Pedraz, J.L. and Dom nguez-Gil, A.
Determination of low concentrations of dibenzylamine in human plasma and urine by GC with a nitrogen-phosphorus detector 490 (1989) 206
- Camilleri, P., Dolle, R.E., Novelli, R. and Salter, C.J.
Separation of the enantiomers of a triester of 2,2-difluorocitrate 482 (1989) 258
- Camilleri, P., Dyke, C. and Hossner, F.
Chiral separation of the optical isomers of the antimalarial drug halofantrine 477 (1989) 471
- Camilleri, P., Dyke, C.A., Paknoham, S.J. and Senior, L.A.
Direct resolution of the optical isomers of fenoldopam and one of its derivatives 498 (1990) 414
- Camoni, I., see Di Muccio, A. 456 (1988) 143
- Camoni, I., see Di Muccio, A. 456 (1988) 149
- Campbell, E.L., see Kroeff, E.P. 461 (1989) 45
- Campbell, L.D., see Slominski, B.A. 454 (1988) 285
- Campestrini, J., see Rouan, M.C. 456 (1988) 45
- Campoleoni, A., see Chiabrando, C. 495 (1989) 1
- Campos, A., see P rez-Pay , E. 461 (1989) 229
- Canafax, D.M., see Erdmann, G.R. 494 (1989) 354
- Ca as Montalvo, B., Imaz Villar, C., Izquierdo Hornillos, R.C. and Polo Diez, L.
Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217
- Candiano, G., see Ghiggeri, G.M. 452 (1988) 347
- Canela, A.M. and Muehleisen, H.
Application of headspace GC to the measurement of organic emissions 456 (1988) 241
- Canela, E.I., see Cabr , F. 472 (1989) 347
- Canela, M.A., see Cabr , F. 472 (1989) 347
- Canepa, A., Perfumo, F., Carrea, A., Sanguinetti, A., Piccardo, M.T. and Gusmano, R.
Measurement of free amino acids in polymorphonuclear leukocytes by HPLC 491 (1989) 200
- Cano, J.-P., see Drouet-Coassolo, C. 487 (1989) 295
- Cantelli Forti, G., see Biagi, G.L. 469 (1989) 121
- Cantin, D., Richard, J.-M. and Alary, J.
Chromatographic behaviour and determination of orellanine, a toxin from the mushroom *Cortinarius orellanus* 478 (1989) 231
- Capart, J., see Luijten, W. 474 (1989) 265
- Capdepuy, M., see Fourche, J. 487 (1989) 142
- Capizzi, R.L., see Wang, L.-M. 491 (1989) 331

- Capone, W., Mascia, C., Melis, M. and Spanedda, L.
Determination of terpenic compounds in the essential oil from *Satureja thymbra* L. growing in Sardinia 457 (1988) 427
- Capony, J.P., see Liautard, J. 476 (1989) 439
- Cappelletti, G., see Guenzi, A. 494 (1989) 219
- Caprioli, R.M., Moore, W.T., Martin, M., DaGue, B.B., Wilson, K. and Moring, S.
Coupling capillary zone electrophoresis and continuous-flow fast atom bombardment MS for the analysis of peptide mixtures 480 (1989) 247
- Carbognani, L. and Izquierdo, A.
Preparative and automated compound class separation of Venezuelan vacuum residua by HPLC 484 (1989) 399
- Cardace, G., see Marzo, A. 465 (1989) 95
- Cardinali, F., Ziggotti, A. and Viscomi, G.C.
Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 499 (1990) 37
- Carducci, C., see Antonozzi, I. 459 (1988) 319
- Cardwell, T.J. and Lorman, T.H.
LC analysis of bromination reactions of metal trifluoroacetylacetonates 479 (1989) 181
- Carini, M., see Pietta, P. 478 (1989) 259
- Carlier, J.-P. and Sellier, N.
GC-MS studies after methylation of metabolites produced by some anaerobic bacteria in spent media 493 (1989) 257
- Carlshaf, A. and Jönsson, J.Å.
Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89
- Carlsson, U., see Bergenhem, N. 472 (1989) 318
- Carmen Bañó, M. Del, Braco, L. and Abad, C.
New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105
- Carr, J.W. and Harris, J.M.
Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135
- Carr, P.W., see Bogart, G.R. 483 (1989) 209
- Carr, P.W., see Cheong, W.J. 499 (1990) 373
- Carr, P.W., see Cheong, W.J. 500 (1990) 215
- Carr, P.W., see Lucy, C.A. 484 (1989) 61
- Carr, P.W., see Park, J.H. 465 (1989) 123
- Carr, P.W., see Rigney, M.P. 484 (1989) 273
- Carr, P.W., see Rigney, M.P. 499 (1990) 291
- Carr, P.W., see Rutan, S.C. 463 (1989) 21
- Carr, R.J.G., see Jager, B.J. 472 (1989) 331
- Carrea, A., see Canepa, A. 491 (1989) 200
- Carrera, G., see Alary, J. 496 (1989) 485
- Carroll, D.L., see Robinson, R.S. 455 (1988) 143
- Carron, J.M., see Lee, H.-B. 498 (1990) 367
- Carté, B.K., see Poehland, B.L. 481 (1989) 421
- Carter, G.T., see Williams, D.R. 484 (1989) 381
- Carter, N.D., see Edwards, R.J. 490 (1989) 424
- Cartoni, G.P., Goretti, G., Neri, B. and Russo, M.V.
Evaluation of small diameter capillary columns for GC 475 (1989) 145
- Cartwright, G., see Coppola, D. 476 (1989) 269
- Carty, R.L., see Salotto, A.W. 498 (1990) 55
- Carunchio, V., see Grassini-Strazza, G. 466 (1989) 1
- Carver, A.H., see Ocampo, A.P. 496 (1989) 167
- Casado, J., see Montes, M. 481 (1989) 97
- Cascio, O., see Caccamese, S. 478 (1989) 255
- Case, G.L. and Steele, R.D.
Determination of reduced folate derivatives in tissue samples by HPLC with fluorimetric detection 487 (1989) 456
- Cashaw, J.L., see Geraghty, C.A. 489 (1989) 399
- Casnati, G., see Palla, G. 475 (1989) 45
- Casoli, A., Mangia, A., Predieri, G. and Sappa, E.
HPLC of triangular ruthenium clusters containing bidentate group-15 donor ligands 483 (1989) 443
- Cassani, G., see Righetti, P.G. 470 (1989) 337
- Cassiano, L., see Castagnola, M. 494 (1989) 310
- Cassidy, D.M., Pratt, D.A., Taylor, R., Alberti, K.G.M.M. and Laker, M.F.
Capillary column GC-MS for the determination of the fatty acid composition of human adipose tissue 491 (1989) 1
- Castagnola, M., Cassiano, L., De Cristofaro, R., Luciani, S., Rossetti, D.V. and Landolfi, R.
Purification of the isolated β -chain of adult human haemoglobin from its post-translational modification 494 (1989) 310
- Castañeda-Hernandez, G., see Flores-Murrieta, F.J. 490 (1989) 464
- Castellanos, M., see Wong, B. 495 (1989) 21
- Castelli, P.L., see Sweeney, R.W. 494 (1989) 278
- Castello, G., Timossi, A. and Gerbino, T.C.
GC separation of halogenated compounds on non-polar and polar wide bore capillary columns 454 (1988) 129
- Castranova, V., see Porter, D.W. 454 (1988) 311
- Caude, M., see Jadaud, P. 464 (1989) 333
- Caude, M., see Lienne, M. 467 (1989) 406
- Caude, M., see Lienne, M. 472 (1989) 265
- Caude, M., see Macaudière, P. 467 (1989) 357
- Caude, M., see Morin, P. 464 (1989) 125
- Caude, M., see Nizery, D. 467 (1989) 49

- Caude, M., see Siret, L. 498 (1990) 67
- Caude, M., see Veuthey, J.L. 499 (1990) 637
- Causon, R.C., see O'Flynn, M.A. 452 (1988) 469
- Cavallini, D., see Costa, M. 490 (1989) 404
- Cavazza, M., see Zandomenighi, M. 464 (1989) 289
- Cavazzutti, G., see Gagliardi, L. 464 (1989) 428
- Cavazzutti, G., see Gagliardi, L. 466 (1989) 433
- Cecconic, T., see Thormann, W. 461 (1989) 95
- Cela, R., Barroso, C.G. and Pérez-Bustamante, J.A.
Objective functions in experimental and simulated chromatographic optimization. Comparative study and alternative proposals 485 (1989) 477
- Čelap, M.B., see Janjić, T.J. 481 (1989) 465
- Čelap, M.B., see Tešić, Ž.L. 456 (1988) 346
- Čelap, M.B., see Tešić, Ž.L. 481 (1989) 471
- Čelap, M.B., see Vučković, G. 454 (1988) 362
- Čelap, M.B., see Vučković, G. 466 (1989) 227
- Celardo, A., Bortolotti, A., Benfenati, E. and Bonati, M.
Measurement of vitamin E in premature infants by reversed-phase HPLC 490 (1989) 432
- Čellár, P., see Matisová, E. 454 (1988) 65
- Ćeranić, T.S., see Marković, M.M. 463 (1989) 281
- Černay, P., see Spustová, V. 490 (1989) 186
- Ceulemans, J., see Stienlet, D. 475 (1989) 247
- Ceva, P., see Pietta, P. 457 (1988) 442
- Chadwick, V., see Hall, L. 478 (1989) 438
- Chaiken, I.M.
Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145
- Chakma, A. and Meisen, A.
Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287
- Chamart, S., Hanocq, M., Helson, M., Devleeschouwer, N. and Leclercq, G.
Determination of 2-methyl derivatives of tamoxifen in cell culture medium using HPLC and electrochemical detection 496 (1989) 365
- Chambaz, D. and Haerdi, W.
On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335
- Champlin, P.B., see Wang, T. 462 (1989) 147
- Chamsi, A.Y., see Smith, R.M. 455 (1988) 349
- Chan, G.L.-Y., Axelson, J.E., Abbott, F.S., McErlane, K.M. and Kerr, C.R.
Determination of 5-hydroxypropafenone in biological fluids by fused-silica capillary GC using electron-capture detection 495 (1989) 349
- Chan, K., see Yang, J.M. 490 (1989) 458
- Chan, K.C. and Yeung, E.S.
Peak identification of amino acids in LC by optical activity detection 457 (1988) 421
- Chan, K.K., see Hong, P.S. 495 (1989) 131
- Chan, P.F., see Law, B. 467 (1989) 267
- Chan, S.C., see Fox, S.M. 494 (1989) 331
- Chan, V.W., see Ramsey, R.S. 468 (1989) 167
- Chan, Y.-P.M., Lee, F.-W. and Siu, T.-S.S.
Quantitation of homoharringtonine in plasma by HPLC with amperometric detection 496 (1989) 155
- Chan, Y.-P.M. and Siu, T.-S.S.
Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251
- Chandrasekhar, B., see Burke, Jr., T.R. 484 (1989) 293
- Chandrasekhara Rao, T., Kale, V., Vijayalakshmi, P., Gangadhar, A., Subbarao, R. and Lakshminarayana, G.
Chromatographic methods for the determination of monomer, dimer and trimer fractions in dimer fatty acids 466 (1989) 403
- Chang, J.-P., see Pirkle, W.H. 479 (1989) 377
- Chang, J.P., see Bruin, G.J.M. 471 (1989) 429
- Chang, P.S. and Rhee, J.S.
Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438
- Chang, S.Y., Nelson, F.R., Findlay, J.W.A. and Taylor, L.C.E.
Quantitative GC-MS analysis of acrivastine and a metabolite in human plasma 497 (1989) 288
- Chang, T., see Andrawes, F. 468 (1989) 145
- Chanon, M., see Saleh, S. 496 (1989) 223
- Charbonneau, C.F., see Lawrence, J.F. 462 (1989) 349
- Charbonneau, C.F., see Lawrence, J.F. 462 (1989) 419
- Charbonneau, G.M., see Palmentier, J.-P.F. 469 (1989) 241
- Chartier, F., Crevel, G., Laine, B. and Sautiere, P.
HPLC separation of variants of chromosomal proteins from prokaryotes 466 (1989) 331
- Chartier, F., see Berthod, A. 469 (1989) 53
- Chase, H.A., see Livingston, A.G. 481 (1989) 159
- Chase, H.A., see Skidmore, G.L. 498 (1990) 113

- Chase, Jr., G.W., Landen, Jr., W.O. and Soliman, A.M.
 LC resolution of hypoglycin A from leucine 456 (1988) 431
- Chasseaud, L.F., see Taylor, I.W. 495 (1989) 275
- Chaumont, A.J., see Kintz, P. 489 (1989) 459
- Chauret, N. and Hubert, J.
 Characterization of indirect photometry for the determination of inorganic anions in natural water by ion chromatography 469 (1989) 329
- Chawla, R.P., see Singh, P.P. 457 (1988) 387
- Cheach, I.C.L., Sitaram, B.R., Pappas, A., Thi, N.L., Finnin, B.C. and Reed, B.L.
 Normal-phase and reversed-phase LC techniques for the determination of dithranol and its degradation products 467 (1989) 414
- Cheam, V.
 Determination of organic and inorganic acids in precipitation samples 482 (1989) 381
- Chelminska-Bertilsson, M., see Allenmark, S. 456 (1988) 410
- Chemlal, A., see Roussel, C. 462 (1989) 95
- Chen, B.H., see Bailey, C.A. 455 (1988) 396
- Chen, E.C.M., see Wentworth, W.E. 468 (1989) 215
- Chen, J. and Fritz, J.S.
 Chromatographic determination of water using spectrophotometric detection 482 (1989) 279
- Chen, J., see Zhang, X.Y. 495 (1989) 343
- Chen, S.-T., see Lo, L.-C. 472 (1989) 336
- Chen, S.-T., see Yu, H.-M. 456 (1988) 357
- Chen, T.-M. and Coutant, J.E.
 Thermospray HPLC-MS characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 463 (1989) 95
- Chen, T.-W., Pinto, N.G. and Van Brocklin, L.
 Rapid method for determining multicomponent Langmuir parameters for displacement chromatography 484 (1989) 167
- Chen, Y., see Zhu, A. 470 (1989) 251
- Chen, Y.-F., see Meng, Q.C. 461 (1989) 271
- Chen, Y.-H., see Oshima, T. 455 (1988) 410
- Chen, Z.R., Bochner, F. and Somogyi, A.
 Simultaneous determination of codeine, norcodeine and morphine in biological fluids by HPLC with fluorescence detection 491 (1989) 367
- Chen, Z.R., Reynolds, G., Bochner, F. and Somogyi, A.
 Direct determination of codeine-6-glucuronide in plasma and urine using solid-phase extraction and HPLC with fluorescence detection 493 (1989) 313
- Cheng, L.K., see Osman, M.A. 489 (1989) 452
- Cheng, L.K., see Osman, M.A. 496 (1989) 478
- Cheng, R., see Kim, C. 494 (1989) 67
- Cheng, S.W.T., see O'Connor, E.F. 491 (1989) 240
- Cheng, W.-L., see Jao, Y. 462 (1989) 191
- Cheng, Z., see Uden, P.C. 468 (1989) 319
- Cheong, W.J. and Carr, P.W.
 Study of partition models in reversed-phase LC based on measured mobile phase solute activity coefficients 499 (1990) 373
- Cheong, W.J. and Carr, P.W.
 Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215
- Cheong, W.J., see Rutan, S.C. 463 (1989) 21
- Chervet, J.-P., see Thiebaut, D. 477 (1989) 151
- Chessebeuf-Padieu, M., see Ibañez, M.A.D. 488 (1989) 237
- Chesson, S.M., see Hsu, R.S. 494 (1989) 347
- Chevalier, J.L., see Huss, V. 500 (1990) 241
- Cheymol, G., see Poirier, J.-M. 493 (1989) 409
- Cheynier, V., Rigaud, J. and Moutounet, M.
 HPLC determination of the free *o*-quinones of *trans*-caffeoyltartaric acid, 2-S-glutathionylcaffeoyltartaric acid and catechin in grape must 472 (1989) 428
- Chia, K.S., see Lee, B.L. 494 (1989) 303
- Chiabrande, C., Pinciroli, V., Campoleoni, A., Benigni, A., Piccinelli, A. and Fanelli, R.
 Quantitative profiling of 6-ketoprostaglandin $F_{1\alpha}$, 2,3-dinor-6-ketoprostaglandin $F_{1\alpha}$, thromboxane B_2 and 2,3-dinor-thromboxane B_2 in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1
- Chiandetti, L., see Ferrari, V. 497 (1989) 101
- Chiari, M., Chiesa, C., Righetti, P.G., Corti, M., Jain, T. and Shorr, R.
 Kinetics of cysteine oxidation in immobilized pH gradient gels 499 (1990) 699
- Chiari, M., Manzocchi, A. and Righetti, P.G.
 Formation of a cysteine-acrylamide adduct in isoelectric focusing gels 500 (1990) 697
- Chiari, M., see Cossu, G. 475 (1989) 283
- Chiavari, G., Laghi, M.C. and Torsi, G.
 HPLC analysis of aldehydes at trace level as their 3-methylbenzothiazolone azine derivatives 475 (1989) 343
- Chiavari, G., see Torsi, G. 482 (1989) 207
- Chiba, M., see Vukmanic, D. 483 (1989) 189
- Chichila, T.M.P., Edlund, P.O., Henion, J.D., Wilson, R. and Epstein, R.L.
 Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase HPLC 488 (1989) 389

- Chicz, R.M. and Regnier, F.E.
Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 500 (1990) 503
- Chiesa, C., see Chiari, M. 499 (1990) 699
- Chiesa, C., see Cossu, G. 475 (1989) 283
- Chikazumi, N., Mukoyama, Y. and Sugitani, H.
High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85
- Chin, C.L., see Boswell, G.W. 491 (1989) 513
- Chin, S.K., Hui, A.C. and Giacomini, K.M.
HPLC determination of the enantiomers of β -adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 489 (1989) 438
- Ching, C.B., Hidajat, K. and Rathor, M.N.
Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261
- Ching, M.S., Lennard, M.S., Gregory, A. and Tucker, G.T.
Measurement of underivatized metoprolol enantiomers in human plasma by HPLC with a chiral stationary phase 497 (1989) 313
- Chiodetti, L., see Knight, M. 459 (1988) 361
- Chiou, S.-H. and Wang, K.-T.
Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424
- Chiou, S.-H., see Yu, H.-M. 456 (1988) 357
- Chloupek, R., see Sievert, H.-J.P. 499 (1990) 221
- Chloupek, R.C., Harris, R.J., Leonard, C.K., Keck, R.G., Keyt, B.A., Spellman, M.W., Jones, A.J.S. and Hancock, W.S.
Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375
- Chmielinska, J.J., see Phillips, T.M. 458 (1988) 185
- Choli, T., Kapp, U. and Wittmann-Liebold, B.
Blotting of proteins onto Immobilon membranes. *In situ* characterization and comparison with HPLC 476 (1989) 59
- Choma, N., see Fukuda, E.K. 491 (1989) 97
- Choma, N., see Rubio, F.A. 497 (1989) 147
- Chong, W.K., Mills, G.A., Weavind, G.P. and Walker, V.
HPLC method for the rapid profiling of plasma and urinary organic acids 487 (1989) 147
- Choo, H.-Y.P., see Park, J. 489 (1989) 313
- Chornet, E., see Thring, R.W. 467 (1989) 441
- Chou, F.E., see Ito, Y. 454 (1988) 382
- Chou, T.-Y., Gao, C.-X., Colgan, S.T., Krull, I.S., Dorschel, C. and Bidlingmeyer, B.
Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169
- Chovan, J.P. and Vermeulen, J.D.
HPLC method for a clozapine analogue, CGS 13429, and its N-oxide and desmethyl metabolites 494 (1989) 413
- Chrétien, J.R., see Walczak, B. 464 (1989) 237
- Christensen, T., see Mortensen, S.B. 476 (1989) 227
- Christie, W.W.
Separation of molecular species of triacylglycerols by HPLC with a silver ion column 454 (1988) 273
- Christie, W.W. and Breckenridge, G.H.M.G.
Separation of *cis* and *trans* isomers of unsaturated fatty acids by HPLC in the silver ion mode 469 (1989) 261
- Christoph, N., see Bernreuther, A. 481 (1989) 363
- Christophidis, N., see Cosolo, W. 494 (1989) 201
- Chu, Y.-Q. and Wainer, I.W.
Determination of the enantiomers of verapamil and norverapamil in serum using coupled achiral-chiral HPLC 497 (1989) 191
- Chu, Y.-Q., see Wainer, I.W. 455 (1988) 316
- Chum, H.L., see Himmel, M.E. 498 (1990) 93
- Chung, H.L. and Blume, D.E.
Identification of nicotine biosynthetic intermediates in tobacco roots by LC-MS 474 (1989) 329
- Chung, M.T., see Gesquiere, J.C. 478 (1989) 121
- Churms, S.C.
Recent developments in the chromatographic analysis of carbohydrates (Review) 500 (1990) 555
- Cigánek, M., see Dressler, M. 462 (1989) 155
- Cimorelli, A., see Gagliardi, L. 466 (1989) 433
- Cipolle, R.J., see Erdmann, G.R. 494 (1989) 354
- Clark, C.R., see Lukey, B.J. 493 (1989) 117
- Clavey, V., see Steinmetz, A. 487 (1989) 154
- Cleland, A., see Mulholland, M. 485 (1989) 283
- Clement, B., see Riba, M.-L. 456 (1988) 165
- Clesse, D., see Bischoff, R. 476 (1989) 245
- Clifford, A.A.
Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61
- Clifford, A.A., see Boddington, K.D.B.T. 471 (1989) 347
- Coassolo, P., see Drouet-Coassolo, C. 487 (1989) 295

- Cobb, K.A., see Liu, J. 468 (1989) 55
- Cobb, S.J., see Fadool, D.A. 452 (1988) 491
- Cock, J. De, see Van Doorn, J.E. 489 (1989) 419
- Coenegracht, P.M.J., Smilde, A.K., Metting, H.J. and Doornbos, D.A.
Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195
- Coenegracht, P.M.J., see Smilde, A.K. 485 (1989) 169
- Cognet, G., see Devallez, B. 463 (1989) 153
- Cohen, A.I., see Kadin, H. 487 (1989) 135
- Cohen, A.S., Najarian, D., Smith, J.A. and Karger, B.L.
Rapid separation of DNA restriction fragments using capillary electrophoresis 458 (1988) 323
- Cohen, A.S., see Karger, B.L. 492 (1989) 585
- Cohen, A.S., see Nelson, R.J. 480 (1989) 111
- Cohen, J.R., see Stein, T.A. 461 (1989) 267
- Cohen, S.M., see Smith, R.A. 465 (1989) 442
- Cole, W.J., see Brooks, C.J.W. 468 (1989) 201
- Coleman, W.F., see Huang, X. 480 (1989) 95
- Colenutt, B.A., see Ahsan, T. 464 (1989) 416
- Colenutt, B.A., see Ahsan, T. 479 (1989) 17
- Colgan, S.T., see Chou, T.-Y. 454 (1988) 169
- Collins, D.A.
Modification to a thermal energy analyzer with associated electronic filtering for improved GC analysis of explosives traces 483 (1989) 379
- Collins, P., see Newsome, W.H. 472 (1989) 416
- Colote, S., see Liautard, J. 454 (1988) 195
- Colussi, D., see Sioufi, A. 495 (1989) 195
- Comellas, L., see Diaz-Marot, A. 490 (1989) 470
- Čomor, J.J., see Kopečnı, M.M. 462 (1989) 392
- Compadre, C.M., see Fullas, F. 464 (1989) 213
- Compagnini, A., see Caccamese, S. 478 (1989) 255
- Conçalves, J.C.S., Razzouk, C., Poupaert, J.H. and Dumont, P.
HPLC of chlorambucil prodrugs structurally related to lipids in rat plasma 494 (1989) 389
- Constanzer, M.L., Matuszewski, B.K., Hsieh, J.K. and Bayne, W.F.
Determination of picogram levels of a novel α_2 -adrenergic receptor antagonist in plasma using solid-phase extraction and capillary GC with nitrogen-selective detection 488 (1989) 476
- Conway, W.D., Klingman, J.D., Greco, D. and Huh, K.
Purification of nitrophenylvaleric acid reaction mixtures by counter-current chromatography 484 (1989) 391
- Cook, A.P., Macleod, T.M., Appleton, J.D. and Fell, A.F.
Reversed-phase HPLC method for the quantification of 5-hydroxymethylfurfural as the major degradation product of glucose in infusion fluids 467 (1989) 395
- Cook, C.E., see Lee, Y.W. 477 (1989) 434
- Cook, L.A., Hensley, J.L., Miller, E.G. and Tindall, G.W.
Determination of styrene and 2-vinylpyridine monomers in poly(2-vinylpyridine-styrene) 463 (1989) 127
- Cooke, W.M., see Bicking, M.K.L. 455 (1988) 310
- Cooley, R.S., see Knight, M. 484 (1989) 299
- Coolsaet, F., see Strasters, J.K. 499 (1990) 523
- Cooney, C.L., see Afeyan, N.B. 478 (1989) 1
- Cooper, E.H., see Jackson, P.J. 452 (1988) 359
- Cooper, J.D.H., Turnell, D.C., Green, B. and Verillon, F.
Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53
- Cooper, J.D.H., see Turnell, D.C. 492 (1989) 59
- Cooper, J.K., see Srinivas, N.R. 491 (1989) 262
- Cooper, R.S., see Warth, L.M. 479 (1989) 401
- Cooper, S.D. and Pellizzari, E.D.
Characterization of polyimide sorbents by using tracer pulse chromatography 498 (1990) 41
- Cooper, S.F., Massé, R. and Dugal, R.
Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65
- Cooperman, B.S., see Ghrist, B.F.D. 459 (1988) 1
- Coppi, G. and Barchielli, M.
Simple method for the determination of L-5-hydroxytryptophan in plasma by HPLC 495 (1989) 245
- Coppi, G., see Springolo, V. 490 (1989) 224
- Coppi, S. and Betti, A.
LC separation and behaviour of some triazines on styrene-divinylbenzene columns 472 (1989) 406
- Coppola, D., Underwood, J., Cartwright, G. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCIII. Comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 476 (1989) 269
- Copsey, J., see Houghton, E. 479 (1989) 73
- Corbin, F.T., see Escoffier, B.H. 474 (1989) 301

- Corcia, A. Di, see Battista, M. 454 (1988) 233
- Cordis, G.A., Engelman, R.M. and Das, D.K.
Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by HPLC 459 (1988) 229
- Cordis, G.A., see Samanta, A. 459 (1988) 221
- Corradini, D., El Rassi, Z., Horváth, C., Guerra, G. and Horne, W.
Combined lectin-affinity and metal-interaction chromatography for the separation of glycoproteins by HPLC 458 (1988) 1
- Corti, M., see Chiari, M. 499 (1990) 699
- Costolo, W., Drummer, O.H. and Christophidis, N.
Comparison of HPLC and the Abbott fluorescent polarization radioimmunoassay in the measurement of methotrexate 494 (1989) 201
- Cossu, G., Pirastru, M.G., Satta, M., Chiari, M., Chiesa, C. and Righetti, P.G.
Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283
- Costa, M., Pecci, L., Pensa, B., Fontana, M. and Cavallini, D.
HPLC of cystathionine, lanthionine and aminoethylcysteine using *o*-phthaldialdehyde precolumn derivatization 490 (1989) 404
- Costabel, U., see Maier, K. 493 (1989) 380
- Costanzo, R.B. and Barry, E.F.
GC detection of selected organochlorine species using an alternating current plasma detector 467 (1989) 373
- Cotter, M.L., see Motto, M.G. 481 (1989) 255
- Cotton, B., see Tseng, A. 474 (1989) 424
- Coucke, V., see Selala, M.I. 489 (1989) 51
- Cousins, S.A., see Barefoot, A.C. 474 (1989) 39
- Coutant, J.E., see Chen, T.-M. 463 (1989) 95
- Covey, T.R., see Edlund, P.O. 497 (1989) 49
- Covey, T.R., see Lee, E.D. 458 (1988) 313
- Cowan, G.H., Gosling, I.S. and Sweetenham, W.P.
Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187
- Cox, G.B. and Snyder, L.R.
Preparative HPLC under isocratic conditions. III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95
- Cox, G.B., Snyder, L.R. and Dolan, J.W.
Preparative HPLC under gradient conditions. I. Band broadening in gradient elution as a function of sample size 484 (1989) 409
- Cox, G.B., see Gentilucci, T.J. 461 (1989) 63
- Cox, G.B., see Snyder, L.R. 483 (1989) 63
- Cox, G.B., see Snyder, L.R. 483 (1989) 85
- Cox, G.B., see Snyder, L.R. 484 (1989) 425
- Cox, G.B., see Snyder, L.R. 484 (1989) 437
- Crabb, N., see Blessington, B. 454 (1988) 450
- Crabb, N., see Blessington, B. 469 (1989) 183
- Crabb, N., see Blessington, B. 483 (1989) 349
- Crabtree, D.V., Adler, A.J. and Handelman, G.J.
Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251
- Cracco, A.T., see Ferrari, V. 497 (1989) 101
- Cramer, S.M., see Subramanian, G. 484 (1989) 225
- Cramer, S.V., see Phillips, M.W. 454 (1988) 1
- Cramers, C., see Hetem, M. 477 (1989) 3
- Cramers, C., see Hetem, M. 479 (1989) 269
- Cramers, C., see Van Es, A. 477 (1989) 39
- Cramers, C.A.M.G., see Schoots, A.C. 497 (1989) 79
- Crane, M.S.J., see Nollstadt, K.H. 497 (1989) 87
- Crary, J.R., Cain-Janicke, K. and Wijayaratne, R.
External recycle chromatography: a practical method for preparative purifications 462 (1989) 85
- Creaser, C.S., Koupai-Abyazani, M.R. and Stephenson, G.R.
Capillary column GC of methyl and trimethylsilyl derivatives of some naturally occurring flavonoid aglycones and other phenolics 478 (1989) 415
- Crescentini, G., see Bruner, F. 473 (1989) 93
- Crescentini, G., see Mangani, F. 452 (1988) 527
- Crevel, G., see Chartier, F. 466 (1989) 331
- Crews, T., see Garland, W.A. 472 (1989) 250
- Cribbes, R.L., see Smillie, R.H. 455 (1988) 253
- Cristalli, M., see Fanali, S. 472 (1989) 441
- Cristofaro, R. De, see Castagnola, M. 494 (1989) 310
- Crombach, M., see Duchateau, A. 461 (1989) 419
- Crombach, M., see Duchateau, A. 471 (1989) 263
- Crommen, J., see Arvidsson, E. 461 (1989) 429
- Cross, R.F.
Narrow-bore HPLC separations of 22 sulfonamides 478 (1989) 422
- Croteau, R.B. and Satterwhite, D.M.
Method for radio-capillary GC employing a modified oxidation-reduction train and flow-through detector 500 (1990) 349

- Croteau, R.B., see Satterwhite, D.M. 452 (1988) 61
- Crow, J.A., see Foley, J.P. 478 (1989) 287
- Crumley, F.G., see Xu, S. 452 (1988) 377
- Cruz, L.A. and Jenke, D.R.
Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271
- Csató, E., see Szabó, G. 463 (1989) 345
- Cseko, J., see Sandor, A. 497 (1989) 250
- Cserháti, T., see Valkó, K. 499 (1990) 361
- Csillag, K., Vereczkey, L. and Gachályi, B.
Simple HPLC method for the determination of tolbutamide and its metabolites in human plasma and urine using photodiode-array detection 490 (1989) 355
- Csonka, G., see Lankmayr, E.P. 485 (1989) 557
- Cucchetti, E., see Fiorino, A. 476 (1989) 83
- Cucchiariini, L., see Magnani, M. 491 (1989) 215
- Cuchillo, C.M., see Burgos, F.J. 481 (1989) 233
- Cuchillo, C.M., see Guasch, A. 473 (1989) 281
- Cuchillo, C.M., see Serra, M.A. 479 (1989) 27
- Cuhra, P., see Hajšlová, J. 479 (1989) 243
- Čupić, S.D., see Kopečni, M.M. 462 (1989) 392
- Cygan, A., see Kostrowicki, J. 454 (1988) 340
- Cyronak, M.J., see Boppana, V.K. 487 (1989) 385
- Czejka, M.J., Jäger, W. and Schüller, J.
Mitomycin C determination using loop-column extraction: a rapid and sensitive HPLC assay for pharmacokinetic studies with Spherex starch particles 497 (1989) 336
- Czejka, M.J., see Georgopoulos, A. 494 (1989) 340
- Czinkotai, B., see Daood, H.G. 472 (1989) 296
- Czok, M., see Engelhardt, H. 458 (1988) 79
- Czok, M., see Jacobson, S. 484 (1989) 103
- Czupryna, M.J., see Saller, C.F. 487 (1989) 167
- D**
- Daas, I. Den, Rollema, H., De Vries, J.B., Tepper, P.G. and Horn, A.S.
Analysis of the dopamine agonist N-0437 in rat serum using reversed-phase HPLC with electrochemical detection 487 (1989) 210
- Dąbrowski, R., see Mazur, J. 455 (1988) 323
- Dadgar, D., see Kelly, M.T. 473 (1989) 53
- Dadoo, R., see Miller, C. 458 (1988) 255
- D'Agostino, P.A., Provost, L.R. and Looye, K.M.
Identification of tabun impurities by combined capillary column GC-MS 465 (1989) 271
- DaGue, B.B., see Caprioli, R.M. 480 (1989) 247
- Daignault, L.G., Jackman, D.C. and Rillema, D.P.
Behavior of simple salts on silica and C₁₈ columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71
- Dal Bo, L., see Ascalone, V. 490 (1989) 81
- Dalene, M., see Sandström, J.F. 479 (1989) 135
- Dalene, M., see Skarping, G. 454 (1988) 293
- Dalene, M., see Skarping, G. 479 (1989) 125
- Dalene, M., see Tiljander, A. 479 (1989) 145
- Daley-Yates, P.T., Gifford, L.A. and Hoggarth, C.R.
Assay of 1-hydroxy-3-aminopropylidene-1,1-bisphosphonate and related bisphosphonates in human urine and plasma by high-performance ion chromatography 490 (1989) 329
- Dalga, R.J. and Lambert, W.J.
Development of a polymer-based reversed-phase HPLC stability indicating assay for U-78608, an iron complexing monocarbam antibiotic 477 (1989) 427
- Dallenbach-Toelke, K., see Nyiredy, S. 499 (1990) 453
- Dalton, J.T., Geuns, E.R. and Au, J.L.-S.
HPLC determination of mitomycin C in rat and human plasma and urine 495 (1989) 330
- Dalton, T.J., see Shelly, D.C. 458 (1988) 267
- Damien, G., see Luijten, W. 474 (1989) 265
- Damme, F. Van, see Verzele, M. 471 (1989) 335
- Danehower, D.A., see Lawson, D.R. 463 (1989) 429
- Daniel-Ivad, J., see Lankmayr, E.P. 485 (1989) 557
- Dankers, J., see Macrae, P.V. 491 (1989) 439
- Dansette, P., see Azerad, R. 498 (1990) 293
- Daood, H.G., Czinkotai, B., Hoshcke, Á. and Biacs, P.
HPLC of chlorophylls and carotenoids from vegetables 472 (1989) 296
- Däppen, R., Karfunkel, H.R. and Leusen, F.J.J.
 π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101
- Däppen, R., Meyer, V.R. and Arm, H.
New insights into the recognition mechanisms

- of chiral "brush-type" LC stationary phases 464 (1989) 39
- D'Arpino, C., see Signoretti, E.C. 473 (1989) 301
- Darvas, F., see Valkó, K. 485 (1989) 349
- Das, D.K., see Cordis, G.A. 459 (1988) 229
- Das, D.K., see Samanta, A. 459 (1988) 221
- Dass, C., see Liu, D. 500 (1990) 395
- D'Athis, P., see Tsaconas, C. 487 (1989) 313
- Davankov, V.A., Kurganov, A.A. and Ponomareva, T.M.
Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309
- Davankov, V.A., Kurganov, A.A. and Unger, K.K.
Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519
- David, F., see Sandra, P. 477 (1989) 63
- David, P.A. and Novotny, M.
Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623
- David, P.A. and Novotny, M.
Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111
- Davídek, J., see Hajšlová, J. 479 (1989) 243
- Davídek, T., see Hajšlová, J. 479 (1989) 243
- Davidsson, P., Fredman, P. and Svennerholm, L.
Gangliosides and sulphatide in human cerebrospinal fluid: quantitation with immunoaffinity techniques 496 (1989) 279
- Davidsson, P., see Gottfries, J. 490 (1989) 263
- Davies, D.S., see Williams, J.A. 483 (1989) 454
- Davies, I.L., see Payne, K.M. 477 (1989) 161
- Davies, J., see Anspach, B. 457 (1988) 195
- Davies, P.A.
Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221
- Davis, A.T.
Assay for lysine-ketoglutarate reductase by reversed-phase HPLC 497 (1989) 263
- Davis, B.A.
Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects (Review) 466 (1989) 89
- Davis, B.A., see Boulton, A.A. 488 (1989) 129
- Davis, P.F., see Manning, J.N. 487 (1989) 41
- Davis, P.J., see Wong, Y.W.J. 469 (1989) 281
- Davis, P.P., see Fukuda, E.K. 491 (1989) 97
- Dawkins, H.J.S.
Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615
- Dawkins, J.V., Gabbott, N.P., Lloyd, L.L., McConville, J.A. and Warner, F.P.
Reversed-phase HPLC with a C₁₈ polyacrylamide-based packing 452 (1988) 145
- Dawson, B.A., see Black, D.B. 478 (1989) 244
- Dean, T.A. and Poole, C.F.
Some practical aspects of column design for packed-column SFC 468 (1989) 127
- De Beer, J.O.
On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 489 (1989) 139
- De Bernard, B., see Moro, L. 490 (1989) 285
- De Bersaques, J.P., see De Leenheer, A.P. 500 (1990) 637
- Debets, A.J.J., Frei, R.W., Hupe, K.-P. and Kok, W.T.
Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315
- De Boer, E., see Teerlink, T. 491 (1989) 418
- De Bokx, P.K., see Schoenmakers, P.J. 459 (1988) 201
- DeBot, S.A., Jezorek, J.R. and Hager, M.E.
LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249
- Dębowska, B., Samochocka, K., Przasnyski, M. and Sybilska, D.
Simultaneous determination of thiols and corresponding disulphides in mixtures by HPLC with polarographic detection using a Dual-Tast Analyser 455 (1988) 336
- De Bree, H., see Lammers, N. 496 (1989) 291
- Deckert, T., see Vidal, P. 476 (1989) 467
- De Cock, J., see Van Doorn, J.E. 489 (1989) 419
- Decottignies, P., see Le Maréchal, P. 477 (1989) 305
- Décourt, J.-L., Mouchel, B. and Lhomme, J.
Reversed-phase HPLC, a tool for the study of bichromophoric systems including polymethylene linking bridges 481 (1989) 461
- Decouvelaere, B., see Schmitt, P. 491 (1989) 495
- De Cristofaro, R., see Castagnola, M. 494 (1989) 310
- Défayes, G., Fritz, D.F., Görner, T., Huber, G., De Reyff, C. and Kováts, E.
Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139
- De Felip, E., Di Domenico, A. and Volpi, F.
GC-MS method to assess residues of 2-

- methyl-4-chlorophenoxyacetic acid in human urine 489 (1989) 404
- De Galan, L., see Bartha, A. 458 (1988) 371
- De Galan, L., see Bartha, A. 464 (1989) 225
- De Galan, L., see Billiet, H.A.H. 485 (1989) 27
- De Galan, L., see Herman, D.P. 463 (1989) 1
- De Galan, L., see Low, G.K.-C. 478 (1989) 21
- De Galan, L., see Strasters, J.K. 499 (1990) 499
- De Galan, L., see Strasters, J.K. 499 (1990) 523
- Degand, G., Schmitz, P. and Maghuin-Rogister, G.
Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235
- Degen, P.H., see Schneider, W. 488 (1989) 275
- DeGeorge, J.J., see Kusmierz, J. 497 (1989) 39
- De Goede, P.N.F.C., see De Kroon, I.F.I. 491 (1989) 107
- De Goeij, J.J.M., see Baldew, G.S. 491 (1989) 163
- De Goeij, J.J.M., see Baldew, G.S. 496 (1989) 111
- De Graaf, S.S.N., Riley-Stewart, C.A. and Evans, W.E.
Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501
- Degrell, I., see Nagy, E. 497 (1989) 276
- De Groot, G., Koops, R., Hogendoorn, E.A., Goewie, C.E., Savelkoul, T.J.F. and Van Vloten, P.
Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71
- De Guesquière, A., see Van Peteghem, C. 489 (1989) 219
- De Haan, A., see Van Doorn, J.E. 496 (1989) 441
- De Haan, J., see Hetem, M. 477 (1989) 3
- De Haan, J., see Hetem, M. 479 (1989) 269
- Dehelean, L., see Selinger, K. 493 (1989) 230
- De Jersey, J., see Winzor, D.J. 492 (1989) 377
- De Jong, A.P.J.M., see Van Ginkel, L.A. 489 (1989) 111
- De Jong, B.J., see Lammers, N. 496 (1989) 291
- De Jong, E.G., see Leloux, M.S. 488 (1989) 357
- De Jong, G.J. and Kwakman, P.J.M.
Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319
- De Jong, G.J., see Farjam, A. 452 (1988) 419
- De Jong, G.J., see Irth, H. 482 (1989) 317
- De Jong, G.J., see Irth, H. 491 (1989) 321
- De Jong, G.J., see Irth, H. 499 (1990) 617
- De Jong, G.J., see Kientz, C.E. 467 (1989) 385
- De Jong, G.J., see Kwakman, P.J.M. 459 (1988) 139
- De Jong, G.J., see Lipschitz, C. 471 (1989) 321
- De Jong, G.J., see Thiebaut, D. 477 (1989) 151
- Dekker, M., see Griest, W.H. 467 (1989) 423
- De Kraa, M.A.G., see Niessen, W.M.A. 474 (1989) 113
- De Kraa, M.A.G., see Niessen, W.M.A. 478 (1989) 325
- De Kroon, I.F.I., Langendijk, P.N.J. and De Goede, P.N.F.C.
Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107
- De Kruijf, N., Schouten, A., Rijk, M.A.H. and Pranoto-Soetardhi, L.A.
Determination of preservatives in cosmetic products. II. HPLC identification 469 (1989) 317
- Delaforge, M., see Azerad, R. 498 (1990) 293
- Delaney, T.E., see Pinkston, J.D. 474 (1989) 97
- Del Arco, A., see Montes, M. 481 (1989) 97
- Del Carmen Bañó, M., Braco, L. and Abad, C.
New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105
- Delcour, J.A., Vinkx, C.J.A., Vanhamel, S. and Block, G.G.A.G.
Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149
- De Leenheer, A.P., Lambert, W.E., De Bersaques, J.P. and Kint, A.H.
HPLC determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 500 (1990) 637
- De Leenheer, A.P., see Nelis, H.J.C.F. 452 (1988) 535
- Delgado, C., Tejedor, M.C. and Luque, J.
Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 498 (1990) 159
- De Ligny, C.L., see Gelsema, W.J. 498 (1990) 237
- De Ligny, C.L., see Gelsema, W.J. 498 (1990) 325
- Dellacherie, E., see Mathis, R. 474 (1989) 396
- Dellafera, S.S., see Wong, S.H.Y. 499 (1990) 601
- Dellamonica, E.S., see Jones, W.J. 455 (1988) 45

- Delmas, D., see Bechemin, C. 469 (1989) 399
- Delucas, L.J., see Meng, Q.C. 461 (1989) 271
- Delva, N., see Owen, J.A. 494 (1989) 135
- Demarco, A.C., see White, R.L. 483 (1989) 437
- De Mey, C., see Meineke, I. 493 (1989) 287
- Demian, I. and Gripshover, D.F.
Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and HPLC separation 466 (1989) 415
- Deming, S.N., Palasota, J.M., Lee, J. and Sun, L.
Computer-assisted optimization in HPLC method development 485 (1989) 15
- Deml, M., see Boček, P. 470 (1989) 309
- Deml, M., see Boček, P. 500 (1990) 673
- Deml, M., see Foret, F. 452 (1988) 601
- Deml, M., see Pospíchal, J. 470 (1989) 43
- Demnerová, K., see Adámek, V. 497 (1989) 268
- De Moerloose, P., see De Schutter, J.A. 465 (1989) 402
- Demotes-Mainaird, F.M., Vinçon, G.A., Jarry, C.H. and Albin, H.C.
Micro-method for the determination of roxithromycin in human plasma and urine by HPLC using electrochemical detection 490 (1989) 115
- Den Daas, I., Rollema, H., De Vries, J.B., Tepper, P.G. and Horn, A.S.
Analysis of the dopamine agonist N-0437 in rat serum using reversed-phase HPLC with electrochemical detection 487 (1989) 210
- Denissen, J.F.
Preparative separation of the enantiomers of the cholecystokinin antagonist (3S)-(±)-N-(2,3-dihydro-1-[(³H₃]methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by HPLC 462 (1989) 454
- Dent, M.R., see Price, G.J. 483 (1989) 1
- Dentshev, T., see Stoev, G. 454 (1988) 367
- De Ocampo, L.F., see El Rassi, A. 499 (1990) 141
- De Pablo, J., see Farran, A. 455 (1988) 163
- De Pozuelo, M.M., see Reuvers, T.B.A. 467 (1989) 321
- De Reyff, C., see Défayes, G. 500 (1990) 139
- Derguini, F., see Stalcup, A.M. 499 (1990) 627
- Dernovaya, L.I. and Eltekov, Y.A.
Retention and heats of adsorption of hydrocarbons and aliphatic alcohols on cellulose 455 (1988) 263
- Derrico, E.M., Bush, H. and Finnegan, P.M.
Dioxanyl hydroperoxide in preparative LC 461 (1989) 35
- Derrico, E.M., see Miller, L. 484 (1989) 259
- De Ruig, W.G., Stephany, R.W. and Dijkstra, G.
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89
- Desai, D.M., see Pianezzola, E. 495 (1989) 205
- Desaulniers, M., see Bleau, G. 487 (1989) 221
- Desbene, P.L., Desmazieres, B., Basselier, J.J. and Desbene-Monvernay, A.
Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305
- Desbene, P.L., Desmazieres, B., Basselier, J.J. and Desbene-Monvernay, A.
Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69
- Desbene-Monvernay, A., see Desbene, P.L. 461 (1989) 305
- Desbene-Monvernay, A., see Desbene, P.L. 465 (1989) 69
- Deschamps, N., see Ascalone, V. 490 (1989) 81
- De Schutter, J.A., D'Hont, A.-M. and De Moerloose, P.
Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402
- Deschuytere, P., see Van Look, L. 489 (1990) 213
- Descombe, J.-J., Doumont, G. and Picard, M.
Determination of exifone in human plasma and urine by HPLC with electrochemical detection 496 (1989) 345
- Desiderio, D.M., see Liu, D. 500 (1990) 395
- Desmarchelier, J.M., see Haddad, P.R. 461 (1989) 337
- Desmazieres, B., see Desbene, P.L. 461 (1989) 305
- Desmazieres, B., see Desbene, P.L. 465 (1989) 69
- De Smet, M., Musch, G., Peeters, A., Buydens, L. and Massart, D.L.
Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237
- De Smet, M., Peeters, A., Buydens, L. and Massart, D.L.
Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25
- De Smet, M., see Hindriks, R. 485 (1989) 255
- Dessalles, M.C., Vienne, B. and Mahuzier, G.
Determination of perphenazine in serum by LC (in French) 487 (1989) 215

- Deterding, L.J., see Moseley, M.A. 480 (1989) 197
- Deutsch, E., see Abdelnasser, M.A. 488 (1989) 463
- Devallez, B., Guion, J. and Cognet, G.
Non-steady pressure profiles in chromatographic columns 463 (1989) 153
- Deveaux, M., see Lacroix, B. 492 (1989) 109
- De Vijlder, J.J.M., see Kootstra, P.R. 458 (1988) 175
- Devinsky, F. and Gorrod, J.W.
Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347
- Devissaguet, M., see Tsacomas, C. 488 (1989) 249
- Devleeschouwer, N., see Chamart, S. 496 (1989) 365
- De Vos, D., see Emonds, A.J.G. 463 (1989) 445
- De Vos, R.H., see Heeremans, C.E.M. 472 (1989) 219
- De Vries, J.B., see Den Daas, I. 487 (1989) 210
- De Vries, J.X.
Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297
- De Vries, J.X. and Völker, U.
Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149
- De Waal, W.A.J., Kuiper, C.C.H.M., Maessen, F.J.M.J., Kraak, J.C., Wijnands, R. and Jonker, R.J.
Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115
- Dewaele, C., see Lammers, N.G.F.M. 499 (1990) 541
- Dewaele, C., see Nagels, L.J. 459 (1988) 163
- De Wit, J.S.M., Tomer, K.B. and Jorgenson, J.W.
Characterization of the direct-probe open-tubular LC-MS interface parameters 462 (1989) 365
- Dewit, J.S.M., see Escoffier, B.H. 474 (1989) 301
- Deyá, P.M., see García-Raso, A. 463 (1989) 441
- Deyl, Z. and Adam, M.
Separation methods for the study of collagen and treatment of collagen disorders 488 (1989) 161
- Deyl, Z., Rohlicek, V. and Adam, M.
Separation of collagens by capillary zone electrophoresis 480 (1989) 371
- Deyl, Z., see Hanis, T. 452 (1988) 443
- Deyl, Z., see Miksik, I. 500 (1990) 607
- Deyl, Z., see Rohlicek, V. 480 (1989) 289
- Deyl, Z., see Rohlíček, V. 494 (1989) 87
- Dezaro, D.A., see Springston, S.R. 473 (1989) 79
- De Zeeuw, R.A.
Modern chromatographic procedures in systematic toxicological analysis 488 (1989) 199
- De Zeeuw, R.A., Witte, D.T. and Franke, J.-P.
Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661
- De Zeeuw, R.A., see Gerding, T.K. 487 (1989) 125
- Dhanesar, S.C. and Gisch, D.J.
Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407
- Dhara, K.P., see Lewis, N.G. 479 (1989) 345
- D'Hont, A.-M., see De Schutter, J.A. 465 (1989) 402
- Dian, J., see Jelínek, I. 470 (1989) 113
- Diaz-Marot, A., Puigdellivol, E., Salvatella, C., Comellas, L. and Gassiot, M.
Determination of buspirone and 1-(2-pyrimidinyl)piperazine in plasma samples by HPLC 490 (1989) 470
- DiBiase, N., see Sherma, J. 463 (1989) 229
- Di Bitetto, M., see Gobetti, M. 467 (1989) 327
- DiBussolo, J.M., see Miller, N.T. 499 (1990) 317
- Dick, R., see Zimmerli, B. 462 (1989) 406
- Dickerson, J.P., see Hester, R.D. 462 (1989) 3
- Di Corcia, A., see Battista, M. 454 (1988) 233
- Di Domenico, A., see De Felip, E. 489 (1989) 404
- Diehl, J.W., see Olson, E.S. 468 (1989) 309
- Diesis, E., see Gesquiere, J.C. 478 (1989) 121
- Dietz, J.M., see Schmitz, H.H. 479 (1989) 261
- Dietz, M.L., see Thormann, W. 461 (1989) 95
- Dietzel, K., see Geisslinger, G. 491 (1989) 139
- Diez, M.A., Fañanas, F.J., Blanco, C.G. and Bermejo, J.
Separation and characterization of methylcyclopentadiene dimers by GC and molecular spectroscopy 464 (1989) 93
- Dijkstra, G., see De Ruig, W.G. 489 (1989) 89
- Dijkstra, G.R., see Zweipfenning, P.G.M. 456 (1988) 83
- DiLeo, E.M., see Hsu, R.S. 494 (1989) 347
- Dilli, S., Haddad, P.R. and Htoon, A.K.
Further studies of diethylthiocarbamate complexes by HPLC 500 (1990) 313

- Dilli, S., see Haddad, P.R. 461 (1989) 337
- Di Milia, M.G., see Bertol, E. 466 (1989) 384
- Dimitrov, C., see Gavrilova, T.B. 454 (1988) 73
- Dimov, N. and Mekenyan, O.
Quantitative relationships between the structure of alkylbenzenes and their GC retention on stationary phases with different polarity 471 (1989) 227
- Dimov, N. and Milina, R.
Precalculation of GC retention indices of linear 1-halogenoalkanes 463 (1989) 159
- Di Muccio, A., Ausili, A., Camoni, I., Dommarco, R., Rizzica, M. and Vergori, F.
Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149
- Di Muccio, A., Rizzica, M., Ausili, A., Camoni, I., Dommarco, R. and Vergori, F.
Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143
- D'Incalci, M., see Montaldo, P.G. 491 (1989) 129
- Dingenen, J. and Plum, A.
Retention behaviour of some classes of pharmaceutical products on chemically modified TLC plates 475 (1989) 95
- Dios, C.G., see Sánchez-Rasero, F. 479 (1989) 424
- Discenza, C., see Selinger, K. 491 (1989) 248
- Dittamo, M., see Sherma, J. 463 (1989) 229
- Dittmar, B.M., see Ramsey, R.S. 468 (1989) 167
- Dixon, D.W., Amis, L., Kim, M.S. and Callahan, J.
Characterization and purification of iron porphyrins by HPLC and CC 462 (1989) 411
- Djordjevic, N.M., see Lankmayr, E.P. 485 (1989) 183
- Do, L. and Raulin, F.
Gas chromatography of Titan's atmosphere. I. Analysis of low-molecular-weight hydrocarbons and nitriles with a PoraPLOT Q porous polymer coated open-tubular capillary column 481 (1989) 45
- Do, U.H., Ahern, D.G., Iles, J., Maniscalco, M. and Tutunjian, M.
Specific radioactivity determination of labeled eicosanoids 489 (1989) 359
- Dobashi, A., Dobashi, Y., Ono, T., Hara, S., Saito, M., Higashidate, S. and Yamauchi, Y.
Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121
- Dobashi, A., Ono, T., Hara, S. and Yamaguchi, J.
Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413
- Dobashi, Y., see Dobashi, A. 461 (1989) 121
- Dobransky, T., Sova, O. and Teleha, M.
Application of autofocusing in the isolation of peroxidase 474 (1989) 430
- Doehl, J. and Greibrokk, T.
Identification of reaction products from the pyridinium dichromate derivatization of prostaglandins by HPLC and direct chemical ionization MS 477 (1989) 345
- Dohnal, J., see Jelınek, I. 464 (1989) 139
- Dolan, J.W., Lommen, D.C. and Snyder, L.R.
Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91
- Dolan, J.W., see Cox, G.B. 484 (1989) 409
- Dolan, J.W., see Snyder, L.R. 483 (1989) 63
- Dolan, J.W., see Snyder, L.R. 484 (1989) 425
- Dolan, J.W., see Snyder, L.R. 484 (1989) 437
- Dolan, J.W., see Snyder, L.R. 485 (1989) 65
- Dolce, K.M., see Boppana, V.K. 487 (1989) 385
- Dolezal, M. and Hradec, J.
Micropreparative separation of transfer ribonucleic acids by HPLC 463 (1989) 409
- Dolle, R.E., see Camilleri, P. 482 (1989) 258
- Dolnik, V., Liu, J., Banks, Jr., J.F., Novotny, M.V. and Bocek, P.
Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321
- Dombek, V. and Stransky, Z.
Study of alkaline hydrolysis of the insecticide alphamethrine by isotachophoretic determination of decomposition products 470 (1989) 235
- Dombrovskis, D., see Singh, A.K. 479 (1989) 233
- Domenico, A. Di, see De Felip, E. 489 (1989) 404
- Domnguez-Gil, A., see Calvo, M.B. 490 (1989) 206
- Dommarco, R., see Di Muccio, A. 456 (1988) 143
- Dommarco, R., see Di Muccio, A. 456 (1988) 149
- Dondi, F., Gianferrara, T., Reschiglian, P., Pietrogrande, M.C., Ebert, C. and Linda, P.
Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631
- Dondi, F., Grassini-Strazza, G., Kahie, Y.D., Lodi, G., Pietrogrande, C., Reschiglian, P. and Bigghi, C.

- Comparison of reversed-phase TLC and HPLC of flavonoid compounds 462 (1989) 205
- Dondi, F., Kahie, Y.D., Lodi, G., Blo, G., Pietrogrande, C. and Reschiglian, P. Solvent selectivity effects in reversed-phase HPLC of flavonoid compounds 461 (1989) 281
- Dondi, F., see Pietrogrande, M.C. 471 (1989) 407
- Dong, M.W. and Tran, A.D. Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125
- Donovan, T.J., see Wedzicha, B.L. 478 (1989) 217
- Doorn, J.E. Van, De Cock, J., Kežić, S. and Monster, A.C. Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419
- Doorn, J.E. Van, Goormachtig, P.F.J. and De Haan, A. Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441
- Doornbos, D.A., see Coenegracht, P.M.J. 485 (1989) 195
- Doornbos, D.A., see Smilde, A.K. 485 (1989) 169
- Dorizza, R., see Tagliaro, F. 488 (1989) 215
- Dorland, P., Tod, M., Postaire, E. and Pradeau, D. Indirect detection of inorganic anions by HPLC: use of papaveralidium as an UV absorbing agent 478 (1989) 131
- Dörner, T., Gagelmann, M., Hock, D., Herbst, F. and Forssmann, W.-G. Separation of synthetic cardiodilatin/atrial natriuretic factor and related peptides by reversed-phase HPLC 490 (1989) 411
- Dorschel, C., see Chou, T.-Y. 454 (1988) 169
- Dorsey, J.G., see Michels, J.J. 457 (1988) 85
- Dorsey, J.G., see Michels, J.J. 499 (1990) 435
- Dorsey, J.G., see Sentell, K.B. 455 (1988) 95
- Dorsey, J.G., see Sentell, K.B. 461 (1989) 193
- Dossena, A., see Palla, G. 475 (1989) 45
- Doster, D.E. and Zentner, M. Separation of thiodiglycol polyethers and related compounds by reversed-phase HPLC 461 (1989) 293
- Dotzauer, A., see Liebich, H.M. 468 (1989) 157
- Dou, L. and Krull, I.S. Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685
- Doublik, J., see Hoeger, C. 484 (1989) 307
- Dougherty, D.A., Zeece, M.G., Wehling, R.L. and Partridge, J.E. High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359
- Douglas, J.B., see Brown, Y.L. 459 (1988) 275
- Doumont, G., see Descombe, J.-J. 496 (1989) 345
- Douse, J.M.F. Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178
- Dovich, N.J., see Wu, S. 480 (1989) 141
- Dowling, J.J., Evans, M.B. and Haken, J.K. GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355
- Downer, R.G.H., see Martin, R.J. 487 (1989) 287
- Drabowicz, J., Kotyński, A., Kudzin, Z.H. and Skowroński, R. Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by TLC 473 (1989) 287
- Drake, A.F., Fung, M.A. and Simpson, C.F. Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159
- Drake, P.A., see Lamb, J.D. 482 (1989) 367
- Draper, W.M., see Brown, F.R. 479 (1989) 441
- Dratz, E.A., see Miercke, L.J.W. 483 (1989) 331
- Drawert, F., see Nitz, S. 471 (1989) 173
- Drechou, A., Perez-Gonzalez, N., Biou, D., Rouzeau, J.D., Feger, J. and Durand, G. One-step purification of rat plasma α_1 -acid glycoprotein by antibody affinity chromatography: application to normal and inflamed rat sera 489 (1989) 273
- Drenth, B.F.H., see Gerding, T.K. 487 (1989) 125
- Dressler, M. and Cigánek, M. Effect of particle treatment of composite filler on its interaction coefficient 462 (1989) 155
- Dreux, M., see Nizery, D. 467 (1989) 49
- Dreux, M., see Walczak, B. 464 (1989) 237
- Drevin, I., Larsson, L. and Johansson, B.-L. Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337

- Driscoll, J.N. and Berger, A.W.
Improved flame photometric detector for the analysis of sulfur compounds by GC 468 (1989) 303
- Drouet-Coassolo, C., Aubert, C., Coassolo, P. and Cano, J.-P.
Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295
- Droz, J., see Vejrosta, J. 464 (1989) 394
- Druet, O., see Garrigues, P. 473 (1989) 207
- Drummer, O.H., see Cosolo, W. 494 (1989) 201
- Dube, S., see Vohra, R.M. 477 (1989) 463
- Dubin, P.L. and Principi, J.M.
Optimization of size-exclusion separation of proteins on a Superose column 479 (1989) 159
- Dubin, P.L., see Strege, M.A. 463 (1989) 165
- Düblin, T. and Thöne, H.J.
Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233
- Dubois, J.P., see Lecaillon, J.B. 497 (1989) 223
- Dubois, J.P., see Rouan, M.C. 456 (1988) 45
- Dubois, J.P., see Sioufi, A. 487 (1989) 81
- Dubois, J.P., see Sioufi, A. 494 (1989) 361
- Dubois, J.P., see Sioufi, A. 495 (1989) 195
- Duc, B.W. Le, Greenblatt, D.J. and Friedmann, H.
Automated HPLC analysis of tetracycline in urine 490 (1989) 474
- Duchateau, A., Crombach, M., Aussems, M. and Bongers, J.
Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419
- Duchateau, A., Crombach, M., Kamphuis, J., Boesten, W.H.J., Schoemaker, H.E. and Meijer, E.M.
Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263
- Duchateau, G.S.M.J.E., see Macrae, P.V. 491 (1989) 439
- Duffield, A.M., Jamieson, D.D., Lidgard, R.O., Duffield, P.H. and Bourne, D.J.
Identification of some human urinary metabolites of the intoxicating beverage kava 475 (1989) 273
- Duffield, A.M., see Reilly, P.J. 498 (1990) 35
- Duffield, P.H., see Duffield, A.M. 475 (1989) 273
- Dugal, R., see Cooper, S.F. 489 (1989) 65
- Dugal, R., see Massé, R. 489 (1989) 23
- Dugal, R., see Massé, R. 497 (1990) 17
- Dugan, M.E.R., Sauer, W.C. and Robinson, P.H.
Cellulose clean-up and HPLC of DL-diaminopimelic acid in hydrolysates of physiological samples 496 (1989) 430
- Duigou, F. Le, see Lecaillon, J.B. 497 (1989) 223
- Đulák, K., see Petro, M. 462 (1989) 426
- Dumasia, M.C., see Houghton, E. 479 (1989) 73
- Dumont, P., see Gonçalves, J.C.S. 494 (1989) 389
- Dunagan, F., see Boutagy, J. 487 (1989) 483
- Dunand, N., see Mulholland, M. 485 (1989) 283
- Dunand, N., see Schoenmakers, P.J. 485 (1989) 219
- Dunning, L.K., see Osman, M.A. 489 (1989) 452
- Dunning, L.K., see Osman, M.A. 496 (1989) 478
- Dunphy, M.J. and Smith, D.J.
Quantitation of N,N,N',N'-tetrakis(2-hydroxypropyl)ethylenediamine in plasma by GC 488 (1989) 369
- Dunphy, M.J., see Fulton, J.A. 455 (1988) 183
- Dunphy, R., see Motto, M.G. 481 (1989) 255
- Duong, H.T., see Renzi, N.L. 462 (1989) 398
- Durand, A., see Krstulović, A.M. 452 (1988) 477
- Durand, G., see Drechou, A. 489 (1989) 273
- Durden, D.A., see Boulton, A.A. 488 (1989) 129
- Durkin, M.M., see Kogan, M.J. 490 (1989) 236
- Durrer, A., Walther, B., Racciatti, A. and Testa, B.
Convenient method for the analysis of nicotinic acid as a metabolite of nicotinate esters in various tissue homogenates 495 (1989) 256
- Du Souich, P., see Ong, H. 497 (1989) 213
- Dussini, N., see Ferrari, V. 497 (1989) 101
- Duteurtre, X., see Jadaud, P. 464 (1989) 333
- Duyn, P. Van, see Van Welie, R.T.H. 496 (1989) 463
- Dyke, C., see Camilleri, P. 477 (1989) 471
- Dyke, C.A., see Camilleri, P. 498 (1990) 414
- Dziwiński, E., see Szymanowski, J. 455 (1988) 119
- Dziwiński, E., see Szymanowski, J. 455 (1988) 131
- Dziwiński, E., see Szymanowski, J. 469 (1989) 197

E

- Eades, D.M., Williamson, J.R. and Sherman, W.R.
Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1
- Eadie, M.J., see Herkes, G.K. 496 (1989) 147
- Ebata, T., see Tanaka, N. 475 (1989) 195
- Ebdon, L., see Williams, T. 482 (1989) 361
- Ebert, C., see Dondi, F. 485 (1989) 631
- Ebihara, A., see Nakashima, H. 489 (1989) 425
- Ebling, W.F., Mills-Williams, L., Harapat, S.R. and Stanski, D.R.
HPLC method for determining thiopental concentrations in twelve rat tissues: application to physiologic modeling of disposition of barbiturate 490 (1989) 339
- Eckert, H., see Müller, H. 479 (1989) 452
- Ede, J. Van, Nijmeijer, J.R.J., Welling-Wester, S., Örvell, C. and Welling, G.W.
Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319
- Edholm, L.-E., see Walhagen, A. 473 (1989) 371
- Edholm, L.-E., see Walhagen, A. 474 (1989) 257
- Edkins, T.J. and Shelly, D.C.
Enhanced performance of a laser-induced fluorescence LC apparatus: a systems approach 459 (1988) 109
- Edkins, T.J., see Shelly, D.C. 458 (1988) 267
- Edlund, P.O., Bowers, L., Henion, J. and Covey, T.R.
Rapid determination of methandrostenolone in equine urine by isotope dilution LC-tandem MS 497 (1989) 49
- Edlund, P.O., Bowers, L. and Henion, J.
Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341
- Edlund, P.O., see Chichila, T.M.P. 488 (1989) 389
- Edmonds, C.G., Loo, J.A., Barinaga, C.J., Udseth, H.R. and Smith, R.D.
Capillary electrophoresis-electrospray ionization-MS 474 (1989) 21
- Edmonds, C.G., see Smith, R.D. 480 (1989) 211
- Edwards, D., see Vekey, K. 488 (1989) 73
- Edwards, D.M.F., see Vékey, K. 474 (1989) 317
- Edwards, G., see Idowu, O.R. 493 (1989) 125
- Edwards, G., see Idowu, O.R. 495 (1989) 167
- Edwards, I.R., see Mason, R.W. 491 (1989) 468
- Edwards, R.J., Carter, N.D., Jeffery, S. and Yates, S.
Purification of human muscle phosphoglycerate mutase by fast protein LC based on hydrophobic interactions 490 (1989) 424
- Eganhouse, R.P., see Sherblom, P.M. 454 (1988) 37
- Egeler, E., see Jacob, K. 468 (1989) 329
- Egen, N.B., see Wenger, P. 455 (1988) 225
- Egestad, B., see Marschall, H.-U. 452 (1988) 459
- Egestad, B., see Uusijärvi, J. 488 (1989) 87
- Egli, T., see Schneider, R.P. 462 (1989) 293
- Eglinton, G., see Kaur, S. 473 (1989) 135
- Egoville, M.J., see Jones, W.J. 455 (1988) 45
- Ehninger, G., see Schleyer, E. 497 (1989) 109
- Eichinger, H.M., see Seewald, M. 469 (1989) 271
- Eidhof, H., see Brunnekreeft, J.W.I. 491 (1989) 89
- Eikelboom, G.G., see Van der Horst, F.A.L. 456 (1988) 191
- Einarsson, Ö., Gorczak, J., Lundmark, B.-O. and Palmqvist, U.
Computerized capillary GC analysis of hydrocarbon mixtures in workplace air 498 (1990) 381
- Eisenbeiss, F., see Seliger, H. 476 (1989) 49
- Eisenberg, E.J., Patterson, W.R. and Kahn, G.C.
HPLC method for the simultaneous determination of the enantiomers of carvedilol and its O-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105
- Ekberg, B., see O'Shannessy, D.J. 470 (1989) 391
- Ekman, L., Lindström, B. and Roxin, P.
Determination of tacrine and its 1-hydroxy metabolite in plasma using column LC with UV detection 494 (1989) 397
- Eksborg, S. and Nilsson, B.
Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 488 (1989) 427
- El-Ahmad, T., see Fayyad, M. 481 (1989) 439
- Elderfield, A.J., Truscott, R.J.W., Gan, I.E.T. and Schier, G.M.
Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71
- Elias, R., see Vidal-Ollivier, E. 463 (1989) 227

- Elizarov, S.M.
Application of fast protein LC for the isolation of vertebrate casein kinase-1 477 (1989) 448
- Elk, R. Van, see Li, K.W. 472 (1989) 445
- Ellegren, H. and Låås, T.
SEC of DNA restriction fragments. Fragment length determinations and a comparison with the behaviour of proteins in SEC 467 (1989) 217
- Ellenson, W.D., see Thompson, D.J. 485 (1989) 607
- Ellerbroek, L. and Bruhn, M.
Determination of flumequine in biological fluids and meat by HPLC 495 (1989) 314
- Elliger, S.S. and Watson, G.
Method for the determination of the specific activities of UTP and CTP in mouse kidney by HPLC 495 (1989) 249
- Ellingsen, Y., see Langseth, W. 478 (1989) 269
- Ellis, D.B., see Hsu, R.S. 494 (1989) 347
- Ellis, P.P., see Wu, P.-Y. 494 (1989) 368
- El Rassi, A., De Ocampo, L.F. and Bacolod, M.D.
Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141
- El Rassi, Z., Horváth, C., Yu, R.K. and Ariga, T.
HPLC of sialooligosaccharides and gangliosides 488 (1989) 229
- El Rassi, Z., see Corradini, D. 458 (1988) 1
- El Rassi, Z., see Maa, Y.-F. 452 (1988) 331
- El Rassi, Z., see Melander, W.R. 469 (1989) 3
- El Tayar, N., Marston, A., Bechalany, A., Hostettmann, K. and Testa, B.
Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91
- El Tayar, N., see Bechalany, A. 473 (1989) 115
- Eltekov, Y.A., see Dernovaya, L.I. 455 (1988) 263
- Elvidge, D.A., Johnson, G.W. and Harrison, J.R.
Selective, stability-indicating assay of the major Ipecacuanha alkaloids, emetine and cephaeline, in pharmaceutical preparations by HPLC using spectrofluorimetric detection 463 (1989) 107
- Embree, L. and McErlane, K.M.
Development of an HPLC post-column fluorogenic assay for digoxin in serum 496 (1989) 321
- Emery, M.F. and Lim, C.K.
Separation of cationic technetium-99m amine complexes on porous graphitic carbon 479 (1989) 212
- Emmelin, M., see Félix, G. 461 (1989) 347
- Emonds, A.J.G. and De Vos, D.
Analysis of mucin by isotachopheresis 463 (1989) 445
- Endo, M., Mizutani, T., Matsumura, M., Moriyasu, M., Ichimaru, M., Kato, A. and Hashimoto, Y.
HPLC determination of hinokitiol in cosmetics by the formation of difluoroborane compounds 455 (1988) 430
- Engel, K.-H., Flath, R.A., Albrecht, W. and Tressl, R.
GC separation of diastereomeric dicarbamate derivatives of γ - and δ -lactones 479 (1989) 176
- Engelhardt, H., Appelt, G. and Schweinheim, E.
Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165
- Engelhardt, H., Czok, M., Schultz, R. and Schweinheim, E.
Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79
- Engelhardt, H., Gross, A., Mertens, R. and Petersen, M.
HPLC columns and stationary phases in SFC 477 (1989) 169
- Engelman, R.M., see Cordis, G.A. 459 (1988) 229
- Engewald, W., see Matisová, E. 475 (1989) 113
- Engewald, W., see Maurer, T. 471 (1989) 245
- English, S., see Greenaway, W. 481 (1989) 352
- Enjalbert, F., Bourrier, M.J. and Andary, C.
Assay for the main phallotoxins in *Amanita phalloides* Fr. by direct fluorimetry on thin-layer plates 462 (1989) 442
- Enquist, M. and Hermansson, J.
Comparison between two methods for the determination of the total and free (*R*-) and (*S*-)disopyramide in plasma using an α_1 -acid glycoprotein column 494 (1989) 143
- Ensminger, W.D., see Stetson, P.L. 464 (1989) 163
- Epstein, R.L., see Chichila, T.M.P. 488 (1989) 389
- Eray, B., see Giesche, H. 465 (1989) 39
- Érchevyi, J., see Vadász, Z. 477 (1989) 377
- Erđin, R., see Timm, U. 456 (1988) 21
- Erdman, Jr., J.W., see Schmitz, H.H. 479 (1989) 261
- Erdmann, G.R., Gruber, S.A., McGuiggan, M.M., Cipolle, R.J. and Canafax, D.M.
Determination of mizoribine in plasma using ion-pair HPLC 494 (1989) 354

- Eriksson, B.-M. and Persson, B.-A.
Determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in plasma by direct injection in coupled-column LC with electrochemical detection 459 (1988) 351
- Eriksson, K.-O., see Hjertén, S. 481 (1989) 175
- Erlandsson, P., Isaksson, R., Nilsson, I. and Wold, S.
Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364
- Erlandsson, P. and Nilsson, S.
Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35
- Erlandsson, P., see Andersson, S. 498 (1990) 81
- Erlandsson, P., see Isaksson, R. 498 (1990) 257
- Erni, F., see Steuer, W. 454 (1988) 253
- Erni, F., see Steuer, W. 500 (1990) 469
- Es, A. Van, Rijks, J. and Cramers, C.
Turbulent flow in capillary GC 477 (1989) 39
- Escoffier, B.H., Parker, C.E., Mester, T.C., Dewit, J.S.M., Corbin, F.T., Jorgensen, J.W. and Tomer, K.B.
Comparison of open-tubular LC-MS and direct liquid introduction LC-MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301
- Escricut, C., see Alary, J. 496 (1989) 485
- Esser, U., see Giesche, H. 465 (1989) 39
- Esser, U., see Jilge, G. 476 (1989) 37
- Ethier, J.C., see By, A. 469 (1989) 406
- Ettre, L.S.
1963-1988: Twenty-five years of international symposia on advances in chromatography 468 (1989) 1
- Euerby, M.R.
Effect of differing thiols on the reversed-phase HPLC behaviour of *o*-phthalaldehyde-thiol-amino acids 454 (1988) 398
- Euerby, M.R., Nunn, P.B. and Partridge, L.Z.
Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde chiral thiols. Application to ω -N-oxalyl diamino acids 466 (1989) 407
- Euerby, M.R., Partridge, L.Z. and Gibbons, W.A.
Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthalaldehyde and new chiral thiols 483 (1989) 239
- Euerby, M.R., Partridge, L.Z. and Nunn, P.B.
Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412
- Evans, C.D., see Jones, G.D. 497 (1989) 121
- Evans, C.E., Shabushnig, J.G. and McGuffin, V.L.
Experimental and theoretical model of refractive index artifacts in absorbance detection 459 (1988) 119
- Evans, C.E., see Brown, R.C. 497 (1989) 360
- Evans, C.E., see Hoskins, J.A. 490 (1989) 439
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373
- Evans, M.B. and Haken, J.K.
Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217
- Evans, M.B. and Haken, J.K.
Recent developments in the GC retention index scheme (Review) 472 (1989) 93
- Evans, M.B., Smith, M.S. and Oxford, J.M.
Use of a stop-flow technique to study on-column decomposition in SFC 479 (1989) 170
- Evans, M.B., see Dowling, J.J. 500 (1990) 355
- Evans, W.E., see De Graaf, S.S.N. 491 (1989) 501
- Everaerts, F.M., see Beckers, J.L. 452 (1988) 591
- Everaerts, F.M., see Beckers, J.L. 470 (1989) 277
- Everaerts, F.M., see Beckers, J.L. 480 (1989) 69
- Everaerts, F.M., see Gladdines, M.M. 470 (1989) 105
- Everaerts, F.M., see Van de Goor, A.A.A.M. 470 (1989) 95
- Everaerts, F.M., see Verheggen, T.P.E.M. 452 (1988) 615
- Everaerts, F.M., see Wanders, B.J. 470 (1989) 79
- Everaerts, F.M., see Wanders, B.J. 470 (1989) 89
- Everaerts, F.M., see Zelenský, I. 470 (1989) 155
- Everett, D.W., Foley, J.E., Singhvi, S.M., Weinstein, S.H. and Warrington, S.J.
HPLC method for the radiometric determination of [14 C]bucromarone in human

- plasma utilizing non-radiolabeled
bucromarone as an internal standard 487
(1989) 365
- Evershed, R.P., see Kaur, S. 473 (1989) 135
- Ewing, A.G., see Olefirowicz, T.M. 499 (1990)
713
- Excoffier, J.-L., see Williams, S.S. 485 (1989) 267
- Exner, T., see Tseng, A. 474 (1989) 424
- Ezawa, T., see Nakai, S. 479 (1989) 459
- F**
- Fabián-Varga, K., see Gazdag, M. 454 (1988) 95
- Facchine, K.L., see Motto, M.G. 481 (1989) 255
- Facchini, V., see Jones, G.D. 497 (1989) 121
- Facino, R.M., see Pietta, P. 478 (1989) 259
- Fadeev, A.Y. and Staroverov, S.M.
Calculation of the characteristics of the
bonded layers of reversed stationary phases
465 (1989) 233
- Fadool, D.A., Cobb, S.J., Kass-Simon, G. and
Brown, P.R.
LC procedures for the analysis of compounds
in the serotonergic and octoptamine pathways
of lobster hemolymph 452 (1988) 491
- Faggian, D., see Plebani, M. 476 (1989) 93
- Fagioli, F., see Torsi, G. 482 (1989) 207
- Falk, O., see Jacobsson, S. 479 (1989) 194
- Fanali, S.
Host-guest complexation in capillary
isotachophoresis. II. Determination of
aminophenol and diamminobenzene isomers in
permanent hair colorants by using capillary
isotachophoresis 470 (1989) 123
- Fanali, S.
Separation of optical isomers by capillary
zone electrophoresis based on host-guest
complexation with cyclodextrins 474 (1989)
441
- Fanali, S., Cristalli, M. and Quaglia, M.G.
Determination of rubidium, sodium, calcium
and thiamine in a pharmaceutical preparation
by capillary isotachophoresis 472 (1989) 441
- Fanali, S., see Foret, F. 470 (1989) 299
- Fanali, S., see Quaglia, M.G. 456 (1988) 435
- Fañanas, F.J., see Diez, M.A. 464 (1989) 93
- Fanelli, R., see Chiabrando, C. 495 (1989) 1
- Fang, Q.C., see Lee, Y.W. 477 (1989) 434
- Fang, Q.C., see Zhang, T.-Y. 454 (1988) 185
- Farina, A.M., see Quaglia, M.G. 456 (1988) 435
- Farjam, A., De Jong, G.J., Frei, R.W., Brinkman,
U.A.T., Haasnoot, W., Hamers, A.R.M.,
Schilt, R. and Huf, F.A.
Immunoaffinity pre-column for selective on-
line sample pre-treatment in HPLC
determination of 19-nortestosterone 452
(1988) 419
- Farjam, A., see Haasnoot, W. 489 (1989) 157
- Farkas, G., see Vigh, G. 484 (1989) 237
- Farkas, G., see Vigh, G. 484 (1989) 251
- Farkaš, P., Soják, L., Kováč, M. and Janák, J.
Interface adsorption and reproducibility of
retention indices in glass capillary columns
with dimethylpolysiloxane stationary phases
cross-linked by γ -irradiation 471 (1989) 251
- Farran, A., De Pablo, J. and Barceló, D.
Identification of organophosphorus
insecticides and their hydrolysis products by
liquid chromatography in combination with
UV and thermospray-MS detection 455
(1988) 163
- Faulkner, R., see Nuernberg, B. 487 (1989) 476
- Faulkner, Jr., J.R., see Armstrong, D.W. 452
(1988) 323
- Faupel, M., see Righetti, P.G. 475 (1989) 293
- Faupel, M., see Righetti, P.G. 500 (1990) 681
- Faure, A., see Félix, G. 461 (1989) 347
- Fay, L., Michel, G., Goupit, P., Harpey, C. and
Prost, M.
Determination of trimetazidine in biological
fluids by GC-MS 490 (1989) 198
- Fay, L., see Michel, G. 493 (1989) 188
- Fayyad, M., Alawi, M. and El-Ahmad, T.
HPLC determination of phenoxyalkanoic
acid herbicides using iron(II) 1,10-
phenanthroline as a mobile phase additive
481 (1989) 439
- Febles, M., see Tápanes, R.D. 493 (1989) 202
- Fedi, M., see Agostini, O. 487 (1989) 331
- Fedorchuk, M., see Schmitthenner, H.F. 487
(1989) 197
- Feely, M., see Peaker, S. 497 (1989) 308
- Feger, J., see Drechou, A. 489 (1989) 273
- Felder, R.A., see Kinter, M. 496 (1989) 201
- Felip, E. De, Di Domenico, A. and Volpi, F.
GC-MS method to assess residues of 2-
methyl-4-chlorophenoxyacetic acid in human
urine 489 (1989) 404
- Félix, G., Thienpont, A., Emmelin, M. and Faure,
A.
Hydrocarbon group type analysis of

- petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347
- Felix, G., see Walczak, B. 464 (1989) 237
- Fell, A.F., see Bridge, T.P. 465 (1989) 59
- Fell, A.F., see Cook, A.P. 467 (1989) 395
- Fell, A.F., see Wright, A.G. 458 (1988) 335
- Fell, A.F., see Wright, A.G. 464 (1989) 27
- Feltes, J., see Böhm, H.B. 478 (1989) 399
- Felzl, L., see Kohoutová, A. 471 (1989) 139
- Fenelonov, V.B., see Zheivot, V.I. 472 (1989) 155
- Fennessee, P.V., see Harrison, L.M. 489 (1989) 121
- Feringa, B.L., see Blink, A. 467 (1989) 285
- Fernandes, R., see Wong, S.H.Y. 499 (1990) 601
- Fernández, P., Porte, C., Barceló, D., Bayona, J.M. and Albaigés, J.
Selective enrichment procedures for the determination of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples by GPC 456 (1988) 155
- Fernández-Díaz, M., see García-Raso, A. 471 (1989) 205
- Fernández-Sánchez, E., Fernández-Torres, A., García-Domínguez, J.A., Santiuste, J.M. and Pertierra-Rimada, E.
Solubility parameters of GC mixed stationary phases 457 (1988) 55
- Fernández-Sánchez, E., García-Domínguez, J.A., Menéndez, V. and Santiuste, J.M.
Programmed-temperature retention indices. A survey of calculation methods 498 (1990) 1
- Fernández-Torres, A., see Fernández-Sánchez, E. 457 (1988) 55
- Ferrari, V., Giordano, G., Cracco, A.T., Dussini, N., Chianetti, L. and Zucchello, F.
Determination of urinary orotate excretion by HPLC 497 (1989) 101
- Ferrario, P., see Zecca, L. 495 (1989) 303
- Ferraz, C., see Liautard, J. 454 (1988) 195
- Ferraz, C., see Liautard, J. 476 (1989) 439
- Fetzer, J.C., see Jinno, K. 461 (1989) 209
- Fevry, J., see Heirwegh, K.P.M. 496 (1989) 1
- Fielden, P.R. and Packham, A.J.
Selective determination of benzo[*a*]pyrene in petroleum-based products using multi-column LC 479 (1989) 117
- Fields, S.M., Grether, H.-J. and Grolimund, K.
Analysis of organic isocyanates using capillary supercritical-fluid chromatography 472 (1989) 175
- Fields, S.M. and Grolimund, K.
Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197
- Figini, G., see Gianesello, V. 473 (1989) 343
- Filfil, N.T., see Janini, G.M. 469 (1989) 43
- Filser, J.G., Koch, S., Fischer, M. and Müller, W.E.
Determination of urinary 3-methoxy-4-hydroxyphenylethylene glycol and its conjugates by HPLC with electrochemical and UV absorbance detection 493 (1989) 275
- Finardi, G.P., see Springolo, V. 490 (1989) 224
- Findlay, J.W.A., see Chang, S.Y. 497 (1989) 288
- Finlinson, A.C., see Tarbet, B.J. 473 (1989) 103
- Finnegan, P.M., see Derrico, E.M. 461 (1989) 35
- Finney, R.W. and Read, H.
Laser microprobe MS of selected compounds directly from normal phase high-performance thin-layer plates 471 (1989) 389
- Finnin, B.C., see Cheach, I.C.L. 467 (1989) 414
- Fiorino, A., Frigo, G. and Cucchetti, E.
LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83
- Firestone, M.A., see Thormann, W. 461 (1989) 95
- Fischer, G., see Timm, U. 494 (1989) 119
- Fischer, M., see Filser, J.G. 493 (1989) 275
- Fisher, D.H. and Giese, R.W.
Determination of 5-methylcytosine in DNA by GC-electron-capture detection 452 (1988) 51
- Fitzgerald, R.L., Blanke, R.V., Glennon, R.A., Yousif, M.Y., Rosecrans, J.A. and Poklis, A.
Determination of 3,4-methylenedioxymphetamine and 3,4-methylenedioxymphetamine enantiomers in whole blood 490 (1989) 59
- Flaminio, L., see Ascalone, V. 495 (1989) 358
- Flamion, P.-J., see Cachia, C. 498 (1990) 417
- Flath, R.A., see Engel, K.-H. 479 (1989) 176
- Flesch, G. and Haufler, S.A.
Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorecamine, HPLC and fluorescence detection 489 (1989) 446
- Flores-Murrieta, F.J., Hoyo-Vadillo, C., Hong, E. and Castañeda-Hernandez, G.
Assay of ambroxol in human plasma by HPLC with amperometric detection 490 (1989) 464
- Floyd, T.R., Sagliano Jr., N. and Hartwick, R.A.
Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric

- acid digestion and headspace analysis by capillary GC 452 (1988) 43
- Fogg, A.G., see Smith, R.M. 455 (1988) 349
- Foglia, J.P., Birder, L.A. and Perel, J.M.
Determination of fluvoxamine in human plasma by HPLC with UV detection 495 (1989) 295
- Foley, J.E., see Everett, D.W. 487 (1989) 365
- Foley, J.P., Crow, J.A., Thomas, B.A. and Zamora, M.
Unavoidable flow-rate errors in HPLC 478 (1989) 287
- Foley, J.P., see Jeansonne, M.S. 461 (1989) 149
- Foley, R.C., see Haddad, P.R. 500 (1990) 301
- Fontana, E., see Pianezzola, E. 495 (1989) 205
- Fontana, M., see Costa, M. 490 (1989) 404
- Font Pérez, G., see Mañes Vinuesa, J. 472 (1989) 365
- Fookes, C.J.R., see Boreham, C.J. 467 (1989) 195
- Ford, J.C. and Smith, J.A.
Synthetic peptide purification by application of linear solvent strength gradient theory 483 (1989) 131
- Foreman, W.T., Shellum, C.L., Birks, J.W. and Sievers, R.E.
SFC with sulfur chemiluminescence detection 465 (1989) 23
- Foret, F., Deml, M. and Boček, P.
Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601
- Foret, F., Fanali, S., Ossicini, L. and Boček, P.
Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299
- Foret, F., see Šustáček, V. 480 (1989) 271
- Foriers, A., Rombaut, B. and Boeyé, A.
Use of high-performance SEC for the separation of poliovirus and subviral particles 498 (1990) 105
- Forstedt, N. and Porath, J.
Sulphated Sepharose—a strong cation exchanger 472 (1989) 261
- Forsmo-Bruce, H., see Johansson, M. 459 (1988) 301
- Forssmann, W.-G., see Dörner, T. 490 (1989) 411
- Forster, P.G., Alexander, R. and Kagi, R.I.
Identification and analysis of tetramethylnaphthalenes in petroleum 483 (1989) 384
- Fortier, N.E. and Fritz, J.S.
Use of a post-column reaction and a spectrophotometric detector for the LC determination of water 462 (1989) 323
- Fóti, G., Martinez, C. and Kováts, E.
Role of unreacted silanols in the adsorption properties of derivatized silica 461 (1989) 243
- Fouchet, M.H., see Krstulović, A.M. 452 (1988) 477
- Fouda, H.G.
Robotics in biomedical chromatography and electrophoresis (Review) 492 (1989) 85
- Fourche, J., Capdepuuy, M. and Texier-Maugein, J.
GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonae* 487 (1989) 142
- Fournet, B., see Kol, O. 474 (1989) 452
- Fournet, B., see Piot, J.-M. 481 (1989) 221
- Foust, D.W. and Bergren, M.S.
Analysis of solvent residues in pharmaceutical bulk drugs by wall-coated open tubular GC 469 (1989) 161
- Fowler, W.K. and Smith, Jr., J.E.
Indirect determination of O-ethyl S-(2-diisopropylaminoethyl) methylphosphonothioate in air at low concentrations 478 (1989) 51
- Fox, S.M., Chan, S.C. and Van Middlesworth, D.H.
GC and MS analysis of articaine in urine 494 (1989) 331
- Franchi, D., see Tagliaro, F. 488 (1989) 215
- Frank, R.W., see Bosserhoff, A. 473 (1989) 71
- Franke, J.-P., see De Zeeuw, R.A. 500 (1990) 661
- Frankena, H., see Schotman, P. 483 (1989) 301
- Fransson, B., Grehn, L. and Ragnarsson, U.
LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63
- Frantz, S.C., see Phillips, T.M. 458 (1988) 185
- Frappier, F., see Morineau, G. 467 (1989) 209
- Frasey, A.M., see Pinche, C. 463 (1989) 201
- Frattini, C., see Bicchi, C. 473 (1989) 161
- Fredman, P., see Davidsson, P. 496 (1989) 279
- Freeman, J.P., see Thompson, Jr., H.C. 467 (1989) 159
- Frei, R.W., see Brinkman, U.A.T. 492 (1989) 251
- Frei, R.W., see Debets, A.J.J. 465 (1989) 315
- Frei, R.W., see Farjam, A. 452 (1988) 419
- Frei, R.W., see Haasnoot, W. 489 (1989) 157
- Frei, R.W., see Irth, H. 482 (1989) 317
- Frei, R.W., see Irth, H. 491 (1989) 321
- Frei, R.W., see Irth, H. 499 (1990) 617
- Frei, R.W., see Kientz, C.E. 467 (1989) 385
- Frei, R.W., see Kwakman, P.J.M. 459 (1988) 139
- Frei, R.W., see Lipschitz, C. 471 (1989) 321
- Frei, R.W., see Nielen, M.W.F. 474 (1989) 388

- Frei, R.W., see Schreurs, M. 482 (1989) 351
 Frei, R.W., see Subra, P. 456 (1988) 121
 Frei, R.W., see Thiebaut, D. 477 (1989) 151
 Frenz, J., Wu, S.-L. and Hancock, W.S.
 Characterization of human growth hormone
 by capillary electrophoresis 480 (1989) 379
 Frenz, J., see Jacobson, J.M. 499 (1990) 5
 Frenz, J., see Minick, D.J. 461 (1989) 177
 Freundlich, L., see Lam, S. 468 (1989) 359
 Friedmann, H., see Le Duc, B.W. 490 (1989) 474
 Frigo, G., see Fiorino, A. 476 (1989) 83
 Fritz, D.F., see Défayes, G. 500 (1990) 139
 Fritz, J.S., see Chen, J. 482 (1989) 279
 Fritz, J.S., see Fortier, N.E. 462 (1989) 323
 Fritz, J.S., see Miura, Y. 482 (1989) 155
 Fritz, J.S., see Strassburg, R. 482 (1989) 343
 Fritz, J.S., see Warth, L.M. 462 (1989) 165
 Fritz, J.S., see Warth, L.M. 479 (1989) 401
 Fronheiser, M.E., see Renzi, N.L. 462 (1989) 398
 Frontera, M.A., see Tombesi, O.L. 463 (1989)
 452
 Fruchart, J.-C., see Steinmetz, A. 487 (1989) 154
 Fu, C.-H.J., see Gillilan, R.B. 487 (1989) 332
 Fu, P.P., see Lai, J.-S. 461 (1989) 327
 Fu, P.P., see Von Tungeln, L.S. 461 (1989) 315
 Fu, R., see Jin, Y. 469 (1989) 153
 Fu, R., see Jin, Y. 483 (1989) 394
 Fu, R., see Liu, H. 462 (1989) 376
 Fuji, Y., Ikeda, Y. and Yamazaki, M.
 HPLC determination of secondary cardiac
 glycosides in *Digitalis purpurea* leaves 479
 (1989) 319
 Fujihara, M. and Nagumo, T.
 Determination of the molecular weights of
 alginates by agarose gel filtration 465 (1989)
 386
 Fujii, N., see Ohtsubo, K. 496 (1989) 397
 Fujii, T., see Kawano, H. 493 (1989) 71
 Fujimoto, K., see Hirauchi, K. 497 (1989) 131
 Fujimoto, S., see Ishimitsu, S. 489 (1989) 377
 Fujimoto, T., see Tawa, R. 490 (1989) 125
 Fujimoto, Y., see Ikekawa, N. 468 (1989) 91
 Fujio, N., see Hatayama, T. 481 (1989) 403
 Fujita, M., see Mochizuki, E. 455 (1988) 271
 Fujita, M., see Saito, K. 454 (1988) 387
 Fukai, F., Suzuji, H. and Katayama, T.
 Chromatographic method for the preparation
 of apo-cellular retinol-binding protein and
 apo-cellular retinoic acid-binding protein
 from their holo-types 482 (1989) 107
 Fukasawa, K., see Harada, M. 493 (1989) 176
 Fukasawa, K.M., see Harada, M. 493 (1989) 176
 Fukuda, A., see Onodera, S. 466 (1989) 233
 Fukuda, E.K., Choma, N. and Davis, P.P.
 Quantitation of the benzodiazepine
 antagonist flumazenil in human plasma by
 GC-MS 491 (1989) 97
 Fukuda, E.K., see Garland, W.A. 472 (1989) 250
 Fukuda, E.K., see Rubio, F.A. 497 (1989) 147
 Fukuda, K., see Suzuki, Y. 489 (1989) 283
 Fukuda, M., see Baba, Y. 458 (1988) 385
 Fukushige, S., see Kato, Y. 478 (1989) 264
 Fukuyama, T., see Nishi, H. 498 (1990) 313
 Fullas, F., Kim, J., Compadre, C.M. and
 Kinghorn, A.D.
 Separation of natural product sweetening
 agents using overpressured layer
 chromatography 464 (1989) 213
 Fulper, J.
 Practical approach for HPLC method
 development: assaying synthetic
 intermediates of a leukotriene inhibitor 485
 (1989) 597
 Fulton, D.J., see Renzi, N.L. 462 (1989) 398
 Fulton, J.A., Pokharna, H.K., Dunphy, M.J. and
 Smith, D.J.
 Resolution of diastereomers of N,N,N',N'-
 tetrakis(2-hydroxypropyl)ethylenediamine
 (Quadrol) by reversed-phase HPLC 455
 (1988) 183
 Funae, Y., see Hatayama, T. 481 (1989) 403
 Funazo, K., Tanaka, M., Yasaka, Y., Takigawa,
 H. and Shono, T.
 New UV labelling agents for HPLC
 determination of monocarboxylic acids 481
 (1989) 211
 Fung, M.A., see Drake, A.F. 476 (1989) 159
 Funk-Brentano, C., see Turgeon, J. 490 (1989)
 165
 Funkenbusch, E.G., see Rigney, M.P. 499 (1990)
 291
 Furst, A., see Akapo, S.O. 471 (1989) 283
 Furst, D.E., see Nuernberg, B. 487 (1989) 476
 Fürst, P., Pollack, L., Graser, T.A., Godel, H.
 and Stehle, P.
 Appraisal of our pre-column derivatization
 methods for the HPLC determination of free
 amino acids in biological materials 499 (1990)
 557
 Furton, K.G., Purnell, J.H. and Stedman, G.
 Stability constants of hydracid-tributyl
 phosphate complexes in alkane solution:
 hydrochloric acid and hydrogen cyanide 468
 (1989) 73
 Furusawa, M., see Kiba, N. 456 (1988) 398
 Furusawa, M., see Kiba, N. 463 (1989) 177
 Furusawa, M., see Kiba, N. 463 (1989) 183
 Furusawa, M., see Kiba, N. 497 (1989) 236
 Furuta, T., see Kasuya, Y. 494 (1989) 101

G

- Gabbott, N.P., see Dawkins, J.V. 452 (1988) 145
- Gachályi, B., see Csillag, K. 490 (1989) 355
- Gagelmann, M., see Dörner, T. 490 (1989) 411
- Gagliardi, L., Cavazzutti, G., Montanarella, L. and Tonelli, D.
Determination of sun-screen agents in cosmetic products by reversed-phase HPLC. Part II 464 (1989) 428
- Gagliardi, L., Cimorelli, A., Cavazzutti, G., Montanarella, L. and Tonelli, D.
Determination of 4-*tert*-butylphenol and 4-*tert*-butylcatechol in cosmetic products by reversed-phase HPLC 466 (1989) 433
- Gaillot, J., see Schmitt, P. 491 (1989) 495
- Gal, J., see Pianezzola, E. 495 (1989) 205
- Gal, P., see Brown, Y.L. 459 (1988) 275
- Galan, L. De, see Bartha, A. 458 (1988) 371
- Galan, L. De, see Bartha, A. 464 (1989) 225
- Galan, L. De, see Billiet, H.A.H. 485 (1989) 27
- Galan, L. De, see Herman, D.P. 463 (1989) 1
- Galan, L. De, see Low, G.K.-C. 478 (1989) 21
- Galan, L. De, see Strasters, J.K. 499 (1990) 499
- Galan, L. De, see Strasters, J.K. 499 (1990) 523
- Games, D.E. and Martínez, F.
Evaluation of the moving belt as an interface for the HPLC-MS analysis of the flavonoid aglycones 474 (1989) 372
- Games, D.E., see Ramsey, E.D. 464 (1989) 353
- Games, D.E., see Raynor, M.W. 467 (1989) 292
- Gamoh, K., Omote, K., Okamoto, N. and Takatsuto, S.
HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424
- Gan, I.E.T., see Elderfield, A.J. 495 (1989) 71
- Gandhe, B.R., Malhotra, R.C. and Gutch, P.K.
GC retention indices of tear gases on capillary columns 479 (1989) 165
- Gandy, J., see Stidman, J. 494 (1989) 318
- Gangadhar, A., see Chandrasekhara Rao, T. 466 (1989) 403
- Gangoda, M.E., see Varughese, P. 499 (1990) 469
- Gannon, F., see Zhu, M. 480 (1989) 311
- Ganzerli Valentini, M.T., see Maggi, L. 478 (1989) 225
- Gao, C.-X., see Chou, T.-Y. 454 (1988) 169
- Gao, C.X., Krull, I.S. and Trainor, T.M.
Determination of volatile amines in air by on-line solid-phase derivatization and HPLC with UV and fluorescence detection 463 (1989) 192
- García-Domínguez, J.A., see Fernández-Sánchez, E. 457 (1988) 55
- García-Domínguez, J.A., see Fernández-Sánchez, E. 498 (1990) 1
- García-Raso, A., Fernández-Díaz, M., Páez, M.I., Sanz, J. and Martínez-Castro, I.
GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205
- García-Raso, A., Vázquez, M.A., Ballester, P. and Deyá, P.M.
Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441
- García-Raso, A., see Martínez-Castro, I. 462 (1989) 49
- Gardana, C., see Pace, M. 476 (1989) 487
- Garet, M.-J., see Bechemin, C. 469 (1989) 399
- Garland, W.A., Crews, T., Brown, S.Y. and Fukuda, E.K.
Comparison of manual and exponentially modified gaussian based methods for the determination of the peak heights of selected-ion current profiles acquired in a mass spectral drug assay 472 (1989) 250
- Garner, D.M., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Garrick, C., see Rutledge, D.R. 497 (1989) 181
- Garrigues, P., Radke, M., Druetz, O., Willsch, H. and Bellocq, J.
Reversed-phase LC retention behaviour of dimethylphenanthrene isomers 473 (1989) 207
- Garrigues, P., see Matsuzawa, S. 498 (1990) 25
- Garvie, C.T., see Rhodes, G.R. 488 (1989) 456
- Gaš, B., Zuska, J. and Vacík, J.
Measurement of limiting mobilities by capillary isotachopheresis with a constant temperature at the site of detection 470 (1989) 69
- Gasparič, J.
Dual retention mechanism on commercial acetylcellulose as a stationary phase in planar chromatography 454 (1988) 352
- Gasparini, F., Misiti, D., Villani, C., La Torre, F. and Sinibaldi, M.
HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235
- Gassiot, M., see Diaz-Marot, A. 490 (1989) 470

- Gatti, M.T., see Springolo, V. 490 (1989) 224
- Gauch, R., see Bosset, J.O. 456 (1988) 417
- Gaudemer, A., see Lebrun, M.H. 464 (1989) 307
- Gaudemer, F., see Lebrun, M.H. 464 (1989) 307
- Gavrichev, V.S., see Berezkin, V.G. 456 (1988) 351
- Gavrilov, V.Y., see Zheivot, V.I. 472 (1989) 155
- Gavrilova, T.B., Vlasenko, E.V., Petsev, N., Topalova, I., Dimitrov, C. and Ivanov, S. GC retention on carbon adsorbents coated with monolayers of polynuclear aromatic hydrocarbons 454 (1988) 73
- Gawdzik, J., see Suprynowicz, Z. 456 (1988) 219
- Gazdag, M. and Szepesi, G. Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279
- Gazdag, M., Szepesi, G. and Fábrián-Varga, K. Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95
- Gazdag, M., Szepesi, G. and Szelezcki, E. Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83
- Gazdag, M., see Szepesi, G. 464 (1989) 265
- Gazzaniga, A., see Giancesello, V. 473 (1989) 343
- Gebauer, P., Křivánková, L. and Boček, P. Inverse electrolyte systems in isotachopheresis. Impact of the terminating electrolyte on the migrating zones in cationic analysis 470 (1989) 3
- Gebauer, P., see Pospíchal, J. 470 (1989) 43
- Geerdink, R.B., Van Balkom, C.A.A. and Brouwer, H.-J. Determination of phenoxyacid herbicides in water. Polymeric pre-column preconcentration and tetrabutylammonium ion-pair separation on a PRP-1 column 481 (1989) 275
- Gehas, J. and Wetlaufer, D.B. Hydrophobic interaction chromatography of small molecules: characterization of the retention of acyl coenzyme A homologues 477 (1989) 249
- Gehrke, C.W. and Kuo, K.C. Ribonucleoside analysis by reversed-phase HPLC 471 (1989) 3
- Geiser, F.O., Yocklovich, S.G., Lurcott, S.M., Guthrie, J.W. and Levy, E.J. Water as a stationary phase modifier in packed-column SFC. I. Separation of free fatty acids 459 (1988) 173
- Geisslinger, G., Dietzel, K., Schuster, D.L.O., Rau, G., Lachmann, G. and Brune, K. HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139
- Gelder, W.M.J. Van, Tuinstra, L.G.M.T., Van der Greef, J. and Scheffer, J.J.C. Characterization of novel steroidal alkaloids from tubers of *Solanum* species by combined GC-MS. Implications for potato breeding 482 (1989) 13
- Gellerfors, P., see Wu, S.-L. 500 (1990) 595
- Gelpí, E., Ramis, I., Hotter, G., Bioque, G., Bulbena, O. and Roselló, J. Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223
- Gelpi, E., see Ramis, I. 496 (1989) 416
- Gelsema, W.J. and De Ligny, C.L. Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237
- Gelsema, W.J. and De Ligny, C.L. Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 498 (1990) 325
- Gemmel, B., Schmitz, F.P. and Klesper, E. Consecutive gradients in chromatography. Gradients under sub- and supercritical conditions including composition gradients and multiple gradients 455 (1988) 17
- Gendron, A., see Lamarre, C. 464 (1989) 448
- Gendron, A., see Lamarre, C. 467 (1989) 249
- Gennari, M., see Cabras, P. 462 (1989) 430
- Gennari, M., see Cabras, P. 472 (1989) 411
- Gennari, M., see Cabras, P. 478 (1989) 250
- Gennaro, M.C. and Bertolo, P.L. Determination of the principal anionic components in wines and soft drinks, by ion interaction reversed-phase HPLC 472 (1989) 433
- Gentilucci, T.J., Sivakoff, S.I., Cox, G.B., Stearns, S.D. and Hutchinson, M.W. Analytical performance of process-scale LC columns 461 (1989) 63
- Genuit, W. and Van Binsbergen, H. Improving the ion current stability of a thermospray source by improving the control of the vaporizer temperature and solvent flow-rate 474 (1989) 145
- George, S.R., see Kim, C. 494 (1989) 67
- Georgopoulos, A., Czejka, M.J., Starzengruber, N., Jäger, W. and Lackner, H. HPLC determination of teicoplanin in

- plasma: comparison with a microbiological assay 494 (1989) 340
- Geraerts, W.P.M., see Li, K.W. 472 (1989) 445
- Geraghty, C.A. and Cashaw, J.L.
Method for the identification of tetrahydropapaveroline using the Pictet-Spengler condensation reaction and HPLC 489 (1989) 399
- Gerasimenko, V.A. and Nabivach, V.M.
Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357
- Gerber, G., see Werner, A. 491 (1989) 77
- Gerbino, T.C., see Castello, G. 454 (1988) 129
- Gerding, T.K., Drenth, B.F.H., Van de Grampel, V.J.M., Niemeijer, N.R., De Zeeuw, R.A., Tepper, P.G. and Horn, A.S.
Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D(+)-glucuronic acid 487 (1989) 125
- Gerhardt, M.F., see Labbé, D. 490 (1989) 275
- Gerlo, E., see Sion, J.-P. 496 (1989) 91
- Gerrits, J., see Brunnekreeft, J.W.I. 491 (1989) 89
- Gesquiere, J.C., Diesis, E., Chung, M.T. and Tartar, A.
Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121
- Getek, T.A., Korfmacher, W.A., McRae, T.A. and Hinson, J.A.
Utility of solution electrochemistry MS for investigating the formation and detection of biologically important conjugates of acetaminophen 474 (1989) 245
- Geuns, E.R., see Dalton, J.T. 495 (1989) 330
- Gfeller, J.C., see Lankmayr, E.P. 485 (1989) 183
- Ghani, A.A., see Smith, R.M. 455 (1988) 349
- Ghielmi, S., see Poiesi, C. 465 (1989) 101
- Ghiggeri, G.M., Candiano, G., Ginevri, F., Mutti, A., Bergamaschi, E., Alinovi, R. and Righetti, P.G.
Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347
- Ghodbane, S. and Guiochon, G.
Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209
- Ghosh, S., see Hsu, F.-F. 478 (1989) 429
- Ghrist, B.F.D., Cooperman, B.S. and Snyder, L.R.
Design of optimized HPLC gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 459 (1988) 1
- Ghrist, B.F.D. and Snyder, L.R.
Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25
- Ghrist, B.F.D. and Snyder, L.R.
Design of optimized HPLC gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 459 (1988) 43
- Giaccari, A. and Rossetti, L.
Isocratic HPLC determination of the concentration and specific radioactivity of phosphoenolpyruvate and uridine diphosphate glucose in tissue extracts 497 (1989) 69
- Giacomini, K.M., see Chin, S.K. 489 (1989) 438
- Giambenedetti, M., see Betto, P. 459 (1988) 341
- Gianesello, V., Brenn, E., Figini, G. and Gazzaniga, A.
Determination by coupled HPLC-GC of the β -blocker levomoprolol in plasma following ophthalmic administration 473 (1989) 343
- Gianferrara, T., see Dondi, F. 485 (1989) 631
- Gibbons, W.A., see Euerby, M.R. 483 (1989) 239
- Giddings, J.C.
Field-flow fractionation of macromolecules 470 (1989) 327
- Giddings, J.C.
Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21
- Giddings, J.C., see Jones, H.K. 455 (1988) 1
- Giddings, J.C., see Ratanathanawongs, S.K. 467 (1989) 341
- Gierak, A. and Leboda, R.
Preparation of carboneous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197
- Giesche, H., Unger, K.K., Esser, U., Eray, B., Trüdinger, U. and Kinkel, J.N.
Packing technology, column bed structure and chromatographic performance of 1–2- μ m non-porous silicas in HPLC 465 (1989) 39
- Giese, R.W., see Allam, K. 499 (1990) 571
- Giese, R.W., see Annan, R.S. 465 (1989) 285
- Giese, R.W., see Bakthavachalam, J. 500 (1990) 373
- Giese, R.W., see Fisher, D.H. 452 (1988) 51
- Giese, R.W., see Kresbach, G.M. 476 (1989) 423

- Giese, R.W., see Trainor, T.M. 452 (1988) 369
- Gifford, L.A., see Daley-Yates, P.T. 490 (1989) 329
- Gilbert, J., see Sharman, M. 474 (1989) 457
- Gilbert, R., see Lamarre, C. 467 (1989) 249
- Gill, J.P., see Kaur, S. 473 (1989) 135
- Gill, R., see Smith, R.M. 455 (1988) 77
- Gillberg, M., see Hjemdahl, P. 494 (1989) 53
- Gillespie, P.C., see Smith, M.A. 469 (1989) 111
- Gillet, G., see Krstulović, A.M. 452 (1988) 477
- Gillet, P., see Lapicque, F. 496 (1989) 301
- Gillilan, R.B., Mason, W.D. and Fu, C.-H.J.
Rapid analysis of piroxicam in dog, rat and human plasma by HPLC 487 (1989) 332
- Gilpin, R.K., see Varughese, P. 499 (1990) 469
- Ginevri, F., see Ghiggeri, G.M. 452 (1988) 347
- Ginkel, L.A. Van, Stephany, R.W., Van Rossum, H.J., Steinbuch, H.M., Zomer, G., Van de Heeft, E. and De Jong, A.P.J.M.
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111
- Ginkel, L.A. Van, Stephany, R.W., Van Rossum, H.J., Van Blitterswijk, H., Zoontjes, P.W., Hooijschuur, R.C.M. and Zuydendorp, J.
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95
- Ginn, A., see Houghton, E. 479 (1989) 73
- Binneken, C.A.M. Van, see Russel, F.G.M. 496 (1989) 234
- Giordano, G., see Ferrari, V. 497 (1989) 101
- Giralt, E., see Serra, M.A. 479 (1989) 27
- Girard, M., see Kolbe, H.V.J. 476 (1989) 99
- Girardin, M., see Boukharta, M. 455 (1988) 406
- Girardot, R., see Bisseret, F. 490 (1989) 91
- Girelli, A.M., see Grassini-Strazza, G. 466 (1989) 1
- Girometta, M.A., Loschi, L. and Ventura, P.
HPLC assay of nesosteine in human plasma and urine 487 (1989) 117
- Gisch, D.J., see Dhanesar, S.C. 461 (1989) 407
- Gispén, W.H., see Schotman, P. 483 (1989) 301
- Gladdines, M.M., Reijnga, J.C., Trieling, R.G., Van Thiel, M.J.S. and Everaerts, F.M.
Concept of response factor in capillary isotachopheresis. Determination of drugs in solution for intravenous injection 470 (1989) 105
- Gladdines, M.M., see Wanders, B.J. 470 (1989) 79
- Glajch, J.L. and Kirkland, J.J.
Method development in HPLC using retention mapping and experimental design techniques (Review) 485 (1989) 51
- Gleispach, H., see Leis, H.J. 494 (1989) 324
- Gleispach, H., see Malle, E. 488 (1989) 283
- Glennon, R.A., see Fitzgerald, R.L. 490 (1989) 59
- Glikberg, S., see Shohat, S. 452 (1988) 503
- Glöckner, G. and Barth, H.G.
Use of HPLC for the characterization of synthetic copolymers 499 (1990) 645
- Głód, B.K., Piasecki, A. and Stafiej, J.
Numerical simulation of column performance in ion-exclusion chromatography 457 (1988) 43
- Gluch, S., see Knight, M. 459 (1988) 361
- Gluch, S., see Knight, M. 484 (1989) 299
- Glunz, L.J., see Szczerba, T.J. 458 (1988) 281
- Gnozzio, M.J., see Nollstadt, K.H. 497 (1989) 87
- Göbel, T., see Steudel, R. 475 (1989) 442
- Gobetti, M., Di Bitetto, M. and Rossi, R.
Rapid, sensitive HPLC method for the analysis of buflo-medil hydrochloride and its potential by-products 467 (1989) 327
- Goddijn, O.J.M., see Pennings, E.J.M. 483 (1989) 311
- Godel, H., see Brückner, H. 476 (1989) 73
- Godel, H., see Fürst, P. 499 (1990) 557
- Godin, J. and Hellier, G.
Determination of nicotine and cotinine in urine by HPLC (in French) 488 (1989) 487
- Goede, P.N.F.C. De, see De Kroon, I.F.I. 491 (1989) 107
- Goeij, J.J.M. De, see Baldew, G.S. 491 (1989) 163
- Goeij, J.J.M. De, see Baldew, G.S. 496 (1989) 111
- Goetz, H., see Rozing, G.P. 476 (1989) 3
- Goewie, C.E., see De Groot, G. 456 (1988) 71
- Goewie, C.E., see Hogendoorn, E.A. 475 (1989) 432
- Goewie, C.E., see Kootstra, P.R. 458 (1988) 175
- Gogitidze, M.N., see Hradil, J. 462 (1989) 61
- Goldstein, A.L., see Badamchian, M. 459 (1988) 291
- Goldstein, D.M., see Strickler, M.P. 484 (1989) 369
- Golfier, A., see Riba, M.-L. 456 (1988) 165
- Golier, I., see Spustová, V. 490 (1989) 186
- Golombek, R. and Schwedt, G.
Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283
- Golovkin, A.B., see Antoshechkin, A.G. 489 (1989) 353

- Golshan-Shirazi, S. and Guiochon, G.
Theoretical study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 1
- Golshan-Shirazi, S. and Guiochon, G.
Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19
- Golshan-Shirazi, S. and Guiochon, G.
Analytical solution of the ideal model of elution chromatography in the case of a binary mixture with competitive Langmuir isotherms. II. Solution using the *h*-transform 484 (1989) 125
- Golshan-Shirazi, S., see Jacobson, S. 484 (1989) 103
- Golshan-Shirazi, S., see Lin, B. 475 (1989) 1
- Golshan-Shirazi, S., see Lin, B. 500 (1990) 185
- Gong, J., see Jin, Y. 483 (1989) 394
- Gonzalez, M.A., see Ruggirello, D.A. 487 (1989) 73
- Gooijer, C., see Schreurs, M. 482 (1989) 351
- Goor, A.A.A.M. Van de, Wanders, B.J. and Everaerts, F.M.
Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95
- Goor, A.A.A.M. Van de, see Wanders, B.J. 470 (1989) 89
- Goormachtig, P.F.J., see Van Doorn, J.E. 496 (1989) 441
- Goosey, M.W., see Peacock, G.A. 469 (1989) 293
- Gorczak, J., see Einarsson, Ö. 498 (1990) 381
- Gordon, B., see Singh, A.K. 473 (1989) 215
- Gordon, B., see Singh, A.K. 479 (1989) 233
- Gordon, G.R., see Peters, J.H. 488 (1989) 301
- Gordon, M.J., see Huang, X. 480 (1989) 285
- Gordon, N.F., see Afeyan, N.B. 478 (1989) 1
- Goretti, G., see Carloni, G.P. 475 (1989) 145
- Goretti, G., see Russo, M.V. 465 (1989) 429
- Görner, T., see Défayes, G. 500 (1990) 139
- Görög, S., Herényi, B., Nyéki, O., Schön, I. and Kisfaludy, L.
Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg-Lys-Asp) 452 (1988) 317
- Görög, S., see Yoshitake, T. 489 (1989) 364
- Gorrod, J.W., see Devinsky, F. 466 (1989) 347
- Gorse, J., see Miller, C. 458 (1988) 255
- Gorus, F., see Sion, J.-P. 496 (1989) 91
- Gosling, I.S., see Cowan, G.H. 484 (1989) 187
- Gotling, R.W., see Harrison, L.M. 489 (1989) 121
- Goto, I., see Ohtsubo, K. 496 (1989) 397
- Goto, J., Miura, H., Inada, M., Nambara, T., Nagakura, T. and Suzuki, H.
Studies on steroids. CCXXXVIII.
Determination of bile acids in liver tissue by GC-MS with negative ion chemical ionization detection 452 (1988) 119
- Goto, J., Miura, H. and Nambara, T.
Studies on steroids. CCXXXV.
Determination of 5 β -cholestanic acids in human urine by GC-MS with negative ion chemical ionization detection 493 (1989) 245
- Goto, S., see Kobayashi, H. 474 (1989) 381
- Gottfries, J., Davidsson, P., Månsson, J.-E. and Svennerholm, L.
HPLC separation of gangliosides, combined with immunological detection and fast atom bombardment MS characterization 490 (1989) 263
- Gottstein, H.D., Zook, M.N. and Kuč, J.A.
Detection and quantitation of oxalic acid by capillary GC 481 (1989) 55
- Goupit, P., see Fay, L. 490 (1989) 198
- Governa, M., see Marchiseppe, I. 495 (1989) 288
- Goward, C.R., Stevens, G.B., Hammond, P.M. and Scawen, M.D.
Large-scale purification of the chromosomal β -lactamase from *Enterobacter cloacae* P99 457 (1988) 317
- Goward, C.R., see Jager, B.J. 472 (1989) 331
- Gozel, P., see Kasper, T.J. 458 (1988) 303
- Graaf, S.S.N. De, Riley-Stewart, C.A. and Evans, W.E.
Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501
- Graebe, J.E., see Odén, P.C. 464 (1989) 195
- Grafnetterová, J., see Klíma, J. 488 (1989) 295
- Graham, M.A., Newell, D.R. and Calvert, A.H.
Determination of the anthrapyrazole anticancer drug CI-941 in plasma and urine by solid-phase extraction and HPLC 491 (1989) 253
- Grahl-Nielsen, O., see Barnung, T.N. 466 (1989) 271
- Grainger, J., see Orti, D.L. 462 (1989) 269
- Grampel, V.J.M. Van de, see Gerding, T.K. 487 (1989) 125
- Grandi, G., see Maisano, F. 472 (1989) 422
- Granley, K., see Singh, A.K. 473 (1989) 215
- Granley, K., see Singh, A.K. 479 (1989) 233
- Grant, B., see Smillie, R.H. 455 (1988) 253
- Graser, T.A., see Fürst, P. 499 (1990) 557

- Grassini-Strazza, G., Carunchio, V. and Girelli, A.M.
Flat-bed chromatography on impregnated layers (Review) 466 (1989) 1
- Grassini-Strazza, G., see Dondi, F. 462 (1989) 205
- Grasso, G. and Bufalo, G.
Application of ion chromatography to the analysis of chromium hydroxy salts 454 (1988) 411
- Gray, H.T., see Turgeon, J. 490 (1989) 165
- Gray, M.R., see Khorasheh, F. 481 (1989) 1
- Grebow, P.E., see Hsu, S.-H. 459 (1988) 215
- Greco, D., see Conway, W.D. 484 (1989) 391
- Greef, J. Van der, Niessen, W.M.A. and Tjaden, U.R.
LC-MS. The need for a multidimensional approach 474 (1989) 5
- Greef, J. Van der, see Heeremans, C.E.M. 472 (1989) 219
- Greef, J. Van der, see Heeremans, C.E.M. 474 (1989) 149
- Greef, J. Van der, see Kokkonen, P. 474 (1989) 59
- Greef, J. Van der, see Niessen, W.M.A. 454 (1988) 243
- Greef, J. Van der, see Niessen, W.M.A. 474 (1989) 113
- Greef, J. Van der, see Niessen, W.M.A. 478 (1989) 325
- Greef, J. Van der, see Niessen, W.M.A. 492 (1989) 167
- Greef, J. Van der, see Van Gelder, W.M.J. 482 (1989) 13
- Greef, J. Van der, see Verheij, E.R. 474 (1989) 275
- Greef, J. Van der, see Walhagen, A. 474 (1989) 257
- Green, B., see Cooper, J.D.H. 456 (1988) 53
- Green, G., see Bisseret, F. 490 (1989) 91
- Green, G., see Marschall, H.-U. 452 (1988) 459
- Green, J.S. and Jorgenson, J.W.
Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63
- Green, L.S. and Bertsch, W.
Characteristics of glass based packings as a support in chromatography 471 (1989) 113
- Greenaway, W., English, S., Wollenweber, E. and Whatley, F.R.
Series of novel flavanones identified by GC-MS in bud exudate of *Populus fremontii* and *Populus maximowiczii* 481 (1989) 352
- Greenaway, W., May, J. and Whatley, F.R.
Flavonoid aglycones identified by GC-MS in bud exudate of *Populus balsamifera* 472 (1989) 393
- Greenblatt, D.J., see Burstein, E.S. 487 (1989) 228
- Greenblatt, D.J., see Le Duc, B.W. 490 (1989) 474
- Gregory, A., see Ching, M.S. 497 (1989) 313
- Grehn, L., see Fransson, B. 473 (1989) 63
- Greibrokk, T., see Doehl, J. 477 (1989) 345
- Greig Sim, P., see Lawrence, J.F. 462 (1989) 349
- Grether, H.-J., see Fields, S.M. 472 (1989) 175
- Gribnau, F.W.J., see Russel, F.G.M. 496 (1989) 234
- Griest, W.H., Guzman, C. and Dekker, M.
Packed-column SFC separation of highly explosive compounds 467 (1989) 423
- Griffiths, P.R., see Jinno, K. 461 (1989) 209
- Grimvall, A., see Lundgren, B. 482 (1989) 23
- Grinberg, N., see Blanco, R. 482 (1989) 1
- Gripshover, D.F., see Demian, I. 466 (1989) 415
- Grob, Jr., K. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381
- Grob, Jr., K. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391
- Grob, Jr., K. and Li, Z.
Coupled reversed-phase LC-capillary GC for the determination of atrazine in water 473 (1989) 423
- Grob, Jr., K. and Müller, E.
Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411
- Grob, Jr., K., Neukom, H. and Li, Z.
Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401
- Grob, Jr., K., see Häkkinen, V.M.A. 473 (1989) 353
- Grob, K.
Concurrent eluent evaporation with co-solvent trapping for on-line reversed-phase LC-GC. Optimization of conditions 477 (1989) 73

- Grob, K., Lanfranchi, M. and Mariani, C.
Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC-GC 471 (1989) 397
- Grob, K. and Li, Z.
Damage to GC columns caused by peroxides in LC eluents for coupled LC-GC 455 (1988) 297
- Grob, R.L., see Loeper, J.M. 457 (1988) 247
- Grob, R.L., see Loeper, J.M. 463 (1989) 365
- Groen, C.P., see Lammers, N. 496 (1989) 291
- Groen, C.P., see Tipker, J. 452 (1988) 227
- Gröhler, G., see Krause, W. 495 (1989) 324
- Grohmann, K., see Himmel, M.E. 467 (1989) 309
- Grohmann, K., see Himmel, M.E. 498 (1990) 93
- Grolimund, K., see Fields, S.M. 472 (1989) 175
- Grolimund, K., see Fields, S.M. 472 (1989) 197
- Groot, G. De, Koops, R., Hogendoorn, E.A., Goewie, C.E., Savelkoul, T.J.F. and Van Vloten, P.
Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71
- Gross, A., see Engelhardt, H. 477 (1989) 169
- Gross, L. and Yeung, E.S.
Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169
- Grosset, C., see Vergnes, M.F. 455 (1988) 369
- Grossi, G., Bargossi, A., Battistoni, R., Lippi, A. and Sprovieri, G.
Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113
- Grott, A., see Janis, L.J. 476 (1989) 235
- Grubb, M.F. and Callery, P.S.
Derivatization of N-methyl and cyclic amino acids with dimethylformamide dimethyl acetal 469 (1989) 191
- Gruber, S.A., see Erdmann, G.R. 494 (1989) 354
- Grushka, E., Jang, N.-I. and Brown, P.R.
Reversed-phase LC retention and selectivity surfaces. II. Deoxyribonucleosides 485 (1989) 617
- Grushka, E. and McCormick, R.M.
Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421
- Grushka, E., see Jones, A.E. 466 (1989) 219
- Grushka, E., see Shohat, S. 452 (1988) 503
- Gu, L.H., see Kutlar, F. 487 (1989) 265
- Guan, Y., Kiraly, J. and Rijks, J.A.
Interactive retention index database for compound identification in temperature-programmed capillary GC 472 (1989) 129
- Guan, Z., see Jin, Y. 483 (1989) 394
- Guan, Z., see Liu, H. 462 (1989) 376
- Guasch, A., Barman, T., Travers, F. and Cuchillo, C.M.
Coupling of proteolytic quenching and HPLC to enzyme reactions. Application to bovine pancreatic ribonuclease 473 (1989) 281
- Guattari, B.
Simultaneous quantitative HPLC determination of cyclic adenosine 3',5'-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 489 (1989) 394
- Gueldner, R.C., see Snook, M.E. 477 (1989) 439
- Guenzi, A., Cappelletti, G., Scala, A. and Zanetti, M.
Simultaneous determination of pyrimethamine and mefloquine in human plasma by HPLC with UV detection 494 (1989) 219
- Guerra, G., see Corradini, D. 458 (1988) 1
- Guerra, M.C., see Biagi, G.L. 469 (1989) 121
- Guerra, M.C., see Biagi, G.L. 498 (1990) 179
- Guerrieri, A., see Palmisano, F. 493 (1989) 35
- Guesquière, A. De, see Van Peteghem, C. 489 (1989) 219
- Guha, O.K.
On some nomenclature in chromatography 471 (1989) 447
- Guichard, E., Kustermann, A. and Mosandl, A.
Chiral flavour compounds from apricots. Distribution of γ -lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional GC 498 (1990) 396
- Guichard, J.P., see Baillet, G. 456 (1988) 183
- Guilbault, L.F., Hohmann, R. and Wehry, E.L.
GC detection by electron impact-induced fluorescence spectrometry of molecular fragments 475 (1989) 237
- Guillén, M.D., see Blanco, C.G. 465 (1989) 378
- Guillochon, D., see Piot, J.-M. 481 (1989) 221
- Guinebault, P., see Ascalone, V. 490 (1989) 81
- Guiochon, G., see Aubel, M.T. 498 (1990) 281
- Guiochon, G., see Ghodbane, S. 452 (1988) 209
- Guiochon, G., see Golshan-Shirazi, S. 461 (1989) 1
- Guiochon, G., see Golshan-Shirazi, S. 461 (1989) 19
- Guiochon, G., see Golshan-Shirazi, S. 484 (1989) 125
- Guiochon, G., see Huang, J.-X. 492 (1989) 431
- Guiochon, G., see Jacobson, S. 484 (1989) 103

- Guiochon, G., see Katti, A.M. 477 (1989) 119
 Guiochon, G., see Katti, A.M. 499 (1990) 21
 Guiochon, G., see Lin, B. 475 (1989) 1
 Guiochon, G., see Lin, B. 484 (1989) 83
 Guiochon, G., see Lin, B. 500 (1990) 185
 Guiochon, G., see Newburger, J. 484 (1989) 153
 Guiochon, G., see Schudel, J.V.H. 457 (1988) 1
 Guion, J., see Devallez, B. 463 (1989) 153
 Guitart, R., Puigdemont, A. and Arboix, M.
 Rapid headspace GC method for the determination of liquid/gas partition coefficients 491 (1989) 271
 Gülaçar, F.O., Buchs, A. and Susini, A.
 Capillary GC-MS and identification of substituted carboxylic acids in lipids extracted from a 4000-year-old nubian burial 479 (1989) 61
 Günther, K., see Hünig, S. 481 (1989) 387
 Guoth, J., see Idei, M. 490 (1989) 247
 Gupta, D., see Verma, K.K. 457 (1988) 345
 Gupta, K.C., see Kant, K. 494 (1989) 289
 Gupta, R. and Jentoft, N.
 Analysis of natural and modified amino acids and hexosamines by reversed-phase HPLC 474 (1989) 411
 Gupta, R.N.
 Determination of trichloroethanol, the active metabolite of chloral hydrate, in plasma by LC 500 (1990) 655
 Gurevich, A.Y., see Ruban, V.F. 467 (1989) 41
 Gurnett, A.M., see Nollstadt, K.H. 497 (1989) 87
 Gusmano, R., see Canepa, A. 491 (1989) 200
 Gustavsson, J., see Johansson, B.-L. 457 (1988) 205
 Gutch, P.K., see Gandhe, B.R. 479 (1989) 165
 Guthridge, M., Bertolini, J. and Hearn, M.T.W.
 HPLC of amino acids, peptides, proteins and polynucleotides. XCIV. Solid-phase hybridization of complementary oligonucleotides 476 (1989) 445
 Guthridge, M., see Bertolini, J. 491 (1989) 49
 Guthrie, J.L., see Hull, C.J. 477 (1989) 387
 Guthrie, J.W., see Geiser, F.O. 459 (1988) 173
 Guttendorf, R.J., Kostenbauder, H.B. and Wedlung, P.J.
 Quantification of propranolol enantiomers in small blood samples from rats by reversed-phase HPLC after chiral derivatization 489 (1989) 333
 Guttman, A., see Karger, B.L. 492 (1989) 585
 Guttman, A., see Nelson, R.J. 480 (1989) 111
 Guzman, C., see Griest, W.H. 467 (1989) 423
 Györ, M., see Tarján, T. 472 (1989) 1
- ## H
- Ha, P.T., see Matisová, E. 475 (1989) 113
 Haagsma, N., see Van de Water, C. 478 (1989) 205
 Haalck, L. and Spener, F.
 Prediction of retention times of hydroxylated triacylglycerols in reversed-phase HPLC 498 (1990) 410
 Haan, A. De, see Van Doorn, J.E. 496 (1989) 441
 Haan, J. De, see Hetem, M. 477 (1989) 3
 Haan, J. De, see Hetem, M. 479 (1989) 269
 Haas, III, J.W., Joyce, W.F., Shyu, Y.-J. and Uden, P.C.
 Phosphoric acid-modified amino bonded stationary phase for HPLC chemical class separation 457 (1988) 215
 Haasnoot, W., Schilt, R., Hamers, A.R.M., Huf, F.A., Farjam, A., Frei, R.W. and Brinkman, U.A.T.
 Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157
 Haasnoot, W., Stouten, P. and Venema, D.P.
 HPLC determination of the extent of proteolysis in Gouda cheese 483 (1989) 319
 Haasnoot, W., see Farjam, A. 452 (1988) 419
 Haasnoot, W., see Schilt, R. 489 (1989) 127
 Haddad, P.R.
 Sample cleanup methods for ion chromatography 482 (1989) 267
 Haddad, P.R., Brayan, J.G., Sharp, G.J., Dilli, S. and Desmarchelier, J.M.
 Determination of pyrethroid residues on paddy rice by reversed-phase HPLC 461 (1989) 337
 Haddad, P.R. and Foley, R.C.
 Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 500 (1990) 301
 Haddad, P.R. and Sekulic, S.
 Effects of peak tailing on computer optimisation procedures for HPLC. II. An optimisation routine for tailed peaks 459 (1988) 79

- Haddad, P.R., see Dilli, S. 500 (1990) 313
- Haddad, P.R., see Sekulic, S. 459 (1988) 65
- Haddad, P.R., see Sekulic, S. 485 (1989) 501
- Hadžija, O., Iskrić, S. and Tonković, M.
Mobility of some carboxy- and hydroxybenzene derivatives on thin layers of plain and iron(III)-impregnated silica gel 464 (1989) 220
- Hadžija, O., see Škvorc, I. 498 (1990) 428
- Haerdi, W., see Chambaz, D. 482 (1989) 335
- Hagel, L., Lundström, H., Andersson, T. and Lindblom, H.
Properties, in theory and practice, of novel gel filtration media for standard LC 476 (1989) 329
- Hager, M.E., see DeBot, S.A. 465 (1989) 249
- Haginaka, J., Wakai, J. and Yasuda, H.
Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs 488 (1989) 341
- Hagiwara, M., see Hosaki, S. 488 (1989) 503
- Hahn, M.K., see Kim, K.R. 468 (1989) 289
- Hais, I.M.
Tswett's letter to Claparède on tropisms and taxes 452 (1988) 5
- Hais, I.M.
Chromatography beyond analytical chemistry 488 (1989) 25
- Hais, I.M., Nobilis, M. and Kvasničková, E.
Evaluation of photometric HPLC data for the determination of benflurone metabolites in biological materials with and without concomitant use of a standard 500 (1990) 643
- Hajšlová, J., Cuhra, P., Davídek, T. and Davídek, J.
GC determination of diquat and paraquat in crops 479 (1989) 243
- Haken, J.K., Harahap, N. and Burford, R.P.
Quantitative determination of dicarboxylic acids and polyols in silicone-polyester resins 452 (1988) 37
- Haken, J.K., Harahap, N. and Burford, R.P.
Analysis of polycarbonate-polydimethylsiloxane block copolymers 500 (1990) 367
- Haken, J.K. and Smith, R.J.
Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31
- Haken, J.K., see Dowling, J.J. 500 (1990) 355
- Haken, J.K., see Evans, M.B. 462 (1989) 31
- Haken, J.K., see Evans, M.B. 468 (1989) 373
- Haken, J.K., see Evans, M.B. 471 (1989) 217
- Haken, J.K., see Evans, M.B. 472 (1989) 93
- Haken, J.K., see Harahap, N. 477 (1989) 53
- Häkkinen, V.M.A., Grob, Jr., K. and Bürki, C.
Analysis of dicamba in tobacco by on-line coupled LC-GC 473 (1989) 353
- Hall, G.D., see Hurst, W.J. 466 (1989) 279
- Hall, J.E., see Berger, B.J. 494 (1989) 191
- Hall, L. and Chadwick, V.
Quantitative determination of sulfanilamide in sodium sulfacetamide raw material and ophthalmic solutions by HPLC 478 (1989) 438
- Hall, S.D., see Knadler, M.P. 494 (1989) 173
- Hallen, R.W., Shumate, C.B., Siems, W.F., Tsuda, T. and Hill, Jr., H.H.
Preliminary investigation of ion mobility spectrometry after capillary electrophoretic introduction 480 (1989) 233
- Hällgren, J.-E., see Wingsle, G. 479 (1989) 335
- Hamada, K., see Hirayama, C. 465 (1989) 241
- Hamano, T., Mitsuhashi, Y., Aoki, N., Yamamoto, S. and Oji, Y.
Simultaneous determination of niacin and niacinamide in meats by HPLC 457 (1988) 403
- Hamburg, P.F., see Motto, M.G. 481 (1989) 255
- Hamer, G., see Schneider, R.P. 462 (1989) 293
- Hamers, A.R.M., see Farjam, A. 452 (1988) 419
- Hamers, A.R.M., see Haasnoot, W. 489 (1989) 157
- Hamilton, V.T., Spall, W.D., Smith, B.F. and Peterson, E.J.
Quantitative analysis of thorium in plutonium using reversed-phase LC and spectrophotometric detection 469 (1989) 369
- Hammond, I., Moore, K., James, H. and Watts, C.
Thermospray LC-MS of pesticides in river water using reversed-phase chromatography 474 (1989) 175
- Hammond, P.M., see Goward, C.R. 457 (1988) 317
- Hamoir, T., see Musch, G. 495 (1989) 215
- Han, S.M., see Armstrong, D.W. 452 (1988) 323
- Hanai, T., see Hirukawa, M. 468 (1989) 191
- Hanaoka, R., see Sugii, A. 472 (1989) 357
- Hanazono, H., see Iwata, T. 491 (1989) 404
- Hancock, D.O. and Synovec, R.E.
Microbore LC and refractive index gradient detection of low-nanogram and low-ppm quantities of carbohydrates 464 (1989) 83
- Hancock, F.E., see Smith, J.R.L. 483 (1989) 341
- Hancock, W.S., see Chloupek, R.C. 463 (1989) 375
- Hancock, W.S., see Frenz, J. 480 (1989) 379
- Hancock, W.S., see Sievert, H.-J.P. 499 (1990) 221

- Hancock, W.S., see Wu, S.-L. 500 (1990) 595
- Handelman, G.J., see Crabtree, D.V. 466 (1989) 251
- Hanis, T., Smrz, M., Klir, P., Macek, K., Klima, J., Base, J. and Deyl, Z.
Determination of fatty acids as phenacyl esters in rat adipose tissue and blood vessel walls by HPLC 452 (1988) 443
- Hanocq, M., see Chamart, S. 496 (1989) 365
- Hansen, B., see Linde, S. 462 (1989) 243
- Hansen, B., see Vidal, P. 476 (1989) 467
- Hansen, B., see Welinder, B.S. 462 (1989) 255
- Hansen, D.L., see Zhu, M. 480 (1989) 311
- Hansen, M.T., see Mortensen, S.B. 476 (1989) 227
- Hansen, S.H.
Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175
- Hansson, C., see Kågedal, B. 473 (1989) 359
- Hansson, L., see Isaksson, R. 498 (1990) 257
- Hapel, A.J., see Selley, M.L. 488 (1989) 329
- Hara, S., see Dobashi, A. 461 (1989) 121
- Hara, S., see Dobashi, A. 480 (1989) 413
- Hara, S., see Yoshitake, T. 489 (1989) 364
- Harada, K., see Sugii, A. 472 (1989) 357
- Harada, K.-I., see Ikai, Y. 477 (1989) 397
- Harada, K.-I., see Oka, H. 462 (1989) 315
- Harada, K.-I., see Oka, H. 482 (1989) 197
- Harada, M., Mogi, M., Fukasawa, K. and Fukasawa, K.M.
HPLC determination of aminopeptidase P activity in Fischer F344 rat serum and kidney 493 (1989) 176
- Harada, M., see Mogi, M. 496 (1989) 194
- Haraguchi, H., see Takeuchi, T. 499 (1990) 549
- Harahap, N., Burford, R.P. and Haken, J.K.
GC analysis of thermoplastic aromatic polyamides after alkali fusion 477 (1989) 53
- Harahap, N., see Haken, J.K. 452 (1988) 37
- Harahap, N., see Haken, J.K. 500 (1990) 367
- Harapat, S.R., see Ebling, W.F. 490 (1989) 339
- Harding, D.R.K., see Poll, D.J. 469 (1989) 231
- Hards, R.G. and Patterson, D.
Resolution of the intermediates of *de novo* purine biosynthesis by ion-pair reversed-phase HPLC 455 (1988) 217
- Hardy, J.K., see Park, Y.J. 481 (1989) 287
- Haren, A.Y.N. Van, see Zweipfenning, P.G.M. 456 (1988) 83
- Hargiss, L.O., see Kalinoski, H.T. 474 (1989) 69
- Haring, C., see Humpel, C. 491 (1989) 235
- Haring, R.M., see Welling-Wester, S. 476 (1989) 477
- Harmony, M.D., see Roach, M.C. 455 (1988) 332
- Harpey, C., see Fay, L. 490 (1989) 198
- Harris, J.M., see Carr, J.W. 481 (1989) 135
- Harris, R., see Ray, A. 467 (1989) 430
- Harris, R.J., see Chloupek, R.C. 463 (1989) 375
- Harrison, J.R., see Elvidge, D.A. 463 (1989) 107
- Harrison, L.M., Martin, D., Gotling, R.W. and Fennessey, P.V.
Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121
- Harrison, M.E., Langley, G.J. and Baldwin, M.A.
Effects of repeller position and voltage in thermospray MS 474 (1989) 139
- Hartmann, C., Krauss, D., Spahn, H. and Mutschler, E.
Simultaneous determination of (*R*)- and (*S*)-celiprolol in human plasma and urine: HPLC assay on a chiral stationary phase with fluorimetric detection 496 (1989) 387
- Hartmann, F.-X., see Meyer, H.H.D. 489 (1989) 173
- Hartmann, T., see Pieters, L.A. 462 (1989) 387
- Hartung, J., see Radicke, J. 467 (1989) 304
- Hartwick, R.A., see Bassler, B.J. 461 (1989) 139
- Hartwick, R.A., see Floyd, T.R. 452 (1988) 43
- Hartwick, R.A., see Kaliszan, R. 458 (1988) 395
- Hartwick, R.A., see Kaliszan, R. 499 (1990) 333
- Hartwick, R.A., see Raglione, T.V. 454 (1988) 157
- Hartwick, R.A., see Sagliano, Jr, N. 458 (1988) 225
- Hartwick, R.A., see Wang, T. 462 (1989) 147
- Harvey, D.J.
Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23
- Harvey, S., Wiesler, D. and Novotny, M.
Formation of cyclic enol ethers from a labile biological precursor: an example of analytical artifacts 491 (1989) 27
- Hasan, A., Waterman, P. and Iftikhar, N.
The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha* 466 (1989) 399
- Hasegawa, K., see Hayakawa, K. 464 (1989) 343
- Hasegawa, R., Murai-Kushiya, M., Komura, T. and Kimura, T.
Stereoselective determination of plasma pindolol in endotoxin-pretreated rats by HPLC 494 (1989) 381
- Hashiguchi, M., see Nakashima, H. 489 (1989) 425

- Hashimoto, T., see Kato, Y. 478 (1989) 264
 Hashimoto, T., see Kato, Y. 483 (1989) 401
 Hashimoto, Y., see Endo, M. 455 (1988) 430
 Hashizume, K., see Tanaka, N. 475 (1989) 195
 Hashizume, Y., see Niwa, T. 491 (1989) 397
 Hasmimoto, Y.
 Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using HPLC 462 (1989) 341
 Hassing, I.G.A.M., see Van Pelt, F.N.A.M. 487 (1989) 489
 Hatada, K., see Okamoto, Y. 477 (1989) 367
 Hatano, T., see Yoshida, T. 467 (1989) 139
 Hatayama, T., Fujio, N., Yukioka, M., Funae, Y. and Kinoshita, H.
 Separation of rat liver HSP70 and HSP71 by HPLC with a hydroxylapatite column 481 (1989) 403
 Hauffe, S.A., see Flesch, G. 489 (1989) 446
 Hauser, E., see Brusilow, S.W. 493 (1989) 388
 Haux, C., see Silversand, C. 478 (1989) 387
 Havaši, P., see Zelenský, I. 470 (1989) 155
 Haverty, D.G., see Smith, R.M. 455 (1988) 349
 Hawes, E.M., see Srinivas, N.R. 487 (1989) 61
 Hawker, J.L., see Jack, D.B. 452 (1988) 257
 Hawthorne, S.B. and Miller, D.J.
 SFC-MS of polycyclic aromatic hydrocarbons with a simple capillary direct interface 468 (1989) 115
 Hayakawa, K., Hasegawa, K., Imaizumi, N., Wong, O.S. and Miyazaki, M.
 Determination of amphetamine-related compounds by HPLC with chemiluminescence and fluorescence detections 464 (1989) 343
 Hayakawa, K., Kitamoto, S., Okubo, N., Nakamura, S. and Miyazaki, M.
 Determination of trace levels of total carbonate-carbon by indirect photometric ion chromatography with nitrogen purging 481 (1989) 323
 Hayakawa, K. and Oizumi, J.
 Isocratic separation of phenylthiohydantoin-amino acids by reversed-phase HPLC 487 (1989) 161
 Hayakawa, K. and Oizumi, J.
 Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33
 Hayakawa, K., see Yamamoto, A. 482 (1989) 145
 Hayashi, T., see Tsuchiya, H. 491 (1989) 291
 Hayashi, Y., see Matsuda, R. 462 (1989) 13
 Hayashi, Y., see Matsuda, R. 462 (1989) 23
 Hayashi, Y., see Watanabe, K. 468 (1989) 383
 Haymond, M.W., see Horber, F.F. 495 (1989) 81
 Haymond, M.W., see Lecavalier, L. 491 (1989) 410
 Haymore, B.L., see Stover, F.S. 470 (1989) 241
 Haynes, S., see Longmuir, K.J. 454 (1988) 438
 He, L.-Y., Zhang, G.-D., Tong, Y.-Y., Sagara, K., Oshima, T. and Yoshida, T.
 Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428
 Heales, S. and Hyland, K.
 Determination of quinonoid dihydrobiopterin by HPLC and electrochemical detection 494 (1989) 77
 Hearn, M.T.W., Hodder, A.N. and Aguilar, M.I.
 HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27
 Hearn, M.T.W., Hodder, A.N. and Aguilar, M.I.
 High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45
 Hearn, M.T.W., see Anspach, B. 457 (1988) 195
 Hearn, M.T.W., see Anspach, F.B. 476 (1989) 205
 Hearn, M.T.W., see Anspach, F.B. 499 (1990) 103
 Hearn, M.T.W., see Bertolini, J. 491 (1989) 49
 Hearn, M.T.W., see Coppola, D. 476 (1989) 269
 Hearn, M.T.W., see Guthridge, M. 476 (1989) 445
 Hearn, M.T.W., see Hodder, A.N. 476 (1989) 391
 Hearn, M.T.W., see Lork, K.D. 476 (1989) 135
 Hearn, M.T.W., see Purcell, A.W. 476 (1989) 113
 Hearn, M.T.W., see Purcell, A.W. 476 (1989) 125
 Hedeon, K.M., see Tyczkowska, K. 493 (1989) 337
 Hedsten, U., see Andersson, S. 477 (1989) 474
 Heeft, E. Van de, see Van Ginkel, L.A. 489 (1989) 111
 Heegaard, N.H.H., see Bjerrum, O.J. 470 (1989) 351
 Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
 Development of optimization strategies in thermospray LC-MS 474 (1989) 149
 Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Vuik, J., De Vos, R.H. and Van der Greef, J.

- Specific screening methods for glucosinolates in sprout extracts using on-line thermospray LC-tandem MS 472 (1989) 219
- Heeremans, C.E.M., see Niessen, W.M.A. 474 (1989) 113
- Heeremans, C.E.M., see Niessen, W.M.A. 478 (1989) 325
- Heeremans, C.E.M., see Walhagen, A. 474 (1989) 257
- Heilmann, P., see Schöneshöfer, M. 490 (1989) 230
- Heimler, D. and Boddi, V.
Cluster analysis in the comparison of two dimensional chromatograms 466 (1989) 371
- Heindorf, M.A. and McGuffin, V.L.
Limitations of 2-diphenylacetyl-1,3-indandione-1-hydrazone as a precolumn fluorescence derivatization reagent 464 (1989) 186
- Heineman, W.R., see Abdelnasser, M.A. 488 (1989) 463
- Heirwegh, K.P.M., Fevery, J. and Blanckaert, N.
Chromatographic analysis and structure determination of biliverdins and bilirubins (Review) 496 (1989) 1
- Helfferich, F.G., see Leu, R.-J. 499 (1990) 677
- Heller, M., see Radeck, W. 497 (1989) 367
- Hellier, G., see Godin, J. 488 (1989) 487
- Helliger, W., see Lindner, H. 472 (1989) 243
- Helson, M., see Chamart, S. 496 (1989) 365
- Henderson, D.E. and Mello, J.A.
Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79
- Hendrickson, H.P., Scott, D.O. and Lunte, C.E.
Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401
- Henion, J., see Edlund, P.O. 487 (1989) 341
- Henion, J., see Edlund, P.O. 497 (1989) 49
- Henion, J.D., see Chichila, T.M.P. 488 (1989) 389
- Henion, J.D., see Lee, E.D. 458 (1988) 313
- Henion, J.D., see Mück, W.M. 495 (1989) 41
- Henis, J.M.S., see Milby, K.H. 482 (1989) 133
- Henne, E.M., see Meineke, I. 493 (1989) 287
- Hennion, M.-C., see Subra, P. 456 (1988) 121
- Henoux, J., see Jadaud, P. 464 (1989) 333
- Henry, J.A., see Virgili, P. 496 (1989) 228
- Henry, M., Pauthe-Dayde, D. and Rochd, M.
Extraction and HPLC determination of gypsogenin 3,O-glucuronide 477 (1989) 413
- Henry, R.J.
Rapid separation of α -amylases from barley by ion-exchange HPLC on non-porous columns 481 (1989) 397
- Hensley, J.L., see Cook, L.A. 463 (1989) 127
- Henson, C.A. and Stone, J.M.
Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361
- Herbert, K., see James, I.T. 495 (1989) 105
- Herbretau, B., see Lafosse, M. 472 (1989) 209
- Herbst, F., see Dörner, T. 490 (1989) 411
- Herbst, H., see Hummel, M. 477 (1989) 420
- Herényi, B., see Görög, S. 452 (1988) 317
- Herkes, G.K., McKinnon, G.E. and Eadie, M.J.
Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytoin and phenobarbitone by HPLC 496 (1989) 147
- Herman, D.P., Billiet, H.A.H. and De Galan, L.
Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase LC 463 (1989) 1
- Hermans-Lokkerbol, A., Van der Leer, T. and Verpoorte, R.
Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39
- Hermansson, J., see Enquist, M. 494 (1989) 143
- Herold, D.A., Smith, B.J., Ross, R.M., Marquis, F., Savory, J., Wills, M.R. and Ayers, C.R.
Measurement of plasma thromboxane B₂ by GC-MS using ¹⁸O₂-labelled thromboxane B₂ as the internal standard 496 (1989) 180
- Herraiz, M., see Reglero, G. 483 (1989) 43
- Herraiz, T., see Reglero, G. 483 (1989) 43
- Herrmann, T., see Steinhilber, D. 493 (1989) 361
- Herrstedt, J., see Angelo, H.R. 496 (1989) 472
- Hester, R.D., Vaidya, R.A. and Dickerson, J.P.
Chromatographic dispersion corrections utilizing the generalized exponential function 462 (1989) 3
- Hetem, M., Rutten, G., Vermeer, B., Rijks, J., Van de Ven, L., De Haan, J. and Cramers, C.
Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ²⁹Si nuclear magnetic resonance spectroscopy 477 (1989) 3
- Hetem, M., Van de Ven, L., De Haan, J., Cramers, C., Albert, K. and Bayer, E.
Study of the changes in mono-, di- and trifunctional octadecyl-modified packings for reversed-phase HPLC with different eluent compositions 479 (1989) 269
- Heuvel, M.P.M. Van den, see Onkenhout, W. 494 (1989) 31
- Hewetson, D., see Singh, A.K. 479 (1989) 233

- Heybey, J., see Mohnke, M. 471 (1989) 37
- Heydt, A., see Wenger, P. 455 (1988) 225
- Hicks, C.M. and Powell, M.L.
Rapid analysis of ceftriaxone in human plasma using sorbent extraction and HPLC 497 (1989) 349
- Hidajat, K., see Ching, C.B. 463 (1989) 261
- Hiddemann, W., see Schleyer, E. 497 (1989) 109
- Higashidate, S., see Dobashi, A. 461 (1989) 121
- Higuchi, S., see Ohtsubo, K. 496 (1989) 397
- Hikida, K., Inoue, Y., Miyazaki, T., Kojima, N. and Ohkura, Y.
Determination of bromperidol in serum by automated column-switching HPLC 495 (1989) 227
- Hill, H.M., see Selinger, K. 491 (1989) 248
- Hill, H.M., see Selinger, K. 493 (1989) 230
- Hill, H.M., see Selinger, K. 494 (1989) 247
- Hill, Jr., H.H., see Hallen, R.W. 480 (1989) 233
- Hill, Jr., H.H., see St. Louis, R.H. 479 (1989) 221
- Hill, Jr., R.H., see Orti, D.L. 462 (1989) 269
- Himberg, K.
Determination of anatoxin-a, the neurotoxin of *Anabaena flos-aquae* cyanobacterium, in algae and water by GC-MS 481 (1989) 358
- Himmel, M.E., Oh, K.K., Quigley, D.R. and Grohmann, K.
Alkaline SEC of lignins and coal extracts using cross-linked dextran gels 467 (1989) 309
- Himmel, M.E., Tatsumoto, K., Grohmann, K., Johnson, D.K. and Chum, H.L.
Molecular weight distribution of aspen lignins from conventional GPC, universal calibration and sedimentation equilibrium 498 (1990) 93
- Hindriks, R., Maris, F., Vink, J., Peeters, A., De Smet, M., Massart, D.L. and Buydens, L.
Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255
- Hinson, J.A., see Getek, T.A. 474 (1989) 245
- Hintzer, K., see Schurig, V. 475 (1989) 23
- Hirai, A., see Oeda, T. 482 (1989) 117
- Hirano, T., see Oka, K. 490 (1989) 145
- Hirao, T., see Kikawa, Y. 491 (1989) 193
- Hirauchi, K., Sakano, T., Notsumoto, S., Nagaoka, T., Morimoto, A., Fujimoto, K., Masuda, S. and Suzuki, Y.
Measurement of K vitamins in animal tissues by HPLC with fluorimetric detection 497 (1989) 131
- Hirayama, C., Ihara, H., Nagaoka, S. and Hamada, K.
Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241
- Hirayama, F., see Ito, Y. 456 (1988) 392
- Hirayama, N., see Maruo, M. 466 (1989) 379
- Hirayama, N., see Maruo, M. 481 (1989) 315
- Hirayama, N. and Kuwamoto, T.
Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 457 (1988) 415
- Hirokawa, T., Nakahara, K. and Kiso, Y.
The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39
- Hirokawa, T., Nakahara, K. and Kiso, Y.
The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51
- Hirokawa, T., Nakahara, K. and Kiso, Y.
Separation process in isotachopheresis. III. Transient state models for a three-component system 470 (1989) 21
- Hirose, S., see Tawa, R. 490 (1989) 125
- Hirose, T., see Sasagawa, T. 485 (1989) 533
- Hirose, Y., see Shimada, K. 478 (1989) 339
- Hirukawa, M. and Hanai, T.
Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191
- Hirvonen, E., see Järvinen, T. 495 (1989) 13
- Hisaka, A., Kasamatsu, S., Takenaga, N. and Ohtawa, M.
Quantification of L-3-(3-hydroxy-4-pivaloyloxyphenyl)alanine (NB-355) by HPLC using *o*-phthalaldehyde/*N*-acetyl-L-cysteine derivatization 494 (1989) 183
- Hisamatsu, S., see Sonoki, S. 475 (1989) 311
- Hjemdahl, P., Larsson, P.T., Bradley, T., Åkerstedt, T., Anderzén, I., Sigurdsson, K., Gillberg, M. and Lundberg, U.
Catecholamine measurements in urine by HPLC with amperometric detection-comparison with an autoanalyser fluorescence method 494 (1989) 53
- Hjertén, S. and Li, J.-P.
High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 μm beads 475 (1989) 167
- Hjertén, S. and Li, J.-P.
HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543
- Hjertén, S., Li, J.-P. and Liao, J.-L.
High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 μm beads 475 (1989) 177

- Hjertén, S. and Liao, J.-L.
HPLC of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 457 (1988) 165
- Hjertén, S., Liao, J.-L. and Zhang, R.
HPLC on continuous polymer beds 473 (1989) 273
- Hjertén, S., Zelikman, I., Lindeberg, J., Liao, J.-L., Eriksson, K.-O. and Mohammad, J.
High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175
- Hjertén, S., Zelikman, I., Lindeberg, J. and Lederer, M.
High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II. Coating: aluminium and zirconium (hydroxide) with stoichiometrically bound phosphate 481 (1989) 187
- Hjertén, S., see Kilår, F. 480 (1989) 351
- Hjertén, S., see Liao, J.-L. 457 (1988) 175
- Hjertén, S., see Lindeberg, J. 499 (1990) 153
- Hjortshøj, H., see Mortensen, S.B. 476 (1989) 227
- Ho, P., see Ruggirello, D.A. 487 (1989) 73
- Ho, S.V., see Milby, K.H. 482 (1989) 133
- Ho, Y., see Hsu, K.-Y. 493 (1989) 305
- Hobo, T., see Nonomura, M. 465 (1989) 395
- Hock, D., see Dörner, T. 490 (1989) 411
- Höcker, H., see Kuropka, R. 481 (1989) 380
- Hodder, A.N., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 476 (1989) 391
- Hodder, A.N., see Hearn, M.T.W. 458 (1988) 27
- Hodder, A.N., see Hearn, M.T.W. 458 (1988) 45
- Hodges, R.S., Parker, J.M.R., Mant, C.T. and Sharma, R.R.
Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147
- Hodges, R.S., see Burke, T.W.L. 476 (1989) 377
- Hodges, R.S., see Mant, C.T. 458 (1988) 193
- Hodges, R.S., see Mant, C.T. 476 (1989) 363
- Hodges, R.S., see Mant, C.T. 485 (1989) 365
- Hoeger, C., Porter, J., Doublik, J. and Rivier, J.
Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist 484 (1989) 307
- Hoeven, R.A.M. Van der, see Heeremans, C.E.M. 472 (1989) 219
- Hoeven, R.A.M. Van der, see Heeremans, C.E.M. 474 (1989) 149
- Hoeven, R.A.M. Van der, see Niessen, W.M.A. 474 (1989) 113
- Hoeven, R.A.M. Van der, see Niessen, W.M.A. 478 (1989) 325
- Hoeven, R.A.M. Van der, see Walhagen, A. 474 (1989) 257
- Hoffman, N.E., Pan, S.-L. and Rustum, A.M.
Injection of eluents in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189
- Hoffman, N.E. and Rahman, A.
Computation of band shape for strong injection solvent and weak mobile phase combinations in LC 473 (1989) 260
- Hofmann, W., see Josić, D. 484 (1989) 327
- Hoge, J.H.C., see Pennings, E.J.M. 483 (1989) 311
- Hogendoorn, E.A. and Goewie, C.E.
Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using HPLC and an on-line clean-up column-switching procedure 475 (1989) 432
- Hogendoorn, E.A., see De Groot, G. 456 (1988) 71
- Hogendoorn, E.A., see Kootstra, P.R. 458 (1988) 175
- Hoggarth, C.R., see Daley-Yates, P.T. 490 (1989) 329
- Hohmann, R., see Guilbault, L.F. 475 (1989) 237
- Holá, V., see Jelínek, J. 495 (1989) 338
- Hölck, J.-P., see Neubert, P. 490 (1989) 155
- Holdway, M.J., see Szczerba, T.J. 458 (1988) 281
- Holdt, G., see Steudel, R. 475 (1989) 442
- Holényi, I., see Kremmer, T. 493 (1989) 45
- Holland, J.F., see Roboz, J. 500 (1990) 413
- Holland, R.A., see Anthony, L.J. 477 (1989) 291
- Holmberg, A., see Isaksson, R. 498 (1990) 257
- Holmes, S.A.
Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345
- Holotík, Š., see Matisová, E. 455 (1988) 301
- Holstege, C.P., Pickaart, M.J. and Louters, L.L.
Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401
- Holthuis, J.J.M., see Van der Horst, F.A.L. 456 (1988) 191

- Holthuis, J.J.M., see Van der Horst, F.A.L. 456 (1988) 201
- Holthuis, J.J.M., see Van der Horst, F.A.L. 500 (1990) 443
- Holthuis, J.J.M., see Van Opstal, M.A.J. 495 (1989) 139
- Holthuis, J.J.M., see Zweipfenning, P.G.M. 456 (1988) 83
- Holzer, G., Bourne, T.F. and Bertsch, W.
Analysis of *in situ* methylated microbial fatty acid constituents by Curie-point pyrolysis-GC-MS 468 (1989) 181
- Holzhauser-Rieger, K., Zhou, W. and Schügerl, K.
On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609
- Honegger, C.G., Langemann, H., Krenger, W. and Kempf, A.
Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463
- Hong, E., see Flores-Murrieta, F.J. 490 (1989) 464
- Hong, P.S. and Chan, K.K.
Analysis of 4-hydroxycyclophosphamide by GC-MS in plasma 495 (1989) 131
- Hongxin, H., see Peichang, L. 452 (1988) 175
- Honour, S., see Koshinsky, H. 463 (1989) 457
- Hoogenboom, L.A.P., Berghmans, M.C.J. and Traag, W.A.
Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105
- Hooijerink, H., see Schilt, R. 489 (1989) 127
- Hooijschuur, R.C.M., see Van Ginkel, L.A. 489 (1989) 95
- Hoorn, F.A.J. Van der, Boomsma, F., Man in 't Veld, A.J. and Schalekamp, M.A.D.H.
Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17
- Hopfgartner, G., see Timm, U. 456 (1988) 21
- Hopkins, J.P., see O'Keeffe, M. 489 (1989) 199
- Horák, D., see Tennikova, T.B. 475 (1989) 187
- Horbaczewski, A., see Kostrowicki, J. 454 (1988) 340
- Horber, F.F., Kahl, J., Lecavalier, L., Krom, B. and Haymond, M.W.
Determination of leucine and α -ketoisocaproic acid concentrations and specific activity in plasma and leucine specific activities in proteins using HPLC 495 (1989) 81
- Horber, F.F., see Lecavalier, L. 491 (1989) 410
- Hörchner, U., see Otto, M. 485 (1989) 453
- Hori, A., see Tsuda, T. 456 (1988) 375
- Hori, S., see Kiba, N. 463 (1989) 177
- Horie, M., see Saito, K. 454 (1988) 387
- Horikawa, Y., see Ôi, N. 462 (1989) 382
- Horiuchi, K., see Suemitsu, R. 454 (1988) 406
- Horká, M., see Janák, K. 471 (1989) 237
- Horn, A.S., see Den Daas, I. 487 (1989) 210
- Horn, A.S., see Gerding, T.K. 487 (1989) 125
- Horn, L., see Jellum, E. 468 (1989) 43
- Horna, A.
Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection GC 457 (1988) 372
- Horne, W., see Corradini, D. 458 (1988) 1
- Horning, E.C., see Kim, K.R. 468 (1989) 289
- Horst, F.A.L. Van der, Eikelboom, G.G. and Holthuis, J.J.M.
HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191
- Horst, F.A.L. Van der, Post, M.H., Holthuis, J.J.M. and Brinkman, U.A.T.
Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443
- Horst, F.A.L. Van der, Post, M.H. and Holthuis, J.J.M.
Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-2-methoxycoumarin 456 (1988) 201
- Horst, F.A.L. Van der, see Van Opstal, M.A.J. 495 (1989) 139
- Horstmann, B.J., see Skidmore, G.L. 498 (1990) 113
- Horváth, C., see Antia, F.D. 484 (1989) 1
- Horváth, C., see Corradini, D. 458 (1988) 1
- Horváth, C., see El Rassi, Z. 488 (1989) 229
- Horváth, C., see Maa, Y.-F. 452 (1988) 331
- Horváth, C., see Melander, W.R. 469 (1989) 3
- Horváth, C., see Várady, L. 458 (1988) 207
- Hosaki, S., Sawamoto, J., Hagiwara, M., Kusano, T., Oda, H. and Shiina, S.-I.
Stability of serum γ -glutamyltranspeptidase fractionated by gel permeation using HPLC and FPLC 488 (1989) 503
- Hoschke, Á., see Daood, H.G. 472 (1989) 296

- Hoshi, Y., see Shinomiya, K. 462 (1989) 471
- Hoshino, H., see Saitoh, T. 469 (1989) 175
- Hoshino, Y., see Saito, K. 454 (1988) 387
- Hoshino, Y., see Tanaka, A. 466 (1989) 307
- Hoskins, J.A. and Evans, C.E.
Measurement of intracellular diacylglycerols by acetylation and TLC 490 (1989) 439
- Hoskins, J.A., see Brown, R.C. 497 (1989) 360
- Hosoda, K., see Oka, K. 490 (1989) 145
- Hosotsubo, H.
Rapid and sensitive method for the determination of 5-fluorocytosine in human plasma by ion-pair HPLC 487 (1989) 183
- Hosotsubo, H.
Rapid and specific method for the determination of vancomycin in plasma by HPLC on an aminopropyl column 487 (1989) 421
- Hosotsubo, H., Takeda, K., Hosotsubo, K. and Yoshiya, I.
Measurement of thiamylal in human plasma using reversed-phase HPLC 487 (1989) 204
- Hosotsubo, K., see Hosotsubo, H. 487 (1989) 204
- Hosoya, K., see Tanaka, N. 475 (1989) 195
- Hossner, F., see Camilleri, P. 477 (1989) 471
- Hostettmann, K., see El Tayar, N. 469 (1989) 91
- Hostettmann, K., see Slacanin, I. 457 (1988) 325
- Hostettmann, K., see Slacanin, I. 482 (1989) 234
- Hotter, G., see Gelpi, E. 492 (1989) 223
- Houck, R.K., see Rosselli, A.C. 465 (1989) 11
- Hough, B.J., see Labadarios, D. 487 (1989) 428
- Houghton, E., Ginn, A., Teale, P., Dumasia, M.C. and Copey, J.
Comparison of the use of MS and methylene unit values in the determination of the stereochemistry of estranediol, the major urinary metabolite of 19-nortestosterone in the horse 479 (1989) 73
- Hougum, J.E., Larson, R.D. and Neal, R.M.
HPLC separation of indandione rodenticides 481 (1989) 458
- Howald, W.N., see Moor, M.J. 474 (1989) 223
- Howden, M.E.H., see Tseng, A. 474 (1989) 424
- Hoyo-Vadillo, C., see Flores-Murrieta, F.J. 490 (1989) 464
- Hoyt, K.D., see Ocampo, A.P. 496 (1989) 167
- Hradec, J., see Doležal, M. 463 (1989) 409
- Hradec, J., see Rejšková, D. 466 (1989) 446
- Hradil, J., Švec, F., Aratskova, A.A., Beljakova, L.D., Orlov, V.I. and Yashin, Y.I.
Ion chromatography on methacrylate ion exchangers 475 (1989) 209
- Hradil, J., Švec, F., Kakriashvili, N.D., Gogitidze, M.N. and Andronikashvili, T.G.
Solute-solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61
- Hradil, J., Švec, F., Platonova, N.P., Belyakova, L.D. and Maroušek, V.
GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143
- Hsieh, J.K., see Constanzer, M.L. 488 (1989) 476
- Hsieh, L.C., see Long, A.R. 475 (1989) 404
- Hsieh, Y.-Z., see Beale, S.C. 499 (1990) 579
- Hsu, F.-F., Ghosh, S. and Sherman, W.R.
Preparative HPLC using detection by thermospray MS 478 (1989) 429
- Hsu, F.-F. and Sherman, W.R.
Performing high salt concentration gradient elution ion-exchange separations using thermospray MS 479 (1989) 437
- Hsu, K.-Y. and Ho, Y.
Determination of isoniazid methanesulphonate and its metabolites in rabbit blood by HPLC 493 (1989) 305
- Hsu, R.S., DiLeo, E.M., Chesson, S.M., Ellis, D.B. and Wichmann, J.K.
Determination of velnacrine in plasma and urine by HPLC 494 (1989) 347
- Hsu, S.-H., Koerper, T.L., Tomlinson, B.J., Miksic, J.R. and Grebow, P.E.
Determination of a new inotropic agent in human plasma by HPLC 459 (1988) 215
- Htoon, A.K., see Dilli, S. 500 (1990) 313
- Hu, H., see Kutlar, F. 487 (1989) 265
- Hu, Y. and Massart, D.L.
Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311
- Hu, Y. and Ziffer, H.
GC based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 482 (1989) 227
- Hua, M., see Rimmel, R.P. 489 (1989) 323
- Huang, E.C., see Tarbet, B.J. 473 (1989) 103
- Huang, J.L. and McLeish, M.J.
HPLC determination of the alkaloids in betel nut 475 (1989) 447
- Huang, J.-X. and Guiochon, G.
Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431
- Huang, S.-D., see Wang, W.-K. 483 (1989) 121
- Huang, T., Wall, J. and Kabra, P.
Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteiny-L-DOPA 452 (1988) 409
- Huang, X., Coleman, W.F. and Zare, R.N.
Analysis of factors causing peak broadening

- in capillary zone electrophoresis 480 (1989) 95
- Huang, X., Gordon, M.J. and Zare, R.N.
Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285
- Huang, X., see Aguilar, M. 480 (1989) 427
- Huang, Z., see Jin, Y. 469 (1989) 153
- Hubbard, J.W., see Srinivas, N.R. 487 (1989) 61
- Hubbard, J.W., see Srinivas, N.R. 491 (1989) 262
- Huber, G., see Défayes, G. 500 (1990) 139
- Huber, J.F.K., Pawlowski, M. and Markl, P.
Selection of the solid support—a crucial step for the realization of solvent generated liquid-liquid chromatography 500 (1990) 257
- Hubert, J., see Chauret, N. 469 (1989) 329
- Hubert, P., see Mathis, R. 474 (1989) 396
- Hudgens, E.E., see Smith, D.F. 483 (1989) 431
- Huf, F.A., see Farjam, A. 452 (1988) 419
- Huf, F.A., see Haasnoot, W. 489 (1989) 157
- Huffer, M. and Schreier, P.
Analytical resolution of 4(5)-alkylated $\gamma(\delta)$ -lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137
- Hughes, J.B., see Mohareb, E.W. 480 (1989) 421
- Huh, D., see Sherma, J. 463 (1989) 229
- Huh, K., see Conway, W.D. 484 (1989) 391
- Hui, A.C., see Chin, S.K. 489 (1989) 438
- Huisden, R., see Bruin, G.J.M. 480 (1989) 339
- Huisman, T.H.J., see Bhaumik, K. 496 (1989) 83
- Huisman, T.H.J., see Kutlar, F. 487 (1989) 265
- Hull, C.J., Guthrie, J.L., McKinney, R.W., Taylor, D.C., Mabud, M.A. and Prescott, S.R.
Determination of toluenediamines in polyurethane foams by HPLC with electrochemical detection 477 (1989) 387
- Hulst, A.G., see Wils, E.R.J. 454 (1988) 261
- Hultman, A., see Björkholm, E. 457 (1988) 409
- Hummel, M., Herbst, H. and Stein, H.
Reversed-phase HPLC of very long oligodeoxyribonucleotides 477 (1989) 420
- Hummel, M., see Koppenhoefer, B. 477 (1989) 139
- Humpel, C., Haring, C. and Saria, A.
Rapid and sensitive determination of clozapine in human plasma using HPLC and amperometric detection 491 (1989) 235
- Hung, S.S., see Lai, J.-S. 461 (1989) 327
- Hung, T.K., see Röscher, F. 457 (1988) 362
- Hünig, S., Klaunzer, N. and Günther, K.
Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher[®] 481 (1989) 387
- Hunter, B.T., see Ascah, T.L. 455 (1988) 279
- Hupe, K.-P., see Debets, A.J.J. 465 (1989) 315
- Hurdley, T.G., see Smith, R.M. 455 (1988) 77
- Hurlbut, J.A., see Roybal, J.E. 467 (1989) 259
- Hurst, W.J., Martin, Jr., R.A., Tarka, Jr., S.M. and Hall, G.D.
Authentication of cocoa in Maya vessels using HPLC techniques 466 (1989) 279
- Hurtado, M., Medina, M.T., Sotelo, J. and Jung, H.
Sensitive HPLC assay for albendazole and its main metabolite albendazole sulphoxide in plasma and cerebrospinal fluid 494 (1989) 403
- Hurtubise, R.J., see Mohseni, R.M. 499 (1990) 395
- Hurtubise, R.J., see Olsen, L.D. 474 (1989) 347
- Hurtubise, R.J., see Olsen, L.D. 479 (1989) 5
- Husain, S., Pratap, G. and Rao, R.N.
HPLC of long chain 7-oxo alcohols, acids and their esters 475 (1989) 426
- Husain, S., Sastry, G.S.R., Prasada Raju, N. and Narasimha, R.
High-performance size-exclusion chromatography of oils and fats 454 (1988) 317
- Huss, V., Chevalier, J.L. and Siouffi, A.M.
Diffusion coefficients in water-acetonitrile mixtures 500 (1990) 241
- Hustvedt, S.O., Salte, R. and Benjaminsen, T.
Rapid HPLC method for the determination of oxolinic acid in fish serum employing solid-phase extraction 494 (1989) 335
- Hutchens, T.W. and Yip, T.-T.
Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531
- Hutchinson, M.W., see Gentilucci, T.J. 461 (1989) 63
- Hutta, M., Šimuničová, E., Kaniansky, D., Tkačová, J. and Brtko, J.
Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223
- Huvenne, P., see Lacroix, B. 492 (1989) 109
- Hwang, Y.-L., see Leu, R.-J. 499 (1990) 677
- Hyder, S.M. and Wittliff, J.L.
Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455

- Hyland, K., see Heales, S. 494 (1989) 77
 Hynning, P.-Å., Remberger, M. and Neilson, A.H.
 Synthesis, GLC analysis and GC-MS identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99

II

- Ibañez, M.A.D., Chessebeuf-Padieu, M. and Padieu, P.
 GC-MS study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction 488 (1989) 237
- Ibrahim, E.A. and Suffet, I.H.
 Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace organics from chlorinated drinking water 454 (1988) 217
- Ibuki, T., see Jinno, K. 461 (1989) 209
- Ichimaru, M., see Endo, M. 455 (1988) 430
- Idei, M., Pajor, A., Guoth, J. and Menyhart, J.
 Biological detectors in LC 490 (1989) 247
- Idowu, O.R., Edwards, G., Ward, S.A., Orme, M.L.E. and Breckenridge, A.M.
 Determination of arteether in blood plasma by HPLC with UV detection after hydrolysis with acid 493 (1989) 125
- Idowu, O.R., Ward, S.A. and Edwards, G.
 Determination of artelinic acid in blood plasma by HPLC 495 (1989) 167
- Iftikhar, N., see Hasan, A. 466 (1989) 399
- Igaki, A., Kobayashi, K., Kimura, M., Sakoguchi, T. and Matsuoka, A.
 Determination of serum sulphonylureas by HPLC with fluorimetric detection 493 (1989) 222
- Igarashi, K., see Onodera, S. 466 (1989) 233
- Igualada Cañas, C., see Mañes Vinuesa, J. 472 (1989) 365
- Ihara, H., see Hirayama, C. 465 (1989) 241
- Iijima, M., see Tanaka, A. 466 (1989) 307
- Iinuma, F., see Mawatari, K.-I. 488 (1989) 349
- Iinuma, F., see Mawatari, K.-I. 491 (1989) 389
- Ikai, Y., Oka, H., Kawamura, N. and Yamada, M.
 Simultaneous determination of nine food additives using HPLC 457 (1988) 333
- Ikai, Y., Oka, H., Kawamura, N., Yamada, M., Harada, K.-I., Suzuki, M. and Nakazawa, H.
 Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397
- Ikai, Y., see Oka, H. 462 (1989) 315
- Ikeda, K., Suzuki, S. and Watanabe, Y.
 Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240
- Ikeda, Y., see Fuji, Y. 479 (1989) 319
- Ikekawa, N., Fujimoto, Y., Kadota, S. and Kikuchi, T.
 Effective separation of sterol C-24 epimers 468 (1989) 91
- Ikemoto, S., see Kajii, E. 490 (1989) 53
- Ikemoto, S., see Kamesaki, T. 489 (1989) 384
- Iles, J., see Do, U.H. 489 (1989) 359
- Imaizumi, N., see Hayakawa, K. 464 (1989) 343
- Imanari, T., see Shinomiya, K. 462 (1989) 471
- Imaz Villar, C., see Cañas Montalvo, B. 458 (1988) 217
- Inada, M., see Goto, J. 452 (1988) 119
- Inciong, M.E.J., see Lewis, N.G. 479 (1989) 345
- Inman, E.L., Maloney, A.M. and Rickard, E.C.
 Inaccuracies due to sample-solvent interactions in HPLC 465 (1989) 201
- Inotsume, N., see Kawano, H. 493 (1989) 71
- Inoue, M., see Okada, T. 475 (1989) 412
- Inoue, M., see Okada, T. 481 (1989) 299
- Inoue, Y., see Hikida, K. 495 (1989) 227
- Ioffe, B.V., see Marinichev, A.N. 454 (1988) 327
- Ioffe, B.V., see Vitenberg, A.G. 471 (1989) 55
- Ioneda, T.
 Separation of homologues of methyl ester and 3-O-acetyl methyl ester derivatives of the corynomycolic acid fraction from *Corynebacterium pseudotuberculosis* 481 (1989) 411
- Irie, T., see Watanabe, N. 497 (1989) 169
- Irth, H., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
 Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317
- Irth, H., Lamoree, M., De Jong, G.J., Brinkman,

- U.A.T., Frei, R.W., Kornfeldt, R.A. and Persson, L.
Determination of *D-myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase LC with post-column ligand exchange and fluorescence detection 499 (1990) 617
- Irth, H., Tocklu, R., Welten, K., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
Trace-level determination of 3'-azido-3'-deoxythymidine in human plasma by preconcentration on a silver (I)-thiol stationary phase with on-line reversed-phase HPLC 491 (1989) 321
- Irth, H., see Lipschitz, C. 471 (1989) 321
- Isaksson, R., Erlandsson, P., Hansson, L., Holmberg, A. and Berner, S.
Triacetylcellulose as a chiral stationary phase for HPLC 498 (1990) 257
- Isaksson, R., see Erlandsson, P. 466 (1989) 364
- Isensee, R.K., see Krishnamurthy, T. 469 (1989) 209
- Isensee, R.K., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Ishibashi, M. and Suzuki, M.
Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382
- Ishibashi, M., see Matsuda, R. 462 (1989) 13
- Ishibashi, M., see Matsuda, R. 462 (1989) 23
- Ishibashi, M., see Watanabe, K. 468 (1989) 383
- Ishida, T., see Katoh, H. 473 (1989) 241
- Ishida, T., see Kiniwa, H. 461 (1989) 397
- Ishigami, A., see Nakahara, Y. 489 (1989) 371
- Ishii, D., see Takeuchi, T. 471 (1989) 297
- Ishii, D., see Takeuchi, T. 477 (1989) 147
- Ishii, D., see Takeuchi, T. 499 (1990) 549
- Ishii, J., see Terabayashi, T. 454 (1988) 432
- Ishii, T., see Sugata, R. 487 (1989) 9
- Ishikawa, T., see Okuyama, T. 466 (1989) 390
- Ishimitsu, S., Fujimoto, S. and Ohara, A.
HPLC determination of *m*-tyrosine and *o*-tyrosine in rat urine 489 (1989) 377
- Ishiwata, T., see Blink, A. 467 (1989) 285
- Ishizaki, T., see Kubota, K. 493 (1989) 373
- Iskrić, S., see Hadžija, O. 464 (1989) 220
- Iskrić, S., see Škvorc, I. 498 (1990) 428
- Issaq, H.J., Williams, D.G., Schultz, N. and Saavedra, J.E.
HPLC separations of nitrosamines. III. Conformers of N-nitrosamino acids 452 (1988) 511
- Issaq, H.J., see Atamna, I.Z. 499 (1990) 477
- Itabashi, Y., Takagi, T. and Tsuda, T.
HPLC separation of alkane-1,2-diol enantiomers on a chiral slurry-packed capillary column 472 (1989) 271
- Itani, M., see Kresbach, G.M. 476 (1989) 423
- Ito, K., see Sato, J. 493 (1989) 239
- Ito, M.K., see Baba, Y. 485 (1989) 647
- Ito, T., see Murai, S. 497 (1989) 363
- Ito, Y. and Chou, F.E.
New high-speed counter-current chromatograph equipped with a pair of separation columns connected in series 454 (1988) 382
- Ito, Y., Hirayama, F., Suto, K., Oshima, T., Sagara, K. and Yoshida, T.
Determination of flavonol glycosides in *Epimedium Herba* by HPLC 456 (1988) 392
- Ito, Y. and Oka, H.
Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 457 (1988) 393
- Ito, Y., Oka, H. and Lee, Y.W.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169
- Ito, Y., Oka, H. and Slemph, J.L.
Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 463 (1989) 305
- Ito, Y., Oka, H. and Slemph, J.L.
Improved high-speed counter-current chromatograph with three multilayer coils connected in series. I. Design of the apparatus and performance of semipreparative columns in 2,4-dinitrophenyl amino acid separation 475 (1989) 219
- Ito, Y. and Zhang, T.-Y.
Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. III. Performance of large-bore coils in slow planetary motion 455 (1988) 151
- Ito, Y., see Bhatnagar, M. 463 (1989) 317
- Ito, Y., see Knight, M. 484 (1989) 319
- Ito, Y., see Lee, Y.W. 477 (1989) 434
- Ito, Y., see Oka, H. 475 (1989) 229
- Ito, Y., see Oka, H. 479 (1989) 53
- Ito, Y., see Oka, H. 482 (1989) 197
- Ito, Y., see Zhang, T.-Y. 454 (1988) 185
- Ivanov, S., see Gavrilova, T.B. 454 (1988) 73
- Ivashkiv, E., see Kadin, H. 487 (1989) 135

- Iversen, B., Aanesrud, A., Kolstad, A.K. and Rasmussen, K.E.
Determination of oxytetracycline in plasma from rainbow trout using HPLC with UV detection 493 (1989) 217
- Iwahashi, H., see Sugata, R. 487 (1989) 9
- Iwata, J. and Suga, T.
Determination of 17-oxosteroid sulphates in serum by ion-pair extraction, prelabelling with dansylhydrazine and HPLC with fluorescence detection 474 (1989) 363
- Iwata, T., Hanazono, H., Yamaguchi, M., Nakamura, M. and Ohkura, Y.
Ultramicro determination of 7-dehydrocholesterol in rat skin by HPLC with fluorescence detection 491 (1989) 404
- Izawa, K., see Yagi, S. 493 (1989) 27
- Izquierdo, A., see Carbognani, L. 484 (1989) 399
- Izquierdo, C., see Montes, M. 481 (1989) 97
- Izquierdo Hornillos, R.C., see Cañas Montalvo, B. 458 (1988) 217

J

- Jack, D.B., Hawker, J.L., Rooney, L., Beerahce, M., Lobo, J. and Patel, P.
Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257
- Jackman, D.C., see Daignault, L.G. 462 (1989) 71
- Jackson, L.M., see Trumbore, C.N. 481 (1989) 111
- Jackson, P.J., Turner, R., Keen, J.N., Brooksbank, R.A. and Cooper, E.H.
Purification and partial amino acid sequence of human urine protein I. Evidence for homology with rabbit uteroglobin 452 (1988) 359
- Jacob, K., Egeler, E., Neumeier, D. and Knedel, M.
Isocratic ion-pair HPLC methods for the determination of uroporphyrin and coproporphyrin type II and IV isomers in human urine 468 (1989) 329
- Jacob, III, P., see Lee, B.L. 494 (1989) 109
- Jacobson, J.M. and Frenz, J.
Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5
- Jacobson, S., Golshan-Shirazi, S., Katti, A.M., Czok, M., Ma, Z. and Guiochon, G.
Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103
- Jacobsson, S. and Falk, O.
Determination of hydrogen sulphide by porous-layer open-tubular column GC-MS 479 (1989) 194
- Jacobsson, S., see Andersson, S. 477 (1989) 474
- Jacobsson, S., see Johansson, M. 459 (1988) 301
- Jacquot, J.-P., see Le Maréchal, P. 477 (1989) 305
- Jacqz-Aigrain, E., Menard, Y., Popon, M. and Mathieu, H.
Dextromethorphan phenotypes determined by HPLC and fluorescence detection 495 (1989) 361
- Jadaud, P., Caude, M., Rosset, R., Duteurtre, X. and Henoux, J.
Determination of some polynuclear aromatic hydrocarbons in new, used and regenerated oils 464 (1989) 333
- Jadaud, P. and Wainer, I.W.
Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165
- Jaeger, F., see Kolbe, H.V.J. 476 (1989) 99
- Jager, B.J., Carr, R.J.G. and Goward, C.R.
Ultra-thin electrophoretic gel densitometry using photo-thermal deflection spectroscopy 472 (1989) 331
- Jäger, W., see Czejka, M.J. 497 (1989) 336
- Jäger, W., see Georgopoulos, A. 494 (1989) 340
- Jain, A., see Verma, K.K. 457 (1988) 345
- Jain, T., see Chiari, M. 499 (1990) 699
- Jajoo, H.K., see Prakash, C. 493 (1989) 325
- Jamaluddin, A.B.M., Sarwar, G., Rahim, M.A. and Rahman, M.K.
Assay for cloxacillin in human serum utilising HPLC with UV detection 490 (1989) 243
- James, H., see Hammond, I. 474 (1989) 175
- James, I.T., Herbert, K., Perrett, D. and Thompson, P.W.
Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105
- Jamieson, D.D., see Duffield, A.M. 475 (1989) 273
- Janák, J., see Farkaš, P. 471 (1989) 251

- Janák, K., Horká, M. and Tesařík, K.
Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237
- Janča, J. and Nováková, N.
Retention in sedimentation–flotation focusing field-flow fractionation using a step density gradient 452 (1988) 549
- Janda, V., Steenbeke, G. and Sandra, P.
Supercritical fluid extraction of *s*-triazine herbicides from sediment 479 (1989) 200
- Janda, V. and Van Langenhove, H.
Determination of chlorophenols in water by direct acetylation and solid-phase extraction 472 (1989) 327
- Jandera, P.
Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113
- Jandera, P. and Kubát, J.
Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 500 (1990) 281
- Jandik, P., see Bonn, G. 499 (1990) 669
- Jandik, P., see Jones, W.R. 473 (1989) 171
- Janeček, M. and Šlais, K.
Simultaneous photometric and conductivity detection for microcolumn LC 471 (1989) 303
- Jang, N.-I., see Grushka, E. 485 (1989) 617
- Jang, N.-I., see Turcotte, J.G. 499 (1990) 55
- Janicke, D.M., see Jungbluth, G.L. 494 (1989) 376
- Janicot, J.L., see Veuthey, J.L. 499 (1990) 637
- Janini, G.M. and Filfil, N.T.
Optimization of the GC separation of five-membered ring polyarenes with an admixed BPhBT liquid crystal–Dexsil 300 stationary phase 469 (1989) 43
- Janis, L.J., Grott, A., Regnier, F.E. and Smith-Gill, S.J.
Immunological-chromatographic analysis of lysozyme variants 476 (1989) 235
- Janjić, T.J., Milojković, D.M., Arbutina, Ž.J., Tešić, Ž.L. and Čelap, M.B.
TLC on polyacrylonitrile. I. Effect of the *cis*–*trans* configuration of cobalt(III) complexes on their R_F values 481 (1989) 465
- Janjić, T.J., see Tešić, Ž.L. 456 (1988) 346
- Janjić, T.J., see Tešić, Ž.L. 481 (1989) 471
- Jankó, T., see Benedek, P. 499 (1990) 463
- Jansen, E.H.J.M., Both-Miedema, R. and Van den Berg, R.H.
Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57
- Jansen, E.H.J.M., Buskens, C.A.F. and Van den Berg, R.H.
Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 489 (1989) 245
- Jansen, E.H.J.M., Van den Bosch, D., Stephany, R.W., Van Look, L.J. and Van Peteghem, C.
Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205
- Janssen, P.S.L., Van Nispen, J.W., Van Zeeland, M.J.M. and Melgers, P.A.T.A.
Complementary information from isotachopheresis and HPLC in peptide analysis 470 (1989) 171
- Janssens, J., see Pieters, L.A. 462 (1989) 387
- Janssens, J.J., see Selala, M.I. 489 (1989) 51
- Jantzen, E., see Sonesson, A. 487 (1989) 1
- Jao, Y., Cheng, W.-L. and Ting, G.
Chromatographic separation and purification of xenon-133 462 (1989) 191
- Jaroniec, M., see Borówko, M. 452 (1988) 131
- Jarrett, H.W., see Massom, L.R. 482 (1989) 252
- Jarry, C.H., see Demotes-Mainaird, F.M. 490 (1989) 115
- Jarvi, E.J., see Patrick, K.S. 487 (1989) 91
- Jarvi, E.J., see Patrick, K.S. 495 (1989) 123
- Järvinen, T., Keinonen, T., Auriola, S., Peura, P., Hirvonen, E. and Palva, E.
Specific and sensitive quantitation of medroxyprogesterone acetate in human serum by GC–MS 495 (1989) 13
- Jarvis, B.B., see Krishnamurthy, T. 469 (1989) 209
- Jasinski, J.S.
Multiresidue procedures for the determination of chlorinated dibenzodioxins and dibenzofurans in a variety of foods using capillary GC–electron-capture detection 478 (1989) 349
- Jaulmes, A., see Vidal-Madjar, C. 458 (1988) 13
- Jayaraman, G., see Subramanian, G. 484 (1989) 225
- Jeansonne, M.S. and Foley, J.P.
Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149
- Jeffcoat, R., see Lindner, N.M. 473 (1989) 227
- Jeffery, S., see Edwards, R.J. 490 (1989) 424
- Jehl, F., see Koechlin, C. 491 (1989) 379
- Jekow, P., see Molnar, I. 485 (1989) 569

- Jelínek, I., Dohnal, J., Snopek, J. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachopheresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139
- Jelínek, I., Snopek, J., Dian, J. and Smolková-Keulemansová, E.
Concept of effective and non-effective inclusion complex formation in isotachopheresis 470 (1989) 113
- Jelínek, I., see Snopek, J. 452 (1988) 571
- Jelínek, I., see Snopek, J. 472 (1989) 308
- Jelínek, J., Rejholec, V., Holá, V., Roubal, Z., Snopek, J. and Smolková-Keulemansová, E.
Isotachopheretic determination of sulbactam in rat serum 495 (1989) 338
- Jellum, E.
Chromatography for diagnosis of metabolic diseases 452 (1988) 435
- Jellum, E., Thoresen, O., Horn, L., Seip, R., Nilsen, E., Kvittingen, E.A. and Stokke, O.
Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43
- Jellum, E. and Thorsrud, A.K.
Profiling cells and body fluids—chromatography and two-dimensional electrophoresis as complementary techniques 488 (1989) 105
- Jemnitz, K., see Valkó, K. 485 (1989) 349
- Jenke, D.R.
Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387
- Jenke, D.R., see Cruz, L.A. 477 (1989) 271
- Jenkins, K.M., see Tsuji, K. 485 (1989) 297
- Jenner, P., see Kenndler, E. 470 (1989) 57
- Jenny, P.D., Weber, A. and Smith, A.L.
Quantitation of *p*-aminohippuric acid in biological fluids by HPLC and dual-wavelength UV detection 490 (1989) 213
- Jentoft, N., see Gupta, R. 474 (1989) 411
- Jersey, J. De, see Winzor, D.J. 492 (1989) 377
- Jerzak, B., see Konopski, L. 481 (1989) 477
- Jewell, R.C., Brouwer, K.L.R. and McNamara, P.J.
 α_1 -Acid glycoprotein HPLC column (Enantiopac) as a screening tool for protein binding 487 (1989) 257
- Jezorek, J.R., see DeBot, S.A. 465 (1989) 249
- Jiang, W.D., see Yang, J.M. 490 (1989) 458
- Jilge, G., Unger, K.K., Esser, U., Schäfer, H.-J., Rathgeber, G. and Müller, W.
Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37
- Jimenez, J., see Sonesson, A. 490 (1989) 71
- Jin, H.L., see Armstrong, D.W. 462 (1989) 219
- Jin, H.L., see Stalcup, A.M. 499 (1990) 627
- Jin, Y., Fu, R., Guan, Z., Gong, J. and Li, B.
Low-temperature side-chain liquid crystalline polysiloxanes used as stationary phases for capillary GC 483 (1989) 394
- Jin, Y., Fu, R. and Huang, Z.
Use of crown ethers in GC 469 (1989) 153
- Jindal, S.P., Lutz, T. and Bagchi, S.P.
MS determination of tetrabenazine using a stable isotope-labeled analogue as an internal standard 493 (1989) 392
- Jinno, K., Ibuki, T., Tanaka, N., Okamoto, M., Fetzer, J.C., Biggs, W.R., Griffiths, P.R. and Olinger, J.M.
Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209
- Jinno, K. and Niimi, S.
Retention behaviour of polycyclic aromatic hydrocarbons in SFC on various chemically bonded stationary phases with carbon dioxide as a mobile phase 455 (1988) 29
- Jinno, K., Yamagami, M. and Kuwajima, M.
Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461
- Joelsson, M., see Johansson, G. 464 (1989) 49
- Joerg, E.A., see Tremaine, L.M. 496 (1989) 423
- Johansen, M., see Kurtzhals, P. 491 (1989) 117
- Johansson, B.-L. and Gustavsson, J.
Elution behaviour of some proteins on fresh, acid- or base-treated Sephacryl S-200 HR 457 (1988) 205
- Johansson, B.-L., see Drevin, I. 477 (1989) 337
- Johansson, G. and Joelsson, M.
Partition of hydrophobic compounds between two liquid phases of similar hydrophobicity 464 (1989) 49
- Johansson, I.M. and Schubert, B.
Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241
- Johansson, M., Tufvesson Alm, A., Forsmo-Bruce, H., Jacobsson, S. and Westerlund, D.
Determination of noscapine and its metabolites in plasma by coupled-column LC 459 (1988) 301

- Johnsson, M. and Westerlund, D.
Effects of system peaks in ion-pair reversed-phase LC for nescapine and metabolites 452 (1988) 241
- Johnsen, B.A., see Tørnes, J.A. 467 (1989) 129
- Johnson, D.F., see Tarbet, B.J. 473 (1989) 103
- Johnson, D.K., see Himmel, M.E. 498 (1990) 93
- Johnson, G.W., see Elvidge, D.A. 463 (1989) 107
- Johnson, R.D., see Kroeff, E.P. 461 (1989) 45
- Johnson, S.J., see Sung, N.J. 468 (1989) 345
- Johnston, A., see Anspach, F.B. 476 (1989) 205
- Johnston, A., see Anspach, F.B. 499 (1990) 103
- Johnston, A., see Saleh, S. 496 (1989) 223
- Jokl, V., Vitkovič, B. and Poláček, M.
Phase-heterogeneous zones in capillary isotachopheresis of low-solubility bases 470 (1989) 263
- Jones, A.E. and Grushka, E.
Nature of temperature gradients in capillary zone electrophoresis 466 (1989) 219
- Jones, A.J.S., see Chloupek, R.C. 463 (1989) 375
- Jones, G.D., Evans, C.D., Facchini, V. and Lewellen, O.R.W.
Determination of 2-*n*-octadecylindole-5-carboxylic acid in human plasma by HPLC 497 (1989) 121
- Jones, H.K., Barman, B.N. and Giddings, J.C.
Resolution of colloidal latex aggregates by sedimentation field-flow fractionation 455 (1988) 1
- Jones, K., see Tarbet, B.J. 473 (1989) 103
- Jones, P. and Schwedt, G.
Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 32523
- Jones, P., see Williams, T. 482 (1989) 361
- Jones, T.L., see Yinon, J. 482 (1989) 75
- Jones, W.J., Egoille, M.J., Strolle, E.O. and Dellamonica, E.S.
Determination of partition coefficients by headspace GC 455 (1988) 45
- Jones, W.R., Jandik, P. and Swartz, M.T.
Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 473 (1989) 171
- Jong, A.P.J.M. De, see Van Ginkel, L.A. 489 (1989) 111
- Jong, B.J. De, see Lammers, N. 496 (1989) 291
- Jong, E.G. De, see Leloux, M.S. 488 (1989) 357
- Jong, G.J. De and Kwakman, P.J.M.
Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319
- Jong, G.J. De, see Farjam, A. 452 (1988) 419
- Jong, G.J. De, see Irth, H. 482 (1989) 317
- Jong, G.J. De, see Irth, H. 491 (1989) 321
- Jong, G.J. De, see Irth, H. 499 (1990) 617
- Jong, G.J. De, see Kientz, C.E. 467 (1989) 385
- Jong, G.J. De, see Kwakman, P.J.M. 459 (1988) 139
- Jong, G.J. De, see Lipschitz, C. 471 (1989) 321
- Jong, G.J. De, see Thiebaut, D. 477 (1989) 151
- Jongejan, P.A.C., see Slanina, J. 482 (1989) 297
- Jonker, R.J., see De Waal, W.A.J. 462 (1989) 115
- Jönsson, J.Å., see Carlshaf, A. 461 (1989) 89
- Jönsson, J.Å., see Mathiasson, L. 467 (1989) 61
- Jönsson, J.Å., see Nilvé, G. 471 (1989) 151
- Joosse, J., see Li, K.W. 472 (1989) 445
- Jorgensen, J.W., see Escoffier, B.H. 474 (1989) 301
- Jørgensen, M., see Angelo, H.R. 496 (1989) 472
- Jorgenson, J.W., see Bushey, M.M. 480 (1989) 301
- Jorgenson, J.W., see De Wit, J.S.M. 462 (1989) 365
- Jorgenson, J.W., see Green, J.S. 478 (1989) 63
- Jorgenson, J.W., see Moseley, M.A. 480 (1989) 197
- Jorgenson, J.W., see Nickerson, B. 480 (1989) 157
- Joshi, A.P., see Kant, K. 494 (1989) 289
- Joshi, N.N. and Srebnik, M.
Resolution of *rac*-1,2-halohydrins by chiral complexation GC 462 (1989) 458
- Josić, D., Reutter, W. and Reusch, J.
Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309
- Josić, D., Zeilinger, K., Lim, Y.-P., Raps, M., Hofmann, W. and Reutter, W.
Preparative isolation of glycoproteins from plasma membranes of different rat organs 484 (1989) 327
- Joyce, W.F., see Haas, III, J.W. 457 (1988) 215
- Jozefonvicz, J., see Zhou, F.L. 476 (1989) 195
- Jung, H., see Hurtado, M. 494 (1989) 403
- Jung, H., see Lai, J.-S. 461 (1989) 327
- Jungbauer, A., Tauer, C., Reiter, M., Purtscher, M., Wenisch, E., Steindl, F., Buchacher, A. and Katinger, H.
Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257
- Jungbauer, A., see Righetti, P.G. 500 (1990) 681
- Jungbauer, A., see Weigang, F. 497 (1989) 59
- Jungblut, P. and Klose, J.
Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 482 (1989) 125

- Jungbluth, G.L., Janicke, D.M. and Jusko, W.J.
Reversed-phase HPLC assay for the
determination of mezlocillin in human and
rat biological samples 494 (1989) 376
- Juranić, N., see Vučković, G. 466 (1989) 227
- Jusko, W.J., see Jungbluth, G.L. 494 (1989) 376
- Justová, V.
TLC as an efficient alternative to HPLC in
the assay of plasma vitamin D₃ metabolites
496 (1989) 242
- Juvancz, Z., see Tarbet, B.J. 473 (1989) 103

K

- Kaartinen, V. and Mononen, I.
Analysis of aspartylglucosamine at the
picomole level by HPLC 490 (1989) 293
- Kabra, P., see Huang, T. 452 (1988) 409
- Kadin, H., Brittain, H.G., Ivashkiv, E. and
Cohen, A.I.
Body fluid analysis of a phosphonic acid
angiotensin-converting enzyme inhibitor
using HPLC and post-column derivatization
with *o*-phthaldehyde 487 (1989) 135
- Kadota, S., see Ikekawa, N. 468 (1989) 91
- Kaffarnik, H., see Steinmetz, A. 487 (1989) 154
- Kågedal, B., Källberg, M., Årstrand, K. and
Hansson, C.
Automated HPLC determination of 5-S-
cysteinyl-3,4-dihydroxyphenylalanine in urine
473 (1989) 359
- Kageyama, S., see O'Flynn, M.A. 452 (1988) 469
- Kagi, R.I., see Forster, P.G. 483 (1989) 384
- Kahie, Y.D., see Dondi, F. 461 (1989) 281
- Kahie, Y.D., see Dondi, F. 462 (1989) 205
- Kahl, J., see Horber, F.F. 495 (1989) 81
- Kahn, G.C., see Eisenberg, E.J. 493 (1989) 105
- Kai, M., see Miyazaki, T. 490 (1989) 43
- Kai, M., see Ohno, M. 490 (1989) 301
- Kaida, Y., see Okamoto, Y. 477 (1989) 367
- Kaiser, R.E. and Rieder, R.
High boiling organic traces in drinking water.
Quantitative analysis by liquid-liquid
enrichment within the analytical glass
capillary 477 (1989) 49
- Kajii, E. and Ikemoto, S.
Application of analytical isotachopheresis in
the study of platelet membrane proteins in
patients with chronic myeloproliferative
disorders 490 (1989) 53
- Kajii, E., see Kamesaki, T. 489 (1989) 384
- Kakahana, H. and Oi, T.
Theory of isotope separation by displacement
chromatography 483 (1989) 179
- Kakimoto, T., see Nishi, H. 465 (1989) 331
- Kakimoto, T., see Nishi, H. 477 (1989) 259
- Kakriashvili, N.D., see Hradil, J. 462 (1989) 61
- Kalász, H., Kerecsen, L., Knoll, J. and Pucsok, J.
Chromatographic studies on the binding,
action and metabolism of (-)-deprenyl 499
(1990) 589
- Kale, V., see Chandrasekhara Rao, T. 466 (1989)
403
- Kalghatgi, K.
Micropellicular stationary phases for rapid
protein analysis by HPLC 499 (1990) 267
- Kalghatgi, K., see Várady, L. 458 (1988) 207
- Kalhorn, T.F., see Moor, M.J. 474 (1989) 223
- Kalinoski, H.T. and Hargiss, L.O.
Design and industrial applications of a
removable probe interface for direct capillary
SFC-MS 474 (1989) 69
- Kaliszan, R., Ośmiałowski, K., Bassler, B.J. and
Hartwick, R.A.
Mechanism of retention in HPLC on porous
graphitic carbon as revealed by principal
component analysis of structural descriptors
of solutes 499 (1990) 333
- Kaliszan, R., Petruszewicz, J., Blain, R.W. and
Hartwick, R.A.
Determination of hydrophobicity parameters
on polybutadiene-coated alumina and their
application in quantitative structure-activity
relationships analysis 458 (1988) 395
- Kaliszan, R., see Bassler, B.J. 461 (1989) 139
- Källberg, M., see Kågedal, B., 473 (1989) 359
- Kallio, H. and Shibamoto, T.
Direct capillary trapping and GC analysis of
bromomethane and other highly volatile air
pollutants 454 (1988) 392
- Kalonia, D.S., Musunuri, S. and Tanglertpaibul,
J.
Simultaneous analysis of different species
involved in hexaglycine hydrolysis 475 (1989)
416
- Kalonia, D.S. and Simonelli, A.P.
Development of an HPLC method for the
simultaneous analysis of the species involved
in diethyl L-tartrate hydrolysis 455 (1988) 355

- Kamahori, M., Watanabe, Y., Miura, J., Taki, M. and Miyagi, H.
High-sensitivity micro UV absorption detector for HPLC 465 (1989) 227
- Kamata, K. and Motohashi, N.
Separation of methyl-substituted benz[*c*]acridines by cation-exchange HPLC 498 (1990) 129
- Kamesaki, T., Kajii, E. and Ikemoto, S.
Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 489 (1989) 384
- Kammaing, D.A., see Kwakman, P.J.M. 459 (1988) 139
- Kamounah, F.S., see Salman, S.R. 483 (1989) 390
- Kamphuis, J., see Duchateau, A. 471 (1989) 263
- Kan, M., Komatsu, F., Tanaka, S., Yoshida, H. and Taga, M.
Capillary isotachopheric separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238
- Kandrotas, R.J., see Brown, Y.L. 459 (1988) 275
- Kaneda, N., see Niwa, T. 491 (1989) 397
- Kaneko, M., see Suzuji, S. 463 (1989) 188
- Kaneshima, H., see Kanetoshi, A. 454 (1988) 145
- Kaneta, T., see Tanaka, S. 472 (1989) 303
- Kaneta, T., see Tanaka, S. 498 (1990) 205
- Kanetoshi, A., Ogawa, H., Katsura, E., Kaneshima, H. and Miura, T.
Formation of polychlorinated dibenzo-*p*-dioxin from 2,4,4'-trichloro-2'-hydroxydiphenyl ether (Irgasan® DP300) and its chlorinated derivatives by exposure to sunlight 454 (1988) 145
- Kaneyama, N., see Okuyama, T. 466 (1989) 390
- Kanfer, I., see Skinner, M. 459 (1988) 261
- Kaniansky, D. and Marák, J.
On-line coupling of capillary isotachopheresis with capillary zone electrophoresis 498 (1990) 191
- Kaniansky, D., Marák, J., Rajec, P., Švec, A., Kovač, M., Lúčka, M. and Sabanoš, G.
On-column radiometric detector for capillary isotachopheresis and its use in the analysis of ¹⁴C-labelled constituents 470 (1989) 139
- Kaniansky, D., see Hutta, M. 470 (1989) 223
- Kaniansky, D., see Zelenský, I. 470 (1989) 155
- Kant, K., Joshi, A.P. and Gupta, K.C.
Rapid, quantitative method for the isolation and purification of gangliosides by LIPSEP gel chromatography 494 (1989) 289
- Kapetanovic, I.M., Yonekawa, W.D. and Kupferberg, H.J.
Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387
- Kapil, R.P. and Bruyere, Jr., H.J.
Applicability of capillary GC to study caffeine distribution in the developing chicken egg 493 (1989) 182
- Kaplan, B. and Pras, M.
Separation of peptides from sodium dodecyl sulphate by HPLC 487 (1989) 450
- Kapp, U., see Choli, T. 476 (1989) 59
- Karajgikar, N.P., see Whitley, R.D. 483 (1989) 263
- Karasek, F.W., see Palmentier, J.-P.F. 469 (1989) 241
- Karfunkel, H.R., see Däppen, R. 469 (1989) 101
- Karger, B.L., Cohen, A.S. and Guttman, A.
High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585
- Karger, B.L., see Blanco, R. 482 (1989) 1
- Karger, B.L., see Cohen, A.S. 458 (1988) 323
- Karger, B.L., see Lin, S. 499 (1990) 89
- Karger, B.L., see Nelson, R.J. 480 (1989) 111
- Karger, B.L., see Oroszlan, P. 500 (1990) 481
- Karkee, S., see Blessington, B. 469 (1989) 183
- Karkhanis, Y.D., see Nollstadt, K.H. 497 (1989) 87
- Karlsson, A., Pettersson, C. and Björkman, S.
Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using N-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157
- Karlsson, L., see Mathiasson, L. 467 (1989) 61
- Karlsson, R.-M., see Levin, J.-O. 454 (1988) 121
- Karmen, A., Malikin, G. and Lam, S.
Highly sensitive on-line radioassay of HPLC effluents 468 (1989) 279
- Karmen, A., see Lam, S. 468 (1989) 359
- Karnes, H.T., see Mallikaarjun, S. 493 (1989) 93
- Karnicky, J.F., see Williams, S.S. 485 (1989) 267
- Káš, J., see Turková, J. 500 (1990) 585
- Kasai, K.-I., see Nakamura, K. 478 (1989) 159
- Kasai, M., see Noguchi, K. 461 (1989) 365
- Kasamatsu, S., see Hisaka, A. 494 (1989) 183
- Kasashima, K., see Kawai, S. 495 (1989) 235
- Kašička, V. and Prusík, Z.
Isotachopheric analysis of peptides. Selection of electrolyte systems and determination of purity 470 (1989) 209
- Kasper, T.J., Melera, M., Gozel, P. and Brownlee, R.G.

- Separation and detection of DNA by capillary electrophoresis 458 (1988) 303
- Kass-Simon, G., see Fadool, D.A. 452 (1988) 491
- Kasuya, Y., Furuta, T. and Shimota, H.
Capillary GC-MS determination of stable isotopically labelled and unlabelled theophylline in serum and urine and of 1,3-dimethyluric acid in urine 494 (1989) 101
- Katano, M., see Matsunaga, H. 481 (1989) 368
- Kataoka, H., Okazaki, T. and Makita, M.
GC analysis of sulphonic acids as their sulphonamide derivatives 473 (1989) 276
- Kataoka, H., Sakiyama, N., Maeda, M. and Makita, M.
Determination of phosphoethanolamine in animal tissues by GC with flame photometric detection 494 (1989) 283
- Katayama, B., see Noguchi, K. 461 (1989) 365
- Katayama, T., see Fukai, F. 482 (1989) 107
- Katanger, H., see Jungbauer, A. 476 (1989) 257
- Katanger, H., see Righetti, P.G. 500 (1990) 681
- Katanger, H., see Weigang, F. 497 (1989) 59
- Kato, A., see Endo, M. 455 (1988) 430
- Kato, H., see Moriyama, T. 493 (1989) 164
- Kato, H., see Nagata, O. 496 (1989) 456
- Kato, T., see Ajima, A. 494 (1989) 297
- Kato, Y., Kitamura, T., Nakatani, S. and Hashimoto, T.
High-performance hydrophobic interaction chromatography of proteins on a pellicular support based on hydrophilic resin 483 (1989) 401
- Kato, Y., Yamasaki, Y., Onaka, A., Kitamura, T., Hashimoto, T., Murotsu, T., Fukushige, S. and Matsubara, K.
Separation of DNA restriction fragments by high-performance ion-exchange chromatography on a non-porous ion exchanger 478 (1989) 264
- Kato, Y., see Nakamura, K. 478 (1989) 159
- Kato, Y., see Yamasaki, Y. 467 (1989) 299
- Kato, Y., see Yamasaki, Y. 467 (1989) 436
- Kato, Y., see Yamasaki, Y. 481 (1989) 391
- Katoh, H., Ishida, T., Baba, Y. and Kiniwa, H.
Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241
- Katoh, H., see Kiniwa, H. 461 (1989) 397
- Katsanos, N.A. and Vassilakos, C.
New method for measuring obstructive factors and porosity using GC instrumentation 471 (1989) 123
- Katsura, E., see Kanetoshi, A. 454 (1988) 145
- Katti, A.M. and Guiochon, G.
Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21
- Katti, A.M., Ramsey, R. and Guiochon, G.
Quantitative extraction of thymine-thymine dimer from a large excess of thymine by preparative LC 477 (1989) 119
- Katti, A.M., see Jacobson, S. 484 (1989) 103
- Kauffman, G.B., see Ray, R.K. 469 (1989) 383
- Kauffmann, J.M., see Nagels, L.J. 459 (1988) 163
- Kaufman, A.E. and Polymeropoulos, C.E.
Study of the injection process in a gas chromatograph split injection port 454 (1988) 23
- Kaur, S., Gill, J.P., Evershed, R.P., Eglinton, G. and Maxwell, J.R.
Computerised GC-MS and HPLC analysis of sedimentary benzoporphyrins 473 (1989) 135
- Kawaguchi, Y., see Tanaka, M. 469 (1989) 429
- Kawahara, F.K., see Bicking, M.K.L. 455 (1988) 310
- Kawahara, Y., see Naganuma, H. 478 (1989) 149
- Kawahara, Y., see Shioya, H. 496 (1989) 129
- Kawai, S., Kasashima, K. and Tomita, M.
HPLC determination of malonaldehyde in serum 495 (1989) 235
- Kawai, S., Nagano, H. and Maji, T.
Improved method for the separation of methylolmelamines by HPLC 477 (1989) 467
- Kawai, S., see Takayama, Y. 464 (1989) 172
- Kawamura, N., see Ikai, Y. 457 (1988) 333
- Kawamura, N., see Ikai, Y. 477 (1989) 397
- Kawamura, N., see Oka, H. 462 (1989) 315
- Kawanishi, Y., see Terabayashi, T. 454 (1988) 432
- Kawano, H., Inotsume, N., Arimoto, H., Fujii, T. and Nakano, M.
Rapid and sensitive determination of aprindine in serum by GC using a surface ionization detector 493 (1989) 71
- Keck, R.G., see Chloupek, R.C. 463 (1989) 375
- Keen, J.N., see Jackson, P.J. 452 (1988) 359
- Kehl, M. and Lottspeich, F.
Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131
- Keinonen, T., see Järvinen, T. 495 (1989) 13
- Keith, G., see Bisseret, F. 490 (1989) 91
- Keller, B., see Schneider, W. 488 (1989) 275
- Keller, F., see Büyüktimkin, N. 467 (1989) 402

- Keller, J.W. and Niwa, K.
Milligram-scale separation of optical isomers of 2-pentafluoroethylalanine and 2-trifluoromethylalanine by medium-performance reversed-phase chromatography 469 (1989) 434
- Kelly, M.T., Smyth, M.R. and Dadgar, D.
Retention characteristics in HPLC of basic drugs and plasma extracts on an alumina column 473 (1989) 53
- Kemmelmeier, C., see Paterson, R.R.M. 483 (1989) 153
- Kemp, M.W., see Li, C.-Y. 455 (1988) 241
- Kempf, A., see Honegger, C.G. 487 (1989) 463
- Kenndler, E., Schwer, C. and Jenner, P.
Isotachopheresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57
- Kennedy, S.W. and Maslen, A.L.
Separation of porphyrin isomers by HPLC 493 (1989) 53
- Kennerly, D.A.
Two-dimensional TLC separation of phospholipid molecular species using plates with both reversed-phase and argentation zones 454 (1988) 425
- Kennington, A.S., see Strickler, M.P. 484 (1989) 369
- Kerby, N.W., Reed, R.H. and Rowell, P.
Separation of algal organic osmolytes by HPLC 479 (1989) 353
- Kerecsen, L., see Kalász, H. 499 (1990) 589
- Keresztes, P., see Szabó, G. 463 (1989) 345
- Kern, J.R., Lokensgard, D.M. and Yang, T.
Chromatographic separation of the diastereomers of a dihydropyridine-type calcium channel antagonist as the bis-3,5-dinitrobenzoates 457 (1988) 309
- Kerr, C.R., see Chan, G.L.-Y. 495 (1989) 349
- Kersten, B.R. and Poole, C.F.
Considerations for using the solvent selectivity triangle approach for stationary phase characterization 452 (1988) 191
- Kersten, B.R., Poole, S.K. and Poole, C.F.
Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235
- Kersten, B.R., see Poole, S.K. 471 (1989) 91
- Kéry, V., see Pavliak, V. 490 (1989) 418
- Kessler, R., Manz, H.J. and Székely, G.
Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444
- Keuken, M.P., see Slanina, J. 482 (1989) 297
- Keukens, H.J. and Aerts, M.M.L.
Determination of residues of carazolol and a number of tranquilizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149
- Keukens, H.J., see Aerts, M.M.L. 456 (1988) 105
- Kever, E.E., see Tennikova, T.B. 475 (1989) 187
- Keyt, B.A., see Chloupek, R.C. 463 (1989) 375
- Kežić, S., Kuiper, S. and Monster, A.C.
GC determination of 2,3-butanediol isomers in urine 496 (1989) 209
- Kežić, S., see Van Doorn, J.E. 489 (1989) 419
- Khachatourians, G., see Koshinsky, H. 463 (1989) 457
- Khalkin, V.A., see Rösch, F. 457 (1988) 362
- Khong, T.M., see Akapo, S.O. 471 (1989) 283
- Khorasheh, F., Gray, M.R. and Selucky, M.L.
Correlation for Kováts retention index of C₉-C₂₆ monoalkyl and polymethyl alkanes and alkenes 481 (1989) 1
- Kiba, N., Hori, S. and Furusawa, M.
Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177
- Kiba, N., Maruyama, H. and Furusawa, M.
Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398
- Kiba, N., Muto, M. and Furusawa, M.
HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236
- Kiba, N., Shitara, K. and Furusawa, M.
Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183
- Kido, R., see Sugata, R. 487 (1989) 9
- Kiel, J.S., Morgan, S.L. and Abramson, R.K.
Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585
- Kientz, C.E., Verweij, A., Boter, H.L., Poppema, A., Frei, R.W., De Jong, G.J. and Brinkman, U.A.T.
On-line flame photometric detection in micro-column LC 467 (1989) 385
- Kieny, M.-P., see Kolbe, H.V.J. 476 (1989) 99

- Kikawa, Y., Nakai, A., Shigematsu, Y., Sudo, M., Suehiro, Y. and Hirao, T.
Rapid and simple assay method to study the content and the biosynthesis of peptide leukotrienes in whole blood 491 (1989) 193
- Kikuchi, T., see Ikekawa, N. 468 (1989) 91
- Kikuchi, Y., see Tanaka, A. 466 (1989) 307
- Kikumoto, M., see Kobayashi, S. 480 (1989) 179
- Kilår, F. and Hjertén, S.
Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351
- Killa, H.M.A. and Rabenstein, D.L.
Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359
- Kim, C., Cheng, R. and George, S.R.
Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67
- Kim, J., see Fullas, F. 464 (1989) 213
- Kim, K.R., Hahn, M.K., Zlatkis, A., Horning, E.C. and Middleditch, B.S.
Simultaneous GC of volatile and non-volatile carboxylic acids as *tert*-butyldimethylsilyl derivatives 468 (1989) 289
- Kim, L.-S., Tian, Z.-Q., Li, X.-N., Zhang, Y. and Wang, J.
Centrifugal counter-current partition chromatography with helical coil rotor. Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359
- Kim, M.S., see Dixon, D.W. 462 (1989) 411
- Kim, O., see Shin, H. 493 (1989) 398
- Kim, S.U., see Lee, C.K. 484 (1989) 29
- Kimata, K., see Ohtsu, Y. 481 (1989) 147
- Kimoto, M., see Usui, Y. 489 (1989) 291
- Kimura, M., see Igaki, A. 493 (1989) 222
- Kimura, T., see Hasegawa, R. 494 (1989) 381
- Kimura, Y., see Tokuda, H. 454 (1988) 109
- Kindberg, C.G., Riley, C.M., Stobaugh, J.F. and Slavik, M.
Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional HPLC 473 (1989) 431
- Kindel, M., Ludwig-Koehn, H. and Lembcke, B.
New and versatile method for the determination of faecal bile acids by TLC with direct scanning fluorimetry 497 (1989) 139
- King, S.J., see Meng, Q.C. 461 (1989) 271
- Kinghorn, A.D., see Fullas, F. 464 (1989) 213
- Kiniwa, H., Baba, Y., Ishida, T. and Katoh, H.
General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397
- Kiniwa, H., see Katoh, H. 473 (1989) 241
- Kinkel, J.N., see Giesche, H. 465 (1989) 39
- Kinkel, J.N., see Seliger, H. 476 (1989) 49
- Kinoshita, H., see Hatayama, T. 481 (1989) 403
- Kinoshita, T., see Yoshida, T. 456 (1988) 421
- Kint, A.H., see De Leenheer, A.P. 500 (1990) 637
- Kinter, M., Singh, S. and Felder, R.A.
Quantitation of selective dopaminergic drugs in plasma by GC-MS following solid-phase extraction 496 (1989) 201
- Kintz, P., Mangin, P., Lugnier, A.A. and Chaumont, A.J.
Simultaneous determination of fentanyl and its major metabolites and fentanyl analogues using GC and nitrogen-selective detection 489 (1989) 459
- Kiraly, J., see Guan, Y. 472 (1989) 129
- Kirchberger, J., Cadelis, F., Kopperschläger, G. and Vijayalakshmi, M.A.
Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289
- Kiriyama, N., see Nagata, O. 496 (1989) 456
- Kirkland, J.J. and Yau, W.W.
Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655
- Kirkland, J.J., see Glajch, J.L. 485 (1989) 51
- Kirpotin, D.B., see Tsygankov, A.Y. 465 (1989) 325
- Kisfaludy, L., see Görög, S. 452 (1988) 317
- Kiso, Y., see Hirokawa, T. 463 (1989) 39
- Kiso, Y., see Hirokawa, T. 463 (1989) 51
- Kiso, Y., see Hirokawa, T. 470 (1989) 21
- Kissinger, P.T.
Biomedical applications of LC-electrochemistry 488 (1989) 31
- Kitada, Y., Sasaki, M., Yamazoe, Y. and Nakazawa, H.
Simultaneous determination of stevioside, rebaudioside A and C and dulcoside A in foods by HPLC 474 (1989) 447
- Kitada, Y., see Mochizuki, E. 455 (1988) 271
- Kitagawa, T., see Matsuura, A. 494 (1989) 231
- Kitahara, H., see Ôi, N. 462 (1989) 382
- Kitamoto, S., see Hayakawa, K. 481 (1989) 323
- Kitamura, T., see Kato, Y. 478 (1989) 264
- Kitamura, T., see Kato, Y. 483 (1989) 401

- Kitamura, T., see Yamasaki, Y. 481 (1989) 391
- Kithinji, J.P., see Raynor, M.W. 467 (1989) 292
- Klaunzer, N., see Hünig, S. 481 (1989) 387
- Klein, M.I., Bartley, T.D., Lai, P.-H. and Lu, H.S.
Structural characterization of recombinant consensus interferon- α 454 (1988) 205
- Klein, W., see Schmid, S. 470 (1989) 289
- Kleindienst, T.E., see Smith, D.F. 483 (1989) 431
- Kleinjans, J.C.S., see Verhagen, H. 464 (1989) 438
- Kleinmann, I., Plicka, J., Šmidl, P. and Svoboda, V.
Hydrophobic interaction chromatography of proteins on Separon HEMA. I. The effect of an initial salt concentration on the separation of proteins 479 (1989) 327
- Kleinmann, I., see Plicka, J. 469 (1989) 29
- Klesper, E., see Gemmel, B. 455 (1988) 17
- Klesper, E., see Küppers, S. 475 (1989) 85
- Klíma, J., Grafnetterová, J., Kubelka, Z. and Klíma, J.
Therapeutic monitoring of metipamide during antihypertensive therapy 488 (1989) 295
- Klíma, J., see Hanis, T. 452 (1988) 443
- Klíma, J., see Klíma, J. 488 (1989) 295
- Klingman, J.D., see Conway, W.D. 484 (1989) 391
- Klinkmüller, K.D., see Winckler, K. 488 (1989) 417
- Klir, P., see Hanis, T. 452 (1988) 443
- Klöppel, H., see Schmid, S. 470 (1989) 289
- Klose, J., see Jungblut, P. 482 (1989) 125
- Knadler, M.P. and Hall, S.D.
HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173
- Knedel, M., see Jacob, K. 468 (1989) 329
- Knight, M., Gluch, S., Meyer, R. and Cooley, R.S.
Purification of synthetic peptides on a high-resolution preparative reversed-phase column 484 (1989) 299
- Knight, M. and Ito, Y.
Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319
- Knight, M., Strickler, M.P., Stone, M.J., Chiodetti, L., Gluch, S. and Shinohara, T.
Scale-up methodology for the preparative purification of peptide M 459 (1988) 361
- Knoll, J., see Kalász, H. 499 (1990) 589
- Kobayashi, H., Matano, O. and Goto, S.
Determination of oxine-copper in orange by GC 474 (1989) 381
- Kobayashi, K., Powell, A.D., Toyoda, M. and Saito, Y.
HPLC method for the simultaneous analysis of α -solanine and α -chaconine in potato plants cultured *in vitro* 462 (1989) 357
- Kobayashi, K., see Igaki, A. 493 (1989) 222
- Kobayashi, K., see Saito, K. 462 (1989) 333
- Kobayashi, N., see Usui, Y. 489 (1989) 291
- Kobayashi, S., Ueda, T. and Kikumoto, M.
Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179
- Kobayashi, T., see Nakai, S. 479 (1989) 459
- Kobayashi, T., see Okano, T. 493 (1989) 63
- Kobayashi, T., see Sonoki, S. 475 (1989) 311
- Kobayashi, Y., see Sasagawa, T. 485 (1989) 533
- Kobayashi, Y., see Tsuda, T. 456 (1988) 375
- Koch, H., see Marti, A.M. 498 (1990) 145
- Koch, S., see Filser, J.G. 493 (1989) 275
- Kocjan, D., see Žmitek, J. 467 (1989) 276
- Koechlin, C., Jehl, F., Linger, L. and Monteil, H.
HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379
- Koehler, H., Larocque, L. and Sved, S.
Use of LC in the synthesis of isoluminol-labelled medroxyprogesterone acetate and zeranol 469 (1989) 305
- Koel, M. and Nebinger, P.
Simultaneous automated HPLC determination of 5-hydroxy-3-indoleacetic acid and homovanillic acid in urine with fluorescence detection 495 (1989) 263
- Koeplinger, K.A., see Pinkerton, T.C. 458 (1988) 129
- Koerper, T.L., see Hsu, S.-H. 459 (1988) 215
- Kogan, M.J., Pierson, D.J., Durkin, M.M. and Willson, N.J.
TLC of benzoylecgonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236
- Kohama, A., see Nakagiri, I. 481 (1989) 434
- Koharski, D., see Baker, C. 484 (1989) 347
- Köhl, U., see Schwabe, D. 487 (1989) 177
- Kohlbreuner, M., see Nuernberg, B. 487 (1989) 476
- Kohlíček, J., see Balíková, M. 497 (1989) 159
- Kohoutová, A., Smolková-Keulemansová, E. and Feltl, L.
Use of GC for a study of crown ethers 471 (1989) 139
- Koivunen, E.
Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after

- sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401
- Koizumi, H. and Suzuki, Y.
HPLC of aliphatic aldehydes by means of post-column extraction with fluorometric detection 457 (1988) 299
- Koizumi, K., Kubota, Y., Tanimoto, T. and Okada, Y.
Determination of cyclic glucans by anion-exchange chromatography with pulsed amperometric detection 454 (1988) 303
- Koizumi, K., Kubota, Y., Tanimoto, T. and Okada, Y.
High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365
- Koizumi, K., see Sasagawa, T. 485 (1989) 533
- Kojima, K., see Mogi, M. 496 (1989) 194
- Kojima, N., see Hikida, K. 495 (1989) 227
- Kok, W.T., see Debets, A.J.J. 465 (1989) 315
- Kokkonen, P., Tjaden, W.M.A.N.U.R. and Van der Greef, J.
Applicability of continuous-flow fast atom bombardment LC-MS in bioanalysis. Dextromethorphan in plasma 474 (1989) 59
- Kokotti, H., see Pukkila, J. 479 (1989) 369
- Kol, O., Montreuil, J., Fournet, B., Zalisz, R. and Smets, P.
Separation by HPLC of oligosaccharides obtained after mild acid hydrolysis of *Klebsiella pneumoniae* O₁K₂ (NCTC 5055) lipopolysaccharides 474 (1989) 452
- Kolbe, H.V.J., Jaeger, F., Lepage, P., Roitsch, C., Lacaud, G., Kieny, M.-P., Sabatie, J., Brown, S.W., Lecocq, J.-P. and Girard, M.
Isolation of recombinant partial *gag* gene product p18 (HIV-1_{Bru}) from *Escherichia coli* 476 (1989) 99
- Kolek, E., see Matisová, E. 475 (1989) 113
- Kollmann, A., Rouxel, T. and Bousquet, J.-F.
Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Applications to the determination of phytoalexins from *Brassica* spp. by HPLC 473 (1989) 293
- Kollmannsberger, H., see Nitz, S. 471 (1989) 173
- Kołodziejczyk, A.M., see Wodecki, Z.J. 477 (1989) 454
- Kolossváry, I., see Lankmayr, E.P. 485 (1989) 557
- Kolstad, A.K., see Iversen, B. 493 (1989) 217
- Komatsu, F., see Kan, M. 478 (1989) 238
- Komine, Y., see Shimada, K. 478 (1989) 339
- Komori, T. and Morimoto, Y.
Isolation of the aromatic heptaenic antibiotics trichomycin A-F by HPLC 481 (1989) 416
- Komura, T., see Hasegawa, R. 494 (1989) 381
- König, A., see Schoene, K. 455 (1988) 67
- Konopski, L. and Jerzak, B.
2-Trichloromethylbenzimidazole, a selective chromogenic reagent for the detection of some azines on thin-layer plates. Addendum 481 (1989) 477
- Kooistra, C., see Sluyterman, L.A.Æ. 470 (1989) 317
- Koops, R., see De Groot, G. 456 (1988) 71
- Kooser, R.G., see Miller, C. 458 (1988) 255
- Kootstra, P.R., Van den Broek, H.H., Hogendoorn, E.A., Goewie, C.E. and De Vijlder, J.J.M.
Automated HPLC method for the determination of iodotyrosines and iodothyronines 458 (1988) 175
- Kopczynski, S.L.
Multidimensional GC determination of cotinine as a marker compound for particulate-phase environmental tobacco smoke 463 (1989) 253
- Kopečni, M.M., Tarana, M.V., Čupić, S.D. and Čomor, J.J.
GC determination of phenols in waste water-oil emulsions 462 (1989) 392
- Kopečni, M.M., see Marković, M.M. 463 (1989) 281
- Köppel, C., Tenczer, J. and Wagemann, A.
MS characterization of urinary pipamperone metabolites and HPLC assay for pipamperone plasma levels 491 (1989) 432
- Koppenhoefer, B. and Lin, B.
Thermodynamic properties of enantiomers of underivatized diols *versus* the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17
- Koppenhoefer, B., Muschalek, V., Hummel, M. and Bayer, E.
Determination of the enhancement of the enantiomeric purity during recrystallization of amino acids 477 (1989) 139
- Kopperschläger, G., see Kirchberger, J. 483 (1989) 289
- Kopperschläger, G., see Naumann, M. 466 (1989) 319
- Korbee, H.J., see Schilt, R. 489 (1989) 127
- Kördel, W., see Schmid, S. 470 (1989) 289
- Korf, J., see Wolf, J.H. 487 (1989) 496
- Korfmacher, W.A., see Getek, T.A. 474 (1989) 245

- Korhonen, I.O.O. and Mäntykoski, K.M.
GLC analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 473 (1989) 153
- Korhonen, I.O.O. and Mäntykoski, K.M.
GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327
- Kornfeldt, R.A., see Irth, H. 499 (1990) 617
- Koshinsky, H., Honour, S. and Khachatourians, G.
Bioautographic detection of T-2 and HT-2 toxins 463 (1989) 457
- Kostenbauder, H.B., see Guttendorf, R.J. 489 (1989) 333
- Kostiainen, R., see Peltonen, K. 490 (1989) 311
- Kostiuk, P., see Böswart, J. 495 (1989) 61
- Kostner, G.M., see Malle, E. 488 (1989) 283
- Kostrowicki, J., Luboch, E., Makuch, B., Cygan, A., Horbaczewski, A. and Biernat, J.F.
Macrocyclic polyfunctional Lewis bases. XII. Influence of complex formation on chromatographic migration 454 (1988) 340
- Kotaki, H., see Aoyama, T. 494 (1989) 420
- Kotaki, H., see Ohtani, M. 487 (1989) 469
- Kotschi, U., see Seliger, H. 476 (1989) 49
- Kotyński, A., see Drabowicz, J. 473 (1989) 287
- Koupai-Abyazani, M.R., see Creaser, C.S. 478 (1989) 415
- Kováč, M., see Farkaš, P. 471 (1989) 251
- Kovačičová, E., see Matisová, E. 455 (1988) 301
- Kovačičová, E., see Matisová, E. 475 (1989) 113
- Kovaļ, M., see Kaniansky, D. 470 (1989) 139
- Kováts, E., see Défayes, G. 500 (1990) 139
- Kováts, E., see Fóti, G. 461 (1989) 243
- Kowalewski, J., see Werner, A. 491 (1989) 77
- Koyama, J.-I., see Ohtsu, Y. 481 (1989) 147
- Koyama, M., see Watanabe, N. 497 (1989) 169
- Koza, T., see Řezanka, T. 472 (1989) 290
- Kozaki, M., see Oka, K. 490 (1989) 145
- Kraa, M.A.G. De, see Niessen, W.M.A. 474 (1989) 113
- Kraa, M.A.G. De, see Niessen, W.M.A. 478 (1989) 325
- Kraak, J.C., see Bruin, G.J.M. 471 (1989) 429
- Kraak, J.C., see Bruin, G.J.M. 480 (1989) 339
- Kraak, J.C., see De Waal, W.A.J. 462 (1989) 115
- Kraak, J.C., see Tock, P.P.H. 477 (1989) 95
- Kraak, J.C., see Van Berkel-Geldof, O. 499 (1990) 345
- Kraats, C. Van de, see Schreuder, R.H. 467 (1989) 177
- Krahn, M.M., Wigren, C.A., Moore, L.K. and Brown, D.W.
HPLC method for isolating coprostanol from sediment extracts 481 (1989) 263
- Krajewska, A.M. and Powers, J.J.
Pentafluorobenzoylation of capsaicinoids for GC with electron-capture detection 457 (1988) 279
- Krakowski, I., see Wasels, R. 489 (1989) 411
- Králková, B., see Adámek, V. 497 (1989) 268
- Kramell, R., see Schneider, G. 483 (1989) 459
- Krämer, B.K., Röss, K.M., Mayer, F., Köhlkamp, V., Liebich, H.M., Risler, T. and Seipel, L.
Rapid HPLC method for the quantification of mexiletine and its metabolites in serum 493 (1989) 414
- Kranzler, H., see Wong, S.H.Y. 499 (1990) 601
- Krause, W. and Gröhler, G.
Automated HPLC assay for the β -carboline derivative Abecarnil in plasma 495 (1989) 324
- Krauss, D., see Hartmann, C. 496 (1989) 387
- Krawczyk, W. and Piotrowski, G.T.
Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 463 (1989) 297
- Krcmarik, C.S., Miceli, J.J. and Pachla, L.A.
HPLC assay for a novel psychotropic drug (CI-943) in cynomolgus monkey plasma 496 (1989) 493
- Kreek, M.J., see Albeck, H. 488 (1989) 435
- Krehbiel, D.K., see Mifune, M. 496 (1989) 55
- Kremmer, T., Paulik, E., Boldizsár, M. and Holényi, I.
Application of the fast protein LC system and MonoQ HR5/5 anion exchanger to the separation of nucleotides 493 (1989) 45
- Krenger, W., see Honegger, C.G. 487 (1989) 463
- Kresbach, G.M., Itani, M., Saha, M., Rogers, E.J., Vouros, P. and Giese, R.W.
Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423
- Kresbach, G.M., see Annan, R.S. 465 (1989) 285
- Krishna, M.R., see Ashraf, S.M. 472 (1989) 163
- Krishnamurthy, T., Beck, D.J., Isensee, R.K. and Jarvis, B.B.
MS investigations on trichothecene mycotoxins. VII. LC-thermospray mass

- spectrometric analysis of macrocyclic trichothecenes 469 (1989) 209
- Křivánková, L., see Gebauer, P. 470 (1989) 3
- Kříž, J., see Punčochářová, J. 498 (1990) 248
- Krob, E.J., see Walter, H. 479 (1989) 307
- Kroeff, E.P., Owens, R.A., Campbell, E.L., Johnson, R.D. and Marks, H.I.
Production scale purification of biosynthetic human insulin by reversed-phase HPLC 461 (1989) 45
- Krom, B., see Horber, F.F. 495 (1989) 81
- Kroon, I.F.I. De, Langendijk, P.N.J. and De Goede, P.N.F.C.
Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107
- Krstulović, A.M.
Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 488 (1989) 53
- Krstulović, A.M., Fouchet, M.H., Burke, J.T., Gillet, G. and Durand, A.
Direct enantiomeric separation of betaxolol with applications to analysis of bulk drug and biological samples 452 (1988) 477
- Kruase, R.T. and Wang, Y.
Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151
- Kruijf, N. De, Schouten, A., Rijk, M.A.H. and Pranoto-Soetardhi, L.A.
Determination of preservatives in cosmetic products. II. HPLC identification 469 (1989) 317
- Krull, I.S., see Chou, T.-Y. 454 (1988) 169
- Krull, I.S., see Dou, L. 499 (1990) 685
- Krull, I.S., see Gao, C.X. 463 (1989) 192
- Krull, I.S., see Lookabaugh, M. 452 (1988) 295
- Krungkrai, J., Yuthavong, Y. and Webster, H.K.
HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51
- Krupčík, J., see Matisová, E. 454 (1988) 65
- Krupčík, J., see Matisová, E. 455 (1988) 301
- Krupčík, J., see Repka, D. 463 (1989) 235
- Krupčík, J., see Repka, D. 463 (1989) 243
- Kubát, J., see Jandera, P. 500 (1990) 281
- Kubelka, Z., see Klíma, J. 488 (1989) 295
- Kubota, K., Ishizaki, T. and Oka, K.
Chromatographic determination of percutaneous absorption of topical non-radiolabelled prednisolone in vivo, and preliminary application to transdermal pharmacokinetics 493 (1989) 373
- Kubota, Y., see Koizumi, K. 454 (1988) 303
- Kubota, Y., see Koizumi, K. 464 (1989) 365
- Kuč, J.A., see Gottstein, H.D. 481 (1989) 55
- Kučerová, Z.
Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 489 (1989) 390
- Kudo, H., see Yamanishi, T. 475 (1989) 125
- Kudzin, Z.H., see Drabowicz, J. 473 (1989) 287
- Kühlkamp, V., see Krämer, B.K. 493 (1989) 414
- Kuhlman, R.H., see Bruin, G.J.M. 471 (1989) 429
- Kuhn, A.O., Lederer, M. and Sinibaldi, M.
Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253
- Kuhn, R. and Wagner, H.
Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343
- Kuhn, R., see Mosher, R.A. 478 (1989) 39
- Kuiper, C.C.H.M., see De Waal, W.A.J. 462 (1989) 115
- Kuiper, S., see Kežić, S. 496 (1989) 209
- Kuksis, A., Myher, J.J. and Sandra, P.
GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427
- Kuksis, A., see Myher, J.J. 452 (1988) 93
- Kuksis, A., see Myher, J.J. 471 (1989) 187
- Kula, N.S., see Trainor, T.M. 457 (1988) 257
- Kumagai, Y., see Nakashima, H. 489 (1989) 425
- Kumar, S., see Peaker, S. 497 (1989) 308
- Kumosinski, T.F., see Barford, R.A. 458 (1988) 57
- Kumps, A., see Wurth, C. 491 (1989) 186
- Kunesch, H., see Balschukat, D. 462 (1989) 105
- Kunst, M., see Albert, K. 463 (1989) 355
- Kunze, D., see Rabe, H. 493 (1989) 353
- Kuo, K.C., see Gehrke, C.W. 471 (1989) 3
- Kupferberg, H.J., see Kapetanovic, I.M. 500 (1990) 387
- Küppers, S., Lorenschat, B., Schmitz, F.P. and Klesper, E.
Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85
- Kurganov, A.A., see Davankov, V.A. 452 (1988) 309
- Kurganov, A.A., see Davankov, V.A. 500 (1990) 519
- Kuroda, Y., see Nakagiri, I. 481 (1989) 434
- Kuroki, S., see Yamashita, H. 496 (1989) 255

- Kuropka, R., Müller, B., Höcker, H. and Berndt, H.
Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I. Stationary phase with one chiral centre for HPLC and development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380
- Kurtzhals, P., Larsen, C. and Johansen, M.
High-performance SEC procedure for the determination of fluoresceinyl isothiocyanate dextrans of various molecular masses in biological media 491 (1989) 117
- Kuš, P., see Śliwiok, J. 472 (1989) 314
- Kusano, T., see Hosaki, S. 488 (1989) 503
- Kushwaha, S.C., see Sen, N.P. 463 (1989) 419
- Kusmierz, J., DeGeorge, J.J., Sweeney, D., May, C. and Rapoport, S.I.
Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39
- Kusnetsova, E.I., see Zhukov, A.V. 474 (1989) 400
- Kustermann, A., see Guichard, E. 498 (1990) 396
- Kusz, P., see Szymanowski, J. 455 (1988) 119
- Kusz, P., see Szymanowski, J. 455 (1988) 131
- Kusz, P., see Szymanowski, J. 469 (1989) 197
- Kusz, P., see Szymanowski, J. 477 (1989) 407
- Kutlar, F., Gu, L.H., Hu, H. and Huisman, T.H.J.
Quantitation of hemoglobins Bart's, H, Portland-I, Portland-II and Constant Spring by anion-exchange HPLC 487 (1989) 265
- Kuwajima, M., see Jinno, K. 485 (1989) 461
- Kuwamoto, T., see Hirayama, N. 457 (1988) 415
- Kuwamoto, T., see Maruo, M. 466 (1989) 379
- Kuwamoto, T., see Maruo, M. 481 (1989) 315
- Kuwata, K. and Tanaka, S.
LC determination of trace amounts of low-molecular-weight fatty acid vapours in industrial emissions 455 (1988) 425
- Kvasničková, E., see Hais, I.M. 500 (1990) 643
- Kvittingen, E.A., see Jellum, E. 468 (1989) 43
- Kwakman, P.J.M., Mol, J.G.J., Kamminga, D.A., Frei, R.W., Brinkman, U.A.T. and De Jong, G.J.
Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139
- Kwakman, P.J.M., see De Jong, G.J. 492 (1989) 319
- Kwong, E., see Laganière, S. 488 (1989) 407
- Kysilka, R. and Wurst, M.
HPLC determination of some psychotropic indole derivatives 464 (1989) 434
- Kysilka, R., see Řezanka, T. 472 (1989) 290
- L**
- Laan, A. Van der, see Vertommen, M.H. 481 (1989) 452
- Låås, T., see Ellegren, H. 467 (1989) 217
- Labadarios, D., Moodie, I.M., Hough, B.J., Burger, J.A. and Samaai, M.S.
Determination of amino acids in rat muscle by GC 487 (1989) 428
- Labadarios, D., see Shephard, G.S. 491 (1989) 226
- Labbé, D., Gerhardt, M.F., Myara, A., Vercambre, C. and Trivin, F.
HPLC determination of tauro- and glyco-conjugated bile acids in human serum 490 (1989) 275
- Lacaud, G., see Kolbe, H.V.J. 476 (1989) 99
- Lacey, M.J., see Selley, M.L. 488 (1989) 329
- Lachmann, G., see Geisslinger, G. 491 (1989) 139
- Lackner, H., see Georgopoulos, A. 494 (1989) 340
- LaCreta, F.P., see Tinsley, P.W. 495 (1989) 318
- Lacroix, B., Huvette, P. and Deveaux, M.
GC with Fourier transform IR spectrometry for biomedical applications 492 (1989) 109
- Lacroix, G.M.A., see Lawrence, J.F. 462 (1989) 419
- Ladizinsky, G., see Milo, J. 452 (1988) 563
- Lafont, R., see Raynor, M.W. 467 (1989) 292
- Lafosse, M., Herbretreau, B. and Morin-Allory, M.D.L.
Control of some HPLC systems by using an evaporative light scattering detector (in French) 472 (1989) 209
- Lafosse, M., see Nizery, D. 467 (1989) 49
- Lafosse, M., see Walczak, B. 464 (1989) 237
- Laganière, S., Kwong, E. and Shen, D.D.
Stereoselective HPLC assay for propranolol enantiomers in serum 488 (1989) 407
- Lagerström, P.-O., see Persson, B.-A. 500 (1990) 629
- Laghi, C., see Torsi, G. 482 (1989) 207
- Laghi, M.C., see Chiavari, G. 475 (1989) 343

- Lai, J.-S., Hung, S.S., Unruh, L.E., Jung, H. and Fu, P.P.
Separation of amino- and acetylamino-polycyclic aromatic hydrocarbons by reversed- and normal-phase HPLC 461 (1989) 327
- Lai, P.-H., see Klein, M.I. 454 (1988) 205
- Laine, B., see Chartier, F. 466 (1989) 331
- Laker, M.F., see Cassidy, D.M. 491 (1989) 1
- Lakings, D.B., see Zhong, W.Z. 490 (1989) 377
- Lakshminarayana, G., see Chandrasekhara Rao, T. 466 (1989) 403
- Lam, S., Malikin, G., Murphy, M., Freundlich, L. and Karmen, A.
Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359
- Lam, S., see Karmen, A. 468 (1989) 279
- Lamarre, C. and Gendron, A.
Quantitative analysis by HPLC of 2,6-di-*tert*-butyl-*para*-cresol in transformer oils (in French) 464 (1989) 448
- Lamarre, C., Gilbert, R. and Gendron, A.
LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249
- Lamb, J.D. and Drake, P.A.
Chemically suppressed anion chromatography based on macrocycle-cation complexation 482 (1989) 367
- Lambert, H., see Lapicque, F. 496 (1989) 301
- Lambert, W.E., see De Leenheer, A.P. 500 (1990) 637
- Lambert, W.J. and Wright, L.A.
Prediction of alkane-water partition coefficients using a C₁₈ derivatized polystyrene-divinylbenzene stationary phase 464 (1989) 400
- Lambert, W.J., see Dalga, R.J. 477 (1989) 427
- Lamiabile, D., see Vistelle, R. 490 (1989) 387
- Lammers, N., De Bree, H., Groen, C.P., Ruijten, H.M. and De Jong, B.J.
Determination of drug protein-binding by HPLC using a chemically bonded bovine albumin stationary phase 496 (1989) 291
- Lammers, N.G.F.M., Van den Berg, J.H.M., Verzele, M. and Dewaele, C.
Performance of micro-LC columns in an industrial environment: a case history 499 (1990) 541
- Lamontagne, M., see Rouan, M.C. 456 (1988) 45
- Lamoree, M., see Irth, H. 499 (1990) 617
- Lampen, P., see Trainor, T.M. 457 (1988) 257
- Lampert, B.M. and Stewart, J.T.
Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153
- Landen, Jr., W.O., see Chase, Jr., G.W. 456 (1988) 431
- Landes, J.P., see Singhal, R.P. 458 (1988) 117
- Landolfi, R., see Castagnola, M. 494 (1989) 310
- Landrum, D.C. and Mawhinney, T.P.
GLC-MS of mono- and dithiols as their *tert*-butyldimethylsilyl derivatives 483 (1989) 21
- Lanfranchi, M., see Grob, K. 471 (1989) 397
- Langemann, H., see Honegger, C.G. 487 (1989) 463
- Langendijk, P.N.J., see De Kroon, I.F.I. 491 (1989) 107
- Langenhove, H. Van, see Janda, V. 472 (1989) 327
- Langley, G.J., see Harrison, M.E. 474 (1989) 139
- Langseth, W., Ellingsen, Y., Nymoén, U. and Økland, E.M.
HPLC determination of zearalenone and ochratoxin A in cereals and feed 478 (1989) 269
- Langseth-Manrique, K.
Simultaneous determination of glyceryl trinitrate and its metabolites, 1,2- and 1,3-glyceryl dinitrate, in plasma using capillary GC 489 (1989) 462
- Lankmayr, E.P., Wegscheider, W., Daniel-Ivad, J., Kolossváry, I., Csonka, G. and Otto, M.
Recent advances in fuzzy peak tracking in HPLC 485 (1989) 557
- Lankmayr, E.P., Wegscheider, W., Gfeller, J.C., Djordjevic, N.M. and Schreiber, B.
Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183
- Lant, M.S., see Oxford, J. 496 (1989) 137
- Lapicque, F., Netter, P., Bannwarth, B., Trechot, P., Gillet, P., Lambert, H. and Royer, R.J.
Identification and simultaneous determination of non-steroidal anti-inflammatory drugs using HPLC 496 (1989) 301
- Lapinjoki, S.P., see Auriola, S. 474 (1989) 181
- Larocque, L., see Koehler, H. 469 (1989) 305
- Larsen, C., see Kurtzhals, P. 491 (1989) 117
- Larson, R.D., see Hougum, J.E. 481 (1989) 458
- Larsson, L., see Drevin, I. 477 (1989) 337
- Larsson, L., see Sonesson, A. 487 (1989) 1
- Larsson, L., see Sonesson, A. 490 (1989) 71
- Larsson, P.-O., see Wikström, P. 455 (1988) 105
- Larsson, P.T., see Hjerdahl, P. 494 (1989) 53
- Lasa, J., see Rosiek, J. 465 (1989) 215

- Lascu, I., see Presecan, E. 469 (1989) 396
- Lasorella, A., see Riccardi, A. 497 (1989) 302
- László, E., see Szepesy, L. 499 (1990) 197
- Latch, G.C.M., see Tapper, B.A. 463 (1989) 133
- Latocha, C., see Szymanowski, J. 455 (1988) 119
- La Torre, F., see Gasparrini, F. 457 (1988) 235
- La Torre, F., see Signoretti, E.C. 473 (1989) 301
- Lattanzi, L., see Bruner, F. 473 (1989) 93
- Lauber, R., see Page, J.A. 474 (1989) 51
- Laurens, H., see Welling-Wester, S. 476 (1989) 477
- Laurensen, J.J. and Nouws, J.F.M.
Simultaneous determination of nitrofurantoin derivatives in various animal substrates by HPLC 472 (1989) 321
- Laureys, M., see Sion, J.-P. 496 (1989) 91
- Lauriault, G., see By, A. 469 (1989) 406
- Lavagnini, I., see Pastore, P. 475 (1989) 331
- La Vos, G.F., see Verheij, E.R. 474 (1989) 275
- Law, B. and Chan, P.F.
Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH 467 (1989) 267
- Lawrence, J.F., Charbonneau, C.F., Ménard, C., Quilliam, M.A. and Greig Sim, P.
LC determination of domoic acid in shellfish products using the paralytic shellfish poison extraction procedure of the association of official analytical chemists 462 (1989) 349
- Lawrence, J.F., Charbonneau, C.F., Page, B.D. and Lacroix, G.M.A.
Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase LC 462 (1989) 419
- Lawrence, J.F. and Ménard, C.
Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by HPLC with confirmation by chemical derivatization 466 (1989) 421
- Lawson, D.R. and Danehower, D.A.
Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429
- Lawson, J.S., see Owen, J.A. 494 (1989) 135
- Lebel, G., see Selinger, K. 491 (1989) 248
- LeBelle, M., see By, A. 469 (1989) 406
- Leboda, R., see Gierak, A. 483 (1989) 197
- Lebot, M., see Poirier, J.-M. 493 (1989) 409
- Lebrun, M.H., Gaudemer, F., Boutar, M., Nicolas, L. and Gaudemer, A.
Ion-pair, anion-exchange and ligand-exchange HPLC of tenuazonic acid and 3-acetyl 5-substituted pyrrolidine-2,4-diones 464 (1989) 307
- Lecaillon, J.B., Souppart, C., Le Duigou, F. and Dubois, J.P.
Determination of oxiracetam in plasma and urine by column-switching HPLC 497 (1989) 223
- Lecaillon, J.B., see Rouan, M.C. 456 (1988) 45
- Lecavalier, L., Horber, F.F. and Haymond, M.W.
Determination of plasma concentrations and ³H-specific activity of phenylalanine in plasma using HPLC 491 (1989) 410
- Lecavalier, L., see Horber, F.F. 495 (1989) 81
- Leclercq, J.-M., see Lin, K.T. 465 (1989) 75
- Leclercq, G., see Chamart, S. 496 (1989) 365
- Leclercq, P.A., see Matisová, E. 454 (1988) 65
- Leclercq, P.A., see Repka, D. 463 (1989) 235
- Leclercq, P.A., see Repka, D. 463 (1989) 243
- Lecocq, J.-P., see Kolbe, H.V.J. 476 (1989) 99
- Lederer, M.
Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265
- Lederer, M.
Adsorption of Co(III) complexes on cellulose 456 (1988) 444
- Lederer, M.
The role of chromatography and electrophoresis in biomedical sciences 488 (1989) 5
- Lederer, M.
The *Journal of Chromatography* family album 500 (1990) 3
- Lederer, M. and Schudel, M.
Adsorption chromatography on cellulose. V. A simple chromatographic system for the identification of inks 475 (1989) 451
- Lederer, M., see Hjertén, S. 481 (1989) 187
- Lederer, M., see Kuhn, A.O. 469 (1989) 253
- Le Duc, B.W., Greenblatt, D.J. and Friedmann, H.
Automated HPLC analysis of tetracycline in urine 490 (1989) 474
- Le Duigou, F., see Lecaillon, J.B. 497 (1989) 223
- Lee, B.L., Chia, K.S. and Ong, C.N.
Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303
- Lee, B.L., Jacob, III, P. and Benowitz, N.L.
Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109
- Lee, C.K., Yu, Q., Kim, S.U. and Wang, N.-H.L.
Mass transfer effects in isocratic non-linear elution chromatography 484 (1989) 29
- Lee, E.D., Mück, W., Henion, J.D. and Covey, T.R.
On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

- Lee, F.-W., see Chan, Y.-P.M. 496 (1989) 155
- Lee, H.-B.
Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their formation and GC determination by mass selective and electron-capture detectors 457 (1988) 267
- Lee, H.-B., Peart, T.E. and Carron, J.M.
GC and MS determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 498 (1990) 367
- Lee, H.K., see Ong, C.P. 464 (1989) 405
- Lee, J., see Deming, S.N. 485 (1989) 15
- Lee, M.L., see Payne, K.M. 477 (1989) 161
- Lee, M.L., see Tarbet, B.J. 473 (1989) 103
- Lee-Woolley, C., see Stell, J.G.P. 475 (1989) 363
- Lee, Y.-W., see Zhang, T.-Y. 454 (1988) 185
- Lee, Y.W., Cook, C.E., Fang, Q.C. and Ito, Y.
Application of analytical high-speed counter-current chromatography to the isolation of bioactive natural products 477 (1989) 434
- Lee, Y.W., see Ito, Y. 498 (1990) 169
- Leenheer, A.P. De, Lambert, W.E., De Bersaques, J.P. and Kint, A.H.
HPLC determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 500 (1990) 637
- Leenheer, A.P. De, see Nelis, H.J.C.F. 452 (1988) 535
- Leer, T. Van der, see Hermans-Lokkerbol, A. 479 (1989) 39
- Leeuwen, J.A. Van, see Mulholland, M. 485 (1989) 283
- Leff, A.R., see Munoz, N.M. 493 (1989) 157
- Lehmann, R.G. and Miller, J.R.
Development of an HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581
- Leibu, H.J., see Stout, R.W. 476 (1989) 21
- Leidy, Jr., J.W.
Reversed-phase HPLC purification of ¹²⁵I-labeled rat growth hormone-releasing hormone for radioimmunoassay 483 (1989) 253
- Leis, H.J. and Gleispach, H.
Characterization of the anti-diarrhoeal loperamide by GC-MS and application of the Hofmann degradation and Cope elimination reaction 494 (1989) 324
- Leis, H.J., see Malle, E. 488 (1989) 283
- Leloux, M.S., De Jong, E.G. and Maes, R.A.A.
Improved screening method for beta-blockers in urine using solid-phase extraction and capillary GC-MS 488 (1989) 357
- Lema, M.J., Pluskal, M.G. and Allen, P.D.
High-performance ion-exchange chromatography of myosin using a DEAE-5PW column 491 (1989) 61
- Lemacon, C., see Simon, P. 479 (1989) 445
- Le Maréchal, P., Decottignies, P., Jacquot, J.-P. and Miginiac-Maslow, M.
Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Lembcke, B., see Kindel, M. 497 (1989) 139
- Lemieux, L. and Amiot, J.
Application of reversed-phase HPLC to the separation of peptides from phosphorylated and dephosphorylated casein hydrolysates 473 (1989) 189
- Lemmens, A.A.G., see Wanders, B.J. 470 (1989) 79
- Lemmer, B., see Wang, N.-S. 488 (1989) 492
- Lemonnier, A., see Myara, I. 493 (1989) 170
- Lennard, M.S., see Ching, M.S. 497 (1989) 313
- Lenz, A.-G., see Maier, K. 493 (1989) 380
- Leonard, C.K., see Chloupek, R.C. 463 (1989) 375
- Lepage, P., see Bischoff, R. 476 (1989) 245
- Lepage, P., see Kolbe, H.V.J. 476 (1989) 99
- Lepagnol, J., see Breton, L. 497 (1989) 243
- Leroux, F., see Sioufi, A. 487 (1989) 81
- Leroy, P., see Liu, H.-F. 493 (1989) 137
- Lesicki, R., see Ryan, P.J. 465 (1989) 448
- Lesins, V. and Ruckenstein, E.
Gradient flow programming: a coupling of gradient elution and flow programming 467 (1989) 1
- Leslie, J. and Bever, C.T.
Analysis of 3,4-diaminopyridine in human serum by solid-phase extraction and HPLC with UV detection 496 (1989) 214
- Lessard, D., see Selinger, K. 494 (1989) 247
- Lesser, J.H., see Shustina, R. 464 (1989) 208
- Letemendia, F.J.J., see Owen, J.A. 494 (1989) 135
- Leu, R.-J., Hwang, Y.-L. and Helfferich, F.G.
Calculation of column performance in nitrate removal from water supplies by anion exchange 499 (1990) 677
- Leung, C.P. and Leung, W.K.H.
Determination of vitamin U and its degradation products by HPLC with fluorescence detection 479 (1989) 361
- Leung, W.K.H., see Leung, C.P. 479 (1989) 361
- Leuschel, L., see Maier, K. 493 (1989) 380
- Leusen, F.J.J., see Däppen, R. 469 (1989) 101
- Le Vent, S., see Akporhonor, E.E. 463 (1989) 271

- Levin, J.-O., Andersson, K. and Karlsson, R.-M.
Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121
- Levsen, K., see Böhm, H.B. 478 (1989) 399
- Levtchenko, N.K., Osokin, D.M., Torgov, I.V., Arzamaztzev, A.P., Sokolova, T.M. and Tuguntaev, G.I.
HPLC analysis of the by-products of the synthesis of ethynylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427
- Levy, A., see Milo, J. 452 (1988) 563
- Levy, A., see Weissenberg, M. 452 (1988) 485
- Levy, E.C., see Weissenberg, M. 452 (1988) 485
- Levy, E.J., see Geiser, F.O. 459 (1988) 173
- Levy, R.H., see Moor, M.J. 474 (1989) 223
- Levy, R.J., see Sintov, A. 496 (1989) 335
- Lewellen, O.R.W., see Jones, G.D. 497 (1989) 121
- Lewis, N.G., Inciong, M.E.J., Dhara, K.P. and Yamamoto, E.
HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345
- Leyden, D.E., see Bogart, G.R. 483 (1989) 209
- Lho, D., see Shin, H. 491 (1989) 448
- Lho, D., see Shin, H. 493 (1989) 398
- Lhomme, J., see Décout, J.-L. 481 (1989) 461
- Li, B., see Jin, Y. 483 (1989) 394
- Li, C.-Y. and Kemp, M.W.
Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241
- Li, F., Lim, C.K. and Peters, T.J.
Preparation, HPLC separation and characterization of hexacarboxylic porphyrinogens 461 (1989) 353
- Li, J.-P., see Hjertén, S. 475 (1989) 167
- Li, J.-P., see Hjertén, S. 475 (1989) 177
- Li, J.-P., see Hjertén, S. 500 (1990) 543
- Li, K.W., Geraerts, W.P.M., Van Elk, R. and Joosse, J.
Dot immunobinding assay of HPLC fractions on poly(vinylidene difluoride) membranes 472 (1989) 445
- Li, S.F.Y., see Ong, C.P. 464 (1989) 405
- Li, X.-F., see Brindle, I.D. 498 (1990) 11
- Li, X.-N., see Kim, L.-S. 483 (1989) 359
- Li, Z., see Grob, Jr., K. 473 (1989) 381
- Li, Z., see Grob, Jr., K. 473 (1989) 391
- Li, Z., see Grob, Jr., K. 473 (1989) 401
- Li, Z., see Grob, Jr., K. 473 (1989) 423
- Li, Z., see Grob, K. 455 (1988) 297
- Liang, W., see Liu, T. 477 (1989) 458
- Liao, J.-L. and Hjertén, S.
HPLC of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 457 (1988) 175
- Liao, J.-L., see Hjertén, S. 457 (1988) 165
- Liao, J.-L., see Hjertén, S. 473 (1989) 273
- Liao, J.-L., see Hjertén, S. 475 (1989) 177
- Liao, J.-L., see Hjertén, S. 481 (1989) 175
- Liautard, J., Colote, S., Ferraz, C., Sri-Widada, J., Pichot, A. and Liautard, J.P.
Analysis of double-stranded poly(A)-poly(U) molecules by reversed-phase HPLC 454 (1988) 195
- Liautard, J., Ferraz, C., Widada, J.S., Capony, J.P. and Liautard, J.P.
Purification of synthetic oligonucleotides on a weak ion-exchange column 476 (1989) 439
- Liautard, J.P., see Liautard, J. 454 (1988) 195
- Liautard, J.P., see Liautard, J. 476 (1989) 439
- Liberti, A., see Russo, M.V. 465 (1989) 429
- Lichý, A., see Macek, J. 488 (1989) 267
- Lidgard, R.O., see Duffield, A.M. 475 (1989) 273
- Liebich, H.M., Bubeck, J.I., Pickert, A., Wahl, G. and Scheiter, A.
Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine. Analytical approaches and clinical relevance in kidney diseases 500 (1990) 615
- Liebich, H.M., Dotzauer, A. and Tetschner, B.
GC determination of oxo- and hydroxycarboxylic acids in serum and urine of diabetic and normal subjects 468 (1989) 157
- Liebich, H.M., see Krämer, B.K. 493 (1989) 414
- Liebich, H.M., see Pickert, A. 495 (1989) 95
- Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406
- Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265
- Lienne, M., see Macaudière, P. 467 (1989) 357
- Lieske, C.N., see Lukey, B.J. 493 (1989) 117
- Ligny, C.L. De, see Gelsema, W.J. 498 (1990) 237
- Ligny, C.L. De, see Gelsema, W.J. 498 (1990) 325
- Lille, Ü., see Martin, I. 466 (1989) 339

- Lim, C.K. and Peters, T.J.
Isocratic reversed-phase HPLC of ribonucleotides, deoxynucleotides, cyclic nucleotides and deoxycyclic nucleotides 461 (1989) 259
- Lim, C.K., see Emery, M.F. 479 (1989) 212
- Lim, C.K., see Li, F. 461 (1989) 353
- Lim, Y.-P., see Josić, D. 484 (1989) 327
- Limero, T., see Wentworth, W.E. 468 (1989) 215
- Lin, B., Ma, Z., Golshan-Shirazi, S. and Guiochon, G.
Study of the representation of competitive isotherms and of the intersection between adsorption isotherms 475 (1989) 1
- Lin, B., Ma, Z., Golshan-Shirazi, S. and Guiochon, G.
Theoretical analysis of non-linear preparative LC 500 (1990) 185
- Lin, B., Ma, Z. and Guiochon, G.
Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model 484 (1989) 83
- Lin, B., see Koppenhoefer, B. 481 (1989) 17
- Lin, J.-T. and Stafford, A.E.
Reversed-phase C_{18} a normal-phase silica HPLC of gibberellins and their methyl esters 452 (1988) 519
- Lin, K.T., Rivard, G.E. and Leclerc, J.-M.
HPLC determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation 465 (1989) 75
- Lin, S. and Karger, B.L.
Reversed-phase chromatographic behavior of proteins in different unfolded states 499 (1990) 89
- Linari, F., see Petrarulo, M. 465 (1989) 87
- Linda, P., see Dondi, F. 485 (1989) 631
- Lindblom, H., see Hagel, L. 476 (1989) 329
- Linde, S., Nielsen, J.H., Hansen, B. and Welinder, B.S.
Reversed-phase HPLC analyses of insulin biosynthesis in isolated rat and mouse islets 462 (1989) 243
- Lindeberg, J., see Hjertén, S. 481 (1989) 175
- Lindeberg, J., see Hjertén, S. 481 (1989) 187
- Lindeberg, J., Srichaiyo, T. and Hjertén, S.
High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153
- Lindner, H., Wesierska-Gadek, J., Helliger, W., Puschendorf, B. and Sauer mann, G.
Identification of ADP-ribosylated histones by the combined use of HPLC and electrophoresis 472 (1989) 243
- Lindner, N.M., Jeffcoat, R. and Lowe, C.R.
Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227
- Lindner, W., Rath, M., Stoschitzky, K. and Uray, G.
Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-O,O-diacetyl tartaric acid anhydride 487 (1989) 375
- Lindström, B., see Ekman, L. 494 (1989) 397
- Lindström, B., see Persson, K. 491 (1989) 473
- Lingeman, H., see Brinkman, U.A.T. 492 (1989) 251
- Linger, L., see Koechlin, C. 491 (1989) 379
- Lippi, A., see Grossi, G. 465 (1989) 113
- Lipschitz, C., Irth, H., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321
- Lisi, D.D., see Stuart, J.D. 485 (1989) 657
- Lisman, J.A., see Zweipfenning, P.G.M. 456 (1988) 83
- Little, M.C., see Matson, R.S. 458 (1988) 67
- Litzén, A. and Wahlund, K.-G.
Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413
- Litzén, A., see Wahlund, K.-G. 461 (1989) 73
- Liu, D., Dass, C., Wood, G. and Desiderio, D.M.
Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395
- Liu, F., see Whitley, R.D. 465 (1989) 137
- Liu, H.-F., Leroy, P., Nicolas, A., Magdalou, J. and Siest, G.
Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137
- Liu, H., Fu, R., Guan, Z. and Tian, L.
Modified column system for pyrolysis capillary GC 462 (1989) 376

- Liu, J., Cobb, K.A. and Novotny, M.
Separation of precolumn *ortho*-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers 468 (1989) 55
- Liu, J., see Dolnik, V. 480 (1989) 321
- Liu, T., Liang, W. and Tu, G.
Separation and determination of 8 β -hydroxyasteroid and perolpyrine in *Codonopsis pilosula* by reversed-phase HPLC 477 (1989) 458
- Livingston, A.G. and Chase, H.A.
Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159
- Lloyd, L.L., see Dawkins, J.V. 452 (1988) 145
- Lo, L.-C., Chen, S.-T., Wu, S.-H. and Wang, K.-T.
Separation of diastereomers of protected dipeptides by normal-phase HPLC 472 (1989) 336
- Lobo, J., see Jack, D.B. 452 (1988) 257
- Lochmüller, C.H. and Breiner, S.J.
Open-channel isoelectric focusing in thermally engendered pH gradients 480 (1989) 293
- Lochmüller, C.H. and Mink, L.P.
Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357
- Lockley, W.J.S.
Regiochemical differences in the isotopic fractionation of deuterated benzoic acid isotopomers by reversed-phase HPLC 483 (1989) 413
- Lodge, B.A., see By, A. 469 (1989) 406
- Lodi, G., see Dondi, F. 461 (1989) 281
- Lodi, G., see Dondi, F. 462 (1989) 205
- Loeper, J.M. and Grob, R.L.
Indirect method for the determination of water using headspace GC 457 (1988) 247
- Loeper, J.M. and Grob, R.L.
Determination of water in solid samples using headspace GC 463 (1989) 365
- Lohmar, F., Musch, E., Von Unruh, G.E. and Mühlenbruch, B.J.
GC assay for chlorambucil and phenylacetic mustard in plasma 495 (1989) 281
- Lokensgard, D.M., see Kern, J.R. 457 (1988) 309
- Lombosi, E.R., see Tarján, T. 472 (1989) 1
- Lombosi, T.S., see Tarján, T. 472 (1989) 1
- Lommen, D.C., see Dolan, J.W. 485 (1989) 91
- Lommen, D.C., see Snyder, L.R. 484 (1989) 425
- Lommen, D.C., see Snyder, L.R. 485 (1989) 65
- Long, A.R., Hsieh, L.C., Short, C.R. and Barker, S.A.
Isocratic separation of seven benzimidazole anthelmintics by HPLC with photodiode array characterization 475 (1989) 404
- Long, A.R., see Barker, S.A. 475 (1989) 353
- Long, T.D., see Wenger, P. 455 (1988) 225
- Longbottom, J.E., see Bicking, M.K.L. 455 (1988) 310
- Longmuir, K.J. and Haynes, S.
Purification of long-chain, saturated, free fatty acids 454 (1988) 438
- Loo, J.A., see Edmonds, C.G. 474 (1989) 211
- Loo, J.A., see Smith, R.D. 480 (1989) 211
- Look, L.J. Van, see Jansen, E.H.J.M. 489 (1989) 205
- Look, L. Van, Deschuytere, P. and Van Peteghem, C.
TLC method for the detection of anabolics in fatty tissues 489 (1990) 213
- Look, L. Van, see Van Peteghem, C. 489 (1989) 219
- Lookabaugh, M. and Krull, I.S.
Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295
- Looye, K.M., see D'Agostino, P.A. 465 (1989) 271
- Lorenschat, B., see Küppers, S. 475 (1989) 85
- Lork, K.D., Unger, K.K., Brückner, H. and Hearn, M.T.W.
Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135
- Lorman, T.H., see Cardwell, T.J. 479 (1989) 181
- Loschi, L., see Girometta, M.A. 487 (1989) 117
- Lottspeich, F., see Kehl, M. 477 (1989) 131
- Louisot, P., see Martin, A. 497 (1989) 319
- Louters, L.L., see Holstege, C.P. 455 (1988) 401
- Love, M., see Rosenfeld, J.M. 489 (1989) 263
- Low, G.K.-C., Bartha, A., Billiet, H.A.H. and De Galan, L.
Systematic procedure for the determination of the nature of the solutes prior to the selection of the mobile phase parameters for optimization of reversed-phase ion-pair chromatographic separations 478 (1989) 21
- Lowe, C.R., see Burton, S.J. 455 (1988) 201
- Lowe, C.R., see Lindner, N.M. 473 (1989) 227
- Loyola-Vargas, V.M., see Oropeza, C. 456 (1988) 405
- Lu, H.S., see Klein, M.I. 454 (1988) 205
- Lu, X.-L., see Yang, S.K. 461 (1989) 377

- Lu, X.-M., see Oroszlan, P. 500 (1990) 481
- Luber, Jr., J.M., see Rao, P.S. 459 (1988) 269
- Luboch, E., see Kostrowicki, J. 454 (1988) 340
- Lubrano, G., see Moro, L. 490 (1989) 285
- Lucarelli, C., see Betto, P. 459 (1988) 341
- Lucarelli, C., see Biondi, P.A. 459 (1988) 337
- Lucarelli, C., see Marzo, A. 459 (1988) 325
- Lucarelli, C., see Marzo, A. 497 (1989) 296
- Lucarelli, C., see Radin, L. 459 (1988) 331
- Luciani, S., see Castagnola, M. 494 (1989) 310
- Lúčka, M., see Kaniansky, D. 470 (1989) 139
- Lucy, C.A., Wade, J.L. and Carr, P.W.
Study of preparative reversed-phase chromatography by application of kinetic and equilibrium models of column overload 484 (1989) 61
- Ludwig-Koehn, H., see Kindel, M. 497 (1989) 139
- Luetje, H.
HPLC of oxidation products of 2,6-dimethylphenol 461 (1989) 361
- Lugnier, A.A., see Kintz, P. 489 (1989) 459
- Luijten, W., Damien, G. and Capart, J.
LC-MS of trace compounds with a moving-belt interface and multi-dimensional chromatography 474 (1989) 265
- Lukey, B.J., Marlow, D.D., Clark, C.R., McCluskey, M.P. and Lieske, C.N.
Application of a new radiometric HPLC assay to define physostigmine pharmacokinetics in guinea pigs 493 (1989) 117
- Lundahl, P., see Mascher, E. 476 (1989) 147
- Lundberg, U., see Hjemdahl, P. 494 (1989) 53
- Lundgren, B., Borén, H., Grimvall, A. and Sävenhed, R.
Isolation of off-flavour compounds in water by chromatographic sniffing and preparative GC 482 (1989) 23
- Lundmark, B.-O., see Einarsson, Ö. 498 (1990) 381
- Lundström, H., see Hagel, L. 476 (1989) 329
- Lunte, C.E., see Hendrickson, H.P. 487 (1989) 401
- Luque, J., see Delgado, C. 498 (1990) 159
- Lurcott, S.M., see Geiser, F.O. 459 (1988) 173
- Lutz, T., see Jindal, S.P. 493 (1989) 392
- Lyne, P.M. and Phillips, C.S.G.
Isomerisation of propyne to propadiene. Studies by GC 471 (1989) 145.

M

- Ma, Y. and Yeung, E.S.
Indirect fluorimetric detection of non-electrolytes in TLC 455 (1988) 382
- Ma, Z., see Jacobson, S. 484 (1989) 103
- Ma, Z., see Lin, B. 475 (1989) 1
- Ma, Z., see Lin, B. 484 (1989) 83
- Ma, Z., see Lin, B. 500 (1990) 185
- Maa, Y.-F., Antia, F.D., El Rassi, Z. and Horváth, C.
Mixed-bed ion-exchange columns for protein HPLC 452 (1988) 331
- Mabud, M.A., see Hull, C.J. 477 (1989) 387
- Macaudière, P., Lienne, M., Caude, M., Rosset, R. and Tambuté, A.
Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357
- Macbride, D., see Turcotte, J.G. 499 (1990) 55
- MacCrehan, W.A. and Shea, D.
Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 457 (1988) 111
- Macek, J., Lichý, A., Pešáková, V. and Adam, M.
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 488 (1989) 267
- Macek, K., see Hanis, T. 452 (1988) 443
- Macek, K., see Miksik, I. 500 (1990) 607
- MacFarlane, R.G., see Shafi, N. 490 (1989) 9
- Mackert, G., Reinke, M., Schweer, H. and Seyberth, H.W.
Simultaneous determination of the primary prostanoids prostaglandin E₂, prostaglandin F_{2 α} and 6-oxoprostaglandin F_{1 α} by immunoaffinity chromatography in combination with negative ion chemical ionization GC-tandem MS 494 (1989) 13

- Macleod, T.M., see Cook, A.P. 467 (1989) 395
- Macrae, P.V., Rance, D.J., Dankers, J. and Duchateau, G.S.M.J.E.
Analysis of a novel cardiac stimulant, UK-61260, in human plasma by GC-MS with selected-ion monitoring 491 (1989) 439
- Macrae, R., see Williams, R.A. 477 (1989) 315
- Maeda, M., see Kataoka, H. 494 (1989) 283
- Maes, R.A.A., see Leloux, M.S. 488 (1989) 357
- Maessen, F.J.M.J., see De Waal, W.A.J. 462 (1989) 115
- Magdalou, J., see Liu, H.-F. 493 (1989) 137
- Maggi, L., Stella, R., Ganzerli Valentini, M.T. and Pietta, P.
Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225
- Maghuin-Rogister, G., see Degand, G. 489 (1989) 235
- Magnani, M., Rossi, L., Bianchi, M., Cucchiari, L. and Stocchi, V.
Reversed-phase LC determination of 2',3'-dideoxycytidine in human blood samples 491 (1989) 215
- Magno, F., see Pastore, P. 475 (1989) 331
- Mahara, R., see Shoda, J. 488 (1989) 315
- Mahuzier, G., see Dessalles, M.C. 487 (1989) 215
- Maier, K., Costabel, U., Lenz, A.-G. and Leuschel, L.
Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380
- Maisano, F., Astrua Testori, S. and Grandi, G.
Immobilized metal-ion affinity chromatography of human growth hormone 472 (1989) 422
- Maji, T., see Kawai, S. 477 (1989) 467
- Makin, H.L.J., see Street, J.M. 495 (1989) 31
- Makino, I., see Moriyama, T. 493 (1989) 164
- Makino, M., see Moriyama, T. 493 (1989) 164
- Makita, M., see Kataoka, H. 473 (1989) 276
- Makita, M., see Kataoka, H. 494 (1989) 283
- Makuch, B., see Kostrowicki, J. 454 (1988) 340
- Malakhov, V.V., see Zheivot, V.I. 472 (1989) 155
- Malamataris, S., see Avgerinos, A. 495 (1989) 309
- Malcolme-Lawes, D.J. and Moss, P.
Novel transport detector for LC. I. Preliminary experiments 482 (1989) 53
- Malhotra, R.C., see Gandhe, B.R. 479 (1989) 165
- Mali, B.D. and Parulekar, P.P.
Diazoized dapsone as a reagent for the detection of cannabinoids on TLC plates 457 (1988) 383
- Malikin, G., see Karmen, A. 468 (1989) 279
- Malikin, G., see Lam, S. 468 (1989) 359
- Malinar, M.J., see Tešić, Ž.L. 481 (1989) 471
- Malinar, M.J., see Vučković, G. 454 (1988) 362
- Malle, E., Gleispach, H., Kostner, G.M. and Leis, H.J.
Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283
- Mallet, A.I., see Murray, S. 491 (1989) 15
- Mallet, C. and Mallet, V.N.
Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27
- Mallet, C. and Mallet, V.N.
Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37
- Mallet, V.N., see Mallet, C. 481 (1989) 27
- Mallet, V.N., see Mallet, C. 481 (1989) 37
- Mallikaarjun, S., Wood, J.H. and Karnes, H.T.
HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93
- Maloney, A.M., see Inman, E.L. 465 (1989) 201
- Manabe, T., see Yamamoto, H. 480 (1989) 277
- Manabe, T., see Yamamoto, H. 480 (1989) 331
- Manca, F., see Biondi, P.A. 459 (1988) 337
- Manca, F., see Biondi, P.A. 467 (1989) 315
- Mandell, C., see Stein, T.A. 461 (1989) 267
- Mandenius, C.F., see Wikström, P. 455 (1988) 105
- Manera, E., see Pietta, P. 457 (1988) 442
- Manes, L.V., see Ward, K.D. 478 (1989) 169
- Mañes Vinuesa, J., Moltó Cortés, J.C., Igualada Cañas, C. and Font Pérez, G.
Isolation and concentration of organophosphorus pesticides from water using a C₁₈ reversed phase 472 (1989) 365
- Mangani, F., Crescentini, G., Palma, P. and Bruner, F.
Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527
- Mangani, F., see Bruner, F. 473 (1989) 93
- Mangia, A., see Casoli, A. 483 (1989) 443
- Mangin, P., see Kintz, P. 489 (1989) 459
- Man in 't Veld, A.J., see Van der Hoorn, F.A.J. 487 (1989) 17

- Maniscalco, M., see Do, U.H. 489 (1989) 359
- Manners, G.D. and Ralphs, M.H.
Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427
- Manning, J.N., Sullivan, G.S. and Davis, P.F.
Reversed-phase LC of elastin peptides 487 (1989) 41
- Månsson, J.-E., see Gottfries, J. 490 (1989) 263
- Mant, C.T., Burke, T.W.L., Black, J.A. and Hodges, R.S.
Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 458 (1988) 193
- Mant, C.T., Burne, T.W.L., Zhou, N.E., Parker, J.M.R. and Hodges, R.S.
Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365
- Mant, C.T., Zhou, N.E. and Hodges, R.S.
Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363
- Mant, C.T., see Burke, T.W.L. 476 (1989) 377
- Mant, C.T., see Hodges, R.S. 458 (1988) 147
- Mäntykoski, K.M., see Korhonen, I.O.O. 473 (1989) 153
- Mäntykoski, K.M., see Korhonen, I.O.O. 477 (1989) 327
- Manz, H.J., see Kessler, R. 469 (1989) 444
- Manzini, S., see Agostini, O. 487 (1989) 331
- Manzocchi, A., see Chiari, M. 500 (1990) 697
- Maoka, T. and Matsuno, T.
Diastereomeric resolution of carotenoids. III. β , β -Caroten-2-ol, β , β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379
- Maoka, T. and Matsuno, T.
Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189
- Marai, L., see Myher, J.J. 452 (1988) 93
- Marák, J., see Kaniansky, D. 470 (1989) 139
- Marák, J., see Kaniansky, D. 498 (1990) 191
- Marangella, M., see Petrarulo, M. 465 (1989) 87
- Marchelli, R., see Palla, G. 475 (1989) 45
- Marchetti, M., see Battista, M. 454 (1988) 233
- Marchiseppe, I., Valentino, M., Governa, M. and Stocchi, V.
Determination of total 2,5-hexanedione by reversed-phase HPLC 495 (1989) 288
- Mardens, Y., see Wurth, C. 491 (1989) 186
- Maréchal, P. Le, Decottignies, P., Jacquot, J.-P. and Miginiac-Maslow, M.
Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Marfil, F., see Sioufi, A. 495 (1989) 195
- Margel, S.
Affinity separation with polyaldehyde microsphere beads 462 (1989) 177
- Mari, F., see Bertol, E. 466 (1989) 384
- Mariani, C., see Grob, K. 471 (1989) 397
- Marigo, M., see Tagliaro, F. 488 (1989) 215
- Marinichev, A.N. and Ioffe, B.V.
Theoretical aspects of the application of head-space analysis to the investigation of reaction kinetics in solutions 454 (1988) 327
- Maris, F., see Hindriks, R. 485 (1989) 255
- Markides, D.E., see Tarbet, B.J. 473 (1989) 103
- Markides, K.E., see Payne, K.M. 477 (1989) 161
- Markl, P., see Huber, J.F.K. 500 (1990) 257
- Marković, M.M., Kopečni, M.M., Milonjić, S.K. and Čeranić, T.S.
Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281
- Markowitz, J.S., see Patrick, K.S. 487 (1989) 91
- Markowski, W.
Computer-assisted selection of the optimum gradient programme in TLC 485 (1989) 517
- Marks, H.I., see Kroeff, E.P. 461 (1989) 45
- Marle, I., Pettersson, C. and Arvidsson, T.
Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323
- Marleau, S., see Ong, H. 497 (1989) 213
- Marliac, Y. and Barazi, S.
Determination of intact nitrazepam in plasma by GC (in French) 491 (1989) 461
- Marlow, D.D., see Lukey, B.J. 493 (1989) 117
- Marotti, F., see Moro, L. 490 (1989) 285
- Maroušek, V., see Hradil, J. 469 (1989) 143
- Marquard, F. and Sonne, O.
Simultaneous collection of the eluate from up to twenty LC columns by a minor modification to the fraction collector 455 (1988) 360
- Marquis, F., see Herold, D.A. 496 (1989) 180
- Marschall, H.-U., Green, G., Egestad, B. and Sjövall, J.
Isolation of bile acid glucosides and N-acetylglucosaminides from human urine by ion-exchange chromatography and reversed-phase HPLC 452 (1988) 459
- Marsman, J.H., Panneman, H.J. and Beenackers, A.A.C.M.
Automatic on-line pressurized liquid injection in GC 483 (1989) 111

- Marston, A., see El Tayar, N. 469 (1989) 91
- Marston, A., see Slacanin, I. 457 (1988) 325
- Marston, A., see Slacanin, I. 482 (1989) 234
- Martelli, E.A., see Marzo, A. 459 (1988) 313
- Marti, A.M., Mooser, A.E. and Koch, H.
Determination of benzimidazole
anthelmintics in meat samples 498 (1990)
145
- Martijn, A., see Schreuder, R.H. 467 (1989) 177
- Martin, A., Ruggiero-Lopez, D., Broquet, P.,
Richard, M. and Louisot, P.
HPLC study of GDP-mannose and GDP-
fucose metabolism 497 (1989) 319
- Martin, D., see Harrison, L.M. 489 (1989) 121
- Martin, D.S., see Sawyer, R.C. 496 (1989) 450
- Martin, F. and Aldegunde, M.
Simple HPLC method with electrochemical
detection for the determination of
indoleamines in tissue and plasma 491 (1989)
221
- Martin, I. and Lille, Ü.
Separation and molecular weight
determination of prostaglandin B₁ oligomers
by SEC 466 (1989) 339
- Martin, Jr., R.A., see Hurst, W.J. 466 (1989) 279
- Martin, M., see Caprioli, R.M. 480 (1989) 247
- Martin, M., Thevenon, G. and Tchaplá, A.
Comparison of retention mechanisms of
homologous series and triglycerides in non-
aqueous reversed-phase LC 452 (1988) 157
- Martin, R., see Seliger, H. 476 (1989) 49
- Martin, R.J. and Downer, R.G.H.
Microassay for N-acetyltransferase activity
using HPLC with electrochemical detection
487 (1989) 287
- Martin, W.G., see Porter, D.W. 454 (1988) 311
- Martinez, C., see Fóti, G. 461 (1989) 243
- Martínez-Castro, I., Páez, M.I., Sanz, J. and
García-Raso, A.
GC behaviour of carbohydrate trimethylsilyl
ethers. II. Aldohehexoses 462 (1989) 49
- Martínez-Castro, I., see Garcia-Raso, A. 471
(1989) 205
- Martínez, F., see Games, D.E. 474 (1989) 372
- Martire, D.E.
Unified theory of adsorption
chromatography: gas, liquid and supercritical
fluid mobile phases 452 (1988) 17
- Martire, D.E.
Generalized treatment of spatial and temporal
column parameters, applicable to GLC, LC
and SFC. I. Theory 461 (1989) 165
- Martire, D.E.
Application of a unified molecular theory to
GLC 471 (1989) 71
- Maruo, M., Hirayama, N. and Kuwamoto, T.
Ion chromatographic elution behaviour and
prediction of the retention of inorganic
monovalent anions using a phosphate eluent
481 (1989) 315
- Maruo, M., Hirayama, N., Wada, H. and
Kuwamoto, T.
Separation and determination of
organoarsenic compounds with a microbore
column and UV detection 466 (1989) 379
- Maruyama, H., see Kiba, N. 456 (1988) 398
- Marziani, F.C. and Sisco, W.R.
LC separation of positional isomers of
suprofen on a cyclodextrin-bonded phase 465
(1989) 422
- Marzo, A., Monti, N., Ripamonti, M., Cardace,
G. and Arrigoni Martelli, E.
HPLC evaluation of PCF 39, a new
immunomodulator agent 465 (1989) 95
- Marzo, A., Monti, N., Ripamonti, M. and
Martelli, E.A.
Application of HPLC to the analysis of
propionyl-L-carnitine by a stereospecific
enzyme assay 459 (1988) 313
- Marzo, A., Reiner, A., Monti, N., Ripamonti, M.
and Lucarelli, C.
HPLC evaluation of salicyloyl pyridinol and
systemic metabolites in biological samples 459
(1988) 325
- Marzo, A., Treffner, E., Meroni, G., Ripamonti,
M., Peloso, R. and Lucarelli, C.
Assay of a calcium antagonist (PU 122) in
plasma by GC 497 (1989) 296
- Mascher, E. and Lundahl, P.
Sodium dodecyl sulphate-protein complexes.
Changes in size or shape below the critical
micelle concentration, as monitored by high
performance agarose gel chromatography 476
(1989) 147
- Mascia, C., see Capone, W. 457 (1988) 427
- Maseda, C., Matsubara, K. and Shiono, H.
Improved GC with electron-capture detection
using a reaction pre-column for the
determination of blood cyanide: a higher
content in the left ventricle of fire victims 490
(1989) 319
- Masiero, M., see Plebani, M. 476 (1989) 93
- Maslen, A.L., see Kennedy, S.W. 493 (1989) 53
- Mason, R.W. and Edwards, I.R.
HPLC determination of rhodamine B in
rabbit and human plasma 491 (1989) 468
- Mason, W.D., see Gillilan, R.B. 487 (1989) 332
- Massart, D.L., see De Smet, M. 457 (1988) 25
- Massart, D.L., see De Smet, M. 485 (1989) 237
- Massart, D.L., see Hindriks, R. 485 (1989) 255

- Massart, D.L., see Hu, Y. 485 (1989) 311
- Massart, D.L., see Musch, G. 495 (1989) 215
- Massé, R., Ayotte, C., Bi, H. and Dugal, R.
Studies on anabolic steroids. III. Detection and characterization of stanozolol urinary metabolites in humans by GC-MS 497 (1990) 17
- Massé, R., Ayotte, C. and Dugal, R.
Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23
- Massé, R., see Cooper, S.F. 489 (1989) 65
- Massom, L.R. and Jarrett, H.W.
Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252
- Masuda, S., see Hirauchi, K. 497 (1989) 131
- Masuda, S., see Sugii, A. 472 (1989) 357
- Masuda, Y., see Murai, S. 497 (1989) 363
- Masurel, D. and Wainer, I.W.
Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133
- Matano, O., see Kobayashi, H. 474 (1989) 381
- Matheou, D., see Selinger, K. 493 (1989) 230
- Mathiasson, L., Jönsson, J.Å. and Karlsson, L.
Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61
- Mathiesen, D.A., see Ames, M.M. 491 (1989) 488
- Mathieu, D., see Mazerolles, G. 485 (1989) 433
- Mathieu, H., see Jacqz-Aigrain, E. 495 (1989) 361
- Mathis, R., Hubert, P. and Dellacherie, E.
Polyoxyalkyleneglycols immobilized on Sepharose 6B for the sequential extraction of three enzymes from a crude extract of *Pseudomonas testosteroni* 474 (1989) 396
- Matisová, E., Kovačičová, E., Ha, P.T., Kolek, E. and Engewald, W.
Identification of alkylbenzenes up to C₁₂ by capillary GC and GC-MS. II. Retention indices on OV-101 columns and retention-molecular structure correlations 475 (1989) 113
- Matisová, E., Moravcová, A., Krupčík, J., Čellár, P. and Leclercq, P.A.
Problems with the reproducibility of retention data on capillary columns with hydrocarbon C₈₇ as the stationary phase 454 (1988) 65
- Matisová, E., Rukričlová, M., Krupčík, J., Kovačičová, E. and Holotík, Š.
Identification of alkylbenzenes up to C₁₂ by capillary GC and combined GC-MS. I. OV-101 as stationary phase 455 (1988) 301
- Matson, R.S. and Little, M.C.
Strategy for the immobilization of monoclonal antibodies on solid-phase supports 458 (1988) 67
- Matsubara, K.-I., see Yamasaki, Y. 467 (1989) 299
- Matsubara, K., see Kato, Y. 478 (1989) 264
- Matsubara, K., see Maseda, C. 490 (1989) 319
- Matsubayashi, K., Une, T. and Osada, Y.
Determination of ofloxacin in bronchoalveolar lavage fluid by HPLC and fluorimetric detection 495 (1989) 354
- Matsuda, H., see Arai, T. 474 (1989) 405
- Matsuda, R., Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. I. Evaluation of analytical systems by means of *FUMI* 462 (1989) 13
- Matsuda, R., Hayashi, Y., Ishibashi, M. and Takeda, Y.
An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23
- Matsueda, T., see Nagase, M. 465 (1989) 434
- Matsui, H. and Sekiya, T.
HPLC separation of urinary hippuric and *o*-, *m*- and *p*-methylhippuric acids with a β -cyclodextrin-bonded column 496 (1989) 189
- Matsumoto, T., see Tsuda, T. 456 (1988) 375
- Matsumoto, Y., see Ōi, N. 462 (1989) 382
- Matsumura, G., see Shimada, E. 472 (1989) 145
- Matsumura, M., see Endo, M. 455 (1988) 430
- Matsunaga, A., see Yamamoto, A. 482 (1989) 145
- Matsunaga, H., Katano, M., Yamamoto, H., Mori, M., Takata, K. and Nishi, M.
Determination of panaxytriol, a new type of tumour growth inhibitor from *Panax ginseng*, by capillary GC 481 (1989) 368
- Matsuno, T., see Maoka, T. 478 (1989) 379
- Matsuno, T., see Maoka, T. 482 (1989) 189
- Matsuo, M., see Nishi, H. 498 (1990) 313
- Matsuo, N., see Takeyama, N. 491 (1989) 69
- Matsuoka, A., see Igaki, A. 493 (1989) 222
- Matsutani, S., see Sano, A. 458 (1988) 295
- Matsuura, A., Nagayama, T. and Kitagawa, T.
Analytical studies on β -lactam antibiotics. III. Automated HPLC method for the determination of the orally active antibiotic

- ceftibuten in human plasma and urine 494 (1989) 231
- Matsuura, K., see Shoda, J. 488 (1989) 315
- Matsuura, S., see Niwa, T. 452 (1988) 85
- Matsuura, S., see Niwa, T. 493 (1989) 347
- Matsuzaki, Y., see Shoda, J. 488 (1989) 315
- Matsuzawa, S., Garrigues, P., Setokuchi, O., Sato, M., Yamamoto, T., Shimizu, Y. and Tamura, M.
Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25
- Matumoto, S., see Nakamura, Y. 482 (1989) 165
- Matuszewski, B.K., see Constanzer, M.L. 488 (1989) 476
- Maurer, T., Welsch, T. and Engewald, W.
Non-linearity of the plot of log (adjusted retention time) *versus* carbon number for *n*-alkanes in series-coupled GC columns 471 (1989) 245
- Mauri, P., see Pietta, P. 457 (1988) 442
- Mauri, P., see Pietta, P. 478 (1989) 259
- Mauri, P.L., see Pace, M. 476 (1989) 487
- Mawatari, K.-I., Iinuma, F. and Watanabe, M.
Fluorimetric determination of kynurenine in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 488 (1989) 349
- Mawatari, K.-I., Iinuma, F. and Watanabe, M.
Fluorimetric determination of indomethacin in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 491 (1989) 389
- Mawhinney, T.P., see Landrum, D.C. 483 (1989) 21
- Maximova, L.A., see Antoshechkin, A.G. 489 (1989) 353
- Maxwell, J.R., see Kaur, S. 473 (1989) 135
- Maxwell, P.S., see Siu, K.W.M. 475 (1989) 373
- May, C., see Kusmierz, J. 497 (1989) 39
- May, J., see Greenaway, W. 472 (1989) 393
- Mayer, F., see Krämer, B.K. 493 (1989) 414
- Mayol, R.F., see Prakash, C. 493 (1989) 325
- Mazerolles, G., Mathieu, D., Phan-Tan-Luu, R. and Siouffi, A.M.
Computer-assisted optimization with NEMROD software 485 (1989) 433
- Mazhar, M. and Binder, S.R.
Analysis of benzodiazepines and tricyclic antidepressants in serum using a common solid-phase clean-up and a common mobile phase 497 (1989) 201
- Mazhar, M., see Binder, S.R. 473 (1989) 325
- Mazsaroff, I., Várady, L., Mouchawar, G.A. and Regnier, F.E.
Thermodynamic model for electrostatic-interaction chromatography of proteins 499 (1990) 63
- Mazur, J., Witkiewicz, Z. and Dąbrowski, R.
Isothiocyanate as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455 (1988) 323
- Mazur, P., see Stalcup, A.M. 499 (1990) 627
- McBeath, R.J., see Stover, F.S. 470 (1989) 241
- McCluskey, M.P., see Lukey, B.J. 493 (1989) 117
- McConville, J.A., see Dawkins, J.V. 452 (1988) 145
- McCormick, R.M., see Grushka, E. 471 (1989) 421
- McCune, J.E., see Pirkle, W.H. 469 (1989) 67
- McCune, J.E., see Pirkle, W.H. 471 (1989) 271
- McCune, J.E., see Pirkle, W.H. 479 (1989) 419
- McDowall, R.D.
Sample preparation for biomedical analysis (Review) 492 (1989) 3
- McErlane, K.M., see Chan, G.L.-Y. 495 (1989) 349
- McErlane, K.M., see Embree, L. 496 (1989) 321
- McGarvey, B.D.
LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445
- McGuffin, V.L., see Evans, C.E. 459 (1988) 119
- McGuffin, V.L., see Heindorf, M.A. 464 (1989) 186
- McGuffin, V.L., see Wahl, J.H. 485 (1989) 541
- McGuiggan, M.M., see Erdmann, G.R. 494 (1989) 354
- McGuinness, J.A., see Selley, M.L. 488 (1989) 329
- McKay, G., see Srinivas, N.R. 487 (1989) 61
- McKeon, G.A.
Activity stain for polygalacturonase 455 (1988) 376
- McKinney, R.W., see Hull, C.J. 477 (1989) 387
- McKinnon, G.E., see Herkes, G.K. 496 (1989) 147
- McLeish, M.J., see Huang, J.L. 475 (1989) 447
- McNair, H.M., see Sandra, P. 477 (1989) 63
- McNamara, E.A., Montzka, S.A., Barkley, R.M. and Sievers, R.E.
Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75
- McNamara, P., see Baker, C. 484 (1989) 347
- McNamara, P.J., see Jewell, R.C. 487 (1989) 257
- McRae, T.A., see Getek, T.A. 474 (1989) 245
- Medina, M.T., see Hurtado, M. 494 (1989) 403
- Meese, C.O., see Uedelhoven, W.M. 497 (1989) 1

- Mehta, A.C.
Potential of wide bore open tubular columns in GC analysis of drugs (Review) 494 (1989) 1
- Mehta, A.C., see Peaker, S. 497 (1989) 308
- Mehuys, G.R., see Angers, D.A. 454 (1988) 444
- Mehvar, R.
Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402
- Meijel, J.J.M. Van, see Russel, F.G.M. 496 (1989) 234
- Meijer, E.M., see Duchateau, A. 471 (1989) 263
- Meineke, I., Stüwe, E., Henne, E.M., Rusteberg, G., Brendel, E. and De Mey, C.
Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287
- Meisch, H.-U., see Müller, G. 483 (1989) 145
- Meisen, A., see Chakma, A. 457 (1988) 287
- Mekenyán, O., see Dimov, N. 471 (1989) 227
- Melander, W.R., El Rassi, Z. and Horváth, C.
Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3
- Melera, M., see Kasper, T.J. 458 (1988) 303
- Melera, M., see Schwartz, H.E. 480 (1989) 129
- Melgers, P.A.T.A., see Janssen, P.S.L. 470 (1989) 171
- Melis, M., see Capone, W. 457 (1988) 427
- Mello, J.A., see Henderson, D.E. 499 (1990) 79
- Meloni, M., see Cabras, P. 462 (1989) 430
- Ménard, C., see Lawrence, J.F. 462 (1989) 349
- Ménard, C., see Lawrence, J.F. 466 (1989) 421
- Menard, Y., see Jacqz-Aigrain, E. 495 (1989) 361
- Menéndez, V., see Fernández-Sánchez, E. 498 (1990) 1
- Meng, Q.C., King, S.J., Chen, Y.-F., Delucas, L.J. and Oparil, S.
Purification of angiotensin-converting enzyme by gel HPLC 461 (1989) 271
- Mengel, H., see Nordholm, L. 494 (1989) 257
- Mennes, W.C., see Van Pelt, F.N.A.M. 487 (1989) 489
- Mentasti, E., see Petrarulo, M. 465 (1989) 87
- Menyhart, J., see Idei, M. 490 (1989) 247
- Meroni, G., see Marzo, A. 497 (1989) 296
- Mertens, R., see Engelhardt, H. 477 (1989) 169
- Mesbah, M. and Whitman, W.B.
Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297
- Mester, T.C., see Escoffier, B.H. 474 (1989) 301
- Mészáros, S.Y., see Tarján, T. 472 (1989) 1
- Metche, M., see Boukharta, M. 455 (1988) 406
- Metelitsa, V.I., see Belolipetskaja, V.G. 491 (1989) 507
- Metting, H.J., see Coenegracht, P.M.J. 485 (1989) 195
- Metz, P., see Naumann, M. 466 (1989) 319
- Metz, P.A., Morse, F.L. and Theyson, T.W.
Quantification and characterization of the trifluoroacetic anhydride derivatives of N,N'-ethylenebisstearamide and N,N'-ethylenebisoleamide 479 (1989) 107
- Metzler, M.
Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11
- Meuldijk, J., see Verhaar, L.A.T. 472 (1989) 381
- Mey, C. De, see Meineke, I. 493 (1989) 287
- Meyer, H.H.D., Hartmann, F.-X. and Rapp, M.
Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173
- Meyer, H.H.D., see Rapp, M. 489 (1989) 181
- Meyer, M.C., see Patrick, K.S. 487 (1989) 91
- Meyer, M.C., see Patrick, K.S. 495 (1989) 123
- Meyer, R., see Knight, M. 484 (1989) 299
- Meyer, V.R., see Däppen, R. 464 (1989) 39
- Mhalas, J.G., see Tripathi, A.M. 466 (1989) 442
- Miceli, J.J., see Krcmarik, C.S. 496 (1989) 493
- Michalec, Č. and Ranný, M.
Potential application of TLC and TLC with flame ionization detection of cholestanol in the diagnosis of cerebrotendinous xanthomatosis 452 (1988) 543
- Michel, G., Fay, L. and Prost, M.
Determination of isosorbide dinitrate and its metabolites in plasma by GC on a capillary column with electron-capture detection 493 (1989) 188
- Michel, G., see Fay, L. 490 (1989) 198
- Michels, J.J. and Dorsey, J.G.
Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85
- Michels, J.J. and Dorsey, J.G.
Estimation of the reversed-phase LC lipophilicity parameter $\log k'_w$ using ET-30 solvatochromism 499 (1990) 435

- Michotte, Y., see Xianren, Q. 467 (1989) 15
- Middleditch, B.S., see Attygalle, A.B. 472 (1989) 284
- Middleditch, B.S., see Kim, K.R. 468 (1989) 289
- Middlesworth, D.H. Van, see Fox, S.M. 494 (1989) 331
- Midgley, J.M., see Shafi, N. 490 (1989) 9
- Midha, K.K., see Srinivas, N.R. 487 (1989) 61
- Midha, K.K., see Srinivas, N.R. 491 (1989) 262
- Miercke, L.J.W., Stroud, R.M. and Dratz, E.A.
Preparative purification of functional bacteriorhodopsin by high performance SEC 483 (1989) 331
- Miething, H. and Seger, V.
Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433
- Mifune, M., Krehbiel, D.K., Stobaugh, J.F. and Riley, C.M.
Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55
- Miginiac-Maslow, M., see Le Maréchal, P. 477 (1989) 305
- Mihályfi, K., see Szepesi, G. 464 (1989) 265
- Mikešová, M., see Vejrosta, J. 464 (1989) 394
- Miksic, J.R., see Hsu, S.-H. 459 (1988) 215
- Miksic, I., Struzinsky, R., Macek, K. and Deyl, Z.
Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607
- Milanov, M., see Rösch, F. 457 (1988) 362
- Milby, K.H., Ho, S.V. and Henis, J.M.S.
Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133
- Milia, M.G. Di, see Bertol, E. 466 (1989) 384
- Milina, R., see Dimov, N. 463 (1989) 159
- Miller, C., Dadoo, R., Kooser, R.G. and Gorse, J.
Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 458 (1988) 255
- Miller, D.J., see Hawthorne, S.B. 468 (1989) 115
- Miller, D.W., see Thompson, Jr., H.C. 467 (1989) 159
- Miller, E.G., see Cook, L.A. 463 (1989) 127
- Miller, G.C., see Richfield-Fratz, N. 467 (1989) 167
- Miller, J.R., see Lehmann, R.G. 485 (1989) 581
- Miller, L. and Bush, H.
Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337
- Miller, L., Bush, H. and Derrico, E.M.
Solid injection, a new technique for application of insoluble samples in preparative LC 484 (1989) 259
- Miller, N.T. and DiBussolo, J.M.
Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 499 (1990) 317
- Miller, N.T. and Shieh, C.-H.
High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329
- Miller, N.T., see Sagliano, Jr, N. 458 (1988) 225
- Miller, R.K., see Purdon, J.G. 475 (1989) 261
- Miller, S.L., see Smith, R.M. 464 (1989) 297
- Mills, G.A., see Chong, W.K. 487 (1989) 147
- Mills-Williams, L., see Ebling, W.F. 490 (1989) 339
- Milne, R.
Cathie: expert interpretation of chromatographic data 485 (1989) 341
- Milo, J., Levy, A., Palevitch, D. and Ladizinsky, G.
HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563
- Milojković, D.M., see Janjić, T.J. 481 (1989) 465
- Milonjić, S.K., see Marković, M.M. 463 (1989) 281
- Min, X. and Bruner, F.
Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365
- Mincsovcics, E., see Siouffi, A.M. 492 (1989) 471
- Mincsovcics, E., see Tyihák, E. 471 (1989) 375
- Minick, D.J., Brent, D.A. and Frenz, J.
Modeling octanol-water partition coefficients by reversed-phase LC 461 (1989) 177
- Mink, L.P., see Lochmüller, C.H. 471 (1989) 357
- Mintz, G.R., see Caesar, R. 478 (1989) 191
- Mischke, H.A.N.C.F. and St. John, J.B.
HPLC of metribuzin and non-polar metabolites extracted from leaf tissues 479 (1989) 206
- Mishra, U., see Singh, A.K. 473 (1989) 215
- Mishra, U., see Singh, A.K. 479 (1989) 233
- Misiti, D., see Gasparrini, F. 457 (1988) 235

- Mitewa, M., see Bardarov, V. 462 (1989) 233
- Mitewa, M., see Bardarov, V. 479 (1989) 97
- Mitsuhashi, Y., see Hamano, T. 457 (1988) 403
- Miura, H., see Goto, J. 452 (1988) 119
- Miura, H., see Goto, J. 493 (1989) 245
- Miura, J., see Kamahori, M. 465 (1989) 227
- Miura, T., see Kanetoshi, A. 454 (1988) 145
- Miura, Y. and Fritz, J.S.
Benzenepolycarboxylic acid salts as eluents in anion chromatography 482 (1989) 155
- Miwa, T., Miyakawa, T. and Miyake, Y.
Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227
- Miyabayashi, T., Yamashita, K., Aoki, I., Motohashi, M., Yashiki, T. and Yatani, K.
Determination of manidipine and its pyridine metabolite in human serum by HPLC with UV detection and column switching 494 (1989) 209
- Miyagi, H., see Kamahori, M. 465 (1989) 227
- Miyakawa, T., see Miwa, T. 457 (1988) 227
- Miyake, Y., see Miwa, T. 457 (1988) 227
- Miyakoshi, M., see Okada, T. 475 (1989) 412
- Miyakoshi, M., see Okada, T. 481 (1989) 299
- Miyano, S., see Yamashita, J. 464 (1989) 411
- Miyasaka, K., see Okuyama, T. 466 (1989) 390
- Miyashita, M. and Yamashita, S.
Studies on iodinated compounds. VI. Separation characteristics of iodohistidines on reversed-phase HPLC 475 (1989) 135
- Miyashita, M. and Yamashita, S.
Studies on iodinated compounds. V. Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137
- Miyashita, Y., see Terabe, S. 480 (1989) 403
- Miyate, H., see Murai, S. 497 (1989) 363
- Miyazaki, H., see Shoda, J. 488 (1989) 315
- Miyazaki, H., see Watanabe, K. 468 (1989) 383
- Miyazaki, K., Tanaka, Y. and Saito, M.
Effect of temperature difference between pump and column in molecular weight determination by GPC 454 (1988) 357
- Miyazaki, M., see Hayakawa, K. 464 (1989) 343
- Miyazaki, M., see Hayakawa, K. 481 (1989) 323
- Miyazaki, M., see Yamamoto, A. 482 (1989) 145
- Miyazaki, T., Kai, M. and Ohkura, Y.
Determination of renin activity in human-plasma by column-switching HPLC with fluorescence detection 490 (1989) 43
- Miyazaki, T., see Hikida, K. 495 (1989) 227
- Mizukami, E., see Yamamoto, A. 482 (1989) 145
- Mizutani, T., see Endo, M. 455 (1988) 430
- Moatti, N., see Myara, I. 493 (1989) 170
- Mocaer, E., see Tsaconas, C. 487 (1989) 313
- Mochizuki, E., Nakayama, A., Kitada, Y., Saito, K., Nakazawa, H., Suzuki, S. and Fujita, M.
LC determination of alliin in garlic and garlic products 455 (1988) 271
- Modricky, C., see Moro, L. 490 (1989) 285
- Moerloose, P. De, see De Schutter, J.A. 465 (1989) 402
- Mogi, M., Harada, M., Adachi, T., Kojima, K. and Nagatsu, T.
Selective removal of β 2-microglobulin from human plasma by high-performance immunoaffinity chromatography 496 (1989) 194
- Mogi, M., see Harada, M. 493 (1989) 176
- Mohammad, J., see Hjertén, S. 481 (1989) 175
- Mohanty, M., see Patnaik, L.N. 481 (1989) 331
- Mohareb, E.W., Hughes, J.B. and Bruce, J.I.
Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421
- Mohnke, M. and Heybey, J.
GSC on open-tubular columns: an isotope effect 471 (1989) 37
- Mohri, Z.-I., see Yagi, S. 493 (1989) 27
- Mohseni, R.M. and Hurtubise, R.J.
Retention characteristics of several compound classes in reversed-phase LC with β -cyclodextrin as a mobile phase modifier 499 (1990) 395
- Moir, D.L., see Nawrocki, J. 467 (1989) 31
- Moirandat, C., see Brenner, M. 499 (1990) 721
- Mol, J.G.J., see Kwakman, P.J.M. 459 (1988) 139
- Möller, J., see Bitsch, R. 463 (1989) 207
- Molnar, I., Boysen, R. and Jekow, P.
Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569
- Moltó Cortés, J.C., see Mañes Vinuesa, J. 472 (1989) 365
- Momose, A., see Tanaka, T. 496 (1989) 407
- Moncrieff, J.
Determination of pharmacological levels of harmine, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269
- Moncrieff, J. and Simpson, D.
Determination of metoprolol and its α -hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 488 (1989) 498
- Moneti, G., see Agostini, O. 487 (1989) 331
- Mononen, I., see Kaartinen, V. 490 (1989) 293
- Monster, A.C., see Kežić, S. 496 (1989) 209

- Monster, A.C., see Van Doorn, J.E. 489 (1989) 419
- Montaldo, P.G. and D'Incalci, M.
HPLC determination of 5-bromodeoxyuridine in human plasma 491 (1989) 129
- Montanarella, L., see Gagliardi, L. 464 (1989) 428
- Montanarella, L., see Gagliardi, L. 466 (1989) 433
- Monteil, H., see Bisseret, F. 490 (1989) 91
- Monteil, H., see Koechlin, C. 491 (1989) 379
- Montes, M., Usero, J.L., Del Arco, A., Izquierdo, C. and Casado, J.
Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97
- Monti, N., see Marzo, A. 459 (1988) 313
- Monti, N., see Marzo, A. 459 (1988) 325
- Monti, N., see Marzo, A. 465 (1989) 95
- Montreuil, J., see Kol, O. 474 (1989) 452
- Montzka, S.A., see McNamara, E.A. 452 (1988) 75
- Moodie, I.M., see Labadarios, D. 487 (1989) 428
- Moor, M.J., Rashed, M.S., Kalhorn, T.F., Levy, R.H. and Howald, W.N.
Application of thermospray LC-MS to the simultaneous quantification of tracer concentrations of isotopically labelled carbamazepine epoxide and steady-state levels of carbamazepine and carbamazepine epoxide 474 (1989) 223
- Moore, C.M. and Oliver, J.S.
Rapid extraction and determination of xylazine in greyhound urine using HPLC 491 (1989) 519
- Moore, K., see Hammond, I. 474 (1989) 175
- Moore, L.K., see Krahn, M.M. 481 (1989) 263
- Moore, W.T., see Caprioli, R.M. 480 (1989) 247
- Mooser, A.E., see Marti, A.M. 498 (1990) 145
- Moravcová, A., see Matisová, E. 454 (1988) 65
- Moretti, F., see Antonozzi, I. 459 (1988) 319
- Morgan, A.K., see Benny, A.G. 487 (1989) 173
- Morgan, E.D. and Bradley, N.
Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339
- Morgan, E.D., see Raynor, M.W. 467 (1989) 292
- Morgan, S.L., see Kiel, J.S. 485 (1989) 585
- Mori, I., see Motohashi, N. 465 (1989) 417
- Mori, K., see Suzuji, S. 463 (1989) 188
- Mori, M., see Matsunaga, H. 481 (1989) 368
- Mori, S.
Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137
- Mori, S.
Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367
- Mori, S., Saito, T. and Takeuchi, M.
Separation of prepolymers of phenol-formaldehyde resins by SFC 478 (1989) 181
- Morimoto, A., see Hirauchi, K. 497 (1989) 131
- Morimoto, Y., see Komori, T. 481 (1989) 416
- Morin, P., Pichard, H., Richard, H., Caude, M. and Rosset, R.
SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125
- Morin-Allory, L., see Walczak, B. 464 (1989) 237
- Morin-Allory, M.D.L., see Lafosse, M. 472 (1989) 209
- Morineau, G., Azoulay, M. and Frappier, F.
Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209
- Moring, S., see Caprioli, R.M. 480 (1989) 247
- Moritz, R.L., see Simpson, R.J. 474 (1989) 418
- Moritz, R.L., see Simpson, R.J. 476 (1989) 345
- Moriyama, T., Yamadera, K., Takebe, T., Makino, I., Kato, H., Nobuoka, M. and Makino, M.
Purification of the pancreatic stone protein by HPLC 493 (1989) 164
- Moriyasu, M., see Endo, M. 455 (1988) 430
- Moro, E., see Pianezzola, E. 495 (1989) 205
- Moro, L., Battista, C., Modricky, C., Rovis, L., De Bernard, B., Traldi, P., Lubrano, G. and Marotti, F.
HPLC preparation of galactosyl-hydroxylysine, a specific bone collagen marker 490 (1989) 285
- Morrishow, A.M., see Prell, G.D. 472 (1989) 256
- Morse, F.L., see Metz, P.A. 479 (1989) 107
- Mortensen, S.B., Thim, L., Christensen, T., Woeldike, H., Boel, E., Hjortshøj, H. and Hansen, M.T.
Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227
- Mosandl, A., see Guichard, E. 498 (1990) 396
- Mosbach, K., see O'Shannessy, D.J. 470 (1989) 391
- Moschidis, M.C.
Silicic acid column chromatography of phosphonolipids. X. Some phosphono

- analogues of 1-O-alkylethylene glycol 454 (1988) 420
- Moseley, M.A., Deterding, L.J., Tomer, K.B. and Jorgenson, J.W.
Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197
- Mosher, R.A., Thormann, W., Kuhn, R. and Wagner, H.
Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39
- Mosher, R.A., see Thormann, W. 461 (1989) 95
- Moss, P., see Malcolme-Lawes, D.J. 482 (1989) 53
- Mostert, I.A. and Ramsteiner, K.A.
Coupled HPLC-GC for the determination of pesticide residues in biological matrices 477 (1989) 359
- Motohashi, M., see Miyabayashi, T. 494 (1989) 209
- Motohashi, M., see Yamashita, K. 487 (1989) 357
- Motohashi, N. and Mori, I.
HPLC-electrochemical detection of singlet oxygen by reaction with 2,2,6,6-tetramethyl-4-piperidone 465 (1989) 417
- Motohashi, N., see Kamata, K. 498 (1990) 129
- Motorin, Y.A., see Tsygankov, A.Y. 465 (1989) 325
- Motto, M.G., Facchine, K.L., Hamburg, P.F., Burinsky, D.J., Dunphy, R., Oyler, A.R. and Cotter, M.L.
Separation and identification of retinoic acid photoisomers 481 (1989) 255
- Mouchawar, G.A., see Mazsaroff, I. 499 (1990) 63
- Mouchel, B., see Décout, J.-L. 481 (1989) 461
- Mourier, P.A.
Determination of gallamine and its impurities by reversed-phase ion-pair HPLC and comparison with TLC 462 (1989) 281
- Moutounet, M., see Cheynier, V. 472 (1989) 428
- Moutounet, M., see Puech, J.-L. 457 (1988) 431
- Muccio, A. Di, Ausili, A., Camoni, I., Dommarco, R., Rizzica, M. and Vergori, F.
Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149
- Muccio, A. Di, Rizzica, M., Ausili, A., Camoni, I., Dommarco, R. and Vergori, F.
Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143
- Mucha, I., Tanács, B. and Tóth, G.
Adsorption chromatographic separation of ¹²⁵I-labelled derivatives of 3'-azido-3'-deoxythymidine 478 (1989) 280
- Mucha, I. and Tóth, G.
Separation of ¹²⁵I-labelled prostanoid derivatives by reversed-phase HPLC 483 (1989) 419
- Mück, W., see Lee, E.D. 458 (1988) 313
- Mück, W.M. and Henion, J.D.
Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41
- Muehleisen, H., see Canela, A.M. 456 (1988) 241
- Mühlenbruch, B.J., see Lohmar, F. 495 (1989) 281
- Mukoyama, Y., see Chikazumi, N. 479 (1989) 85
- Mulholland, M., Dunand, N., Cleland, A., Van Leeuwen, J.A. and Vandeginste, B.G.M.
Expert system for method validation in chromatography 485 (1989) 283
- Müller, B., see Kuroпка, R. 481 (1989) 380
- Muller, D., see Zhou, F.L. 476 (1989) 195
- Müller, E., see Grob, Jr., K. 473 (1989) 411
- Müller, F., Müller, H. and Straub, H.
Gas sampling- and column-switching systems in high-resolution gas analysis (in German) 477 (1989) 25
- Müller, G. and Meisch, H.-U.
Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145
- Müller, H. and Eckert, H.
Simultaneous determination of monoethanolamine and glycine betaine in plants 479 (1989) 452
- Müller, H., see Müller, F. 477 (1989) 25
- Müller, W., see Jilge, G. 476 (1989) 37
- Müller, W.E., see Filser, J.G. 493 (1989) 275
- Mulshine, J.L., see Vicchio, A.M.T.D. 474 (1989) 187
- Munafa, A. and Biollaz, J.
HPLC assay with fluorometric detection for flecainide and its major metabolites in urine and serum 490 (1989) 450
- Munns, R.K., see Roybal, J.E. 467 (1989) 259
- Munoz, A.C., see Boswell, G.W. 491 (1989) 513
- Munoz, N.M., Tutins, C. and Leff, A.R.
Highly sensitive determination of catecholamine and serotonin concentrations

- in plasma by LC electrochemistry 493 (1989) 157
- Murai, S., Saito, H., Nagahama, H., Miyate, H., Masuda, Y. and Ito, T.
Ultra-rapid assay of brain γ -aminobutyric acid by LC with electrochemical detection 497 (1989) 363
- Murai-Kushiya, M., see Hasegawa, R. 494 (1989) 381
- Murakami, T., see Tsukioka, T. 469 (1989) 351
- Murakoshi, I., see Saito, K. 462 (1989) 333
- Murata, K., Yokoyama, Y. and Yoshida, K.
HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27
- Murayama, M., Suzuki, M. and Takitani, S.
Determination of selenium in drugs by oxygen flask combustion and ion chromatography 463 (1989) 147
- Murayama, M., Suzuki, M. and Takitani, S.
Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355
- Murayama, M., see Takeuchi, T. 477 (1989) 147
- Mureika-Russell, M., see Rosenfeld, J.M. 489 (1989) 263
- Murotsu, T., see Kato, Y. 478 (1989) 264
- Murotsu, T., see Yamasaki, Y. 467 (1989) 299
- Murphy, M., see Lam, S. 468 (1989) 359
- Murray, S., O'Malley, G., Taylor, I.K., Mallet, A.I. and Taylor, G.W.
Assay for N^7 -methylimidazoleacetic acid, a major metabolite of histamine, in urine and plasma using capillary column GC-negative ion MS 491 (1989) 15
- Murray, S., see Williams, J.A. 483 (1989) 454
- Murthy, D.V.K., see Ramesha, C.S. 491 (1989) 37
- Musch, E., see Lohmar, F. 495 (1989) 281
- Musch, G., Hamoir, T. and Massart, D.L.
Determination of pentoxifylline and its 5-hydroxy metabolite in human plasma by solid-phase extraction and HPLC with UV detection 495 (1989) 215
- Musch, G., see De Smet, M. 485 (1989) 237
- Muschalek, V., see Koppenhoefer, B. 477 (1989) 139
- Muschik, G.M., see Atamna, I.Z. 499 (1990) 477
- Mushtaq, M., see Yang, S.K. 461 (1989) 377
- Musser, S.M., Pan, S.-S. and Callery, P.S.
LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197
- Musunuri, S., see Kalonia, D.S. 475 (1989) 416
- Muto, M., see Kiba, N. 497 (1989) 236
- Mutschler, E., see Hartmann, C. 496 (1989) 387
- Mutschler, E., see Warlich, R. 490 (1989) 395
- Mutti, A., see Ghiggeri, G.M. 452 (1988) 347
- M.Vijayalakshmi, , see Botros, H.G. 495 (1989) 113
- Myara, A., see Labbé, D. 490 (1989) 275
- Myara, I., Moatti, N. and Lemonnier, A.
Separation of two erythrocyte prolidase isoforms by fast protein LC; application to prolidase deficiency 493 (1989) 170
- Myher, J.J., Kuksis, A., Marai, L. and Sandra, P.
Identification of the more complex triacylglycerols in bovine milk fat by GC-MS using polar capillary columns 452 (1988) 93
- Myher, J.J. and Kuksis, A.
Relative GLC retention factors of trimethylsilyl ethers of diradylglycerols on polar capillary columns 471 (1989) 187
- Myher, J.J., see Kuksis, A. 500 (1990) 427
- Mylchreest, I.C., see Raynor, M.W. 467 (1989) 292

N

- Naaranlahti, T., see Auriola, S. 474 (1989) 181
- Nabet, P., see Wasels, R. 489 (1989) 411
- Nabivach, V.M., see Gerasimenko, V.A. 498 (1990) 357
- Nadeau, P., see Angers, D.A. 454 (1988) 444
- Nagahama, H., see Murai, S. 497 (1989) 363
- Nagakura, T., see Goto, J. 452 (1988) 119
- Nagano, H., see Kawai, S. 477 (1989) 467
- Naganuma, H. and Kawahara, Y.
Sensitive fluorescence labelling for analysis of carboxylic acids with 4-bromomethyl-6,7-methylenedioxcoumarin 478 (1989) 149
- Nagao, T. and Tanimura, T.
Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39
- Nagaoka, S., see Hirayama, C. 465 (1989) 241
- Nagaoka, T., see Hirauchi, K. 497 (1989) 131
- Nagasawa, K., see Uchiyama, H. 478 (1989) 275
- Nagase, M., Osaki, Y. and Matsueda, T.
Determination of Methyl Yellow, Sudan I

- and Sudan II in water by HPLC 465 (1989) 434
- Nagata, O., Sakashita, T., Takahara, E., Kato, H. and Kiriyama, N.
Determination of a new muscle relaxant (HY-770) in human serum by GC-MS 496 (1989) 456
- Nagatsu, T., see Mogi, M. 496 (1989) 194
- Nagatsu, T., see Niwa, T. 452 (1988) 85
- Nagatsu, T., see Niwa, T. 491 (1989) 397
- Nagatsu, T., see Niwa, T. 493 (1989) 347
- Nagayama, T., see Matsuura, A. 494 (1989) 231
- Nagels, L.J., Kauffmann, J.M., Schuddinck, G., Dewaele, C., Patriarcho, G.J. and Verzele, M.
Carbon-polymer chips as sensitive electrochemical detectors for micro-LC 459 (1988) 163
- Nagumo, T., see Fujihara, M. 465 (1989) 386
- Nagy, E. and Degrell, I.
Determination of ascorbic acid and dehydroascorbic acid in plasma and cerebrospinal fluid by LC with electrochemical detection 497 (1989) 276
- Nagy, I., see Papp, E. 463 (1989) 222
- Najarian, D., see Cohen, A.S. 458 (1988) 323
- Nakabayashi, Y., see Okada, T. 481 (1989) 299
- Nakagawa, F., see Ohtani, M. 487 (1989) 469
- Nakagawa, T., see Ajima, A. 494 (1989) 297
- Nakagawa, T., see Yagi, S. 493 (1989) 27
- Nakagawa, Y. and Waku, K.
Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239
- Nakagawa, Y., see Rabe, H. 493 (1989) 353
- Nakagiri, I., Suzuki, K., Shiaku, Y., Kuroda, Y., Takasu, N. and Kohama, A.
Rapid quantification of paraquat and diquat in serum and urine using HPLC with automated sample pretreatment 481 (1989) 434
- Nakahara, K., see Hirokawa, T. 463 (1989) 39
- Nakahara, K., see Hirokawa, T. 463 (1989) 51
- Nakahara, K., see Hirokawa, T. 470 (1989) 21
- Nakahara, Y., Ishigami, A. and Takeda, Y.
Electrochemical label for HPLC. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 489 (1989) 371
- Nakai, A., see Kikawa, Y. 491 (1989) 193
- Nakai, C., see Yoshida, T. 456 (1988) 421
- Nakai, S., Kobayashi, T. and Ezawa, T.
Photodecomposition of Moclobemide on a silica gel TLC plate 479 (1989) 459
- Nakajima, H., see Ôi, N. 462 (1989) 382
- Nakajima, K., see Tsuchihashi, H. 467 (1989) 227
- Nakamura, K., Toyoda, K., Kato, Y., Shimura, K. and Kasai, K.-I.
Preparation of adsorbents for affinity chromatography using TSK gel Tresyl-Toyopearl 650M 478 (1989) 159
- Nakamura, K., see Ohtsu, Y. 481 (1989) 147
- Nakamura, M., see Iwata, T. 491 (1989) 404
- Nakamura, M., see Yoshitake, T. 489 (1989) 364
- Nakamura, S., see Hayakawa, K. 481 (1989) 323
- Nakamura, Y., Yamagishi, A., Matumoto, S., Tohkubo, K., Ohtu, Y. and Yamaguchi, M.
HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165
- Nakamura, Y., see Suzuki, S. 463 (1989) 188
- Nakanishi, K., see Stalcup, A.M. 499 (1990) 627
- Nakano, M., see Kawano, H. 493 (1989) 71
- Nakashima, H., Tsutsumi, K., Hashiguchi, M., Kumagai, Y. and Ebihara, A.
Determination of β -methylidigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425
- Nakata, O., see Ohtsu, Y. 481 (1989) 147
- Nakatani, S., see Kato, Y. 483 (1989) 401
- Nakatani, S., see Yamasaki, Y. 481 (1989) 391
- Nakayama, A., see Mochizuki, E. 455 (1988) 271
- Nakayama, F.
Quantitative microanalysis of bile acids in biological samples. Collaborative study 452 (1988) 399
- Nakayama, F., see Yamashita, H. 496 (1989) 255
- Nakazawa, H., see Ikai, Y. 477 (1989) 397
- Nakazawa, H., see Kitada, Y. 474 (1989) 447
- Nakazawa, H., see Mochizuki, E. 455 (1988) 271
- Nakazawa, H., see Oka, H. 482 (1989) 197
- Nakazawa, H., see Saito, K. 454 (1988) 387
- Nambara, T., see Goto, J. 452 (1988) 119
- Nambara, T., see Goto, J. 493 (1989) 245
- Nambara, T., see Shimada, K. 487 (1989) 247
- Nambara, T., see Shimada, K. 492 (1989) 345
- Nancollas, G.H., see Singh, R.P. 495 (1989) 239
- Naples, J.O., see Warth, L.M. 462 (1989) 165
- Narasimha, R., see Husain, S. 454 (1988) 317
- Nardi, L.
Use of GC in the study of the oxidative decomposition of spent organic solvents from reprocessing plants 463 (1989) 81
- Naumann, M., Reuter, R., Metz, P. and Kopperschlager, G.
Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands

- linked directly or spacer-mediated to bead cellulose 466 (1989) 319
- Nawrocki, J. and Aue, W.A.
Synthesis of bonded layers from cyclic organosilicons in the gas phase 456 (1988) 337
- Nawrocki, J., Moir, D.L. and Szczepaniak, W.
Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31
- Nayak, V.S.
New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349
- Neal, R.M., see Houghlum, J.E. 481 (1989) 458
- Nebinger, P., see Koel, M. 495 (1989) 263
- Negri, A., see Biondi, P.A. 459 (1988) 337
- Negri, A., see Biondi, P.A. 467 (1989) 315
- Negri, A., see Biondi, P.A. 491 (1989) 209
- Nehmer, U.
Separation of *cis-cis*, *cis-trans* and *trans-trans* isomers of (\pm)-atracturium besylate and *cis* and *trans* isomers of its major quaternary decomposition products and related impurity by reversed-phase HPLC 457 (1988) 127
- Neilson, A.H., see Hynning, P.-Å. 467 (1989) 99
- Nelis, H.J.C.F. and De Leenheer, A.P.
Reversed-phase LC of astacene 452 (1988) 535
- Nelson, F.R., see Chang, S.Y. 497 (1989) 288
- Nelson, R.J., Paulus, A., Cohen, A.S., Guttman, A. and Karger, B.L.
Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111
- Nelson, S.D., see Rashed, M.S. 474 (1989) 209
- Neri, B., see Cartoni, G.P. 475 (1989) 145
- Nes, W.D., see Xu, S. 452 (1988) 377
- Nestorick, D.M., see Thompson, Jr., H.C. 467 (1989) 159
- Netter, P., see Lapicque, F. 496 (1989) 301
- Neubert, P. and Hölck, J.-P.
Automated pre-column HPLC method for the investigation of adibendan metabolism 490 (1989) 155
- Neukom, H., see Bettler, B. 498 (1990) 213
- Neukom, H., see Bettler, B. 498 (1990) 223
- Neukom, H., see Grob, Jr., K. 473 (1989) 401
- Neumeier, D., see Jacob, K. 468 (1989) 329
- Neumeyer, J.L., see Trainor, T.M. 457 (1988) 257
- Neville, G.A., see Black, D.B. 478 (1989) 244
- Newburger, J. and Guiochon, G.
Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153
- Newell, D.R., see Graham, M.A. 491 (1989) 253
- Newland, P., Bingham, B., Tarelli, E. and Thomas, A.H.
High-performance GPC of meningococcal polysaccharides 483 (1989) 406
- Newsome, W.H. and Collins, P.
Multiresidue method for fungicide residues in fruit and vegetables 472 (1989) 416
- Nguyen, V.D.
Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413
- Nguyen, V.K., see Bisseret, F. 490 (1989) 91
- Nickerson, B. and Jorgenson, J.W.
Characterization of a post-column reaction-laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157
- Nicolas, A., see Liu, H.-F. 493 (1989) 137
- Nicolas, L., see Lebrun, M.H. 464 (1989) 307
- Nielander, H.B., see Schotman, P. 483 (1989) 301
- Nielen, M.W.F., Sanderson, J.T., Frei, R.W. and Brinkman, U.A.T.
On-line system for supercritical fluid extraction and capillary GC with electron-capture detection 474 (1989) 388
- Nielsen, H.
Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423
- Nielsen, J.H., see Linde, S. 462 (1989) 243
- Nielsen, R.G., Riggin, R.M. and Rickard, E.C.
Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393
- Niemeijer, N.R., see Gerding, T.K. 487 (1989) 125
- Niessen, W.M.A., Bergers, P.J.M., Tjaden, U.R. and Van der Greef, J.
Phase-system switching as an on-line sample pretreatment in the bioanalysis of mitomycin C using supercritical fluid chromatography 454 (1988) 243
- Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
Bioanalytical applications of SFC (Review) 492 (1989) 167
- Niessen, W.M.A., Van der Hoeven, R.A.M., De Kraa, M.A.G., Heeremans, C.E.M., Tjaden, U.R. and Van der Greef, J.
Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

- Niessen, W.M.A., Van der Hoeven, R.A.M., De Kraa, M.A.G., Heeremans, C.E.M., Tjaden, U.R. and Van der Greef, J. Repeller effects in discharge ionization in LC and SFC-MS using a thermospray interface. II. Changes in some analyte spectra 478 (1989) 325
- Niessen, W.M.A., see Heeremans, C.E.M. 472 (1989) 219
- Niessen, W.M.A., see Heeremans, C.E.M. 474 (1989) 149
- Niessen, W.M.A., see Kokkonen, P. 474 (1989) 59
- Niessen, W.M.A., see Van der Greef, J. 474 (1989) 5
- Niessen, W.M.A., see Verheij, E.R. 474 (1989) 275
- Niessen, W.M.A., see Walhagen, A. 474 (1989) 257
- Niethammer, D., see Bruchelt, G. 470 (1989) 185
- Nieves, E., see Roboz, J. 500 (1990) 413
- Niida, Y., see Sato, J. 493 (1989) 239
- Niimi, S., see Jinno, K. 455 (1988) 29
- Nijmeijer, J.R.J., see Van Ede, J. 476 (1989) 319
- Nilsen, E., see Jellum, E. 468 (1989) 43
- Nilsson, B., see Eksborg, S. 488 (1989) 427
- Nilsson, I., see Erlandsson, P. 466 (1989) 364
- Nilsson, S., see Andersson, S. 498 (1990) 81
- Nilsson, S., see Erlandsson, P. 482 (1989) 35
- Nilv , G., Audunsson, G. and J nsson, J. . Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151
- Nimura, N., see Yoshida, T. 456 (1988) 421
- Nishi, H., Fukuyama, T., Matsuo, M. and Terabe, S. Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 498 (1990) 313
- Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S. Separation of water-soluble vitamins by micellar electrokinetic chromatography 465 (1989) 331
- Nishi, H., Tsumagari, N., Kakimoto, T. and Terabe, S. Separation of β -lactam antibiotics by micellar electrokinetic chromatography 477 (1989) 259
- Nishi, M., see Matsunaga, H. 481 (1989) 368
- Nishikawa, M., see Tsuchihashi, H. 467 (1989) 227
- Nishimura, K., see Sugii, A. 472 (1989) 357
- Nishimura, N., see Usui, Y. 489 (1989) 291
- Nishitaten, K., see Ohtani, M. 487 (1989) 469
- Nispen, J.W. Van, see Janssen, P.S.L. 470 (1989) 171
- Nitz, S., Kollmannsberger, H. and Drawert, F. Determination of sensorial active trace compounds by multi-dimensional GC combined with different enrichment techniques 471 (1989) 173
- Niwa, K., see Keller, J.W. 469 (1989) 434
- Niwa, T., Takeda, N., Sasaoka, T., Kaneda, N., Hashizume, Y., Yoshizumi, H., Tatematsu, A. and Nagatsu, T. Detection of tetrahydroisoquinoline in parkinsonian brain as an endogenous amine by use of GC-MS 491 (1989) 397
- Niwa, T., Takeda, N., Tatematsu, A., Matsuura, S., Yoshida, M. and Nagatsu, T. Migration of tetrahydroisoquinoline, a possible parkinsonian neurotoxin, into monkey brain from blood as proved GC-MS 452 (1988) 85
- Niwa, T., Yoshizumi, H., Tatematsu, A., Matsuura, S. and Nagatsu, T. Presence of tetrahydroisoquinoline, a parkinsonism-related compound, in foods 493 (1989) 347
- Nizery, D., Thi baut, D., Caude, M., Rosset, R., Lafosse, M. and Dreux, M. Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49
- Nobilis, M., see Hais, I.M. 500 (1990) 643
- Nobuoka, M., see Moriyama, T. 493 (1989) 164
- Noda, H., see Tsuda, T. 471 (1989) 311
- Noguchi, K., Yanagihara, Y., Kasai, M. and Katayama, B. Chromatographic properties of a vinyl alcohol copolymer gel column for the analysis of non-ionic surfactants 461 (1989) 365
- Noguchi, K., see Seki, T. 459 (1988) 245
- Nohta, H., Yamaguchi, E., Ohkura, Y. and Watanabe, H. Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237
- Nohta, H., Yamaguchi, E., Ohkura, Y. and Watanabe, H. Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15
- Nolen, III, H.W., see Peters, J.H. 488 (1989) 301

- Nollstadt, K.H., Karkhanis, Y.D., Gnozzio, M.J., Crane, M.S.J., Gurnett, A.M., Schmatz, D.M. and Turner, M.J.
Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87
- Nonomura, M. and Hobo, T.
Ion chromatographic determination of cyanide compounds by chloramine-T and conductivity measurement 465 (1989) 395
- Noonan, P.K., see Ruggirello, D.A. 487 (1989) 73
- Nooyen, W.J., see Van Tellinghen, O. 488 (1989) 379
- Nordgren, T., see Pettersson, K.-J. 488 (1989) 447
- Nordholm, L. and Mengel, H.
Determination of an oxadiazole-substituted 1,4-benzodiazepine in plasma by HPLC with UV detection and by a radioreceptor assay 494 (1989) 257
- North, W.G., see O'Connor, E.F. 491 (1989) 240
- Northage, A., see Blessington, B. 469 (1989) 183
- Norton, R.A., see Xu, S. 452 (1988) 377
- Nose, N., see Saito, K. 454 (1988) 387
- Nose, N., see Tanaka, A. 466 (1989) 307
- Notsumoto, S., see Hirauchi, K. 497 (1989) 131
- Nouws, J.F.M., see Laurensen, J.J. 472 (1989) 321
- Nováková, N., see Janča, J. 452 (1988) 549
- Novelli, R., see Camilleri, P. 482 (1989) 258
- Novotny, M., see Beale, S.C. 499 (1990) 579
- Novotny, M., see David, P.A. 452 (1988) 623
- Novotny, M., see David, P.A. 461 (1989) 111
- Novotny, M., see Harvey, S. 491 (1989) 27
- Novotny, M., see Liu, J. 468 (1989) 55
- Novotny, M.V., see Banks, Jr., J.F. 475 (1989) 13
- Novotny, M.V., see Dolnik, V. 480 (1989) 321
- Nuernberg, B., Kohlbrenner, M., Faulkner, R. and Furst, D.E.
Rapid quantitation of methotrexate and its metabolites in human serum, urine and bile, using solid-phase extraction and HPLC 487 (1989) 476
- Nunn, P.B., see Euerby, M.R. 466 (1989) 407
- Nunn, P.B., see Euerby, M.R. 469 (1989) 412
- Nyéki, O., see Görög, S. 452 (1988) 317
- Nyiredy, S., Dallenbach-Toelke, K., Zogg, G.C. and Sticher, O.
Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453
- Nyiredy, S., see Tarján, T. 472 (1989) 1
- Nymoén, U., see Langseth, W. 478 (1989) 269
- O
Oberkotter, L.V.
Analysis of term human milk concentrations of 3,5,3'-triiodo-L-thyronine by HPLC and radioimmunoassay: correlation with circulating serum levels in lactating women 487 (1989) 445
- Obretenova, R., see Pekov, G. 457 (1988) 377
- Ocampo, A.P., Hoyt, K.D., Wadgaonkar, N., Carver, A.H. and Puglisi, C.V.
Determination of tazobactam and piperacillin in human plasma, serum, bile and urine by gradient elution reversed-phase HPLC 496 (1989) 167
- Ocampo, L.F. De, see El Rassi, A. 499 (1990) 141
- Ockelford, P.A., see Benny, A.G. 487 (1989) 173
- O'Connor, E.F., Cheng, S.W.T. and North, W.G.
Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240
- Oda, H., see Hosaki, S. 488 (1989) 503
- Odén, P.C., Schwenen, L. and Graebe, J.E.
Separation of gibberellins by normal-phase HPLC 464 (1989) 195
- O'Donnell, S.R., see Bryan, L.J. 487 (1989) 29
- O'Dwyer, P.J., see Tinsley, P.W. 495 (1989) 318
- Oe, T., see Shimada, K. 478 (1989) 339
- Oe, T., see Shimada, K. 487 (1989) 247
- Oe, T., see Shimada, K. 492 (1989) 345
- Oeda, T., Hirai, A., Ban, T., Tamura, Y. and Yoshida, S.
TSK-Toyopearl gels for the preparative separation of sterol carrier protein₂ from rat liver 482 (1989) 117
- O'Flynn, M.A., Causon, R.C., Brown, J. and Kageyama, S.
Development of a solid-phase extraction technique for α -human atrial natriuretic peptide in human plasma 452 (1988) 469
- Ogamo, A., see Uchiyama, H. 478 (1989) 275
- Ogawa, H., see Kanetoshi, A. 454 (1988) 145
- Ogawa, T., see Terabayashi, T. 454 (1988) 432
- Ogino, H., Suzuki, T. and Aomura, Y.
Simple modification to compensate for the baseline variation due to the introduction of

- a reduced-pressure gas sample into a gas chromatograph 472 (1989) 389
- Oh, K.K., see Himmel, M.E. 467 (1989) 309
- Ohara, A., see Ishimitsu, S. 489 (1989) 377
- O'Hare, M., see Smith, J.A. 496 (1989) 71
- Ohkura, Y., see Hikida, K. 495 (1989) 227
- Ohkura, Y., see Iwata, T. 491 (1989) 404
- Ohkura, Y., see Miyazaki, T. 490 (1989) 43
- Ohkura, Y., see Nohta, H. 467 (1989) 237
- Ohkura, Y., see Nohta, H. 493 (1989) 15
- Ohkura, Y., see Ohno, M. 490 (1989) 301
- Ohkura, Y., see Yoshitake, T. 489 (1989) 364
- Ohmiya, S., see Saito, K. 462 (1989) 333
- Ohnaka, A., see Yamasaki, Y. 467 (1989) 299
- Ohnishi, K., see Suemitsu, R. 454 (1988) 406
- Ohno, M., Kai, M. and Ohkura, Y.
HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301
- Ohtani, M., Shibuya, F., Kotaki, H., Uchino, K., Saitoh, Y., Nakagawa, F. and Nishitaten, K. Quantitative determination of buprenorphine and its active metabolite, norbuprenorphine, in human plasma by GC-chemical ionization MS 487 (1989) 469
- Ohtawa, M., see Hisaka, A. 494 (1989) 183
- Ohto, M., see Yamamoto, A. 482 (1989) 145
- Ohtsu, Y., Shiojima, Y., Okumura, T., Koyama, J.-I., Nakamura, K., Nakata, O., Kimata, K. and Tanaka, N.
Performance of polymer-coated silica C₁₈ packing materials prepared from high-purity silica gel. The suppression of undesirable secondary retention processes 481 (1989) 147
- Ohtsubo, K., Higuchi, S., Aoyama, T., Fujii, N. and Goto, I.
Sensitive determination of ambenonium chloride in serum from patients with myasthenia gravis using ion-exchange resin extraction and reversed-phase ion-pair chromatography 496 (1989) 397
- Ohtu, Y., see Nakamura, Y. 482 (1989) 165
- Ôi, N., Kitahara, H., Matsumoto, Y., Nakajima, H. and Horikawa, Y.
(*R*)-*N*-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary phase for the separation of enantiomers by HPLC 462 (1989) 382
- Ôi, S., see Yamashita, J. 464 (1989) 411
- Oi, T., see Kakahana, H. 483 (1989) 179
- Ôizumi, H., see Arai, T. 474 (1989) 405
- Oizumi, J., see Hayakawa, K. 487 (1989) 161
- Oizumi, J., see Hayakawa, K. 490 (1989) 33
- Oji, Y., see Hamano, T. 457 (1988) 403
- Oka, F., see Oka, H. 479 (1989) 53
- Oka, H., Harada, K.-I., Suzuki, M., Nakazawa, H. and Ito, Y.
Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197
- Oka, H., Ikai, Y., Kawamura, N., Yamada, M., Harada, K.-I., Yamazaki, Y. and Suzuki, M. Improvement of chemical analysis of antibiotics. XV. Isocratic HPLC methods for the analysis and preparative separation of the components of bacitracin 462 (1989) 315
- Oka, H. and Ito, Y.
Improved method for continuous UV monitoring in high-speed counter-current chromatography 475 (1989) 229
- Oka, H., Oka, F. and Ito, Y.
Multilayer coil planet centrifuge for analytical high-speed counter-current chromatography 479 (1989) 53
- Oka, H., see Bhatnagar, M. 463 (1989) 317
- Oka, H., see Ikai, Y. 457 (1988) 333
- Oka, H., see Ikai, Y. 477 (1989) 397
- Oka, H., see Ito, Y. 457 (1988) 393
- Oka, H., see Ito, Y. 463 (1989) 305
- Oka, H., see Ito, Y. 475 (1989) 219
- Oka, H., see Ito, Y. 498 (1990) 169
- Oka, K., Hosoda, K., Hirano, T., Sakurai, E. and Kozaki, M.
Determination of cyclosporin A in the serum of kidney transplant patients by rapid-flow fractionation and normal-phase HPLC 490 (1989) 145
- Oka, K., see Kubota, K. 493 (1989) 373
- Okada, T., Miyakoshi, M. and Inoue, M.
Adsorbability to and desorbability from Sephadex G-15 of sodium and phosphate ions 475 (1989) 412
- Okada, T., Sugata, K., Nakabayashi, Y., Teraoka, K., Miyakoshi, M. and Inoue, M.
Exchange of the cation and anion of the sample (sodium or potassium chloride) with the cation and anion of the eluent (sodium or potassium phosphate buffer) and their elution, from a Sephadex G-15 column, in separate fractions 481 (1989) 299
- Okada, T., see Tan, S. 482 (1989) 246
- Okada, Y., see Koizumi, K. 454 (1988) 303
- Okada, Y., see Koizumi, K. 464 (1989) 365
- Okamoto, M., see Jinno, K. 461 (1989) 209
- Okamoto, N., see Gamoh, K. 469 (1989) 424
- Okamoto, Y., Kaida, Y., Aburatani, R. and Hatada, K.
Optical resolution of amino acid derivatives

- by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367
- Okano, T., Tsugawa, N. and Kobayashi, T.
Identification and determination of $1\alpha,25$ -dihydroxyvitamin D_3 in rat skin by HPLC and radioreceptor assay 493 (1989) 63
- Okanoué, T., see Usui, Y. 489 (1989) 291
- Okazaki, T., see Kataoka, H. 473 (1989) 276
- O'Keefe, M. and Hopkins, J.P.
Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 489 (1989) 199
- Økland, E.M., see Langseth, W. 478 (1989) 269
- Okubo, N., see Hayakawa, K. 481 (1989) 323
- Okuda, T., see Yoshida, T. 467 (1989) 139
- Okumura, T., see Ohtsu, Y. 481 (1989) 147
- Okuyama, T., Takata, M., Takahashi, K., Ishikawa, T., Miyasaka, K. and Kaneyama, N.
HPLC analysis of naturally occurring glycosides and saponins 466 (1989) 390
- Okuyama, T., see Yamamoto, H. 480 (1989) 277
- Okuyama, T., see Yamamoto, H. 480 (1989) 331
- Olajos, S., see Valkó, K. 499 (1990) 361
- Olde, B., see Persson, L.-O. 457 (1988) 183
- Olefirowicz, T.M. and Ewing, A.G.
Capillary electrophoresis with indirect amperometric detection 499 (1990) 713
- Olías, J.M., Ríos, J.J. and Valle, M.
Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279
- Olinger, J.M., see Jinno, K. 461 (1989) 209
- Oliver, J.S., see Moore, C.M. 491 (1989) 519
- Olivier, S.P., see Van Biljon, P.L. 473 (1989) 305
- Olsen, B.A., see Snorek, S.V. 458 (1988) 287
- Olsen, L.D. and Hurtubise, R.J.
Solvent composition effects on the retention characteristics of aromatic hydroxyl compounds with silica and polar mobile phases and interpretation by the Snyder model 474 (1989) 347
- Olsen, L.D. and Hurtubise, R.J.
Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5
- Olson, E.S. and Diehl, J.W.
Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309
- Olson, M.V.
Separation of large DNA molecules by pulsed-field gel electrophoresis. A review of the basic phenomenology 470 (1989) 377
- Olsson, M., Sander, L.C. and Wise, S.A.
Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C_{18} bonded phases 477 (1989) 277
- O'Malley, G., see Murray, S. 491 (1989) 15
- Ommen, B. Van, see Bogaards, J.J.P. 474 (1989) 435
- Omote, K., see Gamoh, K. 469 (1989) 424
- Onaka, A., see Kato, Y. 478 (1989) 264
- Ong, C.N., see Lee, B.L. 494 (1989) 303
- Ong, C.P., Lee, H.K. and Li, S.F.Y.
Optimization of mobile phase composition for HPLC analysis of eleven priority substituted phenols 464 (1989) 405
- Ong, H., Adam, A., Perreault, S., Marleau, S., Bellemare, M., Du Souich, P. and Beaulieu, N.
Analysis of albuterol in human plasma based on immunoaffinity chromatographic clean-up combined with HPLC with fluorimetric detection 497 (1989) 213
- Onkenhout, W., Van der Poel, P.F.H. and Van den Heuvel, M.P.M.
Improved determination of very-long-chain fatty acids in plasma and cultured skin fibroblasts: applications to the diagnosis of peroxisomal disorders 494 (1989) 31
- Ono, T., see Dobashi, A. 461 (1989) 121
- Ono, T., see Dobashi, A. 480 (1989) 413
- Onodera, S., Igarashi, K., Fukuda, A., Ouchi, J. and Suzuki, S.
Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233
- Onuska, F.I. and Terry, K.A.
Quantitative high-resolution GC and MS of toxaphene residues in fish samples 471 (1989) 161
- Oparil, S., see Meng, Q.C. 461 (1989) 271
- Opong-Mensah, K. and Porter, W.R.
Separation of some rodenticides and related compounds by TLC 455 (1988) 439
- Oppenheimer, L.E. and Smith, G.A.
Sedimentation field-flow fractionation of colloidal metal hydrosols 461 (1989) 103
- Opstal, M.A.J. Van, Van der Horst, F.A.L., Holthuis, J.J.M., Van Bennekom, W.P. and Bult, A.
Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample

- clean-up and column-switching 495 (1989) 139
- Orford, C.D., Perry, D. and Adlard, M.W.
HPLC determination of δ -(L- α -aminoadipyl)-L-cysteinyl-D-valine in complex media by precolumn derivatisation with dansylaziridine 481 (1989) 245
- Orlov, V.I., see Hradil, J. 475 (1989) 209
- Orlovsky, A.F., see Tsygankov, A.Y. 465 (1989) 325
- Orme, M.L.E., see Idowu, O.R. 493 (1989) 125
- Oropeza, C., Alpizar, L., Loyola-Vargas, V.M., Quiroz, J. and Scorer, K.N.
Determination of L-canavanine and L-canaline in plant tissues by HPLC 456 (1988) 405
- Oroszlan, P., Blanco, R., Lu, X.-M., Yarmush, D. and Karger, B.L.
Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481
- Orti, D.L., Grainger, J., Ashley, D.L. and Hill, Jr., R.H.
Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 462 (1989) 269
- Ortiz, G., see Reuvers, T.B.A. 467 (1989) 321
- Örvell, C., see Van Ede, J. 476 (1989) 319
- Örvell, C., see Welling-Wester, S. 476 (1989) 477
- Osada, Y., see Matsubayashi, K. 495 (1989) 354
- Osaki, Y., see Nagase, M. 465 (1989) 434
- Oscarsson, S. and Porath, J.
Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235
- Ošcik-Mendyk, B., see Šlais, K. 456 (1988) 370
- O'Shannessy, D.J., Ekberg, B., Andersson, L.I. and Mosbach, K.
Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391
- Oshima, T., Sagara, K., Yoshida, T., Tong, Y.-Y., Zhang, G. and Chen, Y.-H.
Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410
- Oshima, T., see He, L.-Y. 481 (1989) 428
- Oshima, T., see Ito, Y. 456 (1988) 392
- Osman, M.A., Dunning, L.K., Bhavnagri, V.P. and Cheng, L.K.
Determination of muzolimine in plasma and urine by HPLC 496 (1989) 478
- Osman, M.A., Dunning, L.K., Cheng, L.K. and Wright, G.J.
Determination of bromfenac in plasma by HPLC 489 (1989) 452
- Osman, S.F. and Sinden, S.L.
HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189
- Ośmiałowski, K., see Kaliszczan, R. 499 (1990) 333
- Osokin, D.M., see Levchenko, N.K. 456 (1988) 427
- Osselton, M.D., see Smith, R.M. 455 (1988) 77
- Ossicini, L., see Foret, F. 470 (1989) 299
- Osuga, T., see Shoda, J. 488 (1989) 315
- Otani, M., Umezawa, C. and Sano, K.
HPLC determination of pyrroloquinoline quinone with electrochemical detection and its application to bacterial samples 483 (1989) 448
- Otomasu, H., see Saito, K. 462 (1989) 333
- Otsuka, K. and Terabe, S.
Extra-column effects in high-performance capillary electrophoresis 480 (1989) 91
- Otto, M., Hörchner, U. and Wegscheider, W.
Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453
- Otto, M., see Lankmayr, E.P. 485 (1989) 557
- Ouchi, J., see Onodera, S. 466 (1989) 233
- Overend, R.P., see Thring, R.W. 467 (1989) 441
- Ovsyannikova, I.A., see Zheivot, V.I. 472 (1989) 155
- Owada, E., see Sato, J. 493 (1989) 239
- Owen, J.A., Sribney, M., Lawson, J.S., Delva, N. and Letemendia, F.J.J.
Capillary GC of trihexyphenidyl, procyclidine and cycrimine in biological fluids 494 (1989) 135
- Owens, J.A., see Smeaton, T.C. 487 (1989) 434
- Owens, R.A., see Kroeff, E.P. 461 (1989) 45
- Oxford, J. and Lant, M.S.
Development and validation of an LC-MS assay for the determination of sumatriptan in plasma 496 (1989) 137
- Oxford, J.M., see Evans, M.B. 479 (1989) 170
- Oyler, A.R., see Motto, M.G. 481 (1989) 255
- Ozawa, H. and Tsukioka, T.
Determination of sodium monofluoroacetate in soil and biological samples as the dichloroanilide derivative 473 (1989) 251
- Ozawa, K., see Usui, Y. 489 (1989) 291

P

- Pablo, J. De, see Farran, A. 455 (1988) 163
- Pacáková, V., see Böswart, J. 495 (1989) 61
- Pacáková, V., see Burcinová, A. 455 (1988) 420
- Pacáková, V., see Wang, H. 457 (1988) 398
- Pace, M., Mauri, P.L., Gardana, C. and Pietta, P.G.
HPLC assay for nicotinamide-adenide dinucleotide kinase 476 (1989) 487
- Pachla, L.A., see Krcmarik, C.S. 496 (1989) 493
- Packham, A.J., see Fielden, P.R. 479 (1989) 117
- Padieu, P., see Ibañez, M.A.D. 488 (1989) 237
- Padieu, P., see Tsaconas, C. 487 (1989) 313
- Padieu, P., see Tsaconas, C. 488 (1989) 249
- Páez, M.I., see García-Raso, A. 471 (1989) 205
- Páez, M.I., see Martínez-Castro, I. 462 (1989) 49
- Page, B.D., see Lawrence, J.F. 462 (1989) 419
- Page, G.O., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Page, J.A., Beer, M.T. and Lauber, R.
Optimisation of continuous flow fast atom bombardment MS for bioanalysis 474 (1989) 51
- Pagotto, J.G., see Purdon, J.G. 475 (1989) 261
- Pajor, A., see Idei, M. 490 (1989) 247
- Paknoham, S.J., see Camilleri, P. 498 (1990) 414
- Palamarev, H.E., see Palamareva, M.D. 477 (1989) 235
- Palamareva, M.D. and Palamarev, H.E.
Microcomputer-aided characterization of mobile phases for normal-phase LSC based on Snyder's theory and data 477 (1989) 235
- Palasota, J.M., see Deming, S.N. 485 (1989) 15
- Palazzolo, D.L. and Quadri, S.K.
Reduced variation in retention times of biogenic amines by temperature control in LC with electrochemical detection 479 (1989) 216
- Paleari, C.D., see Plebani, M. 476 (1989) 93
- Palevitch, D., see Milo, J. 452 (1988) 563
- Palla, G., Marchelli, R., Dossena, A. and Casnati, G.
Occurrence of D-amino acids in food. Detection by capillary GC and by reversed-phase HPLC with L-phenylalaninamides as chiral selectors 475 (1989) 45
- Pallos, J.P., see Szabó, G. 463 (1989) 345
- Palma, P., see Mangani, F. 452 (1988) 527
- Palmentier, J.-P.F., Britten, A.J., Charbonneau, G.M. and Karasek, F.W.
Determination of polycyclic aromatic hydrocarbons in lubricating oil base stocks using HPLC and GC-MS 469 (1989) 241
- Palmer, A.J. and Palmer, F.J.
Rapid analysis of triacylglycerols using HPLC with light scattering detection 465 (1989) 369
- Palmer, F.J., see Palmer, A.J. 465 (1989) 369
- Palmisano, F., Rotunno, T., Guerrieri, A. and Zambonin, P.G.
Simultaneous determination of pseudouridine and creatinine in untreated urine by ion-pair LC with diode-array UV detection 493 (1989) 35
- Palmisano, F., Zambonin, P.G., Visconti, A. and Bottalico, A.
Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305
- Palmqvist, U., see Einarsson, Ö. 498 (1990) 381
- Palva, E., see Järvinen, T. 495 (1989) 13
- Pan, S.-L., see Hoffman, N.E. 465 (1989) 189
- Pan, S.-S., see Musser, S.M. 474 (1989) 197
- Panneman, H.J., see Marsman, J.H. 483 (1989) 111
- Papp, E. and Nagy, I.
Reversed-phase HPLC analysis of the reaction mixture occurring in the production of a synthetic diester lubricant 463 (1989) 222
- Pappas, A., see Cheach, I.C.L. 467 (1989) 414
- Pappas, A.A., see Stidman, J. 494 (1989) 318
- Parcher, J.F. and Strubinger, J.R.
High-pressure adsorption of carbon dioxide on SFC adsorbents 479 (1989) 251
- Parees, D.M. and Vassilaros, D.L.
Comments on a paper describing elution order shifts of halogenated compounds 474 (1989) 462
- Paris, A., Sutra, J.F. and Rao, D.
Separation of C-17 fatty acid esters of 17 β -estradiol by reversed-phase HPLC 493 (1989) 367
- Paris-Pireyre, N., see Brunet, P. 455 (1988) 173
- Paris-Pireyre, N., see Sarrobert, B. 462 (1989) 303
- Park, J., Shin, Y.O. and Choo, H.-Y.P.
Metabolism and pharmacokinetic studies of propionylpromazine in horses 489 (1989) 313
- Park, J., see Shin, H. 491 (1989) 448
- Park, J., see Shin, H. 493 (1989) 398
- Park, J.H. and Carr, P.W.
Interpretation of normal-phase solvent strength scales based on linear solvation

- energy relationships using the solvatochromic parameters π^* , α and β 465 (1989) 123
- Park, J.H., see Rutan, S.C. 463 (1989) 21
- Park, Y.J. and Hardy, J.K.
Reversed-phase HPLC of metal-benzylpropionitrile dithiocarbamate complexes 481 (1989) 287
- Parker, C.E., see Escoffier, B.H. 474 (1989) 301
- Parker, C.E., see Tomer, K.B. 492 (1989) 189
- Parker, J.M.R., see Hodges, R.S. 458 (1988) 147
- Parker, J.M.R., see Mant, C.T. 485 (1989) 365
- Parkin, J.E.
HPLC of mercury and phenylmercury as the N-disubstituted dithiocarbamate complexes 472 (1989) 401
- Parris, N., see Barford, R.A. 458 (1988) 57
- Partridge, J.E., see Dougherty, D.A. 480 (1989) 359
- Partridge, L.Z., see Euerby, M.R. 466 (1989) 407
- Partridge, L.Z., see Euerby, M.R. 469 (1989) 412
- Partridge, L.Z., see Euerby, M.R. 483 (1989) 239
- Parulekar, P.P., see Mali, B.D. 457 (1988) 383
- Pascual, R., see Burgos, F.J. 481 (1989) 233
- Pastor, J., Pauli, A.M. and Schreiber-Deturmeny, E.
Determination of dihydrosafrole in piperonyl butoxide by HPLC (in French) 462 (1989) 435
- Pastore, P., Lavagnini, I., Boaretto, A. and Magno, F.
Ion chromatographic determination of nitrite in the presence of a large amount of chloride 475 (1989) 331
- Patel, H.R., Ashmore, S.P., Barrow, L. and Tanner, M.S.
Improved HPLC technique for the determination of hepatic α -tocopherol 495 (1989) 269
- Patel, P., see Jack, D.B. 452 (1988) 257
- Paterson, R.R.M. and Kimmelmeier, C.
Gradient HPLC using alkylphenone retention indices of insecticidal extracts of *Penicillium* strains 483 (1989) 153
- Patey, A.L., see Sharman, M. 474 (1989) 457
- Patnaik, L.N., Pattanaik, B.N., Mohanty, M. and Satapathy, A.
TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331
- Patriarche, G.J., see Nagels, L.J. 459 (1988) 163
- Patrick, K.S., Jarvi, E.J., Straughn, A.B. and Meyer, M.C.
GC-MS analysis of plasma nifedipine 495 (1989) 123
- Patrick, K.S., Markowitz, J.S., Jarvi, E.J., Straughn, A.B. and Meyer, M.C.
GC-MS analysis of plasma oxybutynin using a deuterated internal standard 487 (1989) 91
- Pattanaik, B.N., see Patnaik, L.N. 481 (1989) 331
- Patterson, D., see Hards, R.G. 455 (1988) 217
- Patterson, R.E., see Sagliano, Jr, N. 458 (1988) 225
- Patterson, W.R., see Eisenberg, E.J. 493 (1989) 105
- Pauli, A.M., see Pastor, J. 462 (1989) 435
- Paulik, E., see Kremmer, T. 493 (1989) 45
- Paulus, A., see Nelson, R.J. 480 (1989) 111
- Pauthe-Dayde, D., see Henry, M. 477 (1989) 413
- Pavliak, V., Kéry, V., Tihlárík, K. and Šandula, J.
Affinity chromatography of anti-mannan antibodies on mannan-acrylamide copolymers 490 (1989) 418
- Pavlinov, S.A., see Belolipetskaja, V.G. 491 (1989) 507
- Pavlu, B., see Wu, S.-L. 500 (1990) 595
- Pawlowski, M., see Huber, J.F.K. 500 (1990) 257
- Payne, K.M., Davies, I.L., Bartle, K.D., Markides, K.E. and Lee, M.L.
Multidimensional packed capillary column SFC using a flow-switching interface 477 (1989) 161
- Paysant, P., see Wasels, R. 489 (1989) 411
- Peacock, G.A. and Goosey, M.W.
Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293
- Peacock, J., see Brown, R.C. 497 (1989) 360
- Peaker, S., Mehta, A.C., Kumar, S. and Feely, M.
Measurement of low (sub-therapeutic) phenobarbitone levels in plasma by HPLC: application to patient compliance studies 497 (1989) 308
- Peart, T.E., see Lee, H.-B. 498 (1990) 367
- Pecci, L., see Costa, M. 490 (1989) 404
- Pedigo, S. and Bowers, L.D.
Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279
- Pedraz, J.L., see Calvo, M.B. 490 (1989) 206
- Peek, H., Roberts, N.B. and Taylor, W.H.
Improved separation of human pepsins from gastric juice by high-performance ion-exchange chromatography 476 (1989) 291
- Peek, H., Roberts, N.B. and Taylor, W.H.
Heterogeneity of human pepsin 1, as shown by high-performance ion-exchange chromatography 476 (1989) 491

- Peeters, A., see De Smet, M. 457 (1988) 25
- Peeters, A., see De Smet, M. 485 (1989) 237
- Peeters, A., see Hindriks, R. 485 (1989) 255
- Peichang, L. and Hongxin, H.
Expert system for chromatography 452 (1988) 175
- Pekari, K., Riekkola, M.-L. and Aitio, A.
Simultaneous determination of benzene and toluene in the blood using head-space GC 491 (1989) 309
- Pekov, G., Petsev, N. and Obretenova, R.
Study of the adsorption of methyl red on thermally treated GLC packings 457 (1988) 377
- Pellecchia, M., see Cabras, P. 472 (1989) 411
- Pellegrino, S., see Petrarulo, M. 465 (1989) 87
- Pellizzari, E.D., see Cooper, S.D. 498 (1990) 41
- Pelloso, R., see Marzo, A. 497 (1989) 296
- Pelt, F.N.A.M. Van, Mennes, W.C., Hassing, I.G.A.M. and Blaauboer, B.J.
Application of HPLC analysis of scopolamine and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489
- Peltonen, K.
Sampling and determination of carbon disulphide in air by GC with electron-capture detection 464 (1989) 422
- Peltonen, K., Kostianen, R. and Savolainen, H.
Chromatographic analysis, isolation and partial characterization of two photocatalysed reaction products of haem and quinone 490 (1989) 311
- Peltonen, K., see Pukkila, J. 479 (1989) 369
- Pennings, E.J.M., Verpoorte, R., Goddijn, O.J.M. and Hoge, J.H.C.
Purification of tryptophan decarboxylase from a *Catharanthus roseus* cell suspension culture 483 (1989) 311
- Pensa, B., see Costa, M. 490 (1989) 404
- Pentoney, Jr., S.L., Zare, R.N. and Quint, J.F.
Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259
- Perel, J.M., see Foglia, J.P. 495 (1989) 295
- Pérez-Bustamante, J.A., see Cela, R. 485 (1989) 477
- Perez-Gonzalez, N., see Drechou, A. 489 (1989) 273
- Pérez-Payá, E., Braco, L., Campos, A., Soria, V. and Abad, C.
Solution properties of polyelectrolytes. IV. Use of a new hydrophilic SEC packing for the separation of anionic and cationic polyions 461 (1989) 229
- Perfumo, F., see Canepa, A. 491 (1989) 200
- Perkins, J.R., see Ramsey, E.D. 464 (1989) 353
- Perreault, S., see Ong, H. 497 (1989) 213
- Perrett, D., see James, I.T. 495 (1989) 105
- Perry, D., see Orford, C.D. 481 (1989) 245
- Perry, J.A., see Szczerba, T.J. 458 (1988) 281
- Perry, J.A. and Szczerba, T.J.
Preparative packing utility as a function of particle size 484 (1989) 267
- Persson, B.-A., Balmér, K., Lagerström, P.-O. and Schill, G.
Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629
- Persson, B.-A., see Balmér, K. 477 (1989) 107
- Persson, B.-A., see Eriksson, B.-M. 459 (1988) 351
- Persson, K., Lindström, B., Spalding, D., Wahlström, A. and Rane, A.
Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473
- Persson, L.-O. and Olde, B.
Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183
- Persson, L., see Irth, H. 499 (1990) 617
- Pertierra-Rimada, E., see Fernández-Sánchez, E. 457 (1988) 55
- Pešáková, V., see Macek, J. 488 (1989) 267
- Peteghem, C. Van, Van Look, L. and De Guesquière, A.
Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219
- Peteghem, C. Van, see Jansen, E.H.J.M. 489 (1989) 205
- Peteghem, C. Van, see Van Look, L. 489 (1990) 213
- Peter, J.V. St. and Awni, W.M.
Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424
- Peters, J.H., Nolen, III, H.W., Gordon, G.R., Bradford, III, W.W., Bupp, J.E. and Reist, E.J.
Combined chromatographic-isotopic dilution analysis of fecapentaenes in human feces 488 (1989) 301
- Peters, T.J., see Li, F. 461 (1989) 353
- Peters, T.J., see Lim, C.K. 461 (1989) 259
- Petersen, M., see Engelhardt, H. 477 (1989) 169
- Peterson, E.A., see Torres, A.R. 499 (1990) 47

- Peterson, E.J., see Hamilton, V.T. 469 (1989) 369
- Peterson, R.E., see Pettit, W.A. 469 (1989) 440
- Petit, J., see Pinche, C. 463 (1989) 201
- Petkov, L., see Turková, J. 500 (1990) 585
- Petrarulo, M., Pellegrino, S., Bianco, O., Marangella, M., Linari, F. and Mentasti, E. Derivatization and HPLC determination of urinary glycolic acid 465 (1989) 87
- Petro, M. and Ďulák, K. Determination of morpholinisulphenylbenzothiazole by HPLC 462 (1989) 426
- Petrukhin, O.M., see Timerbaev, A.R. 498 (1990) 337
- Petrusewicz, J., see Kaliszán, R. 458 (1988) 395
- Petsev, N., see Gavrilova, T.B. 454 (1988) 73
- Petsev, N., see Pekov, G. 457 (1988) 377
- Pettersson, C., see Karlsson, A. 494 (1989) 157
- Pettersson, C., see Marle, I. 456 (1988) 323
- Pettersson, K.-J., Nordgren, T. and Westerlund, D. Determination of phosphonoformate (fosfarnet) in biological fluids by ion-pair reversed-phase LC 488 (1989) 447
- Pettit, G.R., see Baer, J.C. 467 (1989) 332
- Pettit, W.A., Swailes, B.K. and Peterson, R.E. Isocratic reversed-phase HPLC assay for a cryptand-cryptate-free metal ion system 469 (1989) 440
- Peura, P., see Järvinen, T. 495 (1989) 13
- Pfleiderer, B. and Bayer, E. Silanediol groups of the silica gel Nucleosil: active sites involved in the chromatographic behaviour of bases 468 (1989) 67
- Pfleiderer, B., see Buszewski, B. 499 (1990) 305
- Phan-Tan-Luu, R., see Mazerolles, G. 485 (1989) 433
- Phillips, C.S.G. Chromatography and the discovery process 468 (1989) 35
- Phillips, C.S.G., see Lyne, P.M. 471 (1989) 145
- Phillips, J., see Bianchi, A. 467 (1989) 111
- Phillips, J.B., see Zhang, M. 478 (1989) 141
- Phillips, J.H. and Robey, R.J. Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177
- Phillips, L.R., see Brown, N.D. 487 (1989) 189
- Phillips, M.W., Subramanian, G. and Cramer, S.V. Theoretical optimization of operating parameters in non-ideal displacement chromatography 454 (1988) 1
- Phillips, M.W., see Subramanian, G. 484 (1989) 225
- Phillips, T.M., Frantz, S.C., Babashak, J.V. and Chmielinska, J.J. High-performance affinity isolation of lymphocyte membrane receptors on biotinylated antigen and avidin-coated beads 458 (1988) 185
- Phillips, T.M., see Babashak, J.V. 476 (1989) 187
- Pianezzola, E., Bellotti, V., Fontana, E., Moro, E., Gal, J. and Desai, D.M. Determination of the enantiomeric composition of salsolinol in biological samples by HPLC with electrochemical detection 495 (1989) 205
- Piasecki, A., see Głód, B.K. 457 (1988) 43
- Picado, C., see Ramis, I. 496 (1989) 416
- Picard, M., see Descombe, J.-J. 496 (1989) 345
- Piccardo, M.T., see Canepa, A. 491 (1989) 200
- Piccinelli, A., see Chiabrando, C. 495 (1989) 1
- Pichard, H., see Morin, P. 464 (1989) 125
- Pichon, B., see Rouan, M.C. 456 (1988) 45
- Pichot, A., see Liautard, J. 454 (1988) 195
- Pickaart, M.J., see Holstege, C.P. 455 (1988) 401
- Pickert, A., Bäuerle, A. and Liebich, H.M. Determination of hippuric acid and furanic acid in serum of dialysis patients and control persons by HPLC 495 (1989) 95
- Pickert, A., see Liebich, H.M. 500 (1990) 615
- Pickett, W.C., see Ramesha, C.S. 491 (1989) 37
- Pieniaszek, Jr., H.J., Shen, H.-S.L., Garner, D.M., Page, G.O., Shalaby, L.M., Isensee, R.K. and Whitney, Jr., C.C. Determination of unlabeled and $^{13}\text{C}_6$ -labeled moricizine in human plasma using thermospray LC-MS 493 (1989) 79
- Pierson, D.A., see Snorek, S.V. 458 (1988) 287
- Pierson, D.J., see Kogan, M.J. 490 (1989) 236
- Pieters, L.A., Hartmann, T., Janssens, J. and Vlietinck, A.J. Comparison of capillary GC with ^1H and ^{13}C nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis* 462 (1989) 387
- Pietrogrande, C., see Dondi, F. 461 (1989) 281
- Pietrogrande, C., see Dondi, F. 462 (1989) 205
- Pietrogrande, M.C., Dondi, F., Borea, P.A. and Bigli, C. Retention behaviour of β -carbolines in normal-phase chromatography. Silica and amino phases in HPLC and TLC 471 (1989) 407
- Pietrogrande, M.C., see Biagi, G.L. 469 (1989) 121
- Pietrogrande, M.C., see Biagi, G.L. 498 (1990) 179
- Pietrogrande, M.C., see Dondi, F. 485 (1989) 631

- Pietrzyk, D.J., see Brown, D.M. 466 (1989) 291
- Pietta, P., Mauri, P., Facino, R.M. and Carini, M.
HPLC analysis of β -escin 478 (1989) 259
- Pietta, P., Mauri, P., Manera, E. and Ceva, P.
Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442
- Pietta, P., see Maggi, L. 478 (1989) 225
- Pietta, P.G., see Pace, M. 476 (1989) 487
- Pinche, C., Billard, J.P., Frasey, A.M., Bargnoux, H., Petit, J., Berger, J.A., Vu, B.D. and Yonger, J.
Separation and assay of N-nitroso compounds by HPLC with chemiluminescence detection 463 (1989) 201
- Pincioli, V., see Chiabrando, C. 495 (1989) 1
- Pinho, F., see Williams, D.R. 484 (1989) 381
- Pinkerton, T.C. and Koeplinger, K.A.
HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129
- Pinkston, J.D., Bowling, D.J. and Delaney, T.E.
Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97
- Pinto, N.G., see Chen, T.-W. 484 (1989) 167
- Piot, J.-M., Guillochon, D., Zhao, Q., Ricart, G., Fournet, B. and Thomas, D.
Identification of peptides, from a peptic haemoglobin hydrolysate produced at pilot-plant scale, by HPLC and MS 481 (1989) 221
- Piotrowskii, V.K., see Belolipetskaja, V.G. 491 (1989) 507
- Piotrowski, G.T., see Krawczyk, W. 463 (1989) 297
- Pirastu, M.G., see Cossu, G. 475 (1989) 283
- Pirkle, W.H., Chang, J.-P. and Burke, III, J.A.
Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377
- Pirkle, W.H. and McCune, J.E.
Discussion of a controversial chiral recognition model 469 (1989) 67
- Pirkle, W.H. and McCune, J.E.
Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271
- Pirkle, W.H. and McCune, J.E.
Separation of the enantiomers of N-protected α -amino acids as anilide and 3,5-dimethylanilide derivatives 479 (1989) 419
- Pivarnik, P.E., see Turcotte, J.G. 499 (1990) 55
- Platonova, N.P., see Hradil, J. 469 (1989) 143
- Plebani, M., Masiero, M., Paleari, C.D., Sciacovelli, L., Faggian, D. and Burlina, A.
HPLC for cyclosporin measurement: comparison with radioimmunoassay 476 (1989) 93
- Plicka, J., Svoboda, V., Kleinmann, I. and Uhlířová, A.
Mathematical modelling of the peak in LC 469 (1989) 29
- Plicka, J., see Kleinmann, I. 479 (1989) 327
- Plumitallo, A., see Cabras, P. 462 (1989) 430
- Pluskal, M.G., see Lema, M.J. 491 (1989) 61
- Pluym, A., see Dingenen, J. 475 (1989) 95
- Podhradský, D., Antalík, M. and Šturdík, E.
Separation of thiols on Spheron Ara activated with 2-nitrophenylhydrazonopropandinitrile ligand 455 (1988) 344
- Podlaha, O. and Töregård, B.
Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 482 (1989) 215
- Podojil, M., see Řezanka, T. 463 (1989) 397
- Poehland, B.L., Troupe, N., Carté, B.K. and Westley, J.W.
Reversed-phase HPLC assay for camptothecin and related alkaloids 481 (1989) 421
- Poel, P.F.H. Van der, see Onkenhout, W. 494 (1989) 31
- Pohl, C.A., see Slingsby, R.W. 458 (1988) 241
- Pohl, C.A., see Stillian, J.R. 499 (1990) 249
- Pohl, S., see Bächmann, K. 482 (1989) 307
- Poiesi, C., Tamanini, A., Ghielmi, S. and Albertini, A.
Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101
- Poirier, J.-M., Lebot, M. and Cheymol, G.
Rapid and sensitive column LC determination of sotalol in plasma 493 (1989) 409
- Pokharna, H.K., see Fulton, J.A. 455 (1988) 183
- Poklis, A., see Fitzgerald, R.L. 490 (1989) 59
- Polášek, M., see Jokl, V. 470 (1989) 263
- Poll, D.J. and Harding, D.R.K.
Formic acid as a milder alternative to trifluoroacetic acid and phosphoric acid in two-dimensional peptide mapping 469 (1989) 231
- Pollack, L., see Fürst, P. 499 (1990) 557
- Polo Diez, L., see Cañas Montalvo, B. 458 (1988) 217
- Polymeropoulos, C.E., see Kaufman, A.E. 454 (1988) 23
- Polzer, J., see Bächmann, K. 481 (1989) 373

- Pomaville, R.M. and Poole, C.F.
Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261
- Pomaville, R.M. and Poole, C.F.
GC study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 499 (1990) 749
- Pommer, U., see Radicke, J. 467 (1989) 304
- Ponomareva, T.M., see Davankov, V.A. 452 (1988) 309
- Pontecorvi, A., see Antonozzi, I. 459 (1988) 319
- Poole, C.F. and Poole, S.K.
Progress in densitometry for quantitation in planar chromatography (Review) 492 (1989) 539
- Poole, C.F., see Dean, T.A. 468 (1989) 127
- Poole, C.F., see Kersten, B.R. 452 (1988) 191
- Poole, C.F., see Kersten, B.R. 468 (1989) 235
- Poole, C.F., see Pomaville, R.M. 468 (1989) 261
- Poole, C.F., see Pomaville, R.M. 499 (1990) 749
- Poole, C.F., see Poole, S.K. 471 (1989) 91
- Poole, C.F., see Poole, S.K. 500 (1990) 329
- Poole, S.K., Kersten, B.R. and Poole, C.F.
Comparison of solvent models for characterizing stationary phase selectivity in GC 471 (1989) 91
- Poole, S.K. and Poole, C.F.
Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in GC 500 (1990) 329
- Poole, S.K., see Kersten, B.R. 468 (1989) 235
- Poole, S.K., see Poole, C.F. 492 (1989) 539
- Poon, B.T., see Brown, N.D. 487 (1989) 189
- Poor, C.L., see Schmitz, H.H. 479 (1989) 261
- Popon, M., see Jacqz-Aigrain, E. 495 (1989) 361
- Poppe, H., see Bruin, G.J.M. 471 (1989) 429
- Poppe, H., see Bruin, G.J.M. 480 (1989) 339
- Poppe, H., see Tock, P.P.H. 477 (1989) 95
- Poppe, H., see Van Berkel-Geldof, O. 499 (1990) 345
- Poppema, A., see Kientz, C.E. 467 (1989) 385
- Porath, J., see Fornstedt, N. 472 (1989) 261
- Porath, J., see Oscarsson, S. 499 (1990) 235
- Porsius, A.J., see Verrijck, R. 491 (1989) 265
- Porte, C., see Fernández, P. 456 (1988) 155
- Porter, D.W., Banks, M.A., Castranova, V. and Martin, W.G.
Reversed-phase HPLC technique for taurine quantitation 454 (1988) 311
- Porter, J., see Hoeger, C. 484 (1989) 307
- Porter, N.L., see Bornhop, D.J. 459 (1988) 193
- Porter, W.R., see Opong-Mensah, K. 455 (1988) 439
- Porumb, H., see Presecan, E. 469 (1989) 396
- Pospíchal, J., Deml, M., Gebauer, P. and Boček, P.
Generation of operational electrolytes for isotachopheresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43
- Pospíchal, J., see Boček, P. 470 (1989) 309
- Pospíchal, J., see Boček, P. 500 (1990) 673
- Post, M.H., see Van der Horst, F.A.L. 456 (1988) 201
- Post, M.H., see Van der Horst, F.A.L. 500 (1990) 443
- Postaire, E., see Dorland, P. 478 (1989) 131
- Pötzschke, H., see Barnikol, W.K.R. 497 (1989) 231
- Poupaert, J.H., see Gonçalves, J.C.S. 494 (1989) 389
- Pourcelot, A., see Baillet, G. 456 (1988) 183
- Powell, A.C., see Sepaniak, M.J. 480 (1989) 185
- Powell, A.D., see Kobayashi, K. 462 (1989) 357
- Powell, J.E., see Sawyer, D.J. 455 (1988) 193
- Powell, M.L., see Hicks, C.M. 497 (1989) 349
- Powers, J.J., see Krajewska, A.M. 457 (1988) 279
- Pozuelo, M.M. De, see Reuvers, T.B.A. 467 (1989) 321
- Pradeau, D., see Dorland, P. 478 (1989) 131
- Prakash, C., Jajoo, H.K., Blair, I.A. and Mayol, R.F.
Resolution of enantiomers of the antiarrhythmic drug encainide and its major metabolites by chiral derivatization and HPLC 493 (1989) 325
- Pranoto-Soetardhi, L.A., see De Kruijff, N. 469 (1989) 317
- Pras, M., see Kaplan, B. 487 (1989) 450
- Prasad, M.R., see Samanta, A. 459 (1988) 221
- Prasada Raju, N., see Husain, S. 454 (1988) 317
- Pratap, G., see Husain, S. 475 (1989) 426
- Pratt, D.A., see Cassidy, D.M. 491 (1989) 1
- Predieri, G., see Casoli, A. 483 (1989) 443
- Prell, G.D. and Morrishow, A.M.
Altered retention of derivatives of tele-methylimidazoleacetic acid in acid-hydrolyzed samples of brain measured by capillary GC and MS 472 (1989) 256
- Prelusky, D.B., Warner, R.M. and Trenholm, H.L.
Sensitive analysis of the mycotoxin zearalenone and its metabolites in biological fluids by HPLC 494 (1989) 267
- Prescott, S.R., see Hull, C.J. 477 (1989) 387

- Presecan, E., Porumb, H. and Lascu, I.
Simple method for the preparation of spherical agarose and composite gel particles 469 (1989) 396
- Pretorius, V., see Apps, P.J. 471 (1989) 81
- Prevost, C., see Baillet, G. 456 (1988) 183
- Price, G.J. and Dent, M.R.
Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1
- Principi, J.M., see Dubin, P.L. 479 (1989) 159
- Proksch, B., see Schleyer, E. 497 (1989) 109
- Prost, M., see Fay, L. 490 (1989) 198
- Prost, M., see Michel, G. 493 (1989) 188
- Provost, L.R., see D'Agostino, P.A. 465 (1989) 271
- Prueksaritanont, S., see Prueksaritanont, T. 490 (1989) 175
- Prueksaritanont, T., Sittichai, N., Prueksaritanont, S. and Vongsaroj, R.
Simultaneous determination of ranitidine and its metabolites in human plasma and urine by HPLC 490 (1989) 175
- Prusík, Z., see Kašička, V. 470 (1989) 209
- Przasnyski, M., see Dębowska, B. 455 (1988) 336
- Pucso, J., see Kalász, H. 499 (1990) 589
- Puech, J.-L., Rabier, P. and Moutounet, M.
Preparative separation by HPLC of an extract of oak wood and determination of the composition of each fraction 457 (1988) 431
- Puglisi, C.V., see Ocampo, A.P. 496 (1989) 167
- Puigdellivol, E., see Diaz-Marot, A. 490 (1989) 470
- Puigdemont, A., see Guitart, R. 491 (1989) 271
- Pukkila, J., Kokotti, H. and Peltonen, K.
HPLC determination of benzil in air as an indicator of emissions derived from polyester powder coatings 479 (1989) 369
- Pullen, F.S., Ashton, D.S. and Baldwin, M.A.
Corona discharge ionization LC-MS interface for target compound analyses 474 (1989) 335
- Punčochářová, J., Vařeka, J., Vodička, L. and Kříž, J.
HPLC of alkylnaphthalenes and phenylnaphthalenes on alumina 498 (1990) 248
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase HPLC retention behaviour of peptides related to human growth hormone 476 (1989) 113
- Purcell, A.W., Aguilar, M.I. and Hearn, M.T.W.
HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125
- Purdon, J.G., Pagotto, J.G. and Miller, R.K.
Preparation, stability and quantitative analysis by GC and GC-electron impact MS of *tert*-butyldimethylsilyl derivatives of some alkylphosphonic and alkyl methylphosphonic acids 475 (1989) 261
- Purnell, J.H., see Furton, K.G. 468 (1989) 73
- Purtscher, M., see Jungbauer, A. 476 (1989) 257
- Puschendorf, B., see Lindner, H. 472 (1989) 243
- Pyerin, W., see Taniguchi, H. 476 (1989) 299
- Pyżalski, K., see Szymanowski, J. 469 (1989) 197

Q

- Quadri, S.K., see Palazzolo, D.L. 479 (1989) 216
- Quaglia, M.G., Farina, A.M. and Fanali, S.
Determination of chlorthalidone and its impurities in bulk and in dosage forms by high performance TLC densitometry 456 (1988) 435
- Quaglia, M.G., see Fanali, S. 472 (1989) 441
- Quigley, D.R., see Himmel, M.E. 467 (1989) 309
- Quilliam, M.A., see Lawrence, J.F. 462 (1989) 349
- Quinn, K.P., see Boswell, G.W. 491 (1989) 513
- Quint, J.F., see Pentoney, Jr., S.L. 480 (1989) 259
- Quintero, G., see Vigh, G. 484 (1989) 237
- Quintero, G., see Vigh, G. 484 (1989) 251
- Quiroz, J., see Oropeza, C. 456 (1988) 405
- Qureshi, A.R., see Qureshi, G.A. 491 (1989) 281
- Qureshi, G.A. and Baig, M.S.
Quantitation of free amino acids in biological samples by HPLC. Application of the method in evaluating amino acid levels in cerebrospinal fluid and plasma of patients with multiple sclerosis 459 (1988) 237
- Qureshi, G.A. and Qureshi, A.R.
Determination of free amino acids in biological samples: problems of quantitation 491 (1989) 281

R

- Rabe, H., Reichmann, G., Nakagawa, Y., Rüstow, B. and Kunze, D.
Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353
- Rabenstein, D.L., see Killa, H.M.A. 465 (1989) 359
- Rabenstein, D.L., see Yamashita, G.T. 491 (1989) 341
- Rabier, P., see Puech, J.-L. 457 (1988) 431
- Rabinowitz, M., see Renzi, N.L. 462 (1989) 398
- Rabuor, J.O., see Smith, R.M. 464 (1989) 117
- Racciatti, A., see Durrer, A. 495 (1989) 256
- Racine, M., see Vidal-Madjar, C. 458 (1988) 13
- Racine, S.C., see Salotto, A.W. 498 (1990) 55
- Radanović, D.J., see Vučković, G. 466 (1989) 227
- Radeck, W. and Heller, M.
Improved method for the determination of furosemide in plasma by HPLC 497 (1989) 367
- Radicke, J., Hartung, J., Pommer, U. and Böhland, H.
Use of HPLC in the study of metal-ion-catalysed methanolysis of phosphoric acid phenyl ester diamide (in German) 467 (1989) 304
- Radin, L., Arzese, A., Lucarelli, C. and Botta, G.A.
Rapid identification of *Bacteroides* species by HPLC 459 (1988) 331
- Radke, M., see Garrigues, P. 473 (1989) 207
- Radler, F., see Schmitt, M. 469 (1989) 448
- Raglione, T.V. and Hartwick, R.A.
On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157
- Ragnarsson, U., see Fransson, B. 473 (1989) 63
- Rahim, M.A., see Jamaluddin, A.B.M. 490 (1989) 243
- Rahman, A., see Hoffman, N.E. 473 (1989) 260
- Rahman, M.K., see Jamaluddin, A.B.M. 490 (1989) 243
- Rajec, P., see Kaniansky, D. 470 (1989) 139
- Rajiah, A., see Ashraf, S.M. 472 (1989) 163
- Ralphs, M.H., see Manners, G.D. 466 (1989) 427
- Ramachandran, P.K., see Rao, S.S. 493 (1989) 210
- Rama Rao, N.V., see Tripathi, A.M. 466 (1989) 442
- Ramesha, C.S., Pickett, W.C. and Murthy, D.V.K.
Sensitive method for the analysis of phospholipid subclasses and molecular species as 1-anthroyl derivatives of their diglycerides 491 (1989) 37
- Ramis, I., Roselló-Catafau, J., Bulbena, O., Picado, C. and Gelpi, E.
15-Hydroxyeicosatetraenoic acid as a major eicosanoid in nasal secretions: assay by HPLC-radioimmunoassay and GC-MS procedures 496 (1989) 416
- Ramis, I., see Gelpi, E. 492 (1989) 223
- Ramos, F., see Tápanes, R.D. 493 (1989) 196
- Ramos, F., see Tápanes, R.D. 493 (1989) 202
- Ramos, M., see Reuvers, T.B.A. 467 (1989) 321
- Ramsey, E.D., Perkins, J.R., Games, D.E. and Startin, J.R.
Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353
- Ramsey, R., see Katti, A.M. 477 (1989) 119
- Ramsey, R.S., Chan, V.W., Dittmar, B.M. and Row, K.H.
Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167
- Ramstad, T. and Weaver, M.J.
Electrosorptive detection of simple organic compounds in LC 456 (1988) 287
- Ramstad, T. and Weaver, M.J.
Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307
- Ramsteiner, K.A.
Systematic approach to column switching (Review) 456 (1988) 3
- Ramsteiner, K.A.
Automated on-line trace enrichment and determination of organic compounds in ground and tap water by HPLC 465 (1989) 410
- Ramsteiner, K.A., see Mostert, I.A. 477 (1989) 359
- Ramus, T.L. and Thomas, L.C.
Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27
- Rance, D.J., see Macrae, P.V. 491 (1989) 439

- Rane, A., see Persson, K. 491 (1989) 473
- Ranný, M., see Michalec, Č. 452 (1988) 543
- Ranta, V.-P., see Auriola, S. 474 (1989) 181
- Rao, D., see Paris, A. 493 (1989) 367
- Rao, M.B., see Ashraf, S.M. 472 (1989) 163
- Rao, M.M., see Singh, A.K. 473 (1989) 215
- Rao, P.S., Rujikarn, N. and Lubber, Jr., J.M.
HPLC method for the direct quantitation of
oxy radicals in myocardium and blood by
means of 1,3-dimethylthiourea and
dimethylsulfoxide 459 (1988) 269
- Rao, R.N., see Husain, S. 475 (1989) 426
- Rao, S.S., Vijayaraghavan, R., Suryanarayana,
M.V.S. and Ramachandran, P.K.
GC identification of urinary metabolites of
insect repellent N, N-diethylphenylacetamide
on inhalation exposure in rats 493 (1989) 210
- Rapoport, S.I., see Kusmierz, J. 497 (1989) 39
- Rapp, M. and Meyer, H.H.D.
Determination of hormone contaminants in
milk replacers by HPLC and immunoassay
489 (1989) 181
- Rapp, M., see Meyer, H.H.D. 489 (1989) 173
- Raps, M., see Josić, D. 484 (1989) 327
- Rashed, M.S. and Nelson, S.D.
Use of thermospray LC-MS for
characterization of reactive metabolites of
3'-hydroxyacetanilide, a non-hepatotoxic
regioisomer of acetaminophen 474 (1989) 209
- Rashed, M.S., see Moor, M.J. 474 (1989) 223
- Rasmussen, K.E., Tønnesen, F., Thanh, H.H.,
Rogstad, A. and Aanesrud, A.
Solid-phase extraction and HPLC
determination of flumequine and oxolinic
acid in salmon plasma 496 (1989) 355
- Rasmussen, K.E., see Iversen, B. 493 (1989) 217
- Rasmussen, K.E., see Ruud-Christensen, M. 491
(1989) 355
- Rassi, A. El, De Ocampo, L.F. and Bacolod,
M.D.
Binary and ternary salt gradients in
hydrophobic-interaction chromatography of
proteins 499 (1990) 141
- Rassi, Z. El, Horváth, C., Yu, R.K. and Ariga, T.
HPLC of sialooligosaccharides and
gangliosides 488 (1989) 229
- Rassi, Z. El, see Corradini, D. 458 (1988) 1
- Rassi, Z. El, see Maa, Y.-F. 452 (1988) 331
- Rassi, Z. El, see Melander, W.R. 469 (1989) 3
- Ratanathanawongs, S.K. and Giddings, J.C.
High-speed size characterization of
chromatographic silica by flow/hyperlayer
field-flow fractionation 467 (1989) 341
- Rath, M., see Lindner, W. 487 (1989) 375
- Rathgeber, G., see Jilge, G. 476 (1989) 37
- Rathor, M.N., see Ching, C.B. 463 (1989) 261
- Rau, G., see Geisslinger, G. 491 (1989) 139
- Raulin, F., see Do, L. 481 (1989) 45
- Rauwald, H.M.H.-W.
Physical-chemical parameters of some
chloroform-containing solvent systems in
droplet counter-current chromatography (in
German) 498 (1990) 303
- Ravenscroft, P.J., see Schneider, J.J. 497 (1989)
326
- Ray, A. and Harris, R.
HPLC as an alternative to microbiological
measurements in the assay of tetracyclines
467 (1989) 430
- Ray, R.K., Bandyopadhyay, M.K. and
Kauffman, G.B.
Chromatographic studies of metal complexes.
V. TLC of some octahedral cobalt(III) and
nickel(II) complexes 469 (1989) 383
- Raynor, M.W., Kithinji, J.P., Bartle, K.D.,
Games, D.E., Mylchreest, I.C., Lafont, R.,
Morgan, E.D. and Wilson, I.D.
Packed column SFC and linked SFC-MS for
the analysis of phytoecdysteroids from *Silene
nutans* and *Silene otites* 467 (1989) 292
- Razzouk, C., see Conçalves, J.C.S. 494 (1989)
389
- Read, H., see Finney, R.W. 471 (1989) 389
- Recanatini, M., see Biagi, G.L. 498 (1990) 179
- Reed, B.L., see Cheach, I.C.L. 467 (1989) 414
- Reed, R.H., see Kerby, N.W. 479 (1989) 353
- Regalia, M., see Binder, S.R. 473 (1989) 325
- Reglero, G., Herraiz, M., Herraiz, T. and Sanz, J.
Capillary GC determination of volatiles in
solid matrices by direct introduction using a
programmable-temperature vaporizer 483
(1989) 43
- Regnier, F.E., see Chicz, R.M. 500 (1990) 503
- Regnier, F.E., see Janis, J.J. 476 (1989) 235
- Regnier, F.E., see Mazsaroff, I. 499 (1990) 63
- Regnier, F.E., see Thévenon, G. 476 (1989) 499
- Reichmann, G., see Rabe, H. 493 (1989) 353
- Reid, G.E., see Simpson, R.J. 476 (1989) 345
- Reiffenstuhel, S. and Bonn, G.
Determination of mono-, bi- and trivalent
cations using non-suppressed ion
chromatography 482 (1989) 289
- Reiffenstuhel, S., see Bonn, G. 499 (1990) 669
- Reijenga, J.C., see Gladdines, M.M. 470 (1989)
105
- Reilly, P.J., Suann, C.J. and Duffield, A.M.
GC-MS investigation of dextromoramide
(Palfium) metabolism in the horse 498 (1990)
35
- Reiner, A., see Marzo, A. 459 (1988) 325

- Reinhold, V.N., see Sheeley, D.M. 474 (1989) 83
- Reinke, M., see Mackert, G. 494 (1989) 13
- Reiser, R.W., see Barefoot, A.C. 474 (1989) 39
- Reist, E.J., see Peters, J.H. 488 (1989) 301
- Reiter, M., see Jungbauer, A. 476 (1989) 257
- Reiter, M., see Weigang, F. 497 (1989) 59
- Rejholcová, M., see Vácha, J. 488 (1989) 506
- Rejholec, V., see Jelínek, J. 495 (1989) 338
- Rejšková, D. and Hradec, J.
Chromatographic determination of cholesteryl esters synthesized *in vitro* 466 (1989) 446
- Remberger, M., see Hynning, P.-Å. 467 (1989) 99
- Remmel, R.P., Yeom, Y.-H., Hua, M., Vince, R. and Zimmerman, C.L.
Liquid chromatographic assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 489 (1989) 323
- Ren, T., see Riley, C.M. 489 (1989) 432
- Ren, Y. and Zhu, P.
Application of inverse GC to solid propellants 457 (1988) 354
- Rennie, P.J.
Determination of phenylalanine in river water by HPLC 461 (1989) 277
- Renzi, N.L., Fronheiser, M.E., Duong, H.T., Fulton, D.J. and Rabinowitz, M.
Stability-indicating HPLC assay for bepridil hydrochloride drug substance and drug products 462 (1989) 398
- Repka, D., Krupčík, J., Benická, E., Leclercq, P.A. and Rijks, J.A.
Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243
- Repka, D., Krupčík, J., Brunovská, A., Leclercq, P.A. and Rijks, J.A.
Optimization of basic parameters in temperature-programmed GC separations of multi-component samples within a given time 463 (1989) 235
- Reschiglian, P., see Dondi, F. 461 (1989) 281
- Reschiglian, P., see Dondi, F. 462 (1989) 205
- Reschiglian, P., see Dondi, F. 485 (1989) 631
- Ress, K.M., see Krämer, B.K. 493 (1989) 414
- Reusch, J., see Josić, D. 476 (1989) 309
- Reuter, R., see Naumann, M. 466 (1989) 319
- Reutter, W., see Josić, D. 476 (1989) 309
- Reutter, W., see Josić, D. 484 (1989) 327
- Reuvers, T.B.A., Ortíz, G., Ramos, M. and De Pozuelo, M.M.
Rapid HPLC method for the determination of bencetonium chloride residues in fish products; confirmation by TLC 467 (1989) 321
- Reyff, C. De, see Défayes, G. 500 (1990) 139
- Reynolds, G., see Chen, Z.R. 493 (1989) 313
- Řezanka, T., Koza, T., Kysilka, R., Viden, I. and Wurst, M.
Reversed-phase LC for enrichment of very-long-chain fatty acids and their identification by GC-MS 472 (1989) 290
- Řezanka, T. and Podojil, M.
Preparative separation of algal polar lipids and of individual molecular species by HPLC and their identification by GC-MS 463 (1989) 397
- Řezanka, T., see Viden, I. 465 (1989) 390
- Rhee, J.S., see Chang, P.S. 465 (1989) 438
- Rhodes, G.R., Rubenfield, M.J. and Garvie, C.T.
Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 488 (1989) 456
- Rhodes, P.H., see Roberts, G.O. 480 (1989) 35
- Riba, J.P., see Wilhelm, A.M. 484 (1989) 211
- Riba, M.-L., Tsiropoulos, N., Clement, B., Golfier, A. and Torres, L.
Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165
- Ricart, G., see Piot, J.-M. 481 (1989) 221
- Riccardi, A., Servidei, T., Lasorella, A. and Riccardi, R.
HPLC assay for cytosine arabinoside and uracil arabinoside in cerebrospinal fluid and plasma 497 (1989) 302
- Riccardi, R., see Riccardi, A. 497 (1989) 302
- Ricciarello, G., see Betto, P. 459 (1988) 341
- Richard, H., see Morin, P. 464 (1989) 125
- Richard, J., see Sioufi, A. 495 (1989) 195
- Richard, J.-M., see Cantin, D. 478 (1989) 231
- Richard, M., see Martin, A. 497 (1989) 319
- Richards, M.P.
Characterization of the metal composition of metallothionein isoforms using reversed-phase HPLC with atomic absorption spectrophotometric detection 482 (1989) 87
- Richfield-Fratz, N., Baczynskyj, W.M., Miller, G.C. and Bailey, Jr., J.E.
Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40 467 (1989) 167
- Rickard, E.C., see Inman, E.L. 465 (1989) 201
- Rickard, E.C., see Nielsen, R.G. 480 (1989) 393
- Rieder, R., see Kaiser, R.E. 477 (1989) 49
- Riegel, M., see Wu, P.-Y. 494 (1989) 368
- Rieger, G., see Buchberger, W. 482 (1989) 407

- Riekkola, M.-L.
Applications of on-line coupled LC-GC 473 (1989) 315
- Riekkola, M.-L., see Pekari, K. 491 (1989) 309
- Rigaud, J., see Cheynier, V. 472 (1989) 428
- Riggin, R.M., see Nielsen, R.G. 480 (1989) 393
- Righetti, P.G., Barzaghi, B., Sarubbi, E., Soffientini, A. and Cassani, G.
Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337
- Righetti, P.G., Wenisch, E., Jungbauer, A., Katinger, H. and Faupel, M.
Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681
- Righetti, P.G., Wenisch, E. and Faupel, M.
Preparative protein purification in a multi-compartment electrolyser with Immobiline membranes 475 (1989) 293
- Righetti, P.G., see Chiari, M. 499 (1990) 699
- Righetti, P.G., see Chiari, M. 500 (1990) 697
- Righetti, P.G., see Cossu, G. 475 (1989) 283
- Righetti, P.G., see Ghiggeri, G.M. 452 (1988) 347
- Rigney, M.P., Funkenbusch, E.G. and Carr, P.W.
Physical and chemical characterization of microporous zirconia 499 (1990) 291
- Rigney, M.P., Weber, T.P. and Carr, P.W.
Preparation and evaluation of a polymer-coated zirconia reversed-phase chromatographic support 484 (1989) 273
- Rihn, B., see Bisseret, F. 490 (1989) 91
- Rijk, M.A.H., see De Kruijff, N. 469 (1989) 317
- Rijks, J., see Hetem, M. 477 (1989) 3
- Rijks, J., see Van Es, A. 477 (1989) 39
- Rijks, J.A., see Guan, Y. 472 (1989) 129
- Rijks, J.A., see Repka, D. 463 (1989) 235
- Rijks, J.A., see Repka, D. 463 (1989) 243
- Riley, C.M., see Kindberg, C.G. 473 (1989) 431
- Riley, C.M., see Mifune, M. 496 (1989) 55
- Riley, C.M. and Ren, T.
Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and UV detection 489 (1989) 432
- Riley-Stewart, C.A., see De Graaf, S.S.N. 491 (1989) 501
- Rillema, D.P., see Daignault, L.G. 462 (1989) 71
- Ríos, J.J., see Olías, J.M. 467 (1989) 279
- Ripamonti, M., see Marzo, A. 459 (1988) 313
- Ripamonti, M., see Marzo, A. 459 (1988) 325
- Ripamonti, M., see Marzo, A. 465 (1989) 95
- Ripamonti, M., see Marzo, A. 497 (1989) 296
- Risler, T., see Krämer, B.K. 493 (1989) 414
- Rivard, G.E., see Lin, K.T. 465 (1989) 75
- Rivas, J.D.L.
Reversed-phase HPLC separation of lutein and lutein fatty acid esters from marigold flower petal powder 464 (1989) 442
- Rivier, J., see Hoeger, C. 484 (1989) 307
- Rizzi, A.M.
Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71
- Rizzi, A.M.
Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87
- Rizzi, A.M.
Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101
- Rizzica, M., see Di Muccio, A. 456 (1988) 143
- Rizzica, M., see Di Muccio, A. 456 (1988) 149
- Roach, M.C. and Harmony, M.D.
High-sensitivity laser-induced fluorescence-HPLC studies of polyaromatic hydrocarbons using the argon ion laser-Yeung detector cell configuration 455 (1988) 332
- Roberts, D. and Bertsch, W.
Practical aspects of recycle GC with capillary columns 477 (1989) 59
- Roberts, D.W., Ruane, R.J. and Wilson, I.D.
Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437
- Roberts, G.O., Rhodes, P.H. and Snyder, R.S.
Dispersion effects in capillary zone electrophoresis 480 (1989) 35
- Roberts, J., see Ryan, P.J. 465 (1989) 448
- Roberts, N.B., see Peek, H. 476 (1989) 291
- Roberts, N.B., see Peek, H. 476 (1989) 491
- Robey, R.J., see Phillips, J.H. 465 (1989) 177
- Robinson, J.S., see Smeaton, T.C. 487 (1989) 434
- Robinson, P.H., see Dugan, M.E.R. 496 (1989) 430
- Robinson, R.S., Tavss, E.A., Santalucia, J. and Carroll, D.L.
Flavor characterization of dentifrices using equilibrium headspace GC 455 (1988) 143
- Roboz, J., Nieves, E. and Holland, J.F.
Separation and quantification by GC-MS of

- arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 500 (1990) 413
- Rocca, J.-L., see Berthod, A. 469 (1989) 53
- Rochd, M., see Henry, M. 477 (1989) 413
- Roden, D.M., see Turgeon, J. 490 (1989) 165
- Rogers, E.J., see Kresbach, G.M. 476 (1989) 423
- Rogstad, A., see Rasmussen, K.E. 496 (1989) 355
- Rohlíček, V. and Deyl, Z.
Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289
- Rohlíček, V. and Deyl, Z.
Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87
- Rohlicek, V., see Deyl, Z. 480 (1989) 371
- Rohrbach, E., see Schwabe, D. 487 (1989) 177
- Röhricht, J., see Valkó, K. 485 (1989) 349
- Roitsch, C., see Bischoff, R. 476 (1989) 245
- Roitsch, C., see Kolbe, H.V.J. 476 (1989) 99
- Rollema, H., see Den Daas, I. 487 (1989) 210
- Rombaut, B., see Foriens, A. 498 (1990) 105
- Romero, T.E., see Sánchez-Rasero, F. 479 (1989) 424
- Ronchi, S., see Biondi, P.A. 491 (1989) 209
- Rooij, H.H. Van, see Verrijk, R. 491 (1989) 265
- Rooney, L., see Jack, D.B. 452 (1988) 257
- Rösch, F., Hung, T.K., Milanov, M. and Khalkin, V.A.
Electromigration of carrier-free radionuclides. IX. Protolysis of [¹³¹I]iodate in aqueous solutions 457 (1988) 362
- Rosecrans, J.A., see Fitzgerald, R.L. 490 (1989) 59
- Roselló, J., see Gelpí, E. 492 (1989) 223
- Roselló-Catafau, J., see Ramis, I. 496 (1989) 416
- Rosenfeld, J.M., Mureika-Russell, M. and Love, M.
Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 489 (1989) 263
- Rosiek, J. and Lasa, J.
Electron-capture detector with an ion signal 465 (1989) 215
- Ross, R.M., see Herold, D.A. 496 (1989) 180
- Rosselli, A.C., Boyer, D.S. and Houck, R.K.
Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11
- Rosseneu, M., see Vercaemest, R. 494 (1989) 43
- Rosset, R., see Jadaud, P. 464 (1989) 333
- Rosset, R., see Lienne, M. 467 (1989) 406
- Rosset, R., see Lienne, M. 472 (1989) 265
- Rosset, R., see Macaudière, P. 467 (1989) 357
- Rosset, R., see Morin, P. 464 (1989) 125
- Rosset, R., see Nizery, D. 467 (1989) 49
- Rosset, R., see Siret, L. 498 (1990) 67
- Rosset, R., see Subra, P. 456 (1988) 121
- Rosset, R., see Veuthey, J.L. 499 (1990) 637
- Rossetti, D.V., see Castagnola, M. 494 (1989) 310
- Rossetti, L., see Giaccari, A. 497 (1989) 69
- Rossi, L., see Magnani, M. 491 (1989) 215
- Rossi, R., see Gobetti, M. 467 (1989) 327
- Rossomando, E.F.
Application of HPLC to enzyme activity determination (Review) 492 (1989) 361
- Rossomando, E.F., see Beeman, C.S. 496 (1989) 101
- Rossum, H.J. Van, see Van Ginkel, L.A. 489 (1989) 95
- Rossum, H.J. Van, see Van Ginkel, L.A. 489 (1989) 111
- Roth, H.J., see Steinhilber, D. 493 (1989) 361
- Roth, M. and Ansorgová, A.
Column pressure drop in capillary SFC 465 (1989) 169
- Röthlisberger, T., see Bechalany, A. 473 (1989) 115
- Rotunno, T., see Palmisano, F. 493 (1989) 35
- Rouan, M.C., Campestrini, J., Lecaillon, J.B., Dubois, J.P., Lamontagne, M. and Pichon, B.
Fully automated analytical system using liquid-solid extraction and LC for the determination of CGP 6140 in plasma 456 (1988) 45
- Roubal, Z., see Jelinek, J. 495 (1989) 338
- Rousak, A.T., see Stout, R.W. 476 (1989) 21
- Rouse, C.A., see Tarbet, B.J. 473 (1989) 103
- Roussel, C., Stein, J.-L., Beauvais, F. and Chemlal, A.
Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95
- Rouxel, T., see Kollmann, A. 473 (1989) 293
- Rouzeau, J.D., see Drechou, A. 489 (1989) 273
- Rovis, L., see Moro, L. 490 (1989) 285
- Row, K.H., see Ramsey, R.S. 468 (1989) 167
- Rowan, D.D., see Tapper, B.A. 463 (1989) 133
- Rowell, P., see Kerby, N.W. 479 (1989) 353
- Roxin, P., see Ekman, L. 494 (1989) 397
- Roybal, J.E., Munns, R.K., Hurlbut, J.A. and Shimoda, W.
HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259
- Royer, R.J., see Lapicque, F. 496 (1989) 301

- Rozen, A.J. Van, see Schotman, P. 483 (1989) 301
- Rozing, G.P. and Goetz, H.
Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3
- Ruane, R.J., see Roberts, D.W. 471 (1989) 437
- Ruban, V.F., Belenkii, A.B., Gurevich, A.Y. and Belenkii, B.G.
LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41
- Rubenfield, M.J., see Rhodes, G.R. 488 (1989) 456
- Rubino, F.M.
Silylaldonitrile derivatives for the determination of sugars by GC-MS 473 (1989) 125
- Rubio, F.A., Choma, N. and Fukuda, E.K.
Determination of rimantadine and its hydroxylated metabolites in human plasma and urine 497 (1989) 147
- Rubiolo, P., see Bicchi, C. 473 (1989) 161
- Ruckenstein, E., see Lesins, V. 467 (1989) 1
- Rudling, J., see Björkholm, E. 457 (1988) 409
- Rudolph, M.
Determination of saterinone in plasma by HPLC 497 (1989) 342
- Ruggeri, S., see Betto, P. 459 (1988) 341
- Ruggiero-Lopez, D., see Martin, A. 497 (1989) 319
- Ruggirello, D.A., Noonan, P.K., Gonzalez, M.A., Ho, P. and Wagner, J.G.
GC determination of gallopamil and norgallopamil in human plasma 487 (1989) 73
- Ruig, W.G. De, Stephany, R.W. and Dijkstra, G.
Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89
- Ruijten, H.M., see Lammers, N. 496 (1989) 291
- Rujikarn, N., see Rao, P.S. 459 (1988) 269
- Rukriglová, M., see Matisová, E. 455 (1988) 301
- Rumble, F., see Boutagy, J. 487 (1989) 483
- Rusjakovski, B., see Žmitek, J. 467 (1989) 276
- Russel, F.G.M., Tan, Y., Van Meijel, J.J.M., Gribnau, F.W.J. and Van Ginneken, C.A.M.
Solid-phase extraction of furosemide from plasma and urine and subsequent analysis by HPLC 496 (1989) 234
- Russo, M.V., Goretti, G. and Liberti, A.
Direct headspace GC determination of dichloromethane in decaffeinated green and roasted coffee 465 (1989) 429
- Russo, M.V., see Cartoni, G.P. 475 (1989) 145
- Rusteberg, G., see Meineke, I. 493 (1989) 287
- Rüstig, H., see Voelkel, A. 454 (1988) 51
- Rüstow, B., see Rabe, H. 493 (1989) 353
- Rustum, A.M.
Simple and rapid reversed-phase HPLC determination of baclofen in human plasma with UV detection. Application to a pharmacokinetic study 487 (1989) 107
- Rustum, A.M.
Determination of cadralazine in human whole blood using reversed-phase HPLC: utilizing a salting-out extraction procedure 489 (1989) 345
- Rustum, A.M.
Determination of diltiazem in human whole blood and plasma by HPLC using a polymeric reversed-phase column and utilizing a salting-out extraction procedure 490 (1989) 365
- Rustum, A.M., see Hoffman, N.E. 465 (1989) 189
- Rutan, S.C., Carr, P.W., Cheong, W.J., Park, J.H. and Snyder, L.R.
Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21
- Rutledge, D.R. and Garrick, C.
Rapid HPLC method for the measurement of the enantiomers of metoprolol in serum using a chiral stationary phase 497 (1989) 181
- Rutten, G., see Hetem, M. 477 (1989) 3
- Ruttyn, Y., Brandin, M.P. and Vijayalakshmi, M.A.
Chromatography of human plasma on aminohexyl Sepharose: separation of factor VIII/vWf and behaviour of factors II, VII, IX and X and antithrombin III 491 (1989) 299
- Ruud-Christensen, M., Aasen, A.J., Rasmussen, K.E. and Salvesen, B.
HPLC determination of (*R*)- and (*S*)-prooxyphylline in human plasma 491 (1989) 355
- Ryan, P.J., Lesicki, R. and Roberts, J.
Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448
- Rzepa, J., see Sajewicz, M. 456 (1988) 227

S

- Saavedra, J.E., see Issaq, H.J. 452 (1988) 511
- Sabanoš, G., see Kaniansky, D. 470 (1989) 139
- Sabatie, J., see Kolbe, H.V.J. 476 (1989) 99
- Sabio, M., see Topiol, S. 461 (1989) 129
- Saesmaa, T.
Quantitative HPLC determination of ampicillin embonate and amoxicillin embonate 455 (1988) 415
- Saesmaa, T.
Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469
- Šafařík, I.
Detection of proteolytic enzymes in fractions after LC 463 (1989) 212
- Sagara, K., see He, L.-Y. 481 (1989) 428
- Sagara, K., see Ito, Y. 456 (1988) 392
- Sagara, K., see Oshima, T. 455 (1988) 410
- Sagliano, Jr, N., Hartwick, R.A., Patterson, R.E., Woods, B.A., Bass, J.L. and Miller, N.T.
Stabilization of reversed phases for LC.
Application of IR spectroscopy for the study of bonded-phase stability 458 (1988) 225
- Sagliano Jr., N., see Floyd, T.R. 452 (1988) 43
- Saha, M., see Allam, K. 499 (1990) 571
- Saha, M., see Kresbach, G.M. 476 (1989) 423
- Saito, H., see Murai, S. 497 (1989) 363
- Saito, K., Horie, M., Hoshino, Y., Nose, N., Shida, Y., Nakazawa, H. and Fujita, M.
Isolation of virginiamycin- M_1 by droplet counter-current chromatography 454 (1988) 387
- Saito, K., Kobayashi, K., Ohmiya, S., Otomasu, H. and Murakoshi, I.
Analysis of lupine alkaloids in plants by HPLC 462 (1989) 333
- Saito, K., see Mochizuki, E. 455 (1988) 271
- Saito, M., see Dobashi, A. 461 (1989) 121
- Saito, M., see Miyazaki, K. 454 (1988) 357
- Saito, T., see Mori, S. 478 (1989) 181
- Saito, Y., see Kobayashi, K. 462 (1989) 357
- Saito, Y., see Toyooka, T. 475 (1989) 391
- Saitoh, E., see Tokuda, H. 454 (1988) 109
- Saitoh, K., see Adachi, K. 457 (1988) 99
- Saitoh, T., Hoshino, H. and Yotsuyanagi, T.
Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography 469 (1989) 175
- Saitoh, Y., see Aoyama, T. 494 (1989) 420
- Saitoh, Y., see Ohtani, M. 487 (1989) 469
- Sajdok, J., see Turková, J. 500 (1990) 585
- Sajewicz, M., Rzepa, J. and Śliwiok, J.
Determination of benzo[*a*]pyrene in coke tars 456 (1988) 227
- Sajewicz, M., see Śliwiok, J. 472 (1989) 314
- Sakamoto, Y., see Sasagawa, T. 485 (1989) 533
- Sakano, T., see Hirauchi, K. 497 (1989) 131
- Sakashita, T., see Nagata, O. 496 (1989) 456
- Sakiyama, N., see Kataoka, H. 494 (1989) 283
- Sakoguchi, T., see Igaki, A. 493 (1989) 222
- Sakurai, E., see Oka, K. 490 (1989) 145
- Salama, O.M., see Walsh, M.I. 469 (1989) 390
- Saleh, S., Johnston, A., Chanon, M. and Turner, P.
Determination of medifoxamine in plasma and urine by HPLC 496 (1989) 223
- Sallé, M., Tambuté, A. and Bégos, E.
Design and synthesis of a chiral stationary phase containing a benz[*de*]isoquinolinone skeleton. I. First chromatographic results 475 (1989) 153
- Saller, C.F. and Czupryna, M.J.
 γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167
- Salman, S.R., Kamounah, F.S. and Tameesh, A.H.H.
Correlation between chromatography and ^1H NMR parameters in sterically substituted phenols 483 (1989) 390
- Salonen, J.S., see Vuorilehto, L. 497 (1989) 282
- Salotto, A.W., Weiser, E.L., Caffey, K.P., Carty, R.L., Racine, S.C. and Snyder, L.R.
Relative retention and column selectivity for the common polar bonded-phase columns.
The diol-silica column in normal-phase HPLC 498 (1990) 55
- Salte, R., see Hustvedt, S.O. 494 (1989) 335
- Salter, C.J., see Camilleri, P. 482 (1989) 258
- Salvatella, C., see Diaz-Marot, A. 490 (1989) 470
- Salvesen, B., see Ruud-Christensen, M. 491 (1989) 355
- Samaai, M.S., see Labadarios, D. 487 (1989) 428
- Samanta, A., Cordis, G.A., Prasad, M.R. and Das, D.K.
Separation of fatty acid binding protein by high-performance mixed-mode chromatography 459 (1988) 221
- Samochocka, K., see Dębowska, B. 455 (1988) 336

- Samuelsen, O.B.
 Determination of flumequine in fish by HPLC and fluorescence detection 497 (1989) 355
- Sanagi, M.M., see Smith, R.M. 481 (1989) 63
- Sanagi, M.M., see Smith, R.M. 483 (1989) 51
- Sánchez-Rasero, F., Romero, T.E. and Dios, C.G.
 Determination of ethirimol, in the presence of some normal soil constituents, by LC 479 (1989) 424
- Sandberg, G., see Wingsle, G. 479 (1989) 335
- Sander, L.C., see Olsson, M. 477 (1989) 277
- Sanderson, J.T., see Nielen, M.W.F. 474 (1989) 388
- Sandor, A., Cseko, J. and Alkonyi, I.
 Use of anion-exchange resin in F⁻ form in sample processing for determination of carnitine 497 (1989) 250
- Sandra, P., David, F., Turner, K.A., McNair, H.M. and Brownstein, A.D.
 Observations with high-molecular-weight polyethylene glycol stationary phases in capillary GC. I. Adsorption *versus* partitioning chromatography 477 (1989) 63
- Sandra, P., see Janda, V. 479 (1989) 200
- Sandra, P., see Kuksis, A. 500 (1990) 427
- Sandra, P., see Myher, J.J. 452 (1988) 93
- Sandrenan, N., see Sioufi, A. 494 (1989) 361
- Sandström, J.F., Skarping, G. and Dalene, M.
 Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. II. Determination of 2,4- and 2,6-toluenediamine using glass capillary GC and selected ion monitoring 479 (1989) 135
- Sandström, J.F., see Skarping, G. 479 (1989) 125
- Šandula, J., see Pavliak, V. 490 (1989) 418
- Sanghi, S.K., see Verma, K.K. 457 (1988) 345
- Sangö, C., see Skarping, G. 479 (1989) 125
- Sanguineti, A., see Canepa, A. 491 (1989) 200
- Sano, A., Matsutani, S. and Takitani, S.
 HPLC of the antitumour agent triethylenephosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295
- Sano, K., see Otani, M. 483 (1989) 448
- Santalucia, J., see Robinson, R.S. 455 (1988) 143
- Santarelli, X., see Zhou, F.L. 476 (1989) 195
- Santiuste, J.M., see Fernández-Sánchez, E. 457 (1988) 55
- Santiuste, J.M., see Fernández-Sánchez, E. 498 (1990) 1
- Sanz, J., see García-Raso, A. 471 (1989) 205
- Sanz, J., see Martínez-Castro, I. 462 (1989) 49
- Sanz, J., see Reglero, G. 483 (1989) 43
- Sapirstein, H.D., Scanlon, M.G. and Bushuk, W.
 Normalisation of HPLC peak retention times for computerised comparison of wheat prolamin chromatograms 469 (1989) 127
- Sappa, E., see Casoli, A. 483 (1989) 443
- Saria, A., see Humpel, C. 491 (1989) 235
- Sarrobert, B., Brunet, P. and Paris-Pireyre, N.
 Determination of cations in xylem sap by ion-exchange HPLC with UV detection (in French) 462 (1989) 303
- Sarrobert, B., see Brunet, P. 455 (1988) 173
- Sarubbi, E., see Righetti, P.G. 470 (1989) 337
- Sarwar, G., see Jamaluddin, A.B.M. 490 (1989) 243
- Sasagawa, T., Sakamoto, Y., Hirose, T., Yoshida, T., Kobayashi, Y., Sato, Y. and Koizumi, K.
 Prediction of retention times in ion-exchange chromatography 485 (1989) 533
- Sasaki, M., see Kitada, Y. 474 (1989) 447
- Sasaoka, T., see Niwa, T. 491 (1989) 397
- Sastry, G.S.R., see Husain, S. 454 (1988) 317
- Satapathy, A., see Patnaik, L.N. 481 (1989) 331
- Sato, H.
 Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339
- Sato, J., Owada, E., Ito, K., Niida, Y., Wakamatsu, A. and Umetsu, M.
 Simple, rapid and sensitive reversed-phase HPLC method for the determination of mefenamic acid in plasma 493 (1989) 239
- Sato, M., see Matsuzawa, S. 498 (1990) 25
- Sato, Y., see Sasagawa, T. 485 (1989) 533
- Satoh, H., see Yamashita, J. 464 (1989) 411
- Satta, M., see Cossu, G. 475 (1989) 283
- Satterwhite, D.M. and Croteau, R.B.
 Applications of GC to the study of terpenoid metabolism 452 (1988) 61
- Satterwhite, D.M., see Croteau, R.B. 500 (1990) 349
- Satterwhite, J.H. and Boudinot, F.D.
 HPLC determination of ibuprofen in rat and human plasma 497 (1989) 330
- Sauer, W.C., see Dugan, M.E.R. 496 (1989) 430
- Sauerbrey, R., see Boos, K.-S. 456 (1988) 93
- Sauermann, G., see Lindner, H. 472 (1989) 243
- Sautiere, P., see Chartier, F. 466 (1989) 331
- Savard, C., see By, A. 469 (1989) 406
- Savelkoul, T.J.F., see De Groot, G. 456 (1988) 71
- Sävenhed, R., see Lundgren, B. 482 (1989) 23
- Savolainen, H., see Peltonen, K. 490 (1989) 311
- Savory, J., see Herold, D.A. 496 (1989) 180

- Sawai, H.
Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201
- Sawamoto, J., see Hosaki, S. 488 (1989) 503
- Sawyer, D.J., Powell, J.E. and Burkholder, H.R.
Purification of diethylenetriamine-N,N,N',N''-tetraacetic acid-N''-propionic acid using anion-exchange displacement chromatography 455 (1988) 193
- Sawyer, R.C., Stolfi, R.L. and Martin, D.S.
Quantitation of 5-fluorouracil incorporation into RNA by HPLC without the use of radioactive precursors 496 (1989) 450
- Scala, A., see Guenzi, A. 494 (1989) 219
- Scanlon, M.G., see Sapirstein, H.D. 469 (1989) 127
- Scawen, M.D., see Goward, C.R. 457 (1988) 317
- Schaeffler, I., see Weissenberg, M. 452 (1988) 485
- Schäfer, H.-J., see Jilge, G. 476 (1989) 37
- Schäfer, K.-H., see Voncken, P. 479 (1989) 410
- Schafer, W., see Bogart, G.R. 483 (1989) 209
- Schalekamp, M.A.D.H., see Van der Hoorn, F.A.J. 487 (1989) 17
- Scharpf, C., see Seliger, H. 476 (1989) 49
- Scharrer, R., see Andrawes, F. 468 (1989) 145
- Scheffer, J.J.C., see Van Gelder, W.M.J. 482 (1989) 13
- Scheiter, A., see Liebich, H.M. 500 (1990) 615
- Schepens, P.J.C., see Selala, M.I. 489 (1989) 51
- Schepers, G., see Voncken, P. 479 (1989) 410
- Schier, G.M., see Elderfield, A.J. 495 (1989) 71
- Schill, G. and Arvidsson, E.
Application of indirect detection methods in biomedical analysis (Review) 492 (1989) 299
- Schill, G., see Arvidsson, E. 461 (1989) 429
- Schill, G., see Balmér, K. 477 (1989) 107
- Schill, G., see Persson, B.-A. 500 (1990) 629
- Schilt, R., Weseman, J.M., Hooijerink, H., Korbee, H.J., Traag, W.A., Van Steenbergen, M.J. and Haasnoot, W.
Screening and confirmation of thyreostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127
- Schilt, R., see Farjam, A. 452 (1988) 419
- Schilt, R., see Haasnoot, W. 489 (1989) 157
- Schindler, M., see Steuer, W. 454 (1988) 253
- Schleyer, E., Ehninger, G., Zühlsdorf, M., Proksch, B. and Hiddemann, W.
Detection and separation of intracellular 1- β -D-arabinofuranosylcytosine-5-triphosphate by ion-pair HPLC 497 (1989) 109
- Schlimme, E., see Boos, K.-S. 456 (1988) 93
- Schlimme, R., see Brenner, M. 499 (1990) 721
- Schmahl, H.-J., see Winckler, K. 488 (1989) 417
- Schmatz, D.M., see Nollstadt, K.H. 497 (1989) 87
- Schmid, J.P., see Schwarzenbach, R. 472 (1989) 231
- Schmid, R.W. and Wolf, C.
Enhanced UV detection in HPLC analysis of drugs by "on-line" photochemical reaction 478 (1989) 369
- Schmid, S., Kördel, W., Klöppel, H. and Klein, W.
Differentiation of Al³⁺ and Al species in environmental samples by isotachopheresis 470 (1989) 289
- Schmidt, J.
Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421
- Schmidt, K., see Bruchelt, G. 470 (1989) 185
- Schmidt, L., see Schöneshöfer, M. 490 (1989) 230
- Schmidt, S., see Bornhop, D.J. 459 (1988) 193
- Schmidt, T., see Böswart, J. 495 (1989) 61
- Schmitt, M. and Radler, F.
Purification of yeast killer toxin KT28 by receptor-mediated affinity chromatography 469 (1989) 448
- Schmitt, M., see Sting, R. 497 (1989) 258
- Schmitt, P., Batt, A.M., Decouvelaere, B., Gaillot, J. and Siest, G.
Preparative HPLC method for the 2-hydroxy metabolite of carpipramine, excreted by isolated perfused liver 491 (1989) 495
- Schmittthener, H.F., Fedorchuk, M. and Walter, D.J.
Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (-)-menthyl chloroformate derivatives 487 (1989) 197
- Schmitz, F.P., see Gemmel, B. 455 (1988) 17
- Schmitz, F.P., see Küppers, S. 475 (1989) 85
- Schmitz, H.H., Artz, W.E., Poor, C.L., Dietz, J.M. and Erdman, Jr., J.W.
HPLC and capillary SFC separation of vegetable carotenoids and carotenoid isomers 479 (1989) 261
- Schmitz, P., see Degand, G. 489 (1989) 235
- Schmuckler, G., see Strassburg, R. 482 (1989) 343

- Schneider, G., Kramell, R. and Brückner, C.
Separation of diastereomeric amino acid conjugates of jasmonic acid 483 (1989) 459
- Schneider, J.J. and Ravenscroft, P.J.
Determination of morphine in plasma by HPLC with fluorescence detection 497 (1989) 326
- Schneider, R.P., Zürcher, F., Egli, T. and Hamer, G.
Ion chromatography method for iminodiacetic acid determination in biological matrices in the presence of nitrilotriacetic acid 462 (1989) 293
- Schneider, W., Keller, B. and Degen, P.H.
Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite in biological material by GC with electron-capture detection 488 (1989) 275
- Schoemaker, H.E., see Duchateau, A. 471 (1989) 263
- Schoene, K., Steinhanses, J. and König, A.
Determination of the solubility of vapours of polymers by automated headspace GC 455 (1988) 67
- Schoenmakers, P.J. and Dunand, N.
Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219
- Schoenmakers, P.J., Strasters, J.K. and Bartha, Á.
Correction of the resolution function for non-ideal peaks 458 (1988) 355
- Schoenmakers, P.J., Uunk, L.G.M. and De Bokx, P.K.
Effect of sample size on retention in packed column SFC. A method for characterizing stationary phase homogeneity 459 (1988) 201
- Schön, I., see Görög, S. 452 (1988) 317
- Schön, I., see Vadász, Z. 477 (1989) 377
- Schöneshöfer, M., Heilmann, P., Schmidt, L. and Schwartzkopff, W.
Automated column LC determination of probucol in human serum and lipoprotein fractions 490 (1989) 230
- Schoots, A.C. and Cramers, C.A.M.G.
Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79
- Schotman, P., Nielander, H.B., Van Rozen, A.J., Frankena, H., Schrama, L.H. and Gispen, W.H.
Microheterogeneity of the growth-associated neuronal protein B-50 (GAP-43).
Contribution of phosphorylation by protein kinase C 483 (1989) 301
- Schouten, A., see De Kruijf, N. 469 (1989) 317
- Schrama, L.H., see Schotman, P. 483 (1989) 301
- Schreiber, B., see Lankmayr, E.P. 485 (1989) 183
- Schreiber, J.-P., see Cachia, C. 498 (1990) 417
- Schreiber-Deturmeny, E., see Pastor, J. 462 (1989) 435
- Schreier, P., see Bernreuther, A. 481 (1989) 363
- Schreier, P., see Huffer, M. 469 (1989) 137
- Schreuder, R.H., Martijn, A. and Van de Kraats, C.
Determination of diisobutyl- and diisopropyl-naphthalenesulphonates in pesticide wettable powders and dispersible granules by HPLC 467 (1989) 177
- Schreurs, M., Somsen, G.W., Gooijer, C., Velthorst, N.H. and Frei, R.W.
Lanthanide luminescence quenching as a detection method in ion chromatography. Chromate in surface and drinking water 482 (1989) 351
- Schubert, B., see Johansson, I.M. 498 (1990) 241
- Schuberth, J. and Schuberth, J.
GC-MS determination of morphine, codeine and 6-monoacetylmorphine in blood extracted by solid phase 490 (1989) 444
- Schuberth, J., see Schuberth, J. 490 (1989) 444
- Schuddinck, G., see Nagels, L.J. 459 (1988) 163
- Schuddinck, G., see Verzele, M. 471 (1989) 335
- Schudel, J.V.H. and Guiochon, G.
Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 457 (1988) 1
- Schudel, M., see Lederer, M. 475 (1989) 451
- Schügerl, K., see Holzhauser-Rieger, K. 499 (1990) 609
- Schüller, J., see Czejka, M.J. 497 (1989) 336
- Schultz, N., see Issaq, H.J. 452 (1988) 511
- Schultz, R., see Engelhardt, H. 458 (1988) 79
- Schulz, H. and Albroscheit, G.
Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301
- Schunack, W., see Büyüktimkin, N. 467 (1989) 402
- Schurig, V., Bürkle, W., Hintzer, K. and Weber, R.
Evaluation of nickel(II) bis[α -(heptafluorobutanoyl)terpeneketonates] as chiral stationary phases for the enantiomer separation of alkyl-substituted cyclic ethers by complexation GC 475 (1989) 23
- Schuster, D.L.O., see Geisslinger, G. 491 (1989) 139

- Schutter, J.A. De, D'Hont, A.-M. and De Moerloose, P.
Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402
- Schwabe, D., Rohrbach, E. and Köhl, U.
Determination of *m*-iodobenzylguanidine in serum and urine by HPLC 487 (1989) 177
- Schwadrohn, G., see Vidal-Ollivier, E. 463 (1989) 227
- Schwartz, D.P., see Sherma, J. 463 (1989) 229
- Schwartz, H.E., Melera, M. and Brownlee, R.G.
Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129
- Schwartz, T.M., see Turner, J.G. 487 (1989) 275
- Schwartzkopff, W., see Schöneshöfer, M. 490 (1989) 230
- Schwarzenbach, R. and Schmid, J.P.
Determination of N-nitrosodiethanolamine in cosmetics. HPLC and GC-MS as alternative methods to chemiluminescence detection 472 (1989) 231
- Schwedt, G., see Golombek, R. 452 (1988) 283
- Schwedt, G., see Jones, P. 482 (1989) 32523
- Schweer, H., see Mackert, G. 494 (1989) 13
- Schweinheim, E., see Engelhardt, H. 458 (1988) 79
- Schweinheim, E., see Engelhardt, H. 499 (1990) 165
- Schwenen, L., see Odén, P.C. 464 (1989) 195
- Schwer, C., see Kenndler, E. 470 (1989) 57
- Sciacovelli, L., see Plebani, M. 476 (1989) 93
- Scorer, K.N., see Oropeza, C. 456 (1988) 405
- Scott, D.O., see Hendrickson, H.P. 487 (1989) 401
- Scott, R.P.W.
Contemporary LC column design 468 (1989) 99
- Seaman, S.W., see Sen, N.P. 463 (1989) 419
- Sébille, B., see Vidal-Madjar, C. 458 (1988) 13
- Secchi, C., see Biondi, P.A. 459 (1988) 337
- Secchi, C., see Biondi, P.A. 467 (1989) 315
- Secchi, C., see Biondi, P.A. 491 (1989) 209
- Secor, H.V., see Seeman, J.I. 483 (1989) 169
- Seeman, J.I., Secor, H.V., Armstrong, D.W., Ward, K.D. and Ward, T.J.
Separation of homologous and isomeric alkaloids related to nicotine on a β -cyclodextrin-bonded phase 483 (1989) 169
- Seewald, M. and Eichinger, H.M.
Separation of major phospholipid classes by HPLC and subsequent analysis of phospholipid-bound fatty acids using GC 469 (1989) 271
- Seger, V., see Miething, H. 478 (1989) 433
- Sehgal, R.K., see Turcotte, J.G. 499 (1990) 55
- Seiber, J.N., see Woodrow, J.E. 455 (1988) 53
- Seip, R., see Jellum, E. 468 (1989) 43
- Seipel, L., see Krämer, B.K. 493 (1989) 414
- Seki, T., Yanagihara, Y. and Noguchi, K.
Determination of salsolinol by ion-exchange chromatography with glycyglycine as the post-derivatizing agent 459 (1988) 245
- Sekiya, T., see Matsui, H. 496 (1989) 189
- Sekulic, S. and Haddad, P.R.
Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65
- Sekulic, S. and Haddad, P.R.
Optimization strategies for solutes exhibiting peak tailing. Comparison of two approaches 485 (1989) 501
- Sekulic, S., see Haddad, P.R. 459 (1988) 79
- Selala, M.I., Janssens, J.J., Coucke, V., Andries, S. and Schepens, P.J.C.
Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51
- Seliger, H., Kotschi, U., Scharpf, C., Martin, R., Eisenbeiss, F., Kinkel, J.N. and Unger, K.K.
Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49
- Selinger, K., Hill, H.M., Matheou, D. and Dehelean, L.
Determination of free and total metaproterenol in human plasma by HPLC with fluorimetric detection 493 (1989) 230
- Selinger, K., Lebel, G., Hill, H.M. and Discenza, C.
HPLC method for the analysis of benzotropine in human plasma 491 (1989) 248
- Selinger, K., Lessard, D. and Hill, H.M.
Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247
- Selley, M.L., Bartlett, M.R., McGuinness, J.A., Hapel, A.J., Ardlie, N.G. and Lacey, M.J.
Determination of the lipid peroxidation product *trans*-4-hydroxy-2-nonenal in biological samples by HPLC and combined capillary column GC-negative-ion chemical ionisation MS 488 (1989) 329
- Sellier, N., see Carlier, J.-P. 493 (1989) 257
- Selucky, M.L., see Khorasheh, F. 481 (1989) 1
- Semenzato, A., see Benassi, C.A. 464 (1989) 387

- Sen, N.P., Seaman, S.W. and Kushwaha, S.C.
Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419
- Sengl, M. and Severin, F.L.T.
Maillard reaction of bovine serum albumin with glucose. Determination of 2-formyl-5-(hydroxymethyl)pyrrole-1-norleucine by HPLC after alkaline hydrolysis (in German) 463 (1989) 119
- Senior, L.A., see Camilleri, P. 498 (1990) 414
- Sentell, K.B., Barnes, K.W. and Dorsey, J.G.
Ultrasound driven synthesis of reversed-phase stationary phases for LC using 4-dimethyl-aminopyridine as acid-acceptor 455 (1988) 95
- Sentell, K.B. and Dorsey, J.G.
Retention mechanisms in reversed-phase chromatography. Stationary phase bonding density and solute selectivity 461 (1989) 193
- Sepaniak, M.J., Swaile, D.F. and Powell, A.C.
Instrumental developments in micellar electrokinetic capillary chromatography 480 (1989) 185
- Seprödi, J., see Vadász, Z. 477 (1989) 377
- Serkiz, B., see Breton, L. 497 (1989) 243
- Serra, M.A., Avilés, F.X., Giralt, E. and Cuchillo, C.M.
Kinetic analysis of the carboxypeptidase A hydrolysis of oligopeptides by reversed-phase HPLC 479 (1989) 27
- Servidei, T., see Riccardi, A. 497 (1989) 302
- Seto, Y. and Shinohara, T.
Size fractionation of oligosaccharides by LC on a cation-exchange column 464 (1989) 323
- Setokuchi, O., see Matsuzawa, S. 498 (1990) 25
- Severin, F.L.T., see Sengl, M. 463 (1989) 119
- Seyberth, H.W., see Mackert, G. 494 (1989) 13
- Seymour, M.
Determination of residual dimethyl sulphate in a lipophilic bulk drug by wide-bore capillary GC 463 (1989) 216
- Shabushnig, J.G., see Evans, C.E. 459 (1988) 119
- Shafi, N., Midgley, J.M., Watson, D.G., Smail, G.A., Strang, R. and MacFarlane, R.G.
Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9
- Shah, J.A. and Weber, D.J.
Simultaneous determination of methylprednisolone and methylprednisolone-21-[8-[methyl-(2-sulfoethyl)amino]-8-oxooctanoate] sodium salt in human urine by HPLC with UV detection 496 (1989) 245
- Shalaby, L.M., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Shalaeva, M.E., see Zheivot, V.I. 472 (1989) 155
- Sharma, R.R., see Hodges, R.S. 458 (1988) 147
- Sharman, M., Patey, A.L. and Gilbert, J.
Application of an immunoaffinity column sample clean-up to the determination of aflatoxin M₁ in cheese 474 (1989) 457
- Sharp, G.J., see Haddad, P.R. 461 (1989) 337
- Shatirishvili, I.S.
Application of correlation chromatography to the investigation of biopolymers in wines 469 (1989) 420
- Shea, D., see MacCrehan, W.A. 457 (1988) 111
- Sheeley, D.M. and Reinhold, V.N.
SFC-MS of high-molecular-weight biopolymers. Instrumental considerations and recent progress 474 (1989) 83
- Sheikh, S.U. and Touchstone, J.C.
Temperature programming in HPLC 455 (1988) 327
- Shellum, C.L., see Foreman, W.T. 465 (1989) 23
- Shelly, D.C., Antonucci, V.L., Edkins, T.J. and Dalton, T.J.
Insights into the slurry packing and bed structure of capillary LC columns 458 (1988) 267
- Shelly, D.C., see Edkins, T.J. 459 (1988) 109
- Shen, D.D., see Laganière, S. 488 (1989) 407
- Shen, H.-S.L., see Pieniaszek, Jr., H.J. 493 (1989) 79
- Shephard, G.S., Van der Westhuizen, L. and Labadarios, D.
Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226
- Shepherd, M.J., see Williams, R.A. 477 (1989) 315
- Sherblom, P.M. and Eganhouse, R.P.
Correlations between octanol-water partition coefficients and reversed-phase HPLC capacity factors. Chlorobiphenyls and alkylbenzenes 454 (1988) 37
- Sherma, J., Bretschneider, W., Dittamo, M., DiBiase, N., Huh, D. and Schwartz, D.P.
Spectrometric and TLC quantification of sulfathiazole residues in honey 463 (1989) 229
- Sherman, W.R., see Eades, D.M. 490 (1989) 1
- Sherman, W.R., see Hsu, F.-F. 478 (1989) 429
- Sherman, W.R., see Hsu, F.-F. 479 (1989) 437
- Sheumack, D.D., see Tseng, A. 474 (1989) 424
- Shiaku, Y., see Nakagiri, I. 481 (1989) 434
- Shibamoto, T., see Kallio, H. 454 (1988) 392
- Shibata, M., see Terabe, S. 480 (1989) 403

- Shibuya, F., see Ohtani, M. 487 (1989) 469
- Shida, Y., see Saito, K. 454 (1988) 387
- Shieh, C.-H., see Miller, N.T. 463 (1989) 329
- Shigematsu, Y., see Kikawa, Y. 491 (1989) 193
- Shiina, S.-I., see Hosaki, S. 488 (1989) 503
- Shilstone, G.F., see Boddington, K.D.B.T. 471 (1989) 347
- Shimada, E. and Matsumura, G.
Determination of Stokes radii of hyaluronate oligosaccharides by Sephadex gel chromatography 472 (1989) 145
- Shimada, K., Oe, T., Hirose, Y. and Komine, Y.
Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339
- Shimada, K., Oe, T. and Nambara, T.
Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345
- Shimada, K., Oe, T., Tanaka, M. and Nambara, T.
Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247
- Shimizu, H., see Utsumi, J. 490 (1989) 193
- Shimizu, Y., see Matsuzawa, S. 498 (1990) 25
- Shimoda, W., see Roybal, J.E. 467 (1989) 259
- Shimojo, M., see Shioya, H. 496 (1989) 129
- Shimota, H., see Kasuya, Y. 494 (1989) 101
- Shimura, K., see Nakamura, K. 478 (1989) 159
- Shin, H., Lho, D. and Park, J.
Simultaneous determination of propoxyphene and norpropoxyphene in biological samples by GC using an on-column injection technique with a fused-silica capillary column 491 (1989) 448
- Shin, H., Park, J., Lho, D. and Kim, O.
Measurement of zipeprol in rat plasma by GC with nitrogen-phosphorus detection 493 (1989) 398
- Shin, Y.O., see Park, J. 489 (1989) 313
- Shinohara, T., see Knight, M. 459 (1988) 361
- Shinohara, T., see Seto, Y. 464 (1989) 323
- Shinomiya, K., Hoshi, Y. and Imanari, T.
Sensitive detection of unsaturated disaccharides from chondroitin sulphates by TLC as their dansylhydrazine derivatives 462 (1989) 471
- Shiojima, Y., see Ohtsu, Y. 481 (1989) 147
- Shiomi, K., see Tsuchihashi, H. 467 (1989) 227
- Shiono, H., see Maseda, C. 490 (1989) 319
- Shioya, H., Shimojo, M. and Kawahara, Y.
Determination of a new angiotensin-converting enzyme inhibitor (CS-622) and its active metabolite in plasma and urine by GC-MS using negative ion chemical ionization 496 (1989) 129
- Shirali, S.S., see Turcotte, J.G. 499 (1990) 55
- Shitara, K., see Kiba, N. 463 (1989) 183
- Shoda, J., Osuga, T., Mahara, R., Tohma, M., Matsuura, K., Tanaka, N., Matsuzaki, Y. and Miyazaki, H.
Altered metabolism of bile acids in cholestasis: determination of 1 β - and 6 α -hydroxylated metabolites 488 (1989) 315
- Shoeman, D.W., see Ansari, K.A. 475 (1989) 457
- Shohat, S., Grushka, E. and Glikberg, S.
LC analysis of organic additives in copper plating baths 452 (1988) 503
- Shono, T., see Funazo, K. 481 (1989) 211
- Shono, T., see Tanaka, M. 469 (1989) 429
- Shorr, R., see Chiari, M. 499 (1990) 699
- Short, C.R., see Barker, S.A. 475 (1989) 353
- Short, C.R., see Long, A.R. 475 (1989) 404
- Shou, M., see Yang, S.K. 461 (1989) 377
- Shukla, U.A., see Stetson, P.L. 464 (1989) 163
- Shukun, S.A. and Zav'yalov, V.P.
Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121
- Shumate, C.B., see Hallen, R.W. 480 (1989) 233
- Shustina, R. and Lesser, J.H.
LC determination of hydrazine, carbohydrazide and thiocarbohydrazide in aqueous solutions 464 (1989) 208
- Shyu, Y.-J., see Haas, III, J.W. 457 (1988) 215
- Siden, R., see Sintov, A. 496 (1989) 335
- Siebert, C.J., see Talmadge, K.W. 476 (1989) 175
- Siems, W., see Werner, A. 491 (1989) 77
- Siems, W.F., see Hallen, R.W. 480 (1989) 233
- Siems, W.F., see St. Louis, R.H. 479 (1989) 221
- Sieñko, D., see Buszewski, B. 464 (1989) 73
- Sieñko, D., see Suprynowicz, Z. 456 (1988) 219
- Siest, G., see Liu, H.-F. 493 (1989) 137
- Siest, G., see Schmitt, P. 491 (1989) 495
- Sievers, R.E., see Foreman, W.T. 465 (1989) 23
- Sievers, R.E., see McNamara, E.A. 452 (1988) 75
- Sievert, H.-J.P., Wu, S.-L., Chloupek, R. and Hancock, W.S.
Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221
- Signoretti, E.C., D'Arpino, C. and La Torre, F.
Determination by HPLC of clenbuterol in commercial syrup formulations 473 (1989) 301

- Sigurdsson, K., see Hjemdahl, P. 494 (1989) 53
- Silversand, C. and Haux, C.
Isolation of turbot (*Scophthalmus maximum*) vitellogenin by high-performance anion-exchange chromatography 478 (1989) 387
- Simmons, H.F., see Stidman, J. 494 (1989) 318
- Simon, P., Brand, F. and Lemacon, C.
Florisil[®] sorbent sampling and ion chromatographic determination of airborne aliphatic carboxylic acids 479 (1989) 445
- Simon, V.A. and Taylor, A.
High-sensitivity HPLC analysis of diquat and paraquat with confirmation 479 (1989) 153
- Simonelli, A.P., see Kalonia, D.S. 455 (1988) 355
- Simpson, C.F., see Akapo, S.O. 471 (1989) 283
- Simpson, C.F., see Drake, A.F. 476 (1989) 159
- Simpson, D., see Moncrieff, J. 488 (1989) 498
- Simpson, H., see Ashmore, S.P. 496 (1989) 435
- Simpson, R.J. and Moritz, R.L.
Chromatographic fractionation of proteins at high organic solvent modifier concentrations 474 (1989) 418
- Simpson, R.J., Ward, L.D., Reid, G.E., Batterham, M.P. and Moritz, R.L.
Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345
- Šimuničová, E., see Hutta, M. 470 (1989) 223
- Sinden, S.L., see Osman, S.F. 479 (1989) 189
- Sing, K.S.W., see Ahsan, T. 464 (1989) 416
- Sing, K.S.W., see Ahsan, T. 479 (1989) 17
- Singh, A.K., Ashraf, M., Granley, K., Mishra, U., Rao, M.M. and Gordon, B.
Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215
- Singh, A.K., Gordon, B., Hewetson, D., Granley, K., Ashraf, M., Mishra, U. and Dombrovskis, D.
Screening of steroids in horse urine and plasma by using electron impact and chemical ionization GC-MS 479 (1989) 233
- Singh, H.K., see Turcotte, J.G. 499 (1990) 55
- Singh, P.P. and Chawla, R.P.
Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the GC determination of organochlorine compounds in some food commodities 457 (1988) 387
- Singh, R.P., Smesko, S.A. and Nancollas, G.H.
Simultaneous determination of citrate and D-isocitrate in urine by isocratic ion chromatography 495 (1989) 239
- Singh, S., see Kinter, M. 496 (1989) 201
- Singhal, R.P. and Landes, J.P.
HPLC analysis of DNA composition and DNA modification by chloroacetaldehyde 458 (1988) 117
- Singhvi, S.M., see Everett, D.W. 487 (1989) 365
- Sinibaldi, M., see Gasparrini, F. 457 (1988) 235
- Sinibaldi, M., see Kuhn, A.O. 469 (1989) 253
- Sinkkonen, S.
LC determination of planar aromatic sulphur compounds in crude oil 475 (1989) 421
- Sintov, A., Siden, R. and Levy, R.J.
Sensitive HPLC assay using 9-fluorenylmethylchloroformate for monitoring controlled-release lidocaine in plasma 496 (1989) 335
- Sion, J.-P., Laureys, M., Gerlo, E. and Gorus, F.
Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91
- Siouffi, A.M., Mincsovic, E. and Tyihak, E.
Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471
- Siouffi, A.M., see Huss, V. 500 (1990) 241
- Siouffi, A.M., see Mazerolles, G. 485 (1989) 433
- Sioufi, A., Leroux, F. and Dubois, J.P.
Determination of xylometazoline in plasma and urine by GC using a fused-silica capillary column and an electron-capture detector 487 (1989) 81
- Sioufi, A., Marfil, F., Richard, J., Colussi, D. and Dubois, J.P.
HPLC determination of piroprofen and five of its metabolites in human plasma without hydrolysis and in human urine before and after chemical hydrolysis 495 (1989) 195
- Sioufi, A., Sandrenan, N. and Dubois, J.P.
Determination of crotamiton in plasma and urine by HPLC 494 (1989) 361
- Siret, L., Tambuté, A., Caude, M. and Rosset, R.
(S)-thio-DNB⁺Tyr-A and (S)-thio-DNB⁺Tyr-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67
- Sisco, W.R., see Marziani, F.C. 465 (1989) 422
- Sitaram, B.R., see Cheach, I.C.L. 467 (1989) 414
- Sittichai, N., see Prueksaritanont, T. 490 (1989) 175
- Siu, K.W.M., Maxwell, P.S. and Berman, S.S.
Extraction of butyltin species and their GC determination as chlorides in a sediment

- certified reference material for trace metals, PACS-1 475 (1989) 373
- Siu, K.W.M., see Aue, W.A. 500 (1990) 95
- Siu, T.-S.S., see Chan, Y.-P.M. 459 (1988) 251
- Siu, T.-S.S., see Chan, Y.-P.M. 496 (1989) 155
- Sivakoff, S.I., see Gentilucci, T.J. 461 (1989) 63
- Sjövall, J., see Marschall, H.-U. 452 (1988) 459
- Sjövall, J., see Uusijärvi, J. 488 (1989) 87
- Skarping, G., Dalene, M., Brorson, T., Sandström, J.F., Sangö, C. and Tiljander, A. Chromatographic determination of amines in biological fluids with spectral reference to the biological monitoring of isocyanates and amines. I. Determination of 1,6-hexamethylenediamine using glass capillary GC and thermionic specific detection 479 (1989) 125
- Skarping, G., Willers, S. and Dalene, M. Determination of cotinine in urine using glass capillary GC and selective detection, with special reference to the biological monitoring of passive smoking 454 (1988) 293
- Skarping, G., see Sandström, J.F. 479 (1989) 135
- Skarping, G., see Tiljander, A. 479 (1989) 145
- Skidmore, G.L., Horstmann, B.J. and Chase, H.A. Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113
- Skinner, M. and Kanfer, I. HPLC analysis of josamycin in serum and urine 459 (1988) 261
- Skowroński, R., see Drabowicz, J. 473 (1989) 287
- Škvorc, I., Zambeli, N., Iskrić, S. and Hadžija, O. TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428
- Slacanian, I., Marston, A. and Hostettmann, K. Modification to a high-speed counter-current chromatograph for improved separation capability 482 (1989) 234
- Slacanian, I., Vargas, D., Marston, A. and Hostettmann, K. Determination of molluscicidal sesquiterpene lactones from *Ambrosia maritima* (Compositae) 457 (1988) 325
- Slack, J.A., see Baer, J.C. 467 (1989) 332
- Šlais, K. Sample-induced internal gradient of ionic strength in ion-exclusion microcolumn LC 469 (1989) 223
- Šlais, K. and Ošcik-Mendyk, B. Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370
- Šlais, K., see Janeček, M. 471 (1989) 303
- Slanina, J., Keuken, M.P. and Jongejan, P.A.C. Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297
- Slavik, M., see Kindberg, C.G. 473 (1989) 431
- Šlebioda, M., see Wodecki, Z.J. 477 (1989) 454
- Slemp, J.L., see Ito, Y. 463 (1989) 305
- Slemp, J.L., see Ito, Y. 475 (1989) 219
- Slingsby, R.W. and Pohl, C.A. Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241
- Śliwiok, J., Kuš, P. and Sajewicz, M. Some data on the TLC and HPLC separation of some dithia[3.3]phanes 472 (1989) 314
- Śliwiok, J., see Sajewicz, M. 456 (1988) 227
- Sloan, J.E., Thormann, W., Twitty, G.E. and Bier, M. Automated recycling free fluid isotachopheresis. Principle, instrumentation and first results 457 (1988) 137
- Sloan, J.E., see Bier, M. 470 (1989) 369
- Slominski, B.A. and Campbell, L.D. GC determination of indoleacetonitriles in rapeseed and *Brassica* vegetables 454 (1988) 285
- Sluycerman, L.A.Æ. and Kooistra, C. Ten years of chromatofocusing: a discussion 470 (1989) 317
- Smail, G.A., see Shafi, N. 490 (1989) 9
- Smart, A.U., see Smith, J.R.L. 483 (1989) 341
- Smeaton, T.C., Owens, J.A. and Robinson, J.S. Micro-method for measurement of branched-chain keto acid concentrations in plasma from sheep and man 487 (1989) 434
- Smesko, S.A., see Singh, R.P. 495 (1989) 239
- Smet, M. De, Musch, G., Peeters, A., Buydens, L. and Massart, D.L. Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237
- Smet, M. De, Peeters, A., Buydens, L. and Massart, D.L. Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25
- Smet, M. De, see Hindriks, R. 485 (1989) 255
- Smets, P., see Kol, O. 474 (1989) 452
- Šmidl, P., see Kleinmann, I. 479 (1989) 327
- Smilde, A.K., Coenegracht, P.M.J., Bruins, C.H.P. and Doornbos, D.A.

- Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary-mobile phase combinations with markers 485 (1989) 169
- Smilde, A.K., see Coenegracht, P.M.J. 485 (1989) 195
- Smillie, R.H., Grant, B. and Cribbes, R.L. Determination of phosphate and phosphite in plant material by GC-MS and ion chromatography 455 (1988) 253
- Smith, A.L., see Jenny, P.D. 490 (1989) 213
- Smith, B.F., see Hamilton, V.T. 469 (1989) 369
- Smith, B.J., see Herold, D.A. 496 (1989) 180
- Smith, D.F., Kleindienst, T.E. and Hudgens, E.E. Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431
- Smith, D.J., see Dunphy, M.J. 488 (1989) 369
- Smith, D.J., see Fulton, J.A. 455 (1988) 183
- Smith, G.A., see Oppenheimer, L.E. 461 (1989) 103
- Smith-Gill, S.J., see Janis, L.J. 476 (1989) 235
- Smith, J., see Ahuja, S. 471 (1989) 443
- Smith, J.A. and O'Hare, M. Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71
- Smith, J.A., see Cohen, A.S. 458 (1988) 323
- Smith, J.A., see Ford, J.C. 483 (1989) 131
- Smith, Jr., J.E., see Fowler, W.K. 478 (1989) 51
- Smith, J.R.L., Smart, A.U., Hancock, F.E. and Twigg, M.V. HPLC determination of low levels of primary and secondary amines in aqueous media via derivatisation with 1,2-naphthoquinone-4-sulphonate 483 (1989) 341
- Smith, K.C., see White, R.L. 483 (1989) 437
- Smith, M.A. and Gillespie, P.C. Ionization of DEAE-cellulose. Dependence of pK on ionic strength 469 (1989) 111
- Smith, M.S., see Evans, M.B. 479 (1989) 170
- Smith, R.A., Tibbels, T.S. and Cohen, S.M. Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet 465 (1989) 442
- Smith, R.D., Loo, J.A., Barinaga, C.J., Edmonds, C.G. and Udseth, H.R. Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211
- Smith, R.D., see Edmonds, C.G. 474 (1989) 21
- Smith, R.D., see Yonker, C.R. 459 (1988) 183
- Smith, R.J., see Haken, J.K. 452 (1988) 31
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. IV. Branched and unsaturated alkylbenzenes 481 (1989) 85
- Smith, R.M. and Burr, C.M. Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325
- Smith, R.M., Ghani, A.A., Haverty, D.G., Bament, G.S., Chamsi, A.Y. and Fogg, A.G. Derivatisation of amines with O-acetylsalicyloyl chloride to enhance electrochemical detection in HPLC 455 (1988) 349
- Smith, R.M., Hurdley, T.G., Westlake, J.P., Gill, R. and Osselton, M.D. Retention reproducibility of basic drugs in HPLC on a silica column with a methanol-ammonium nitrate eluent. Batch-to-batch reproducibility of the stationary phase 455 (1988) 77
- Smith, R.M. and Miller, S.L. Comparison of the selectivity of cyano-bonded silica stationary phases in reversed-phase LC 464 (1989) 297
- Smith, R.M. and Rabuor, J.O. Separation of basic drugs by HPLC on a silica column using a methanol-ethylenediamine buffer 464 (1989) 117
- Smith, R.M. and Sanagi, M.M. SFC of barbiturates 481 (1989) 63
- Smith, R.M. and Sanagi, M.M. Packed-column SFC of benzodiazepines 483 (1989) 51
- Smolková-Keulemansová, E., see Jelínek, I. 464 (1989) 139

- Smolková-Keulemansová, E., see Jelínek, I. 470 (1989) 113
- Smolková-Keulemansová, E., see Jelínek, J. 495 (1989) 338
- Smolková-Keulemansová, E., see Kohoutová, A. 471 (1989) 139
- Smolková-Keulemansová, E., see Snopek, J. 452 (1988) 571
- Smolková-Keulemansová, E., see Snopek, J. 472 (1989) 308
- Smrz, M., see Hanis, T. 452 (1988) 443
- Smyth, M.R., see Kelly, M.T. 473 (1989) 53
- Snook, M.E., Widstrom, N.W. and Gueldner, R.C.
Reversed-phase HPLC procedure for the determination of maysin in corn silks 477 (1989) 439
- Snopek, J., Jelínek, I. and Smolková-Keulemansová, E.
Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571
- Snopek, J., Jelínek, I. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachopheresis. VIII. Two-dimensional chiral separation in isotachopheresis 472 (1989) 308
- Snopek, J., see Jelínek, I. 464 (1989) 139
- Snopek, J., see Jelínek, I. 470 (1989) 113
- Snopek, J., see Jelínek, J. 495 (1989) 338
- Snorek, S.V., Olsen, B.A. and Pierson, D.A.
LC determination of low-molecular-weight amides in pharmaceutical matrices 458 (1988) 287
- Snyder, L.R. and Cox, G.B.
Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85
- Snyder, L.R., Dolan, J.W. and Cox, G.B.
Preparative HPLC under isocratic conditions. I Craig simulations for heavily overloaded separations 483 (1989) 63
- Snyder, L.R., Dolan, J.W. and Cox, G.B.
Preparative HPLC under gradient conditions. III. Craig simulations for heavily overloaded separations 484 (1989) 437
- Snyder, L.R., Dolan, J.W. and Lommen, D.C.
Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65
- Snyder, L.R., Dolan, J.W., Lommen, D.C. and Cox, G.B.
Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425
- Snyder, L.R., see Cox, G.B. 483 (1989) 95
- Snyder, L.R., see Cox, G.B. 484 (1989) 409
- Snyder, L.R., see Dolan, J.W. 485 (1989) 91
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 1
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 25
- Snyder, L.R., see Ghrist, B.F.D. 459 (1988) 43
- Snyder, L.R., see Rutan, S.C. 463 (1989) 21
- Snyder, L.R., see Salotto, A.W. 498 (1990) 55
- Snyder, L.R., see Stuart, J.D. 485 (1989) 657
- Snyder, R.S., see Roberts, G.O. 480 (1989) 35
- Soffientini, A., see Righetti, P.G. 470 (1989) 337
- Soják, L., see Farkaš, P. 471 (1989) 251
- Sokolova, T.M., see Levchenko, N.K. 456 (1988) 427
- Soliman, A.M., see Chase, Jr., G.W. 456 (1988) 431
- Somogyi, A., see Chen, Z.R. 491 (1989) 367
- Somogyi, A., see Chen, Z.R. 493 (1989) 313
- Somsen, G.W., see Schreurs, M. 482 (1989) 351
- Sonesson, A., Bryn, K., Jantzen, E. and Larsson, L.
GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1
- Sonesson, A., Larsson, L. and Jimenez, J.
Two-dimensional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71
- Sonne, O., see Marquard, F. 455 (1988) 360
- Sonoki, S., Tanaka, Y., Hisamatsu, S. and Kobayashi, T.
HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311
- Sørensen, H.H., see Welinder, B.S. 462 (1989) 255
- Soria, V., see Pérez-Payá, E. 461 (1989) 229
- Sotelo, J., see Hurtado, M. 494 (1989) 403
- Souhodolova, V.I., see Berezkina, L.G. 457 (1988) 159
- Souich, P. Du, see Ong, H. 497 (1989) 213
- Souppart, C., see Lecailon, J.B. 497 (1989) 223
- Sova, O., see Dobránský, T. 474 (1989) 430
- Spahn, H., see Hartmann, C. 496 (1989) 387
- Spalding, D., see Persson, K. 491 (1989) 473
- Spall, W.D., see Hamilton, V.T. 469 (1989) 369

- Spanedda, L., see Cabras, P. 472 (1989) 411
- Spanedda, L., see Cabras, P. 478 (1989) 250
- Spanedda, L., see Capone, W. 457 (1988) 427
- Spellman, M.W., see Basa, L.J. 499 (1990) 205
- Spellman, M.W., see Chloupek, R.C. 463 (1989) 375
- Spener, F., see Haalck, L. 498 (1990) 410
- Spierenburg, T.J., see Zoun, P.E.F. 462 (1989) 448
- Sprau, M., see Albert, K. 463 (1989) 355
- Sprenger, U., see Bächmann, K. 482 (1989) 307
- Springolo, V., Borella, F., Finardi, G.P., Gatti, M.T. and Coppi, G.
HPLC determination of *m*-bis(chloroethyl)aminophenyl-L-alanine in plasma 490 (1989) 224
- Stringston, S.R. and Dezaro, D.A.
Non-extractable stationary phases for GC cross-linked by exposure to low-temperature plasmas 473 (1989) 79
- Sproveri, G., see Grossi, G. 465 (1989) 113
- Spustová, V.
Rapid method for the determination of hippurate in biological fluids by HPLC 487 (1989) 440
- Spustová, V., Černay, P. and Golier, I.
Inhibition of glucose utilization in uremia by hippurate: LC isolation and MS and NMR spectroscopic identification 490 (1989) 186
- Srebnik, M., see Joshi, N.N. 462 (1989) 458
- Sri-Widada, J., see Liautard, J. 454 (1988) 195
- Sribney, M., see Owen, J.A. 494 (1989) 135
- Srichaiyo, T., see Lindeberg, J. 499 (1990) 153
- Srinivas, N.R., Cooper, J.K., Hubbard, J.W. and Midha, K.K.
Isothermal capillary GC with electron-capture detection of heptafluorobutryl-L-prolyl derivatives of chiral amphetamines 491 (1989) 262
- Srinivas, N.R., Hubbard, J.W., Hawes, E.M., McKay, G. and Midha, K.K.
Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61
- Stafford, A.E., see Lin, J.-T. 452 (1988) 519
- Stafiej, J., see Glód, B.K. 457 (1988) 43
- Ståhlberg, J. and Bartha, Á.
Extension of the electrostatic theory of reversed-phase ion-pair chromatography for high surface concentrations of the adsorbing amphiphilic ion 456 (1988) 253
- Ståhlberg, J., see Bartha, A. 485 (1989) 403
- Stalcup, A.M., Jin, H.L., Armstrong, D.W., Mazur, P., Derguini, F. and Nakanishi, K.
Separation of carotenes on cyclodextrin-bonded phases 499 (1990) 627
- Stan, H.-J.
Application of capillary GC with mass selective detection to pesticide residue analysis 467 (1989) 85
- Stanski, D.R., see Ebling, W.F. 490 (1989) 339
- Staroverov, S.M., see Fadeev, A.Y. 465 (1989) 233
- Startin, J.R., see Ramsey, E.D. 464 (1989) 353
- Starzengruber, N., see Georgopoulos, A. 494 (1989) 340
- Staszczuk, P., see Buszewski, B. 499 (1990) 305
- Stead, C.V., see Burton, S.J. 455 (1988) 201
- Stearns, S.D., see Gentilucci, T.J. 461 (1989) 63
- Stedman, G., see Furton, K.G. 468 (1989) 73
- Steele, R.D., see Case, G.L. 487 (1989) 456
- Steenbeke, G., see Janda, V. 479 (1989) 200
- Steenbeke, G., see Verzele, M. 477 (1989) 87
- Steenbeke, G., see Verzele, M. 484 (1989) 361
- Steenbergen, M.J. Van, see Schilt, R. 489 (1989) 127
- Stefansson, M. and Westerlund, D.
Reversed-phase ion-pair LC of glucuronides. Retention and selectivity 499 (1990) 411
- Stehle, P., see Fürst, P. 499 (1990) 557
- Stein, H., see Hummel, M. 477 (1989) 420
- Stein, J.-L., see Roussel, C. 462 (1989) 95
- Stein, T.A., Cohen, J.R., Mandell, C. and Wise, L.
Determination of elastase activity by reversed-phase HPLC 461 (1989) 267
- Steinbuch, H.M., see Van Ginkel, L.A. 489 (1989) 111
- Steindl, F., see Jungbauer, A. 476 (1989) 257
- Steinhanses, J., see Schoene, K. 455 (1988) 67
- Steinhilber, D., Herrmann, T. and Roth, H.J.
Separation of lipoxins and leukotrienes from human granulocytes by HPLC with a Radial-Pak cartridge after extraction with an octadecyl reversed-phase column 493 (1989) 361
- Steinmetz, A., Clavey, V., Vu-Dac, N., Kaffarnik, H. and Fruchart, J.-C.
Purification of human apolipoprotein A-IV by fast protein LC 487 (1989) 154
- Stell, J.G.P., Warne, A.J. and Lee-Woolley, C.
Purification of rabbit liver aldehyde oxidase by affinity chromatography on benzamidine Sepharose 6B 475 (1989) 363
- Stella, R., see Maggi, L. 478 (1989) 225
- Štendler, T., see Žmitek, J. 467 (1989) 276
- Stenhagen, G. and Albom, H.
Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal

- decomposition of labile compounds 474 (1989) 285
- Stenman, U.-H., see Alfthan, H. 470 (1989) 385
- Stephany, R.W.
Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 489 (1989) 3
- Stephany, R.W., see De Ruig, W.G. 489 (1989) 89
- Stephany, R.W., see Jansen, E.H.J.M. 489 (1989) 205
- Stephany, R.W., see Van Ginkel, L.A. 489 (1989) 95
- Stephany, R.W., see Van Ginkel, L.A. 489 (1989) 111
- Stephenson, G.R., see Creaser, C.S. 478 (1989) 415
- Stetson, P.L., Shukla, U.A. and Ensminger, W.D.
Stability of trimetrexate, a new non-classical antifolate, in infusion solutions 464 (1989) 163
- Studel, R., Holdt, G. and Göbel, T.
Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442
- Steuer, W., Baumann, J. and Erni, F.
Separation of ionic drug substances by SFC 500 (1990) 469
- Steuer, W., Schindler, M. and Erni, F.
Gradient elution with normal phases on silica. A comparison between HPLC and SFC 454 (1988) 253
- Stevens, G.B., see Goward, C.R. 457 (1988) 317
- Stewart, J.T., see Bachman, W.J. 481 (1989) 121
- Stewart, J.T., see Lampert, B.M. 495 (1989) 153
- Sticher, O., see Nyiredy, S. 499 (1990) 453
- Stidman, J., Taylor, E.H., Simmons, H.F., Gandy, J. and Pappas, A.A.
Determination of meprobamate in serum by alkaline hydrolysis, trimethylsilyl derivatization and detection by GC-MS 494 (1989) 318
- Stienlet, D., Vervloessem, A. and Ceulemans, J.
Radiolytic synthesis of high-molecular-weight alkanes for chromatographic characterization and identification purposes 475 (1989) 247
- Stillian, J.R. and Pohl, C.A.
New latex-bonded pellicular anion exchangers with multi-phase selectivity for HPLC separations 499 (1990) 249
- Sting, R., Schmitt, M. and Blobel, H.
Isolation of a fibronectin receptor from *Streptococcus pyogenes* by affinity chromatography followed by HPLC (in German) 497 (1989) 258
- St. John, J.B., see Mischke, H.A.N.C.F. 479 (1989) 206
- St. Louis, R.H., Siems, W.F. and Hill, Jr., H.H.
Evaluation of direct axial sample introduction for ion mobility detection after capillary GC 479 (1989) 221
- Stobaugh, J.F., see Kindberg, C.G. 473 (1989) 431
- Stobaugh, J.F., see Mifune, M. 496 (1989) 55
- Stocchi, F., see Betto, P. 459 (1988) 341
- Stocchi, V., see Magnani, M. 491 (1989) 215
- Stocchi, V., see Marchiseppe, I. 495 (1989) 288
- Stoev, G. and Dentshev, T.
Increasing the reliability of the identification of polymers by pyrolysis GC 454 (1988) 367
- Stokke, O., see Jellum, E. 468 (1989) 43
- Stolfi, R.L., see Sawyer, R.C. 496 (1989) 450
- Stone, J.M., see Henson, C.A. 469 (1989) 361
- Stone, M.J., see Badamchian, M. 459 (1988) 291
- Stone, M.J., see Knight, M. 459 (1988) 361
- Stone, M.J., see Strickler, M.P. 484 (1989) 369
- Storey, K.B., see Brooks, S.P.J. 455 (1988) 291
- Stoschitzky, K., see Lindner, W. 487 (1989) 375
- Stout, R.W., Leib, H.J., Rousak, A.T. and Wright, R.C.
New porous organic microspheres for HPLC 476 (1989) 21
- Stouten, P., see Haasnoot, W. 483 (1989) 319
- Stover, F.S.
Utility of copper-containing electrolytes for isotachopheresis of amino acids 470 (1989) 131
- Stover, F.S.
Spacer performance in the cationic isotachopheresis of proteins 470 (1989) 201
- Stover, F.S., Haymore, B.L. and McBeath, R.J.
Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241
- St. Peter, J.V. and Awni, W.M.
Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424
- Strang, R., see Shafi, N. 490 (1989) 9
- Stránský, Z., see Dombek, V. 470 (1989) 235
- Strassburg, R., Fritz, J.S., Berkowitz, J. and Schmuckler, G.
Injection peaks in anion chromatography 482 (1989) 343
- Strasters, J.K., Billiet, H.A.H., De Galan, L. and Vandeginste, B.G.M.
Strategy for peak tracking in LC on the basis of a multivariate analysis of spectral data 499 (1990) 499

- Strasters, J.K., Coolsaet, F., Bartha, A., Billiet, H.A.H. and De Galan, L.
Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523
- Strasters, J.K., see Schoenmakers, P.J. 458 (1988) 355
- Strating, J., see Verzele, M. 484 (1989) 361
- Straub, H., see Müller, F. 477 (1989) 25
- Straughn, A.B., see Patrick, K.S. 487 (1989) 91
- Straughn, A.B., see Patrick, K.S. 495 (1989) 123
- Street, J.M., Trafford, D.J.H. and Makin, H.L.J.
Carrier gas flow-rate and injection system in capillary GC of unconjugated and glycine-conjugated bile acids 495 (1989) 31
- Streete, P.J.
Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179
- Strege, M.A. and Dubin, P.L.
SEC of cationic polyelectrolytes on Superose gel 463 (1989) 165
- Strickler, M.P., Stone, M.J., Kennington, A.S. and Goldstein, D.M.
Strategy for the preparative-scale HPLC isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura* 484 (1989) 369
- Strickler, M.P., see Badamchian, M. 459 (1988) 291
- Strickler, M.P., see Knight, M. 459 (1988) 361
- Strolle, E.O., see Jones, W.J. 455 (1988) 45
- Stroud, R.M., see Miercke, L.J.W. 483 (1989) 331
- Strubinger, J.R., see Parcher, J.F. 479 (1989) 251
- Struzinsky, R., see Miksik, I. 500 (1990) 607
- Stuart, J.D., Lisi, D.D. and Snyder, L.R.
Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657
- Štulík, K., see Böswart, J. 495 (1989) 61
- Štulík, K., see Burcinová, A. 455 (1988) 420
- Štulík, K., see Wang, H. 457 (1988) 398
- Šturdík, E., see Podhradský, D. 455 (1988) 344
- Stüwe, E., see Meineke, I. 493 (1989) 287
- Suann, C.J., see Reilly, P.J. 498 (1990) 35
- Suarez, A.F., see Bories, G. 489 (1989) 191
- Subbarao, R., see Chandrasekhara Rao, T. 466 (1989) 403
- Subra, P., Hennion, M.-C., Rosset, R. and Frei, R.W.
Recovery of organic compounds from large-volume aqueous samples using on-line LC preconcentration techniques 456 (1988) 121
- Subramanian, G., Phillips, M.W., Jayaraman, G. and Cramer, S.M.
Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225
- Subramanian, G., see Phillips, M.W. 454 (1988) 1
- Šüchová, M., see Adámek, V. 497 (1989) 268
- Sudo, M., see Kikawa, Y. 491 (1989) 193
- Sudor, J., see Boček, P. 470 (1989) 309
- Suehiro, Y., see Kikawa, Y. 491 (1989) 193
- Suemitsu, R., Horiuchi, K., Ohnishi, K. and Yanagawase, S.
HPLC determination of macrosporin, altersolanol A, alterporriol A, B and C in fermentation of *Alternaria porri* (Ellis) Ciferri 454 (1988) 406
- Suffet, I.H., see Ibrahim, E.A. 454 (1988) 217
- Suga, T., see Iwata, J. 474 (1989) 363
- Sugata, K., see Okada, T. 481 (1989) 299
- Sugata, R., Iwahashi, H., Ishii, T. and Kido, R.
Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9
- Sugii, A., Harada, K., Nishimura, K., Hanaoka, R. and Masuda, S.
HPLC of proteins on N-methylpyridinium polymer columns 472 (1989) 357
- Sugitani, H., see Chikazumi, N. 479 (1989) 85
- Suijkerbuijk, M.L., see Blink, A. 467 (1989) 285
- Sullivan, G.S., see Manning, J.N. 487 (1989) 41
- Sumpter, S.R., see Tarbet, B.J. 473 (1989) 103
- Sun, L., see Deming, S.N. 485 (1989) 15
- Sun, X.-Y. and Aue, W.A.
Selective detection of volatile iron compounds by flame photometry 467 (1989) 75
- Sung, N.J. and Johnson, S.J.
Determination of the total amount sulfur in petroleum fractions by capillary GC in combination with cold trapping and a total sulfur analyzer 468 (1989) 345
- Sunzel, M.
Determination of midazolam and the α -hydroxy metabolite by GC in small plasma volumes 491 (1989) 455
- Supina, W.R., see Betz, W.R. 471 (1989) 105
- Suprynowicz, Z., Buszewski, B., Sieńko, D. and Gawdzik, J.
Effect of chemically bonded alkyl chain length on the recovery of serotonin and its metabolite from urine by a solid extraction clean-up procedure 456 (1988) 219

- Suprynowicz, Z., see Buszewski, B. 464 (1989) 73
 Suprynowicz, Z., see Buszewski, B. 499 (1990) 305
- Suryanarayana, M.V.S., see Rao, S.S. 493 (1989) 210
- Susic, M. and Boto, K.G.
 HPLC determination of humic acid in environmental samples at the nanogram level using fluorescence detection 482 (1989) 175
- Susini, A., see Gülaçar, F.O. 479 (1989) 61
- Šustáček, V., Foret, F. and Boček, P.
 Simple method for generation of a dynamic pH gradient in capillary zone electrophoresis 480 (1989) 271
- Sütfeld, R.
 Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103
- Suto, K., see Ito, Y. 456 (1988) 392
- Sutra, J.F., see Paris, A. 493 (1989) 367
- Suzuji, H., see Fukai, F. 482 (1989) 107
- Suzuji, S., Nakamura, Y., Kaneko, M., Mori, K. and Watanabe, Y.
 Analysis of benzalkonium chlorides by GC 463 (1989) 188
- Suzuki, H., see Goto, J. 452 (1988) 119
- Suzuki, K., see Nakagiri, I. 481 (1989) 434
- Suzuki, M., see Ikai, Y. 477 (1989) 397
- Suzuki, M., see Ishibashi, M. 456 (1988) 382
- Suzuki, M., see Murayama, M. 463 (1989) 147
- Suzuki, M., see Murayama, M. 466 (1989) 355
- Suzuki, M., see Oka, H. 462 (1989) 315
- Suzuki, M., see Oka, H. 482 (1989) 197
- Suzuki, N., see Adachi, K. 457 (1988) 99
- Suzuki, O., see Tsuda, T. 456 (1988) 375
- Suzuki, S., see Ikeda, K. 482 (1989) 240
- Suzuki, S., see Mochizuki, E. 455 (1988) 271
- Suzuki, S., see Onodera, S. 466 (1989) 233
- Suzuki, S.-I., Tsuchihashi, H. and Arimoto, H.
 Studies on 1-(2-phenethyl)-4-(N-propionylanilino)piperidine (fentanyl) and related compounds. III. Effect of methyl group introduction into fentanyl on sensitivity enhancement in GC with surface ionization detection 475 (1989) 400
- Suzuki, T., see Ogino, H. 472 (1989) 389
- Suzuki, T., see Toyo'oka, T. 475 (1989) 391
- Suzuki, T., see Yamashita, J. 464 (1989) 411
- Suzuki, Y., see Hirauchi, K. 497 (1989) 131
- Suzuki, Y., see Koizumi, H. 457 (1988) 299
- Suzuki, Y. and Fukuda, K.
 Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 489 (1989) 283
- Švec, A., see Kaniansky, D. 470 (1989) 139
- Švec, F., see Hradil, J. 462 (1989) 61
- Švec, F., see Hradil, J. 469 (1989) 143
- Švec, F., see Hradil, J. 475 (1989) 209
- Švec, F., see Tennikova, T.B. 475 (1989) 187
- Sved, S., see Koehler, H. 469 (1989) 305
- Svennerholm, L., see Davidsson, P. 496 (1989) 279
- Svennerholm, L., see Gottfries, J. 490 (1989) 263
- Svoboda, V.
 Ideal mixed cells model of multi-component preparative LC 464 (1989) 1
- Svoboda, V., see Kleinmann, I. 479 (1989) 327
- Svoboda, V., see Plicka, J. 469 (1989) 29
- Swaile, D.F., see Sepaniak, M.J. 480 (1989) 185
- Swailes, B.K., see Pettit, W.A. 469 (1989) 440
- Swartz, M.T., see Jones, W.R. 473 (1989) 171
- Sweeney, D., see Kusmierz, J. 497 (1989) 39
- Sweeney, R.W., Beech, J., Whitlock, R.H. and Castelli, P.L.
 Analysis of fatty acids in equine cerebrospinal fluid using GC with electron-capture detection 494 (1989) 278
- Sweetenham, W.P., see Cowan, G.H. 484 (1989) 187
- Sy, W.-W., see By, A. 469 (1989) 406
- Sybilska, D., see Dębowska, B. 455 (1988) 336
- Synovec, R.E., see Hancock, D.O. 464 (1989) 83
- Szabó, G., Csató, E., Keresztes, P. and Pallos, J.P.
 Preparation and retention characteristics of different phenylpolysiloxane phases for reversed-phase LC 463 (1989) 345
- Szabó, G., see Valkó, K. 485 (1989) 349
- Szathmary, S.C.
 Determination of hydroxypropyl- β -cyclodextrin in plasma and urine by SEC with post-column complexation 487 (1989) 99
- Szczepaniak, W., see Nawrocki, J. 467 (1989) 31
- Szczerba, T.J., Baehr, D.N., Glunz, L.J., Perry, J.A. and Holdoway, M.J.
 New packing and column for fast protein HPLC 458 (1988) 281
- Szczerba, T.J., see Perry, J.A. 484 (1989) 267
- Székely, G., see Kessler, R. 469 (1989) 444
- Székely, T.J., see Tyihák, E. 471 (1989) 375
- Szeleczki, E., see Gazdag, M. 454 (1988) 83
- Szepesi, G., Gazdag, M. and Mihályfi, K.
 Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265
- Szepesi, G., see Gazdag, M. 454 (1988) 83
- Szepesi, G., see Gazdag, M. 454 (1988) 95
- Szepesi, G., see Gazdag, M. 464 (1989) 279

- Szepesy, L., Vida, L., Tóth, M. and László, E.
Investigation of some α -amylases by high-performance hydrophobic-interaction chromatography 499 (1990) 197
- Szewczyk, H., see Szymanowski, J. 469 (1989) 197
- Szewczyk, H., see Szymanowski, J. 477 (1989) 407
- Szymanowski, J., Kusz, P. and Dziwiński, E.
Chemical degradation and analysis of polyoxyethylene glycols and ethylene oxide- α -butylene oxide block copolymers 455 (1988) 131
- Szymanowski, J., Kusz, P., Dziwiński, E. and Latocha, C.
Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride 455 (1988) 119
- Szymanowski, J., Kusz, P., Dziwiński, E., Szewczyk, H. and Pyżalski, K.
Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197
- Szymanowski, J., Kusz, P. and Szewczyk, H.
Increments of the arithmetic retention index for polyoxyethylene glycol monoalkyl ethers and their degradation products 477 (1989) 407
- Szymanowski, J., see Voelkel, A. 454 (1988) 51
- Szymanowski, J., see Wiśniewski, M. 462 (1989) 39
- T**
- Tabor, D.G. and Underwood, A.L.
Some factors in solute partitioning between water and micelles or polymeric micelle analogues 463 (1989) 73
- Tacchi-Bedford, A.M.
Measurement of methylated DNA purines by reversed-phase HPLC and fluorimetric detection 455 (1988) 364
- Taga, M., see Kan, M. 478 (1989) 238
- Tagliaro, F., Franchi, D., Dorizzi, R. and Marigo, M.
HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 488 (1989) 215
- Takács, J.M., see Tarján, T. 472 (1989) 1
- Takagi, D., see Takeyama, N. 491 (1989) 69
- Takagi, T., see Itabashi, Y. 472 (1989) 271
- Takahara, E., see Nagata, O. 496 (1989) 456
- Takahashi, A., see Toyo'oka, T. 475 (1989) 391
- Takahashi, K., see Okuyama, T. 466 (1989) 390
- Takahashi, S., see Tsuchihashi, H. 467 (1989) 227
- Takai, N., see Yamashita, J. 464 (1989) 411
- Takano, S., see Tokuda, H. 454 (1988) 109
- Takasu, N., see Nakagiri, I. 481 (1989) 434
- Takata, K., see Matsunaga, H. 481 (1989) 368
- Takata, M., see Okuyama, T. 466 (1989) 390
- Takata, Y.
Effect of eluent impurities and sample matrix on quantitative analysis by ion chromatography 482 (1989) 393
- Takatsuto, S., see Gamoh, K. 469 (1989) 424
- Takayama, Y., Takeichi, T. and Kawai, S.
Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172
- Takebe, T., see Moriyama, T. 493 (1989) 164
- Takeda, K., see Hosotsubo, H. 487 (1989) 204
- Takeda, N., see Niwa, T. 452 (1988) 85
- Takeda, N., see Niwa, T. 491 (1989) 397
- Takeda, Y., see Matsuda, R. 462 (1989) 13
- Takeda, Y., see Matsuda, R. 462 (1989) 23
- Takeda, Y., see Nakahara, Y. 489 (1989) 371
- Takeichi, T., see Takayama, Y. 464 (1989) 172
- Takenaga, N., see Hisaka, A. 494 (1989) 183
- Takeuchi, M., see Mori, S. 478 (1989) 181
- Takeuchi, T., Asai, M., Haraguchi, H. and Ishii, D.
Direct coupling of capillary LC with conventional HPLC 499 (1990) 549
- Takeuchi, T., Asano, T. and Ishii, D.
Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297
- Takeuchi, T., Murayama, M. and Ishii, D.
Indirect photometric detection of cyclodextrins via inclusion complexation in micro HPLC 477 (1989) 147
- Takeyama, N., Matsuo, N., Takagi, D. and Tanaka, T.
Determination of overt carnitine palmitoyltransferase by reversed-phase HPLC 491 (1989) 69
- Taki, M., see Kamahori, M. 465 (1989) 227
- Takigawa, H., see Funazo, K. 481 (1989) 211
- Takitani, S., see Murayama, M. 463 (1989) 147
- Takitani, S., see Murayama, M. 466 (1989) 355

- Takitani, S., see Sano, A. 458 (1988) 295
- Talasek, R.T.
Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes 465 (1989) 1
- Talmadge, K.W. and Siebert, C.J.
Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175
- Tamanini, A., see Poiesi, C. 465 (1989) 101
- Tambe, A.S., see Ayyangar, N.R. 483 (1989) 33
- Tambuté, A., see Lienne, M. 467 (1989) 406
- Tambuté, A., see Lienne, M. 472 (1989) 265
- Tambuté, A., see Macaudière, P. 467 (1989) 357
- Tambuté, A., see Sallé, M. 475 (1989) 153
- Tambuté, A., see Siret, L. 498 (1990) 67
- Tameesh, A.H.H., see Salman, S.R. 483 (1989) 390
- Tamura, M., see Matsuzawa, S. 498 (1990) 25
- Tamura, Y., see Oeda, T. 482 (1989) 117
- Tan, H.S.I., Yan, Y.-P. and Thio, A.P.
Stability-indicating capillary SLC assay of dicyclomine hydrochloride in some pharmaceutical formulations 475 (1989) 381
- Tan, S., Tatsuno, T. and Okada, T.
Selected-ion monitoring of 4-vinyl-1-cyclohexene in acrylonitrile-butadiene-styrene polymer products and food simulants 482 (1989) 246
- Tan, Y., see Russel, F.G.M. 496 (1989) 234
- Tanács, B., see Mucha, I. 478 (1989) 280
- Tanaka, A., Iijima, M., Kikuchi, Y., Hoshino, Y. and Nose, N.
GC determination of nicotinamide in meats and meat products as 3-cyanopyridine 466 (1989) 307
- Tanaka, H., see Yagi, S. 493 (1989) 27
- Tanaka, M., Shono, T., Zhu, D.-Q. and Kawaguchi, Y.
LC separation of racemates on acetylated or carbamoylated β -cyclodextrin-bonded stationary phases 469 (1989) 429
- Tanaka, M., see Funazo, K. 481 (1989) 211
- Tanaka, M., see Shimada, K. 487 (1989) 247
- Tanaka, N., Ebata, T., Hashizume, K., Hosoya, K. and Araki, M.
Polymer-based packing materials with alkyl backbones for reversed-phase LC.
Performance and retention selectivity 475 (1989) 195
- Tanaka, N., see Jinno, K. 461 (1989) 209
- Tanaka, N., see Ohtsu, Y. 481 (1989) 147
- Tanaka, N., see Shoda, J. 488 (1989) 315
- Tanaka, S., Kaneta, T. and Yoshida, H.
Isotachophoretic separation of cyano complexes of noble metals using ion-pairing equilibrium in water-acetonitrile solvent 472 (1989) 303
- Tanaka, S., Kaneta, T. and Yoshida, H.
Isotachophoretic separation and behavior of catechol derivatives 498 (1990) 205
- Tanaka, S., see Kan, M. 478 (1989) 238
- Tanaka, S., see Kuwata, K. 455 (1988) 425
- Tanaka, S., see Tong, A. 478 (1989) 408
- Tanaka, T., Aramaki, S. and Momose, A.
TLC screening procedure for some drugs in horse plasma 496 (1989) 407
- Tanaka, T., see Takeyama, N. 491 (1989) 69
- Tanaka, Y., see Miyazaki, K. 454 (1988) 357
- Tanaka, Y., see Sonoki, S. 475 (1989) 311
- Tang, Y.-Z. and Aue, W.A.
Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149
- Tanglertpaibul, J., see Kalonia, D.S. 475 (1989) 416
- Taniguchi, H. and Pyerin, W.
Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299
- Tanimoto, T., see Koizumi, K. 454 (1988) 303
- Tanimoto, T., see Koizumi, K. 464 (1989) 365
- Tanimura, T., see Nagao, T. 496 (1989) 39
- Tanner, M.S., see Patel, H.R. 495 (1989) 269
- Tápanes, R.D., Ramos, F. and Avila, J.P.
Contribution to the determination of chloroquine in biological fluids 493 (1989) 196
- Tápanes, R.D., Ramos, F., Febles, M. and Avila, J.P.
Determination of dabequin in biological fluids by GC with a nitrogen-selective detector 493 (1989) 202
- Tapper, B.A., Rowan, D.D. and Latch, G.C.M.
Detection and measurement of the alkaloid peramine in endophyte-infected grasses 463 (1989) 133
- Tarana, M.V., see Kopečni, M.M. 462 (1989) 392
- Tarbet, B.J., Bradshaw, J.S., Johnson, D.F., Finlinton, A.C., Rouse, C.A., Jones, K., Sumpster, S.R., Huang, E.C., Juvancz, Z., Markides, D.E. and Lee, M.L.
Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary GC and SFC 473 (1989) 103
- Tarelli, E., see Newland, P. 483 (1989) 406
- Tarján, T., Nyiredy, S., Györ, M., Lombosi, E.R., Lombosi, T.S., Budahegyi, M.V., Mészáros, S.Y. and Takács, J.M.

- Thirtieth anniversary of the retention index according to Kováts in GLC (Review) 472 (1989) 1
- Tarka, Jr., S.M., see Hurst, W.J. 466 (1989) 279
- Tartar, A., see Gesquiere, J.C. 478 (1989) 121
- Tatematsu, A., see Niwa, T. 452 (1988) 85
- Tatematsu, A., see Niwa, T. 491 (1989) 397
- Tatematsu, A., see Niwa, T. 493 (1989) 347
- Tatsumoto, K., see Himmel, M.E. 498 (1990) 93
- Tatsuno, T., see Tan, S. 482 (1989) 246
- Tauer, C., see Jungbauer, A. 476 (1989) 257
- Tavss, E.A., see Robinson, R.S. 455 (1988) 143
- Tawa, R., Hirose, S. and Fujimoto, T.
Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125
- Tayar, N. El, Marston, A., Bechalany, A., Hostettmann, K. and Testa, B.
Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91
- Tayar, N. El, see Bechalany, A. 473 (1989) 115
- Taylor, A., see Simon, V.A. 479 (1989) 153
- Taylor, D.C., see Hull, C.J. 477 (1989) 387
- Taylor, D.R., see Akporhonor, E.E. 463 (1989) 271
- Taylor, E.H., see Stidman, J. 494 (1989) 318
- Taylor, G.W., see Murray, S. 491 (1989) 15
- Taylor, I.K., see Murray, S. 491 (1989) 15
- Taylor, I.W. and Chasseaud, L.F.
Determination of ximoprofen in human plasma by GC 495 (1989) 275
- Taylor, L.C.E., see Chang, S.Y. 497 (1989) 288
- Taylor, R., see Cassidy, D.M. 491 (1989) 1
- Taylor, W.H., see Peek, H. 476 (1989) 291
- Taylor, W.H., see Peek, H. 476 (1989) 491
- Tchapla, A., see Martin, M. 452 (1988) 157
- Teale, P., see Houghton, E. 479 (1989) 73
- Tebbal, D., see Van de Water, C. 478 (1989) 205
- Teichel, D. and Braumann, T.
Determination of cyclic nucleotide phosphodiesterase activity in cellular systems by ion-pair reversed-phase LC 483 (1989) 427
- Tedeschi, G., see Biondi, P.A. 459 (1988) 337
- Tedeschi, G., see Biondi, P.A. 467 (1989) 315
- Tedeschi, G., see Biondi, P.A. 491 (1989) 209
- Teerlink, T. and De Boer, E.
Determination of 3-methylhistidine in urine by HPLC using pre-column derivatization with 9-fluorenylmethyl chloroformate 491 (1989) 418
- Tejedor, M.C., see Delgado, C. 498 (1990) 159
- Teleha, M., see Dobránsky, T. 474 (1989) 430
- Tellingen, O. Van, Van der Woude, H.R., Beijnen, J.H., Van Beers, C.J.T. and Nooyen, W.J.
Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379
- Tenczer, J., see Köppel, C. 491 (1989) 432
- Teng, R.-L. and Benet, L.Z.
Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421
- Tennikov, M.B., see Tennikova, T.B. 475 (1989) 187
- Tennikova, T.B., Horák, D., Švec, F., Tennikov, M.B., Kever, E.E. and Belenkii, B.G.
Hydrolyzed macroporous glycidyl methacrylate-ethylene dimethacrylate copolymer with narrow pore size distribution. A novel packing for size-exclusion HPLC 475 (1989) 187
- Teplán, I., see Vadász, Z. 477 (1989) 377
- Tepper, P.G., see Den Daas, I. 487 (1989) 210
- Tepper, P.G., see Gerding, T.K. 487 (1989) 125
- Terabayashi, T., Ogawa, T., Kawanishi, Y. and Ishii, J.
In situ mineralization and determination of phosphorus in phospholipids on silica gel sintered TLC plates 454 (1988) 432
- Terabe, S., Shibata, M. and Miyashita, Y.
Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403
- Terabe, S., see Nishi, H. 465 (1989) 331
- Terabe, S., see Nishi, H. 477 (1989) 259
- Terabe, S., see Nishi, H. 498 (1990) 313
- Terabe, S., see Otsuka, K. 480 (1989) 91
- Teraoka, K., see Okada, T. 481 (1989) 299
- Terry, K.A., see Onuska, F.I. 471 (1989) 161
- Tesařík, K., see Janák, K. 471 (1989) 237
- Tešić, Ž.L., Janjić, T.J., Malinar, M.J. and Čelap, M.B.
Effect of the chelate ring size of diamine cobalt(III) complexes on their R_F values obtained by PC 481 (1989) 471
- Tešić, Ž.L., Janjić, T.J., Vučković, G.N. and Čelap, M.B.
Effect of the composition of coordinated β -diketonato ligands on R_F values of transition metal complexes obtained by TLC on silica gel 456 (1988) 346
- Tešić, Ž.L., see Janjić, T.J. 481 (1989) 465
- Testa, B., see Bechalany, A. 473 (1989) 115

- Testa, B., see Durrer, A. 495 (1989) 256
- Testa, B., see El Tayar, N. 469 (1989) 91
- Tetschner, B., see Liebich, H.M. 468 (1989) 157
- Texier-Maugein, J., see Fourche, J. 487 (1989) 142
- Thanh, H.H., see Rasmussen, K.E. 496 (1989) 355
- Thévenon, G. and Regnier, F.E.
Reversed-phase LC of proteins with strong acids 476 (1989) 499
- Theyson, G., see Martin, M. 452 (1988) 157
- Theyson, T.W., see Metz, P.A. 479 (1989) 107
- Thi, N.L., see Cheach, I.C.L. 467 (1989) 414
- Thiebaut, D., Chervet, J.-P., Vannoort, R.W., De Jong, G.J., Brinkman, U.A.T. and Frei, R.W.
Supercritical-fluid extraction of aqueous samples and on-line coupling to SFC 477 (1989) 151
- Thiebaut, D., see Nizery, D. 467 (1989) 49
- Thiel, M.J.S. Van, see Gladdines, M.M. 470 (1989) 105
- Thienpont, A., see Félix, G. 461 (1989) 347
- Thim, L., see Mortensen, S.B. 476 (1989) 227
- Thio, A.P., see Tan, H.S.I. 475 (1989) 381
- Thomas, A.H., see Newland, P. 483 (1989) 406
- Thomas, B.A., see Foley, J.P. 478 (1989) 287
- Thomas, D., see Piot, J.-M. 481 (1989) 221
- Thomas, J.
Analysis of theophylline and sodium (or potassium) anisate in pharmaceutical preparations by ultra-fast HPLC (in French) 479 (1989) 430
- Thomas, L.C., see Ramus, T.L. 473 (1989) 27
- Thompson, A., see Trumbore, C.N. 481 (1989) 111
- Thompson, D.J. and Ellenson, W.D.
Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polyaromatic hydrocarbons 485 (1989) 607
- Thompson, G., see Ahuja, S. 471 (1989) 443
- Thompson, P.W., see James, I.T. 495 (1989) 105
- Thompson, R.A., Andersson, S. and Allenmark, S.
Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263
- Thompson, Jr., H.C., Blakemore, M., Nestorick, D.M., Freeman, J.P. and Miller, D.W.
Analysis, characterization, and purification: requirements for toxicological evaluation of 1,4-dithiane 467 (1989) 159
- Thomson, A.H., see Ashmore, S.P. 496 (1989) 435
- Thöne, H.J., see Dübblin, T. 456 (1988) 233
- Thoresen, O., see Jellum, E. 468 (1989) 43
- Thormann, W., Firestone, M.A., Dietz, M.L., Ceconie, T. and Mosher, R.A.
Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95
- Thormann, W., see Mosher, R.A. 478 (1989) 39
- Thormann, W., see Sloan, J.E. 457 (1988) 137
- Thorsrud, A.K., see Jellum, E. 488 (1989) 105
- Thring, R.W., Chornet, E. and Overend, R.P.
Analysis of phenols from lignin depolymerization by capillary GC 467 (1989) 441
- Tian, L., see Liu, H. 462 (1989) 376
- Tian, Z.-Q., see Kim, L.-S. 483 (1989) 359
- Tibbels, T.S., see Smith, R.A. 465 (1989) 442
- Tichý, M., see Burcinová, A. 455 (1988) 420
- Tidwell, R.R., see Berger, B.J. 494 (1989) 191
- Tiebach, R. and Blaas, W.
Direct coupling of a gas chromatograph to an ion trap detector 454 (1988) 372
- Tihlárík, K., see Pavliak, V. 490 (1989) 418
- Tiljander, A., Skarping, G. and Dalene, M.
Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. III. Determination of 4,4'-methylenedianiline in hydrolysed human urine using derivatization and capillary GC with selected ion monitoring 479 (1989) 145
- Tiljander, A., see Skarping, G. 479 (1989) 125
- Timerbaev, A.R., Tsoi, I.G. and Petrukhin, O.M.
Correlation analysis in LC of metal chelates. I. One-dimensional retention-structure models in reversed-phase TLC 498 (1990) 337
- Timm, U., Fischer, G., Zell, M. and Zumbrennen, R.
Determination of the partial benzodiazepine receptor agonist R₀ 16-6028 in plasma by capillary GC with nitrogen-selective detection after conversion into the ethyl ester derivative 494 (1989) 119
- Timm, U., Hopfgartner, G. and Erdin, R.
Determination of a new non-benzodiazepine anxiolytic and its O-demethyl metabolite in plasma by HPLC using automated column-switching 456 (1988) 21
- Timossi, A., see Castello, G. 454 (1988) 129
- Tindall, G.W., see Cook, L.A. 463 (1989) 127
- Ting, G., see Jao, Y. 462 (1989) 191

- Tinsley, P.W., O'Dwyer, P.J. and LaCreta, F.P.
HPLC analysis of N,N',N''-triethylenethiophosphoramidate in human plasma 495 (1989) 318
- Tipker, J., Groen, C.P., Van den Bergh-Swart, J.K. and Van den Berg, J.H.M.
Contribution of electronic effects to the lipophilicity determined by comparison of values of log *P* obtained by HPLC and calculation 452 (1988) 227
- Tjaden, U.R., see Heeremans, C.E.M. 474 (1989) 149
- Tjaden, U.R., see Kokkonen, P. 474 (1989) 59
- Tjaden, U.R., see Niessen, W.M.A. 454 (1988) 243
- Tjaden, U.R., see Niessen, W.M.A. 474 (1989) 113
- Tjaden, U.R., see Niessen, W.M.A. 478 (1989) 325
- Tjaden, U.R., see Niessen, W.M.A. 492 (1989) 167
- Tjaden, U.R., see Van der Greef, J. 474 (1989) 5
- Tjaden, U.R., see Verheij, E.R. 474 (1989) 275
- Tjaden, U.R., see Walhagen, A. 474 (1989) 257
- Tkačová, J., see Hutta, M. 470 (1989) 223
- Tkaczyková, M., see Vácha, J. 488 (1989) 506
- Tock, P.P.H., Boshoven, C., Poppe, H., Kraak, J.C. and Unger, K.K.
Performance of porous silica layers in open-tubular columns for LC 477 (1989) 95
- Tocklu, R., see Irth, H. 491 (1989) 321
- Tod, M., see Dorland, P. 478 (1989) 131
- Tohkubo, K., see Nakamura, Y. 482 (1989) 165
- Tohma, M., see Shoda, J. 488 (1989) 315
- Tokuda, H., Saitoh, E., Kimura, Y. and Takano, S.
Automated analysis of various compounds with a wide range of boiling points by capillary GC based on retention indices 454 (1988) 109
- Tomás, M.A., see Tombesi, O.L. 463 (1989) 452
- Tombesi, O.L., Tomás, M.A. and Frontera, M.A.
TLC decomposition of the picrates and trinitrobenzoylates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452
- Tomer, K.B. and Parker, C.E.
Biochemical applications of LC-MS 492 (1989) 189
- Tomer, K.B., see De Wit, J.S.M. 462 (1989) 365
- Tomer, K.B., see Escoffier, B.H. 474 (1989) 301
- Tomer, K.B., see Moseley, M.A. 480 (1989) 197
- Tominaga, T., see Watanabe, N. 497 (1989) 169
- Tomita, M., see Kawai, S. 495 (1989) 235
- Tomlinson, B.J., see Hsu, S.-H. 459 (1988) 215
- Tonelli, D., see Gagliardi, L. 464 (1989) 428
- Tonelli, D., see Gagliardi, L. 466 (1989) 433
- Toney, C., see Berger, T.A. 465 (1989) 157
- Tong, A., Akama, Y. and Tanaka, S.
Reversed-phase HPLC of aluminium(III) and indium(III) with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 478 (1989) 408
- Tong, Y.-Y., see He, L.-Y. 481 (1989) 428
- Tong, Y.-Y., see Oshima, T. 455 (1988) 410
- Tonković, M., see Hadžija, O. 464 (1989) 220
- Tønnesen, F., see Rasmussen, K.E. 496 (1989) 355
- Topalova, I., see Gavrilova, T.B. 454 (1988) 73
- Topiol, S. and Sabio, M.
Computational chemical studies of chiral stationary phase models. Complexes of methyl N-(2-naphthyl)alaninate with N-(3,5-dinitrobenzoyl)leucine *n*-propylamide 461 (1989) 129
- Töregård, B., see Podlaha, O. 482 (1989) 215
- Torgov, I.V., see Levchenko, N.K. 456 (1988) 427
- Tørnes, J.A. and Johnsen, B.A.
GC determination of methylphosphonic acids by methylation with trimethylphenylammonium hydroxide 467 (1989) 129
- Torre, F. La, see Gasparrini, F. 457 (1988) 235
- Torre, F. La, see Signoretti, E.C. 473 (1989) 301
- Torres, A.R. and Peterson, E.A.
Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47
- Torres, L., see Riba, M.-L. 456 (1988) 165
- Torsi, G., Chiavari, G., Laghi, C., Asmundsdottir, A.M., Fagioli, F. and Vecchietti, R.
Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 482 (1989) 207
- Torsi, G., see Chiavari, G. 475 (1989) 343
- Tóth, G., see Mucha, I. 478 (1989) 280
- Tóth, G., see Mucha, I. 483 (1989) 419
- Tóth, M., see Szepeszy, L. 499 (1990) 197
- Touchstone, J.C., see Sheikh, S.U. 455 (1988) 327
- Toyoda, K., see Nakamura, K. 478 (1989) 159
- Toyoda, M., see Kobayashi, K. 462 (1989) 357
- Toyo'oka, T., Suzuki, T., Saito, Y. and Takahashi, A.
Electrochemical detection of mercapturic acid derivatives after separation by HPLC 475 (1989) 391
- Traag, W.A., see Hoogenboom, L.A.P. 489 (1989) 105
- Traag, W.A., see Schilt, R. 489 (1989) 127
- Trafford, D.J.H., see Street, J.M. 495 (1989) 31

- Trainor, T.M., Giese, R.W. and Vouros, P.
MS of electrophore-labeled nucleosides.
Pentafluorobenzyl and cinnamoyl derivatives
452 (1988) 369
- Trainor, T.M., Vouros, P., Lampen, P.,
Neumeier, J.L., Baldessarini, R.J. and Kula,
N.S.
Determination of N-n-propylnorapomorphine
in serum and brain tissue by GC-negative
ion chemical ionization MS 457 (1988) 257
- Trainor, T.M., see Gao, C.X. 463 (1989) 192
- Traldi, P., see Moro, L. 490 (1989) 285
- Tran, A.D., see Dong, M.W. 499 (1990) 125
- Travers, F., see Guasch, A. 473 (1989) 281
- Trechot, P., see Lapique, F. 496 (1989) 301
- Treffner, E., see Marzo, A. 497 (1989) 296
- Tremaine, L.M. and Joerg, E.A.
Automated GC-electron-capture assay for
the selective serotonin uptake blocker
sertraline 496 (1989) 423
- Trenholm, H.L., see Prelusky, D.B. 494 (1989)
267
- Tressl, R., see Engel, K.-H. 479 (1989) 176
- Treumer, J., see Bruchelt, G. 470 (1989) 185
- Treutter, D.
Chemical reaction detection of catechins and
proanthocyanidins with 4-
dimethylaminocinnamaldehyde 467 (1989)
185
- Trieling, R.G., see Gladdines, M.M. 470 (1989)
105
- Tripathi, A.M., Mhalas, J.G. and Rama Rao,
N.V.
Determination of 2,6- and 4,6-dinitroresols
by HPLC on a β -cyclodextrin bonded column
466 (1989) 442
- Trivin, F., see Labbé, D. 490 (1989) 275
- Troupe, N., see Poehland, B.L. 481 (1989) 421
- Trüdinger, U., see Giesche, H. 465 (1989) 39
- Trumbore, C.N., Jackson, L.M., Bennett, S. and
Thompson, A.
High-speed analytical sensor for in-line
monitoring of dissolved analytes flowing in a
tube employing a combination of limited
diffusion, laminar flow and plug solvent
injections 481 (1989) 111
- Truscott, R.J.W., see Elderfield, A.J. 495 (1989)
71
- Tsaconas, C., Devissaguet, M. and Padieu, P.
GC-MS of perindopril and its active free
metabolite, an angiotensin convertase
inhibitor: choice of derivatives and ionization
modes 488 (1989) 249
- Tsaconas, C., Padieu, P., D'Athis, P., Mocaer, E.
and Bromet, N.
GC-MS assessment of the pharmacokinetics
of amineptine and its main metabolite in
volunteers with liver impairment 487 (1989)
313
- Tseng, A., Berry, S.L., Cotton, B., Exner, T.,
Sheumack, D.D. and Howden, M.E.H.
Isolation and purification of a
fibrinogenolysin from the venom of the saw-
scaled viper (*Echis carinatus*) by HPLC 474
(1989) 424
- Tsikis, D. and Brunner, G.
Application of capillary isotachopheresis to
the analysis of glutathione conjugates 470
(1989) 191
- Tsiropoulos, N., see Riba, M.-L. 456 (1988) 165
- Tsoi, I.G., see Timerbaev, A.R. 498 (1990) 337
- Tsuchihashi, H., Nakajima, K., Nishikawa, M.,
Shiomi, K. and Takahashi, S.
Headspace GC of stimulants in urine by in-
column trifluoroacetyl derivatization method
467 (1989) 227
- Tsuchihashi, H., see Suzuki, S.-I. 475 (1989) 400
- Tsuchiya, H. and Hayashi, T.
Determination of L-3,4-
dihydroxyphenylalanine in blood by HPLC
after solvent extraction 491 (1989) 291
- Tsuda, T., Kobayashi, Y., Hori, A., Matsumoto,
T. and Suzuki, O.
Post-column detection for capillary zone
electrophoresis 456 (1988) 375
- Tsuda, T. and Noda, H.
Effect of the position of the laser beam focal
point on a capillary flow-through cell on the
signal-to-noise ratio for a fluorimetric
detector in capillary column LC 471 (1989)
311
- Tsuda, T. and Yamamoto, K.
Device to transform the LC effluent to a
continuous solid plug: a new approach to
direct liquid introduction for LC-MS 456
(1988) 363
- Tsuda, T., see Hallen, R.W. 480 (1989) 233
- Tsuda, T., see Itabashi, Y. 472 (1989) 271
- Tsugawa, N., see Okano, T. 493 (1989) 63
- Tsuji, K. and Jenkins, K.M.
Knowledge-based expert system for
troubleshooting HPLC assay methods 485
(1989) 297
- Tsukioka, T. and Murakami, T.
Capillary GC-MS determination of acid
herbicides in soils and sediments 469 (1989)
351
- Tsukioka, T., see Ozawa, H. 473 (1989) 251
- Tsumagari, N., see Nishi, H. 465 (1989) 331
- Tsumagari, N., see Nishi, H. 477 (1989) 259

- Tsutsumi, K., see Nakashima, H. 489 (1989) 425
- Tsygankov, A.Y., Motorin, Y.A., Wolfson, A.D., Kirpotin, D.B. and Orlovsky, A.F.
High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients 465 (1989) 325
- Tu, G., see Liu, T. 477 (1989) 458
- Tuberoso, C., see Cabras, P. 478 (1989) 250
- Tucker, G.T., see Ching, M.S. 497 (1989) 313
- Tufvesson Alm, A., see Johansson, M. 459 (1988) 301
- Tuguntaev, G.I., see Levchenko, N.K. 456 (1988) 427
- Tuinstra, L.G.M.T., see Van Gelder, W.M.J. 482 (1989) 13
- Tungeln, L.S. Von and Fu, P.P.
HPLC separation of ring-oxidized metabolites of nitro-polycyclic aromatic hydrocarbons 461 (1989) 315
- Turcotte, J.G., Pivarnik, P.E., Shirali, S.S., Singh, H.K., Sehgal, R.K., Macbride, D., Jang, N.-I. and Brown, P.R.
Preparative-scale HPLC separation and purification of 3'-azido-3'-deoxythymidine-5'-phosphate 499 (1990) 55
- Turcotte, J.G., see Beebe, J.M. 459 (1988) 369
- Turcotte, J.G., see Beebe, J.M. 468 (1989) 225
- Turgeon, J., Funk-Brentano, C., Gray, H.T. and Roden, D.M.
Improved HPLC assay for encainide and its metabolites in human body fluids 490 (1989) 165
- Turková, J., Petkov, L., Sajdok, J., Káš, J. and Beneš, M.J.
Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585
- Turnell, D.C. and Cooper, J.D.H.
Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59
- Turnell, D.C., see Cooper, J.D.H. 456 (1988) 53
- Turner, J.G., Schwartz, T.M. and Brooks, B.R.
Rapid separation of tritiated thyrotropin-releasing hormone and its catabolic products from mouse and human central nervous system tissues by HPLC with radioactive flow detection 487 (1989) 275
- Turner, K.A., see Sandra, P. 477 (1989) 63
- Turner, M.J., see Nollstadt, K.H. 497 (1989) 87
- Turner, P., see Saleh, S. 496 (1989) 223
- Turner, R., see Jackson, P.J. 452 (1988) 359
- Tutins, C., see Munoz, N.M. 493 (1989) 157
- Tutunjian, M., see Do, U.H. 489 (1989) 359
- Twigg, M.V., see Smith, J.R.L. 483 (1989) 341
- Twitty, G.E., see Bier, M. 470 (1989) 369
- Twitty, G.E., see Sloan, J.E. 457 (1988) 137
- Tyczkowska, K., Hedeem, K.M., Aucoin, D.P. and Aronson, A.L.
HPLC method for the simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in canine serum and prostatic tissue 493 (1989) 337
- Tyczkowska, K., Voyksner, R.D. and Aronson, A.L.
Development of an analytical method for penicillin G in bovine milk by LC with UV-visible detection and confirmation by MS detection 490 (1989) 101
- Tyihák, E., Mincsovcics, E. and Székely, T.J.
Overpressured multi-layer chromatography 471 (1989) 375
- Tyihak, E., see Siouffi, A.M. 492 (1989) 471

U

- Uchino, K., see Ohtani, M. 487 (1989) 469
- Uchiyama, H., Ogamo, A. and Nagasawa, K.
Chromatographic method for determination of hexuronic acid in dermatan sulphate 478 (1989) 275
- Uden, P.C., see Haas, III, J.W. 457 (1988) 215
- Uden, P.C., Yoo, Y., Wang, T. and Cheng, Z.
Element-selective GC detection by atomic plasma emission spectroscopy. Review and developments 468 (1989) 319
- Udseth, H.R., see Edmonds, C.G. 474 (1989) 21
- Udseth, H.R., see Smith, R.D. 480 (1989) 211
- Ueda, T., see Kobayashi, S. 480 (1989) 179
- Uedelhoven, W.M., Meese, C.O. and Weber, P.C.
Analysis of the major urinary thromboxane metabolites, 2,3-dinor thromboxane B₂ and 11-dehydrothromboxane B₂, by GC-MS and GC-tandem MS 497 (1989) 1
- Uetake, A., see Yoshida, T. 456 (1988) 421
- Uhlířová, A., see Plicka, J. 469 (1989) 29
- Umetsu, M., see Sato, J. 493 (1989) 239
- Umezawa, C., see Otani, M. 483 (1989) 448
- Umland, F., see Bohm, M. 465 (1989) 17
- Underwood, A.L., see Tabor, D.G. 463 (1989) 73

- Underwood, J., see Coppola, D. 476 (1989) 269
- Une, T., see Matsubayashi, K. 495 (1989) 354
- Unger, K.K., see Anspach, B. 457 (1988) 195
- Unger, K.K., see Anspach, F.B. 476 (1989) 205
- Unger, K.K., see Anspach, F.B. 499 (1990) 103
- Unger, K.K., see Davankov, V.A. 500 (1990) 519
- Unger, K.K., see Giesche, H. 465 (1989) 39
- Unger, K.K., see Gilge, G. 476 (1989) 37
- Unger, K.K., see Lork, K.D. 476 (1989) 135
- Unger, K.K., see Seliger, H. 476 (1989) 49
- Unger, K.K., see Tock, P.P.H. 477 (1989) 95
- Union, A., see Vercaemest, R. 494 (1989) 43
- Unruh, G.E. Von, see Lohmar, F. 495 (1989) 281
- Unruh, L.E., see Lai, J.-S. 461 (1989) 327
- Uray, G., see Lindner, W. 487 (1989) 375
- Usero, J.L., see Montes, M. 481 (1989) 97
- Usui, Y., Nishimura, N., Kobayashi, N., Okanou, T., Kimoto, M. and Ozawa, K.
Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291
- Utsumi, J., Yamamoto-Terasawa, I., Yamazaki, S. and Shimizu, H.
Elimination of contaminating *Escherichia coli* peptides in the purification of *Escherichia coli*-derived recombinant human interferon- β 1 by zinc chelate affinity chromatography 490 (1989) 193
- Uunk, L.G.M., see Schoenmakers, P.J. 459 (1988) 201
- Uusijärvi, J., Egestad, B. and Sjövall, J.
Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87
- V
- Vácha, J., Tkaczyková, M. and Rejholcová, M.
Determination of sodium azide in the presence of proteins by HPLC 488 (1989) 506
- Vacík, J., see Gaš, B. 470 (1989) 69
- Vadász, Z., Seprödi, J., Érchegeyi, J., Teplán, I. and Schön, I.
HPLC monitoring of transpeptidation reactions in analogues of gonadotropin releasing hormone containing aspartic acid derivatives in position six 477 (1989) 377
- Vaidya, R.A., see Hester, R.D. 462 (1989) 3
- Valentino, M., see Marchiseppe, I. 495 (1989) 288
- Valentová, O., see Adámek, V. 497 (1989) 268
- Valkó, K., Olajos, S. and Cserháti, T.
Prediction of the HPLC retention behaviour of some benzodiazepine derivatives by TLC 499 (1990) 361
- Valkó, K., Szabó, G., Röhrich, J., Jemnitz, K. and Darvas, F.
Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349
- Valle, M., see Ollás, J.M. 467 (1989) 279
- Van Balkom, C.A.A., see Geerdink, R.B. 481 (1989) 275
- Van Beek, T.A. and Blaakmeer, A.
Determination of limonin in grapefruit juice and other citrus juices by HPLC 464 (1989) 375
- Van Beers, C.J.T., see Van Tellingen, O. 488 (1989) 379
- Van Bennekom, W.P., see Van Opstal, M.A.J. 495 (1989) 139
- Van Berkel-Geldof, O., Kraak, J.C. and Poppe, H.
Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345
- Van Biljon, P.L. and Olivier, S.P.
Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 473 (1989) 305
- Van Binsbergen, H., see Genuit, W. 474 (1989) 145
- Van Bladeren, P.J., see Bogaards, J.J.P. 474 (1989) 435
- Van Blitterswijk, H., see Van Ginkel, L.A. 489 (1989) 95
- Van Brocklin, L., see Chen, T.-W. 484 (1989) 167
- Van Damme, F., see Verzele, M. 471 (1989) 335
- Vandeginste, B.G.M., see Mulholland, M. 485 (1989) 283
- Vandeginste, B.G.M., see Strasters, J.K. 499 (1990) 499
- Van de Goor, A.A.A.M., Wanders, B.J. and Everaerts, F.M.
Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95
- Van de Goor, A.A.A.M., see Wanders, B.J. 470 (1989) 89

- Van de Grampel, V.J.M., see Gerding, T.K. 487 (1989) 125
- Van de Heeft, E., see Van Ginkel, L.A. 489 (1989) 111
- Vandekerckhove, D., see Vanluchene, E. 456 (1988) 175
- Van de Kraats, C., see Schreuder, R.H. 467 (1989) 177
- Van den Berg, H., see Arts, C.J.M. 489 (1989) 225
- Van den Berg, J.H.M., see Lammers, N.G.F.M. 499 (1990) 541
- Van den Berg, J.H.M., see Tipker, J. 452 (1988) 227
- Van den Berg, R.H., see Jansen, E.H.J.M. 489 (1989) 57
- Van den Berg, R.H., see Jansen, E.H.J.M. 489 (1989) 245
- Van den Bergh-Swart, J.K., see Tipker, J. 452 (1988) 227
- Van den Bosch, D., see Jansen, E.H.J.M. 489 (1989) 205
- Van den Broek, H.H., see Kootstra, P.R. 458 (1988) 175
- Van den Heuvel, M.P.M., see Onkenhout, W. 494 (1989) 31
- Van der Greef, J., Niessen, W.M.A. and Tjaden, U.R.
LC-MS. The need for a multidimensional approach 474 (1989) 5
- Van der Greef, J., see Heeremans, C.E.M. 472 (1989) 219
- Van der Greef, J., see Heeremans, C.E.M. 474 (1989) 149
- Van der Greef, J., see Kokkonen, P. 474 (1989) 59
- Van der Greef, J., see Niessen, W.M.A. 454 (1988) 243
- Van der Greef, J., see Niessen, W.M.A. 474 (1989) 113
- Van der Greef, J., see Niessen, W.M.A. 478 (1989) 325
- Van der Greef, J., see Niessen, W.M.A. 492 (1989) 167
- Van der Greef, J., see Van Gelder, W.M.J. 482 (1989) 13
- Van der Greef, J., see Verheij, E.R. 474 (1989) 275
- Van der Greef, J., see Walhagen, A. 474 (1989) 257
- Van der Hoeven, R.A.M., see Heeremans, C.E.M. 472 (1989) 219
- Van der Hoeven, R.A.M., see Heeremans, C.E.M. 474 (1989) 149
- Van der Hoeven, R.A.M., see Niessen, W.M.A. 474 (1989) 113
- Van der Hoeven, R.A.M., see Niessen, W.M.A. 478 (1989) 325
- Van der Hoeven, R.A.M., see Walhagen, A. 474 (1989) 257
- Van der Hoorn, F.A.J., Boomsma, F., Man in 't Veld, A.J. and Schalekamp, M.A.D.H.
Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17
- Van der Horst, F.A.L., Eikelboom, G.G. and Holthuis, J.J.M.
HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191
- Van der Horst, F.A.L., Post, M.H., Holthuis, J.J.M. and Brinkman, U.A.T.
Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443
- Van der Horst, F.A.L., Post, M.H. and Holthuis, J.J.M.
Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-2-methoxycoumarin 456 (1988) 201
- Van der Horst, F.A.L., see Van Opstal, M.A.J. 495 (1989) 139
- Van der Laan, A., see Vertommen, M.H. 481 (1989) 452
- Van der Leer, T., see Hermans-Lokkerbol, A. 479 (1989) 39
- Van der Poel, P.F.H., see Onkenhout, W. 494 (1989) 31
- Van der Walt, L.A., see Boyle, D.M. 455 (1988) 434
- Van der Westhuizen, L., see Shephard, G.S. 491 (1989) 226
- Van der Wiele, K., see Verhaar, L.A.T. 472 (1989) 381
- Van der Woude, H.R., see Van Tellingen, O. 488 (1989) 379
- Van de Ven, L., see Hetem, M. 477 (1989) 3
- Van de Ven, L., see Hetem, M. 479 (1989) 269
- Van de Water, C., Tebbal, D. and Haagsma, N.
Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205

- Van Doorn, J.E., De Cock, J., Kežić, S. and Monster, A.C.
Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419
- Van Doorn, J.E., Goormachtig, P.F.J. and De Haan, A.
Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441
- Van Duyn, P., see Van Welie, R.T.H. 496 (1989) 463
- Van Ede, J., Nijmeijer, J.R.J., Welling-Wester, S., Örvell, C. and Welling, G.W.
Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319
- Van Elk, R., see Li, K.W. 472 (1989) 445
- Van Es, A., Rijks, J. and Cramers, C.
Turbulent flow in capillary GC 477 (1989) 39
- Van Gelder, W.M.J., Tuinstra, L.G.M.T., Van der Greef, J. and Scheffer, J.J.C.
Characterization of novel steroidal alkaloids from tubers of *Solanum* species by combined GC-MS. Implications for potato breeding 482 (1989) 13
- Van Ginkel, L.A., Stephany, R.W., Van Rossum, H.J., Steinbuch, H.M., Zomer, G., Van de Heeft, E. and De Jong, A.P.J.M.
Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111
- Van Ginkel, L.A., Stephany, R.W., Van Rossum, H.J., Van Blitterswijk, H., Zoontjes, P.W., Hooijschuur, R.C.M. and Zuydendorp, J.
Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95
- Van Ginneken, C.A.M., see Russel, F.G.M. 496 (1989) 234
- Vanhamel, S., see Delcour, J.A. 467 (1989) 149
- Van Haren, A.Y.N., see Zweipfenning, P.G.M. 456 (1988) 83
- Van Langenhove, H., see Janda, V. 472 (1989) 327
- Van Leeuwen, J.A., see Mulholland, M. 485 (1989) 283
- Van Look, L., Deschuytere, P. and Van Peteghem, C.
TLC method for the detection of anabolics in fatty tissues 489 (1989) 213
- Van Look, L., see Van Peteghem, C. 489 (1989) 219
- Van Look, L.J., see Jansen, E.H.J.M. 489 (1989) 205
- Vanluchene, E. and Vandekerckhove, D.
Group fractionation of free and conjugated steroids by means of disposable silica-based anion-exchange columns 456 (1988) 175
- Van Meijel, J.J.M., see Russel, F.G.M. 496 (1989) 234
- Van Middlesworth, D.H., see Fox, S.M. 494 (1989) 331
- Van Nispen, J.W., see Janssen, P.S.L. 470 (1989) 171
- Vannoort, R.W., see Thiebaut, D. 477 (1989) 151
- Van Ommen, B., see Bogaards, J.J.P. 474 (1989) 435
- Van Opstal, M.A.J., Van der Horst, F.A.L., Holthuis, J.J.M., Van Bennekom, W.P. and Bult, A.
Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample clean-up and column-switching 495 (1989) 139
- Van Pelt, F.N.A.M., Mennes, W.C., Hassing, I.G.A.M. and Blaauboer, B.J.
Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489
- Van Peteghem, C., Van Look, L. and De Guesquière, A.
Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219
- Van Peteghem, C., see Jansen, E.H.J.M. 489 (1989) 205
- Van Peteghem, C., see Van Look, L. 489 (1990) 213
- Van Rooij, H.H., see Verrijck, R. 491 (1989) 265
- Van Rossum, H.J., see Van Ginkel, L.A. 489 (1989) 95
- Van Rossum, H.J., see Van Ginkel, L.A. 489 (1989) 111
- Van Rozen, A.J., see Schotman, P. 483 (1989) 301
- Van Steenberghe, M.J., see Schilt, R. 489 (1989) 127
- Van Tellingen, O., Van der Woude, H.R., Beijnen, J.H., Van Beers, C.J.T. and Nooyen, W.J.
Stable and sensitive method for the simultaneous determination of N⁵-

- methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379
- Van Thiel, M.J.S., see Gladdines, M.M. 470 (1989) 105
- Van Vloten, P., see De Groot, G. 456 (1988) 71
- Van Welie, R.T.H., Van Duyn, P. and Vermeulen, N.P.E.
Determination of two mercapturic acid metabolites of 1,3-dichloropropene in human urine with GC and sulphur-selective detection 496 (1989) 463
- Van Zeeland, M.J.M., see Janssen, P.S.L. 470 (1989) 171
- Várady, L., Kalghatgi, K. and Horváth, C.
Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207
- Várady, L., see Mazsaroff, I. 499 (1990) 63
- Vařeka, J., see Punčochářová, J. 498 (1990) 248
- Varga-Puchony, Z., see Bartha, A. 499 (1990) 423
- Vargas, D., see Slacanin, I. 457 (1988) 325
- Varney, M.S., see Bianchi, A. 467 (1989) 111
- Varughese, P., Gangoda, M.E. and Gilpin, R.K.
Reversed-phase LC studies on non-ionic surfactants and related solutes 499 (1990) 469
- Vassilakos, C., see Katsanos, N.A. 471 (1989) 123
- Vassilaros, D.L., see Parees, D.M. 474 (1989) 462
- Vázquez, M.A., see García-Raso, A. 463 (1989) 441
- Vecchietti, R., see Torsi, G. 482 (1989) 207
- Veenendaal-Hesselman, H.M., see Vertommen, M.H. 481 (1989) 452
- Veenma-Van der Duin, L., see Wolf, J.H. 487 (1989) 496
- Vejrosta, J., Mikešová, M. and Drozd, J.
Sorption of *n*-alkanes on Tenax 464 (1989) 394
- Vekey, K., Edwards, D. and Zerilli, L.F.
LC-MS coupling and its application in pharmaceutical research 488 (1989) 73
- Vékey, K., Edwards, D.M.F. and Zerilli, L.F.
LC-MS studies on rifamycin antibiotics 474 (1989) 317
- Velthorst, N.H., see Schreurs, M. 482 (1989) 351
- Ven, L. Van de, see Hetem, M. 477 (1989) 3
- Ven, L. Van de, see Hetem, M. 479 (1989) 269
- Vendrell, J., see Burgos, F.J. 481 (1989) 233
- Venema, D.P., see Haasnoot, W. 483 (1989) 319
- Vent, S. Le, see Akporhonor, E.E. 463 (1989) 271
- Ventura, P., see Girometta, M.A. 487 (1989) 117
- Vercaemest, R., Union, A. and Rosseneu, M.
Separation and quantitation of free cholesterol and cholesteryl esters in a macrophage cell line by HPLC 494 (1989) 43
- Vercambre, C., see Labbé, D. 490 (1989) 275
- Verdini, A.S., see Viscomi, G.C. 482 (1989) 99
- Vereczkey, L., see Csillag, K. 490 (1989) 355
- Vereshchagin, A.G., see Zhukov, A.V. 474 (1989) 400
- Vergnes, M.F., Grosset, C. and Alary, J.
HPLC study of the potential metabolites of caffeine. Comparison of different techniques (in French) 455 (1988) 369
- Vergori, F., see Di Muccio, A. 456 (1988) 143
- Vergori, F., see Di Muccio, A. 456 (1988) 149
- Verhaar, L.A.T., Meuldijk, J. and Van der Wiele, K.
HPLC of mixtures of catechol and its reaction products with glyoxylic acid 472 (1989) 381
- Verhagen, H. and Kleinjans, J.C.S.
Rapid determination of isomer ratios of butylated hydroxyanisole by HPLC 464 (1989) 438
- Verhagen, L.C., see Verzele, M. 484 (1989) 361
- Verheggen, T.P.E.M., Beckers, J.L. and Everaerts, F.M.
Simple sampling device for capillary isotachopheresis and capillary zone electrophoresis 452 (1988) 615
- Verheggen, T.P.E.M., see Beckers, J.L. 452 (1988) 591
- Verheggen, T.P.E.M., see Zelenský, I. 470 (1989) 155
- Verheij, E.R., La Vos, G.F., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
Belt-speed programming, a new technique for peak compression in LC-MS and supercritical-fluid chromatography-mass spectrometry with moving-belt interfaces 474 (1989) 275
- Verillon, F., see Cooper, J.D.H. 456 (1988) 53
- Verma, K.K., Sanghi, S.K., Jain, A. and Gupta, D.
LC determination of bromide after pre-column derivatization to 4-bromoacetanilide 457 (1988) 345
- Vermeer, B., see Hetem, M. 477 (1989) 3
- Vermeulen, J.D., see Chovan, J.P. 494 (1989) 413
- Vermeulen, N.P.E., see Baldew, G.S. 491 (1989) 163
- Vermeulen, N.P.E., see Baldew, G.S. 496 (1989) 111
- Vermeulen, N.P.E., see Van Welie, R.T.H. 496 (1989) 463
- Verpoorte, R., see Hermans-Lokkerbol, A. 479 (1989) 39

- Verpoorte, R., see Pennings, E.J.M. 483 (1989) 311
- Verrijck, R., Van Rooij, H.H., Werner, J. and Porsius, A.J.
HPLC determination of milrinone in biological tissues and fluids 491 (1989) 265
- Vertommen, M.H., Van der Laan, A. and Veenendaal-Hesselman, H.M.
HPLC screening method for low levels of nicarbazin in eggs with off-line cartridge sample clean-up 481 (1989) 452
- Vervloessem, A., see Stienlet, D. 475 (1989) 247
- Verweij, A., see Kientz, C.E. 467 (1989) 385
- Verzele, M., Steenbeke, G., Verhagen, L.C. and Strating, J.
Preparative LC of hop and beer bitter acids 484 (1989) 361
- Verzele, M., Steenbeke, G. and Vindevogel, J.
Micro-LC with diode array detection 477 (1989) 87
- Verzele, M., Van Damme, F., Schuddinck, G. and Vyncke, P.
Quantitative microscale LC of piperine in pepper and pepper extracts 471 (1989) 335
- Verzele, M., see Lammers, N.G.F.M. 499 (1990) 541
- Verzele, M., see Nagels, L.J. 459 (1988) 163
- Vesterberg, O.
History of electrophoretic methods 480 (1989) 3
- Vestri, L., see Antonozzi, I. 459 (1988) 319
- Veuthey, J.L., Janicot, J.L., Caude, M. and Rosset, R.
Comparative SFC properties of carbon dioxide and sulphur hexafluoride-ammonia mixtures with packed columns 499 (1990) 637
- Vicchio, A.M.T.D., Mulshine, J.L. and Yergey, A.L.
HPLC with thermospray MS detection of α -carboxyamido amino acids 474 (1989) 187
- Vida, L., see Szepesy, L. 499 (1990) 197
- Vidal, P., Deckert, T., Hansen, B. and Welinder, B.S.
High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* 14 C-glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 476 (1989) 467
- Vidal-Madjar, C., Jaulmes, A., Racine, M. and Sébille, B.
Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 458 (1988) 13
- Vidal-Ollivier, E., Schwadrohn, G., Elias, R., Balansard, G. and Babadjamian, A.
Determination of the ophthalmic drug guaiazulene by HPLC 463 (1989) 227
- Viden, I. and Řezanka, T.
Capillary GC-MS of very-long-chain α,ω -dicarboxylic acid dimethyl esters from *Equisetum* (horsetail) 465 (1989) 390
- Viden, I., see Řezanka, T. 472 (1989) 290
- Vienne, B., see Dessalles, M.C. 487 (1989) 215
- Vigh, G., Farkas, G. and Quintero, G.
Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251
- Vigh, G., Quintero, G. and Farkas, G.
Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237
- Vigh, G., see Bartha, A. 485 (1989) 383
- Vigh, G., see Bartha, A. 485 (1989) 403
- Vigh, G., see Bartha, A. 499 (1990) 423
- Vijayalakshmi, M.A., see Kirchberger, J. 483 (1989) 289
- Vijayalakshmi, M.A., see Ruttyn, Y. 491 (1989) 299
- Vijayalakshmi, P., see Chandrasekhara Rao, T. 466 (1989) 403
- Vijayaraghavan, R., see Rao, S.S. 493 (1989) 210
- Vijlder, J.J.M. De, see Kootstra, P.R. 458 (1988) 175
- Viktorova, E.N., see Berezkin, V.G. 456 (1988) 351
- Villani, C., see Gasparrini, F. 457 (1988) 235
- Vince, R., see Rimmel, R.P. 489 (1989) 323
- Vinçon, G.A., see Demotes-Mainaird, F.M. 490 (1989) 115
- Vindevogel, J., see Verzele, M. 477 (1989) 87
- Vink, J., see Hindriks, R. 485 (1989) 255
- Vinkx, C.J.A., see Delcour, J.A. 467 (1989) 149
- Virgili, P. and Henry, J.A.
Determination of lofepramine and desipramine using HPLC and electrochemical detection 496 (1989) 228
- Viscomi, G.C., Ziggotti, A. and Verdini, A.S.
Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99
- Viscomi, G.C., see Cardinali, F. 499 (1990) 37
- Visconti, A., see Palmisano, F. 465 (1989) 305
- Vistelle, R., Lamiabile, D. and Zinzou, M.
Simple HPLC method for the measurement

- of toloxatone in rabbit cerebrospinal fluid and plasma 490 (1989) 387
- Vitenberg, A.G. and Ioffe, B.V.
Basic equations in continuous gas extraction and their application to headspace analysis 471 (1989) 55
- Vítkovič, B., see Jokl, V. 470 (1989) 263
- Vlasenko, E.V., see Gavrilova, T.B. 454 (1988) 73
- Vlietinck, A.J., see Pieters, L.A. 462 (1989) 387
- Vloten, P. Van, see De Groot, G. 456 (1988) 71
- Vobecký, M.
Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446
- Vodička, L., see Punčochářová, J. 498 (1990) 248
- Voelkel, A.
Influence of experimental conditions upon polarity parameters as measured by GC 457 (1988) 73
- Voelkel, A.
Properties of topological indices as structural parameters for compounds containing oligoxyethylene chain(s) 464 (1989) 251
- Voelkel, A., Szymanowski, J., Beger, J. and Rüstig, H.
Measurement of the polarity of alkyl derivatives of diazopolyoxyethylene ethers by GC 454 (1988) 51
- Vohra, R.M. and Dube, S.
Identification and quantitation of rifamycins by reversed-phase HPLC 477 (1989) 463
- Volk, K.J., Yost, R.A. and Brajter-Toth, A.
Characterization of solution-phase and gas-phase reactions in on-line electrochemistry--thermospray tandem MS 474 (1989) 231
- Völker, U., see De Vries, J.X. 493 (1989) 149
- Volkers, K.J., see Baldew, G.S. 491 (1989) 163
- Volland, J.-P., see Breton, L. 497 (1989) 243
- Volmer, D., see Böhm, H.B. 478 (1989) 399
- Volpi, F., see De Felip, E. 489 (1989) 404
- Voncken, P., Schepers, G. and Schäfer, K.-H.
Capillary GC determination of *trans*-3'-hydroxycotinine simultaneously with nicotine and cotinine in urine and blood samples 479 (1989) 410
- Vongsaroj, R., see Prueksaritanont, T. 490 (1989) 175
- Von Tungeln, L.S. and Fu, P.P.
HPLC separation of ring-oxidized metabolites of nitro-polycyclic aromatic hydrocarbons 461 (1989) 315
- Von Unruh, G.E., see Lohmar, F. 495 (1989) 281
- Vos, D. De, see Emonds, A.J.G. 463 (1989) 445
- Vos, G.F. La, see Verheij, E.R. 474 (1989) 275
- Vos, R.H. De, see Heeremans, C.E.M. 472 (1989) 219
- Vouros, P., see Annan, R.S. 465 (1989) 285
- Vouros, P., see Bakthavachalam, J. 500 (1990) 373
- Vouros, P., see Kresbach, G.M. 476 (1989) 423
- Vouros, P., see Trainor, T.M. 452 (1988) 369
- Vouros, P., see Trainor, T.M. 457 (1988) 257
- Voyksner, R.D., see Tyczkowska, K. 490 (1989) 101
- Vries, J.B. De, see Den Daas, I. 487 (1989) 210
- Vries, J.X. De
Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297
- Vries, J.X. De and Völker, U.
Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149
- Vu, B.D., see Pinche, C. 463 (1989) 201
- Vu-Dac, N., see Steinmetz, A. 487 (1989) 154
- Vučković, G., Juranić, N., Radanović, D.J. and Čelap, M.B.
Effect of the central ion of octahedral transition metal complexes on their TLC R_F values 466 (1989) 227
- Vučković, G., Malinar, M.J. and Čelap, M.B.
Dependence of R_F values of cobalt(III) complexes on the size of diamine chelate ligands on silica gel thin layers 454 (1988) 362
- Vučković, G.N., see Tešić, Ž.L. 456 (1988) 346
- Vuik, J., see Heeremans, C.E.M. 472 (1989) 219
- Vukmanic, D. and Chiba, M.
Effect of organic solvents in sample solutions and injection volumes on chromatographic peak profiles of analytes in reversed-phase HPLC 483 (1989) 189
- Vuorilehto, L., Salonen, J.S. and Anttila, M.
Picogram level determination of medetomidine in dog serum by capillary GC with negative ion chemical ionization MS 497 (1989) 282
- Vyncke, P., see Verzele, M. 471 (1989) 335

W

- Waal, W.A.J. De, Kuiper, C.C.H.M., Maessen, F.J.M.J., Kraak, J.C., Wijnands, R. and Jonker, R.J.
Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115
- Wachter, R., see Whitley, R.D. 465 (1989) 137
- Wada, H., see Maruo, M. 466 (1989) 379
- Wade, J.L., see Lucy, C.A. 484 (1989) 61
- Wade, T.M., see Bogart, G.R. 483 (1989) 209
- Wadgaonkar, N., see Ocampo, A.P. 496 (1989) 167
- Wagemann, A., see Köppel, C. 491 (1989) 432
- Wagner, H., see Kuhn, R. 481 (1989) 343
- Wagner, H., see Mosher, R.A. 478 (1989) 39
- Wagner, J.G., see Ruggirello, D.A. 487 (1989) 73
- Wahl, G., see Liebich, H.M. 500 (1990) 615
- Wahl, J.H. and McGuffin, V.L.
Solvent modulation in LC: optimization strategies 485 (1989) 541
- Wahlström, A., see Persson, K. 491 (1989) 473
- Wahlund, K.-G. and Litzén, A.
Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73
- Wahlund, K.-G., see Litzén, A. 476 (1989) 413
- Wainer, I., see Brunner, C.A. 472 (1989) 277
- Wainer, I.W. and Chu, Y.-Q.
Use of mobile phase modifiers to alter retention and stereoselectivity on a bovine serum albumin HPLC chiral stationary phase 455 (1988) 316
- Wainer, I.W., see Chu, Y.-Q. 497 (1989) 191
- Wainer, I.W., see Jadaud, P. 476 (1989) 165
- Wainer, I.W., see Masurel, D. 490 (1989) 133
- Wakai, J., see Haginaka, J. 488 (1989) 341
- Wakamatsu, A., see Sato, J. 493 (1989) 239
- Waki, H. and Ando, S.
Column LC of calcium channel blockers 494 (1989) 408
- Waku, K., see Nakagawa, Y. 487 (1989) 239
- Walash, M.I., Salama, O.M. and Bishr, M.M.
Use of absorbance ratios in densitometric measurements for the characterization and identification of natural products of pharmacological interest 469 (1989) 390
- Walczak, B., Dreux, M., Chrétien, J.R., Morin-Allory, L., Lafosse, M. and Felix, G.
Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237
- Walhagen, A. and Edholm, L.-E.
Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371
- Walhagen, A., Edholm, L.-E., Heeremans, C.E.M., Van der Hoeven, R.A.M., Niessen, W.M.A., Tjaden, U.R. and Van der Greef, J.
Coupled column chromatography-MS. Thermospray LC-MS and LC-tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257
- Walker, T.A.
Separation of simple guanidines on cation-exchange columns using indirect ultraviolet detection 466 (1989) 438
- Walker, V., see Chong, W.K. 487 (1989) 147
- Wall, G.M. and Baker, J.K.
Determination of baclofen and α -baclofen in rat liver homogenate and human urine using solid-phase extraction, *o*-phthalaldehyde-*tert*-butyl thiol derivatization and HPLC with amperometric detection 491 (1989) 151
- Wall, J., see Huang, T. 452 (1988) 409
- Wallach, J., see Bosserhoff, A. 473 (1989) 71
- Walling, J.F.
Membership values as indicators of complications in chromatography 473 (1989) 267
- Walt, L.A. Van der, see Boyle, D.M. 455 (1988) 434
- Walter, D.J., see Schmitthener, H.F. 487 (1989) 197
- Walter, H. and Krob, E.J.
Analysis of density-fractionated rat red blood cells of different ages by partitioning in two-polymer aqueous phase systems 479 (1989) 307
- Walters, R.R., see Wu, D. 458 (1988) 169
- Walther, B., see Durrer, A. 495 (1989) 256
- Wan, H.
Large-volume spotting apparatus and its application to the semi-quantitative determination of organochlorine pesticides in tea 469 (1989) 403

- Wanders, B.J., Lemmens, A.A.G., Everaerts, F.M. and Gladdines, M.M.
Data acquisition in capillary isotachopheresis 470 (1989) 79
- Wanders, B.J., Van de Goor, A.A.A.M. and Everaerts, F.M.
Methods for on-line determination and control of electroendosmosis in capillary electrochromatography and electrophoresis 470 (1989) 89
- Wanders, B.J., see Van de Goor, A.A.A.M. 470 (1989) 95
- Wang, H., Pacáková, V. and Štulík, K.
Determination of ethylenethiourea in beverages without sample pretreatment using HPLC and amperometric detection on a copper electrode 457 (1988) 398
- Wang, J., see Kim, L.-S. 483 (1989) 359
- Wang, K.-T., see Chiou, S.-H. 491 (1989) 424
- Wang, K.-T., see Lo, L.-C. 472 (1989) 336
- Wang, K.-T., see Yu, H.-M. 456 (1988) 357
- Wang, L.-M., Woodward, C.N., White, J.C. and Capizzi, R.L.
Determination of ^3H -labelled cytosine arabinoside and eight metabolites in cell extracts by HPLC and scintillation spectrometry 491 (1989) 331
- Wang, N.-H.L., see Lee, C.K. 484 (1989) 29
- Wang, N.-H.L., see Whitley, R.D. 465 (1989) 137
- Wang, N.-H.L., see Whitley, R.D. 483 (1989) 263
- Wang, N.-S. and Lemmer, B.
Determination of citalopram in plasma and brain tissue of the rat by HPLC with UV detection 488 (1989) 492
- Wang, T., Hartwick, R.A. and Champlin, P.B.
Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147
- Wang, T., see Uden, P.C. 468 (1989) 319
- Wang, W.-K. and Huang, S.-D.
Rapid determination of seven herbicides in water or isooctane using C_{18} and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121
- Wang, Y., see Kruase, R.T. 459 (1988) 151
- Ward, K.D. and Manes, L.V.
Separation of the four optical isomers of a dihydropyridine calcium channel antagonist 478 (1989) 169
- Ward, K.D., see Seeman, J.I. 483 (1989) 169
- Ward, L.D., see Simpson, R.J. 476 (1989) 345
- Ward, S.A., see Idowu, O.R. 493 (1989) 125
- Ward, S.A., see Idowu, O.R. 495 (1989) 167
- Ward, T.J., see Seeman, J.I. 483 (1989) 169
- Warlich, R. and Mutschler, E.
TLC separation and in situ fluorimetric determination of ofloxacin in plasma and pleural fluid 490 (1989) 395
- Warne, A.J., see Stell, J.G.P. 475 (1989) 363
- Warner, F.P., see Dawkins, J.V. 452 (1988) 145
- Warner, R.M., see Prelusky, D.B. 494 (1989) 267
- Warrington, S.J., see Everett, D.W. 487 (1989) 365
- Warth, L.M., Cooper, R.S. and Fritz, J.S.
Low-capacity quaternary phosphonium resins for anion chromatography 479 (1989) 401
- Warth, L.M., Fritz, J.S. and Naples, J.O.
Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165
- Wasels, R., Belleville, F., Paysant, P., Nabet, P. and Krakowski, I.
Determination of morphine in plasma by GC using a macrobore column and thermoionic detection after Extrelut column extraction: application to follow-up morphine treatment in cancer patients 489 (1989) 411
- Watanabe, H., see Nohta, H. 467 (1989) 237
- Watanabe, H., see Nohta, H. 493 (1989) 15
- Watanabe, K., Yamashita, K., Ishibashi, M., Hayashi, Y., Yamamoto, S. and Miyazaki, H.
Microdetermination of 11-dehydrothromboxane B_2 in human urine by GC-selected-ion monitoring 468 (1989) 383
- Watanabe, M., see Mawatari, K.-I. 488 (1989) 349
- Watanabe, M., see Mawatari, K.-I. 491 (1989) 389
- Watanabe, N., Irie, T., Koyama, M. and Tominaga, T.
LC-atmospheric pressure ionization MS analysis of toremifene metabolites in human urine 497 (1989) 169
- Watanabe, Y., see Ikeda, K. 482 (1989) 240
- Watanabe, Y., see Kamahori, M. 465 (1989) 227
- Watanabe, Y., see Suzuji, S. 463 (1989) 188
- Water, C. Van de, Tebbal, D. and Haagsma, N.
Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205
- Waterman, P., see Hasan, A. 466 (1989) 399
- Watson, D.G., see Shafi, N. 490 (1989) 9
- Watson, G., see Elliger, S.S. 495 (1989) 249
- Watts, C., see Hammond, I. 474 (1989) 175
- Weaver, M.J., see Ramstad, T. 456 (1988) 287
- Weaver, M.J., see Ramstad, T. 456 (1988) 307
- Weavind, G.P., see Chong, W.K. 487 (1989) 147
- Weber, A., see Jenny, P.D. 490 (1989) 213

- Weber, D.J., see Shah, J.A. 496 (1989) 245
- Weber, P.C., see Uedelhoven, W.M. 497 (1990) 1
- Weber, R., see Schurig, V. 475 (1989) 23
- Weber, T.P., see Rigney, M.P. 484 (1989) 273
- Webster, H.K., see Krungkrai, J. 487 (1989) 51
- Wedlung, P.J., see Guttendorf, R.J. 489 (1989) 333
- Wedzicha, B.L. and Donovan, T.J.
Separation of derivatized black tea thearubigins by HPLC 478 (1989) 217
- Weems, H.B., see Yang, S.K. 461 (1989) 377
- Wegscheider, W., see Lankmayr, E.P. 485 (1989) 183
- Wegscheider, W., see Lankmayr, E.P. 485 (1989) 557
- Wegscheider, W., see Otto, M. 485 (1989) 453
- Wehling, R.L., see Dougherty, D.A. 480 (1989) 359
- Wehry, E.L., see Guilbault, L.F. 475 (1989) 237
- Weigang, F., Reiter, M., Jungbauer, A. and Katinger, H.
HPLC determination of metabolic products for fermentation control of mammalian cell culture: analysis of carbohydrates, organic acids and orthophosphate using refractive index and UV detectors 497 (1989) 59
- Weightman, H., see Caesar, R. 478 (1989) 191
- Weil, A., see Baillet, G. 456 (1988) 183
- Weinstein, S.H., see Everett, D.W. 487 (1989) 365
- Weiser, E.L., see Salotto, A.W. 498 (1990) 55
- Weissenberg, M., Levy, A., Schaeffler, I. and Levy, E.C.
HPLC analysis of the ajmalicine distribution in roots of *Catharanthus roseus* lines with different flower colours 452 (1988) 485
- Welie, R.T.H. Van, Van Duyn, P. and Vermeulen, N.P.E.
Determination of two mercapturic acid metabolites of 1,3-dichloropropene in human urine with GC and sulphur-selective detection 496 (1989) 463
- Welinder, B.S., Sørensen, H.H. and Hansen, B.
HPLC separation of membrane proteins isolated from erythrocyte ghosts 462 (1989) 255
- Welinder, B.S., see Linde, S. 462 (1989) 243
- Welinder, B.S., see Vidal, P. 476 (1989) 467
- Welling, G.W., see Van Ede, J. 476 (1989) 319
- Welling, G.W., see Welling-Wester, S. 476 (1989) 477
- Welling-Wester, S., Haring, R.M., Laurens, H., Örvell, C. and Welling, G.W.
Comparison of ion-exchange HPLC columns for purification of Sendai virus integral membrane proteins 476 (1989) 477
- Welling-Wester, S., see Van Ede, J. 476 (1989) 319
- Welsch, T., see Maurer, T. 471 (1989) 245
- Welten, K., see Irth, H. 491 (1989) 321
- Wenclawiak, B., see Bohm, M. 465 (1989) 17
- Wenger, P., Heydt, A., Egen, N.B., Long, T.D. and Bier, M.
Purification of lentil lectins using preparative electrophoresis 455 (1988) 225
- Wenisch, E., see Jungbauer, A. 476 (1989) 257
- Wenisch, E., see Righetti, P.G. 475 (1989) 293
- Wenisch, E., see Righetti, P.G. 500 (1990) 681
- Wentworth, W.E., Limerio, T., Batten, C.F. and Chen, E.C.M.
Non-radioactive electron-capture detector for GC 468 (1989) 215
- Wenzel, T.J., Bonasia, P.J. and Brewitt, T.
Application of metal β -diketonate polymers as selective sorbents in complex mixture analysis and for sulfur-containing compounds 463 (1989) 171
- Werneburg, B., see Bisseret, F. 490 (1989) 91
- Werner, A., Siems, W., Kowalewski, J. and Gerber, G.
Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77
- Werner, J., see Verrijck, R. 491 (1989) 265
- Weseman, J.M., see Schilt, R. 489 (1989) 127
- Wesierska-Gadek, J., see Lindner, H. 472 (1989) 243
- Westerlund, D., see Arvidsson, E. 461 (1989) 429
- Westerlund, D., see Johansson, M. 452 (1988) 241
- Westerlund, D., see Johansson, M. 459 (1988) 301
- Westerlund, D., see Pettersson, K.-J. 488 (1989) 447
- Westerlund, D., see Stefansson, M. 499 (1990) 411
- Westhuizen, L. Van der, see Shephard, G.S. 491 (1989) 226
- Westlake, J.P., see Smith, R.M. 455 (1988) 77
- Westley, J.W., see Poehland, B.L. 481 (1989) 421
- Wetlaufer, D.B., see Buckley, J.J. 464 (1989) 61
- Wetlaufer, D.B., see Gehas, J. 477 (1989) 249
- Whatley, F.R., see Greenaway, W. 472 (1989) 393
- Whatley, F.R., see Greenaway, W. 481 (1989) 352

- White, A.E., see Barford, R.A. 458 (1988) 57
- White, J.C., see Wang, L.-M. 491 (1989) 331
- White, R.L., Demarco, A.C. and Smith, K.C.
Analysis of *o*-phthalaldehyde derivatives of
acidic and polar amino acids in fermentation
broths by HPLC 483 (1989) 437
- Whitechurch, O., see Bischoff, R. 476 (1989) 245
- Whitley, R.D., Brown, J.M., Karajgikar, N.P.
and Wang, N.-H.L.
Determination of ion-exchange equilibrium
parameters of amino acid and protein systems
by an impulse response technique 483 (1989)
263
- Whitley, R.D., Wachter, R., Liu, F. and Wang,
N.-H.L.
Ion-exchange equilibria of lysozyme,
myoglobin and bovine serum albumin.
Effective valence and exchanger capacity 465
(1989) 137
- Whitlock, R.H., see Sweeney, R.W. 494 (1989)
278
- Whitman, W.B., see Mesbah, M. 479 (1989) 297
- Whitney, Jr., C.C., see Pieniaszek, Jr., H.J. 493
(1989) 79
- Wičar, S.
Sedimentation focusing field-flow
fractionation in channels of triangular cross-
section 454 (1988) 335
- Wichmann, J.K., see Hsu, R.S. 494 (1989) 347
- Widada, J.S., see Liautard, J. 476 (1989) 439
- Widstrom, N.W., see Snook, M.E. 477 (1989) 439
- Wiele, K. Van der, see Verhaar, L.A.T. 472 (1989)
381
- Wiesler, D., see Beale, S.C. 499 (1990) 579
- Wiesler, D., see Harvey, S. 491 (1989) 27
- Wightman, R.M., see Baur, J.E. 482 (1989) 65
- Wigren, C.A., see Krahn, M.M. 481 (1989) 263
- Wijayaratne, R., see Crary, J.R. 462 (1989) 85
- Wijnands, R., see De Waal, W.A.J. 462 (1989)
115
- Wikström, P., Mandenius, C.F. and Larsson, P.-
O.
Gas phase silylation, a rapid method for
preparation of HPLC supports 455 (1988)
105
- Wilhelm, A.M. and Riba, J.P.
Scale-up and optimization in production LC
484 (1989) 211
- Willers, S., see Skarping, G. 454 (1988) 293
- Williams, D.G., see Issaq, H.J. 452 (1988) 511
- Williams, D.R., Carter, G.T., Pinho, F. and
Borders, D.B.
Process-scale reversed-phase HPLC
purification of LL-E19020 α , a growth
promoting antibiotic produced by
Streptomyces lydicus ssp. *tanzanius* 484 (1989)
381
- Williams, E.D., see Brubaker, Jr., W.F. 496 (1989)
377
- Williams, J.A., Davies, D.S. and Murray, S.
Synthesis of 7 α -thiohydroxycholesterol
involving the resolution of epimeric
thiocholesterols by HPLC 483 (1989) 454
- Williams, M.H., see Bridge, T.P. 465 (1989) 59
- Williams, R.A., Macrae, R. and Shepherd, M.J.
Non-aqueous SEC coupled on-line to
reversed-phase HPLC. Interface development
and applications to the analysis of low-
molecular-weight contaminants and additives
in foods 477 (1989) 315
- Williams, S.S., Karnicky, J.F., Excoffier, J.-L.
and Abbott, S.R.
Expert system program for assistance in
HPLC method development 485 (1989) 267
- Williams, T., Jones, P. and Ebdon, L.
Simultaneous determination of Cr(III) and
Cr(VI) at ultratrace levels using ion
chromatography with chemiluminescence
detection 482 (1989) 361
- Williamson, J.R., see Eades, D.M. 490 (1989) 1
- Wills, M.R., see Herold, D.A. 496 (1989) 180
- Willsch, H., see Garrigues, P. 473 (1989) 207
- Willson, N.J., see Kogan, M.J. 490 (1989) 236
- Wilmers, B., see Boos, K.-S. 456 (1988) 93
- Wils, E.R.J. and Hulst, A.G.
Determination of organophosphorus acids by
thermospray LC-MS 454 (1988) 261
- Wilson, I.D., see Raynor, M.W. 467 (1989) 292
- Wilson, I.D., see Roberts, D.W. 471 (1989) 437
- Wilson, K., see Caprioli, R.M. 480 (1989) 247
- Wilson, R., see Chichila, T.M.P. 488 (1989) 389
- Wilson, T.D.
Validation of an amperometric HPLC
determination of epinephrine in bupivacaine
and epinephrine injection 498 (1990) 402
- Wilson, W.L., see By, A. 469 (1989) 406
- Winckler, K., Klinkmüller, K.D. and Schmahl,
H.-J.
Determination of the thalidomide analogues
2-(2,6-dioxopiperidine-3-yl)phthalimidine
(EM 12), 2-(2,6-dioxopiperidine-4-
yl)phthalimidine (EM 16) and their
metabolites in biological samples 488 (1989)
417
- Wingsle, G., Sandberg, G. and Hällgren, J.-E.
Determination of glutathione in Scots pine
needles by HPLC as its monobromobimane
derivative 479 (1989) 335
- Winkler, M.A., see Bush, D.A. 489 (1989) 303
- Winsauer, K., see Buchberger, W. 482 (1989) 401

- Winzor, D.J. and De Jersey, J.
Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377
- Wirth, H.-J., see Anspach, F.B. 476 (1989) 205
- Wirth, H.-J., see Anspach, F.B. 499 (1990) 103
- Wise, L., see Stein, T.A. 461 (1989) 267
- Wise, S.A., see Olsson, M. 477 (1989) 277
- Wiśniewski, M., Szymanowski, J. and Atamańczuk, B.
Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines 462 (1989) 39
- Wit, J.S.M. De, Tomer, K.B. and Jorgenson, J.W.
Characterization of the direct-probe open-tubular LC-MS interface parameters 462 (1989) 365
- Witkiewicz, Z.
Application of liquid crystals in chromatography (Review) 466 (1989) 37
- Witkiewicz, Z., see Mazur, J. 455 (1988) 323
- Witte, D.T., see De Zeeuw, R.A. 500 (1990) 661
- Wittliff, J.L., see Hyder, S.M. 476 (1989) 455
- Wittmann-Liebold, B., see Choli, T. 476 (1989) 59
- Wittner, R., see Brückner, H. 476 (1989) 73
- Wodecki, Z.J., Ślebioda, M. and Kołodziejczyk, A.M.
HPLC improvement of the Young racemization test 477 (1989) 454
- Woeldike, H., see Mortensen, S.B. 476 (1989) 227
- Wold, S., see Erlandsson, P. 466 (1989) 364
- Wolf, C., see Schmid, R.W. 478 (1989) 369
- Wolf, J.H., Veenma-Van der Duin, L. and Korf, J.
Automated analysis procedure for valproic acid in blood, serum and brain dialysate by HPLC with bromomethylmethoxycoumarin as fluorescent label 487 (1989) 496
- Wolfson, A.D., see Tsygankov, A.Y. 465 (1989) 325
- Wollenweber, E., see Greenaway, W. 481 (1989) 352
- Wong, B. and Castellanos, M.
Enantioselective measurement of the *Candida* metabolite D-arabinitol in human serum using multi-dimensional GC and a new chiral phase 495 (1989) 21
- Wong, O.S., see Hayakawa, K. 464 (1989) 343
- Wong, S.H.Y., Dellafera, S.S., Fernandes, R. and Kranzler, H.
Determination of fluoxetine and norfluoxetine by HPLC 499 (1990) 601
- Wong, Y.W.J. and Davis, P.J.
Analysis of warfarin and its metabolites by reversed-phase ion-pair LC with fluorescence detection 469 (1989) 281
- Wood, G., see Liu, D. 500 (1990) 395
- Wood, J.H., see Mallikaarjun, S. 493 (1989) 93
- Woodfield, S., see Albeck, H. 488 (1989) 435
- Woodrow, J.E. and Seiber, J.N.
Vapor-pressure measurement of complex hydrocarbon mixtures by headspace GC 455 (1988) 53
- Woods, B.A., see Sagliano, Jr, N. 458 (1988) 225
- Woodward, C.N., see Wang, L.-M. 491 (1989) 331
- Woollard, G.A.
Therapeutic drug monitoring of flecainide using HPLC and comparison with fluorescence polarisation immunoassay 487 (1989) 409
- Woude, H.R. Van der, see Van Tellingen, O. 488 (1989) 379
- Wright, A.G., Fell, A.F. and Berridge, J.C.
Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335
- Wright, A.G., Fell, A.F. and Berridge, J.C.
Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27
- Wright, G.J., see Osman, M.A. 489 (1989) 452
- Wright, L.A., see Lambert, W.J. 464 (1989) 400
- Wright, R.C., see Stout, R.W. 476 (1989) 21
- Wroński, M.
Influence of the cellulose content of cellulose gels on the electrophoretic mobility 469 (1989) 378
- Wu, C.-M., see Yu, T.-H. 462 (1989) 137
- Wu, D. and Walters, R.R.
Protein immobilization on silica supports. A ligand density study 458 (1988) 169
- Wu, P.-Y., Riegel, M. and Ellis, P.P.
HPLC assay for timolol in the aqueous humor of the eye 494 (1989) 368
- Wu, R.J., see Zhang, X.Y. 495 (1989) 343
- Wu, S.-H., see Lo, L.-C. 472 (1989) 336
- Wu, S.-L., Hancock, W.S., Pavlu, B. and Gellerfors, P.
Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 500 (1990) 595
- Wu, S.-L., see Frenz, J. 480 (1989) 379
- Wu, S.-L., see Sievert, H.-J.P. 499 (1990) 221

- Wu, S. and Dovichi, N.J.
High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141
- Wurst, M., see Kysilka, R. 464 (1989) 434
- Wurst, M., see Řezanka, T. 472 (1989) 290
- Wurth, C., Kumps, A. and Mardens, Y.
Urinary organic acids: retention indices on two capillary GC columns 491 (1989) 186
- Wyss, R. and Bucheli, F.
Determination of highly protein bound drugs in plasma using HPLC and column switching, exemplified by the retinoids 456 (1988) 33

X

- Xianren, Q. and Baeyens, W.
Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267
- Xianren, Q., Baeyens, W. and Michotte, Y.
Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15
- Xiao, R., see Zhang, T.-Y. 454 (1988) 185
- Xu, S., Norton, R.A., Crumley, F.G. and Nes, W.D.
Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Y

- Yamada, M., see Ikai, Y. 457 (1988) 333
- Yamada, M., see Ikai, Y. 477 (1989) 397
- Yamada, M., see Oka, H. 462 (1989) 315
- Yamadera, K., see Moriyama, T. 493 (1989) 164
- Yamagami, M., see Jinno, K. 485 (1989) 461
- Yamagishi, A., see Nakamura, Y. 482 (1989) 165
- Yamaguchi, E., see Nohta, H. 467 (1989) 237
- Yamaguchi, E., see Nohta, H. 493 (1989) 15
- Yamaguchi, J., see Dobashi, A. 480 (1989) 413
- Yamaguchi, M., see Iwata, T. 491 (1989) 404
- Yamaguchi, M., see Nakamura, Y. 482 (1989) 165
- Yamaguchi, M., see Yoshitake, T. 489 (1989) 364
- Yamamoto, A., Matsunaga, A., Ohto, M., Mizukami, E., Hayakawa, K. and Miyazaki, M.
Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 482 (1989) 145
- Yamamoto, E., see Lewis, N.G. 479 (1989) 345
- Yamamoto, H., Manabe, T. and Okuyama, T.
GPC combined with capillary electrophoresis for microanalysis of proteins 480 (1989) 277
- Yamamoto, H., Manabe, T. and Okuyama, T.
Capillary electrophoresis of nucleic acids with a fully automated apparatus 480 (1989) 331
- Yamamoto, H., see Matsunaga, H. 481 (1989) 368
- Yamamoto, K., see Tsuda, T. 456 (1988) 363
- Yamamoto, S., see Hamano, T. 457 (1988) 403
- Yamamoto, S., see Watanabe, K. 468 (1989) 383
- Yamamoto, T., see Matsuzawa, S. 498 (1990) 25
- Yamamoto-Terasawa, I., see Utsumi, J. 490 (1989) 193
- Yamanishi, T. and Kudo, H.
Adsorption equilibrium of hydrogen isotopes on alumina adsorbents for GSC 475 (1989) 125
- Yamasaki, Y. and Kato, Y.
Separation of intravenous IgG containing albumin by high-performance SEC on TSKgel G3000SWXL 467 (1989) 436
- Yamasaki, Y., Kitamura, T., Nakatani, S. and Kato, Y.
Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391
- Yamasaki, Y., Yokoyama, A., Ohnaka, A., Kato, Y., Murotsu, T. and Matsubara, K.-I.
High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299
- Yamasaki, Y., see Kato, Y. 478 (1989) 264
- Yagi, S., Izawa, K., Nakagawa, T., Tanaka, H., Yoshitake, A. and Mohri, Z.-I.
Efficient HPLC system for protein purification 493 (1989) 27

- Yamashita, G.T. and Rabenstein, D.L.
Determination of penicillamine, penicillamine disulfide and penicillamine–glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341
- Yamashita, H., Kuroki, S. and Nakayama, F.
Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255
- Yamashita, J., Satoh, H., Ôi, S., Suzuki, T., Miyano, S. and Takai, N.
HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid–chiral phenylethylamine bonded to silica gel 464 (1989) 411
- Yamashita, K., Motohashi, M. and Yashiki, T.
Sensitive HPLC determination of ionic drugs in biological fluids with short-wavelength UV detection using column switching combined with ion-pair chromatography: application to basic compounds 487 (1989) 357
- Yamashita, K., see Miyabayashi, T. 494 (1989) 209
- Yamashita, K., see Watanabe, K. 468 (1989) 383
- Yamashita, S., see Miyashita, M. 475 (1989) 135
- Yamashita, S., see Miyashita, M. 498 (1990) 137
- Yamauchi, Y., see Dobashi, A. 461 (1989) 121
- Yamazaki, M., see Fuji, Y. 479 (1989) 319
- Yamazaki, S., see Utsumi, J. 490 (1989) 193
- Yamazaki, Y., see Oka, H. 462 (1989) 315
- Yamazoe, Y., see Kitada, Y. 474 (1989) 447
- Yan, Y.-P., see Tan, H.S.I. 475 (1989) 381
- Yanagawase, S., see Suemitsu, R. 454 (1988) 406
- Yanagihara, Y., see Noguchi, K. 461 (1989) 365
- Yanagihara, Y., see Seki, T. 459 (1988) 245
- Yang, J.M., Chan, K. and Jiang, W.D.
Improved column LC method for the determination of moricizine in plasma or serum 490 (1989) 458
- Yang, S.K., Mushtaq, M., Bao, Z., Weems, H.B., Shou, M. and Lu, X.-L.
Improved enantiomeric separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to O-methyl ethers 461 (1989) 377
- Yang, T., see Kern, J.R. 457 (1988) 309
- Yang, X.F., see Armstrong, D.W. 456 (1988) 440
- Yarmush, D., see Oroszlan, P. 500 (1990) 481
- Yarmush, D.M., see Blanco, R. 482 (1989) 1
- Yasaka, Y., see Funazo, K. 481 (1989) 211
- Yashiki, T., see Miyabayashi, T. 494 (1989) 209
- Yashiki, T., see Yamashita, K. 487 (1989) 357
- Yashin, Y.I., see Hradil, J. 475 (1989) 209
- Yasuda, H., see Haginaka, J. 488 (1989) 341
- Yatani, K., see Miyabayashi, T. 494 (1989) 209
- Yates, S., see Edwards, R.J. 490 (1989) 424
- Yau, W.W., see Kirkland, J.J. 499 (1990) 655
- Yeom, Y.-H., see Rimmel, R.P. 489 (1989) 323
- Yergey, A.L., see Vicchio, A.M.T.D. 474 (1989) 187
- Yeung, E.S., see Chan, K.C. 457 (1988) 421
- Yeung, E.S., see Gross, L. 480 (1989) 169
- Yeung, E.S., see Ma, Y. 455 (1988) 382
- Yeung, E.S., see Zhu, J. 463 (1989) 139
- Yinon, J., Jones, T.L. and Betowski, L.D.
Particle beam LC–electron impact MS of dyes 482 (1989) 75
- Yip, T.-T., see Hutchens, T.W. 500 (1990) 531
- Yocklovich, S.G., see Geiser, F.O. 459 (1988) 173
- Yokoyama, A., see Yamasaki, Y. 467 (1989) 299
- Yokoyama, Y., see Murata, K. 496 (1989) 27
- Yon, R.J.
Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13
- Yonekawa, W.D., see Kapetanovic, I.M. 500 (1990) 387
- Yonger, J., see Pinche, C. 463 (1989) 201
- Yonker, C.R. and Smith, R.D.
Effect of the partial molar volume of the solute in the stationary phase on retention in SFC 459 (1988) 183
- Yoo, Y., see Uden, P.C. 468 (1989) 319
- Yoshida, H., see Kan, M. 478 (1989) 238
- Yoshida, H., see Tanaka, S. 472 (1989) 303
- Yoshida, H., see Tanaka, S. 498 (1990) 205
- Yoshida, K., see Murata, K. 496 (1989) 27
- Yoshida, M., see Niwa, T. 452 (1988) 85
- Yoshida, S., see Oeda, T. 482 (1989) 117
- Yoshida, T., Hatano, T. and Okuda, T.
Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139
- Yoshida, T., Uetake, A., Nakai, C., Nimura, N. and Kinoshita, T.
LC determination of biotin by using 1-pyrenyldiazomethane as a pre-column fluorescent labelling reagent 456 (1988) 421
- Yoshida, T., see He, L.-Y. 481 (1989) 428
- Yoshida, T., see Ito, Y. 456 (1988) 392
- Yoshida, T., see Oshima, T. 455 (1988) 410
- Yoshida, T., see Sasagawa, T. 485 (1989) 533
- Yoshitake, A., see Yagi, S. 493 (1989) 27
- Yoshitake, T., Hara, S., Yamaguchi, M., Nakamura, M., Ohkura, Y. and Görög, S.
Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 489 (1989) 364

- Yoshiya, I., see Hosotsubo, H. 487 (1989) 204
 Yoshizumi, H., see Niwa, T. 491 (1989) 397
 Yoshizumi, H., see Niwa, T. 493 (1989) 347
 Yost, R.A., see Volk, K.J. 474 (1989) 231
 Yotsuyanagi, T., see Saitoh, T. 469 (1989) 175
 Yousif, M.Y., see Fitzgerald, R.L. 490 (1989) 59
 Yoza, N., see Baba, Y. 458 (1988) 385
 Yu, H.-M., Chen, S.-T., Chiou, S.-H. and Wang, K.-T.
 Determination of amino acids on Merrifield resin by microwave hydrolysis 456 (1988) 357
 Yu, Q., see Lee, C.K. 484 (1989) 29
 Yu, R.K., see El Rassi, Z. 488 (1989) 229
 Yu, T.-H. and Wu, C.-M.
 Effects of pH on the formation of flavour compounds of disrupted garlic 462 (1989) 137
 Yukioka, M., see Hatayama, T. 481 (1989) 403
 Yuthavong, Y., see Krungkrai, J. 487 (1989) 51
- Z**
- Zacchello, F., see Ferrari, V. 497 (1989) 101
 Zaikov, C., see Bardarov, V. 479 (1989) 97
 Zaliz, R., see Kol, O. 474 (1989) 452
 Zambeli, N., see Škvorc, I. 498 (1990) 428
 Zambonin, P.G., see Palmisano, F. 465 (1989) 305
 Zambonin, P.G., see Palmisano, F. 493 (1989) 35
 Zamora, M., see Foley, J.P. 478 (1989) 287
 Zandomeneghi, M. and Cavazza, M.
 Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289
 Zanetti, M., see Guenzi, A. 494 (1989) 219
 Zare, R.N., see Aguilar, M. 480 (1989) 427
 Zare, R.N., see Huang, X. 480 (1989) 95
 Zare, R.N., see Huang, X. 480 (1989) 285
 Zare, R.N., see Pentoney, Jr., S.L. 480 (1989) 259
 Zav'yalov, V.P., see Shukun, S.A. 496 (1989) 121
 Zecca, L. and Ferrario, P.
 Determination of diclofenac in plasma and synovial fluid by HPLC with electrochemical detection 495 (1989) 303
 Zece, M.G., see Dougherty, D.A. 480 (1989) 359
 Zeeland, M.J.M. Van, see Janssen, P.S.L. 470 (1989) 171
 Zeeuw, R.A. De
 Modern chromatographic procedures in systematic toxicological analysis 488 (1989) 199
 Zeeuw, R.A. De, Witte, D.T. and Franke, J.-P.
 Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661
 Zeeuw, R.A. De, see Gerding, T.K. 487 (1989) 125
 Zegers, K., see Bruin, G.J.M. 471 (1989) 429
 Zeilinger, K., see Josić, D. 484 (1989) 327
 Zelenský, I., Kaniansky, D., Havaši, P., Verheggen, T.P.E.M. and Everaerts, F.M.
 Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155
 Zelikman, I., see Hjertén, S. 481 (1989) 175
 Zelikman, I., see Hjertén, S. 481 (1989) 187
 Zell, M., see Timm, U. 494 (1989) 119
 Zentner, M., see Doster, D.E. 461 (1989) 293
 Zerilli, L.F., see Vékey, K. 474 (1989) 317
 Zerilli, L.F., see Vekey, K. 488 (1989) 73
 Zhang, G., see Oshima, T. 455 (1988) 410
 Zhang, G.-D., see He, L.-Y. 481 (1989) 428
 Zhang, M. and Phillips, J.B.
 Determination of activity coefficients of binary liquids by capillary GC with thermal desorption modulation for direct headspace sampling 478 (1989) 141
 Zhang, R., see Hjertén, S. 473 (1989) 273
 Zhang, T.-Y., Lee, Y.-W., Fang, Q.C., Xiao, R. and Ito, Y.
 Preliminary applications of cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography 454 (1988) 185
 Zhang, T.-Y., see Ito, Y. 455 (1988) 151
 Zhang, X.Y., Wu, R.J., Chen, J. and An, D.K.
 Determination of glycyrrhizin and its metabolite glycyrrhetic acid in rabbit plasma by HPLC after oral administration of licorizin 495 (1989) 343
 Zhang, Y., see Kim, L.-S. 483 (1989) 359
 Zhao, Q., see Piot, J.-M. 481 (1989) 221
 Zheivot, V.I., Shalaeva, M.E., Gavrillov, V.Y., Fenelonov, V.B., Ovsyannikova, I.A. and Malakhov, V.V.
 Intermolecular interactions in the sorbate-modified graphitized thermal carbon black system 472 (1989) 155

- Zhong, W.Z. and Lakings, D.B.
Determination of pioglitazone in dog serum using solid-phase extraction and HPLC with UV (229 nm) detection 490 (1989) 377
- Zhou, F.L., Muller, D., Santarelli, X. and Jozefonvicz, J.
Coated silica supports for high-performance affinity chromatography of proteins 476 (1989) 195
- Zhou, N.E., see Mant, C.T. 476 (1989) 363
- Zhou, N.E., see Mant, C.T. 485 (1989) 365
- Zhou, W., see Holzhauser-Rieger, K. 499 (1990) 609
- Zhu, A. and Chen, Y.
High-voltage capillary zone electrophoresis of red blood cells 470 (1989) 251
- Zhu, D.-Q., see Tanaka, M. 469 (1989) 429
- Zhu, J. and Yeung, E.S.
Quantitative TLC by laser pyrolysis and flame ionization or electron-capture detection 463 (1989) 139
- Zhu, M., Hansen, D.L., Burd, S. and Gannon, F.
Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311
- Zhu, P., see Ren, Y. 457 (1988) 354
- Zhukov, A.V., Kusnetsova, E.I. and Vereshchagin, A.G.
Activation of thin adsorbent layers by an anhydrous organic solvent 474 (1989) 400
- Ziemniak, J.A., see Boppana, V.K. 487 (1989) 385
- Ziffer, H., see Hu, Y. 482 (1989) 227
- Ziggiotti, A., see Cardinali, F. 499 (1990) 37
- Ziggiotti, A., see Viscomi, G.C. 482 (1989) 99
- Zimmerli, B., Dick, R. and Baumann, U.
HPLC determination of citrinin in cereals using an acid-buffered silica gel column 462 (1989) 406
- Zimmerman, C.L., see Remmel, R.P. 489 (1989) 323
- Zinzou, M., see Vistelle, R. 490 (1989) 387
- Zlatkis, A., see Kim, K.R. 468 (1989) 289
- Zlatkis, Z., see Attygalle, A.B. 472 (1989) 284
- Žmitek, J., Štendler, T., Rusjakovski, B., Kocjan, D. and Božnar, B.
Use of ^1H NMR spectroscopy in the selection of the mobile phase for HPLC monitoring of the synthesis of ibuprofen 467 (1989) 276
- Zogg, G.C., see Nyiredy, S. 499 (1990) 453
- Zomer, G., see Van Ginkel, L.A. 489 (1989) 111
- Zook, M.N., see Gottstein, H.D. 481 (1989) 55
- Zoontjes, P.W., see Van Ginkel, L.A. 489 (1989) 95
- Zoun, P.E.F. and Spierenburg, T.J.
Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448
- Zschiesche, M. and Baumann, A.
Determination of the β -adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 488 (1989) 482
- Zühlsdorf, M., see Schleyer, E. 497 (1989) 109
- Zumbrunnen, R., see Timm, U. 494 (1989) 119
- Zürcher, F., see Schneider, R.P. 462 (1989) 293
- Zuska, J., see Gaš, B. 470 (1989) 69
- Zuydendorp, J., see Van Ginkel, L.A. 489 (1989) 95
- Zweipfenning, P.G.M., Lisman, J.A., Van Haren, A.Y.N., Dijkstra, G.R. and Holthuis, J.J.M.
Determination of Δ^9 -tetrahydrocannabinol in plasma using solid-phase extraction and HPLC with electrochemical detection 456 (1988) 83

SUBJECT INDEX

VOLUMES 451–500

A

A-64730

HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379

Abecarnil

Automated HPLC assay for the β -carboline derivative Abecarnil in plasma 495 (1989) 324

Z-Abienol

Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429

Absorbance detectors

Experimental and theoretical model of refractive index artifacts in absorbance detection 459 (1988) 119

Absorbance ratios

Use of absorbance ratios in densitometric measurements for the characterization and identification of natural products of pharmacological interest 469 (1989) 390

Acceleration, mathematical analysis

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 463 (1989) 305

Acepromazine

Determination of residues of carazolol and a number of tranquilizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Acesulfame K

Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463

Acetaldehyde

Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310

2-Acetamido-*p*-benzoquinone

Use of thermospray LC-MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regioisomer of acetaminophen 474 (1989) 209

4-Acetamido-*o*-benzoquinone

Use of thermospray LC-MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regioisomer of acetaminophen 474 (1989) 209

Acetaminophen

see Paracetamol

Acetate

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Acetazolamide

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Acetochlor

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Acetonitrile

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

2-Acetylaminofluorene

GC-MS study of deacetylation and oxidation of 2-acetylaminofluorene by rat liver epithelial cell lines upon cocarcinogen induction 488 (1989) 237

Acetylamino-polynuclear aromatic hydrocarbons

Separation of amino- and acetylamino-polycyclic aromatic hydrocarbons by reversed- and normal-phase HPLC 461 (1989) 327

N-Acetyl-5-aminosalicylic acid

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Acetylcellulose

Dual retention mechanism on commercial acetylcellulose as a stationary phase in planar chromatography 454 (1988) 352

Acetyl chloride

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride 455 (1988) 119

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197

N-Acetyl-S-(3-chloropropenyl-2)-L-cysteine

Determination of two mercapturic acid metabolites of 1,3-dichloropropene in human urine with GC and sulphur-selective detection 496 (1989) 463

Acetylcholine

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Simultaneous measurement of acetylcholine and dopamine releases in rat striatum under freely moving conditions with a brain dialysis method 494 (1989) 297

Acetylcodeine

Programmable temperature vaporizer applications in a high-resolution GC method

for the quantitation of impurities in illicit heroin 466 (1989) 384

N-Acetyl-L-cysteine

Quantification of L-3-(3-hydroxy-4-pivaloyloxyphenyl)alanine (NB-355) by HPLC using *o*-phthalaldehyde/N-acetyl-L-cysteine derivatization 494 (1989) 183

14-Acetyldictiocarpine

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

N-Acetylhydroxysulphapyridine

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Acetylisoniazid

Determination of isoniazid methanesulphonate and its metabolites in rabbit blood by HPLC 493 (1989) 305

N-Acetyl-3-methoxy-*p*-benzoquinone

Use of thermospray LC-MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regioisomer of acetaminophen 474 (1989) 209

N-Acetylneuraminic acid

HPLC of sialooligosaccharides and gangliosides 488 (1989) 229

3-Acetylpyrrolidine-2,4-diones, 5-substituted

Ion-pair, anion-exchange and ligand-exchange HPLC of tenuazonic acid and 3-acetyl 5-substituted pyrrolidine-2,4-diones 464 (1989) 307

Acetylsalicylic acid

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

O-Acetylsalicyloyl chloride

Derivatisation of amines with O-acetylsalicyloyl chloride to enhance electrochemical detection in HPLC 455 (1988) 349

N-Acetylsulphapyridine

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

N-Acetylsulphapyridine O-glucuronide

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

2-Acetyl-4(5)-tetrahydroxybutylimidazole

Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by HPLC with confirmation by chemical derivatization 466 (1989) 421

N-Acetyltransferase

Microassay for N-acetyltransferase activity using HPLC with electrochemical detection 487 (1989) 287

Acid deposition

Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297

 α_1 -Acid glycoprotein

Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406

α_1 -Acid glycoprotein HPLC column (Enantiopac) as a screening tool for protein binding 487 (1989) 257

One-step purification of rat plasma α_1 -acid glycoprotein by antibody affinity chromatography: application to normal and inflamed rat sera 489 (1989) 273

Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629

 α -Acids

Preparative LC of hop and beer bitter acids 484 (1989) 361

Acitretin

HPLC determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 500 (1990) 637

Acrivastine

Quantitative GC-MS analysis of acrivastine and a metabolite in human plasma 497 (1989) 288

Activated charcoal

Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121

Activation, thin layers

Activation of thin adsorbent layers by an anhydrous organic solvent 474 (1989) 400

Activity coefficients

Solubility parameters of GC mixed stationary phases 457 (1988) 55

Determination of activity coefficients of binary liquids by capillary GC with thermal desorption modulation for direct headspace sampling 478 (1989) 141

Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1
Study of partition models in reversed-phase LC based on measured mobile phase solute activity coefficients 499 (1990) 373

Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215

Activity stain

Activity stain for polygalacturonase 455 (1988) 376

Acyl coenzyme A

Hydrophobic interaction chromatography of small molecules: characterization of the retention of acyl coenzyme A homologues 477 (1989) 249

N-Acyl-L-cysteines

Automated enantioseparation of amino acids by derivatization with *o*-phthalaldehyde and N-acylated cysteines 476 (1989) 73

Acylglycines

Urinary organic acids: retention indices on two capillary GC columns 491 (1989) 186

Adenine

HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311

Adenine nucleotides

Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by HPLC 459 (1988) 229

Measurement of the release of adenine nucleotides during platelet aggregation by small-bore-column isocratic HPLC 459 (1988) 281

Adenosine

HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides.

Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311

Simultaneous quantitative HPLC determination of cyclic adenosine 3',5'-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 489 (1989) 394

Adenosine derivatives

Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and log P values 498 (1990) 179

Adenosine 3':5'-monophosphate

Determination of cyclic nucleotide phosphodiesterase activity in cellular systems by ion-pair reversed-phase LC 483 (1989) 427

Simultaneous quantitative HPLC determination of cyclic adenosine 3',5'-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 489 (1989) 394

Adenosine 5'-triphosphate

Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

Adhumulone

Preparative LC of hop and beer bitter acids 484 (1989) 361

Adibendan

Automated pre-column HPLC method for the investigation of adibendan metabolism 490 (1989) 155

Adrenaline

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Simultaneous HPLC determination of catecholamine-related compounds by post-

column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites.

Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Highly sensitive determination of catecholamine and serotonin concentrations in plasma by LC electrochemistry 493 (1989) 157

Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287

Catecholamine measurements in urine by HPLC with amperometric detection-comparison with an autoanalyser fluorescence method 494 (1989) 53

Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Validation of an amperometric HPLC determination of epinephrine in bupivacaine and epinephrine injection 498 (1990) 402

 α_2 -Adrenergic receptor antagonist

Determination of picogram levels of a novel α_2 -adrenergic receptor antagonist in plasma using solid-phase extraction and capillary GC with nitrogen-selective detection 488 (1989) 476

β -Adrenoceptor antagonists

Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257

Adsorbent layer, activation

Activation of thin adsorbent layers by an anhydrous organic solvent 474 (1989) 400

Adsorbents

GC retention on carbon adsorbents coated with monolayers of polynuclear aromatic hydrocarbons 454 (1988) 73

Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121

Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105

Intermolecular interactions in the sorbate-modified graphitized thermal carbon black system 472 (1989) 155

Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159

Characterization of polyimide sorbents by using tracer pulse chromatography 498 (1990) 41

New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349

Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481

Adsorption

Studies of adsorption and partition effects in LC with mixed mobile phases 452 (1988) 131

Adsorption of Co(III) complexes on cellulose 456 (1988) 444

Study of the adsorption of methyl red on thermally treated GLC packings 457 (1988) 377

Role of unreacted silanols in the adsorption properties of derivatized silica 461 (1989) 243

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Sorption of *n*-alkanes on Tenax 464 (1989) 394

GSC on open-tubular columns: an isotope effect 471 (1989) 37

Solvent composition effects on the retention characteristics of aromatic hydroxyl compounds with silica and polar mobile phases and interpretation by the Snyder model 474 (1989) 347

Adsorption equilibrium of hydrogen isotopes on alumina adsorbents for GSC 475 (1989) 125

Adsorbability to and desorbability from Sephadex G-15 of sodium and phosphate ions 475 (1989) 412

Adsorption chromatography on cellulose. V. A simple chromatographic system for the identification of inks 475 (1989) 451

Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5

High-pressure adsorption of carbon dioxide on SFC adsorbents 479 (1989) 251

High-speed analytical sensor for in-line monitoring of dissolved analytes flowing in a tube employing a combination of limited diffusion, laminar flow and plug solvent injections 481 (1989) 111

Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187

Modelling single-component protein adsorption to the cation exchanger S Sepharose[®] FF 498 (1990) 113

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

Adsorption chromatography

Unified theory of adsorption chromatography: gas, liquid and supercritical fluid mobile phases 452 (1988) 17

Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253

Adsorption isotherms

Extension of the electrostatic theory of reversed-phase ion-pair chromatography for high surface concentrations of the adsorbing amphiphilic ion 456 (1988) 253

Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105

Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357

Study of the representation of competitive isotherms and of the intersection between adsorption isotherms 475 (1989) 1

Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159

Role of association on protein adsorption isotherms. β -Lactoglobulin A adsorbed on a weakly hydrophobic surface 482 (1989) 1

Preparative HPLC under isocratic conditions. III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95

Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5

Theoretical analysis of non-linear preparative LC 500 (1990) 185

Advances in chromatography

1963–1988: Twenty-five years of international symposia on advances in chromatography 468 (1989) 1

Affi-Prep Polymyxin

Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175

Affinity adsorbents

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207

Affinity separation with polyaldehyde microsphere beads 462 (1989) 177

Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 466 (1989) 319

Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175

Coated silica supports for high-performance affinity chromatography of proteins 476 (1989) 195

HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205

Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227

Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257

Preparation of adsorbents for affinity chromatography using TSK gel Tresyl-Toyopearl 650M 478 (1989) 159

Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159

Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Affinity electrophoresis

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

Affinity partitioning

Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13

Synthesis of ATP–polyethylene glycol and ATP–dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289

Aflatoxin M₁

Application of an immunoaffinity column sample clean-up to the determination of aflatoxin M₁ in cheese 474 (1989) 457

Aflatoxins

Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 462 (1989) 269

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

Agarose

HPLC of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 457 (1988) 165

HPLC of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 457 (1988) 175

Simple method for the preparation of spherical agarose and composite gel particles 469 (1989) 396

High-performance chromatofocusing of proteins on agarose columns. II. Macroporous 15–20 μm beads 475 (1989) 167

High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 μm beads 475 (1989) 177

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II. Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187

Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543

Agarose–polyaldehyde

Affinity separation with polyaldehyde microsphere beads 462 (1989) 177

Ajmalicine

HPLC analysis of the ajmalicine distribution in roots of *Catharanthus roseus* lines with different flower colours 452 (1988) 485

Thermospray LC–MS analysis of *Catharanthus* alkaloids 474 (1989) 181

Alachlor

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Alanine esters

Optical resolution of amino acid derivatives by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367

Albendazole

Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265

Sensitive HPLC assay for albendazole and its main metabolite albendazole sulphoxide in plasma and cerebrospinal fluid 494 (1989) 403

Albendazole sulphoxide

Sensitive HPLC assay for albendazole and its main metabolite albendazole sulphoxide in plasma and cerebrospinal fluid 494 (1989) 403

Albumin

Use of mobile phase modifiers to alter retention and stereoselectivity on a bovine serum albumin HPLC chiral stationary phase 455 (1988) 316

Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323

Maillard reaction of bovine serum albumin with glucose. Determination of 2-formyl-5-(hydroxymethyl)pyrrole-1-norleucine by HPLC after alkaline hydrolysis (in German) 463 (1989) 119

Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263

Separation of intravenous IgG containing albumin by high-performance SEC on TSKgel G3000SWXL 467 (1989) 436

HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205

High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* ¹⁴C-glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 476 (1989) 467

Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35

Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on

bovine serum albumin and its fragments 498 (1990) 81

Albuterol

Analysis of albuterol in human plasma based on immunoaffinity chromatographic clean-up combined with HPLC with fluorimetric detection 497 (1989) 213

Alcian Blue

Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347

Alcohol chain length

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Alcohol dehydrogenase

Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201

HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205

Alcohols

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351

Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85

Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251

GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

GC based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 482 (1989) 227

Preparation of carboneous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197

Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Aldehyde oxidase

Purification of rabbit liver aldehyde oxidase by affinity chromatography on benzamidine Sepharose 6B 475 (1989) 363

Aldehydes

HPLC of aliphatic aldehydes by means of post-column extraction with fluorometric detection 457 (1988) 299

HPLC analysis of aldehydes at trace level as their 3-methylbenzothiazolone azine derivatives 475 (1989) 343

Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431

Aldohexoses

see also Sugars

GC behaviour of carbohydrate trimethylsilyl ethers. II. Aldohexoses 462 (1989) 49

Aldolase

Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13

Aldophosphamide

Analysis of 4-hydroxycyclophosphamide by GC-MS in plasma 495 (1989) 131

Algae

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Alginates

Determination of the molecular weights of alginates by agarose gel filtration 465 (1989) 386

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Alkali fusion

GC analysis of thermoplastic aromatic polyamides after alkali fusion 477 (1989) 53

Alkali metals

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Alkali metal salts

GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351

Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63

Alkaline earth metals

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Alkaline phosphatase

Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227

Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91

Alkaloids

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442

Analysis of lupine alkaloids in plants by HPLC 462 (1989) 333

Comparison of capillary GC with ^1H and ^{13}C nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis* 462 (1989) 387

Selective, stability-indicating assay of the major Ipecacuanha alkaloids, emetine and cephaeline, in pharmaceutical preparations by HPLC using spectrofluorimetric detection 463 (1989) 107

Detection and measurement of the alkaloid peramine in endophyte-infected grasses 463 (1989) 133

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Capillary GC–Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Thermospray LC–MS analysis of *Catharanthus* alkaloids 474 (1989) 181

HPLC determination of the alkaloids in betel nut 475 (1989) 447

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Reversed-phase HPLC assay for camptothecin and related alkaloids 481 (1989) 421

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Characterization of novel steroidal alkaloids from tubers of *Solanum* species by combined GC–MS. Implications for potato breeding 482 (1989) 13

Separation of homologous and isomeric alkaloids related to nicotine on a β -cyclodextrin-bonded phase 483 (1989) 169

Quantitation of homoharringtonine in plasma by HPLC with amperometric detection 496 (1989) 155

Alkane-1,2-diols

HPLC separation of alkane-1,2-diol enantiomers on a chiral slurry-packed capillary column 472 (1989) 271

Alkanes

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Sorption of *n*-alkanes on Tenax 464 (1989) 394

Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

Non-linearity of the plot of log (adjusted retention time) versus carbon number for *n*-alkanes in series-coupled GC columns 471 (1989) 245

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37

Radiolytic synthesis of high-molecular-weight alkanes for chromatographic characterization and identification purposes 475 (1989) 247

Correlation for Kováts retention index of C₉–C₂₆ monoalkyl and polymethyl alkanes and alkenes 481 (1989) 1

Alkanesulphonates

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

GC study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 499 (1990) 749

Alkane–water partition coefficients

Prediction of alkane–water partition coefficients using a C₁₈ derivatized polystyrene–divinylbenzene stationary phase 464 (1989) 400

Alkanolamines

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

Alkenes

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Correlation for Kováts retention index of C₉–C₂₆ monoalkyl and polymethyl alkanes and alkenes 481 (1989) 1

Alkenylacyl glycerophosphoethanolamine

Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239

Alkenyl benzenes

Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31

Alkenyl benzoates

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Alkoxy acids

Reversed-phase TLC and HPLC of aromatic alkoxy and hydroxy acids 475 (1989) 321

Alkylacylglycerol

Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353

Alkylamidopropyl-N,N-dimethyl-N-(2,3-dihydroxypropyl)ammonium chlorides

HPLC determination of alkylamidopropyl-N,N-dimethyl-N-(2,3-dihydroxypropyl)ammonium chlorides in aqueous solutions and cosmetic formulations 478 (1989) 191

***n*-Alkylamines**

Instrumental developments in micellar electrokinetic capillary chromatography 480 (1989) 185

 α -Alkyl- α -amino acids

Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263

Alkyl aryl carbamates

Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357

4(5)-Alkylated $\gamma(\delta)$ lactones

Analytical resolution of 4(5)-alkylated $\gamma(\delta)$ -lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137

Alkyl benzenes

Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31

Correlations between octanol-water partition coefficients and reversed-phase HPLC capacity factors. Chlorobiphenyls and alkylbenzenes 454 (1988) 37

Problems with the reproducibility of retention data on capillary columns with hydrocarbon C₈₇ as the stationary phase 454 (1988) 65

Identification of alkylbenzenes up to C₁₂ by capillary GC and combined GC-MS. I. OV-101 as stationary phase 455 (1988) 301

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Quantitative relationships between the structure of alkylbenzenes and their GC retention on stationary phases with different polarity 471 (1989) 227

Identification of alkylbenzenes up to C₁₂ by capillary GC and GC-MS. II. Retention indices on OV-101 columns and retention-molecular structure correlations 475 (1989) 113

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. IV. Branched and unsaturated alkylbenzenes 481 (1989) 85

Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357

Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215

Alkyl benzoates

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Alkyl-bonded silica

Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279

Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 499 (1990) 317

Alkylenebis(dithiocarbamates)

Application of HPLC with spectrophotometric and electrochemical detection to the analysis of alkylenebis(dithiocarbamates) and their metabolites 479 (1989) 97

1-O-Alkylethylene glycol phosphono analogues

Silicic acid column chromatography of phosphonolipids. X. Some phosphono analogues of 1-O-alkylethylene glycol 454 (1988) 420

Alkyl methylphosphonic acids

Preparation, stability and quantitative analysis by GC and GC–electron impact MS of *tert.*-butyldimethylsilyl derivatives of some alkylphosphonic and alkyl methylphosphonic acids 475 (1989) 261

Alkyl-naphthalenes

HPLC of alkyl-naphthalenes and phenyl-naphthalenes on alumina 498 (1990) 248

Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357

Alkylphosphonic acids

Preparation, stability and quantitative analysis by GC and GC–electron impact MS of *tert.*-butyldimethylsilyl derivatives of some alkylphosphonic and alkyl methylphosphonic acids 475 (1989) 261

Alkylsilane bonded silica gel

Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric acid digestion and headspace analysis by capillary GC 452 (1988) 43

24-Alkyl sterols

Effective separation of sterol C-24 epimers 468 (1989) 91

Alkylthioether agarose gels

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

Allicin

LC determination of alliin in garlic and garlic products 455 (1988) 271

Effects of pH on the formation of flavour compounds of disrupted garlic 462 (1989) 137

Allopurinol

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105

Allylic alcohols

GC based method for assigning the configurations of allylic and benzylic alcohols

and for determining their optical purities 482 (1989) 227

Almitrine

LC–MS of trace compounds with a moving-belt interface and multi-dimensional chromatography 474 (1989) 265

Alphamethrine

Study of alkaline hydrolysis of the insecticide alphamethrine by isotachophoretic determination of decomposition products 470 (1989) 235

Alpinigenine

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

Altenuene

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

Alternariol

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

Alternating current plasma detector

GC detection of selected organochlorine species using an alternating current plasma detector 467 (1989) 373

Alterporriol

HPLC determination of macrosporin, altersolanol A, alterporriol A, B and C in fermentation of *Alternaria porri* (Ellis) Ciferri 454 (1988) 406

Altersolanol A

HPLC determination of macrosporin, altersolanol A, alterporriol A, B and C in fermentation of *Alternaria porri* (Ellis) Ciferri 454 (1988) 406

Altetoxin-I

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

Altetoxin-II

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

Altritol

Separation of algal organic osmolytes by HPLC 479 (1989) 353

Alumina

Retention characteristics in HPLC of basic drugs and plasma extracts on an alumina column 473 (1989) 53

Adsorption equilibrium of hydrogen isotopes on alumina adsorbents for GSC 475 (1989) 125

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II.

Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187

Alumina as stationary phase for ion chromatography and column-coupling techniques 482 (1989) 401

HPLC of alkylnaphthalenes and phenylnaphthalenes on alumina 498 (1990) 248

Alumina, polybutadiene-coated

Determination of hydrophobicity parameters on polybutadiene-coated alumina and their application in quantitative structure-activity relationships analysis 458 (1988) 395

Alumina-silica

Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291

Aluminium

Differentiation of Al^{3+} and Al species in environmental samples by isotachopheresis 470 (1989) 289

Reversed-phase HPLC of aluminium(III) and indium(III) with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 478 (1989) 408

Aluminium oxide

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II.

Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187

Amarogentin

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Amaroswerin

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient

elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Ambenonium chloride

Sensitive determination of ambenonium chloride in serum from patients with myasthenia gravis using ion-exchange resin extraction and reversed-phase ion-pair chromatography 496 (1989) 397

Amberlite XAD-2

Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121

Amberlite XAD-7

Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121

Ambroxol

Assay of ambroxol in human plasma by HPLC with amperometric detection 490 (1989) 464

Amides

LC determination of low-molecular-weight amides in pharmaceutical matrices 458 (1988) 287

Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 463 (1989) 297

Discussion of a controversial chiral recognition model 469 (1989) 67

Direct stereochemical resolution of enantiomeric amides via TLC on a covalently bonded chiral stationary phase 472 (1989) 277

Amiloride

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Sensitive HPLC determination of amiloride in human plasma by direct injection with pre-column enrichment 490 (1989) 219

Amineptine

GC-MS assessment of the pharmacokinetics of amineptine and its main metabolite in volunteers with liver impairment 487 (1989) 313

Amines

Derivatisation of amines with O-acetylsalicyloyl chloride to enhance electrochemical detection in HPLC 455 (1988) 349

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

Determination of volatile amines in air by on-line solid-phase derivatization and HPLC with UV and fluorescence detection 463 (1989) 192

Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects (Review) 466 (1989) 89

Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61

GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402

Characterisation of products formed by condensations of primary amines with polygodial, and their scope for enantiomer analyses 468 (1989) 201

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63

Corona discharge ionization LC-MS interface for target compound analyses 474 (1989) 335

Chromatographic determination of amines in biological fluids with spectral reference to the biological monitoring of isocyanates and amines. I. Determination of 1,6-hexamethylenediamine using glass capillary GC and thermionic specific detection 479 (1989) 125

Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. II. Determination of 2,4- and 2,6-toluenediamine using glass capillary GC and selected ion monitoring 479 (1989) 135

Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines.

III. Determination of 4,4'-methylenedianiline in hydrolysed human urine using derivatization and capillary GC with selected ion monitoring 479 (1989) 145

HPLC determination of low levels of primary and secondary amines in aqueous media via derivatisation with 1,2-naphthoquinone-4-sulphonate 483 (1989) 341

Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247

Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 488 (1989) 129

Determination of aromatic amines in urine and serum 488 (1989) 470

Electrochemical label for HPLC. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 489 (1989) 371

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Detection of tetrahydroisoquinoline in parkinsonian brain as an endogenous amine by use of GC-MS 491 (1989) 397

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by LC with laser-induced fluorescence detection 499 (1990) 579

α -Amino acid amides

Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419

Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263

Amino acid derivatives

Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391

Amino acid oxidase

Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359

Amino acids

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Determination of amino acids on Merrifield resin by microwave hydrolysis 456 (1988) 357

Peak identification of amino acids in LC by optical activity detection 457 (1988) 421

Quantitation of free amino acids in biological samples by HPLC. Application of the method in evaluating amino acid levels in cerebrospinal fluid and plasma of patients with multiple sclerosis 459 (1988) 237

General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397

Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419

Determination of taurine: influence of the coil temperature on the taurine peak purity (in German) 462 (1989) 105

Injection of elutes in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359

Utility of copper-containing electrolytes for isotachopheresis of amino acids 470 (1989) 131

Some new by-products in primary structure analysis with dimethylaminoazobenzene isothiocyanate as an aid in the TLC identification of residues 472 (1989) 318

Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241

Occurrence of D-amino acids in food. Detection by capillary GC and by reversed-phase HPLC with L-phenylalaninamides as chiral selectors 475 (1989) 45

Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I. Stationary phase with one chiral centre for HPLC and

development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380

Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthaldialdehyde and new chiral thiols 483 (1989) 239

Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263

Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453

Measurement of free amino acids in polymorphonuclear leukocytes by HPLC 491 (1989) 200

Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387

 α -H- α -Amino acids

Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263

Amino acids, branched-chain

Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177

Amino acids, N(O)-*tert*-butyldimethylsilyl derivatives

Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387

Amino acids, cyclic

Derivatization of N-methyl and cyclic amino acids with dimethylformamide dimethyl acetal 469 (1989) 191

Amino acids, DNP derivatives

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. I. Design of the apparatus and performance of semipreparative columns in 2,4-dinitrophenyl amino acid separation 475 (1989) 219

Amino acids, Dns derivatives

Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403

γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167

Performance of micro-LC columns in an industrial environment: a case history 499 (1990) 541

Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557

Amino acids, fluorescein isothiocyanate derivatives

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Amino acids, Fmoc derivatives

Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557

Amino acids, N-heptafluorobutyryl isobutyl esters

Determination of amino acids in rat muscle by GC 487 (1989) 428

Amino acids, N-methyl

Derivatization of N-methyl and cyclic amino acids with dimethylformamide dimethyl acetal 469 (1989) 191

Amino acids, neuroexcitatory non-protein

Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde chiral thiols. Application to ω -N-oxalyl diamino acids 466 (1989) 407

Amino acids, OPA derivatives

Modified procedure for the HPLC analysis of amino acids in xylem sap (in French) 455 (1988) 173

Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using HPLC 462 (1989) 341

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

Separation of precolumn *ortho*-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers 468 (1989) 55

Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412

Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263

Automated enantioseparation of amino acids by derivatization with *o*-phthalaldehyde and N-acylated cysteines 476 (1989) 73

LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83

Analysis of *o*-phthalaldehyde derivatives of acidic and polar amino acids in fermentation broths by HPLC 483 (1989) 437

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Determination of free amino acids in biological samples: problems of quantitation 491 (1989) 281

Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557

Amino acids, N-protected

Separation of the enantiomers of N-protected α -amino acids as anilide and 3,5-dimethylanilide derivatives 479 (1989) 419

Amino acids, PTC derivatives

Analysis of natural and modified amino acids and hexosamines by reversed-phase HPLC 474 (1989) 411

Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87

Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557

Amino acids, PTH derivatives

Peak identification of amino acids in LC by optical activity detection 457 (1988) 421

Thermospray HPLC-MS characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 463 (1989) 95

Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461

Isocratic separation of phenylthiohydantoin-amino acids by reversed-phase HPLC 487 (1989) 161

Amino acids, N-TFA methyl esters

Determination of the enhancement of the enantiomeric purity during recrystallization of amino acids 477 (1989) 139

δ -(L- α -Aminoadipyl)-L-cysteinyl-D-valine

HPLC determination of δ -(L- α -aminoadipyl)-L-cysteinyl-D-valine in complex media by precolumn derivatization with dansylaziridine 481 (1989) 245

α -Amino alcohols

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

α -Aminoamides

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

4-Aminoantipyrine

Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420

2-Aminobiphenyl

Determination of aromatic amines in urine and serum 488 (1989) 470

2-Amino-3-(4-bromobenzoyl)benzeneacetic acid

Determination of bromfenac in plasma by HPLC 489 (1989) 452

γ -Aminobutyric acid

γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167

Ultra-rapid assay of brain γ -aminobutyric acid by LC with electrochemical detection 497 (1989) 363

Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387

α -Aminocarboxylic acids

Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377

α -Amino esters

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

2-(2-Aminoethoxy)ethanol

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

Aminoethylcysteine

HPLC of cystathionine, lanthionine and aminoethylcysteine using *o*-phthaldialdehyde precolumn derivatization 490 (1989) 404

2-Aminofluorene

Selection of electrophoric derivatives of 1-aminopyrene and 2-aminofluorene for

determination by GC with electron-capture negative-ion MS 500 (1990) 373

Aminoglycoside antibiotics

see also Antibiotics

Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125

***p*-Aminohippuric acid**

Quantitation of *p*-aminohippuric acid in biological fluids by HPLC and dual-wavelength UV detection 490 (1989) 213

α -Amino- β -N-methylaminopropanoic acid

Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412

2-Amino-4-(5-nitro-2-furyl)thiazole

Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet 465 (1989) 442

Aminopeptidase P

HPLC determination of aminopeptidase P activity in Fischer F344 rat serum and kidney 493 (1989) 176

Aminophenols

Host-guest complexation in capillary isotachopheresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachopheresis 470 (1989) 123

2-Aminophosphonic acids

Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377

2-Amino- ω -phosphonoalkanoic acids

Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthalaldehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412

Amino-polynuclear aromatic hydrocarbons

Separation of amino- and acetylamino-polycyclic aromatic hydrocarbons by reversed- and normal-phase HPLC 461 (1989) 327

1-Aminopyrene

Selection of electrophoric derivatives of 1-aminopyrene and 2-aminofluorene for determination by GC with electron-capture negative-ion MS 500 (1990) 373

Aminopyrine

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

3-Aminoquinuclidine

Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and HPLC separation 466 (1989) 415

5-Aminosalicyclic acid

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Amino sugars

GC determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates 467 (1989) 315

Amitriptyline

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Ammonia

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

Ammonium

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Ammonium tungstophosphate

New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349

Amniotic fluid metabolites

Screening of amniotic fluid metabolites by GC-MS 489 (1989) 353

Amoxicillin

Quantitative HPLC determination of ampicillin embonate and amoxicillin embonate 455 (1988) 415

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Amphetamines

Determination of amphetamine-related compounds by HPLC with chemiluminescence and fluorescence detections 464 (1989) 343

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Headspace GC of stimulants in urine by in-column trifluoroacetyl derivatization method 467 (1989) 227

Isothermal capillary GC with electron-capture detection of heptafluorobutyl-L-prolyl derivatives of chiral amphetamines 491 (1989) 262

Amphiphilic modifier

Extension of the electrostatic theory of reversed-phase ion-pair chromatography for high surface concentrations of the adsorbing amphiphilic ion 456 (1988) 253

Ampholytes

Spacer performance in the cationic isotachopheresis of proteins 470 (1989) 201

Ampicillin

Quantitative HPLC determination of ampicillin embonate and amoxicillin embonate 455 (1988) 415

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

 α -Amylases

Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361

Rapid separation of α -amylases from barley by ion-exchange HPLC on non-porous columns 481 (1989) 397

Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91

Investigation of some α -amylases by high-performance hydrophobic-interaction chromatography 499 (1990) 197

Amylose tris(phenylcarbamate)

Optical resolution of amino acid derivatives by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367

Anabolic agents

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11

Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23

Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57

Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89

Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95

Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105

Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111

Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121

Screening and confirmation of thyrostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127

On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 489 (1989) 139

Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157

Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173

Determination of hormone contaminants in milk replacers by HPLC and immunoassay 489 (1989) 181

Profiling of free and conjugated [³H]zeranol metabolites in pig plasma 489 (1989) 191

Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 489 (1989) 199

Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205

TLC method for the detection of anabolics in fatty tissues 489 (1990) 213

Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235

Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 489 (1989) 245

Studies on anabolic steroids. III. Detection and characterization of stanozolol urinary metabolites in humans by GC-MS 497 (1990) 17

Analgesics

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Analysis time

Contemporary LC column design 468 (1989) 99

Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489

Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125

Analyte, absolute amount

Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 482 (1989) 207

Analyte structure

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Analyte-wall interactions

Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95

Anatoxin-a

Determination of anatoxin-a, the neurotoxin of *Anabaena flos-aquae* cyanobacterium, in algae and water by GC-MS 481 (1989) 358

Androgens

see also Steroids

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Anethole

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Angiotensin-converting enzyme

Purification of angiotensin-converting enzyme by gel HPLC 461 (1989) 271

Angiotensin-converting enzyme inhibitor

Body fluid analysis of a phosphonic acid angiotensin-converting enzyme inhibitor using HPLC and post-column derivatization with *o*-phthalaldehyde 487 (1989) 135

GC-MS of perindopril and its active free metabolite, an angiotensin convertase inhibitor: choice of derivatives and ionization modes 488 (1989) 249

Determination of a new angiotensin-converting enzyme inhibitor (CS-622) and its active metabolite in plasma and urine by GC-MS using negative ion chemical ionization 496 (1989) 129

Angiotensins

Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241

Determination of renin activity in human-plasma by column-switching HPLC with fluorescence detection 490 (1989) 43

Anilides

Discussion of a controversial chiral recognition model 469 (1989) 67

Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271

Anilines

Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their formation and GC determination by mass selective and electron-capture detectors 457 (1988) 267

LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249

Anion chromatography, injection peaks

Injection peaks in anion chromatography 482 (1989) 343

Anion exchangers

HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27

High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45

Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241

Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165

High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329

Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37

Low-capacity quaternary phosphonium resins for anion chromatography 479 (1989) 401

New latex-bonded pellicular anion exchangers with multi-phase selectivity for HPLC separations 499 (1990) 249

Anions

Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241

Behavior of simple salts on silica and C₁₈ columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71

Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15

Sample-induced internal gradient of ionic strength in ion-exclusion microcolumn LC 469 (1989) 223

Characterization of indirect photometry for the determination of inorganic anions in natural water by ion chromatography 469 (1989) 329

Simultaneous photometric and conductivity detection for microcolumn LC 471 (1989) 303

Determination of the principal anionic components in wines and soft drinks, by ion interaction reversed-phase HPLC 472 (1989) 433

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Anisaldehyde

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Anisate

Analysis of theophylline and sodium (or potassium) anisate in pharmaceutical preparations by ultra-fast HPLC (in French) 479 (1989) 430

Anisodamine

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Anisodine

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Anisoles

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Anthracene

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Anthranilic acid

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

Anthrapyrazole

Determination of the anthrapyrazole anticancer drug CI-941 in plasma and urine by solid-phase extraction and HPLC 491 (1989) 253

Anthraquinone aglycones

Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453

Anthraquinone dyes

Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201

Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227

1-Anthroyl nitrile

Sensitive method for the analysis of phospholipid subclasses and molecular species as 1-anthroyl derivatives of their diglycerides 491 (1989) 37

Anti-argininosuccinase-silica

Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252

Antibiotics

Isolation of virginiamycin-M₁ by droplet counter-current chromatography 454 (1988) 387

Quantitative HPLC determination of ampicillin embonate and amoxycillin embonate 455 (1988) 415

HPLC analysis of josamycin in serum and urine 459 (1988) 261

Improvement of chemical analysis of antibiotics. XV. Isocratic HPLC methods for the analysis and preparative separation of the components of bacitracin 462 (1989) 315

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

LC-MS studies on rifamycin antibiotics 474 (1989) 317

Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353

Separation of β -lactam antibiotics by micellar electrokinetic chromatography 477 (1989) 259

Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397

Development of a polymer-based reversed-phase HPLC stability indicating assay for U-78 608, an iron complexing monocarbam antibiotic 477 (1989) 427

Isolation of the aromatic heptaenic antibiotics trichomycin A-F by HPLC 481 (1989) 416

Process-scale reversed-phase HPLC purification of LL-E19020 α , a growth promoting antibiotic produced by *Streptomyces lydicus* ssp. *tanzanius* 484 (1989) 381

Development of an analytical method for penicillin G in bovine milk by LC with UV-visible detection and confirmation by MS detection 490 (1989) 101

Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125

Assay for cloxacillin in human serum utilising HPLC with UV detection 490 (1989) 243

Automated HPLC analysis of tetracycline in urine 490 (1989) 474

Determination of oxytetracycline in plasma from rainbow trout using HPLC with UV detection 493 (1989) 217

HPLC method for the simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in canine serum and prostatic tissue 493 (1989) 337

Analytical studies on β -lactam antibiotics. III. Automated HPLC method for the determination of the orally active antibiotic cefitibuten in human plasma and urine 494 (1989) 231

HPLC determination of teicoplanin in plasma: comparison with a microbiological assay 494 (1989) 340

Determination of mizoribine in plasma using ion-pair HPLC 494 (1989) 354

Reversed-phase HPLC assay for the determination of mezlocillin in human and rat biological samples 494 (1989) 376

Antibodies

see also Monoclonal antibodies

Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 489 (1989) 303

Affinity chromatography of anti-mannan antibodies on mannan-acrylamide copolymers 490 (1989) 418

Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681

Antibodies, biotinylated

Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 476 (1989) 187

Antibodies, labelled

Purification of labelled antibodies by hydrophobic interaction chromatography 470 (1989) 385

Antibody immobilization

Strategy for the immobilization of monoclonal antibodies on solid-phase supports 458 (1988) 67

Anticholinergic drugs

Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406

Antigens

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Anti-mannan antibodies

Affinity chromatography of anti-mannan antibodies on mannan-acrylamide copolymers 490 (1989) 418

Antimycin A

Reversed-phase TLC of homologues of antimycin A and related derivatives 464 (1989) 453

Antioxidants

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Antipyrine

Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420

Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424

Antithrombin III

Chromatography of human plasma on aminohexyl Sepharose: separation of factor VIII/vWf and behaviour of factors II, VII, IX and X and antithrombin III 491 (1989) 299

Aperture width

Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147

Apolipoprotein A-IV

Purification of human apolipoprotein A-IV by fast protein LC 487 (1989) 154

Apricot flavour compounds

Chiral flavour compounds from apricots. Distribution of γ -lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional GC 498 (1990) 396

Aprindine

Rapid and sensitive determination of aprindine in serum by GC using a surface ionization detector 493 (1989) 71

Arabinitol

Enantioselective measurement of the *Candida* metabolite D-arabinitol in human serum using multi-dimensional GC and a new chiral phase 495 (1989) 21

Separation and quantification by GC-MS of arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 500 (1990) 413

1- β -D-Arabinofuranosylcytosine

HPLC assay for cytosine arabinoside and uracil arabinoside in cerebrospinal fluid and plasma 497 (1989) 302

1- β -D-Arabinofuranosylcytosine-5'-triphosphate

Detection and separation of intracellular 1- β -D-arabinofuranosylcytosine-5-triphosphate by ion-pair HPLC 497 (1989) 109

Arabitol

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Arachidonic acid

Specific radioactivity determination of labeled eicosanoids 489 (1989) 359

Arecaidine

HPLC determination of the alkaloids in betel nut 475 (1989) 447

Arecoline

HPLC determination of the alkaloids in betel nut 475 (1989) 447

L-Arginine

Determination of L-canavanine and L-canaline in plant tissues by HPLC 456 (1988) 405

Arginine-containing peptides

HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301

Argininosuccinase

Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252

Arg-Lys-Asp

Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg-Lys-Asp) 452 (1988) 317

Argon ion laser-Yeung detector

High-sensitivity laser-induced fluorescence-HPLC studies of polyaromatic hydrocarbons using the argon ion laser-Yeung detector cell configuration 455 (1988) 332

Aromatic acids

Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191

Aromatic compounds

Preparative and automated compound class separation of Venezuelan vacuum residua by HPLC 484 (1989) 399

Aromatic compounds, monosubstituted

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57

Aromatic hydroxyl compounds

Solvent composition effects on the retention characteristics of aromatic hydroxyl compounds with silica and polar mobile phases and interpretation by the Snyder model 474 (1989) 347

Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5

Arsenate

Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

Arsenic anions

Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 457 (1988) 415

Arteether

Determination of arteether in blood plasma by HPLC with UV detection after hydrolysis with acid 493 (1989) 125

Artelinic acid

Determination of artelinic acid in blood plasma by HPLC 495 (1989) 167

Articaine

GC and MS analysis of articaine in urine 494 (1989) 331

Artificial intelligence

Artificial intelligence techniques for peak homogeneity validation in LC 465 (1989) 59

Aryloxypropanolamines

Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (-)-menthyl chloroformate derivatives 487 (1989) 197

Aryl sulphoxide

Contribution of electronic effects to the lipophilicity determined by comparison of values of log *P* obtained by HPLC and calculation 452 (1988) 227

Ascorbic acid

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 489 (1989) 283

Determination of ascorbic acid and dehydroascorbic acid in plasma and cerebrospinal fluid by LC with electrochemical detection 497 (1989) 276

Aspartic acid

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387

Aspartic proteinase

Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227

Aspartylglucosamine

Analysis of aspartylglucosamine at the picomole level by HPLC 490 (1989) 293

Assay specificity

Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271

Association constants

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

Astacene

Reversed-phase LC of astacene 452 (1988) 535

Asymmetry

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Atenolol

HPLC determination of the enantiomers of β -adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 489 (1989) 438

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Atmospheric analysis

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Atomic plasma emission spectrometry

Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115

Element-selective GC detection by atomic plasma emission spectroscopy. Review and developments 468 (1989) 319

Atracurium besylate

Separation of *cis-cis*, *cis-trans* and *trans-trans* isomers of (\pm)-atracurium besylate and *cis* and *trans* isomers of its major quaternary decomposition products and related impurity by reversed-phase HPLC 457 (1988) 127

Atrazine

Coupled reversed-phase LC-capillary GC for the determination of atrazine in water 473 (1989) 423

Autoantibodies

HPLC of amino acids, peptides and proteins. XCIII. Comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 476 (1989) 269

Autoantigens

Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351

Autofocusing

Application of autofocusing in the isolation of peroxidase 474 (1989) 430

Automation

Automated analysis of various compounds with a wide range of boiling points by capillary GC based on retention indices 454 (1988) 109

Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53

On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93

Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165

Automated recycling free fluid isotachopheresis. Principle, instrumentation and first results 457 (1988) 137

Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335

Simplified procedures for the determination of fenoldopam and its metabolites in human plasma by HPLC with electrochemical detection: comparison of manual and robotic sample preparation methods 487 (1989) 385

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Autoradiography

Highly sensitive on-line radioassay of HPLC effluents 468 (1989) 279

Auxins

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various

biological samples with a semipreparative column 498 (1990) 169

Average distance of approach

High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45

Avidin-coated glass beads

High-performance affinity isolation of lymphocyte membrane receptors on biotinylated antigen and avidin-coated beads 458 (1988) 185

Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 476 (1989) 187

Avidin-conjugated column

Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227

Aza-ether bonded silica-based phases

High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329

Azaperone

Determination of residues of carazolol and a number of tranquillizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Azide

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

3'-Azido-3'-deoxythymidine

Adsorption chromatographic separation of ¹²⁵I-labelled derivatives of 3'-azido-3'-deoxythymidine 478 (1989) 280

Trace-level determination of 3'-azido-3'-deoxythymidine in human plasma by preconcentration on a silver (I)-thiol stationary phase with on-line reversed-phase HPLC 491 (1989) 321

3'-Azido-3'-deoxythymidine-5'-phosphate

Preparative-scale HPLC separation and purification of 3'-azido-3'-deoxythymidine-5'-phosphate 499 (1990) 55

Azines

2-Trichloromethylbenzimidazole, a selective chromogenic reagent for the detection of some azines on thin-layer plates. Addendum 481 (1989) 477

Azinphosmethyl

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163

Azobenzene

Trace/ultratrace analyses of unstable compounds. Investigations on hydrazobenzene and azobenzene 471 (1989) 443

B**B24/76**

Determination of the β -adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 488 (1989) 482

Bacitracin

Improvement of chemical analysis of antibiotics. XV. Isocratic HPLC methods for the analysis and preparative separation of the components of bacitracin 462 (1989) 315

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317

Improved method for continuous UV monitoring in high-speed counter-current chromatography 475 (1989) 229

Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227

Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

Baclofen

Simple and rapid reversed-phase HPLC determination of baclofen in human plasma with UV detection. Application to a pharmacokinetic study 487 (1989) 107

Determination of baclofen and α -baclofen in rat liver homogenate and human urine using solid-phase extraction, *o*-phthalaldehyde-*tert*-butyl thiol derivatization and HPLC with amperometric detection 491 (1989) 151

Bacteriorhodopsin

Micropreparative separation of peptides derived from sodium dodecyl sulphate-solubilized proteins 473 (1989) 71

Preparative purification of functional bacteriorhodopsin by high performance SEC 483 (1989) 331

Bacteroides species

Rapid identification of *Bacteroides* species by HPLC 459 (1988) 331

Band broadening

Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79

Contribution of longitudinal diffusion to band broadening in LC 469 (1989) 53

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95

Preparative HPLC under gradient conditions. I. Band broadening in gradient elution as a function of sample size 484 (1989) 409

Band interference patterns

Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103 -

Band profiles

see Elution band profiles

Band shape

Computation of band shape for strong injection solvent and weak mobile phase combinations in LC 473 (1989) 260

Band spacing

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Bandwidth

HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Barbiturates

Automated LC analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 473 (1989) 325

SFC of barbiturates 481 (1989) 63

HPLC method for determining thiopental concentrations in twelve rat tissues: application to physiologic modeling of disposition of barbiturate 490 (1989) 339

Baseline variation

Simple modification to compensate for the baseline variation due to the introduction of a reduced-pressure gas sample into a gas chromatograph 472 (1989) 389

Bases

Silanediol groups of the silica gel Nucleosil: active sites involved in the chromatographic behaviour of bases 468 (1989) 67

Basic drugs

Retention reproducibility of basic drugs in HPLC on a silica column with a methanol-ammonium nitrate eluent. Batch-to-batch reproducibility of the stationary phase 455 (1988) 77

Separation of basic drugs by HPLC on a silica column using a methanol-ethylenediamine buffer 464 (1989) 117

Retention characteristics in HPLC of basic drugs and plasma extracts on an alumina column 473 (1989) 53

Batch stirred-tank adsorption

Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187

Batracylin

HPLC assay and preclinical pharmacologic studies with the experimental antitumor agent batracylin 491 (1989) 488

Bed structure

Insights into the slurry packing and bed structure of capillary LC columns 458 (1988) 267

Belt-speed programming

Belt-speed programming, a new technique for peak compression in LC-MS and supercritical-fluid chromatography-mass spectrometry with moving-belt interfaces 474 (1989) 275

Bencetonium chloride

Rapid HPLC method for the determination of bencetonium chloride residues in fish products; confirmation by TLC 467 (1989) 321

Bendroflumethiazide

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Benflurone

Evaluation of photometric HPLC data for the determination of benflurone metabolites in biological materials with and without concomitant use of a standard 500 (1990) 643

Bentazone

Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using HPLC and an on-line clean-up column-switching procedure 475 (1989) 432

Benzaldehydes

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Benzalkonium

HPLC assay of benzalkonium in plasma 487 (1989) 221

Benzalkonium chlorides

Analysis of benzalkonium chlorides by GC 463 (1989) 188

Benzathine salts, antibiotics

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Benzazepines

Quantitation of selective dopaminergic drugs in plasma by GC-MS following solid-phase extraction 496 (1989) 201

Benz[c]acridines

Separation of methyl-substituted benz[c]acridines by cation-exchange HPLC 498 (1990) 129

Benzeneacetamides, k-opioid selective

HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481

Benzenecarboxylic acids

Mobility of some carboxy- and hydroxybenzene derivatives on thin layers of plain and iron(III)-impregnated silica gel 464 (1989) 220

Benzenepolycarboxylic acid salts

Benzenepolycarboxylic acid salts as eluents in anion chromatography 482 (1989) 155

Benzenes

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 466 (1989) 271

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Simultaneous determination of benzene and toluene in the blood using head-space GC 491 (1989) 309

Benzenesulphonates

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

Benzil

HPLC determination of benzil in air as an indicator of emissions derived from polyester powder coatings 479 (1989) 369

Benzimidazoles

Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353

Isocratic separation of seven benzimidazole anthelmintics by HPLC with photodiode array characterization 475 (1989) 404

Determination of benzimidazole anthelmintics in meat samples 498 (1990) 145

Benzimidazol-2-ones

Retention behaviour of some classes of pharmaceutical products on chemically modified TLC plates 475 (1989) 95

Benzine

Direct coupling of capillary LC with conventional HPLC 499 (1990) 549

Benzo[a]pyrene

Determination of benzo[a]pyrene in coke tars 456 (1988) 227

Selective determination of benzo[a]pyrene in petroleum-based products using multi-column LC 479 (1989) 117

Benzocaine

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

1,4-Benzodiazepine, oxadiazole-substituted

Determination of an oxadiazole-substituted 1,4-benzodiazepine in plasma by HPLC with UV detection and by a radioreceptor assay 494 (1989) 257

Benzodiazepine receptor agonist

Determination of the partial benzodiazepine receptor agonist R₀ 16-6028 in plasma by

capillary GC with nitrogen-selective detection after conversion into the ethyl ester derivative 494 (1989) 119

Benzodiazepines

Packed-column SFC of benzodiazepines 483 (1989) 51

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Analysis of benzodiazepines and tricyclic antidepressants in serum using a common solid-phase clean-up and a common mobile phase 497 (1989) 201

Prediction of the HPLC retention behaviour of some benzodiazepine derivatives by TLC 499 (1990) 361

Benzodioxan

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Benzoic acid

Simultaneous determination of nine food additives using HPLC 457 (1988) 333

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Benzoic acid isotopomers

Regiochemical differences in the isotopic fractionation of deuterated benzoic acid isotopomers by reversed-phase HPLC 483 (1989) 413

Benzoin

Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35

HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301

Benzoporphyrins

Computerised GC-MS and HPLC analysis of sedimentary benzoporphyrins 473 (1989) 135

Benzotriazole reagent

Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169

4-(2,1,3-Benzoxadiazol-4-yl)-5-methoxycarbonyl-2,6-dimethyl-3-pyridine-carboxylate

Determination of isradipine and the oxidative pyridine metabolite in human plasma by HPLC 487 (1989) 483

N-Benzoxycarbonylglycyl-L-proline

Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using N-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157

Benzoylcegonine

Automated LC analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 473 (1989) 325

TLC of benzoylcegonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236

Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153

Benzoylnorecgonine

Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153

Benztropine

HPLC method for the analysis of benztropine in human plasma 491 (1989) 248

Benzyl alcohol

Analysis of solvent residues in pharmaceutical bulk drugs by wall-coated open tubular GC 469 (1989) 161

Benzyl alcohols

GC based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 482 (1989) 227

Benzyl-2-oxazolidinone

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Benzylpropionitrile dithiocarbamates

Reversed-phase HPLC of metal-benzylpropionitrile dithiocarbamate complexes 481 (1989) 287

Bepridil hydrochloride

Stability-indicating HPLC assay for bepridil hydrochloride drug substance and drug products 462 (1989) 398

Beta-blockers

Improved screening method for beta-blockers in urine using solid-phase extraction and capillary GC-MS 488 (1989) 357

Betaxolol

Direct enantiomeric separation of betaxolol with applications to analysis of bulk drug and biological samples 452 (1988) 477

Bichromophoric systems

Reversed-phase HPLC, a tool for the study of bichromophoric systems including polymethylenic linking bridges 481 (1989) 461

Bicycloketonones

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Bifenox

Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382

Bile acid N-acetylglucosaminides

Isolation of bile acid glucosides and N-acetylglucosaminides from human urine by ion-exchange chromatography and reversed-phase HPLC 452 (1988) 459

Bile acid glucosides

Isolation of bile acid glucosides and N-acetylglucosaminides from human urine by ion-exchange chromatography and reversed-phase HPLC 452 (1988) 459

Bile acids

Studies on steroids. CCXXXVIII. Determination of bile acids in liver tissue by GC-MS with negative ion chemical ionization detection 452 (1988) 119

Quantitative microanalysis of bile acids in biological samples. Collaborative study 452 (1988) 399

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

Altered metabolism of bile acids in cholestasis: determination of 1 β - and 6 α -hydroxylated metabolites 488 (1989) 315

HPLC determination of tauro- and glyco-conjugated bile acids in human serum 490 (1989) 275

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Carrier gas flow-rate and injection system in capillary GC of unconjugated and glycine-conjugated bile acids 495 (1989) 31

New and versatile method for the determination of faecal bile acids by TLC with direct scanning fluorimetry 497 (1989) 139

Bile salts

Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 498 (1990) 313

Bilirubins

Chromatographic analysis and structure determination of biliverdins and bilirubins (Review) 496 (1989) 1

Biliverdins

Chromatographic analysis and structure determination of biliverdins and bilirubins (Review) 496 (1989) 1

Binapacryl

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

1,1'-Binaphthalene-2,2'-dicarboxylic acid

HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid-chiral phenylethylamine bonded to silica gel 464 (1989) 411

Binding affinity constants

Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323

Binding equilibrium constants

Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 458 (1988) 13

Bioaffinity chromatography

Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145

Biogenic amines

Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects (Review) 466 (1989) 89

Biological detectors

Biological detectors in LC 490 (1989) 247

Bioluminescence

Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319

Biopolymers, high-molecular-weight

SFC-MS of high-molecular-weight biopolymers. Instrumental considerations and recent progress 474 (1989) 83

BIOPREP

Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425

Biopterin

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Biospecific interactions

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

Biotin

LC determination of biotin by using 1-pyrenyldiazomethane as a pre-column fluorescent labelling reagent 456 (1988) 421

Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227

Bis(alkylthio)selenides

Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359

***m*-Bis(2-chloroethyl)aminophenyl-L-alanine**

HPLC determination of *m*-bis(chloroethyl)-aminophenyl-L-alanine in plasma 490 (1989) 224

2,2'-[4,8-Bis(diethylamino)pyrimido-[5,4-*d*]pyrimidine-2,6-diyl]bis[(2-methoxyethyl)imino]bisethanol

HPLC assay for RA 642, a compound with cardiovascular effect, in human and rabbit serum 491 (1989) 513

N,N-Bis(hydroxyethyl)piperazine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Bismuth diethyldithiocarbamate

Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317

Bisphosphonates

Assay of 1-hydroxy-3-aminopropylidene-1,1-bisphosphonate and related bisphosphonates in human urine and plasma by high-performance ion chromatography 490 (1989) 329

Bisquaternary amino steroids

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Bitumen

Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345

Black Pearl

Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

Block copolymers

Analysis of polycarbonate-polydimethylsiloxane block copolymers 500 (1990) 367

Blotting

Blotting of proteins onto Immobilon membranes. *In situ* characterization and comparison with HPLC 476 (1989) 59

Body fluid profiling

Profiling cells and body fluids—chromatography and two-dimensional electrophoresis as complementary techniques 488 (1989) 105

Boldenone

Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis

of anabolic steroid metabolites in urine 489
(1989) 23

Boldine

Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442

Bonded layers, gas-phase synthesis

Synthesis of bonded layers from cyclic organosilicons in the gas phase 456 (1988) 337

Bonded layer structure

Calculation of the characteristics of the bonded layers of reversed stationary phases 465 (1989) 233

Bonded-phase stability

Stabilization of reversed phases for LC.
Application of IR spectroscopy for the study of bonded-phase stability 458 (1988) 225

Borate

Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121

Branched-chain keto acids

Micro-method for measurement of branched-chain keto acid concentrations in plasma from sheep and man 487 (1989) 434

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Brassilexin

Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Applications to the determination of phytoalexins from *Brassica* spp. by HPLC 473 (1989) 293

Brassinolide

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Brassinosteroids

Effective separation of sterol C-24 epimers 468 (1989) 91

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Brofaromine

Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite

in biological material by GC with electron-capture detection 488 (1989) 275

Bromacil

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Bromadiolone

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

Bromate

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Bromfenac

Determination of bromfenac in plasma by HPLC 489 (1989) 452

Bromide

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

LC determination of bromide after pre-column derivatization to 4-bromoacetanilide 457 (1988) 345

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Bromination

LC analysis of bromination reactions of metal trifluoroacetylacetonates 479 (1989) 181

4-Bromoacetanilide

LC determination of bromide after pre-column derivatization to 4-bromoacetanilide 457 (1988) 345

5-Bromodeoxyuridine

HPLC determination of 5-bromodeoxyuridine in human plasma 491 (1989) 129

Bromoditerpene

Isolation of an antimicrobial bromoditerpene from a marine alga aided by improved bioautography 478 (1989) 255

Bromomethane

Direct capillary trapping and GC analysis of bromomethane and other highly volatile air pollutants 454 (1988) 392

9-Bromomethylacridine

Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443

4-Bromomethyl-7-methoxycoumarin

HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191

Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-7-methoxycoumarin 456 (1988) 201

Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional HPLC 473 (1989) 431

Automated analysis procedure for valproic acid in blood, serum and brain dialysate by HPLC with bromomethylmethoxycoumarin as fluorescent label 487 (1989) 496

4-Bromomethyl-6,7-methylenedioxcoumarin

Sensitive fluorescence labelling for analysis of carboxylic acids with 4-bromomethyl-6,7-methylenedioxcoumarin 478 (1989) 149

Bromperidol

Determination of bromperidol in serum by automated column-switching HPLC 495 (1989) 227

Bromural

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Bryostatin 1

Stability-indicating HPLC assay for the anticancer drug bryostatin 1 467 (1989) 332

Bucromarone

HPLC method for the radiometric determination of [¹⁴C]bucromarone in human plasma utilizing non-radiolabeled bucromarone as an internal standard 487 (1989) 365

Buflomedil hydrochloride

Rapid, sensitive HPLC method for the analysis of buflomedil hydrochloride and its potential by-products 467 (1989) 327

Bumetanide

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Bupivacaine

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Validation of an amperometric HPLC determination of epinephrine in bupivacaine and epinephrine injection 498 (1990) 402

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Buprenorphine

Quantitative determination of buprenorphine and its active metabolite, norbuprenorphine, in human plasma by GC-chemical ionization MS 487 (1989) 469

Buspirone

Determination of buspirone and 1-(2-pyrimidinyl)piperazine in plasma samples by HPLC 490 (1989) 470

Butachlor

Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382

2,3-Butanediol

GC determination of 2,3-butanediol isomers in urine 496 (1989) 209

1-Butanol

Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection GC 457 (1988) 372

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

2-Butanone

Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419

tert.-Butyl N-arylsulphinamoyl esters

(*S*)-*thio*-DNBTyr-A and (*S*)-*thio*-DNBTyr-E as chiral stationary phases for analytical and preparative purposes. Application to the

enantiomeric resolution of alkyl *N*-arylsulphinamoyl esters 498 (1990) 67

Butylated hydroxyanisole

Rapid determination of isomer ratios of butylated hydroxyanisole by HPLC 464 (1989) 438

n-Butylbenzene

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

tert.-Butyl-(*S*)-8-bromo-11,12,13,13a-tetrahydro-9-oxo-9*H*-imidazo[1,5-*a*]pyrrolo[2,1-*c*][1,4]benzodiazepine-1-carboxylate

Determination of the partial benzodiazepine receptor agonist R₀ 16-6028 in plasma by capillary GC with nitrogen-selective detection after conversion into the ethyl ester derivative 494 (1989) 119

4-*tert.*-Butylcatechol

Determination of 4-*tert.*-butylphenol and 4-*tert.*-butylcatechol in cosmetic products by reversed-phase HPLC 466 (1989) 433

n-Butyldimethylsilane

Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric acid digestion and headspace analysis by capillary GC 452 (1988) 43

3-Butyl-2,4-dioxo[1,2-*a*]-*s*-triazinobenzimidazole

Effect of organic solvents in sample solutions and injection volumes on chromatographic peak profiles of analytes in reversed-phase HPLC 483 (1989) 189

α -Butylene oxide

Chemical degradation and analysis of polyoxyethylene glycols and ethylene oxide- α -butylene oxide block copolymers 455 (1988) 131

4-*tert.*-Butylphenol

Determination of 4-*tert.*-butylphenol and 4-*tert.*-butylcatechol in cosmetic products by reversed-phase HPLC 466 (1989) 433

Butyltin species

Extraction of butyltin species and their GC determination as chlorides in a sediment certified reference material for trace metals, PACS-1 475 (1989) 373

γ -Butyrolactones

Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher[®] 481 (1989) 387

Butyrophenones

Retention behaviour of some classes of pharmaceutical products on chemically modified TLC plates 475 (1989) 95

C

Cadaverin

Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169

Cadmium diethyldithiocarbamate

Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317

Cadralazine

Determination of cadralazine in human whole blood using reversed-phase HPLC: utilizing a salting-out extraction procedure 489 (1989) 345

Caesium-137

Determination of mono-, bi- and trivalent cations using non-suppressed ion chromatography 482 (1989) 289

Caffeine

HPLC study of the potential metabolites of caffeine. Comparison of different techniques (in French) 455 (1988) 369

Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Applicability of capillary GC to study caffeine distribution in the developing chicken egg 493 (1989) 182

trans-Caffeoyltartaric acid

HPLC determination of the free *o*-quinones of *trans*-caffeoyltartaric acid, 2-S-glutathionylcaffeoyltartaric acid and catechin in grape must 472 (1989) 428

Calcium

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachopheresis 472 (1989) 441

Calcium antagonist

Assay of a calcium antagonist (PU 122) in plasma by GC 497 (1989) 296

Calcium carbonate

Effect of particle treatment of composite filler on its interaction coefficient 462 (1989) 155

Application of GC for the study of precipitated calcium carbonate 464 (1989) 416

GC of pure and surface-modified precipitated calcium carbonate 479 (1989) 17

Calcium channel blockers

Column LC of calcium channel blockers 494 (1989) 408

Calibration, universal

Molecular weight distribution of aspen lignins from conventional GPC, universal calibration and sedimentation equilibrium 498 (1990) 93

(1S)-(-)-Camphanoyl chloride

GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402

Camptothecin

Reversed-phase HPLC assay for camptothecin and related alkaloids 481 (1989) 421

L-Canavanine

Determination of L-canavanine and L-canaline in plant tissues by HPLC 456 (1988) 405

Cannabinoids

Diazotized dapsone as a reagent for the detection of cannabinoids on TLC plates 457 (1988) 383

Capacity factors

Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97

Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 500 (1990) 281

Capillaries, coating

Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429

Capillaries, flushing device

Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289

Capillary columns

see also Columns

Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172

LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

New perspectives in capillary chromatography 473 (1989) 93

Evaluation of small diameter capillary columns for GC 475 (1989) 145

Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345

Performance of micro-LC columns in an industrial environment: a case history 499 (1990) 541

Capillary columns, wide-bore

Potential of wide bore open tubular columns in GC analysis of drugs (Review) 494 (1989) 1

Capillary electrochromatography

Methods for on-line determination and control of electroendosmosis in capillary

electrochromatography and electrophoresis 470 (1989) 89

Capillary electrophoresis

Post-column detection for capillary zone electrophoresis 456 (1988) 375

Separation and detection of DNA by capillary electrophoresis 458 (1988) 303

On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

Rapid separation of DNA restriction fragments using capillary electrophoresis 458 (1988) 323

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147

Nature of temperature gradients in capillary zone electrophoresis 466 (1989) 219

Separation of precolumn *ortho*-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers 468 (1989) 55

Generation of operational electrolytes for isotachopheresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43

Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241

High-voltage capillary zone electrophoresis of red blood cells 470 (1989) 251

Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299

Dynamic programming of pH—a new option in analytical capillary electrophoresis 470 (1989) 309

Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421

Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429

Capillary electrophoresis-electrospray ionization-MS 474 (1989) 21

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63

Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21

Dispersion effects in capillary zone electrophoresis 480 (1989) 35

Extra-column effects in high-performance capillary electrophoresis 480 (1989) 91

Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95

Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111

Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Characterization of a post-column reaction-laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179

Preliminary investigation of ion mobility spectrometry after capillary electrophoretic introduction 480 (1989) 233

Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259

Simple method for generation of a dynamic pH gradient in capillary zone electrophoresis 480 (1989) 271

GPC combined with capillary electrophoresis for microanalysis of proteins 480 (1989) 277

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289

Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311

Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321

Capillary electrophoresis of nucleic acids with a fully automated apparatus 480 (1989) 331

Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339

Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351

Separation of collagens by capillary zone electrophoresis 480 (1989) 371

Characterization of human growth hormone by capillary electrophoresis 480 (1989) 379

Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393

Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

On-line coupling of capillary isotachopheresis with capillary zone electrophoresis 498 (1990) 191

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 500 (1990) 673

Capillary electrophoresis, apparatus

Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87

Capillary electrophoresis—mass spectrometry

Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197

Capillary zone electrophoresis and isotachopheresis—MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211

Coupling capillary zone electrophoresis and continuous-flow fast atom bombardment MS for the analysis of peptide mixtures 480 (1989) 247

Capillary isoelectric focusing

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Capillary isotachopheresis

Measurement of limiting mobilities by capillary isotachopheresis with a constant temperature at the site of detection 470 (1989) 69

Data acquisition in capillary isotachopheresis 470 (1989) 79

Concept of response factor in capillary isotachopheresis. Determination of drugs in solution for intravenous injection 470 (1989) 105

Host—guest complexation in capillary isotachopheresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachopheresis 470 (1989) 123

On-column radiometric detector for capillary isotachopheresis and its use in the analysis of ¹⁴C-labelled constituents 470 (1989) 139

Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155

Complementary information from isotachopheresis and HPLC in peptide analysis 470 (1989) 171

Investigations on the interferon-induced 2'–5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185

Application of capillary isotachopheresis to the analysis of glutathione conjugates 470 (1989) 191

Isotachopheretic analysis of peptides. Selection of electrolyte systems and determination of purity 470 (1989) 209

Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223

Study of alkaline hydrolysis of the insecticide alphamethrine by isotachophoretic determination of decomposition products 470 (1989) 235

Phase-heterogeneous zones in capillary isotachopheresis of low-solubility bases 470 (1989) 263

Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

Capillary liquid chromatography, coupling to conventional HPLC

Direct coupling of capillary LC with conventional HPLC 499 (1990) 549

Capsaicinoids

Pentafluorobenzoylation of capsaicinoids for GC with electron-capture detection 457 (1988) 279

Carazolol

Determination of residues of carazolol and a number of tranquilizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Carbadox

Determination of residues of carbadox and some of its metabolites in swine tissues by HPLC using on-line pre-column enrichment and post-column derivatization with UV-VIS detection 456 (1988) 105

Carbamates

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Carbamazepine

Application of thermospray LC-MS to the simultaneous quantification of tracer concentrations of isotopically labelled carbamazepine epoxide and steady-state levels of carbamazepine and carbamazepine epoxide 474 (1989) 223

Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytoin and phenobarbitone by HPLC 496 (1989) 147

Carbamazepine-10,11-epoxide

Application of thermospray LC-MS to the simultaneous quantification of tracer concentrations of isotopically labelled carbamazepine epoxide and steady-state levels of carbamazepine and carbamazepine epoxide 474 (1989) 223

Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytoin and phenobarbitone by HPLC 496 (1989) 147

Carbamoyloximes

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Carbaryl

HPLC determination of carbaryl in fruit juices 457 (1988) 437

Carbazole

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Carbidopa

Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341

Carbohydrates

see also Sugars and saccharides

Determination of carbohydrate composition of soil hydrolysates by HPLC 454 (1988) 444

Microbore LC and refractive index gradient detection of low-nanogram and low-ppm quantities of carbohydrates 464 (1989) 83

Separation of algal organic osmolytes by HPLC 479 (1989) 353

Biochemical applications of LC-MS 492 (1989) 189

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

HPLC determination of metabolic products for fermentation control of mammalian cell culture: analysis of carbohydrates, organic acids and orthophosphate using refractive index and UV detectors 497 (1989) 59

Separation and quantification by GC-MS of arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 500 (1990) 413

Recent developments in the chromatographic analysis of carbohydrates (Review) 500 (1990) 555

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Carbohydrate trimethylsilyl ethers

GC behaviour of carbohydrate trimethylsilyl ethers. II. Aldohexoses 462 (1989) 49

Carbohydrazide

LC determination of hydrazine, carbohydrazide and thiocarbohydrazide in aqueous solutions 464 (1989) 208

β -Carbolines

Study of the lipophilic character of a series of β -carbolines 469 (1989) 121

Retention behaviour of β -carbolines in normal-phase chromatography. Silica and amino phases in HPLC and TLC 471 (1989) 407

Determination of pharmacological levels of harmine, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269

Carbon

Improvement of a carbon-nitrogen elemental analyser for marine samples collected on glass-fibre filters 469 (1989) 399

Carbon adsorbents

GC retention on carbon adsorbents coated with monolayers of polynuclear aromatic hydrocarbons 454 (1988) 73

Preparation of carbonaceous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197

Carbon dioxide

Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357

High-pressure adsorption of carbon dioxide on SFC adsorbents 479 (1989) 251

Determination of trace levels of total carbonate-carbon by indirect photometric ion chromatography with nitrogen purging 481 (1989) 323

Comparative SFC properties of carbon dioxide and sulphur hexafluoride-ammonia mixtures with packed columns 499 (1990) 637

Carbon disulphide

Sampling and determination of carbon disulphide in air by GC with electron-capture detection 464 (1989) 422

Carbon-nitrogen elemental analyser

Improvement of a carbon-nitrogen elemental analyser for marine samples collected on glass-fibre filters 469 (1989) 399

Carbon-polymer chip

Carbon-polymer chips as sensitive electrochemical detectors for micro-LC 459 (1988) 163

Carbon sorbent

Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223

Carbonyl compounds

see also Aldehydes and ketones

Limitations of 2-diphenylacetyl-1,3-indandione-1-hydrazone as a precolumn fluorescence derivatization reagent 464 (1989) 186

Derivatization with 1,1-dimethylhydrazine for identification of carbonyl compounds resulting from ozonolysis 472 (1989) 284

Carbovir

Liquid chromatographic assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 489 (1989) 323

α -Carboxyamido amino acids

HPLC with thermospray MS detection of α -carboxyamido amino acids 474 (1989) 187

Carboxyibuprofen

HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139

Carboxylic acids

see also Fatty acids and organic acids

Quantitative determination of dicarboxylic acids and polyols in silicone-polyester resins 452 (1988) 37

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370

Determination of carboxylic acids by LC after phase-transfer-catalysed fluorogenic labelling 456 (1988) 410

LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249

Simultaneous GC of volatile and non-volatile carboxylic acids as *tert.*-butyldimethylsilyl derivatives 468 (1989) 289

Isotachopheresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III.

Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 473 (1989) 171

Sensitive fluorescence labelling for analysis of carboxylic acids with 4-bromomethyl-6,7-methylenedioxcoumarin 478 (1989) 149

Capillary GC-MS and identification of substituted carboxylic acids in lipids extracted from a 4000-year-old nubian burial 479 (1989) 61

Florisil[®] sorbent sampling and ion chromatographic determination of airborne aliphatic carboxylic acids 479 (1989) 445

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

New UV labelling agents for HPLC determination of monocarboxylic acids 481 (1989) 211

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Carboxylic acids, anilide derivatives

Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271

3-Carboxy-4-methyl-5-propyl-2-furanpropionic acid

Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine.

Analytical approaches and clinical relevance in kidney diseases 500 (1990) 615

Carboxypeptidase A

Kinetic analysis of the carboxypeptidase A hydrolysis of oligopeptides by reversed-phase HPLC 479 (1989) 27

2-Carboxythiazolidine-4-carboxylic acid

Reversed-phase ion-pair HPLC determination of 2-carboxythiazolidine-4-carboxylic acid in plasma 496 (1989) 485

Carboxytolbutamide

Simple HPLC method for the determination of tolbutamide and its metabolites in human plasma and urine using photodiode-array detection 490 (1989) 355

Carbromal

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Cardiac glycosides

HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319

Cardiac steroids

Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339

Cardiodilatin/atrial natriuretic factor

Separation of synthetic cardiodilatin/atrial natriuretic factor and related peptides by reversed-phase HPLC 490 (1989) 411

Carnitine

Use of anion-exchange resin in F⁻ form in sample processing for determination of carnitine 497 (1989) 250

Carnitine palmitoyltransferase

Determination of overt carnitine palmitoyltransferase by reversed-phase HPLC 491 (1989) 69

 β,β -Carotene-2,2'-diol

Diastereomeric resolution of carotenoids. III. β,β -Caroten-2-ol, β,β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379

Carotenes

Separation of carotenes on cyclodextrin-bonded phases 499 (1990) 627

Carotenoids

Simultaneous separation and identification of carotenoids and chlorophylls in turf bermudagrass by HPLC 455 (1988) 396

HPLC of chlorophylls and carotenoids from vegetables 472 (1989) 296

Diastereomeric resolution of carotenoids. III. β,β -Caroten-2-ol, β,β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379

HPLC and capillary SFC separation of vegetable carotenoids and carotenoid isomers 479 (1989) 261

Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189

 β,β -Caroten-2-ol

Diastereomeric resolution of carotenoids. III. β,β -Caroten-2-ol, β,β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379

Carpipramine

Preparative HPLC method for the 2-hydroxy metabolite of carpipramine, excreted by isolated perfused liver 491 (1989) 495

Carrier ampholytes

Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283

Carrier gas flow-rate

Carrier gas flow-rate and injection system in capillary GC of unconjugated and glycine-conjugated bile acids 495 (1989) 31

Carvedilol

HPLC method for the simultaneous determination of the enantiomers of carvedilol and its O-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105

Casein

Application of reversed-phase HPLC to the separation of peptides from phosphorylated and dephosphorylated casein hydrolysates 473 (1989) 189

HPLC determination of the extent of proteolysis in Gouda cheese 483 (1989) 319

Casein kinase-1

Application of fast protein LC for the isolation of vertebrate casein kinase-1 477 (1989) 448

Castasterone

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Catechins

Chemical reaction detection of catechins and proanthocyanidins with 4-dimethylaminocinnamaldehyde 467 (1989) 185

HPLC determination of the free *o*-quinones of *trans*-caffeoyltartaric acid, 2-S-glutathionylcaffeoyltartaric acid and catechin in grape must 472 (1989) 428

Catechol

HPLC of mixtures of catechol and its reaction products with glyoxylic acid 472 (1989) 381

Catecholamines

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93

Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341

Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113

Biogenic amines and their metabolites in body fluids of normal, psychiatric and neurological subjects (Review) 466 (1989) 89

Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237

Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Highly sensitive determination of catecholamine and serotonin concentrations in plasma by LC electrochemistry 493 (1989) 157

Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287

Catecholamine measurements in urine by HPLC with amperometric detection—comparison with an autoanalyser fluorescence method 494 (1989) 53

Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Catechol derivatives

Isotachophoretic separation and behavior of catechol derivatives 498 (1990) 205

Catharanthine

Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181

Catharanthus roseus

HPLC analysis of the ajmalicine distribution in roots of *Catharanthus roseus* lines with different flower colours 452 (1988) 485

Cathie

Cathie: expert interpretation of chromatographic data 485 (1989) 341

Cation exchangers

Sulphated Sepharose—a strong cation exchanger 472 (1989) 261

Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446

Modelling single-component protein adsorption to the cation exchanger S Sepharose[®] FF 498 (1990) 113

Cations

Behavior of simple salts on silica and C₁₈ columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71

Determination of cations in xylem sap by ion-exchange HPLC with UV detection (in French) 462 (1989) 303

Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Determination of mono-, bi- and trivalent cations using non-suppressed ion chromatography 482 (1989) 289

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Determination of cations in tear fluid samples by non-suppressed ion chromatography with indirect UV detection 482 (1989) 407

Ceftetrame

Rapid analysis of ceftetrame in human plasma using sorbent extraction and HPLC 497 (1989) 349

Ceftibuten

Analytical studies on β -lactam antibiotics. III. Automated HPLC method for the determination of the orally active antibiotic ceftibuten in human plasma and urine 494 (1989) 231

Celiprolol

Simultaneous determination of (*R*)- and (*S*)-celiprolol in human plasma and urine: HPLC assay on a chiral stationary phase with fluorimetric detection 496 (1989) 387

Cell profiling

Profiling cells and body fluids—chromatography and two-dimensional electrophoresis as complementary techniques 488 (1989) 105

Cell surface interactions

Cell surface interactions with metal chelates 495 (1989) 113

Cellulose

Retention and heats of adsorption of hydrocarbons and aliphatic alcohols on cellulose 455 (1988) 263

Adsorption of Co(III) complexes on cellulose 456 (1988) 444

Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253

Influence of the cellulose content of cellulose gels on the electrophoretic mobility 469 (1989) 378

Adsorption chromatography on cellulose. V. A simple chromatographic system for the identification of inks 475 (1989) 451

Cellulose triacetate

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101

Cellulose tris(3,5-dimethylphenylcarbamate)

Optical resolution of amino acid derivatives by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367

Centrifugal counter-current partition chromatography

Centrifugal counter-current partition chromatography with helical coil rotor. Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359

Centrifugal partition chromatography

Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139

Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91

Cephaeline

Selective, stability-indicating assay of the major Ipecacuanha alkaloids, emetine and cephaeline, in pharmaceutical preparations by HPLC using spectrofluorimetric detection 463 (1989) 107

Cephalexin

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Cephalin

Silicic acid column chromatography of phosphonolipids. X. Some phosphono analogues of 1-O-alkylethylene glycol 454 (1988) 420

Cephalosporins

Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs 488 (1989) 341

Analytical studies on β -lactam antibiotics. III. Automated HPLC method for the determination of the orally active antibiotic ceftibuten in human plasma and urine 494 (1989) 231

On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

Ceramides

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Cerebrosides

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Cethexonium bromide

Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137

Cetyltrimethylammonium bromide

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

CGP 6140

Fully automated analytical system using liquid-solid extraction and LC for the determination of CGP 6140 in plasma 456 (1988) 45

 α -Chaconine

HPLC method for the simultaneous analysis of α -solanine and α -chaconine in potato plants cultured *in vitro* 462 (1989) 357

Chalcones

Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237

Flavonoid aglycones identified by GC-MS in bud exudate of *Populus balsamifera* 472 (1989) 393

Charge, ionic

Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 498 (1990) 325

Charge, metal ions

Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265

Charge-transfer stationary phases

Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237

Chemical class separation

Phosphoric acid-modified amino bonded stationary phase for HPLC chemical class separation 457 (1988) 215

Chemiluminescence detector

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139

Separation and assay of N-nitroso compounds by HPLC with chemiluminescence detection 463 (1989) 201

SFC with sulfur chemiluminescence detection 465 (1989) 23

Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345

Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219

Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319

Chemiluminescence immunoassays

Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 489 (1989) 245

Chemometrics

Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364

Chiral mobile phase additives

Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Chiral recognition

New insights into the recognition mechanisms of chiral "brush-type" LC stationary phases 464 (1989) 39

Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

Discussion of a controversial chiral recognition model 469 (1989) 67

(*S*)-*thio*-DNBTyr-A and (*S*)-*thio*-DNBTyr-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67

Chiral stationary phases, GC

Evaluation of nickel(II) bis[α -(heptafluorobutanoyl)terpeneketonates] as chiral stationary phases for the enantiomer separation of alkyl-substituted cyclic ethers by complexation GC 475 (1989) 23

Thermodynamic properties of enantiomers of underivatized diols *versus* the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17

Enantioselective measurement of the *Candida* metabolite D-arabinitol in human serum using multi-dimensional GC and a new chiral phase 495 (1989) 21

Chiral stationary phases, LC

Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309

Use of mobile phase modifiers to alter retention and stereoselectivity on a bovine serum albumin HPLC chiral stationary phase 455 (1988) 316

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Computational chemical studies of chiral stationary phase models. Complexes of methyl N-(2-naphthyl)alaninate with N-(3,5-dinitrobenzoyl)leucine *n*-propylamide 461 (1989) 129

General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397

Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95

(*R*)-N-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary phase for the separation of enantiomers by HPLC 462 (1989) 382

New insights into the recognition mechanisms of chiral "brush-type" LC stationary phases 464 (1989) 39

HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid-chiral phenylethylamine bonded to silica gel 464 (1989) 411

Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263

Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406

Discussion of a controversial chiral recognition model 469 (1989) 67

π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101

Analytical resolution of 4(5)-alkylated $\gamma(\delta)$ -lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137

LC separation of racemates on acetylated or carbamoylated β -cyclodextrin-bonded stationary phases 469 (1989) 429

Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271

Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265

HPLC separation of alkane-1,2-diol enantiomers on a chiral slurry-packed capillary column 472 (1989) 271

Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241

Determination of optical purity by HPLC on chiral stationary phases: pantothenic acid and related compounds 474 (1989) 405

Design and synthesis of a chiral stationary phase containing a benz[*de*]isoquinolinone skeleton. I. First chromatographic results 475 (1989) 153

Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165

Optimization of detection sensitivity for enantiomers of metoprolol on silica-bonded α_1 -acid glycoprotein 477 (1989) 107

Optical resolution of amino acid derivatives by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101

Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377

Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I. Stationary phase with one chiral centre for HPLC and development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380

Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher[®] 481 (1989) 387

Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35

HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165

(*S*)-thio-DNB^{Tyr}-A and (*S*)-thio-DNB^{Tyr}-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67

Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81

Triacetylcellulose as a chiral stationary phase for HPLC 498 (1990) 257

Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629

Chiral stationary phases, SFC

Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121

Chiral stationary phases, TLC

Direct stereochemical resolution of enantiomeric amides via TLC on a covalently bonded chiral stationary phase 472 (1989) 277

Chloral hydrate

Determination of trichloroethanol, the active metabolite of chloral hydrate, in plasma by LC 500 (1990) 655

Chlorambucil

HPLC of chlorambucil prodrugs structurally related to lipids in rat plasma 494 (1989) 389

GC assay for chlorambucil and phenylacetic mustard in plasma 495 (1989) 281

Chloramine-T

Ion chromatographic determination of cyanide compounds by chloramine-T and conductivity measurement 465 (1989) 395

Chloramphenicol

Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205

Chloride

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Ion chromatographic determination of nitrite in the presence of a large amount of chloride 475 (1989) 331

Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Chlorinated aromatic compounds

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Chlorinated benzenes

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Chlorinated water

Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace organics from chlorinated drinking water 454 (1988) 217

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Chlorine

Determination of chlorine and chlorine dioxide in workplace air by impinger collection and ion-chromatographic analysis 457 (1988) 409

Chlorine dioxide

Determination of chlorine and chlorine dioxide in workplace air by impinger collection and ion-chromatographic analysis 457 (1988) 409

Chlormethoxynil

Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382

Chloroacetaldehyde

HPLC analysis of DNA composition and DNA modification by chloroacetaldehyde 458 (1988) 117

HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311

Chloroacetamide

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Chloroanilines

Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their

formation and GC determination by mass selective and electron-capture detectors 457 (1988) 267

Chlorobenzoates

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Chlorobiphenyls

Correlations between octanol-water partition coefficients and reversed-phase HPLC capacity factors. Chlorobiphenyls and alkylbenzenes 454 (1988) 37

N-(3-Chloro-2,6-dimethylphenyl)-N-(2-oxotetrahydrofuryl)-2-methoxyacetamide
Coupled HPLC-GC for the determination of pesticide residues in biological matrices 477 (1989) 359

2-Chloroethyl acetate

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197

ω -Chloroethyl benzoates

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Chloroform

High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85

Physical-chemical parameters of some chloroform-containing solvent systems in droplet counter-current chromatography (in German) 498 (1990) 303

9-Chloro-2-(2-furyl)[1,2,4]triazolo[1,5-c]-quinazolin-5-imine

Rapid, high-sensitivity reversed-phase LC assay for 9-chloro-2-(2-furyl) [1,2,4]triazolo[1,5-c]quinazolin-5-imine and its oxo metabolite in plasma using fluorescence detection 496 (1989) 377

2-(4-Chloro-2-methylphenoxy)propanoic acid

Chiral HPLC analysis of phenoxy herbicide mixtures 454 (1988) 450

Chloronitroguaiacols

Synthesis, GLC analysis and GC-MS identification of nitrovanillins,

chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99

Chloronitrovanillins

Synthesis, GLC analysis and GC-MS identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99

Chlorophacinone

HPLC separation of indandione rodenticides 481 (1989) 458

Chlorophenols

Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139

Determination of chlorophenols in water by direct acetylation and solid-phase extraction 472 (1989) 327

Chlorophenoxyalkanoic acids

Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151

Chlorophylls

Simultaneous separation and identification of carotenoids and chlorophylls in turf bermudagrass by HPLC 455 (1988) 396

HPLC of chlorophylls and carotenoids from vegetables 472 (1989) 296

Chloroquine

Identification and determination of a carboxylic acid metabolite of chloroquine in human urine by HPLC 487 (1989) 189

Contribution to the determination of chloroquine in biological fluids 493 (1989) 196

4-[(7'-Chloro-4'-quinoliny)amino]pentanoic acid

Identification and determination of a carboxylic acid metabolite of chloroquine in human urine by HPLC 487 (1989) 189

2-(4-Chloro-*o*-tolyl-oxy)propionic acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

Chlorpromazine

Determination of residues of carazolol and a number of tranquillizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585

Chlorsulphuron

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Chlortetracycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Chlorthalidone

Determination of chlorthalidone and its impurities in bulk and in dosage forms by high performance TLC densitometry 456 (1988) 435

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

3-(3-Cholamidopropyl)-dimethylammoniopropanesulphonate

Use of the surfactant 3-(3-cholamidopropyl)-dimethylammoniopropane sulfonate in hydrophobic interaction chromatography of proteins 464 (1989) 61

Cholecystokinin

Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165

Cholestanol

Potential application of TLC and TLC with flame ionization detection of cholestanol in the diagnosis of cerebrotendinous xanthomatosis 452 (1988) 543

Cholesterol

Separation and quantitation of free cholesterol and cholesteryl esters in a macrophage cell line by HPLC 494 (1989) 43

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Cholesterol 7 α -hydroxylase

Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255

Cholesteryl acetate

Chromatographic separation of cholesteryl acetate and its chloro analogues 462 (1989) 467

Cholesteryl chloroacetates

Chromatographic separation of cholesteryl acetate and its chloro analogues 462 (1989) 467

Cholesteryl esters

Chromatographic determination of cholesteryl esters synthesized *in vitro* 466 (1989) 446

Improved separation of lipid esters by TLC 483 (1989) 369

Separation and quantitation of free cholesterol and cholesteryl esters in a macrophage cell line by HPLC 494 (1989) 43

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Choline

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Cholinesterase-inhibiting compounds

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Chondroitin sulphates

Sensitive detection of unsaturated disaccharides from chondroitin sulphates by TLC as their dansylhydrazine derivatives 462 (1989) 471

Chromate

Lanthanide luminescence quenching as a detection method in ion chromatography. Chromate in surface and drinking water 482 (1989) 351

Chromatofocusing

Ten years of chromatofocusing: a discussion 470 (1989) 317

High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 μm beads 475 (1989) 167

High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 μm beads 475 (1989) 177

High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* ^{14}C -glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 476 (1989) 467

The separation of pancreatic procarboxypeptidases by HPLC and chromatofocusing 481 (1989) 233

Chromatographic systems, calibration

Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary–mobile phase combinations with markers 485 (1989) 169

Chromatographic theory

Unified theory of adsorption chromatography: gas, liquid and supercritical fluid mobile phases 452 (1988) 17

Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61

Application of a unified molecular theory to GLC 471 (1989) 71

Theoretical analysis of non-linear preparative LC 500 (1990) 185

Chromatography, use beyond analytical chemistry

Chromatography beyond analytical chemistry 488 (1989) 25

Chrome Azurol S

Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 325

Chromium

Simultaneous determination of Cr(III) and Cr(VI) at ultratrace levels using ion chromatography with chemiluminescence detection 482 (1989) 361

Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate *in vitro* and *in vivo* 489 (1989) 283

Chromium hydroxy salts

Application of ion chromatography to the analysis of chromium hydroxy salts 454 (1988) 411

Chromosomal proteins

HPLC separation of variants of chromosomal proteins from prokaryotes 466 (1989) 331

Chrysanthemic acid

Study of alkaline hydrolysis of the insecticide alphasmethrine by isotachophoretic determination of decomposition products 470 (1989) 235

 α -Chymotrypsinogen

Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159

Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301

CI-941

Determination of the anthrapyrazole anticancer drug CI-941 in plasma and urine by solid-phase extraction and HPLC 491 (1989) 253

Cibacron Blue F3GA

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205

Cimetidine

Injection of elutes in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Cinchonamine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

Cinchonidine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

Cinchonine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

1,8-Cineole

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

Cinnamic acid

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful

application to flavonoids isolation 478 (1989) 225

Cinnarizine

Column LC of calcium channel blockers 494 (1989) 408

Cinoxate

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

CIPC

Rapid determination of seven herbicides in water or isooctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

Ciprofloxacin

HPLC method for the simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in canine serum and prostatic tissue 493 (1989) 337

Circular dichroism

Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159

Cisplatin

Determination of cisplatin and related platinum complexes in plasma ultrafiltrate and urine by HPLC with on-line radioactivity detection 491 (1989) 163

Citalopram

Determination of citalopram in plasma and brain tissue of the rat by HPLC with UV detection 488 (1989) 492

Citrate

Simultaneous determination of citrate and D-isocitrate in urine by isocratic ion chromatography 495 (1989) 239

Citrinin

HPLC determination of citrinin in cereals using an acid-buffered silica gel column 462 (1989) 406

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

Clean-up methods

Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149

Effect of chemically bonded alkyl chain length on the recovery of serotonin and its metabolite from urine by a solid extraction clean-up procedure 456 (1988) 219

Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the GC determination of organochlorine compounds in some food commodities 457 (1988) 387

Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Applications to the determination of phytoalexins from *Brassica* spp. by HPLC 473 (1989) 293

Automated LC analysis of drugs in urine by on-line sample cleanup and isocratic multicolumn separation 473 (1989) 325

Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205

Sample cleanup methods for ion chromatography 482 (1989) 267

Clenbuterol

Determination by HPLC of clenbuterol in commercial syrup formulations 473 (1989) 301

Clinical chromatography

The role of chromatography and electrophoresis in biomedical sciences 488 (1989) 5

Clobazam

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Clofibric acid

Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137

***Clostridium difficile*, toxin B**

Clostridium difficile toxin B: characterization and sequence of three peptides 490 (1989) 91

Cloxacillin

Assay for cloxacillin in human serum utilising HPLC with UV detection 490 (1989) 243

Clozapine

Rapid and sensitive determination of clozapine in human plasma using HPLC and amperometric detection 491 (1989) 235

Clozapine analogue

HPLC method for a clozapine analogue, CGS 13429, and its N-oxide and desmethyl metabolites 494 (1989) 413

Cluster analysis

Cluster analysis in the comparison of two dimensional chromatograms 466 (1989) 371

CMPP

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Coagulation factors

Separation of vitamin K-dependent coagulation factors on sulphated cellulose 487 (1989) 173

Chromatography of human plasma on aminohexyl Sepharose: separation of factor VIII/vWf and behaviour of factors II, VII, IX and X and antithrombin III 491 (1989) 299

Coal extracts

Alkaline SEC of lignins and coal extracts using cross-linked dextran gels 467 (1989) 309

Coal liquefaction products

Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309

Coating methods

Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429

New perspectives in capillary chromatography 473 (1989) 93

Cobalt complexes

Dependence of R_F values of cobalt(III) complexes on the size of diamine chelate ligands on silica gel thin layers 454 (1988) 362

Adsorption of Co(III) complexes on cellulose 456 (1988) 444

Chromatographic studies of metal complexes. V. TLC of some octahedral cobalt(III) and nickel(II) complexes 469 (1989) 383

TLC on polyacrylonitrile. I. Effect of the *cis-trans* configuration of cobalt(III) complexes on their R_F values 481 (1989) 465

Effect of the chelate ring size of diamine cobalt(III) complexes on their R_F values obtained by PC 481 (1989) 471

Cobalt-60 irradiation

Production of tyrosine isomers in mice by therapeutic doses of ⁶⁰Co irradiation 497 (1989) 360

Cobalt-modified solid

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Cocaine

TLC of benzoylecgonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236

Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153

Cocoa

Authentication of cocoa in Maya vessels using HPLC techniques 466 (1989) 279

Codeine

GC-MS determination of morphine, codeine and 6-monoacetylmorphine in blood extracted by solid phase 490 (1989) 444

Simultaneous determination of codeine, norcodeine and morphine in biological fluids by HPLC with fluorescence detection 491 (1989) 367

Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473

Codeine-6-glucuronide

Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473

Direct determination of codeine-6-glucuronide in plasma and urine using solid-phase extraction and HPLC with fluorescence detection 493 (1989) 313

Codeine phosphate

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Coenzyme A

Determination of overt carnitine palmitoyltransferase by reversed-phase HPLC 491 (1989) 69

Cohumulone

Preparative LC of hop and beer bitter acids 484 (1989) 361

Coil planet centrifuge

Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319

Coil temperature

Determination of taurine: influence of the coil temperature on the taurine peak purity (in German) 462 (1989) 105

Cold medicine

Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 498 (1990) 313

Cold trapping

Determination of the total amount sulfur in petroleum fractions by capillary GC in combination with cold trapping and a total sulfur analyzer 468 (1989) 345

Collagenase

Improved HPLC determination of bacterial collagenase activity in ointments 459 (1988) 337

Collagens

Improved method for amino acid analysis of stained collagen bands from polyacrylamide gels using HPLC 462 (1989) 341

Separation of collagens by capillary zone electrophoresis 480 (1989) 371

Separation methods for the study of collagen and treatment of collagen disorders 488 (1989) 161

Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 488 (1989) 267

Colour codes

Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661

Colour reactions, computer handling

Identification power of TLC colour reactions and integration of colour codes in a database for computerized identification in systematic toxicological analysis 500 (1990) 661

Column bed structure

Packing technology, column bed structure and chromatographic performance of 1–2- μm non-porous silicas in HPLC 465 (1989) 39

Column cutting techniques

Practical aspects of recycle GC with capillary columns 477 (1989) 59

Column design, LC

Contemporary LC column design 468 (1989) 99

Column design, SFC

Some practical aspects of column design for packed-column SFC 468 (1989) 127

Column diameter

Contemporary LC column design 468 (1989) 99

Evaluation of small diameter capillary columns for GC 475 (1989) 145

Column efficiency

Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 457 (1988) 1

Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387

Column extraction procedure

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

Column length

Contemporary LC column design 468 (1989) 99

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Column loading

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Column overload

Study of preparative reversed-phase chromatography by application of kinetic and equilibrium models of column overload 484 (1989) 61

Column parameters

Generalized treatment of spatial and temporal column parameters, applicable to GLC, LC and SFC. I. Theory 461 (1989) 165

Column performance

Numerical simulation of column performance in ion-exclusion chromatography 457 (1988) 43

Packing technology, column bed structure and chromatographic performance of 1–2- μm non-porous silicas in HPLC 465 (1989) 39

Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337

Columns

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Columns, megabore

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37

Column saturation capacity

Preparative HPLC under isocratic conditions. III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95

Column switching

Systematic approach to column switching (Review) 456 (1988) 3

Determination of a new non-benzodiazepine anxiolytic and its O-demethyl metabolite in plasma by HPLC using automated column-switching 456 (1988) 21

Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71

Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113

Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 473 (1989) 171

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Gas sampling- and column-switching systems in high-resolution gas analysis (in German) 477 (1989) 25

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofuran residues in edible products 500 (1990) 453

Column temperature

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125

Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101

Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387

Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111

Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79

Competitive equilibrium isotherms

Theoretical analysis of non-linear preparative LC 500 (1990) 185

Competitive isotherms

Study of the representation of competitive isotherms and of the intersection between adsorption isotherms 475 (1989) 1

Complex formation

Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309

Macrocyclic polyfunctional Lewis bases. XII. Influence of complex formation on chromatographic migration 454 (1988) 340

Computer programs

see Software

Computer simulations

Numerical simulation of column performance in ion-exclusion chromatography 457 (1988) 43

Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147

Design of optimized HPLC gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 459 (1988) 1

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Ideal mixed cells model of multi-component preparative LC 464 (1989) 1

Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Development of HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Conductivity detector

Simultaneous photometric and conductivity detection for microcolumn LC 471 (1989) 303

Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

Configuration assignment

GC based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 482 (1989) 227

Conformational changes

Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159

Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281

Reversed-phase chromatographic behavior of proteins in different unfolded states 499 (1990) 89

Coniferin

HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345

Contact time

Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131

Continuous affinity-recycle extraction

Mathematical modelling of the continuous affinity-recycle extraction purification technique 478 (1989) 1

Continuous-flow fast atom bombardment

Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39

Optimisation of continuous flow fast atom bombardment MS for bioanalysis 474 (1989) 51

Applicability of continuous-flow fast atom bombardment LC-MS in bioanalysis.

Dextromethorphan in plasma 474 (1989) 59

Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197

Continuous gas extraction

Basic equations in continuous gas extraction and their application to headspace analysis 471 (1989) 55

Continuous polymer beds

HPLC on continuous polymer beds 473 (1989) 273

Contour-clamped homogeneous electric field electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Co-operative cluster model

Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13

Cope elimination reaction

Characterization of the antidiarrhoeal loperamide by GC-MS and application of the Hofmann degradation and Cope elimination reaction 494 (1989) 324

Copolymer distribution

Use of HPLC for the characterization of synthetic copolymers 499 (1990) 645

Copper(II) acetate

Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419

Copper plating baths

LC analysis of organic additives in copper plating baths 452 (1988) 503

Coproporphyrins

Isocratic ion-pair HPLC methods for the determination of uroporphyrin and coproporphyrin type II and IV isomers in human urine 468 (1989) 329

Separation of porphyrin isomers by HPLC 493 (1989) 53

Coprostanol

HPLC method for isolating coprostanol from sediment extracts 481 (1989) 263

Corona discharge ionization

Corona discharge ionization LC-MS interface for target compound analyses 474 (1989) 335

Correlation analysis

Correlation analysis in LC of metal chelates. I. One-dimensional retention-structure models in reversed-phase TLC 498 (1990) 337

Correlation chromatography

Application of correlation chromatography to the investigation of biopolymers in wines 469 (1989) 420

Corynantheal

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

Corynomycolic acid, 3-O-acetyl methyl ester

Separation of homologues of methyl ester and 3-O-acetyl methyl ester derivatives of the corynomycolic acid fraction from *Corynebacterium pseudotuberculosis* 481 (1989) 411

Co-solvent trapping

Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411

Concurrent eluent evaporation with co-solvent trapping for on-line reversed-phase LC-GC. Optimization of conditions 477 (1989) 73

Cotamine

Determination of noscapine and its metabolites in plasma by coupled-column LC 459 (1988) 301

Cotinine

Determination of cotinine in urine using glass capillary GC and selective detection, with special reference to the biological monitoring of passive smoking 454 (1988) 293

Multidimensional GC determination of cotinine as a marker compound for particulate-phase environmental tobacco smoke 463 (1989) 253

Capillary GC determination of *trans*-3'-hydroxycotinine simultaneously with nicotine and cotinine in urine and blood samples 479 (1989) 410

Determination of nicotine and cotinine in urine by HPLC (in French) 488 (1989) 487

***p*-Coumaric acid**

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

Coumarin

Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

***p*-Coumaroyltartaric acid**

HPLC determination of the free *o*-quinones of *trans*-caffeoyltartaric acid, 2-S-glutathionylcaffeoyltartaric acid and catechin in grape must 472 (1989) 428

Counter-current chromatography

New high-speed counter-current chromatograph equipped with a pair of separation columns connected in series 454 (1988) 382

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. I. Design of the apparatus and performance of semipreparative columns in 2,4-dinitrophenyl amino acid separation 475 (1989) 219

Modification to a high-speed counter-current chromatograph for improved separation capability 482 (1989) 234

Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319

Counter-current chromatography

Preliminary applications of cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography 454 (1988) 185

Isolation of virginiamycin-M₁ by droplet counter-current chromatography 454 (1988) 387

Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. III. Performance of large-bore coils in slow planetary motion 455 (1988) 151

Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 457 (1988) 393

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 463 (1989) 305

Application of analytical high-speed counter-current chromatography to the isolation of bioactive natural products 477 (1989) 434

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Multilayer coil planet centrifuge for analytical high-speed counter-current chromatography 479 (1989) 53

Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197

Centrifugal counter-current partition chromatography with helical coil rotor. Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359

Purification of nitrophenylvaleric acid reaction mixtures by counter-current chromatography 484 (1989) 391

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

Physical-chemical parameters of some chloroform-containing solvent systems in droplet counter-current chromatography (in German) 498 (1990) 303

Counter flow liquid extraction system

High-efficiency liquid extractor for isolation of a desired material from complex organic mixtures 499 (1990) 721

Coverage density

Effect of coverage density on the retention mechanism in reversed-phase HPLC 499 (1990) 305

Craig simulations

Preparative HPLC under gradient conditions. III. Craig simulations for heavily overloaded separations 484 (1989) 437

Creatine kinase

Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91

Creatine phosphate

Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by HPLC 459 (1988) 229

Creatinine

Simultaneous determination of pseudouridine and creatinine in untreated urine by ion-pair LC with diode-array UV detection 493 (1989) 35

CRIPES

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325

Critical micelle concentration

Sodium dodecyl sulphate-protein complexes. Changes in size or shape below the critical micelle concentration, as monitored by high performance agarose gel chromatography 476 (1989) 147

Cross-axis synchronous flow-through coil planet centrifuge

Preliminary applications of cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography 454 (1988) 185

Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. III. Performance of large-bore coils in slow planetary motion 455 (1988) 151

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. I. Design of the apparatus and analysis of acceleration 463 (1989) 305

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317

Cross-linking

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

Non-extractable stationary phases for GC cross-linked by exposure to low-temperature plasmas 473 (1989) 79

Crotamiton

Determination of crotamiton in plasma and urine by HPLC 494 (1989) 361

Crown ethers

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Use of crown ethers in GC 469 (1989) 153

Use of GC for a study of crown ethers 471 (1989) 139

Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309

Crude oils

Preparative and automated compound class separation of Venezuelan vacuum residua by HPLC 484 (1989) 399

Cryptands

Isocratic reversed-phase HPLC assay for a cryptand–cryptate–free metal ion system 469 (1989) 440

Cryptate complexes

Isocratic reversed-phase HPLC assay for a cryptand–cryptate–free metal ion system 469 (1989) 440

CS-622

Determination of a new angiotensin-converting enzyme inhibitor (CS-622) and its active metabolite in plasma and urine by GC–MS using negative ion chemical ionization 496 (1989) 129

Cuprophan dialysis

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

Cyanazine

Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using HPLC and an on-line clean-up column-switching procedure 475 (1989) 432

Cyanide

Ion chromatographic determination of cyanide compounds by chloramine-T and conductivity measurement 465 (1989) 395

Improved GC with electron-capture detection using a reaction pre-column for the determination of blood cyanide: a higher content in the left ventricle of fire victims 490 (1989) 319

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Cyano-bonded silica

Comparison of the selectivity of cyano-bonded silica stationary phases in reversed-phase LC 464 (1989) 297

3-Cyanopyridine

GC determination of nicotinamide in meats and meat products as 3-cyanopyridine 466 (1989) 307

Cyclamate

Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463

Cyclic enol ethers

Formation of cyclic enol ethers from a labile biological precursor: an example of analytical artifacts 491 (1989) 27

Cyclic nucleotide phosphodiesterase

Determination of cyclic nucleotide phosphodiesterase activity in cellular systems by ion-pair reversed-phase LC 483 (1989) 427

Cyclodextrins

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Determination of cyclic glucans by anion-exchange chromatography with pulsed amperometric detection 454 (1988) 303

Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219

Use of cyclodextrins in isotachopheresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139

LC separation of positional isomers of suprofen on a cyclodextrin-bonded phase 465 (1989) 422

Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361

LC separation of racemates on acetylated or carbamoylated β -cyclodextrin-bonded stationary phases 469 (1989) 429

Use of cyclodextrins in isotachopheresis. VIII. Two-dimensional chiral separation in isotachopheresis 472 (1989) 308

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Indirect photometric detection of cyclodextrins via inclusion complexation in micro HPLC 477 (1989) 147

Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C_{18} bonded phases 477 (1989) 277

Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339

Determination of hydroxypropyl- β -cyclodextrin in plasma and urine by SEC with post-column complexation 487 (1989) 99

HPLC separation of urinary hippuric and *o*-, *m*- and *p*-methylhippuric acids with a β -cyclodextrin-bonded column 496 (1989) 189

Studies on iodinated compounds. V. Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137

Retention characteristics of several compound classes in reversed-phase LC with β -cyclodextrin as a mobile phase modifier 499 (1990) 395

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Cyclodextrin-silica

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251

Cyclohexane

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Cyclohexanones

Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153

(\pm)-Cyclohexyl(3-thienyl)glycolic acid

Direct enantiomeric separation of anticholinergic drugs derived from (\pm)-cyclohexyl(3-thienyl)glycolic acid on a novel α_1 -acid glycoprotein-bonded chiral stationary phase (Chiral-AGP) 467 (1989) 406

Cyclopentenones

Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337

Cyclophosphamide

Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133

Cyclopiazonic acid

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

Cyclopropanol

Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225

3-(5-Cyclopropyl-1,2,4-oxadiazol-3-yl)-5,6-dihydro-5-methyl-6-oxo-4*H*-imidazo-[1,5*a*][1,4]-benzodiazepine

Determination of an oxadiazole-substituted 1,4-benzodiazepine in plasma by HPLC with UV detection and by a radioreceptor assay 494 (1989) 257

Cyclosophoraoses

Determination of cyclic glucans by anion-exchange chromatography with pulsed amperometric detection 454 (1988) 303

Cyclosporin

HPLC for cyclosporin measurement: comparison with radioimmunoassay 476 (1989) 93

Cyclosporin A

Determination of cyclosporin A in the serum of kidney transplant patients by rapid-flow fractionation and normal-phase HPLC 490 (1989) 145

Cycrimine

Capillary GC of trihexyphenidyl, procyclidine and cycrimine in biological fluids 494 (1989) 135

***p*-Cymene**

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

Cystathionine

HPLC of cystathionine, lanthionine and aminoethylcysteine using *o*-phthalaldehyde precolumn derivatization 490 (1989) 404

Cysteine

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Cysteine-acrylamide adduct

Formation of a cysteine-acrylamide adduct in isoelectric focusing gels 500 (1990) 697

Cysteine oxidation

Kinetics of cysteine oxidation in immobilized pH gradient gels 499 (1990) 699

5-S-Cysteinyl-3,4-dihydroxyphenylalanine

Automated HPLC determination of 5-S-cysteinyl-3,4-dihydroxyphenylalanine in urine 473 (1989) 359

5-S-L-Cysteinyl-3,4-dihydroxy-phenylalanine

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

Cytidine

Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105

Cytidine deaminase

Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105

Cytochalasans

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

Cytochrome P-450

Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299

Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489

Cytosine

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Cytosine arabinoside

Determination of ³H-labelled cytosine arabinoside and eight metabolites in cell extracts by HPLC and scintillation spectrometry 491 (1989) 331

HPLC assay for cytosine arabinoside and uracil arabinoside in cerebrospinal fluid and plasma 497 (1989) 302

Cytosine 5'-triphosphate

Method for the determination of the specific activities of UTP and CTP in mouse kidney by HPLC 495 (1989) 249

D**Dabequin**

Determination of dabequin in biological fluids by GC with a nitrogen-selective detector 493 (1989) 202

Dansylaziridine

HPLC determination of δ -(L- α -aminoadipyl)-L-cysteinyl-D-valine in complex media by precolumn derivatization with dansylaziridine 481 (1989) 245

Data acquisition

Data acquisition in capillary isotachopheresis 470 (1989) 79

Data handling

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Davis–Giddings theory

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

2,4-DB methyl ester

Rapid determination of seven herbicides in water or isoctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

***p,p'*-DDE**

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

***p,p'*-DDT**

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Deacetoxycephalosporin C

On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

Deacetylcephalosporin C

On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

Deacetyldiltiazem

Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358

Deacetyl-N-onodemethyldiltiazem

Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358

Deactivation

Characteristics of glass based packings as a support in chromatography 471 (1989) 113
Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ²⁹Si nuclear magnetic resonance spectroscopy 477 (1989) 3

Dead volume

Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97

DEAE-cellulose

Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three

procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101

Ionization of DEAE-cellulose. Dependence of p*K* on ionic strength 469 (1989) 111

Decomposition, on-column

Use of a stop-flow technique to study on-column decomposition in SFC 479 (1989) 170

Deconvolution

Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77

DEF

Rapid determination of seven herbicides in water or isoctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

Dehydroacetic acid

Simultaneous determination of nine food additives using HPLC 457 (1988) 333

Dehydroascorbic acid

Determination of ascorbic acid and dehydroascorbic acid in plasma and cerebrospinal fluid by LC with electrochemical detection 497 (1989) 276

7-Dehydrocholesterol

Ultramicro determination of 7-dehydrocholesterol in rat skin by HPLC with fluorescence detection 491 (1989) 404

11-Dehydrothromboxane B₂

Microdetermination of 11-dehydrothromboxane B₂ in human urine by GC–selected-ion monitoring 468 (1989) 383

Analysis of the major urinary thromboxane metabolites, 2,3-dinorthromboxane B₂ and 11-dehydrothromboxane B₂, by GC–MS and GC–tandem MS 497 (1990) 1

Delcosine

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Delpheline

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Deltaline

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Deltamine

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Demeclocycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Demethylgorgosterol

Effective separation of sterol C-24 epimers 468 (1989) 91

Demissidine

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Denaturation

Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93

Densitometry

Use of absorbance ratios in densitometric measurements for the characterization and identification of natural products of pharmacological interest 469 (1989) 390

Ultra-thin electrophoretic gel densitometry using photo-thermal deflection spectroscopy 472 (1989) 331

Progress in densitometry for quantitation in planar chromatography (Review) 492 (1989) 539

Density

Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347

Effects of temperature and density on retention in capillary SFC 478 (1989) 311

Density distribution functions

Generalized treatment of spatial and temporal column parameters, applicable to GLC, LC and SFC. I. Theory 461 (1989) 165

Dentifrice

Flavor characterization of dentifrices using equilibrium headspace GC 455 (1988) 143

Deoxyguanosine

Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297

Deoxynucleosides

MS of electrophore-labeled nucleosides. Pentafluorobenzyl and cinnamoyl derivatives 452 (1988) 369

Deoxynucleotides

Isocratic reversed-phase HPLC of ribonucleotides, deoxynucleotides, cyclic nucleotides and deoxycyclic nucleotides 461 (1989) 259

Deoxyoligonucleotides

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Deoxyribonucleosides

HPLC analysis of DNA composition and DNA modification by chloroacetaldehyde 458 (1988) 117

Reversed-phase LC retention and selectivity surfaces. II. Deoxyribonucleosides 485 (1989) 617

Deoxythymidylate

HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51

Deoxyuridylate

HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51

(-)-Deprenyl

Chromatographic studies on the binding, action and metabolism of (-)-deprenyl 499 (1990) 589

Derivatization, electrophoresis

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Derivatization, GC

Determination of *N-n*-propylnorapomorphine in serum and brain tissue by GC-negative ion chemical ionization MS 457 (1988) 257

Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their formation and GC determination by mass selective and electron-capture detectors 457 (1988) 267

Pentafluorobenzylation of capsaicinoids for GC with electron-capture detection 457 (1988) 279

GC behaviour of carbohydrate trimethylsilyl ethers. II. Aldohexoses 462 (1989) 49

- HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkyldithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233
- TLC decomposition of the picrates and trinitrobenzoates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452
- Trace detection of modified DNA bases via moving-belt LC-MS using electrophoretic derivatization and negative chemical ionization 465 (1989) 285
- Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251
- GC determination of nicotinamide in meats and meat products as 3-cyanopyridine 466 (1989) 307
- Headspace GC of stimulants in urine by in-column trifluoroacetyl derivatization method 467 (1989) 227
- Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279
- GC determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates 467 (1989) 315
- GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402
- Simultaneous GC of volatile and non-volatile carboxylic acids as *tert*-butyldimethylsilyl derivatives 468 (1989) 289
- Relative GLC retention factors of trimethylsilyl ethers of diradylglycerols on polar capillary columns 471 (1989) 187
- GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205
- Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271
- Derivatization with 1,1-dimethylhydrazine for identification of carbonyl compounds resulting from ozonolysis 472 (1989) 284
- Silylaldonitrile derivatives for the determination of sugars by GC-MS 473 (1989) 125
- Determination of sodium monofluoroacetate in soil and biological samples as the dichloroanilide derivative 473 (1989) 251
- GC analysis of sulphonic acids as their sulphonamide derivatives 473 (1989) 276
- Preparation, stability and quantitative analysis by GC and GC-electron impact MS of *tert*-butyldimethylsilyl derivatives of some alkylphosphonic and alkyl methylphosphonic acids 475 (1989) 261
- Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423
- Identification of reaction products from the pyridinium dichromate derivatization of prostaglandins by HPLC and direct chemical ionization MS 477 (1989) 345
- Chromatographic determination of amines in biological fluids with spectral reference to the biological monitoring of isocyanates and amines. I. Determination of 1,6-hexamethylenediamine using glass capillary GC and thermionic specific detection 479 (1989) 125
- Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. II. Determination of 2,4- and 2,6-toluenediamine using glass capillary GC and selected ion monitoring 479 (1989) 135
- Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. III. Determination of 4,4'-methylenedianiline in hydrolysed human urine using derivatization and capillary GC with selected ion monitoring 479 (1989) 145
- GC separation of diastereomeric dicarbamate derivatives of γ - and δ -lactones 479 (1989) 176
- Determination of glutathione in Scots pine needles by HPLC as its monobromobimane derivative 479 (1989) 335
- Thermodynamic properties of enantiomers of underivatized diols *versus* the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17
- GLC-MS of mono- and dithiols as their *tert*-butyldimethylsilyl derivatives 483 (1989) 21
- GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

- Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61
- Determination of aromatic amines in urine and serum 488 (1989) 470
- Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 489 (1989) 263
- Isothermal capillary GC with electron-capture detection of heptafluorobutyl-L-prolyl derivatives of chiral amphetamines 491 (1989) 262
- Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109
- Determination of the partial benzodiazepine receptor agonist R₀ 16-6028 in plasma by capillary GC with nitrogen-selective detection after conversion into the ethyl ester derivative 494 (1989) 119
- Determination of meprobamate in serum by alkaline hydrolysis, trimethylsilyl derivatization and detection by GC-MS 494 (1989) 318
- GC and MS determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 498 (1990) 367
- Selection of electrophoric derivatives of 1-aminopyrene and 2-aminofluorene for determination by GC with electron-capture negative-ion MS 500 (1990) 373
- Derivatization, LC**
- Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295
- Determination of fatty acids as phenacyl esters in rat adipose tissue and blood vessel walls by HPLC 452 (1988) 443
- On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157
- Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169
- Effect of differing thiols on the reversed-phase HPLC behaviour of *o*-phthalaldehyde-thiol-amino acids 454 (1988) 398
- Modified procedure for the HPLC analysis of amino acids in xylem sap (in French) 455 (1988) 173
- Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241
- Derivatization of amines with *O*-acetylsalicyloyl chloride to enhance electrochemical detection in HPLC 455 (1988) 349
- HPLC determination of hinokitiol in cosmetics by the formation of difluoroborane compounds 455 (1988) 430
- Determination of residues of carbadox and some of its metabolites in swine tissues by HPLC using on-line pre-column enrichment and post-column derivatization with UV-VIS detection 456 (1988) 105
- HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191
- Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-2-methoxycoumarin 456 (1988) 201
- Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398
- LC determination of biotin by using 1-pyrenyldiazomethane as a pre-column fluorescent labelling reagent 456 (1988) 421
- HPLC of aliphatic aldehydes by means of post-column extraction with fluorometric detection 457 (1988) 299
- Chromatographic separation of the diastereomers of a dihydropyridine-type calcium channel antagonist as the bis-3,5-dinitrobenzoates 457 (1988) 309
- LC determination of bromide after pre-column derivatization to 4-bromoacetanilide 457 (1988) 345
- HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295
- Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139

- Determination of salsolinol by ion-exchange chromatography with glycylglycine as the post-derivatizing agent 459 (1988) 245
- Improved enantiomeric separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to *O*-methyl ethers 461 (1989) 377
- Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase LC 462 (1989) 419
- Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177
- Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183
- Determination of volatile amines in air by on-line solid-phase derivatization and HPLC with UV and fluorescence detection 463 (1989) 192
- Limitations of 2-diphenylacetyl-1,3-indandione-1-hydrazone as a precolumn fluorescence derivatization reagent 464 (1989) 186
- Determination of amphetamine-related compounds by HPLC with chemiluminescence and fluorescence detections 464 (1989) 343
- Derivatization and HPLC determination of urinary glycolic acid 465 (1989) 87
- Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatization with *o*-phthalaldehyde chiral thiols. Application to ω -*N*-oxalyl diamino acids 466 (1989) 407
- Determination of 2-acetyl-4(5)-tetrahydroxybutylimidazole in beers by HPLC with confirmation by chemical derivatization 466 (1989) 421
- Chemical reaction detection of catechins and proanthocyanidins with 4-dimethylaminocinnamaldehyde 467 (1989) 185
- Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209
- Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237
- LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249
- Quantitative analysis of thorium in plutonium using reversed-phase LC and spectrophotometric detection 469 (1989) 369
- HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424
- Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263
- HPLC of mercury and phenylmercury as the *N*-disubstituted dithiocarbamate complexes 472 (1989) 401
- Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional HPLC 473 (1989) 431
- Determination of 17-oxosteroid sulphates in serum by ion-pair extraction, prelabelling with dansylhydrazine and HPLC with fluorescence detection 474 (1989) 363
- Analysis of natural and modified amino acids and hexosamines by reversed-phase HPLC 474 (1989) 411
- HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311
- HPLC analysis of aldehydes at trace level as their 3-methylbenzothiazolone azine derivatives 475 (1989) 343
- Automated enantioseparation of amino acids by derivatization with *o*-phthalaldehyde and *N*-acylated cysteines 476 (1989) 73
- LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83
- Ester and related derivatives of ring *N*-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423

- Sensitive fluorescence labelling for analysis of carboxylic acids with 4-bromomethyl-6,7-methylenedioxcoumarin 478 (1989) 149
- Separation of derivatized black tea thearubigins by HPLC 478 (1989) 217
- Quantification and characterization of the trifluoroacetic anhydride derivatives of N,N'-ethylenebisstearamide and N,N'-ethylenebisoleamide 479 (1989) 107
- Determination of vitamin U and its degradation products by HPLC with fluorescence detection 479 (1989) 361
- Separation of the enantiomers of N-protected α -amino acids as anilide and 3,5-dimethylanilide derivatives 479 (1989) 419
- New UV labelling agents for HPLC determination of monocarboxylic acids 481 (1989) 211
- HPLC determination of δ -(L- α -aminoadipyl)-L-cysteinyl-D-valine in complex media by precolumn derivatization with dansylaziridine 481 (1989) 245
- Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I. Stationary phase with one chiral centre for HPLC and development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380
- LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445
- Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethylthiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317
- Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthalaldehyde and new chiral thiols 483 (1989) 239
- HPLC determination of low levels of primary and secondary amines in aqueous media via derivatization with 1,2-naphthoquinone-4-sulphonate 483 (1989) 341
- Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431
- Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17
- Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D(+)-glucuronic acid 487 (1989) 125
- Body fluid analysis of a phosphonic acid angiotensin-converting enzyme inhibitor using HPLC and post-column derivatization with *o*-phthalaldehyde 487 (1989) 135
- Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (-)-menthyl chloroformate derivatives 487 (1989) 197
- Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239
- Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247
- Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-*O,O*-diacetyl tartaric acid anhydride 487 (1989) 375
- Automated analysis procedure for valproic acid in blood, serum and brain dialysate by HPLC with bromomethylmethoxycoumarin as fluorescent label 487 (1989) 496
- Biomedical applications of LC-electrochemistry 488 (1989) 31
- Fluorimetric determination of kynurenine in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 488 (1989) 349
- Determination of the β -adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 488 (1989) 482
- Electrochemical label for HPLC. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 489 (1989) 371

- Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419
- Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorecamine, HPLC and fluorescence detection 489 (1989) 446
- Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125
- HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301
- HPLC of cystathionine, lantionine and aminoethylcysteine using *o*-phthalaldehyde precolumn derivatization 490 (1989) 404
- Sensitive method for the analysis of phospholipid subclasses and molecular species as 1-anthroyl derivatives of their diglycerides 491 (1989) 37
- Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89
- Determination of baclofen and α -baclofen in rat liver homogenate and human urine using solid-phase extraction, *o*-phthalaldehyde-*tert*-butyl thiol derivatization and HPLC with amperometric detection 491 (1989) 151
- Determination of 3-methylhistidine in urine by HPLC using pre-column derivatization with 9-fluorenylmethyl chloroformate 491 (1989) 418
- Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59
- Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251
- HPLC method for the simultaneous determination of the enantiomers of carvedilol and its *O*-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105
- Resolution of enantiomers of the antiarrhythmic drug encainide and its major metabolites by chiral derivatization and HPLC 493 (1989) 325
- Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353
- Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402
- Quantification of L-3-(3-hydroxy-4-pivaloyloxyphenyl)alanine (NB-355) by HPLC using *o*-phthalaldehyde/*N*-acetyl-L-cysteine derivatization 494 (1989) 183
- Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55
- Development of an HPLC post-column fluorogenic assay for digoxin in serum 496 (1989) 321
- Sensitive HPLC assay using 9-fluorenylmethylchloroformate for monitoring controlled-release lidocaine in plasma 496 (1989) 335
- HPLC separation of 11-hydroxylauric acid enantiomers. Application to the determination of the stereochemistry of microsomal lauric acids ($\omega - 1$) hydroxylation 498 (1990) 293
- Appraisal of our pre-column derivatization methods for the HPLC determination of free amino acids in biological materials 499 (1990) 557
- Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by LC with laser-induced fluorescence detection 499 (1990) 579
- Determination of *D*-*myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase LC with post-column ligand exchange and fluorescence detection 499 (1990) 617
- Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685
- Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443

Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607

Derivatization, MS

Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 488 (1989) 129

Derivatization, SFC

Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623

Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111

Derivatization, TLC

Sensitive detection of unsaturated disaccharides from chondroitin sulphates by TLC as their dansylhydrazine derivatives 462 (1989) 471

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Dermatan sulphate

Chromatographic method for determination of hexuronic acid in dermatan sulphate 478 (1989) 275

N-1-Desalkylflurazepam

Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247

Desipramine

Determination of lofepramine and desipramine using HPLC and electrochemical detection 496 (1989) 228

O-Desmethylbrofaromine

Determination of the new monoamine oxidase inhibitor brofaromine and its major metabolite in biological material by GC with electron-capture detection 488 (1989) 275

O-Desmethylcarvedilol

HPLC method for the simultaneous determination of the enantiomers of carvedilol and its O-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105

Desmethylencaïnides

Improved HPLC assay for encaïnide and its metabolites in human body fluids 490 (1989) 165

N-Desmethyloxymethoxyphenamine

Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61

O-Desmethyloxymethoxyphenamine

Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61

Desorbing agents

Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87

Desulphoglucosinolates

Specific screening methods for glucosinolates in sprout extracts using on-line thermospray LC-tandem MS 472 (1989) 219

Detectability

Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489

Detection limits

Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297

Detection, quality criteria

Quality criteria for the detection of analytes in test samples with special reference to anabolic agents and related compounds 489 (1989) 89

Detectors, electrophoresis

Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591

Post-column detection for capillary zone electrophoresis 456 (1988) 375

Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147

Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299

Capillary electrophoresis-electrospray ionization-MS 474 (1989) 21

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Characterization of a post-column reaction–laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179

Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

Detectors, GC

Direct coupling of a gas chromatograph to an ion trap detector 454 (1988) 372

Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149

Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178

Electron-capture detector with an ion signal 465 (1989) 215

Selective detection of volatile iron compounds by flame photometry 467 (1989) 75

GC detection of selected organochlorine species using an alternating current plasma detector 467 (1989) 373

Analysis of volatiles in tall oil by GC flame-photometric detection, flame-ionization detection and MS 468 (1989) 145

Non-radioactive electron-capture detector for GC 468 (1989) 215

Improved flame photometric detector for the analysis of sulfur compounds by GC 468 (1989) 303

Characterization of coal liquefaction products by GC–Fourier transform IR spectroscopy–MS 468 (1989) 309

Element-selective GC detection by atomic plasma emission spectroscopy. Review and developments 468 (1989) 319

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

GC detection by electron impact-induced fluorescence spectrometry of molecular fragments 475 (1989) 237

Studies on 1-(2-phenethyl)-4-(N-propionylanilino)piperidine (fentanyl) and related compounds. III. Effect of methyl group introduction into fentanyl on sensitivity enhancement in GC with surface ionization detection 475 (1989) 400

Evaluation of direct axial sample introduction for ion mobility detection after capillary GC 479 (1989) 221

Modification to a thermal energy analyzer with associated electronic filtering for improved GC analysis of explosives traces 483 (1989) 379

Improved synchronized accumulating radioisotope detector for GC 489 (1989) 255

Radio-GC on wide-bore capillary columns equipped with a synchronized accumulating radioisotope detector 490 (1989) 21

GC with Fourier transform IR spectrometry for biomedical applications 492 (1989) 109

Radio-GC (Review) 492 (1989) 137

Hypercoulometry of the second kind in electron-capture detection 500 (1990) 95

Method for radio-capillary GC employing a modified oxidation–reduction train and flow-through detector 500 (1990) 349

Detectors, isotachopheresis

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

On-column radiometric detector for capillary isotachopheresis and its use in the analysis of ¹⁴C-labelled constituents 470 (1989) 139

Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155

Detectors, LC

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241

- High-sensitivity laser-induced fluorescence–HPLC studies of polyaromatic hydrocarbons using the argon ion laser–Yeung detector cell configuration 455 (1988) 332
- Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420
- Electrosorptive detection of simple organic compounds in LC 456 (1988) 287
- Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307
- Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370
- Peak identification of amino acids in LC by optical activity detection 457 (1988) 421
- Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335
- Universal detection and quantitation of surfactants by HPLC by means of the evaporative light-scattering detector 459 (1988) 91
- Enhanced performance of a laser-induced fluorescence LC apparatus: a systems approach 459 (1988) 109
- Experimental and theoretical model of refractive index artifacts in absorbance detection 459 (1988) 119
- Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139
- Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151
- Carbon–polymer chips as sensitive electrochemical detectors for micro-LC 459 (1988) 163
- Indirect detection in reversed-phase LC. Response deviations in ion-pairing systems 461 (1989) 429
- Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115
- Separation and assay of N-nitroso compounds by HPLC with chemiluminescence detection 463 (1989) 201
- Reversed-phase HPLC–NMR on-line coupling with solvent non-excitation 463 (1989) 355
- Microbore LC and refractive index gradient detection of low-nanogram and low-ppm quantities of carbohydrates 464 (1989) 83
- High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365
- Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes 465 (1989) 1
- Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69
- High-sensitivity micro UV absorption detector for HPLC 465 (1989) 227
- Rapid analysis of triacylglycerols using HPLC with light scattering detection 465 (1989) 369
- LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41
- Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149
- On-line flame photometric detection in micro-column LC 467 (1989) 385
- Highly sensitive on-line radioassay of HPLC effluents 468 (1989) 279
- Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297
- Simultaneous photometric and conductivity detection for microcolumn LC 471 (1989) 303
- Effect of the position of the laser beam focal point on a capillary flow-through cell on the signal-to-noise ratio for a fluorimetric detector in capillary column LC 471 (1989) 311
- Control of some HPLC systems by using an evaporative light scattering detector (in French) 472 (1989) 209
- Electrochemical detection of mercapturic acid derivatives after separation by HPLC 475 (1989) 391

Micro-LC with diode array detection 477 (1989) 87

Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271

Optimization in photochemical reaction detection. Application to HPLC-photolysis-electrochemical detection 481 (1989) 121

Novel transport detector for LC. I. Preliminary experiments 482 (1989) 53

Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed LC 482 (1989) 65

Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 482 (1989) 145

Chromatographic determination of water using spectrophotometric detection 482 (1989) 279

Lanthanide luminescence quenching as a detection method in ion chromatography. Chromate in surface and drinking water 482 (1989) 351

Simultaneous determination of Cr(III) and Cr(VI) at ultratrace levels using ion chromatography with chemiluminescence detection 482 (1989) 361

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9

Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17

Determination of methandrostenedione and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401

Biomedical applications of LC-electrochemistry 488 (1989) 31

Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219

Biological detectors in LC 490 (1989) 247

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Application of indirect detection methods in biomedical analysis (Review) 492 (1989) 299

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Validation of an amperometric HPLC determination of epinephrine in bupivacaine and epinephrine injection 498 (1990) 402

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685

Detectors, SFC

Use of two simultaneous detectors in capillary SFC 459 (1988) 193

SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

SFC with sulfur chemiluminescence detection 465 (1989) 23

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Detectors, TLC

Potential application of TLC and TLC with flame ionization detection of cholestanol in the diagnosis of cerebrotendinous xanthomatosis 452 (1988) 543

Indirect fluorimetric detection of non-electrolytes in TLC 455 (1988) 382

Quantitative TLC by laser pyrolysis and flame ionization or electron-capture detection 463 (1989) 139

Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345

Laser microprobe MS of selected compounds directly from normal phase high-performance thin-layer plates 471 (1989) 389

Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Progress in densitometry for quantitation in planar chromatography (Review) 492 (1989) 539

Detergents

Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319

Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Dexamethasone

Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421

Dextrans

Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

High-performance SEC procedure for the determination of fluoresceinyl isothiocyanate dextrans of various molecular masses in biological media 491 (1989) 117

Dextromethorphan

Applicability of continuous-flow fast atom bombardment LC-MS in bioanalysis. Dextromethorphan in plasma 474 (1989) 59

Dextromethorphan phenotypes determined by HPLC and fluorescence detection 495 (1989) 361

Dextromoramide

GC-MS investigation of dextromoramide (Palfium) metabolism in the horse 498 (1990) 35

Dextrorphan

Dextromethorphan phenotypes determined by HPLC and fluorescence detection 495 (1989) 361

Dhurrin

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

(*R,R*)-O-O-Diacetyl tartaric acid anhydride

Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-O,O-diacetyl tartaric acid anhydride 487 (1989) 375

Dialcylglycerols

Measurement of intracellular dialcylglycerols by acetylation and TLC 490 (1989) 439

Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Dialkylthiophosphates

HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkylidithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233

Dialkylphosphates

HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkylidithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233

Dialkylthiophosphates

HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkylidithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233

Dialysates

Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53

Dialysis

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofuran residues in edible products 500 (1990) 453

Diamidine compounds

HPLC method for the quantification of several diamidine compounds with potential chemotherapeutic value 494 (1989) 191

Diamine chelate ligands

Dependence of R_F values of cobalt(III) complexes on the size of diamine chelate ligands on silica gel thin layers 454 (1988) 362

Diamine cobalt(III) complexes

Effect of the chelate ring size of diamine cobalt(III) complexes on their R_F values obtained by PC 481 (1989) 471

Diamine oxidase

Improved HPLC determination of diamine oxidase activity 491 (1989) 209

2,4-Diamino-N¹⁰-methylpterotic acid

Rapid quantitation of methotrexate and its metabolites in human serum, urine and bile, using solid-phase extraction and HPLC 487 (1989) 476

Diamino acids, ω -N-oxalyl derivatives

Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthaldialdehyde chiral thiols. Application to ω -N-oxalyl diamino acids 466 (1989) 407

Diaminobenzenes

Host-guest complexation in capillary isotachopheresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachopheresis 470 (1989) 123

1,2-Diaminocyclohexane

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

4,4'-Diaminodiphenylmethane

Determination of aromatic amines in urine and serum 488 (1989) 470

Diaminopimelic acid

Two-dimensional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71

Cellulose clean-up and HPLC of DL-diaminopimelic acid in hydrolysates of physiological samples 496 (1989) 430

3,4-Diaminopyridine

Analysis of 3,4-diaminopyridine in human serum by solid-phase extraction and HPLC with UV detection 496 (1989) 214

Diazapolyoxyethylene ethers

Measurement of the polarity of alkyl derivatives of diazapolyoxyethylene ethers by GC 454 (1988) 51

Diazepam

Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Diazin

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163

Diazomethane

Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279

Diazotized dapsone

Diazotized dapsone as a reagent for the detection of cannabinoids on TLC plates 457 (1988) 383

Dibenzo-18-crown-6

Use of GC for a study of crown ethers 471 (1989) 139

Dibenzofuran

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Dibenzylamine

Determination of low concentrations of dibenzylamine in human plasma and urine by GC with a nitrogen–phosphorus detector 490 (1989) 206

2,6-Di-*tert.*-butyl-*para*-cresol

Quantitative analysis by HPLC of 2,6-di-*tert.*-butyl-*para*-cresol in transformer oils (in French) 464 (1989) 448

Dibutyl phthalate

Non-aqueous SEC coupled on-line to reversed-phase HPLC. Interface development and applications to the analysis of low-molecular-weight contaminants and additives in foods 477 (1989) 315

Dicamba

Analysis of dicamba in tobacco by on-line coupled LC–GC 473 (1989) 353

Dicarboxylic acids

Quantitative determination of dicarboxylic acids and polyols in silicone–polyester resins 452 (1988) 37

Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370

Capillary GC–MS of very-long-chain α,ω -dicarboxylic acid dimethyl esters from *Equisetum* (horsetail) 465 (1989) 390

Dichlorochrysanthemic acid

Study of alkaline hydrolysis of the insecticide alphamethrine by isotachophoretic determination of decomposition products 470 (1989) 235

Dichloromethane

Direct headspace GC determination of dichloromethane in decaffeinated green and roasted coffee 465 (1989) 429

3,6-Dichloro-2-methoxybenzoic acid

Capillary GC–MS determination of acid herbicides in soils and sediments 469 (1989) 351

2,4-Dichlorophenoxyacetic acid

Capillary GC–MS determination of acid herbicides in soils and sediments 469 (1989) 351

DL-1-(2,4-Dichlorophenoxy)-3-[2-(3,4-dimethoxy)phenethylamino]propan-2-ol

Determination of the β -adrenoceptor blocking drug B24/76 in serum by HPLC with fluorimetric detection after pre-column dansylation 488 (1989) 482

1,3-Dichloropropene

Determination of two mercapturic acid metabolites of 1,3-dichloropropene in human urine with GC and sulphur-selective detection 496 (1989) 463

Diclofenac

Determination of diclofenac in plasma and synovial fluid by HPLC with electrochemical detection 495 (1989) 303

Dicloran

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

Dictyocarpine

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Dictyocarpinine

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

Di-O-cyclohexylidene-1,2,3,4,5,6-[²H₆]myo-inositol

Preparative HPLC using detection by thermospray MS 478 (1989) 429

Dicyclomine hydrochloride

Stability-indicating capillary SLC assay of dicyclomine hydrochloride in some pharmaceutical formulations 475 (1989) 381

2',3'-Dideoxycytidine

Reversed-phase LC determination of 2',3'-dideoxycytidine in human blood samples 491 (1989) 215

Didesethylflurazepam

Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247

Dieldrin

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Dienoestrol

Analysis of drug residues in tissue by combined supercritical-fluid extraction–SFC–MS–MS 464 (1989) 353

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Diethylaminoethylcellulose

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Diethyldithiocarbamate complexes

Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317

Further studies of diethyldithiocarbamate complexes by HPLC 500 (1990) 313

Diethylenetriamine-N,N,N',N''-tetraacetic acid-N''-propionic acid

Purification of diethylenetriamine-N,N,N',N''-tetraacetic acid-N''-propionic acid using anion-exchange displacement chromatography 455 (1988) 193

Di(2-ethylhexyl)sebacate

Reversed-phase HPLC analysis of the reaction mixture occurring in the production of a synthetic diester lubricant 463 (1989) 222

Diethyl ketone

Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31

N,N-Diethylphenylacetamide

GC identification of urinary metabolites of insect repellent N, N-diethylphenylacetamide on inhalation exposure in rats 493 (1989) 210

Diethylstilboestrol

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11

Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 489 (1989) 199

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235

Diethyl sulphate

Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233

Diethyl L-tartrate

Development of an HPLC method for the simultaneous analysis of the species involved in diethyl L-tartrate hydrolysis 455 (1988) 355

Differential scanning calorimetry

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

Diffusion

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261

Contribution of longitudinal diffusion to band broadening in LC 469 (1989) 53

Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95

Diffusion coefficients

Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221

Diffusion coefficients in water-acetonitrile mixtures 500 (1990) 241

Diflunisal

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

2,2-Difluorocitrate

Separation of the enantiomers of a triester of 2,2-difluorocitrate 482 (1989) 258

Digitoxin

HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319

Diglycerides

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

Digoxigenin

Determination of β -methyl digoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425

Digoxigenin bisdigitoxoside

Determination of β -methyl digoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425

Digoxigenin monodigitoxoside

Determination of β -methyl digoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425

Digoxin

Determination of β -methyl digoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425

Development of an HPLC post-column fluorogenic assay for digoxin in serum 496 (1989) 321

Dihydroactinidiolide

Chiral flavour compounds from apricots. Distribution of γ -lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional GC 498 (1990) 396

Dihydrochalcones

Flavonoid aglycones identified by GC-MS in bud exudate of *Populus balsamifera* 472 (1989) 393

Dihydrodiols

Improved enantiomeric separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to O-methyl ethers 461 (1989) 377

(3S)-(-)-N-(2,3-Dihydro-1-methyl-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide

Preparative separation of the enantiomers of the cholecystokinin antagonist (3S)-(\pm)-N-(2,3-dihydro-1-([³H₃]methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by HPLC 462 (1989) 454

6-[3,4-Dihydro-3-methyl-(2H)-2-oxoquinoliziny]-4,5-dihydro-3-(2H)-pyridazinone

Determination of a new inotropic agent in human plasma by HPLC 459 (1988) 215

Dihydropyridine calcium antagonists

Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257

Radio HPLC determination of ¹⁴C-labelled LF 2-0254, a 1,4-dihydropyridine calcium antagonist, in rat and dog plasma using off-line liquid scintillation counting 456 (1988) 183

Separation of the four optical isomers of a dihydropyridine calcium channel antagonist 478 (1989) 169

Dihydrosafrole

Determination of dihydrosafrole in piperonyl butoxide by HPLC (in French) 462 (1989) 435

3,5-Dihydroxybenzoic acid

Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

3,4-Dihydroxybenzylamine

Reduced variation in retention times of biogenic amines by temperature control in LC with electrochemical detection 479 (1989) 216

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites.

Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

3 α ,7 α -Dihydroxy-5 β -cholestanic acid

Studies on steroids. CCXXXV. Determination of 5 β -cholestanic acids in human urine by GC-MS with negative ion chemical ionization detection 493 (1989) 245

3',4'-Dihydroxyflurbiprofen

HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173

3,4-Dihydroxymandelic acid

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

3,4-Dihydroxyphenylacetic acid

Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341

Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites.

Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

L-3,4-Dihydroxyphenylalanine

Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341

Determination of L-3,4-dihydroxyphenylalanine in blood by HPLC after solvent extraction 491 (1989) 291

3,4-Dihydroxyphenylalanine

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites.

Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

3,4-Dihydroxyphenylethylene glycol

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites.

Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

2-[4-(2,3-Dihydroxypropoxy)phenyl]ethyl methyl 1,4-dihydro-2,6-dimethyl-4-(3-nitrophenyl)-3,5-pyridinedicarboxylate

Chromatographic separation of the diastereomers of a dihydropyridine-type calcium channel antagonist as the bis-3,5-dinitrobenzoates 457 (1988) 309

4,5-Dihydroxy-3-(*p*-sulphophenylazo)-2,7-naphthalenedisulphonic acid

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51

Separation process in isotachopheresis. III. Transient state models for a three-component system 470 (1989) 21

Dihydroxyvitamin D₃

Identification and determination of 1 α ,25-dihydroxyvitamin D₃ in rat skin by HPLC and radioreceptor assay 493 (1989) 63

TLC as an efficient alternative to HPLC in the assay of plasma vitamin D₃ metabolites 496 (1989) 242

Diisobutyl-naphthalenesulphonates

Determination of diisobutyl- and diisopropyl-naphthalenesulphonates in pesticide wettable powders and dispersible granules by HPLC 467 (1989) 177

Diisopropyl-naphthalenesulphonates

Determination of diisobutyl- and diisopropyl-naphthalenesulphonates in pesticide wettable powders and dispersible granules by HPLC 467 (1989) 177

 β -Diketonato ligands

Effect of the composition of coordinated β -diketonato ligands on R_F values of transition metal complexes obtained by TLC on silica gel 456 (1988) 346

 β -Diketones

Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437

Dilaudid

Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240

Diltiazem

Determination of diltiazem in human whole blood and plasma by HPLC using a polymeric reversed-phase column and utilizing a salting-out extraction procedure 490 (1989) 365

Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358

Dilution

Sample preparation for biomedical analysis (Review) 492 (1989) 3

3,5-Dimethoxy-4-hydroxybenzoic acid

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

N,N-Dimethylacetamide

LC determination of low-molecular-weight amides in pharmaceutical matrices 458 (1988) 287

N,N-Dimethylalkylamine N-oxides

Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347

Dimethylaminoazobenzene isothiocyanate

Some new by-products in primary structure analysis with dimethylaminoazobenzene isothiocyanate as an aid in the TLC identification of residues 472 (1989) 318

4-Dimethylaminocinnamaldehyde

Chemical reaction detection of catechins and proanthocyanidins with 4-dimethylaminocinnamaldehyde 467 (1989) 185

2-(Dimethylamino)ethanol

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

4-Dimethylaminopyridine

Ultrasound driven synthesis of reversed-phase stationary phases for LC using 4-dimethylaminopyridine as acid-acceptor 455 (1988) 95

N,N-Dimethylformamide

LC determination of low-molecular-weight amides in pharmaceutical matrices 458 (1988) 287

Dimethylformamide dimethyl acetal

Derivatization of N-methyl and cyclic amino acids with dimethylformamide dimethyl acetal 469 (1989) 191

1,1-Dimethylhydrazine

Derivatization with 1,1-dimethylhydrazine for identification of carbonyl compounds resulting from ozonolysis 472 (1989) 284

6-(2,4-Dimethyl-1H-imidazol-1-yl)-8-methyl-2(1H)-quinolinone

Analysis of a novel cardiac stimulant, UK-61260, in human plasma by GC-MS with selected-ion monitoring 491 (1989) 439

Dimethylphenanthrenes

Reversed-phase LC retention behaviour of dimethylphenanthrene isomers 473 (1989) 207

2,6-Dimethylphenol

HPLC of oxidation products of 2,6-dimethylphenol 461 (1989) 361

2,6-Di-tert.-4-methylphenol

Non-aqueous SEC coupled on-line to reversed-phase HPLC. Interface development and applications to the analysis of low-molecular-weight contaminants and additives in foods 477 (1989) 315

1,4-Dimethylpiperazine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Dimethylpolysiloxane

Interface adsorption and reproducibility of retention indices in glass capillary columns with dimethylpolysiloxane stationary phases cross-linked by γ -irradiation 471 (1989) 251

Dimethyl sulphate

Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233

Determination of residual dimethyl sulphate in a lipophilic bulk drug by wide-bore capillary GC 463 (1989) 216

Dimethyl sulphoxide

HPLC method for the direct quantitation of oxy radicals in myocardium and blood by means of 1,3-dimethylthiourea and dimethylsulfoxide 459 (1988) 269

Isotachopheresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57

Dimethylthiophosphinic chloride

Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111

Dimethylthiourea

HPLC method for the direct quantitation of oxy radicals in myocardium and blood by means of 1,3-dimethylthiourea and dimethylsulfoxide 459 (1988) 269

1,3-Dimethyluric acid

Capillary GC-MS determination of stable isotopically labelled and unlabelled theophylline in serum and urine and of 1,3-dimethyluric acid in urine 494 (1989) 101

3,5-Dinitrobenzoic acid

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

3,5-Dinitrobenzoyl amide

π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101

N-(3,5-Dinitrobenzoyl)leucine *n*-propylamide

Computational chemical studies of chiral stationary phase models. Complexes of methyl N-(2-naphthyl)alaninate with N-(3,5-dinitrobenzoyl)leucine *n*-propylamide 461 (1989) 129

(*R*)-N-(3,5-Dinitrobenzoyl)phenylglycine

(*R*)-N-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary phase for the separation of enantiomers by HPLC 462 (1989) 382

Dinitrocresols

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

Determination of 2,6- and 4,6-dinitrocresols by HPLC on a β -cyclodextrin bonded column 466 (1989) 442

2,4-Dinitrophenol

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

2,4-Dinitrophenylhydrazine

Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310

Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431

5-(2,4-Dinitrophenyl)valeric acid

Purification of nitrophenylvaleric acid reaction mixtures by counter-current chromatography 484 (1989) 391

2,3-Dinor-6-ketoprostaglandin F_{1 α}

Quantitative profiling of 6-ketoprostaglandin F_{1 α} , 2,3-dinor-6-ketoprostaglandin F_{1 α} , thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1

2,3-Dinor-thromboxane B₂

Quantitative profiling of 6-ketoprostaglandin F_{1 α} , 2,3-dinor-6-ketoprostaglandin F_{1 α} , thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1

Analysis of the major urinary thromboxane metabolites, 2,3-dinor-thromboxane B₂ and 11-dehydrothromboxane B₂, by GC-MS and GC-tandem MS 497 (1990) 1

Dinoseb

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

N,N-Dioctyl-L-alanine-coated octadecylsilica

General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397

Diode-array detectors

Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335

Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

Micro-LC with diode array detection 477 (1989) 87

Diol compounds

On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93

Dioleins

Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438

Diol-Gly-Phe-Phe-bonded phase

HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129

Diols

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

Thermodynamic properties of enantiomers of underivatized diols *versus* the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17

Diol-silica column

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

Dionex System 12 ion chromatograph

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Dioxanyl hydroperoxide

Dioxanyl hydroperoxide in preparative LC 461 (1989) 35

Dioxins

Formation of polychlorinated dibenzo-*p*-dioxin from 2,4,4'-trichloro-2'-hydroxydiphenyl ether (Irgasan[®] DP300) and its chlorinated derivatives by exposure to sunlight 454 (1988) 145

GLC analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 473 (1989) 153

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Multiresidue procedures for the determination of chlorinated dibenzodioxins and dibenzofurans in a variety of foods using capillary GC-electron-capture detection 478 (1989) 349

2-(2,6-Dioxopiperidine-3-yl)phthalimidine

Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 488 (1989) 417

2-(2,6-Dioxopiperidine-4-yl)phthalimidine

Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 488 (1989) 417

Dipeptides

Separation of diastereomers of protected dipeptides by normal-phase HPLC 472 (1989) 336

Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165

Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453

Diphacinone

HPLC separation of indandione rodenticides 481 (1989) 458

Diphenadione

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

2-Diphenylacetyl-1,3-indandione-1-hydrazone

Limitations of 2-diphenylacetyl-1,3-indandione-1-hydrazone as a precolumn fluorescence derivatization reagent 464 (1989) 186

Dipolarity

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

N,N-Di-*n*-propyl-L-alanine

Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419

4-[2-(Dipropylamino)ethyl]-1,3-dihydro-2H-indol-2-one

Application of thermospray LC-MS and LC-tandem MS for the identification of cynomolgus monkey and human metabolites of SK & F 101468, a dopamine D₂ receptor agonist 474 (1989) 123

Dipyrene

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Diquat

High-sensitivity HPLC analysis of diquat and paraquat with confirmation 479 (1989) 153

GC determination of diquat and paraquat in crops 479 (1989) 243

Rapid quantification of paraquat and diquat in serum and urine using HPLC with automated sample pretreatment 481 (1989) 434

Diradylglycerols

Relative GLC retention factors of trimethylsilyl ethers of diradylglycerols on polar capillary columns 471 (1989) 187

Direct liquid introduction

Device to transform the LC effluent to a continuous solid plug: a new approach to direct liquid introduction for LC-MS 456 (1988) 363

Comparison of open-tubular LC-MS and direct liquid introduction LC-MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301

Disaccharides

Sensitive detection of unsaturated disaccharides from chondroitin sulphates by TLC as their dansylhydrazine derivatives 462 (1989) 471

HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27

Discharge ionization

Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

Discovery process, chromatography

Chromatography and the discovery process 468 (1989) 35

Disialogangliosides

HPLC separation of gangliosides, combined with immunological detection and fast atom bombardment MS characterization 490 (1989) 263

Disopyramide

Comparison between two methods for the determination of the total and free (*R*)- and (*S*)-disopyramide in plasma using an α_1 -acid glycoprotein column 494 (1989) 143

Dispersion

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Chromatographic dispersion corrections utilizing the generalized exponential function 462 (1989) 3

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Dispersion effects in capillary zone electrophoresis 480 (1989) 35

Dispersion indices

Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Displacement chromatography

Theoretical optimization of operating parameters in non-ideal displacement chromatography 454 (1988) 1

Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103

Theory of isotope separation by displacement chromatography 483 (1989) 179

Rapid method for determining multicomponent Langmuir parameters for displacement chromatography 484 (1989) 167

Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251

Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431

Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 499 (1990) 37

Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47

Displacement effect

Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153

Displacer salts

HPLC of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 476 (1989) 391

Dissociation constants

Isotachopheresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57

Distribution coefficients

Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257

Disulphides

Simultaneous determination of thiols and corresponding disulphides in mixtures by HPLC with polarographic detection using a Dual-Tast Analyser 455 (1988) 336

Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359

Diterpenoid alkaloids

Capillary GC of *Delphinium* diterpenoid alkaloids 466 (1989) 427

1,4-Dithiane

Analysis, characterization, and purification: requirements for toxicological evaluation of 1,4-dithiane 467 (1989) 159

Dithia[3.3]phanes

Some data on the TLC and HPLC separation of some dithia[3.3]phanes 472 (1989) 314

Dithiocarbamates

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Dithiols

GLC-MS of mono- and dithiols as their *tert.*-butyldimethylsilyl derivatives 483 (1989) 21

Dithranol

Normal-phase and reversed-phase LC techniques for the determination of dithranol and its degradation products 467 (1989) 414

Diuretics

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

2,4-D methyl ester

Rapid determination of seven herbicides in water or isooctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

DNA

Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401

HPLC analysis of DNA composition and DNA modification by chloroacetaldehyde 458 (1988) 117

Separation and detection of DNA by capillary electrophoresis 458 (1988) 303

Trace detection of modified DNA bases via moving-belt LC-MS using electrochromic derivatization and negative chemical ionization 465 (1989) 285

SEC of DNA restriction fragments. Fragment length determinations and a comparison with the behaviour of proteins in SEC 467 (1989) 217

High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299

Separation of large DNA molecules by pulsed-field gel electrophoresis. A review of the basic phenomenology 470 (1989) 377

Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297

Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 499 (1990) 177

DNA adducts

LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197

Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423

Preparation of electrophoric derivatives of N7-(2-hydroxyethyl)guanine, an ethylene oxide DNA adduct 499 (1990) 571

DNA restriction fragments

Rapid separation of DNA restriction fragments using capillary electrophoresis 458 (1988) 323

Separation of DNA restriction fragments by high-performance ion-exchange chromatography on a non-porous ion exchanger 478 (1989) 264

(R)-DNBPG

(*S*)-thio-DNB⁺Tyr-A and (*S*)-thio-DNB⁺Tyr-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67

(S)-thio-DNB⁺Tyr-A

(*S*)-thio-DNB⁺Tyr-A and (*S*)-thio-DNB⁺Tyr-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67

(S)-thio-DNB⁺Tyr-E

(*S*)-thio-DNB⁺Tyr-A and (*S*)-thio-DNB⁺Tyr-E as chiral stationary phases for analytical and preparative purposes. Application to the enantiomeric resolution of alkyl N-arylsulphinamoyl esters 498 (1990) 67

Docosahexaenoic acid

Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225

N-Dodecanoyl-L-amino acidates

Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413

Doehlert matrix design

Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311

Dolichosterone

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Domoic acid

LC determination of domoic acid in shellfish products using the paralytic shellfish poison extraction procedure of the association of official analytical chemists 462 (1989) 349

Confirmation of domoic acid in molluscan shellfish by chemical derivatization and reversed-phase LC 462 (1989) 419

Dopamine

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237

Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77

Reduced variation in retention times of biogenic amines by temperature control in LC with electrochemical detection 479 (1989) 216

Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17

Microassay for N-acetyltransferase activity using HPLC with electrochemical detection 487 (1989) 287

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287

Catecholamine measurements in urine by HPLC with amperometric detection-comparison with an autoanalyser fluorescence method 494 (1989) 53

Simultaneous measurement of acetylcholine and dopamine releases in rat striatum under freely moving conditions with a brain dialysis method 494 (1989) 297

Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Doping agents

see also Anabolizing agents

Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

TLC screening procedure for some drugs in horse plasma 496 (1989) 407

Dot immunobinding

Dot immunobinding assay of HPLC fractions on poly(vinylidene difluoride) membranes 472 (1989) 445

Double-detector system

Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591

Doxycycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

2,4-DP

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Drinking water

High boiling organic traces in drinking water. Quantitative analysis by liquid-liquid enrichment within the analytical glass capillary 477 (1989) 49

Droplet counter-current chromatography

Physical-chemical parameters of some chloroform-containing solvent systems in droplet counter-current chromatography (in German) 498 (1990) 303

Drug-protein binding

Determination of drug protein-binding by HPLC using a chemically bonded bovine albumin stationary phase 496 (1989) 291

Drugs

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

Drugs, in solutions for intravenous injection

Concept of response factor in capillary isotachopheresis. Determination of drugs in solution for intravenous injection 470 (1989) 105

Drugs, LC-MS

Biochemical applications of LC-MS 492 (1989) 189

Drugs, solvent residues

Analysis of solvent residues in pharmaceutical bulk drugs by wall-coated open tubular GC 469 (1989) 161

Drugs screening

TLC screening procedure for some drugs in horse plasma 496 (1989) 407

DryLab

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Development of HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

Practical approach for HPLC method development: assaying synthetic intermediates of a leukotriene inhibitor 485 (1989) 597

Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polyaromatic hydrocarbons 485 (1989) 607

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Dual-Tast Analyser

Simultaneous determination of thiols and corresponding disulphides in mixtures by HPLC with polarographic detection using a Dual-Tast Analyser 455 (1988) 336

Dulcoside A

Simultaneous determination of stevioside, rebaudioside A and C and dulcoside A in foods by HPLC 474 (1989) 447

4,8,13-Duvatriene-1,3-diol

Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429

4,8,13-Duvatriene-1-ol

Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429

Dye ligand chromatography

Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 482 (1989) 125

Dyes

Determination of Methyl Yellow, Sudan I and Sudan II in water by HPLC 465 (1989) 434

Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 466 (1989) 319

Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40 467 (1989) 167

Particle beam LC-electron impact MS of dyes 482 (1989) 75

Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289

Dynamic solvent effect

Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81

Dynorphins

On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

E

ECAT

Expert system program for assistance in HPLC method development 485 (1989) 267

Ecgonine

TLC of benzoylecgonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236

Ecgonine methyl ester

TLC of benzoylecgonine: a rapid qualitative method for confirming the EMIT Urine Cocaine Metabolite Assays 490 (1989) 236

Effective mobility

General mathematical model for the steady state in isotachopheresis. Calculation of the effective mobility of terminating H^+ ions and two-buffer electrolyte systems 480 (1989) 69

Effluent history

Calculation of column performance in nitrate removal from water supplies by anion exchange 499 (1990) 677

Eicosanoids

Specific radioactivity determination of labeled eicosanoids 489 (1989) 359

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

15-Hydroxyeicosatetraenoic acid as a major eicosanoid in nasal secretions: assay by HPLC–radioimmunoassay and GC–MS procedures 496 (1989) 416

Eicosapentaenoic acid

Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225

Elastase

Determination of elastase activity by reversed-phase HPLC 461 (1989) 267

Elastin peptides

Reversed-phase LC of elastin peptides 487 (1989) 41

Electrical field flow fractionation

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21

Electrical hyperlayer field flow fractionation

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Electroblotting

Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345

Electrochemical detector

Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241

Application of amperometric detection to the HPLC determination of antipyrine and 4-aminoantipyrine in urine 455 (1988) 420

Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

Carbon–polymer chips as sensitive electrochemical detectors for micro-LC 459 (1988) 163

Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69

LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41

Electrochemical detection of mercapturic acid derivatives after separation by HPLC 475 (1989) 391

Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

Electrochemistry, biomedical applications

Biomedical applications of LC–electrochemistry 488 (1989) 31

Electrochemistry–tandem mass spectrometry

Characterization of solution-phase and gas-phase reactions in on-line electrochemistry–thermospray tandem MS 474 (1989) 231

Utility of solution electrochemistry MS for investigating the formation and detection of biologically important conjugates of acetaminophen 474 (1989) 245

Electrochromatography

Methods for on-line determination and control of electroendosmosis in capillary electrochromatography and electrophoresis 470 (1989) 89

Electroendosmosis

Methods for on-line determination and control of electroendosmosis in capillary electrochromatography and electrophoresis 470 (1989) 89

Electroimmunoprecipitation

Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351

Electrokinetic chromatography

see micellar electrokinetic chromatography

Electrokinetic injection

Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421

Electrolyser, multi-compartment

Preparative protein purification in a multi-compartment electrolyser with Immobiline membranes 475 (1989) 293

Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681

Electrolytes

Isotachopheretic analysis of peptides. Selection of electrolyte systems and determination of purity 470 (1989) 209

Electrolytes, copper-containing

Utility of copper-containing electrolytes for isotachopheresis of amino acids 470 (1989) 131

Electrolytic conductivity detector

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

Electron-capture detector

Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149

Electron-capture detector with an ion signal 465 (1989) 215

Hypercoulometry of the second kind in electron-capture detection 500 (1990) 95

Electron-capture detector, non-radioactive

Non-radioactive electron-capture detector for GC 468 (1989) 215

Electron spin resonance spectroscopy

Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 458 (1988) 255

Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9

Electroosmosis

Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95

Electroosmotic flow

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Electrophoresis

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Simple sampling device for capillary isotachopheresis and capillary zone electrophoresis 452 (1988) 615

Purification of lentil lectins using preparative electrophoresis 455 (1988) 225

Post-column detection for capillary zone electrophoresis 456 (1988) 375

Electromigration of carrier-free radionuclides. IX. Protolysis of [¹³¹I]iodate in aqueous solutions 457 (1988) 362

Separation and detection of DNA by capillary electrophoresis 458 (1988) 303

On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

Rapid separation of DNA restriction fragments using capillary electrophoresis 458 (1988) 323

Adjustable aperture-width detector cell for on-column detection in capillary zone electrophoresis 462 (1989) 147

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Nature of temperature gradients in capillary zone electrophoresis 466 (1989) 219

Separation of precolumn *ortho*-phthalaldehyde-derivatized amino acids by capillary zone electrophoresis with normal and micellar solutions in the presence of organic modifiers 468 (1989) 55

- Influence of the cellulose content of cellulose gels on the electrophoretic mobility 469 (1989) 378
- Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444
- Generation of operational electrolytes for isotachopheresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43
- Methods for on-line determination and control of electroendosmosis in capillary electrochromatography and electrophoresis 470 (1989) 89
- Modified methods for off- and on-line determination of electroosmosis in capillary electrophoretic separations 470 (1989) 95
- Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241
- High-voltage capillary zone electrophoresis of red blood cells 470 (1989) 251
- Dynamic programming of pH—a new option in analytical capillary electrophoresis 470 (1989) 309
- Separation of large DNA molecules by pulsed-field gel electrophoresis. A review of the basic phenomenology 470 (1989) 377
- Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401
- Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421
- Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429
- Capillary electrophoresis—electrospray ionization-MS 474 (1989) 21
- Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441
- Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63
- Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21
- Dispersion effects in capillary zone electrophoresis 480 (1989) 35
- Extra-column effects in high-performance capillary electrophoresis 480 (1989) 91
- Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95
- Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111
- Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129
- High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141
- Characterization of a post-column reaction—laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157
- Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169
- Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179
- Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211
- Preliminary investigation of ion mobility spectrometry after capillary electrophoretic introduction 480 (1989) 233
- Coupling capillary zone electrophoresis and continuous-flow fast atom bombardment MS for the analysis of peptide mixtures 480 (1989) 247
- Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259
- Simple method for generation of a dynamic pH gradient in capillary zone electrophoresis 480 (1989) 271
- GPC combined with capillary electrophoresis for microanalysis of proteins 480 (1989) 277
- Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289
- Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301
- Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311

Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321

Capillary electrophoresis of nucleic acids with a fully automated apparatus 480 (1989) 331

Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339

Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351

Separation of collagens by capillary zone electrophoresis 480 (1989) 371

Characterization of human growth hormone by capillary electrophoresis 480 (1989) 379

Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393

Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421

Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427

Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343

The role of chromatography and electrophoresis in biomedical sciences 488 (1989) 5

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121

On-line coupling of capillary isotachopheresis with capillary zone electrophoresis 498 (1990) 191

Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Capillary electrophoresis with indirect amperometric detection 499 (1990) 713

New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 500 (1990) 673

Electrophoresis, robotics

Robotics in biomedical chromatography and electrophoresis (Review) 492 (1989) 85

Electrophoresis, two-dimensional

High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359

Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 482 (1989) 125

Profiling cells and body fluids—chromatography and two-dimensional electrophoresis as complementary techniques 488 (1989) 105

Electrophoretic methods, history

History of electrophoretic methods 480 (1989) 3

Electrophoretic titration curves

Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347

Electroplating solutions

Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427

Electrosorptive detection

Electrosorptive detection of simple organic compounds in LC 456 (1988) 287

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Electrospray ionization interface

Capillary electrophoresis—electrospray ionization-MS 474 (1989) 21

Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211

Electrostatic interaction chromatography

Thermodynamic model for electrostatic-interaction chromatography of proteins 499 (1990) 63

Electrostatic interactions

Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3

Electrostatic theory, ion-pair chromatography

Extension of the electrostatic theory of reversed-phase ion-pair chromatography for high surface concentrations of the adsorbing amphiphilic ion 456 (1988) 253

Eluent evaporation

Concurrent eluent evaporation with co-solvent trapping for on-line reversed-phase LC-GC. Optimization of conditions 477 (1989) 73

Eluent impurities

Effect of eluent impurities and sample matrix on quantitative analysis by ion chromatography 482 (1989) 393

Elution band profiles

Effect of organic solvents in sample solutions and injection volumes on chromatographic peak profiles of analytes in reversed-phase HPLC 483 (1989) 189

Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103

Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model 484 (1989) 83

Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21

Elution by characteristic point

Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73

Elution chromatography, ideal model

Analytical solution of the ideal model of elution chromatography in the case of a binary mixture with competitive Langmuir isotherms. II. Solution using the *h*-transform 484 (1989) 125

Elution order

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95

Elution order shifts

Comments on a paper describing elution order shifts of halogenated compounds 474 (1989)

Elution profiles

Theoretical study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 1

Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19

Elution system coefficients

Ion chromatographic elution behaviour and prediction of the retention of inorganic monovalent anions using a phosphate eluent 481 (1989) 315

Elution temperature

Calculation of programmed temperature GC characteristics from isothermal data. II. Predicted retention times and elution temperatures 463 (1989) 271

EM 12

Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 488 (1989) 417

EM 16

Determination of the thalidomide analogues 2-(2,6-dioxopiperidine-3-yl)phthalimidine (EM 12), 2-(2,6-dioxopiperidine-4-yl)phthalimidine (EM 16) and their metabolites in biological samples 488 (1989) 417

Embonates, antibiotics

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Emetine

Selective, stability-indicating assay of the major Ipecacuanha alkaloids, emetine and cephaeline, in pharmaceutical preparations by HPLC using spectrofluorimetric detection 463 (1989) 107

Enantiomeric excess

GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285

Enantiomer separations

Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309

Direct enantiomeric separation of betaxolol with applications to analysis of bulk drug and biological samples 452 (1988) 477

Chiral HPLC analysis of phenoxy herbicide mixtures 454 (1988) 450

Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in HPLC 457 (1988) 366

Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121

Improved enantiomeric separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to O-methyl ethers 461 (1989) 377

Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95

(*R*)-N-(3,5-Dinitrobenzoyl)-1-naphthylglycine as a chiral stationary phase for the separation of enantiomers by HPLC 462 (1989) 382

Preparative separation of the enantiomers of the cholecystokinin antagonist (3*S*)-(\pm)-N-(2,3-

dihydro-1-([³H₃]methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by HPLC 462 (1989) 454

Resolution of *rac*-1,2-halohydrins by chiral complexation GC 462 (1989) 458

New insights into the recognition mechanisms of chiral "brush-type" LC stationary phases 464 (1989) 39

Use of cyclodextrins in isotachopheresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139

Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289

HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid-chiral phenylethylamine bonded to silica gel 464 (1989) 411

Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263

Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364

Resolution of neuroexcitatory non-protein amino acid enantiomers by HPLC utilising pre-column derivatization with *o*-phthaldialdehyde chiral thiols. Application to ω -N-oxalyl diamino acids 466 (1989) 407

Enantiomeric purity determination of 3-aminoquinuclidine by diastereomeric derivatization and HPLC separation 466 (1989) 415

GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1*S*)-(-)-camphanic acid 467 (1989) 402

Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359

- Discussion of a controversial chiral recognition model 469 (1989) 67
- Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183
- Resolution of neuroactive non-protein amino acid enantiomers by HPLC utilising pre-column derivatisation with *o*-phthaldialdehyde-chiral thiols. Application to 2-amino- ω -phosphonoalkanoic acid homologues and α -amino- β -N-methylaminopropanoic acid (β -methylaminoalanine) 469 (1989) 412
- LC separation of racemates on acetylated or carbamoylated β -cyclodextrin-bonded stationary phases 469 (1989) 429
- Milligram-scale separation of optical isomers of 2-pentafluoroethylalanine and 2-trifluoromethylalanine by medium-performance reversed-phase chromatography 469 (1989) 434
- Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391
- Determination of the enantiomers of α -H- α -amino acids, α -alkyl- α -amino acids and the corresponding acid amides by HPLC 471 (1989) 263
- Improved chiral stationary phase for the separation of the enantiomers of chiral acids as their anilide derivatives 471 (1989) 271
- Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265
- HPLC separation of alkane-1,2-diol enantiomers on a chiral slurry-packed capillary column 472 (1989) 271
- Direct stereochemical resolution of enantiomeric amides via TLC on a covalently bonded chiral stationary phase 472 (1989) 277
- Use of cyclodextrins in isotachopheresis. VIII. Two-dimensional chiral separation in isotachopheresis 472 (1989) 308
- Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241
- Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371
- Coupled column chromatography-MS. Thermospray LC-MS and LC-tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257
- Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441
- Automated enantioseparation of amino acids by derivatization with *o*-phthaldialdehyde and N-acylated cysteines 476 (1989) 73
- Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165
- Optimization of detection sensitivity for enantiomers of metoprolol on silica-bonded α_1 -acid glycoprotein 477 (1989) 107
- Determination of the enhancement of the enantiomeric purity during recrystallization of amino acids 477 (1989) 139
- Optical resolution of amino acid derivatives by HPLC on tris(phenylcarbamate)s of cellulose and amylose 477 (1989) 367
- Chiral separation of the optical isomers of the antimalarial drug halofantrine 477 (1989) 471
- Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71
- Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87
- Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101
- Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377
- Separation of the enantiomers of N-protected α -amino acids as anilide and 3,5-dimethylanilide derivatives 479 (1989) 419
- Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403

Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413

Thermodynamic properties of enantiomers of underivatized diols *versus* the cyclic carbonates in GC on Chirasil-Val 481 (1989) 17

Determination of the enantiomeric composition of γ -lactones in complex natural matrices using multidimensional capillary GC 481 (1989) 363

Chiral stationary phases via hydrosilylation reaction of N-acryloylamino acids. I. Stationary phase with one chiral centre for HPLC and development of a new derivatization pattern for amino acid enantiomers 481 (1989) 380

Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher® 481 (1989) 387

HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165

Separation of the enantiomers of a triester of 2,2-difluorocitrate 482 (1989) 258

Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthalaldehyde and new chiral thiols 483 (1989) 239

Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349

Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337

Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D(+)-glucuronic acid 487 (1989) 125

Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (-)-menthyl chloroformate derivatives 487 (1989) 197

Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-*O,O*-diacetyl tartaric acid anhydride 487 (1989) 375

Racemates versus enantiomerically pure drugs: putting HPLC to work in the selection process 488 (1989) 53

Stereoselective HPLC assay for propranolol enantiomers in serum 488 (1989) 407

Quantification of propranolol enantiomers in small blood samples from rats by reversed-phase HPLC after chiral derivatization 489 (1989) 333

HPLC determination of the enantiomers of β -adrenoceptor blocking agents in biological fluids. II. Studies with atenolol 489 (1989) 438

Determination of 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine enantiomers in whole blood 490 (1989) 59

Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133

HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139

Isothermal capillary GC with electron-capture detection of heptafluorobutyl-L-prolyl derivatives of chiral amphetamines 491 (1989) 262

HPLC determination of (*R*)- and (*S*)-proxyphylline in human plasma 491 (1989) 355

HPLC method for the simultaneous determination of the enantiomers of carvedilol and its *O*-desmethyl metabolite in human plasma after chiral derivatization 493 (1989) 105

Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Comparison between two methods for the determination of the total and free (*R*)- and (*S*)-disopyramide in plasma using an α_1 -acid glycoprotein column 494 (1989) 143

Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using N-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157

HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173

Stereoselective determination of plasma pindolol in endotoxin-pretreated rats by HPLC 494 (1989) 381

GC-MS analysis of *threo*-methylphenidate enantiomers in plasma 494 (1989) 420

Enantioselective measurement of the *Candida* metabolite D-arabinitol in human serum using multi-dimensional GC and a new chiral phase 495 (1989) 21

Determination of the enantiomeric composition of salsolinol in biological samples by HPLC with electrochemical detection 495 (1989) 205

Simultaneous determination of (*R*)- and (*S*)-celiprolol in human plasma and urine: HPLC assay on a chiral stationary phase with fluorimetric detection 496 (1989) 387

Rapid HPLC method for the measurement of the enantiomers of metoprolol in serum using a chiral stationary phase 497 (1989) 181

Determination of the enantiomers of verapamil and norverapamil in serum using coupled achiral-chiral HPLC 497 (1989) 191

Measurement of underivatized metoprolol enantiomers in human plasma by HPLC with a chiral stationary phase 497 (1989) 313

Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81

HPLC separation of 11-hydroxy lauric acid enantiomers. Application to the determination of the stereochemistry of microsomal lauric acids ($\omega - 1$) hydroxylation 498 (1990) 293

Chiral flavour compounds from apricots. Distribution of γ -lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional GC 498 (1990) 396

Direct resolution of the optical isomers of fenoldopam and one of its derivatives 498 (1990) 414

Separation and quantification by GC-MS of arabinitol enantiomers to aid the differential diagnosis of disseminated candidiasis 500 (1990) 413

Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629

Encainide

Improved HPLC assay for encainide and its metabolites in human body fluids 490 (1989) 165

Resolution of enantiomers of the antiarrhythmic drug encainide and its major metabolites by chiral derivatization and HPLC 493 (1989) 325

β -Endorphin

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Endosperm proteins

High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359

Endotoxins

Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175

Endrin

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Enkephalins

Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Enol ethers

Formation of cyclic enol ethers from a labile biological precursor: an example of analytical artifacts 491 (1989) 27

Enones

Chiral recognition by biological macromolecules. Partial resolution of racemic enones by albumin 464 (1989) 289

Enrichment procedures

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

Enrofloxacin

HPLC method for the simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in canine serum and prostatic tissue 493 (1989) 337

Enthalpy

Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191

Enzyme assays

Application of HPLC to enzyme activity determination (Review) 492 (1989) 361

Enzyme immunoassays

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Enzymes

see also Proteins

Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201

Purification of phosphofructokinase using transition-state analogue affinity chromatography 455 (1988) 291

Activity stain for polygalacturonase 455 (1988) 376

Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Large-scale purification of the chromosomal β -lactamase from *Enterobacter cloacae* P99 457 (1988) 317

Improved HPLC determination of bacterial collagenase activity in ointments 459 (1988) 337

Determination of elastase activity by reversed-phase HPLC 461 (1989) 267

Purification of angiotensin-converting enzyme by gel HPLC 461 (1989) 271

Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177

Detection of proteolytic enzymes in fractions after LC 463 (1989) 212

Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 466 (1989) 319

Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361

Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401

Application of enzyme purification processes to proteolytic enzymes (Review) 473 (1989) 1

Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227

Coupling of proteolytic quenching and HPLC to enzyme reactions. Application to bovine pancreatic ribonuclease 473 (1989) 281

Polyoxyalkyleneglycols immobilized on Sepharose 6B for the sequential extraction of three enzymes from a crude extract of *Pseudomonas testosteroni* 474 (1989) 396

Application of autofocusing in the isolation of peroxidase 474 (1989) 430

- An improved method for the separation and quantification of glutathione S-transferase subunits in rat tissue using HPLC 474 (1989) 435
- Purification of rabbit liver aldehyde oxidase by affinity chromatography on benzamidine Sepharose 6B 475 (1989) 363
- Immunological-chromatographic analysis of lysozyme variants 476 (1989) 235
- Improved separation of human pepsins from gastric juice by high-performance ion-exchange chromatography 476 (1989) 291
- Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299
- HPLC assay for nicotinamide-adenine dinucleotide kinase 476 (1989) 487
- Heterogeneity of human pepsin 1, as shown by high-performance ion-exchange chromatography 476 (1989) 491
- Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Application of fast protein LC for the isolation of vertebrate casein kinase-1 477 (1989) 448
- The separation of pancreatic procarboxypeptidases by HPLC and chromatofocusing 481 (1989) 233
- Rapid separation of α -amylases from barley by ion-exchange HPLC on non-porous columns 481 (1989) 397
- Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252
- Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289
- Purification of tryptophan decarboxylase from a *Catharanthus roseus* cell suspension culture 483 (1989) 311
- Determination of cyclic nucleotide phosphodiesterase activity in cellular systems by ion-pair reversed-phase LC 483 (1989) 427
- HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51
- Microassay for N-acetyltransferase activity using HPLC with electrochemical detection 487 (1989) 287
- Stability of serum γ -glutamyltranspeptidase fractionated by gel permeation using HPLC and FPLC 488 (1989) 503
- Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 489 (1989) 384
- Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 489 (1989) 390
- Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33
- Purification of human muscle phosphoglycerate mutase by fast protein LC based on hydrophobic interactions 490 (1989) 424
- Determination of overt carnitine palmitoyltransferase by reversed-phase HPLC 491 (1989) 69
- Improved HPLC determination of diamine oxidase activity 491 (1989) 209
- Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345
- Application of HPLC to enzyme activity determination (Review) 492 (1989) 361
- Separation of two erythrocyte prolidase isoforms by fast protein LC; application to prolidase deficiency 493 (1989) 170
- HPLC determination of aminopeptidase P activity in Fischer F344 rat serum and kidney 493 (1989) 176
- Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105
- HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27
- Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91
- Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101
- Assay of cholesterol 7α -hydroxylase utilizing a silica cartridge column and 5α -cholestane- 3β , 7β -diol as an internal standard 496 (1989) 255

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Assay for lysine-ketoglutarate reductase by reversed-phase HPLC 497 (1989) 263

Purification of microbial uricase 497 (1989) 268

Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 498 (1990) 159

Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281

Investigation of some α -amylases by high-performance hydrophobic-interaction chromatography 499 (1990) 197

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 500 (1990) 503

Enzymes, stereospecific

Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359

Ephedrine

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51

17-Epimethandrostenolone

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Epinephrine

see Adrenaline

2,3-Epithiopropyl methacrylate

GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143

2,3-Epoxypropyl methacrylate

GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143

Equation of state

Investigation and improvement of the Horváth-Lin equation of state 499 (1990) 463

Equivalent carbon number

Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 482 (1989) 215

Ergosterol

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Ergotamine tartrate

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Erythritol

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Erythrocruorin

Use of erythrocruorin of the earthworm (*Lumbricus terrestris*) as calibration standard in gel chromatography (in German) 497 (1989) 231

Erythrocyte membrane

Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351

Erythrocyte membrane proteins

Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347

Erythrocytes

High-voltage capillary zone electrophoresis of red blood cells 470 (1989) 251

Erythrocytes, partitioning

Analysis of density-fractionated rat red blood cells of different ages by partitioning in two-polymer aqueous phase systems 479 (1989) 307

Escalol 507

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

β -Escin

HPLC analysis of β -escin 478 (1989) 259

Essential oils

Applications of GC to the study of terpenoid metabolism 452 (1988) 61

Determination of terpenic compounds in the essential oil from *Satureja thymbra* L. growing in Sardinia 457 (1988) 427

Esters

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

17 β -Estradiol, C-17 fatty acid esters

Separation of C-17 fatty acid esters of 17 β -estradiol by reversed-phase HPLC 493 (1989) 367

5-Estrane-3,17 α -diol

Comparison of the use of MS and methylene unit values in the determination of the stereochemistry of estranediol, the major urinary metabolite of 19-nortestosterone in the horse 479 (1989) 73

Ethacrynic acid

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Ethanol

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

Simplified GC analysis of ethanol in blood and tissue 487 (1989) 228

Ethanolamine

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

Ethanolamine glycerophospholipids

Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239

Ethiofencarb

HPLC determination of ethiofencarb and its metabolic products 462 (1989) 430

Ethirimol

Determination of ethirimol, in the presence of some normal soil constituents, by LC 479 (1989) 424

Ethoxylated alcohols

Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97

1-[2-Ethoxy-2-(3'-pyridyl)ethyl]-4-(2'-methoxyphenyl)piperazine

Determination of the antihypertensive drug 1-[2-ethoxy-2-(3'-pyridyl)ethyl]-4-(2'-methoxyphenyl)piperazine (IP/66) in rat and human plasma by HPLC and isotope dilution MS 487 (1989) 331

Ethyl acetate

Determination of partition coefficients by headspace GC 455 (1988) 45

Ethylamine

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

8-Ethyl-7,8-dihydro-1,3,5-trimethyl-1*H*-imidazo[1,2-*c*]pyrazolo[3,4-*e*]pyrimidine

HPLC assay for a novel psychotropic drug (CI-943) in cynomolgus monkey plasma 496 (1989) 493

O-Ethyl S-(2-diisopropylaminoethyl) methylphosphonothioate

Indirect determination of O-ethyl S-(2-diisopropylaminoethyl) methylphosphonothioate in air at low concentrations 478 (1989) 51

N,N'-Ethylenebisoleamide

Quantification and characterization of the trifluoroacetic anhydride derivatives of N,N'-ethylenebisstearamide and N,N'-ethylenebisoleamide 479 (1989) 107

N,N'-Ethylenebisstearamide

Quantification and characterization of the trifluoroacetic anhydride derivatives of N,N'-ethylenebisstearamide and N,N'-ethylenebisoleamide 479 (1989) 107

Ethylenediamine buffer

Separation of basic drugs by HPLC on a silica column using a methanol-ethylenediamine buffer 464 (1989) 117

Ethylene dimethacrylate

GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143

Ethylene glycol

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Ethylene oxide

Chemical degradation and analysis of polyoxyethylene glycols and ethylene oxide- α -butylene oxide block copolymers 455 (1988) 131

Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Preparation of electrophoric derivatives of N7-(2-hydroxyethyl)guanine, an ethylene oxide DNA adduct 499 (1990) 571

Ethylenethiourea

Determination of ethylenethiourea in beverages without sample pretreatment using HPLC and amperometric detection on a copper electrode 457 (1988) 398

Ethyl methacrylate

Use of HPLC for the characterization of synthetic copolymers 499 (1990) 645

4'-Ethyl-2-methyl-3-(1-pyrrolidinyl)propiophenone hydrochloride

Determination of a new muscle relaxant (HY-770) in human serum by GC-MS 496 (1989) 456

Ethinylestradiol

HPLC analysis of the by-products of the synthesis of ethinylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427

Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205

Etoposide

Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample clean-up and column-switching 495 (1989) 139

Etorphine

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

Etretinate

HPLC determination of etretinate and all-*trans*- and 13-*cis*-acitretin in human plasma 500 (1990) 637

Eusolex 8020

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

Evaporative light-scattering detector

Universal detection and quantitation of surfactants by HPLC by means of the evaporative light-scattering detector 459 (1988) 91

Control of some HPLC systems by using an evaporative light scattering detector (in French) 472 (1989) 209

Evernic acid

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Evernicinic acid

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Evernyl

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Exchanger capacity

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

Exifone

Determination of exifone in human plasma and urine by HPLC with electrochemical detection 496 (1989) 345

Experimental design techniques

Method development in HPLC using retention mapping and experimental design techniques (Review) 485 (1989) 51

Expert systems

Expert system for chromatography 452 (1988) 175

Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25

Artificial intelligence techniques for peak homogeneity validation in LC 465 (1989) 59

Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255

Expert system program for assistance in HPLC method development 485 (1989) 267

Expert system for method validation in chromatography 485 (1989) 283

Knowledge-based expert system for troubleshooting HPLC assay methods 485 (1989) 297

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325

Cathie: expert interpretation of chromatographic data 485 (1989) 341

Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349

Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365

Explosives

Packed-column SFC separation of highly explosive compounds 467 (1989) 423

Modification to a thermal energy analyzer with associated electronic filtering for improved GC analysis of explosives traces 483 (1989) 379

External recycle chromatography

External recycle chromatography: a practical method for preparative purifications 462 (1989) 85

Extra-column effects

Extra-column effects in high-performance capillary electrophoresis 480 (1989) 91

Extraction methods

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

F

Factor analysis

Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237

Factorial design

Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311

Factor IX

Separation of vitamin K-dependent coagulation factors on sulphated cellulose 487 (1989) 173

Factor VIII/vWf

Chromatography of human plasma on aminoethyl Sepharose: separation of factor VIII/vWf and behaviour of factors II, VII, IX and X and antithrombin III 491 (1989) 299

Family album, *Journal of Chromatography*

The *Journal of Chromatography* family album 500 (1990) 3

Fats

High-performance size-exclusion chromatography of oils and fats 454 (1988) 317

Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC-GC 471 (1989) 397

Fatty acid binding protein

Separation of fatty acid binding protein by high-performance mixed-mode chromatography 459 (1988) 221

Fatty acid esters

Improved separation of lipid esters by TLC 483 (1989) 369

Fatty acid methyl esters

Analysis of *in situ* methylated microbial fatty acid constituents by Curie-point pyrolysis-GC-MS 468 (1989) 181

Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37

Fatty acid radicals

Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9

Fatty acids

Determination of fatty acids as phenacyl esters in rat adipose tissue and blood vessel walls by HPLC 452 (1988) 443

Purification of long-chain, saturated, free fatty acids 454 (1988) 438

LC determination of trace amounts of low-molecular-weight fatty acid vapours in industrial emissions 455 (1988) 425

Water as a stationary phase modifier in packed-column SFC. I. Separation of free fatty acids 459 (1988) 173

Preparative-scale HPLC of omega-3 polyunsaturated fatty acid esters derived from fish oil 459 (1988) 369

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225

Separation of *cis* and *trans* isomers of unsaturated fatty acids by HPLC in the silver ion mode 469 (1989) 261

Separation of major phospholipid classes by HPLC and subsequent analysis of phospholipid-bound fatty acids using GC 469 (1989) 271

Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223

Reversed-phase LC for enrichment of very-long-chain fatty acids and their identification by GC-MS 472 (1989) 290

GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonae* 487 (1989) 142

Capillary column GC-MS for the determination of the fatty acid composition of human adipose tissue 491 (1989) 1

Biochemical applications of LC-MS 492 (1989) 189

GC-MS studies after methylation of metabolites produced by some anaerobic bacteria in spent media 493 (1989) 257

Analysis of fatty acids in equine cerebrospinal fluid using GC with electron-capture detection 494 (1989) 278

GC and MS determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 498 (1990) 367

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443

Fatty acids, dimer

Chromatographic methods for the determination of monomer, dimer and trimer fractions in dimer fatty acids 466 (1989) 403

Fatty acids, long-chain

Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23

Fatty acids, very-long-chain

Improved determination of very-long-chain fatty acids in plasma and cultured skin fibroblasts: applications to the diagnosis of peroxisomal disorders 494 (1989) 31

Fatty alcohols

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23

Fatty tissues

TLC method for the detection of anabolics in fatty tissues 489 (1990) 213

FD&C Red No. 40

Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40 467 (1989) 167

Fecapentaenes

Combined chromatographic–isotopic dilution analysis of fecapentaenes in human feces 488 (1989) 301

Fenbendazole

Direct resolution of anthelmintic drug enantiomers on Chiral-AGP protein-bonded chiral stationary phase 472 (1989) 265

Fengabine

Determination of the gabaergic antidepressant drug fengabine and some of its metabolites in plasma by capillary GC with electron-capture detection 490 (1989) 81

Fenoldopam

Simplified procedures for the determination of fenoldopam and its metabolites in human plasma by HPLC with electrochemical detection: comparison of manual and robotic sample preparation methods 487 (1989) 385

Direct resolution of the optical isomers of fenoldopam and one of its derivatives 498 (1990) 414

Fenoprofen

Discussion of a controversial chiral recognition model 469 (1989) 67

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

Fenpropimorph

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Fentanyl

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

Studies on 1-(2-phenethyl)-4-(N-propionylanilino)piperidine (fentanyl) and related compounds. III. Effect of methyl group introduction into fentanyl on sensitivity enhancement in GC with surface ionization detection 475 (1989) 400

Simultaneous determination of fentanyl and its major metabolites and fentanyl analogues using GC and nitrogen-selective detection 489 (1989) 459

Ferredoxin

Separation by HPLC of the ferredoxin–thioredoxin system proteins 477 (1989) 305

Ferredoxin–thioredoxin reductase

Separation by HPLC of the ferredoxin–thioredoxin system proteins 477 (1989) 305

Ferric chloride

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197

Ferric oxyhydroxide

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175

Ferrocene

Selective detection of volatile iron compounds by flame photometry 467 (1989) 75

Ferrocene reagents

Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247

Ferulic acid

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

Fibrinogen

Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221

Fibrinogenolysin

Isolation and purification of a fibrinogenolysin from the venom of the saw-scaled viper (*Echis carinatus*) by HPLC 474 (1989) 424

Fibroblast growth factor

Rapid chromatographic isolation and immunoblot characterization of immunoreactive fibroblast growth factor-related polypeptides from various tissues 491 (1989) 49

Fibronectin receptor

Isolation of a fibronectin receptor from *Streptococcus pyogenes* by affinity chromatography followed by HPLC (in German) 497 (1989) 258

Field alternation agar gel electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Field-flow fractionation

Retention in sedimentation–flotation focusing field-flow fractionation using a step density gradient 452 (1988) 549

Sedimentation focusing field-flow fractionation in channels of triangular cross-section 454 (1988) 335

Resolution of colloidal latex aggregates by sedimentation field-flow fractionation 455 (1988) 1

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Sedimentation field-flow fractionation of colloidal metal hydrosols 461 (1989) 103

High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341

Field-flow fractionation of macromolecules 470 (1989) 327

Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413

Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Field inversion gel electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Fish oil

Analytical-scale HPLC of omega-3 fatty acid esters derived from fish oils 468 (1989) 225

Flame photometric detector

Selective detection of volatile iron compounds by flame photometry 467 (1989) 75

On-line flame photometric detection in micro-column LC 467 (1989) 385

Improved flame photometric detector for the analysis of sulfur compounds by GC 468 (1989) 303

Flat-bed chromatography

Flat-bed chromatography on impregnated layers (Review) 466 (1989) 1

Flavanones

Series of novel flavanones identified by GC–MS in bud exudate of *Populus fremontii* and *Populus maximowiczii* 481 (1989) 352

Flavonoid aglycones

Evaluation of the moving belt as an interface for the HPLC–MS analysis of the flavonoid aglycones 474 (1989) 372

Flavonoids

Solvent selectivity effects in reversed-phase HPLC of flavonoid compounds 461 (1989) 281

Comparison of reversed-phase TLC and HPLC of flavonoid compounds 462 (1989) 205

Flavonoid aglycones identified by GC–MS in bud exudate of *Populus balsamifera* 472 (1989) 393

Improved method for continuous UV monitoring in high-speed counter-current chromatography 475 (1989) 229

Capillary column GC of methyl and trimethylsilyl derivatives of some naturally occurring flavonoid aglycones and other phenolics 478 (1989) 415

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

Flavonol glycosides

Determination of flavonol glycosides in *Epimedium Herba* by HPLC 456 (1988) 392

Flavour components

Flavor characterization of dentifrices using equilibrium headspace GC 455 (1988) 143

Flecainide

Therapeutic drug monitoring of flecainide using HPLC and comparison with fluorescence polarisation immunoassay 487 (1989) 409

HPLC assay with fluorometric detection for flecainide and its major metabolites in urine and serum 490 (1989) 450

Fleroxacin

HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379

Florisil

Florisil[®] sorbent sampling and ion chromatographic determination of airborne aliphatic carboxylic acids 479 (1989) 445

Flory–Huggins interaction parameters

Solubility parameters of GC mixed stationary phases 457 (1988) 55

Flow cells

Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297

Effect of the position of the laser beam focal point on a capillary flow-through cell on the signal-to-noise ratio for a fluorimetric detector in capillary column LC 471 (1989) 311

Flow field-flow fractionation

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Flow field-flow fractionation channel

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Flow/hyperlayer field-flow fractionation

High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341

Flow-injection analysis

Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 482 (1989) 207

Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685

Flow optimization

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

Flow-rate

Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209

Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Flow-rate errors

Unavoidable flow-rate errors in HPLC 478 (1989) 287

Flow-switching interface

Multidimensional packed capillary column SFC using a flow-switching interface 477 (1989) 161

Flow velocity

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. I. Influence of capacity factor, analyte structure, flow velocity and column loading 478 (1989) 71

Flue gases

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Flumazenil

Quantitation of the benzodiazepine antagonist flumazenil in human plasma by GC–MS 491 (1989) 97

Flumequine

Determination of flumequine in biological fluids and meat by HPLC 495 (1989) 314

Solid-phase extraction and HPLC determination of flumequine and oxolinic acid in salmon plasma 496 (1989) 355

Determination of flumequine in fish by HPLC and fluorescence detection 497 (1989) 355

Flunitrazepam

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Fluoranthene

Effects of temperature and density on retention in capillary SFC 478 (1989) 311

Fluorene

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

N^α-9-Fluorenoxycarbonyl-S-tritylcysteine

Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 499 (1990) 37

9-Fluorenylmethylchloroformate

Sensitive HPLC assay using 9-fluorenylmethylchloroformate for monitoring controlled-release lidocaine in plasma 496 (1989) 335

Fluorescein

Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444

Fluorescein isothiocyanate

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Fluoresceinyl isothiocyanate dextrans

High-performance SEC procedure for the determination of fluoresceinyl isothiocyanate dextrans of various molecular masses in biological media 491 (1989) 117

Fluorescence, laser-induced

High-sensitivity laser-induced fluorescence-HPLC studies of polyaromatic hydrocarbons using the argon ion laser-Yeung detector cell configuration 455 (1988) 332

Enhanced performance of a laser-induced fluorescence LC apparatus: a systems approach 459 (1988) 109

Fluorescence detector

Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297

Effect of the position of the laser beam focal point on a capillary flow-through cell on the signal-to-noise ratio for a fluorimetric detector in capillary column LC 471 (1989) 311

High-sensitivity fluorescence detector for fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis 480 (1989) 141

Characterization of a post-column reaction-laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Fluorescence polarisation immunoassay

Therapeutic drug monitoring of flecainide using HPLC and comparison with fluorescence polarisation immunoassay 487 (1989) 409

Fluorescence spectrometry, electron impact fragmentation

GC detection by electron impact-induced fluorescence spectrometry of molecular fragments 475 (1989) 237

Fluorescence studies, intrinsic

Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481

Fluoride

Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes 465 (1989) 1

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Fluorimetric detection

Indirect fluorimetric detection of non-electrolytes in TLC 455 (1988) 382

Fluorinated stationary phases

Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

5-Fluorocytosine

Rapid and sensitive method for the determination of 5-fluorocytosine in human plasma by ion-pair HPLC 487 (1989) 183

Fluorogenic labelling, phase-transfer-catalysed

Determination of carboxylic acids by LC after phase-transfer-catalysed fluorogenic labelling 456 (1988) 410

3-(*p*-Fluorophenyl)-L-alanyl-3-[*m*-bis(2-chloroethyl)aminophenyl]-L-alanyl-L-methionine

HPLC determination of *m*-bis(chloroethyl)aminophenyl-L-alanine in plasma 490 (1989) 224

2-(3-[4-(4-Fluorophenyl)-1-piperazinyl]-propyl)-6,7,8,9-tetrahydro-2*H*-naphtho-[2,3-*b*][1,4]oxazin-3(4*H*)-one

Sensitive HPLC determination of ionic drugs in biological fluids with short-wavelength UV detection using column switching combined with ion-pair chromatography: application to basic compounds 487 (1989) 357

Fluoroquinolones

HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379

5-Fluorouracil

Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Analysis of 5-fluorouracil in plasma by precolumn derivatization with 4-bromomethyl-7-methoxycoumarin, followed by multi-dimensional HPLC 473 (1989) 431

Quantitation of 5-fluorouracil incorporation into RNA by HPLC without the use of radioactive precursors 496 (1989) 450

Fluoxetine

Determination of fluoxetine and norfluoxetine by HPLC 499 (1990) 601

Flurazepam

Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247

Flurbiprofen

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173

Fluroxypyr

Development of HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

Flushing device

Simple device for flushing capillaries in capillary zone electrophoresis 480 (1989) 289

Fluvoxamine

Determination of fluvoxamine in human plasma by HPLC with UV detection 495 (1989) 295

Foam counter-current chromatography

Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197

Foeniculine

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Folates

Determination of reduced folate derivatives in tissue samples by HPLC with fluorimetric detection 487 (1989) 456

Folding kinetics

Reversed-phase chromatographic behavior of proteins in different unfolded states 499 (1990) 89

Formaldehyde

Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310

HPLC determination of free formaldehyde in cosmetics 464 (1989) 387

Formate

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Formic acid

Formic acid as a milder alternative to trifluoroacetic acid and phosphoric acid in two-dimensional peptide mapping 469 (1989) 231

Reversed-phase LC of proteins with strong acids 476 (1989) 499

2-Formyl-5-(hydroxymethyl)pyrrole-1-norleucine

Maillard reaction of bovine serum albumin with glucose. Determination of 2-formyl-5-(hydroxymethyl)pyrrole-1-norleucine by HPLC after alkaline hydrolysis (in German) 463 (1989) 119

5-Formyltetrahydrofolate

Determination of reduced folate derivatives in tissue samples by HPLC with fluorimetric detection 487 (1989) 456

Foscarnet

Determination of phosphonoformate (foscarnet) in biological fluids by ion-pair reversed-phase LC 488 (1989) 447

Fraction collector

Simultaneous collection of the eluate from up to twenty LC columns by a minor modification to the fraction collector 455 (1988) 360

Free energy correlations

Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97

Free-flow electrophoresis

Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444

Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343

Freon FC-113

Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace

organics from chlorinated drinking water 454 (1988) 217

Frontal analysis

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

Fructose

GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205

Function of mutual information

An information theory of chromatography. I. Evaluation of analytical systems by means of *FUMI* 462 (1989) 13

An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23

Fungicides

see Pesticides

Furanic acid

Determination of hippuric acid and furanic acid in serum of dialysis patients and control persons by HPLC 495 (1989) 95

Furocoumarins

Reversed-phase HPLC, a tool for the study of bichromophoric systems including polymethylene linking bridges 481 (1989) 461

Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453

Furosemide

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Solid-phase extraction of furosemide from plasma and urine and subsequent analysis by HPLC 496 (1989) 234

Improved method for the determination of furosemide in plasma by HPLC 497 (1989) 367

3-(2-Furoyl)quinoline-2-carbaldehyde

Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by LC with laser-induced fluorescence detection 499 (1990) 579

Fused-silica capillaries

Insights into the slurry packing and bed structure of capillary LC columns 458 (1988) 267

LC on packed fused-silica capillary columns with electrochemical detection 467 (1989) 41

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345

Performance of micro-LC columns in an industrial environment: a case history 499 (1990) 541

Fused-silica capillaries, carbohydrate-modified

Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339

Futoquinol

Strategy for the preparative-scale HPLC isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura* 484 (1989) 369

Fuzzy set theory

Membership values as indicators of complications in chromatography 473 (1989) 267

Fuzzy theory

Recent advances in fuzzy peak tracking in HPLC 485 (1989) 557

G**Galactitol**

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

Galactosamine

GC determination of glycoprotein amino sugars as O-pentafluorobenzyloxime acetates 467 (1989) 315

Galactose oxidase

Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183

 β -D-Galactosidase

Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87

Galactosyl-hydroxylysine

HPLC preparation of galactosyl-hydroxylysine, a specific bone collagen marker 490 (1989) 285

Gallamine

Determination of gallamine and its impurities by reversed-phase ion-pair HPLC and comparison with TLC 462 (1989) 281

Gallopamil

GC determination of gallopamil and norgallopamil in human plasma 487 (1989) 73

Gangliosides

HPLC of sialooligosaccharides and gangliosides 488 (1989) 229

HPLC separation of gangliosides, combined with immunological detection and fast atom bombardment MS characterization 490 (1989) 263

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Rapid, quantitative method for the isolation and purification of gangliosides by LIPSEP gel chromatography 494 (1989) 289

Gangliosides and sulphatide in human cerebrospinal fluid: quantitation with immunoaffinity techniques 496 (1989) 279

Gardenoside

Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410

Garlic

LC determination of alliin in garlic and garlic products 455 (1988) 271

Effects of pH on the formation of flavour compounds of disrupted garlic 462 (1989) 137

Gas chromatograph, coupling to an ion trap detector

Direct coupling of a gas chromatograph to an ion trap detector 454 (1988) 372

Gas extraction, continuous

Basic equations in continuous gas extraction and their application to headspace analysis 471 (1989) 55

Gas-liquid chromatography, unified molecular theory

Application of a unified molecular theory to GLC 471 (1989) 71

Gas phase silylation

Gas phase silylation, a rapid method for preparation of HPLC supports 455 (1988) 105

Gas sampling

Gas sampling- and column-switching systems in high-resolution gas analysis (in German) 477 (1989) 25

Gastrin

Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165

GDP-fucose

HPLC study of GDP-mannose and GDP-fucose metabolism 497 (1989) 319

GDP-mannose

HPLC study of GDP-mannose and GDP-fucose metabolism 497 (1989) 319

Gel filtration media

Properties, in theory and practice, of novel gel filtration media for standard LC 476 (1989) 329

Generalized exponential function

Chromatographic dispersion corrections utilizing the generalized exponential function 462 (1989) 3

Genipin-1- β -gentiobioside

Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410

Geniposide

Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410

Geniposidic acid

Determination of geniposide, gardenoside, geniposidic acid and genipin-1- β -gentiobioside in *Gardenia jasminoides* by HPLC 455 (1988) 410

Gentian Violet

HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259

Gentiopicroside

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Gentisic acid

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

Geometric isomers

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Geranial

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Germanate

Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

***Giardia* membrane antigens**

Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421

Gibberellins

Reversed-phase C₁₈ a normal-phase silica HPLC of gibberellins and their methyl esters 452 (1988) 519

Separation of gibberellins by normal-phase HPLC 464 (1989) 195

Ginsenosides

Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453

Gitalexin

HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319

Gitoxin

HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319

Glass beads

Characteristics of glass based packings as a support in chromatography 471 (1989) 113

Glass-fibre paper, silylated

Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

 γ -Globulin

Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221

Glucans, cyclic

Determination of cyclic glucans by anion-exchange chromatography with pulsed amperometric detection 454 (1988) 303

Glucitol

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

D-Gluco-oligosaccharides

High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365

D-Glucopolysaccharides

High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365

Glucosamine

GC determination of glycoprotein amino sugars as O-pentafluorobenzyloxime acetates 467 (1989) 315

GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

Glucose

Maillard reaction of bovine serum albumin with glucose. Determination of 2-formyl-5-(hydroxymethyl)pyrrole-1-norleucine by HPLC after alkaline hydrolysis (in German) 463 (1989) 119

Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Inhibition of glucose utilization in uremia by hippurate: LC isolation and MS and NMR spectroscopic identification 490 (1989) 186

Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607

Glucose infusion fluids

Reversed-phase HPLC method for the quantification of 5-hydroxymethylfurfural as the major degradation product of glucose in infusion fluids 467 (1989) 395

Glucose 6-phosphate dehydrogenase

Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 498 (1990) 159

Glucosinolates

Specific screening methods for glucosinolates in sprout extracts using on-line thermospray LC-tandem MS 472 (1989) 219

D-(+)-Glucuronic acid

Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D-(+)-glucuronic acid 487 (1989) 125

Glucuronic acid conjugates

Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137

Glucuronides

Reversed-phase ion-pair LC of glucuronides.
Retention and selectivity 499 (1990) 411

Glutamic acid

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167

Use of stable isotopes and GC-MS in the study of different pools of neurotransmitter amino acids in brain slices 500 (1990) 387

Glutamine

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

 γ -Glutamylglutamine

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

 γ -Glutamylglutamylglutamine

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

 γ -Glutamyltranspeptidase

Stability of serum γ -glutamyltranspeptidase fractionated by gel permeation using HPLC and FPLC 488 (1989) 503

Glutaric acid

Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43

Glutathione

Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

Determination of glutathione in Scots pine needles by HPLC as its monobromobimane derivative 479 (1989) 335

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Glutathione conjugates

Application of capillary isotachopheresis to the analysis of glutathione conjugates 470 (1989) 191

Glutathione disulphide

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Glutathione S-transferase

An improved method for the separation and quantification of glutathione S-transferase subunits in rat tissue using HPLC 474 (1989) 435

2-S-Glutathionylcaffeoyltartaric acid

HPLC determination of the free *o*-quinones of *trans*-caffeoyltartaric acid, 2-S-glutathionylcaffeoyltartaric acid and catechin in grape must 472 (1989) 428

Glycans

HPLC of sialooligosaccharides and gangliosides 488 (1989) 229

Glycerides

Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438

Glycerol

Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398

Glycerophospholipids

Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353

Glycerol dinitrates

Simultaneous determination of glycerol trinitrate and its metabolites, 1,2- and 1,3-glycerol dinitrate, in plasma using capillary GC 489 (1989) 462

Glycerol trinitrate

Simultaneous determination of glycerol trinitrate and its metabolites, 1,2- and 1,3-glycerol dinitrate, in plasma using capillary GC 489 (1989) 462

 γ -Glycidoxypropyltrimethoxysilane

Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429

Spectroscopic investigation of the hydrolysis of γ -glycidoxypropylsilane bound to silica surfaces 483 (1989) 209

Glycidyl ethers

Solid sorbent sampling and chromatographic determination of glycidyl ethers in air 454 (1988) 121

Glycidyl methacrylate-ethylene dimethacrylate

Hydrolyzed macroporous glycidyl methacrylate-ethylene dimethacrylate copolymer with narrow pore size distribution. A novel packing for size-exclusion HPLC 475 (1989) 187

3-(4'-Glycidyloxyphenyl)-2,3-dihydro-1H-benz[de]isoquinolin-1-one

Design and synthesis of a chiral stationary phase containing a benz[de]isoquinolinone skeleton. I. First chromatographic results 475 (1989) 153

Glycine

γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167

Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607

Glycine betaine

Simultaneous determination of monoethanolamine and glycine betaine in plants 479 (1989) 452

Glycoalkaloids

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Glycofurol

Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43

Glycolic acid

Derivatization and HPLC determination of urinary glycolic acid 465 (1989) 87

N-Glycolyneuraminic acid

HPLC of sialooligosaccharides and gangliosides 488 (1989) 229

Glycopeptides

Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375

Glycophorins

Combined lectin-affinity and metal-interaction chromatography for the separation of glycophorins by HPLC 458 (1988) 1

Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 489 (1989) 384

Glycoproteins

Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207

GC determination of glycoprotein amino sugars as O-pentafluorobenzyloxime acetates 467 (1989) 315

Preparative isolation of glycoproteins from plasma membranes of different rat organs 484 (1989) 327

Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography 499 (1990) 205

Glycosides

HPLC analysis of naturally occurring glycosides and saponins 466 (1989) 390

Glycylglycine

Determination of salsolinol by ion-exchange chromatography with glycylglycine as the post-derivatizing agent 459 (1988) 245

Glycyrrhetic acid

Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71

Glycyrrhetic acid

Determination of glycyrrhizin and its metabolite glycyrrhetic acid in rabbit plasma by HPLC after oral administration of licorizin 495 (1989) 343

Glycyrrhizin

Improvement of selectivity and sensitivity by column switching in the determination of glycyrrhizin and glycyrrhetic acid in human plasma by HPLC 456 (1988) 71

Determination of glycyrrhizin and its metabolite glycyrrhetic acid in rabbit plasma by HPLC after oral administration of licorizin 495 (1989) 343

Glyoxylic acid

HPLC of mixtures of catechol and its reaction products with glyoxylic acid 472 (1989) 381

Golay's equations

Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61

Gonadotropin-releasing hormone

HPLC monitoring of transpeptidation reactions in analogues of gonadotropin releasing hormone containing aspartic acid derivatives in position six 477 (1989) 377

Gonadotropin-releasing hormone antagonist

Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist 484 (1989) 307

Gorgosterol

Effective separation of sterol C-24 epimers 468 (1989) 91

Gouda cheese

HPLC determination of the extent of proteolysis in Gouda cheese 483 (1989) 319

Gradient elution

Gradient elution with normal phases on silica. A comparison between HPLC and SFC 454 (1988) 253

Consecutive gradients in chromatography. Gradients under sub- and supercritical conditions including composition gradients and multiple gradients 455 (1988) 17

HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27

Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385

Design of optimized HPLC gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 459 (1988) 1

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Design of optimized HPLC gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 459 (1988) 43

Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89

Sample-induced internal gradient of ionic strength in ion-exclusion microcolumn LC 469 (1989) 223

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

HPLC of amino acids, peptides and proteins. XC.I. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125

HPLC of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 476 (1989) 391

Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455

Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131

Performing high salt concentration gradient elution ion-exchange separations using thermospray MS 479 (1989) 437

Synthetic peptide purification by application of linear solvent strength gradient theory 483 (1989) 131

Gradient elution in non-linear preparative LC 484 (1989) 1

Preparative HPLC under gradient conditions. I. Band broadening in gradient elution as a function of sample size 484 (1989) 409

Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425

Preparative HPLC under gradient conditions. III. Craig simulations for heavily overloaded separations 484 (1989) 437

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Computer-assisted selection of the optimum gradient programme in TLC 485 (1989) 517

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141

Gradient flow programming

Gradient flow programming: a coupling of gradient elution and flow programming 467 (1989) 1

Gradient scan

Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase LC 463 (1989) 1

Gradient shape

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Gradient steepness

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131

Graig simulations

Preparative HPLC under isocratic conditions. I Craig simulations for heavily overloaded separations 483 (1989) 63

Gramicidin A

New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105

Graphitic carbon

Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 499 (1990) 333

Graphitized carbon black

Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105

Intermolecular interactions in the sorbate-modified graphitized thermal carbon black system 472 (1989) 155

New perspectives in capillary chromatography 473 (1989) 93

Growth-associated protein B-50

Microheterogeneity of the growth-associated neuronal protein B-50 (GAP-43). Contribution of phosphorylation by protein kinase C 483 (1989) 301

Growth hormone

Immobilized metal-ion affinity chromatography of human growth hormone 472 (1989) 422

HPLC of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase HPLC retention behaviour of peptides related to human growth hormone 476 (1989) 113

HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125

Characterization of human growth hormone by capillary electrophoresis 480 (1989) 379

Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 500 (1990) 595

Growth hormone receptors

Efficient HPLC system for protein purification 493 (1989) 27

Growth hormone-releasing hormone

Reversed-phase HPLC purification of ¹²⁵I-labeled rat growth hormone-releasing hormone for radioimmunoassay 483 (1989) 253

Guaiazulene

Determination of the ophthalmic drug guaiazulene by HPLC 463 (1989) 227

Guanidines

Separation of simple guanidines on cation-exchange columns using indirect ultraviolet detection 466 (1989) 438

Gunshot residues

Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178

Guvacine

HPLC determination of the alkaloids in betel nut 475 (1989) 447

Guvacoline

HPLC determination of the alkaloids in betel nut 475 (1989) 447

Gypsogenin 3,O-glucuronide

Extraction and HPLC determination of gypsogenin 3,O-glucuronide 477 (1989) 413

H

Haem

Chromatographic analysis, isolation and partial characterization of two photocatalysed reaction products of haem and quinone 490 (1989) 311

Haemoglobins

Identification of peptides, from a peptic haemoglobin hydrolysate produced at pilot-plant scale, by HPLC and MS 481 (1989) 221

Quantitation of hemoglobins Bart's, H, Portland-I, Portland-II and Constant Spring by anion-exchange HPLC 487 (1989) 265

Purification of the isolated β -chain of adult human haemoglobin from its post-translational modification 494 (1989) 310

Application of HPLC methodology to the analysis of hemoglobins synthesized in erythroid progenitor cells 496 (1989) 83

HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543

Hall electrolytic conductivity detector

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

Halobenzenes

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Halocarbons

Determination of tropospheric phosgene and other halocarbons by capillary GC 481 (1989) 373

Halofantrine

Chiral separation of the optical isomers of the antimalarial drug halofantrine 477 (1989) 471

Halogenated compounds

GC separation of halogenated compounds on non-polar and polar wide bore capillary columns 454 (1988) 129

1-Halogenoalkanes

Precalculation of GC retention indices of linear 1-halogenoalkanes 463 (1989) 159

1,2-Halohydrins

Resolution of *rac*-1,2-halohydrins by chiral complexation GC 462 (1989) 458

Halomethanes

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Haloperidol

Determination of residues of carazolol and a number of tranquilizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Harmaline

Determination of pharmacological levels of harmine, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269

Harmane

Determination of pharmacological levels of harmine, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269

Harmine

Determination of pharmacological levels of harmine, harmine and harmaline in mammalian brain tissue, cerebrospinal fluid and plasma by HPLC with fluorimetric detection 496 (1989) 269

HCB

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

HCH

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Headspace analysis

Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric acid digestion and headspace analysis by capillary GC 452 (1988) 43

Theoretical aspects of the application of headspace analysis to the investigation of reaction kinetics in solutions 454 (1988) 327

Determination of partition coefficients by headspace GC 455 (1988) 45

Vapor-pressure measurement of complex hydrocarbon mixtures by headspace GC 455 (1988) 53

Determination of the solubility of vapours in polymers by automated headspace GC 455 (1988) 67

Flavor characterization of dentifrices using equilibrium headspace GC 455 (1988) 143

Application of headspace GC to the measurement of organic emissions 456 (1988) 241

Simple sample preparation for the quantitative multiple-headspace analysis of volatile components using adsorption patterns (in German) 456 (1988) 417

Indirect method for the determination of water using headspace GC 457 (1988) 247

Determination of water in solid samples using headspace GC 463 (1989) 365

Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178

Direct headspace GC determination of dichloromethane in decaffeinated green and roasted coffee 465 (1989) 429

Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111

Headspace GC of stimulants in urine by in-column trifluoroacetyl derivatization method 467 (1989) 227

Basic equations in continuous gas extraction and their application to headspace analysis 471 (1989) 55

Rapid headspace GC method for the determination of liquid/gas partition coefficients 491 (1989) 271

Simultaneous determination of benzene and toluene in the blood using headspace GC 491 (1989) 309

Heat of adsorption

Retention and heats of adsorption of hydrocarbons and aliphatic alcohols on cellulose 455 (1988) 263

Heat of solution

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Heat-shock proteins

Separation of rat liver HSP70 and HSP71 by HPLC with a hydroxylapatite column 481 (1989) 403

Hectorite

HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165

Helical coil rotor

Centrifugal counter-current partition chromatography with helical coil rotor. Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359

Helium head-pressure carbon dioxide

Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11

Hemiacetals

Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 462 (1989) 269

Henry coefficient

Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139

Heparan sulphate

HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27

Heparins

Analysis of heparins by size-exclusion and reversed-phase HPLC with photodiode-array detection 465 (1989) 297

Heparitinases

HPLC identification of disaccharides generated from heparan sulphate isomers using heparitinases 496 (1989) 27

Heptachlor epoxide

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Heptaenic antibiotics

see also Antibiotics

Isolation of the aromatic heptaenic antibiotics trichomycin A–F by HPLC 481 (1989) 416

Heptafluorobutyryl-L-prolyl chloride

Isothermal capillary GC with electron-capture detection of heptafluorobutyryl-L-prolyl derivatives of chiral amphetamines 491 (1989) 262

Heptanesulphonic acid

Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444

Heptoses

GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

Herbicides

see Pesticides

Hernandulcin

Separation of natural product sweetening agents using overpressured layer chromatography 464 (1989) 213

Heroin

Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384

HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 488 (1989) 215

Heterocyclic acids

Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437

Hexacarboxylic porphyrinogens

Preparation, HPLC separation and characterization of hexacarboxylic porphyrinogens 461 (1989) 353

Hexadecane

Stability constants of hydracid–tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73

Hexafluoroisopropanol

High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85

Hexaglycine

Simultaneous analysis of different species involved in hexaglycine hydrolysis 475 (1989) 416

1,6-Hexamethylenediamine

Chromatographic determination of amines in biological fluids with spectral reference to the biological monitoring of isocyanates and amines. I. Determination of 1,6-hexamethylenediamine using glass capillary GC and thermionic specific detection 479 (1989) 125

Hexane

Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177

2,5-Hexanedione

Determination of total 2,5-hexanedione by reversed-phase HPLC 495 (1989) 288

1-Hexanol

Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357

3-Hexen-1-ol

Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251

Hexestrol

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Hexitols

Separation of algal organic osmolytes by HPLC 479 (1989) 353

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

Hexoestrol

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Hexosamines

Analysis of natural and modified amino acids and hexosamines by reversed-phase HPLC 474 (1989) 411

Hexuronic acid

Chromatographic method for determination of hexuronic acid in dermatan sulphate 478 (1989) 275

Hinokitiol

HPLC determination of hinokitiol in cosmetics by the formation of difluoroborane compounds 455 (1988) 430

Hippuric acid

Rapid method for the determination of hippurate in biological fluids by HPLC 487 (1989) 440

Inhibition of glucose utilization in uremia by hippurate: LC isolation and MS and NMR spectroscopic identification 490 (1989) 186

Determination of hippuric acid and furanic acid in serum of dialysis patients and control persons by HPLC 495 (1989) 95

HPLC separation of urinary hippuric and *o*-, *m*- and *p*-methylhippuric acids with a β -cyclodextrin-bonded column 496 (1989) 189

Hippuric acid and 3-carboxy-4-methyl-5-propyl-2-furanpropionic acid in serum and urine. Analytical approaches and clinical relevance in kidney diseases 500 (1990) 615

Hirudin

Isolation of recombinant hirudin by preparative HPLC 476 (1989) 245

Histamine

Assay for N^7 -methylimidazoleacetic acid, a major metabolite of histamine, in urine and plasma using capillary column GC-negative ion MS 491 (1989) 15

HPLC technique for the rapid determination of histamine in both the plasma and cellular components of blood 496 (1989) 435

Histamine H₂-antagonists

GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402

Histidine-containing compounds

Capillary zone electrophoresis of histidine-containing compounds 470 (1989) 241

Histones

Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401

Histones, ADP-ribosylated

Identification of ADP-ribosylated histones by the combined use of HPLC and electrophoresis 472 (1989) 243

HIV-1 proteins

Isolation of recombinant partial *gag* gene product p18 (HIV-1_{BRU}) from *Escherichia coli* 476 (1989) 99

Hofmann degradation reaction

Characterization of the anti-diarrhoeal loperamide by GC-MS and application of the Hofmann degradation and Cope elimination reaction 494 (1989) 324

Hollow-fibre flow field-flow fractionation

Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89

Hollow-fibre membrane reactors

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Homobrassinolide

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Homocastasterone

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Homoharringtonine

Quantitation of homoharringtonine in plasma by HPLC with amperometric detection 496 (1989) 155

L-Homoserine

Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380

L-Homoserine lactone

Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380

Homovanillic acid

Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Simultaneous automated HPLC determination of 5-hydroxy-3-indoleacetic acid and homovanillic acid in urine with fluorescence detection 495 (1989) 263

Hordenine

Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241

Horizontal flow-through coil planet centrifuge

Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 457 (1988) 393

Hormones

Reversed-phase HPLC analyses of insulin biosynthesis in isolated rat and mouse islets 462 (1989) 243

Immobilized metal-ion affinity chromatography of human growth hormone 472 (1989) 422

Characterization of human growth hormone by capillary electrophoresis 480 (1989) 379

Reversed-phase HPLC purification of ¹²⁵I-labeled rat growth hormone-releasing hormone for radioimmunoassay 483 (1989) 253

Rapid separation of tritiated thyrotropin-releasing hormone and its catabolic products from mouse and human central nervous system tissues by HPLC with radioactive flow detection 487 (1989) 275

Analysis of term human milk concentrations of 3,5,3'-triiodo-L-thyronine by HPLC and radioimmunoassay: correlation with circulating serum levels in lactating women 487 (1989) 445

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 500 (1990) 595

Horváth-Lin equation of state

Investigation and improvement of the Horváth-Lin equation of state 499 (1990) 463

Host-guest complexation

Host-guest complexation in capillary isotachopheresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachopheresis 470 (1989) 123

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Hot thin-layer chromatography

Hot TLC fractionation of polyethylene 456 (1988) 440

HPLC-METABOLEXP

Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349

***h*-Transform**

Analytical solution of the ideal model of elution chromatography in the case of a binary mixture with competitive Langmuir isotherms. II. Solution using the *h*-transform 484 (1989) 125

HT-2 toxin

Bioautographic detection of T-2 and HT-2 toxins 463 (1989) 457

 α -Human atrial natriuretic peptide

Development of a solid-phase extraction technique for α -human atrial natriuretic peptide in human plasma 452 (1988) 469

Humic acid

HPLC determination of humic acid in environmental samples at the nanogram level using fluorescence detection 482 (1989) 175

Humulone

Preparative LC of hop and beer bitter acids 484 (1989) 361

HY-770

Determination of a new muscle relaxant (HY-770) in human serum by GC-MS 496 (1989) 456

Hyaluronate

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Hyaluronate oligosaccharides

Determination of Stokes radii of hyaluronate oligosaccharides by Sephadex gel chromatography 472 (1989) 145

Hybridization, solid-phase

HPLC of amino acids, peptides, proteins and polynucleotides. XCIV. Solid-phase hybridization of complementary oligonucleotides 476 (1989) 445

Hydrazine

LC determination of hydrazine, carbohydrazide and thiocarbohydrazide in aqueous solutions 464 (1989) 208

7-Hydrazino-4-nitrobenzo-2,1,3-oxadiazole

HPLC of aliphatic aldehydes by means of post-column extraction with fluorometric detection 457 (1988) 299

Hydrazobenzene

Trace/ultratrace analyses of unstable compounds. Investigations on hydrazobenzene and azobenzene 471 (1989) 443

Hydrocarbon C₈₇

Problems with the reproducibility of retention data on capillary columns with hydrocarbon C₈₇ as the stationary phase 454 (1988) 65

Hydrocarbon group type analysis

Hydrocarbon group type analysis of petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347

Hydrocarbons

Vapor-pressure measurement of complex hydrocarbon mixtures by headspace GC 455 (1988) 53

Retention and heats of adsorption of hydrocarbons and aliphatic alcohols on cellulose 455 (1988) 263

Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243

Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11

Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345

Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Intermolecular interactions in the sorbate-modified graphitized thermal carbon black system 472 (1989) 155

Polymer-based packing materials with alkyl backbones for reversed-phase LC. Performance and retention selectivity 475 (1989) 195

Gas chromatography of Titan's atmosphere. I. Analysis of low-molecular-weight hydrocarbons and nitriles with a PoraPLOT Q porous polymer coated open-tubular capillary column 481 (1989) 45

Preparation of carbeneous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197

Rapid analysis of light hydrocarbons in stabilized crude oils by GC 498 (1990) 231

New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349

Computerized capillary GC analysis of hydrocarbon mixtures in workplace air 498 (1990) 381

Direct coupling of capillary LC with conventional HPLC 499 (1990) 549

Hydrochloric acid

Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73

Hydrochlorothiazide

Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Hydrofluoric acid digestion

Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric acid digestion and headspace analysis by capillary GC 452 (1988) 43

Hydrogen bond acidity

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

Hydrogen bond basicity

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

Hydrogen bonding effect

Modeling octanol-water partition coefficients by reversed-phase LC 461 (1989) 177

Hydrogen cyanide

Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73

Hydrogen ion, terminating

General mathematical model for the steady state in isotachopheresis. Calculation of the effective mobility of terminating H^+ ions and two-buffer electrolyte systems 480 (1989) 69

Hydrogen isotopes

Adsorption equilibrium of hydrogen isotopes on alumina adsorbents for GSC 475 (1989) 125

Hydrogen peroxide

Use of GC in the study of the oxidative decomposition of spent organic solvents from reprocessing plants 463 (1989) 81

Fluorimetric determination of kynurenine in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 488 (1989) 349

Fluorimetric determination of indomethacin in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 491 (1989) 389

Hydrogen sulphide

Determination of hydrogen sulphide by porous-layer open-tubular column GC-MS 479 (1989) 194

Hydroperoxydocosahexaenoic acid

Measurement of hydroperoxydocosahexaenoic acid in rat brain homogenates by reversed-phase HPLC 475 (1989) 457

Hydrophilic drugs

Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs 488 (1989) 341

Hydrophilic-interaction chromatography

Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 499 (1990) 177

Hydrophobic interaction chromatography

Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237

Hydrophobic interactions

Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3

Strong cation-exchange HPLC of peptides. Effect of non-specific hydrophobic interactions and linearization of peptide retention behaviour 476 (1989) 377

Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413

Hydrophobicity

Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93

Determination of hydrophobicity parameters on polybutadiene-coated alumina and their application in quantitative structure-activity relationships analysis 458 (1988) 395

Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363

Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair HPLC 499 (1990) 423

Hydrostatic injection

Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421

3'-Hydroxyacetanilide

Use of thermospray LC-MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regioisomer of acetaminophen 474 (1989) 209

1-Hydroxy-3-aminopropylidene-1,1-bisphosphonate

Assay of 1-hydroxy-3-aminopropylidene-1,1-bisphosphonate and related bisphosphonates in human urine and plasma by high-performance ion chromatography 490 (1989) 329

10-Hydroxyamitriptyline

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

3-Hydroxyanthranilic acid

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

Hydroxyanthraquinones

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

4-Hydroxyantipyrine

Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424

Hydroxyapatite

Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101

High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299

Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257

High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153

8 β -Hydroxyasterolid

Separation and determination of 8 β -hydroxyasterolid and perlolyrine in *Codonopsis pilosula* by reversed-phase HPLC 477 (1989) 458

2-Hydroxybenzaldehydes

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

4-Hydroxybenzaldehydes

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Hydroxybenzenes

Mobility of some carboxy- and hydroxybenzene derivatives on thin layers of plain and iron(III)-impregnated silica gel 464 (1989) 220

p-Hydroxybenzoic acid esters

Simultaneous determination of nine food additives using HPLC 457 (1988) 333

2-Hydroxycarboxylic acids

Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251

Hydroxycarboxylic acids

GC determination of oxo- and hydroxycarboxylic acids in serum and urine of diabetic and normal subjects 468 (1989) 157

Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241

Reversed-phase TLC and HPLC of aromatic alkoxy and hydroxy acids 475 (1989) 321

Isolation of hydroxy fatty acids from livers of carbon tetrachloride-treated rats by TLC 475 (1989) 461

2-Hydroxycarpipramine

Preparative HPLC method for the 2-hydroxy metabolite of carpipramine, excreted by isolated perfused liver 491 (1989) 495

7 α -Hydroxycholesterol

Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255

7 β -Hydroxycholesterol

Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255

21-Hydroxycorticosteroids

Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 489 (1989) 364

trans-3'-Hydroxycotinine

Capillary GC determination of trans-3'-hydroxycotinine simultaneously with nicotine and cotinine in urine and blood samples 479 (1989) 410

4-Hydroxycyclophosphamide

Analysis of 4-hydroxycyclophosphamide by GC-MS in plasma 495 (1989) 131

17 α -Hydroxy-6-dehydroprogesterone acetate

HPLC analysis of the by-products of the synthesis of ethynylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427

2-Hydroxyechinenone

Diastereomeric resolution of carotenoids. III. β , β -Caroten-2-ol, β , β -carotene-2,2'-diol and 2-hydroxyechinenone 478 (1989) 379

4'-Hydroxyechinenone

Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189

Hydroxyeicosatetraenoic acids

Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

15-Hydroxyeicosatetraenoic acid as a major eicosanoid in nasal secretions: assay by HPLC-radioimmunoassay and GC-MS procedures 496 (1989) 416

Hydroxy esters

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Hydroxyethyl- β -cyclodextrin

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

N-1-Hydroxyethylflurazepam

Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247

N7-(2-Hydroxyethyl)guanine

Preparation of electrophoric derivatives of N7-(2-hydroxyethyl)guanine, an ethylene oxide DNA adduct 499 (1990) 571

N-(Hydroxyethyl)methylpiperazine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Hydroxy fatty acid methyl esters

Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251

4-Hydroxyflurbiprofen

HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173

Hydroxyheptadecatrienoic acid

Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283

Hydroxyibuprofen

HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139

5-Hydroxyindole-3-acetic acid

LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491

Determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in plasma by direct injection in coupled-column LC with electrochemical detection 459 (1988) 351

Full automation of catecholamine metabolite determination by column switching and HPLC 465 (1989) 113

Simple HPLC method with electrochemical detection for the determination of indoleamines in tissue and plasma 491 (1989) 221

Simultaneous automated HPLC determination of 5-hydroxy-3-indoleacetic acid and homovanillic acid in urine with fluorescence detection 495 (1989) 263

3-Hydroxykynurenine

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

9-Hydroxylamine-1,2,3,4-tetrahydroacridine

Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401

11-Hydroxylauric acid

HPLC separation of 11-hydroxylauric acid enantiomers. Application to the determination of

the stereochemistry of microsomal lauric acids ($\omega - 1$) hydroxylation 498 (1990) 293

7-Hydroxymethotrexate

Rapid quantitation of methotrexate and its metabolites in human serum, urine and bile, using solid-phase extraction and HPLC 487 (1989) 476

Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379

2-Hydroxy-4-methoxyacetophenone

Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and UV detection 489 (1989) 432

3'-Hydroxy-4'-methoxyflurbiprofen

HPLC analysis of the enantiomers of flurbiprofen and its metabolites in plasma and urine 494 (1989) 173

5-Hydroxymethoxyphenamine

Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61

Hydroxymethylantipyrine

Modified HPLC assay for antipyrine and its three major metabolites in urine 494 (1989) 424

 α -Hydroxy- α -methylbutyrate

Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446

5-Hydroxymethylfurfural

Reversed-phase HPLC method for the quantification of 5-hydroxymethylfurfural as the major degradation product of glucose in infusion fluids 467 (1989) 395

6-Hydroxy-6-methyl-3-heptanone

Formation of cyclic enol ethers from a labile biological precursor: an example of analytical artifacts 491 (1989) 27

1-Hydroxymethyl-4-hydroxymidazolam

Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107

2-Hydroxy-4-methylmercaptobutyric acid
On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

1-Hydroxymethylmidazolam
Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107

6-Hydroxymethylpterin
Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

5-Hydroxymethyluracil
Trace detection of modified DNA bases via moving-belt LC-MS using electrophoretic derivatization and negative chemical ionization 465 (1989) 285

Ester and related derivatives of ring N-pentafluorobenzylated 5-hydroxymethyluracil. Hydrolytic stability, MS properties, and trace detection by GC-electron-capture detection, GC-electron-capture negative ion MS, and moving-belt LC-electron-capture negative ion MS 476 (1989) 423

α -Hydroxymetoprolol
Determination of metoprolol and its α -hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 488 (1989) 498

4-Hydroxymidazolam
Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107

α -Hydroxymidazolam
Determination of midazolam and the α -hydroxy metabolite by GC in small plasma volumes 491 (1989) 455

3-Hydroxymyristic acid
Two-dimensional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71

trans-4-Hydroxy-2-nonenal
Determination of the lipid peroxidation product trans-4-hydroxy-2-nonenal in biological samples

by HPLC and combined capillary column GC-negative-ion chemical ionisation MS 488 (1989) 329

5-Hydroxy-4-oxonorvaline
Analysis of *o*-phthalaldehyde derivatives of acidic and polar amino acids in fermentation broths by HPLC 483 (1989) 437

5-Hydroxypentoxifylline
Determination of pentoxifylline and its 5-hydroxy metabolite in human plasma by solid-phase extraction and HPLC with UV detection 495 (1989) 215

L-3-(3-Hydroxy-4-pivaloyloxyphenyl)alanine
Quantification of L-3-(3-hydroxy-4-pivaloyloxyphenyl)alanine (NB-355) by HPLC using *o*-phthalaldehyde/N-acetyl-L-cysteine derivatization 494 (1989) 183

6 β -Hydroxyprednisolone
Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421

17 α -Hydroxyprogesterone caproate
HPLC analysis of the by-products of the synthesis of ethynylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427

Hydroxyproline
Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 488 (1989) 267

5-Hydroxypropafenone
Determination of 5-hydroxypropafenone in biological fluids by fused-silica capillary GC using electron-capture detection 495 (1989) 349

Hydroxypropyl- β -cyclodextrin
Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Determination of hydroxypropyl- β -cyclodextrin in plasma and urine by SEC with post-column complexation 487 (1989) 99

Hydroxyrimantadine
Determination of rimantadine and its hydroxylated metabolites in human plasma and urine 497 (1989) 147

Hydroxysulphapyridine

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

1-Hydroxytacrine

Determination of tacrine and its 1-hydroxy metabolite in plasma using column LC with UV detection 494 (1989) 397

Hydroxytolbutamide

Simple HPLC method for the determination of tolbutamide and its metabolites in human plasma and urine using photodiode-array detection 490 (1989) 355

5-Hydroxytryptophan

LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491

Simple HPLC method with electrochemical detection for the determination of indoleamines in tissue and plasma 491 (1989) 221

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

Simple method for the determination of L-5-hydroxytryptophan in plasma by HPLC 495 (1989) 245

4-Hydroxytryptamine

see Serotonin

25-Hydroxyvitamin D₃

TLC as an efficient alternative to HPLC in the assay of plasma vitamin D₃ metabolites 496 (1989) 242

Hygroscopicity

Chromatographic method for studying the hygroscopic qualities of solids 457 (1988) 159

Hyoscyamine

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Hypercoulometry of the second kind

Hypercoulometry of the second kind in electron-capture detection 500 (1990) 95

Hypersarcosinuria

Chromatography for diagnosis of metabolic diseases 452 (1988) 435

Hypochlorite

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Hypoglycin A

LC resolution of hypoglycin A from leucine 456 (1988) 431

N²-[5-(Hypoxanthin-9-yl)pentylloxycarbonyl]-L-arginine

HPLC evaluation of PCF 39, a new immunomodulator agent 465 (1989) 95

HYTACH MicroPell C₁₈

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

I**Ibuprofen**

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Discussion of a controversial chiral recognition model 469 (1989) 67

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

HPLC determination of ibuprofen, its metabolites and enantiomers in biological fluids 491 (1989) 139

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

HPLC determination of ibuprofen in rat and human plasma 497 (1989) 330

Ibuproxam

Use of ^1H NMR spectroscopy in the selection of the mobile phase for HPLC monitoring of the synthesis of ibuproxam 467 (1989) 276

Idarubicin

Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 488 (1989) 427

Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501

Idarubicinol

Reversed-phase LC determination of idarubicin and its 13-hydroxy metabolite in human plasma 488 (1989) 427

Improved HPLC method using loop-column extraction for analysis of idarubicin and idarubicinol in plasma 491 (1989) 501

Ifosfamide

Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133

Image analysis

Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205

Imino acids, OPA derivatives

LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83

Iminodiacetic acid

Ion chromatography method for iminodiacetic acid determination in biological matrices in the presence of nitrilotriacetic acid 462 (1989) 293

Iminodiacetic acid gels

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Immobiline membranes

Preparative protein purification in a multi-compartment electrolyser with Immobiline membranes 475 (1989) 293

Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681

Immobilization

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

Immobilized enzyme column reactor

Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398

Immobilized enzyme reactors

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Immobilized metal-ion affinity chromatography

Immobilized metal-ion affinity chromatography of human growth hormone 472 (1989) 422

Immobilized pH gradients

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Kinetics of cysteine oxidation in immobilized pH gradient gels 499 (1990) 699

Immobilized protein phases

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Immobilized protein stationary phases

Direct LC separation of enantiomers on immobilized protein stationary phases. VII. Sorbents obtained by entrapment of cross-linked bovine serum albumin in silica 465 (1989) 263

Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81

Immunoaffinity adsorbents

Strategy for the immobilization of monoclonal antibodies on solid-phase supports 458 (1988) 67

Monoclonal antibody-mediated clean-up procedure for the HPLC analysis of chloramphenicol in milk and eggs 478 (1989) 205

Immunoaffinity column

Application of an immunoaffinity column sample clean-up to the determination of aflatoxin M₁ in cheese 474 (1989) 457

Immunoaffinity pre-column

Immunoaffinity pre-column for selective on-line sample pre-treatment in HPLC determination of 19-nortestosterone 452 (1988) 419

Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157

Immunoblotting

Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351

Rapid chromatographic isolation and immunoblot characterization of immunoreactive fibroblast growth factor-related polypeptides from various tissues 491 (1989) 49

Immunoglobulins

Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207

Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101

Separation of intravenous IgG containing albumin by high-performance SEC on TSKgel G3000SWXL 467 (1989) 436

HPLC of amino acids, peptides and proteins. XCIII. Comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 476 (1989) 269

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

Immunological-chromatographic analysis

Immunological-chromatographic analysis of lysozyme variants 476 (1989) 235

Impregnated layers

Flat-bed chromatography on impregnated layers (Review) 466 (1989) 1

Impulse response technique

Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263

Impurity profiles

Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg-Lys-Asp) 452 (1988) 317

Inclusion complex formation

Concept of effective and non-effective inclusion complex formation in isotachopheresis 470 (1989) 113

Inclusion pseudophases

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Indandiones

HPLC separation of indandione rodenticides 481 (1989) 458

Indigofera heterantha

The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha* 466 (1989) 399

Indirect detection

Indirect detection in reversed-phase LC. Response deviations in ion-pairing systems 461 (1989) 429

Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299

Simultaneous photometric and conductivity detection for microcolumn LC 471 (1989) 303

Indirect photometric detection of cyclodextrins via inclusion complexation in micro HPLC 477 (1989) 147

Evaluation of assay specificity in non-suppressed ion chromatography 477 (1989) 271

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Application of indirect detection methods in biomedical analysis (Review) 492 (1989) 299

Indium

Reversed-phase HPLC of aluminium(III) and indium(III) with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 478 (1989) 408

Indoleacetonitriles

GC determination of indoleacetonitriles in rapeseed and *Brassica* vegetables 454 (1988) 285

Indoleamines

Simple HPLC method with electrochemical detection for the determination of indoleamines in tissue and plasma 491 (1989) 221

Indoles

Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317

HPLC determination of some psychotropic indole derivatives 464 (1989) 434

Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

Indomethacin

HPLC determination of indomethacin serum concentrations 459 (1988) 275

Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

Fluorimetric determination of indomethacin in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 491 (1989) 389

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

HPLC determination of indomethacin in human plasma and urine 495 (1989) 309

Information theory

An information theory of chromatography. I. Evaluation of analytical systems by means of *FUMI* 462 (1989) 13

An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23

Infrared spectrometry, Fourier transform

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125

Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309

GC with Fourier transform IR spectrometry for biomedical applications 492 (1989) 109

Injection interval

An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23

Injection length

Analysis of factors causing peak broadening in capillary zone electrophoresis 480 (1989) 95

Injection mass

Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387

Injection methods

Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311

High-speed analytical sensor for in-line monitoring of dissolved analytes flowing in a tube employing a combination of limited diffusion, laminar flow and plug solvent injections 481 (1989) 111

Automated pre-column HPLC method for the investigation of adibendan metabolism 490 (1989) 155

Injection peaks

Injection peaks in anion chromatography 482 (1989) 343

Injection solvent

Injection of eluents in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Computation of band shape for strong injection solvent and weak mobile phase combinations in LC 473 (1989) 260

Injection system

Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129

Carrier gas flow-rate and injection system in capillary GC of unconjugated and glycine-conjugated bile acids 495 (1989) 31

Injection techniques

Study of the injection process in a gas chromatograph split injection port 454 (1988) 23

Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421

Capillary GC determination of volatiles in solid matrices by direct introduction using a programmable-temperature vaporizer 483 (1989) 43

Automatic on-line pressurized liquid injection in GC 483 (1989) 111

Solid injection, a new technique for application of insoluble samples in preparative LC 484 (1989) 259

Inks

Adsorption chromatography on cellulose. V. A simple chromatographic system for the identification of inks 475 (1989) 451

Inorganic acids

Determination of organic and inorganic acids in precipitation samples 482 (1989) 381

Inorganic anions

Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15

Characterization of indirect photometry for the determination of inorganic anions in natural water by ion chromatography 469 (1989) 329

Automated dual column coupled system for simultaneous determination of carboxylic acids and inorganic anions 473 (1989) 171

Indirect detection of inorganic anions by HPLC: use of papaveraldinium as an UV absorbing agent 478 (1989) 131

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Ion chromatographic elution behaviour and prediction of the retention of inorganic monovalent anions using a phosphate eluent 481 (1989) 315

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685

Inorganic cations

Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 500 (1990) 301

Inorganic ions

Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143

Inorganic ions, charge

Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 498 (1990) 325

Inorganic salts

GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351

Behavior of simple salts on silica and C₁₈ columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71

Inositol triphosphate

Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97

D-*myo*-1,2,6-Inositol trisphosphate

Determination of D-*myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase LC with post-column ligand exchange and fluorescence detection 499 (1990) 617

Insecticidal extracts

Gradient HPLC using alkylphenone retention indices of insecticidal extracts of *Penicillium* strains 483 (1989) 153

Insecticides

see Pesticides

Insulin

Production scale purification of biosynthetic human insulin by reversed-phase HPLC 461 (1989) 45

Reversed-phase HPLC analyses of insulin biosynthesis in isolated rat and mouse islets 462 (1989) 243

Integerrimine

Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Interaction coefficient

Effect of particle treatment of composite filler on its interaction coefficient 462 (1989) 155

Interaction index model

Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97

Interfaces, electrophoresis-ion mobility spectrometry

Preliminary investigation of ion mobility spectrometry after capillary electrophoretic introduction 480 (1989) 233

Interfaces, electrophoresis-MS

Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197

Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211

Interfaces, LC-MS

Characterization of the direct-probe open-tubular LC-MS interface parameters 462 (1989) 365

Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39

Corona discharge ionization LC-MS interface for target compound analyses 474 (1989) 335

Evaluation of the moving belt as an interface for the HPLC-MS analysis of the flavonoid aglycones 474 (1989) 372

Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197

Particle beam LC-electron impact MS of dyes 482 (1989) 75

LC-MS coupling and its application in pharmaceutical research 488 (1989) 73

Biochemical applications of LC-MS 492 (1989) 189

Interfaces, SEC-reversed-phase HPLC

Non-aqueous SEC coupled on-line to reversed-phase HPLC. Interface development and applications to the analysis of low-molecular-weight contaminants and additives in foods 477 (1989) 315

Interferon

Structural characterization of recombinant consensus interferon- α 454 (1988) 205

Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185

Elimination of contaminating *Escherichia coli* peptides in the purification of *Escherichia coli*-derived recombinant human interferon- β 1 by zinc chelate affinity chromatography 490 (1989) 193

Internal standard, deuterated

GC-MS analysis of plasma oxybutynin using a deuterated internal standard 487 (1989) 91

International symposia on advances in chromatography

1963-1988: Twenty-five years of international symposia on advances in chromatography 468 (1989) 1

Interphase adsorption

Interface adsorption and reproducibility of retention indices in glass capillary columns with dimethylpolysiloxane stationary phases cross-linked by γ -irradiation 471 (1989) 251

Interval injection/displacement

Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103

Inverse chromatography

On some nomenclature in chromatography 471 (1989) 447

Inverse electrolyte systems

Inverse electrolyte systems in isotachopheresis. Impact of the terminating electrolyte on the migrating zones in cationic analysis 470 (1989) 3

Inverse gas chromatography

Application of inverse GC to solid propellants 457 (1988) 354

Iodate

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Electromigration of carrier-free radionuclides. IX. Protolysis of [¹³¹I]iodate in aqueous solutions 457 (1988) 362

Iodide

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Studies on iodinated compounds. V. Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137

Iodinated compounds

Studies on iodinated compounds. V. Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137

***m*-Iodobenzylguanidine**

Determination of *m*-iodobenzylguanidine in serum and urine by HPLC 487 (1989) 177

Iodohistidines

Studies on iodinated compounds. VI. Separation characteristics of iodohistidines on reversed-phase HPLC 475 (1989) 135

Iodothyronines

Automated HPLC method for the determination of iodotyrosines and iodothyronines 458 (1988) 175

Iodotyrosines

Automated HPLC method for the determination of iodotyrosines and iodothyronines 458 (1988) 175

Ion chromatograph

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Ion chromatography, precision and accuracy

Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297

Ion chromatography, sample cleanup methods

Sample cleanup methods for ion chromatography 482 (1989) 267

Ion-exchange equilibria

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

Ion-exchange equilibrium parameters

Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263

Ion exchangers

Mixed-bed ion-exchange columns for protein HPLC 452 (1988) 331

Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241

Solute-solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61

Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165

High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329

Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291

Ionization of DEAE-cellulose. Dependence of p*K* on ionic strength 469 (1989) 111

Sulphated Sepharose—a strong cation exchanger 472 (1989) 261

High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 μm beads 475 (1989) 167

Ion chromatography on methacrylate ion exchangers 475 (1989) 209

Chemically suppressed anion chromatography based on macrocycle-cation complexation 482 (1989) 367

Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 325

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113

Ion exchangers, dynamically coated

Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 500 (1990) 301

Ion-exclusion chromatography

Numerical simulation of column performance in ion-exclusion chromatography 457 (1988) 43

Ionic charge

Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265

Determination of the charge of ions by partition measurements in aqueous polymer two-phase systems 498 (1990) 325

Ionic drugs

Sensitive HPLC determination of ionic drugs in biological fluids with short-wavelength UV detection using column switching combined with ion-pair chromatography: application to basic compounds 487 (1989) 357

Ionic strength

Ionization of DEAE-cellulose. Dependence of pK on ionic strength 469 (1989) 111

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

Ionic strength gradient

Sample-induced internal gradient of ionic strength in ion-exclusion microcolumn LC 469 (1989) 223

Ion mobility detector

Evaluation of direct axial sample introduction for ion mobility detection after capillary GC 479 (1989) 221

Ion mobility spectrometry

Preliminary investigation of ion mobility spectrometry after capillary electrophoretic introduction 480 (1989) 233

Ionotopes

High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45

Ion-pair chromatography, electrostatic theory

Extension of the electrostatic theory of reversed-phase ion-pair chromatography for high surface concentrations of the adsorbing amphiphilic ion 456 (1988) 253

Ion-pair formation constants

Behavior of simple salts on silica and C_{18} columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71

Ion-pairing reagents

Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377

Evaluation of a versatile reversed-phase HPLC system using cethexonium bromide as ion-pairing reagent for the analysis of glucuronic acid conjugates 493 (1989) 137

Reversed-phase ion-pair LC of glucuronides. Retention and selectivity 499 (1990) 411

Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair HPLC 499 (1990) 423

Separation of ionic drug substances by SFC 500 (1990) 469

Ion pairs

Behavior of simple salts on silica and C_{18} columns. Retention dynamics of cations, anions and ion pairs 462 (1989) 71

Ion-selective electrodes

Determination of fluoride in semiconductor process chemicals by ion chromatography with ion-selective electrodes 465 (1989) 1

Ion trap detector, coupling to a gas chromatograph

Direct coupling of a gas chromatograph to an ion trap detector 454 (1988) 372

Iron compounds

Selective detection of volatile iron compounds by flame photometry 467 (1989) 75

Iron cyanide complexes

Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427

Iron(II) 1,10-phenanthroline

HPLC determination of phenoxyalkanoic acid herbicides using iron(II) 1,10-phenanthroline as a mobile phase additive 481 (1989) 439

Iron porphyrins

Characterization and purification of iron porphyrins by HPLC and CC 462 (1989) 411

Iso-alpha acids

Preparative LC of hop and beer bitter acids 484 (1989) 361

D-Isocitrate

Simultaneous determination of citrate and D-isocitrate in urine by isocratic ion chromatography 495 (1989) 239

Isoconiferin

HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345

Isoerydine

Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442

Isocratic elution

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

 β -Isocryptoxanthin

Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189

Isocyanates, organic

Analysis of organic isocyanates using capillary supercritical-fluid chromatography 472 (1989) 175

Isoelectric focusing

Focusing counterparts of electrical field flow fractionation and capillary zone electrophoresis. Electrical hyperlayer field flow fractionation and capillary isoelectric focusing 461 (1989) 95

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Recycling isoelectric focusing and isotachopheresis 470 (1989) 369

Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283

Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39

Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21

Open-channel isoelectric focusing in thermally engendered pH gradients 480 (1989) 293

Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311

Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351

Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 489 (1989) 303

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Kinetics of cysteine oxidation in immobilized pH gradient gels 499 (1990) 699

Formation of a cysteine-acrylamide adduct in isoelectric focusing gels 500 (1990) 697

Isoeluotropic ternary solvent mixtures

Practical optimization of the separation of a limited subset of components by using isoeluotropic ternary eluent mixtures in reversed-phase HPLC 458 (1988) 371

Isoluminol

Use of LC in the synthesis of isoluminol-labelled medroxyprogesterone acetate and zeranol 469 (1989) 305

Isomerization

Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121

***cis-trans* Isomers**

Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251

Isoniazid

Determination of isoniazid methanesulphonate and its metabolites in rabbit blood by HPLC 493 (1989) 305

Isoniazid methanesulphonate

Determination of isoniazid methanesulphonate and its metabolites in rabbit blood by HPLC 493 (1989) 305

Isoorientine

Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Isoprenaline

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Simultaneous quantitative HPLC determination of cyclic adenosine 3',5'-monophosphate and adenosine in mouse brain after microwave irradiation: application to isoprenaline effect in vivo 489 (1989) 394

Isoprene

Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165

1-Isopropylamino-3-phenoxypropan-2-ol

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Isopterrenol

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Isoquinoline alkaloids

Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442

Isoscapoletin

Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489

Isosorbide dinitrate

Determination of isosorbide dinitrate and its metabolites in plasma by GC on a capillary column with electron-capture detection 493 (1989) 188

Isosorbide mononitrates

Determination of isosorbide dinitrate and its metabolites in plasma by GC on a capillary column with electron-capture detection 493 (1989) 188

Isotachopheresis

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Simple sampling device for capillary isotachopheresis and capillary zone electrophoresis 452 (1988) 615

Automated recycling free fluid isotachopheresis. Principle, instrumentation and first results 457 (1988) 137

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51

Analysis of mucin by isotachopheresis 463 (1989) 445

Use of cyclodextrins in isotachopheresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139

Inverse electrolyte systems in isotachopheresis. Impact of the terminating electrolyte on the migrating zones in cationic analysis 470 (1989) 3

Separation process in isotachopheresis. III. Transient state models for a three-component system 470 (1989) 21

Generation of operational electrolytes for isotachopheresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43

Isotachopheresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57

Measurement of limiting mobilities by capillary isotachopheresis with a constant temperature at the site of detection 470 (1989) 69

Data acquisition in capillary isotachopheresis 470 (1989) 79

- Concept of response factor in capillary isotachopheresis. Determination of drugs in solution for intravenous injection 470 (1989) 105
- Concept of effective and non-effective inclusion complex formation in isotachopheresis 470 (1989) 113
- Host-guest complexation in capillary isotachopheresis. II. Determination of aminophenol and diaminobenzene isomers in permanent hair colorants by using capillary isotachopheresis 470 (1989) 123
- Utility of copper-containing electrolytes for isotachopheresis of amino acids 470 (1989) 131
- On-column radiometric detector for capillary isotachopheresis and its use in the analysis of ^{14}C -labelled constituents 470 (1989) 139
- Complementary information from isotachopheresis and HPLC in peptide analysis 470 (1989) 171
- Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185
- Application of capillary isotachopheresis to the analysis of glutathione conjugates 470 (1989) 191
- Spacer performance in the cationic isotachopheresis of proteins 470 (1989) 201
- Isotachopheretic analysis of peptides. Selection of electrolyte systems and determination of purity 470 (1989) 209
- Isotachopheretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223
- Study of alkaline hydrolysis of the insecticide alphas-methrine by isotachopheretic determination of decomposition products 470 (1989) 235
- Phase-heterogeneous zones in capillary isotachopheresis of low-solubility bases 470 (1989) 263
- Determination of the specific zone resistance and calculation of the response factor in isotachopheresis 470 (1989) 277
- Differentiation of Al^{3+} and Al species in environmental samples by isotachopheresis 470 (1989) 289
- Recycling isoelectric focusing and isotachopheresis 470 (1989) 369
- Isotachopheresis of proteins 470 (1989) 407
- Isotachopheretic separation of cyano complexes of noble metals using ion-pairing equilibrium in water-acetonitrile solvent 472 (1989) 303
- Use of cyclodextrins in isotachopheresis. VIII. Two-dimensional chiral separation in isotachopheresis 472 (1989) 308
- Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachopheresis 472 (1989) 441
- Capillary isotachopheretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238
- General mathematical model for the steady state in isotachopheresis. Calculation of the effective mobility of terminating H^+ ions and two-buffer electrolyte systems 480 (1989) 69
- Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53
- Isotachopheretic determination of sulbactam in rat serum 495 (1989) 338
- On-line coupling of capillary isotachopheresis with capillary zone electrophoresis 498 (1990) 191
- Isotachopheretic separation and behavior of catechol derivatives 498 (1990) 205
- Isotachopheresis-mass spectrometry**
Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211
- Isothebaine**
HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563
- Isothiocyante**
Isothiocyante as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455 (1988) 323
- Isotope effects**
GSC on open-tubular columns: an isotope effect 471 (1989) 37

Isotope separation

Theory of isotope separation by displacement chromatography 483 (1989) 179

Isovitexine

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Isoxanthopterin

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Isozeaxanthin

Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy- β -end group 482 (1989) 189

Isradipine

Determination of isradipine and the oxidative pyridine metabolite in human plasma by HPLC 487 (1989) 483

J**Jasmonic acid**

Separation of diastereomeric amino acid conjugates of jasmonic acid 483 (1989) 459

Josamycin

HPLC analysis of josamycin in serum and urine 459 (1988) 261

Joule heating

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Journal of Chromatography family album

The *Journal of Chromatography* family album 500 (1990) 3

K**Kadsurenone**

Strategy for the preparative-scale HPLC isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura* 484 (1989) 369

Kalman filter

Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77

Kava

Identification of some human urinary metabolites of the intoxicating beverage kava 475 (1989) 273

KES

Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255

2-Keto-3-deoxyoctonic acid

GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

 α -Keto- β -methylvaleric acid

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Keto acids

Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623

GC determination of oxo- and hydroxycarboxylic acids in serum and urine of diabetic and normal subjects 468 (1989) 157

Micro-method for measurement of branched-chain keto acid concentrations in plasma from sheep and man 487 (1989) 434

7-Ketocholesterol

Assay of cholesterol 7 α -hydroxylase utilizing a silica cartridge column and 5 α -cholestane-3 β , 7 β -diol as an internal standard 496 (1989) 255

 α -Ketoglutarate dehydrogenase

Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33

Ketohexoses

GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205

 α -Ketoisocaproic acid

Determination of leucine and α -ketoisocaproic acid concentrations and specific activity in plasma and leucine specific activities in proteins using HPLC 495 (1989) 81

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

 α -Ketoisovaleric acid

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Ketones

Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

Preparation of carboneous adsorbents by catalytic decomposition of hydrocarbons for chromatographic application 483 (1989) 197

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

2-Ketones

Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37

Ketoprofen

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

6-Ketoprostaglandin F_{1 α}

Specific radioactivity determination of labeled eicosanoids 489 (1989) 359

Quantitative profiling of 6-ketoprostaglandin F_{1 α} , 2,3-dinor-6-ketoprostaglandin F_{1 α} , thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1

Killer toxin KT28

Purification of yeast killer toxin KT28 by receptor-mediated affinity chromatography 469 (1989) 448

Kynurenine

Fluorimetric determination of kynurenine in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 488 (1989) 349

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

L**LABEL**

Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

 α -Lactalbumin

Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93

Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481

β -Lactam antibiotics

see also Antibiotics

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353

Separation of β -lactam antibiotics by micellar electrokinetic chromatography 477 (1989) 259

β -Lactamase

Large-scale purification of the chromosomal β -lactamase from *Enterobacter cloacae* P99 457 (1988) 317

Lactate dehydrogenase

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 466 (1989) 319

Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289

Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91

Lactoferrin

Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531

β -Lactoglobulin

Role of association on protein adsorption isotherms. β -Lactoglobulin A adsorbed on a weakly hydrophobic surface 482 (1989) 1

Lactones

Determination of molluscicidal sesquiterpene lactones from *Ambrosia maritima* (Compositae) 457 (1988) 325

Characterization of coal liquefaction products by GC-Fourier transform IR spectroscopy-MS 468 (1989) 309

Analytical resolution of 4(5)-alkylated γ (δ)-lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137

Identification of some human urinary metabolites of the intoxicating beverage kava 475 (1989) 273

GC separation of diastereomeric dicarbamate derivatives of γ - and δ -lactones 479 (1989) 176

Determination of the enantiomeric composition of γ -lactones in complex natural matrices using multidimensional capillary GC 481 (1989) 363

Chiral flavour compounds from apricots. Distribution of γ -lactone enantiomers and stereodifferentiation of dihydroactinidiolide using multi-dimensional GC 498 (1990) 396

Lamtidine

GLC resolution of some racemic synthons for lamtidine analogous histamine H₂-receptor antagonists via diastereomeric amides of (1S)-(-)-camphanic acid 467 (1989) 402

Langmuir equilibrium coefficients

Rapid method for determining multicomponent Langmuir parameters for displacement chromatography 484 (1989) 167

Langmuir isotherm parameters

Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5

Lanosterol

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Lanthanide luminescence quenching

Lanthanide luminescence quenching as a detection method in ion chromatography. Chromate in surface and drinking water 482 (1989) 351

Lanthanoids

Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446

Lanthionine

HPLC of cystathionine, lanthionine and aminoethylcysteine using *o*-phthalaldehyde precolumn derivatization 490 (1989) 404

Large concentration bands

Theoretical study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 1

Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19

Large-volume samples

Recovery of organic compounds from large-volume aqueous samples using on-line LC preconcentration techniques 456 (1988) 121

Laser beam focal point

Effect of the position of the laser beam focal point on a capillary flow-through cell on the signal-to-noise ratio for a fluorimetric detector in capillary column LC 471 (1989) 311

Laser microprobe mass spectrometry

Laser microprobe MS of selected compounds directly from normal phase high-performance thin-layer plates 471 (1989) 389

Laser pyrolysis

Quantitative TLC by laser pyrolysis and flame ionization or electron-capture detection 463 (1989) 139

Latex aggregates

Resolution of colloidal latex aggregates by sedimentation field-flow fractionation 455 (1988) 1

Latex-based columns

Anion-exchange selectivity in latex-based columns for ion chromatography 458 (1988) 241

Latex-coated resins

Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165

LCSIM

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Lead diethyldithiocarbamate

Determination of Pb^{II} , Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317

Lecithin

Silicic acid column chromatography of phosphonolipids. X. Some phosphono analogues of 1-O-alkylethylene glycol 454 (1988) 420

Lectins

Purification of lentil lectins using preparative electrophoresis 455 (1988) 225

Leptinidine

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Leucine

LC resolution of hypoglycin A from leucine 456 (1988) 431

Determination of leucine and α -ketoisocaproic acid concentrations and specific activity in plasma and leucine specific activities in proteins using HPLC 495 (1989) 81

Leucine dehydrogenase

Post-column immobilized leucine dehydrogenase reactor for determination of branched chain amino acids by HPLC with fluorescence detection 463 (1989) 177

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Leucine enkephalin

On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313

Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Leucogentian Violet

HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259

Leucovorin

Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379

Leukotriene inhibitor

Practical approach for HPLC method development: assaying synthetic intermediates of a leukotriene inhibitor 485 (1989) 597

Leukotrienes

Rapid and simple assay method to study the content and the biosynthesis of peptide leukotrienes in whole blood 491 (1989) 193

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Separation of lipoxins and leukotrienes from human granulocytes by HPLC with a Radial-Pak cartridge after extraction with an octadecyl reversed-phase column 493 (1989) 361

Levomoprolol

Determination by coupled HPLC-GC of the β -blocker levomoprolol in plasma following ophthalmic administration 473 (1989) 343

Lewis bases, macrocyclic polyfunctional

Macrocyclic polyfunctional Lewis bases. XII. Influence of complex formation on chromatographic migration 454 (1988) 340

LF 2-0254

Radio HPLC determination of ¹⁴C-labelled LF 2-0254, a 1,4-dihydropyridine calcium antagonist, in rat and dog plasma using off-line liquid scintillation counting 456 (1988) 183

Licochalcone B

Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139

Licorzin

Determination of glycyrrhizin and its metabolite glycyrrhetic acid in rabbit plasma by HPLC

after oral administration of licorzin 495 (1989) 343

Lidocaine

Sensitive HPLC assay using 9-fluorenylmethylchloroformate for monitoring controlled-release lidocaine in plasma 496 (1989) 335

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Ligand density

Protein immobilization on silica supports. A ligand density study 458 (1988) 169

Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135

Light-scattering detector

Rapid analysis of triacylglycerols using HPLC with light scattering detection 465 (1989) 369

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Lignins

Alkaline SEC of lignins and coal extracts using cross-linked dextran gels 467 (1989) 309

Molecular weight distribution of aspen lignins from conventional GPC, universal calibration and sedimentation equilibrium 498 (1990) 93

Limited subset of components

Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225

Limiting activity coefficients

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215

Limiting mobility

Measurement of limiting mobilities by capillary isotachopheresis with a constant temperature at the site of detection 470 (1989) 69

Limonene

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile

oil constituents with short GC retention times 467 (1989) 272

Limonin

Determination of limonin in grapefruit juice and other citrus juices by HPLC 464 (1989) 375

Linear free energy relationships

TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331

Linear velocity control

Linear velocity control in capillary SFC by restrictor temperature programming 465 (1989) 157

Lipid esters

Improved separation of lipid esters by TLC 483 (1989) 369

Lipids

On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157

Preparative separation of algal polar lipids and of individual molecular species by HPLC and their identification by GC-MS 463 (1989) 397

Rapid analysis of triacylglycerols using HPLC with light scattering detection 465 (1989) 369

Analysis of *in situ* methylated microbial fatty acid constituents by Curie-point pyrolysis-GC-MS 468 (1989) 181

Capillary GC-MS and identification of substituted carboxylic acids in lipids extracted from a 4000-year-old nubian burial 479 (1989) 61

Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239

Measurement of intracellular diacylglycerols by acetylation and TLC 490 (1989) 439

Biochemical applications of LC-MS 492 (1989) 189

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Separation of alkylacyl and diacyl glycerophospholipids and their molecular species as naphthylurethanes by HPLC 493 (1989) 353

Rapid, quantitative method for the isolation and purification of gangliosides by LIPSEP gel chromatography 494 (1989) 289

Prediction of retention times of hydroxylated triacylglycerols in reversed-phase HPLC 498 (1990) 410

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Lipophilic gels

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

Lipophilicity

Contribution of electronic effects to the lipophilicity determined by comparison of values of $\log P$ obtained by HPLC and calculation 452 (1988) 227

Study of the lipophilic character of a series of β -carboline 469 (1989) 121

Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115

Estimation of the reversed-phase LC lipophilicity parameter $\log k'_w$ using ET-30 solvatochromism 499 (1990) 435

Lipopolysaccharides

Separation by HPLC of oligosaccharides obtained after mild acid hydrolysis of *Klebsiella pneumoniae* O₁K₂ (NCTC 5055) lipopolysaccharides 474 (1989) 452

GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

Two-dimensional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71

Lipoproteins

Purification of human apolipoprotein A-IV by fast protein LC 487 (1989) 154

Liposomes

New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105

Lipoxins

Separation of lipoxins and leukotrienes from human granulocytes by HPLC with a Radial-Pak cartridge after extraction with an octadecyl reversed-phase column 493 (1989) 361

Lipoyllysine

Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33

Liquid chromatography–gas chromatography

Damage to GC columns caused by peroxides in LC eluents for coupled LC–GC 455 (1988) 297

Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC–GC 471 (1989) 397

Applications of on-line coupled LC–GC 473 (1989) 315

Determination by coupled HPLC–GC of the β -blocker levopropolol in plasma following ophthalmic administration 473 (1989) 343

Analysis of dicamba in tobacco by on-line coupled LC–GC 473 (1989) 353

Coupled reversed-phase LC–capillary GC for the determination of atrazine in water 473 (1989) 423

Concurrent eluent evaporation with co-solvent trapping for on-line reversed-phase LC–GC. Optimization of conditions 477 (1989) 73

Coupled HPLC–GC for the determination of pesticide residues in biological matrices 477 (1989) 359

Liquid chromatography–mass spectrometry

Determination of organophosphorus acids by thermospray LC–MS 454 (1988) 261

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray–MS detection 455 (1988) 163

Device to transform the LC effluent to a continuous solid plug: a new approach to direct liquid introduction for LC–MS 456 (1988) 363

Characterization of the direct-probe open-tubular LC–MS interface parameters 462 (1989) 365

Thermospray HPLC–MS characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 463 (1989) 95

Trace detection of modified DNA bases via moving-belt LC–MS using electrophoretic derivatization and negative chemical ionization 465 (1989) 285

MS investigations on trichothecene mycotoxins. VII. LC–thermospray mass spectrometric analysis of macrocyclic trichothecenes 469 (1989) 209

Specific screening methods for glucosinolates in sprout extracts using on-line thermospray LC–tandem MS 472 (1989) 219

LC–MS. The need for a multidimensional approach 474 (1989) 5

Microcolumn LC–MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39

Applicability of continuous-flow fast atom bombardment LC–MS in bioanalysis. Dextromethorphan in plasma 474 (1989) 59

Repeller effects in discharge ionization in combined LC or SFC–MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

Application of thermospray LC–MS and LC–tandem MS for the identification of cynomolgus monkey and human metabolites of SK & F 101468, a dopamine D₂ receptor agonist 474 (1989) 123

Effects of repeller position and voltage in thermospray MS 474 (1989) 139

Improving the ion current stability of a thermospray source by improving the control of the vaporizer temperature and solvent flow-rate 474 (1989) 145

Development of optimization strategies in thermospray LC–MS 474 (1989) 149

Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC–MS 474 (1989) 163

Thermospray LC–MS of pesticides in river water using reversed-phase chromatography 474 (1989) 175

Thermospray LC–MS analysis of *Catharanthus* alkaloids 474 (1989) 181

HPLC with thermospray MS detection of α -carboxyamido amino acids 474 (1989) 187

LC–thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197

Use of thermospray LC–MS for characterization of reactive metabolites of 3'-hydroxyacetanilide, a non-hepatotoxic regioisomer of acetaminophen 474 (1989) 209

Application of thermospray LC–MS to the simultaneous quantification of tracer concentrations of isotopically labelled carbamazepine epoxide and steady-state levels of carbamazepine and carbamazepine epoxide 474 (1989) 223

Coupled column chromatography–MS. Thermospray LC–MS and LC–tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257

LC–MS of trace compounds with a moving-belt interface and multi-dimensional chromatography 474 (1989) 265

Belt-speed programming, a new technique for peak compression in LC–MS and supercritical-fluid chromatography–mass spectrometry with moving-belt interfaces 474 (1989) 275

Developments of micro LC–MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Comparison of open-tubular LC–MS and direct liquid introduction LC–MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301

LC–MS studies on rifamycin antibiotics 474 (1989) 317

Identification of nicotine biosynthetic intermediates in tobacco roots by LC–MS 474 (1989) 329

Corona discharge ionization LC–MS interface for target compound analyses 474 (1989) 335

Evaluation of the moving belt as an interface for the HPLC–MS analysis of the flavonoid aglycones 474 (1989) 372

Repeller effects in discharge ionization in LC and SFC–MS using a thermospray interface. II. Changes in some analyte spectra 478 (1989) 325

Preparative HPLC using detection by thermospray MS 478 (1989) 429

Performing high salt concentration gradient elution ion-exchange separations using thermospray MS 479 (1989) 437

Coupling of capillary zone electrophoresis and capillary liquid chromatography with coaxial continuous-flow fast atom bombardment tandem sector MS 480 (1989) 197

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

LC–MS coupling and its application in pharmaceutical research 488 (1989) 73

Biochemical applications of LC–MS 492 (1989) 189

Determination of unlabeled and $^{13}\text{C}_6$ -labeled moricizine in human plasma using thermospray LC–MS 493 (1989) 79

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

Development and validation of an LC–MS assay for the determination of sumatriptan in plasma 496 (1989) 137

Rapid determination of methandrostenolone in equine urine by isotope dilution LC–tandem MS 497 (1989) 49

LC–atmospheric pressure ionization MS analysis of toremifene metabolites in human urine 497 (1989) 169

Liquid crystals

Isothiocyanate as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455 (1988) 323

Application of liquid crystals in chromatography (Review) 466 (1989) 37

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

Optimization of the GC separation of five-membered ring polyarenes with an admixed BPhBT liquid crystal–Dexsil 300 stationary phase 469 (1989) 43

Liquid extractor

High-efficiency liquid extractor for isolation of a desired material from complex organic mixtures 499 (1990) 721

Liquid/gas partition coefficients

Rapid headspace GC method for the determination of liquid/gas partition coefficients 491 (1989) 271

Liquid-liquid enrichment

High boiling organic traces in drinking water. Quantitative analysis by liquid-liquid enrichment within the analytical glass capillary 477 (1989) 49

Liquid-liquid extraction

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 39

Liquid membrane

Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151

Liquid-solid extraction

Fully automated analytical system using liquid-solid extraction and LC for the determination of CGP 6140 in plasma 456 (1988) 45

Lissamine Rhodamine B sulphonyl chloride

Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139

LL-E19020 α

Process-scale reversed-phase HPLC purification of LL-E19020 α , a growth promoting antibiotic produced by *Streptomyces lydicus* ssp. *tanzanius* 484 (1989) 381

Load capacity

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

Localization

Microcomputer-aided characterization of mobile phases for normal-phase LSC based on Snyder's theory and data 477 (1989) 235

Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5

Lofepamine

Determination of lofepramine and desipramine using HPLC and electrochemical detection 496 (1989) 228

Long-chain fatty acids

Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23

Long-chain fatty alcohols

Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23

Longitudinal diffusion

Contribution of longitudinal diffusion to band broadening in LC 469 (1989) 53

Loperamide

Characterization of the antidiarrhoeal loperamide by GC-MS and application of the Hofmann degradation and Cope elimination reaction 494 (1989) 324

Lorazepam

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Lubricating oil

Determination of polycyclic aromatic hydrocarbons in lubricating oil base stocks using HPLC and GC-MS 469 (1989) 241

Lucigenin chemiluminescence

Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319

Lumazine

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Luminol chemiluminescence

Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319

Lupine alkaloids

Analysis of lupine alkaloids in plants by HPLC 462 (1989) 333

Lutein

Reversed-phase HPLC separation of lutein and lutein fatty acid esters from marigold flower petal powder 464 (1989) 442

Lutein fatty acid esters

Reversed-phase HPLC separation of lutein and lutein fatty acid esters from marigold flower petal powder 464 (1989) 442

Lymphocyte membrane receptors

High-performance affinity isolation of lymphocyte membrane receptors on biotinylated antigen and avidin-coated beads 458 (1988) 185

Lyophilization

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Lysine-ketoglutarate reductase

Assay for lysine-ketoglutarate reductase by reversed-phase HPLC 497 (1989) 263

Lysozyme

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205

Immunological-chromatographic analysis of lysozyme variants 476 (1989) 235

Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301

Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343

Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113

M**Macrocycle-cation complexation**

Chemically suppressed anion chromatography based on macrocycle-cation complexation 482 (1989) 367

Macroenzymes

Detection of macroenzymes in serum by high-performance GPC 496 (1989) 91

 α_2 -Macroglobulin

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

Macromolecules

Field-flow fractionation of macromolecules 470 (1989) 327

Macrosporin

HPLC determination of macrosporin, altersolanol A, alterporriol A, B and C in fermentation of *Alternaria porri* (Ellis) Ciferri 454 (1988) 406

Magnesium

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Magnesium ions

High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153

Maillard reaction

Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607

Malaria vaccine

Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99

Malate dehydrogenase

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Malonaldehyde

HPLC determination of malonaldehyde in serum 495 (1989) 235

Maltose

Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261

Maltotriose

Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261

Manganin electrode

Use of a simultaneous conductivity and amperometric detector with a manganin electrode in the microcolumn LC of dicarboxylic acids 456 (1988) 370

Manidipine

Determination of manidipine and its pyridine metabolite in human serum by HPLC with UV detection and column switching 494 (1989) 209

Mannan

Affinity chromatography of anti-mannan antibodies on mannan-acrylamide copolymers 490 (1989) 418

Mannitol

Separation of algal organic osmolytes by HPLC 479 (1989) 353

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

D-Mannose

Scale-up and optimization in production LC 484 (1989) 211

Marker compounds

Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary-mobile phase combinations with markers 485 (1989) 169

Mass balance equations

Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model 484 (1989) 83

Mass detection limits

Mass detection limits achieved with a commercially available fluorimeter in micro HPLC 471 (1989) 297

Mass spectrometry

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Mass transfer effects

Mass transfer effects in isocratic non-linear elution chromatography 484 (1989) 29

Maya vessels

Authentication of cocoa in Maya vessels using HPLC techniques 466 (1989) 279

Maysin

Reversed-phase HPLC procedure for the determination of maysin in corn silks 477 (1989) 439

Mazindol

Screening and confirmation of drugs in horse urine by using a simple column extraction procedure 473 (1989) 215

MCASYST

Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461

Medetomidine

Picogram level determination of medetomidine in dog serum by capillary GC with negative ion chemical ionization MS 497 (1989) 282

Medifoxamine

Determination of medifoxamine in plasma and urine by HPLC 496 (1989) 223

Medroxyprogesterone acetate

Use of LC in the synthesis of isoluminol-labelled medroxyprogesterone acetate and zeranol 469 (1989) 305

Specific and sensitive quantitation of medroxyprogesterone acetate in human serum by GC-MS 495 (1989) 13

Mefenamic acid

Traditional oriental medicines. I. Black Pearl: identification and chromatographic determination of some undeclared medicinal ingredients 469 (1989) 406

Simple, rapid and sensitive reversed-phase HPLC method for the determination of mefenamic acid in plasma 493 (1989) 239

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

Mefloquine

Simultaneous determination of pyrimethamine and mefloquine in human plasma by HPLC with UV detection 494 (1989) 219

Megabore columns

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37

Melatonin

LC procedures for the analysis of compounds in the serotonergic and octoptamine pathways of lobster hemolymph 452 (1988) 491

Melengestrol acetate

Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase HPLC 488 (1989) 389

Membership values

Membership values as indicators of complications in chromatography 473 (1989) 267

Membrane proteins

see also Proteins

HPLC separation of membrane proteins isolated from erythrocyte ghosts 462 (1989) 255

Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351

Isolation of a specific membrane protein by immunoaffinity chromatography with biotinylated antibodies immobilized on avidin-coated glass beads 476 (1989) 187

Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319

Comparison of ion-exchange HPLC columns for purification of Sendai virus integral membrane proteins 476 (1989) 477

Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131

Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421

Preparative purification of functional bacteriorhodopsin by high performance SEC 483 (1989) 331

Preparative isolation of glycoproteins from plasma membranes of different rat organs 484 (1989) 327

Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53

Menadione

Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371

Menaquinones

Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291

Measurement of K vitamins in animal tissues by HPLC with fluorimetric detection 497 (1989) 131

Menthyl chloroformate

Resolution of antihypertensive aryloxypropanolamine enantiomers by reversed-phase chromatography of (–)-menthyl chloroformate derivatives 487 (1989) 197

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (–)-menthyl chloroformate 493 (1989) 402

Mephentoin

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Mepivacaine

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Meprobamate

Determination of meprobamate in serum by alkaline hydrolysis, trimethylsilyl derivatization and detection by GC-MS 494 (1989) 318

3-Mercaptopropionic acid

LC analysis of amino and imino acids in protein hydrolysates by post-column derivatization with *o*-phthalaldehyde and 3-mercaptopropionic acid 476 (1989) 83

Mercapturic acid derivatives

Electrochemical detection of mercapturic acid derivatives after separation by HPLC 475 (1989) 391

Mercury

HPLC of mercury and phenylmercury as the N-disubstituted dithiocarbamate complexes 472 (1989) 401

Mesoporphyrin III

Separation of porphyrin isomers by HPLC 493 (1989) 53

Mestranol

HPLC analysis of the by-products of the synthesis of ethynylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427

Metabolic disorders

Chromatography for diagnosis of metabolic diseases 452 (1988) 435

Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43

Metabolites

Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349

Metal-benzylpropionitrile dithiocarbamate

Reversed-phase HPLC of metal-benzylpropionitrile dithiocarbamate complexes 481 (1989) 287

Metal capillaries

Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172

Metal chelates

Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography 469 (1989) 175

Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155

Cell surface interactions with metal chelates 495 (1989) 113

Correlation analysis in LC of metal chelates. I. One-dimensional retention-structure models in reversed-phase TLC 498 (1990) 337

Metal complexes

Macrocyclic polyfunctional Lewis bases. XII. Influence of complex formation on chromatographic migration 454 (1988) 340

Reversed-phase HPTLC and column LC of metal complexes of pheophorbide *a* 457 (1988) 99

Effect of the central ion of octahedral transition metal complexes on their TLC R_F values 466 (1989) 227

Chromatographic studies of metal complexes. V. TLC of some octahedral cobalt(III) and nickel(II) complexes 469 (1989) 383

Isotachophoretic separation of cyano complexes of noble metals using ion-pairing equilibrium in water-acetonitrile solvent 472 (1989) 303

HPLC for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 482 (1989) 165

Further studies of diethyldithiocarbamate complexes by HPLC 500 (1990) 313

Metal-complex pseudophases

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Metal β -diketonate polymers

Application of metal β -diketonate polymers as selective sorbents in complex mixture analysis and for sulfur-containing compounds 463 (1989) 171

Metal hydrosols

Sedimentation field-flow fractionation of colloidal metal hydrosols 461 (1989) 103

Metal ion, charge

Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265

Metal ions

Use of HPLC in the study of metal-ion-catalysed methanolysis of phosphoric acid phenyl ester diamide (in German) 467 (1989) 304

Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167

Isocratic reversed-phase HPLC assay for a cryptand-cryptate-free metal ion system 469 (1989) 440

Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155

On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335

Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 325

Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531

Metallic stationary phases

Retention mechanisms on metallic stationary phases 461 (1989) 139

Metallothioneins

Characterization of the metal composition of metallothionein isoforms using reversed-phase HPLC with atomic absorption spectrophotometric detection 482 (1989) 87

Metals

TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428

Metal trifluoroacetylacetonates

LC analysis of bromination reactions of metal trifluoroacetylacetonates 479 (1989) 181

Metanephrine Simultaneous quantitation of catecholamines and *O*-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Analysis of the *O*-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Metaproterenol

Determination of free and total metaproterenol in human plasma by HPLC with fluorimetric detection 493 (1989) 230

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (–)-menthyl chloroformate 493 (1989) 402

Methacrylate copolymers

GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143

Methacrylate ion exchangers

Solute–solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61

Ion chromatography on methacrylate ion exchangers 475 (1989) 209

Methacycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Methamphetamine

Determination of amphetamine-related compounds by HPLC with chemiluminescence and fluorescence detections 464 (1989) 343

Headspace GC of stimulants in urine by in-column trifluoroacetyl derivatization method 467 (1989) 227

Methandrostenolone

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121

Rapid determination of methandrostenolone in equine urine by isotope dilution LC–tandem MS 497 (1989) 49

Methanedienone

Studies on anabolic steroids. I. Integrated methodological approach to the GC–MS analysis of anabolic steroid metabolites in urine 489 (1989) 23

Methanol

Identification of methyl diethanolamine degradation products by GC and GC–MS 457 (1988) 287

Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection GC 457 (1988) 372

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

Automatic on-line pressurized liquid injection in GC 483 (1989) 111

Methanolysis

Use of HPLC in the study of metal-ion-catalysed methanolysis of phosphoric acid phenyl ester diamide (in German) 467 (1989) 304

Methionine

On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

Methionine enkephalin

Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67

Determination of leucine enkephalin and methionine enkephalin in equine cerebrospinal fluid by microbore HPLC and capillary zone electrophoresis coupled to tandem MS 495 (1989) 41

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

DL-Methionine-S-methylsulphonium chloride

Determination of vitamin U and its degradation products by HPLC with fluorescence detection 479 (1989) 361

Method development, computer-assisted

Simplex optimization of HPLC separations (Review) 485 (1989) 3

Computer-assisted optimization in HPLC method development 485 (1989) 15

Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27

Method development in HPLC using retention mapping and experimental design techniques (Review) 485 (1989) 51

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113

Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143

Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary-mobile phase combinations with markers 485 (1989) 169

Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183

Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195

Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255

Expert system program for assistance in HPLC method development 485 (1989) 267

Knowledge-based expert system for troubleshooting HPLC assay methods 485 (1989) 297

Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325

Cathie: expert interpretation of chromatographic data 485 (1989) 341

Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349

Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365

Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383

Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453

Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461

Optimization strategies for solutes exhibiting peak tailing. Comparison of two approaches 485 (1989) 501

Computer-assisted selection of the optimum gradient programme in TLC 485 (1989) 517

Prediction of retention times in ion-exchange chromatography 485 (1989) 533

Solvent modulation in LC: optimization strategies 485 (1989) 541

Recent advances in fuzzy peak tracking in HPLC 485 (1989) 557

Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569

Development of HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585

Practical approach for HPLC method development: assaying synthetic intermediates of a leukotriene inhibitor 485 (1989) 597

Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polyaromatic hydrocarbons 485 (1989) 607

Reversed-phase LC retention and selectivity surfaces. II. Deoxyribonucleosides 485 (1989) 617

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Method validation

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Expert system for method validation in chromatography 485 (1989) 283

Methotrexate

Rapid quantitation of methotrexate and its metabolites in human serum, urine and bile, using solid-phase extraction and HPLC 487 (1989) 476

Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379

Comparison of HPLC and the Abbott fluorescent polarization radioimmunoassay in the measurement of methotrexate 494 (1989) 201

3-Methoxy-O-desmethylencainide

Improved HPLC assay for encainide and its metabolites in human body fluids 490 (1989) 165

Methoxyflavones

Computer-assisted optimization with NEMROD software 485 (1989) 433

3-Methoxy-4-hydroxymandelic acid

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

3-Methoxy-4-hydroxyphenylethylene glycol

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Determination of urinary 3-methoxy-4-hydroxyphenylethylene glycol and its conjugates by HPLC with electrochemical and UV absorbance detection 493 (1989) 275

{(R)-2-(Methoxymethyl)-1-[(7-oxo-8-phenyl-7H-thieno[2,3-a]quinolizin-10-yl)-carbonyl]pyrrolidine}

Determination of a new non-benzodiazepine anxiolytic and its O-demethyl metabolite in plasma by HPLC using automated column-switching 456 (1988) 21

Methoxyphenamine

Enantioselective GC assays with electron-capture detection for methoxyphenamine and its three primary metabolites in human urine 487 (1989) 61

3-Methoxytyramine

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Methylamine

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

α -Methylarylacetic acids

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Methylation

Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279

Methylbenz[*a*]anthracenes

Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25

Methyl-2-benzimidazole carbamate

Effect of organic solvents in sample solutions and injection volumes on chromatographic peak

profiles of analytes in reversed-phase HPLC 483 (1989) 189

3-Methylbenzothiazolones

HPLC analysis of aldehydes at trace level as their 3-methylbenzothiazolone azine derivatives 475 (1989) 343

Methyl *tert.*-butyl ether

Automatic on-line pressurized liquid injection in GC 483 (1989) 111

N-Methylcarbamates

LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445

2-Methyl-4-chlorophenoxyacetic acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

GC-MS method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine 489 (1989) 404

α -(2-Methyl-4-chlorophenoxy)butyric acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

Methylchrysenes

Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25

Methylcyclopentadiene dimers

Separation and characterization of methylcyclopentadiene dimers by GC and molecular spectroscopy 464 (1989) 93

5-Methylcytosine

Determination of 5-methylcytosine in DNA by GC-electron-capture detection 452 (1988) 51

Trace detection of modified DNA bases via moving-belt LC-MS using electrothrophic derivatization and negative chemical ionization 465 (1989) 285

Methyl diethanolamine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

β -Methylidigoxin

Determination of β -methylidigoxin and its metabolites by HPLC and fluorescence polarization immunoassay 489 (1989) 425

Methyl 2-(4-diphenylmethyl-1-piperazinyl)ethyl (\pm)-1,4-dihydro-2,6-dimethyl-4-(*m*-nitrophenyl)-3,5-pyridine-dicarboxylate

Sensitive HPLC determination of ionic drugs in biological fluids with short-wavelength UV detection using column switching combined with ion-pair chromatography: application to basic compounds 487 (1989) 357

(1-Methyldodecyl)dimethylamine N-oxide
Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347

3-O-Methyl-DOPA

Improved HPLC analysis with double detection system for L-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under L-DOPA therapy 459 (1988) 341

Methylene Blue

HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259

4,4'-Methylenedianiline

Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. III. Determination of 4,4'-methylenedianiline in hydrolysed human urine using derivatization and capillary GC with selected ion monitoring 479 (1989) 145

3,4-Methylenedioxyamphetamine

Determination of 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine enantiomers in whole blood 490 (1989) 59

3,4-Methylenedioxymethamphetamine

Determination of 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine enantiomers in whole blood 490 (1989) 59

Methyl ethyl ketone

Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419

Methyl green-coated column

Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283

Methylhippuric acids

HPLC separation of urinary hippuric and *o*-, *m*- and *p*-methylhippuric acids with a β -cyclodextrin-bonded column 496 (1989) 189

3-Methylhistidine

Determination of 3-methylhistidine in urine by HPLC using pre-column derivatization with 9-fluorenylmethyl chloroformate 491 (1989) 418

N⁷-Methylimidazoleacetic acid

Assay for N⁷-methylimidazoleacetic acid, a major metabolite of histamine, in urine and plasma using capillary column GC-negative ion MS 491 (1989) 15

tele-Methylimidazoleacetic acid

Altered retention of derivatives of *tele*-methylimidazoleacetic acid in acid-hydrolyzed samples of brain measured by capillary GC and MS 472 (1989) 256

3-O-Methylisoprenaline

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

N-Methylaurotetanine

Determination of isoquinoline alkaloids from *Peumus boldus* by HPLC 457 (1988) 442

Methyl methacrylate

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Methyl methacrylate copolymers

Solute-solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61

2-Methyl-5-(4-methyl-1-piperazinyl)-11H-[1,2,4]-triazolo-[1,5-C][1,3]-benzodiazepine

HPLC method for a clozapine analogue, CGS 13429, and its N-oxide and desmethyl metabolites 494 (1989) 413

Methyl N-(2-naphthyl)alaninate

Computational chemical studies of chiral stationary phase models. Complexes of methyl N-(2-naphthyl)alaninate with N-(3,5-dinitrobenzoyl)leucine *n*-propylamide 461 (1989) 129

Methylolmelamines

Improved method for the separation of methylolmelamines by HPLC 477 (1989) 467

Methylphenanthrenes

Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25

Methylphenidate

GC-MS analysis of *threo*-methylphenidate enantiomers in plasma 494 (1989) 420

5-(4-Methylphenyl)-5-phenylhydantoin

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Methylphosphonic acids

GC determination of methylphosphonic acids by methylation with trimethylphenylammonium hydroxide 467 (1989) 129

Methylprednisolone

Simultaneous determination of methylprednisolone and methylprednisolone-21-[8-[methyl-(2-sulfoethyl)amino]-8-oxooctanoate] sodium salt in human urine by HPLC with UV detection 496 (1989) 245

Methylprednisolone 21-[8-[methyl-(2-sulphoethyl)amino]-8-oxooctanoate] sodium salt

Simultaneous determination of methylprednisolone and methylprednisolone-21-[8-[methyl-(2-sulfoethyl)amino]-8-oxooctanoate] sodium salt in human urine by HPLC with UV detection 496 (1989) 245

2-Methylpropene

Automatic on-line pressurized liquid injection in GC 483 (1989) 111

N-Methylputrescine

Identification of nicotine biosynthetic intermediates in tobacco roots by LC-MS 474 (1989) 329

4-Methylpyridinium polymers

HPLC of proteins on N-methylpyridinium polymer columns 472 (1989) 357

Methyl red

Study of the adsorption of methyl red on thermally treated GLC packings 457 (1988) 377

Methyltestosterone

Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111

Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219

Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235

N⁵-Methyltetrahydrofolic acid

Stable and sensitive method for the simultaneous determination of N⁵-methyltetrahydrofolate, leucovorin, methotrexate and 7-hydroxymethotrexate in biological fluids 488 (1989) 379

Methylthiouracil

Screening and confirmation of thyrostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127

Methyltryptophan

Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253

N-Methyltyramine

Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241

Methyl Yellow

Determination of Methyl Yellow, Sudan I and Sudan II in water by HPLC 465 (1989) 434

Metipamide

Therapeutic monitoring of metipamide during antihypertensive therapy 488 (1989) 295

Metolachlor

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Metopimazine

HPLC method with fluorescence detection for the simultaneous determination of metopimazine and its acid metabolite in serum 496 (1989) 472

Metoprolol

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Coupled column chromatography-MS. Thermospray LC-MS and LC-tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257

Optimization of detection sensitivity for enantiomers of metoprolol on silica-bonded α_1 -acid glycoprotein 477 (1989) 107

- ✓ Determination of metoprolol and its α -hydroxy metabolite in urine by direct-injection reversed-phase HPLC with fluorimetric detection 488 (1989) 498

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Rapid HPLC method for the measurement of the enantiomers of metoprolol in serum using a chiral stationary phase 497 (1989) 181

Measurement of underivatized metoprolol enantiomers in human plasma by HPLC with a chiral stationary phase 497 (1989) 313

Enantioselective determination of metoprolol in plasma by LC on a silica-bonded α_1 -acid glycoprotein column 500 (1990) 629

Metribuzin

Comparison of open-tubular LC-MS and direct liquid introduction LC-MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301

HPLC of metribuzin and non-polar metabolites extracted from leaf tissues 479 (1989) 206

Mexiletine

Rapid HPLC method for the quantification of mexiletine and its metabolites in serum 493 (1989) 414

Mezlocillin

Reversed-phase HPLC assay for the determination of mezlocillin in human and rat biological samples 494 (1989) 376

Micellar electrokinetic chromatography

Separation of water-soluble vitamins by micellar electrokinetic chromatography 465 (1989) 331

Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography 469 (1989) 175

Separation of β -lactam antibiotics by micellar electrokinetic chromatography 477 (1989) 259

Instrumental developments in micellar electrokinetic capillary chromatography 480 (1989) 185

Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403

Enantioselective hydrophobic entanglement of enantiomeric solutes with chiral functionalized micelles by electrokinetic chromatography 480 (1989) 413

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Separation and determination of the ingredients of a cold medicine by micellar electrokinetic chromatography with bile salts 498 (1990) 313

Micellar phase-transfer catalysis

Automated HPLC determination of plasma free fatty acids using on-line derivatization with 9-bromomethylacridine based on micellar phase-transfer catalysis 500 (1990) 443

Micellar pseudophases

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Micelles

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Microbeads, non-porous silica gel

Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49

Microcylinder electrodes

Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed LC 482 (1989) 65

β_2 -Microglobulins

Selective removal of β_2 -microglobulin from human plasma by high-performance immunoaffinity chromatography 496 (1989) 194

Micropellicular stationary phases

Micropellicular stationary phases for rapid protein analysis by HPLC 499 (1990) 267

Microwave hydrolysis

Determination of amino acids on Merrifield resin by microwave hydrolysis 456 (1988) 357

Microwave-induced plasmas

Element-selective GC detection by atomic plasma emission spectroscopy. Review and developments 468 (1989) 319

Microwave irradiation

Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424

Microwave processing

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Midazolam

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Simultaneous determination of midazolam and its three hydroxy metabolites in human plasma by electron-capture GC without derivatization 491 (1989) 107

Determination of midazolam and the α -hydroxy metabolite by GC in small plasma volumes 491 (1989) 455

'Middle molecules'

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

Milk replacers

Determination of hormone contaminants in milk replacers by HPLC and immunoassay 489 (1989) 181

Milrinone

HPLC determination of milrinone in biological tissues and fluids 491 (1989) 265

Minocycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Mitomycin C

Phase-system switching as an on-line sample pretreatment in the bioanalysis of mitomycin C using supercritical fluid chromatography 454 (1988) 243

LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197

HPLC determination of mitomycin C in rat and human plasma and urine 495 (1989) 330

Mitomycin C determination using loop-column extraction: a rapid and sensitive HPLC assay for pharmacokinetic studies with Spherex starch particles 497 (1989) 336

Mitoxantrone

HPLC determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation 465 (1989) 75

Mixed cells model

Ideal mixed cells model of multi-component preparative LC 464 (1989) 1

Mixture design

Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195

Mizoribine

Determination of mizoribine in plasma using ion-pair HPLC 494 (1989) 354

Mobile phase composition

Unified theory of adsorption chromatography: gas, liquid and supercritical fluid mobile phases 452 (1988) 17

Studies of adsorption and partition effects in LC with mixed mobile phases 452 (1988) 131

Enantioselectivity of complex formation in ligand-exchange chromatographic systems with chiral stationary and/or chiral mobile phases 452 (1988) 309

Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83

Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95

Use of mobile phase modifiers to alter retention and stereoselectivity on a bovine serum albumin HPLC chiral stationary phase 455 (1988) 316

Expert system for the selection of HPLC methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 457 (1988) 25

Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85

Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 457 (1988) 111

Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 457 (1988) 415

- Practical optimization of the separation of a limited subset of components by using isoelutropic ternary eluent mixtures in reversed-phase HPLC 458 (1988) 371
- Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65
- Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209
- Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407
- Determination of the enantiomers of α -amino acids and α -amino acid amides by HPLC with a chiral mobile phase 461 (1989) 419
- Separation of basic drugs by HPLC on a silica column using a methanol-ethylenediamine buffer 464 (1989) 117
- Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225
- Optimization of mobile phase composition for HPLC analysis of eleven priority substituted phenols 464 (1989) 405
- Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15
- Use of ^1H NMR spectroscopy in the selection of the mobile phase for HPLC monitoring of the synthesis of ibuproxam 467 (1989) 276
- Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357
- Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167
- Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437
- Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197
- LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63
- Chromatographic fractionation of proteins at high organic solvent modifier concentrations 474 (1989) 418
- Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85
- Reversed-phase LC of proteins with strong acids 476 (1989) 499
- Microcomputer-aided characterization of mobile phases for normal-phase LSC based on Snyder's theory and data 477 (1989) 235
- Systematic procedure for the determination of the nature of the solutes prior to the selection of the mobile phase parameters for optimization of reversed-phase ion-pair chromatographic separations 478 (1989) 21
- Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87
- Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101
- Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339
- High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85
- Study of the changes in mono-, di- and trifunctional octadecyl-modified packings for reversed-phase HPLC with different eluent compositions 479 (1989) 269
- Use of achiral ion-pairing reagents with chiral stationary phases 479 (1989) 377
- Effect of some operational variables on the efficiency of ion chromatographic separations 479 (1989) 387
- HPLC determination of phenoxyalkanoic acid herbicides using iron(II) 1,10-phenanthroline as a mobile phase additive 481 (1989) 439

Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133

Benzenepolycarboxylic acid salts as eluents in anion chromatography 482 (1989) 155

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113

Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary–mobile phase combinations with markers 485 (1989) 169

Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195

Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219

Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403

Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using *N*-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157

Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71

Studies on iodinated compounds. V. Reversed-phase HPLC determination of iodide with cyclodextrin-containing mobile phases 498 (1990) 137

Retention characteristics of several compound classes in reversed-phase LC with β -cyclodextrin as a mobile phase modifier 499 (1990) 395

Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair HPLC 499 (1990) 423

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Comparative SFC properties of carbon dioxide and sulphur hexafluoride–ammonia mixtures with packed columns 499 (1990) 637

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 500 (1990) 281

Mobile phase parameters

Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27

Mobile phase transfer

Strategies of mobile phase transfer from TLC to medium-pressure LC with silica as the stationary phase 499 (1990) 453

Mobility

Use of a double-detector system for the measurement of mobilities in zone electrophoresis 452 (1988) 591

Influence of the cellulose content of cellulose gels on the electrophoretic mobility 469 (1989) 378

Isotachophoresis in mixed solvents consisting of water, methanol and dimethyl sulphoxide. III. Influence of the solvent composition on the dissociation constants and mobilities of non- and hydroxy-substituted aliphatic carboxylic acids 470 (1989) 57

Measurement of limiting mobilities by capillary isotachophoresis with a constant temperature at the site of detection 470 (1989) 69

Moclobemide

Photodecomposition of Moclobemide on a silica gel TLC plate 479 (1989) 459

Modelling methods

Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187

Molecular areas

Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5

Molecular imprints

Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391

Molecularly imprinted polymers

Recent advances in the preparation and use of molecularly imprinted polymers for enantiomeric resolution of amino acid derivatives 470 (1989) 391

Molecular mass

Accuracy and precision in the determination of Stokes radii and molecular masses of proteins by gel filtration chromatography 472 (1989) 347

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Molecular mass accuracy

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Molecular mass determination

Effect of temperature difference between pump and column in molecular weight determination by GPC 454 (1988) 357

Molecular mass distribution

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Molecular probe chromatography

On some nomenclature in chromatography 471 (1989) 447

Molecular recognition

Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145

Molecular spectroscopy

Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 489 (1989) 3

Molybdate

Capillary isotachopheretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

Monapterin

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Mono(2-ethylhexyl) phthalate

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

6-Monoacetylmorphine

Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384

GC-MS determination of morphine, codeine and 6-monoacetylmorphine in blood extracted by solid phase 490 (1989) 444

Monocarbams

Development of a polymer-based reversed-phase HPLC stability indicating assay for U-78 608, an iron complexing monocarbam antibiotic 477 (1989) 427

Monochloroacetate

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Monochloroacetic acid

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51

Separation process in isotachopheresis. III. Transient state models for a three-component system 470 (1989) 21

Monoclonal antibodies

see also Antibodies

Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three

procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101

Preparative protein purification in a multi-compartment electrolyser with Immobiline membranes 475 (1989) 293

Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257

Isoelectric focusing of cross-linked monoclonal antibody heterodimers, homodimers and derivatized monoclonal antibodies 489 (1989) 303

Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47

Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681

Monoclonal autoantibodies

HPLC of amino acids, peptides and proteins. XCIII. Comparison of methods for the purification of mouse monoclonal immunoglobulin M autoantibodies 476 (1989) 269

N-Monodemethyldiltiazem

Automated HPLC with column switching for on-line clean-up and analysis of diltiazem and metabolites in human plasma 495 (1989) 358

Monodesethylflurazepam

Simultaneous determination of flurazepam and its metabolites in human plasma by HPLC 494 (1989) 247

Monoethanolamine

Simultaneous determination of monoethanolamine and glycine betaine in plants 479 (1989) 452

Monoglycerides

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

Monolignol glucosides

HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345

Monolignols

HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345

Mononucleotides

Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201

Monoolein

Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438

Monooxygenase

Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299

Monophosphorus compounds

Identification of tabun impurities by combined capillary column GC-MS 465 (1989) 271

Monosialogangliosides

HPLC separation of gangliosides, combined with immunological detection and fast atom bombardment MS characterization 490 (1989) 263

Monosulphide

Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442

Monoterpenes

Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Moricizine

Improved column LC method for the determination of moricizine in plasma or serum 490 (1989) 458

Determination of unlabeled and $^{13}\text{C}_6$ -labeled moricizine in human plasma using thermospray LC-MS 493 (1989) 79

Morphiceptin

Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79

Morphine

HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 488 (1989) 215

Determination of morphine in plasma by GC using a macrobore column and thermoionic detection after Extrelut column extraction: application to follow-up morphine treatment in cancer patients 489 (1989) 411

GC-MS determination of morphine, codeine and 6-monoacetylmorphine in blood extracted by solid phase 490 (1989) 444

Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240

Simultaneous determination of codeine, norcodeine and morphine in biological fluids by HPLC with fluorescence detection 491 (1989) 367

Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473

Determination of morphine in plasma by HPLC with fluorescence detection 497 (1989) 326

Morphine-3-glucuronide

HPLC determination of morphine in biological samples: an overview of separation methods and detection techniques 488 (1989) 215

Morpholep

Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35

Morpholine

LC determination of morpholine and its thermal breakdown products in steam-water cycles at nuclear power plants 467 (1989) 249

Morpholinolphenylbenzothiazole

Determination of morpholinolphenylbenzothiazole by HPLC 462 (1989) 426

Moving belt interface

Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39

Evaluation of the moving belt as an interface for the HPLC-MS analysis of the flavonoid aglycones 474 (1989) 372

Moving least-squares

Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453

Mucin

Analysis of mucin by isotachopheresis 463 (1989) 445

Multichannel UV-photometric zone detector

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

Multi-criteria decision making

Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195

Multi-dimensional interpolation

Multi-dimensional interpolation by the moving least-squares approach for modelling of chromatographic retention data 485 (1989) 453

Multi-immunoaffinity chromatography

Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111

Multilayer coil planet centrifuge

Multilayer coil planet centrifuge for analytical high-speed counter-current chromatography 479 (1989) 53

Multi-phase ion exchangers

New latex-bonded pellicular anion exchangers with multi-phase selectivity for HPLC separations 499 (1990) 249

Multivariate analysis

Strategy for peak tracking in LC on the basis of a multivariate analysis of spectral data 499 (1990) 499

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Multivariate calibration

Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary-mobile phase combinations with markers 485 (1989) 169

Muzolimine

Determination of muzolimine in plasma and urine by HPLC 496 (1989) 478

Mycobacterium chelonae

GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonae* 487 (1989) 142

Mycobacterium fortuitum

GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonae* 487 (1989) 142

Mycolic acids

Separation of homologues of methyl ester and 3-O-acetyl methyl ester derivatives of the corynomycolic acid fraction from *Corynebacterium pseudotuberculosis* 481 (1989) 411

Mycotoxins

Profiling of *Alternaria* mycotoxins in foodstuffs by HPLC with diode-array UV detection 465 (1989) 305

MS investigations on trichothecene mycotoxins. VII. LC-thermospray mass spectrometric analysis of macrocyclic trichothecenes 469 (1989) 209

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

HPLC determination of zearalenone and ochratoxin A in cereals and feed 478 (1989) 269

Sensitive analysis of the mycotoxin zearalenone and its metabolites in biological fluids by HPLC 494 (1989) 267

Myoglobin

Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137

Myoinositol

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Myosin

High-performance ion-exchange chromatography of myosin using a DEAE-5PW column 491 (1989) 61

Myristic acid

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Myristicine

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

N**Nalidixic acid**

Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397

Naloxone

Quantitative and pharmacokinetic analysis of naloxone in plasma using HPLC with electrochemical detection and solid-phase extraction 488 (1989) 435

Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240

Naltrexone

Simultaneous extraction and chromatographic analysis of morphine, dilaudid, naltrexone and naloxone in biological fluids by HPLC with electrochemical detection 491 (1989) 240

Nandrolone

Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121

Naphthalene-2,3-dicarboxaldehyde

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Naphthalenes

Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 466 (1989) 271

1,2-Naphthoquinone-4-sulphonate

HPLC determination of low levels of primary and secondary amines in aqueous media via derivatisation with 1,2-naphthoquinone-4-sulphonate 483 (1989) 341

 β -Naphthoquinone-4-sulphonate

Electrochemical label for HPLC. I. β -Naphthoquinone-4-sulphonate as an electrochemical detection labelling reagent of amines 489 (1989) 371

Naphthylamines

Separation of 1-naphthylamine from the five known impurities and sub-ppm level detection and quantitation of 2-naphthylamine by normal-phase HPLC 464 (1989) 201

Naproxen

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Discussion of a controversial chiral recognition model 469 (1989) 67

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

Narcotine

Programmable temperature vaporizer applications in a high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384

Narcotoline

Determination of noscapine and its metabolites in plasma by coupled-column LC 459 (1988) 301

Natural products

Use of absorbance ratios in densitometric measurements for the characterization and identification of natural products of pharmacological interest 469 (1989) 390

NEMROD

Computer-assisted optimization with NEMROD software 485 (1989) 433

Neopterin

Determination of pterins in urine by HPLC on C_{18} columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Nepenthes alata

Purification of the decomposing enzyme from *Nepenthes alata* against glycophorin B of human red blood cells by HPLC 489 (1989) 384

Neral

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Nesosteine

HPLC assay of nesosteine in human plasma and urine 487 (1989) 117

Netilmicin

Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125

Neuroleptic drugs

Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115

Neuromodulin

Microheterogeneity of the growth-associated neuronal protein B-50 (GAP-43). Contribution of phosphorylation by protein kinase C 483 (1989) 301

Neuropeptides

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Niacin

Simultaneous determination of niacin and niacinamide in meats by HPLC 457 (1988) 403

Niacinamide

Simultaneous determination of niacin and niacinamide in meats by HPLC 457 (1988) 403

Nicarbazin

HPLC screening method for low levels of nicarbazin in eggs with off-line cartridge sample clean-up 481 (1989) 452

Nickel complexes

Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115

Chromatographic studies of metal complexes. V. TLC of some octahedral cobalt(III) and nickel(II) complexes 469 (1989) 383

Nickel(II) bis[α -(heptafluorobutanoyl)terpeneketonates]

Evaluation of nickel(II) bis[α -(heptafluorobutanoyl)terpeneketonates] as chiral stationary phases for the enantiomer separation of alkyl-substituted cyclic ethers by complexation GC 475 (1989) 23

Nickel(II) desoxyphylloerythroetioporphyrin

Separation of nickel(II) alkylporphyrins by reversed-phase HPLC. Methodology and application 467 (1989) 195

Nickel(II) etioporphyrins

Separation of nickel(II) alkylporphyrins by reversed-phase HPLC. Methodology and application 467 (1989) 195

Nickel(II) porphyrins

Separation of nickel(II) alkylporphyrins by reversed-phase HPLC. Methodology and application 467 (1989) 195

***Nicotiana tabacum* L., leaf surface components**

Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429

Nicotinamide

GC determination of nicotinamide in meats and meat products as 3-cyanopyridine 466 (1989) 307

Nicotinamide-adenine dinucleotide kinase

HPLC assay for nicotinamide-adenine dinucleotide kinase 476 (1989) 487

Nicotinate esters

Convenient method for the analysis of nicotinic acid as a metabolite of nicotinate esters in various tissue homogenates 495 (1989) 256

Nicotine

Identification of nicotine biosynthetic intermediates in tobacco roots by LC-MS 474 (1989) 329

Capillary GC determination of *trans*-3'-hydroxycotinine simultaneously with nicotine and cotinine in urine and blood samples 479 (1989) 410

Separation of homologous and isomeric alkaloids related to nicotine on a β -cyclodextrin-bonded phase 483 (1989) 169

Determination of nicotine and cotinine in urine by HPLC (in French) 488 (1989) 487

Nicotinic acid

Convenient method for the analysis of nicotinic acid as a metabolite of nicotinate esters in various tissue homogenates 495 (1989) 256

Nifedipine

GC-MS analysis of plasma nifedipine 495 (1989) 123

Nitrate

Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Calculation of column performance in nitrate removal from water supplies by anion exchange 499 (1990) 677

Nitrazepam

Determination of intact nitrazepam in plasma by GC (in French) 491 (1989) 461

Nitriles

Gas chromatography of Titan's atmosphere. I. Analysis of low-molecular-weight hydrocarbons and nitriles with a PoraPLOT Q porous polymer coated open-tubular capillary column 481 (1989) 45

Nitrilotriacetic acid

Ion chromatography method for iminodiacetic acid determination in biological matrices in the presence of nitrilotriacetic acid 462 (1989) 293

Nitrite

Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Ion chromatographic determination of nitrite in the presence of a large amount of chloride 475 (1989) 331

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Nitroalkanes

Nitroalkanes as a multidetector retention index scale for drug identification in GC 454 (1988) 345

***p*-Nitroanilide substrates**

Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401

***p*-Nitroaniline**

Some factors in solute partitioning between water and micelles or polymeric micelle analogues 463 (1989) 73

Nitrobenzenes

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

***p*-Nitrobenzenes**

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

N-4-Nitrobenzoylamino acid isopropyl esters

Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121

Nitrocellulose

Application of inverse GC to solid propellants 457 (1988) 354

4-Nitro-*p*-cresidine

Isolation, characterization and determination of trace organic impurities in FD&C Red No. 40 467 (1989) 167

Nitrofurans

Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet 465 (1989) 442

Simultaneous determination of nitrofurans derivatives in various animal substrates by HPLC 472 (1989) 321

On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofurans residues in edible products 500 (1990) 453

N-[4-(5-Nitro-2-furyl)-2-thiazolyl]formamide

Quantitation of N-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide and 2-amino-4-(5-nitro-2-furyl)thiazole in rodent diet 465 (1989) 442

Nitrogen

Sequential hydrocarbon and nitrogen detection in TLC analysis of oil shale bitumen 465 (1989) 345

Improvement of a carbon-nitrogen elemental analyser for marine samples collected on glass-fibre filters 469 (1989) 399

Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197

Nitrogen-containing compounds

Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61

Nitrogen heterocyclics

LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249

Nitroguaiacols

Synthesis, GLC analysis and GC-MS identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99

Nitrones

Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by TLC 473 (1989) 287

***p*-Nitrophenol**

Some factors in solute partitioning between water and micelles or polymeric micelle analogues 463 (1989) 73

Nitrophenols

Identification of nitrophenols in rain-water by HPLC with photodiode array detection 478 (1989) 399

***p*-Nitrophenylacetic acid**

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

***p*-Nitrophenylglucoside**

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

***p*-Nitrophenylglucuronide**

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

***o*-Nitrophenylhydrazine**

Determination of methyl ethyl ketone in human urine after derivatization with *o*-nitrophenylhydrazine, using solid-phase extraction and reversed-phase HPLC and UV detection 489 (1989) 419

2-Nitrophenylhydrazonopropandinitrile

Separation of thiols on Spheron Ara activated with 2-nitrophenylhydrazonopropandinitrile ligand 455 (1988) 344

***p*-Nitrophenyllactoside**

Study on the analogy of GPC and cuprophan dialysis for the isolation of uremic 'middle molecules' using model compounds 497 (1989) 79

Nitrophenylvaleric acid

Purification of nitrophenylvaleric acid reaction mixtures by counter-current chromatography 484 (1989) 391

Nitro-polynuclear aromatic compounds

HPLC separation of ring-oxidized metabolites of nitro-polycyclic aromatic hydrocarbons 461 (1989) 315

Nitrosamines

Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419

Free energy correlations: dead volume and the reversed-phase HPLC capacity factor in the interaction index model. A discussion and application to a nitrosamine series 481 (1989) 97

N-Nitrosamino acids

HPLC separations of nitrosamines. III. Conformers of N-nitrosamino acids 452 (1988) 511

N-Nitroso compounds

Separation and assay of N-nitroso compounds by HPLC with chemiluminescence detection 463 (1989) 201

N-Nitrosodibenzylamine

Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419

N-Nitrosodicyclohexylamine

Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419

N-Nitrosodiethanolamine

Determination of N-nitrosodiethanolamine in cosmetics. HPLC and GC-MS as alternative methods to chemiluminescence detection 472 (1989) 231

N-Nitrosoethylphenylamine

Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419

N-Nitrosomethylphenylamine

Determination of non-volatile N-nitrosamines in baby bottle rubber nipples and pacifiers by HPLC-thermal energy analysis 463 (1989) 419

Nitrous oxide

Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61

Nitrovanillins

Synthesis, GLC analysis and GC-MS identification of nitrovanillins, chloronitrovanillins, nitroguaiacols and chloronitroguaiacols 467 (1989) 99

Nitroxide radicals

Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by TLC 473 (1989) 287

Noble metals, cyano complexes

Isotachophoretic separation of cyano complexes of noble metals using ion-pairing equilibrium in water-acetonitrile solvent 472 (1989) 303

Nobotanins

Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139

Nocardia asteroides

GC fatty acid determination to differentiate *Nocardia asteroides*, *Mycobacterium fortuitum* and *Mycobacterium chelonae* 487 (1989) 142

Noise

Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 457 (1988) 1

Nomenclature

On some nomenclature in chromatography 471 (1989) 447

Non-electrolytes

Indirect fluorimetric detection of non-electrolytes in TLC 455 (1988) 382

Non-porous packings

Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391

Non-steroidal anti-inflammatory drugs

Measurement of the distribution coefficients of several classes of drug using reversed-phase TLC 452 (1988) 257

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

Identification and simultaneous determination of non-steroidal anti-inflammatory drugs using HPLC 496 (1989) 301

Non-volatile fatty acids

GC-MS studies after methylation of metabolites produced by some anaerobic bacteria in spent media 493 (1989) 257

Nonoxynol-9

Analytical HPLC system for separation of components in nonoxynol-9 spermicidal agents 478 (1989) 244

Noradrenaline

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237

Separation of optical isomers by capillary zone electrophoresis based on host-guest complexation with cyclodextrins 474 (1989) 441

Reduced variation in retention times of biogenic amines by temperature control in LC with electrochemical detection 479 (1989) 216

Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed LC 482 (1989) 65

Determination of catecholamines in human plasma by HPLC: comparison between a new method with fluorescence detection and an established method with electrochemical detection 487 (1989) 17

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Effects of mobile phase composition on the chromatographic and electrochemical behaviour of catecholamines and selected metabolites. Reversed-phase ion-paired HPLC using multiple-electrode detection 493 (1989) 1

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Highly sensitive determination of catecholamine and serotonin concentrations in plasma by LC electrochemistry 493 (1989) 157

Routine measurement of plasma catecholamines in clinical pharmacology by HPLC with electrochemical detection 493 (1989) 287

Catecholamine measurements in urine by HPLC with amperometric detection—comparison with an autoanalyser fluorescence method 494 (1989) 53

Measurement of urinary free catecholamines using HPLC with electrochemical detection 494 (1989) 303

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Norandrostenedione

Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105

Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173

Norantipyrene

Modified HPLC assay for antipyrene and its three major metabolites in urine 494 (1989) 424

Norbrassinolide

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Norbuprenorphine

Quantitative determination of buprenorphine and its active metabolite, norbuprenorphine, in human plasma by GC—chemical ionization MS 487 (1989) 469

Norcastasterone

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Norcocaine

Determination of cocaine and selected metabolites in canine and human serum by reversed-phase HPLC on coupled cyanopropyl and silica columns 495 (1989) 153

Norcodeine

Simultaneous determination of codeine, norcodeine and morphine in biological fluids by HPLC with fluorescence detection 491 (1989) 367

Determination of codeine and its metabolites in human blood plasma and in microsomal incubates by HPLC with UV detection 491 (1989) 473

Norephedrine

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Separation of optical isomers by capillary zone electrophoresis based on host—guest complexation with cyclodextrins 474 (1989) 441

Norepinephrine

see Noradrenaline

Norethisterone

Studies on anabolic steroids. I. Integrated methodological approach to the GC—MS analysis of anabolic steroid metabolites in urine 489 (1989) 23

Norfluoxetine

Determination of fluoxetine and norfluoxetine by HPLC 499 (1990) 601

Norgallopamil

GC determination of gallopamil and norgallopamil in human plasma 487 (1989) 73

Normetanephrine

Simultaneous quantitation of catecholamines and O-methylated metabolites in urine by isocratic ion-pairing HPLC with amperometric detection 459 (1988) 251

Separation of norepinephrine and metabolites as Dns derivatives by two-dimensional TLC 465 (1989) 448

Analysis of the O-methylated metabolites of isoprenaline, adrenaline and noradrenaline in physiological salt solutions by HPLC with electrochemical detection 487 (1989) 29

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Norpropoxyphene

Simultaneous determination of propoxyphene and norpropoxyphene in biological samples by GC using an on-column injection technique with a fused-silica capillary column 491 (1989) 448

Nortestosterone

Immunoaffinity pre-column for selective on-line sample pre-treatment in HPLC determination of 19-nortestosterone 452 (1988) 419

Comparison of the use of MS and methylene unit values in the determination of the stereochemistry of estranediol, the major urinary metabolite of 19-nortestosterone in the horse 479 (1989) 73

Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23

Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95

Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105

Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111

Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157

Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173

Determination of hormone contaminants in milk replacers by HPLC and immunoassay 489 (1989) 181

Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205

Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235

Norverapamil

Determination of the enantiomers of verapamil and norverapamil in serum using coupled achiral-chiral HPLC 497 (1989) 191

Noscapine

Effects of system peaks in ion-pair reversed-phase LC for noscapine and metabolites 452 (1988) 241

Determination of noscapine and its metabolites in plasma by coupled-column LC 459 (1988) 301

Nubian mummy

Capillary GC-MS and identification of substituted carboxylic acids in lipids extracted from a 4000-year-old nubian burial 479 (1989) 61

Nuclear magnetic resonance spectroscopy

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

Comparison of capillary GC with ^1H and ^{13}C nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis* 462 (1989) 387

Reversed-phase HPLC-NMR on-line coupling with solvent non-excitation 463 (1989) 355

Separation and characterization of methylcyclopentadiene dimers by GC and molecular spectroscopy 464 (1989) 93

Use of ^1H NMR spectroscopy in the selection of the mobile phase for HPLC monitoring of the synthesis of ibuprofen 467 (1989) 276

GC method for enantiomeric excess determination of alcohols not requiring chiral auxiliary compounds or chiral stationary phases 467 (1989) 285

Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ^{29}Si nuclear magnetic resonance spectroscopy 477 (1989) 3

Correlation between chromatography and ^1H NMR parameters in sterically substituted phenols 483 (1989) 390

Nucleic acid fragments

Microcolumn LC of small nucleic acid constituents 475 (1989) 13

Nucleic acids

Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401

Micropreparative separation of transfer ribonucleic acids by HPLC 463 (1989) 409

High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299

Overpressured multi-layer chromatography 471 (1989) 375

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309

Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413

Capillary electrophoresis of nucleic acids with a fully automated apparatus 480 (1989) 331

Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 499 (1990) 177

Nucleobases

Trace detection of modified DNA bases via moving-belt LC-MS using electrophoretic derivatization and negative chemical ionization 465 (1989) 285

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Microcolumn LC of small nucleic acid constituents 475 (1989) 13

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Biochemical applications of LC-MS 492 (1989) 189

Nucleosides

Determination of 5-methylcytosine in DNA by GC-electron-capture detection 452 (1988) 51

MS of electrophore-labeled nucleosides. Pentafluorobenzyl and cinnamoyl derivatives 452 (1988) 369

Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167

Ribonucleoside analysis by reversed-phase HPLC 471 (1989) 3

Microcolumn LC of small nucleic acid constituents 475 (1989) 13

Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297

Liquid chromatographic assay of carbovir, a carbocyclic nucleoside active against human immunodeficiency virus 489 (1989) 323

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Biochemical applications of LC-MS 492 (1989) 189

Simultaneous determination of pseudouridine and creatinine in untreated urine by ion-pair LC with diode-array UV detection 493 (1989) 35

Nucleotides

Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385

Novel dual-wavelength monitoring approach for the improved rapid separation and estimation of adenine nucleotides and creatine phosphate by HPLC 459 (1988) 229

Measurement of the release of adenine nucleotides during platelet aggregation by small-bore-column isocratic HPLC 459 (1988) 281

Isocratic reversed-phase HPLC of ribonucleotides, deoxynucleotides, cyclic nucleotides and deoxycyclic nucleotides 461 (1989) 259

Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167

Microcolumn LC of small nucleic acid constituents 475 (1989) 13

HPLC analysis of fluorescent derivatives of adenine and adenosine and its nucleotides. Optimization of derivatization with chloroacetaldehyde and chromatographic procedures 475 (1989) 311

Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37

Indirect fluorimetric detection and quantification in capillary zone electrophoresis of inorganic anions and nucleotides 480 (1989) 169

Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Reversed-phase LC determination of 2',3'-dideoxycytidine in human blood samples 491 (1989) 215

Biochemical applications of LC-MS 492 (1989) 189

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Application of the fast protein LC system and MonoQ HR5/5 anion exchanger to the separation of nucleotides 493 (1989) 45

Method for the determination of the specific activities of UTP and CTP in mouse kidney by HPLC 495 (1989) 249

Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441

Numerical simulation

Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 458 (1988) 13

Numeric peak information

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

O

Oakmoss products

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Oak wood extract

Preparative separation by HPLC of an extract of oak wood and determination of the composition of each fraction 457 (1988) 431

Objective functions

Objective functions in experimental and simulated chromatographic optimization. Comparative study and alternative proposals 485 (1989) 477

Obstructive factors

New method for measuring obstructive factors and porosity using GC instrumentation 471 (1989) 123

Ochratoxin A

HPLC determination of zearalenone and ochratoxin A in cereals and feed 478 (1989) 269

Ochratoxins

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

2-*n*-Octadecylindole-5-carboxylic acid

Determination of 2-*n*-octadecylindole-5-carboxylic acid in human plasma by HPLC 497 (1989) 121

Octadecyl polyvinyl copolymer

Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115

Octadecylsilanes, stability

Study of the changes in mono-, di- and trifunctional octadecyl-modified packings for reversed-phase HPLC with different eluent compositions 479 (1989) 269

Octamethylcyclotetrasiloxane

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

1-Octanol

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Octopamine

LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491

Microassay for N-acetyltransferase activity using HPLC with electrochemical detection 487 (1989) 287

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

p-Octopamine

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Octyl-Sepharose CL-4B

Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237

Octylsilyl-silica gel

Chromatographic evaluation of oligomeric C₈ reversed phases for use in HPLC 471 (1989) 283

Oestrogen receptor

Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455

Oestrogens

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Off-flavour compounds

Isolation of off-flavour compounds in water by chromatographic sniffing and preparative GC 482 (1989) 23

Ofloxacin

TLC separation and in situ fluorimetric determination of ofloxacin in plasma and pleural fluid 490 (1989) 395

Determination of ofloxacin in bronchoalveolar lavage fluid by HPLC and fluorimetric detection 495 (1989) 354

Oils

High-performance size-exclusion chromatography of oils and fats 454 (1988) 317

Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC-GC 471 (1989) 397

Oleic acid

Simultaneous HPLC analysis of oleic acid and simple glycerides of oleic acid 465 (1989) 438

2'-5' Oligoadenylates

Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185

2'-5' Oligoadenylate synthetase

Investigations on the interferon-induced 2'-5' oligoadenylate system using analytical capillary isotachopheresis 470 (1989) 185

Oligodeoxyribonucleotides

Reversed-phase HPLC of very long oligodeoxyribonucleotides 477 (1989) 420

Oligoethylene oxide

Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary GC and SFC 473 (1989) 103

Oligogalacturonic acids

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Oligonucleotides

Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385

High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients 465 (1989) 325

Retention modification of nucleic acid constituents in reversed-phase HPLC 468 (1989) 167

Purification of synthetic oligonucleotides on a weak ion-exchange column 476 (1989) 439

HPLC of amino acids, peptides, proteins and polynucleotides. XCIV. Solid-phase hybridization of complementary oligonucleotides 476 (1989) 445

Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321

Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Oligonucleotide synthesis

Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49

Oligooxyethylene compounds

Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s) 464 (1989) 251

Oligopeptides

Kinetic analysis of the carboxypeptidase A hydrolysis of oligopeptides by reversed-phase HPLC 479 (1989) 27

Oligoribonucleotides

High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients 465 (1989) 325

Oligosaccharides

Size fractionation of oligosaccharides by LC on a cation-exchange column 464 (1989) 323

High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365

Determination of Stokes radii of hyaluronate oligosaccharides by Sephadex gel chromatography 472 (1989) 145

Separation by HPLC of oligosaccharides obtained after mild acid hydrolysis of *Klebsiella pneumoniae* O₁K₂ (NCTC 5055) lipopolysaccharides 474 (1989) 452

Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography 499 (1990) 205

Oligothymidylates

Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49

Omeprazole

Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Open-channel isoelectric focusing

Open-channel isoelectric focusing in thermally engendered pH gradients 480 (1989) 293

Open-tube chromatography

Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61

Open-tubular columns

see also Capillary columns

Theory of open-tube chromatography: an exact proof of Golay's equations 471 (1989) 61

Open-tubular liquid chromatography-mass spectrometry

Comparison of open-tubular LC-MS and direct liquid introduction LC-MS for the analysis of metribuzin and its metabolites in plant tissue and water samples 474 (1989) 301

Open-tubular reactors

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Operating pressure

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Operational electrolytes

Generation of operational electrolytes for isotachopheresis and capillary zone electrophoresis in a three-pole column 470 (1989) 43

k-Opioid agonists

HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481

Opioid peptides

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with

naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Optical activity detection

Peak identification of amino acids in LC by optical activity detection 457 (1988) 421

Optimization

Theoretical optimization of operating parameters in non-ideal displacement chromatography 454 (1988) 1

Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83

Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95

Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335

Practical optimization of the separation of a limited subset of components by using isoelutropic ternary eluent mixtures in reversed-phase HPLC 458 (1988) 371

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

Effects of peak tailing on computer optimisation procedures for HPLC. II. An optimisation routine for tailed peaks 459 (1988) 79

Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305

Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407

An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23

Optimization of basic parameters in temperature-programmed GC separations of multi-component samples within a given time 463 (1989) 235

Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243

Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27

Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225

Optimization of mobile phase composition for HPLC analysis of eleven priority substituted phenols 464 (1989) 405

Multifactor simultaneous statistical optimization of the mobile phase composition for the separation of inorganic anions in reversed-phase ion-interaction chromatography 467 (1989) 15

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

Systematic procedure for the determination of the nature of the solutes prior to the selection of the mobile phase parameters for optimization of reversed-phase ion-pair chromatographic separations 478 (1989) 21

Evaluation of the optimization potential in HPLC separations of optical isomers with swollen microcrystalline cellulose triacetate 478 (1989) 101

Optimization of size-exclusion separation of proteins on a Superose column 479 (1989) 159

Optimization in photochemical reaction detection. Application to HPLC-photolysis-electrochemical detection 481 (1989) 121

Scale-up and optimization in production LC 484 (1989) 211

Simplex optimization of HPLC separations (Review) 485 (1989) 3

Computer-assisted optimization in HPLC method development 485 (1989) 15

Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27

Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113

Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143

Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183

Comparison of optimization methods in reversed-phase HPLC using mixture designs and multi-criteria decision making (Review) 485 (1989) 195

Explanations and advice provided by an expert system for system optimization in HPLC 485 (1989) 219

Uniform shell designs for optimization in reversed-phase LC 485 (1989) 311

Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383

Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403

Computer-assisted optimization with NEMROD software 485 (1989) 433

Microcomputer-assisted LC separation system (MCASYST) for method development and data handling 485 (1989) 461

Objective functions in experimental and simulated chromatographic optimization. Comparative study and alternative proposals 485 (1989) 477

Optimization strategies for solutes exhibiting peak tailing. Comparison of two approaches 485 (1989) 501

Solvent modulation in LC: optimization strategies 485 (1989) 541

Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585

Effects of different organic modifiers in optimization of reversed-phase HPLC gradient elution of a mixture of natural secoiridoid compounds 485 (1989) 631

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57

Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431

Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489

Strategy for peak tracking in LC on the basis of a multivariate analysis of spectral data 499 (1990) 499

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Orellanine

Chromatographic behaviour and determination of orellanine, a toxin from the mushroom *Cortinarius orellanus* 478 (1989) 231

Organic acids

see also Carboxylic acids

Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43

New developments in ion chromatographic methods for atmospheric analysis 482 (1989) 307

Determination of organic and inorganic acids in precipitation samples 482 (1989) 381

HPLC method for the rapid profiling of plasma and urinary organic acids 487 (1989) 147

Urinary organic acids: retention indices on two capillary GC columns 491 (1989) 186

HPLC determination of metabolic products for fermentation control of mammalian cell culture: analysis of carbohydrates, organic acids and orthophosphate using refractive index and UV detectors 497 (1989) 59

Organic additives

LC analysis of organic additives in copper plating baths 452 (1988) 503

Organic emissions

Application of headspace GC to the measurement of organic emissions 456 (1988) 241

Organic solvents

Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137

Use of GC in the study of the oxidative decomposition of spent organic solvents from reprocessing plants 463 (1989) 81

Effect of organic solvents in sample solutions and injection volumes on chromatographic peak profiles of analytes in reversed-phase HPLC 483 (1989) 189

Organoarsenic compounds

Separation and determination of organoarsenic compounds with a microbore column and UV detection 466 (1989) 379

Organochlorine compounds

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the GC determination of organochlorine compounds in some food commodities 457 (1988) 387

GC detection of selected organochlorine species using an alternating current plasma detector 467 (1989) 373

Factorial optimization for flows in the Hall electrolytic conductivity detector 473 (1989) 27

Organochlorine pesticides

Large-volume spotting apparatus and its application to the semi-quantitative determination of organochlorine pesticides in tea 469 (1989) 403

Organonitro compounds

Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151

Organophosphates

Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353

Organophosphorus acids

Determination of organophosphorus acids by thermospray LC-MS 454 (1988) 261

Organophosphorus compounds

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163

Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149

HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkyldithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

On-line flame photometric detection in micro-column LC 467 (1989) 385

Isolation and concentration of organophosphorus pesticides from water using a C₁₈ reversed phase 472 (1989) 365

Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27

Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37

Organosilicones, cyclic

Synthesis of bonded layers from cyclic organosilicones in the gas phase 456 (1988) 337

Organosilver bonded phase

Hydrocarbon group type analysis of petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347

Orientalidine

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

Oripavine

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

L-Ornithine

Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101

Ornithine decarboxylase

Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101

Orotic acid

Simple method of measurement of orotic acid and orotidine in urine 493 (1989) 388

Determination of urinary orotate excretion by HPLC 497 (1989) 101

Orotidine

Simple method of measurement of orotic acid and orotidine in urine 493 (1989) 388

Orsellic acid

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Orthogonal field alternation gel electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Orthophosphate

HPLC determination of metabolic products for fermentation control of mammalian cell culture: analysis of carbohydrates, organic acids and orthophosphate using refractive index and UV detectors 497 (1989) 59

Osmolytes, algal

Separation of algal organic osmolytes by HPLC 479 (1989) 353

Otonecine

Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Outer-sphere complexing

Some considerations on the "charge" on a metal ion in ion-exchange chromatography 452 (1988) 265

OV-101

Identification of alkylbenzenes up to C₁₂ by capillary GC and combined GC-MS. I. OV-101 as stationary phase 455 (1988) 301

Ovalbumin

Thermodynamic model for electrostatic-interaction chromatography of proteins 499 (1990) 63

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Overlapped chromatogram

An information theory of chromatography. II. Application of *FUMI* to the optimization of overlapped chromatograms 462 (1989) 23

Overlapping-band separations

Preparative HPLC under isocratic conditions. III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95

Overloaded elution chromatography

Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209

Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431

Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21

Overloaded separations

Preparative HPLC under isocratic conditions. I. Craig simulations for heavily overloaded separations 483 (1989) 63

Overpressured layer chromatography

Overpressured multi-layer chromatography 471 (1989) 375

Overpressured multi-layer chromatography

Overpressured multi-layer chromatography 471 (1989) 375

Oxalic acid

Detection and quantitation of oxalic acid by capillary GC 481 (1989) 55

Oxandrolone

Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121

Oxazepam

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Use of a fragment of bovine serum albumin as a chiral stationary phase in LC 482 (1989) 35

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Oxidation

Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283

Oxidation-reduction train

Method for radio-capillary GC employing a modified oxidation-reduction train and flow-through detector 500 (1990) 349

Oxine-copper

Determination of oxine-copper in orange by GC 474 (1989) 381

Oxiracetam

Determination of oxiracetam in plasma and urine by column-switching HPLC 497 (1989) 223

Oxiranes

Evaluation of nickel(II) bis[α -(heptafluorobutanoyl)terpeneketonates] as chiral stationary phases for the enantiomer separation of alkyl-substituted cyclic ethers by complexation GC 475 (1989) 23

7-Oxo alcohols

HPLC of long chain 7-oxo alcohols, acids and their esters 475 (1989) 426

Oxocarboxylic acids

Methylation of ω -oxocarboxylic acids with diazomethane: effect of solvent on by-product formation 467 (1989) 279

GC determination of oxo- and hydroxycarboxylic acids in serum and urine of diabetic and normal subjects 468 (1989) 157

Oxo compounds

Liquid column chromatography of oxo compounds as their 2,4-dinitrophenylhydrazones with special reference to glucose-glycine Maillard reaction products 500 (1990) 607

Oxolinic acid

Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397

Rapid HPLC method for the determination of oxolinic acid in fish serum employing solid-phase extraction 494 (1989) 335

Solid-phase extraction and HPLC determination of flumequine and oxolinic acid in salmon plasma 496 (1989) 355

6-Oxoprostaglandin F_{1 α}

Simultaneous determination of the primary prostanoids prostaglandin E₂, prostaglandin F_{2 α} and 6-oxoprostaglandin F_{1 α} by immunoaffinity chromatography in combination with negative ion chemical ionization GC-tandem MS 494 (1989) 13

17-Oxosteroid sulphates

Determination of 17-oxosteroid sulphates in serum by ion-pair extraction, prelabelling with dansylhydrazine and HPLC with fluorescence detection 474 (1989) 363

Oxybenzone

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

Oxybutynin

GC-MS analysis of plasma oxybutynin using a deuterated internal standard 487 (1989) 91

Oxygen flask combustion

Determination of selenium in drugs by oxygen flask combustion and ion chromatography 463 (1989) 147

Oxygen, singlet

HPLC-electrochemical detection of singlet oxygen by reaction with 2,2,6,6-tetramethyl-4-piperidone 465 (1989) 417

Oxymetholone

Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121

Oxy radicals

HPLC method for the direct quantitation of oxy radicals in myocardium and blood by means of 1,3-dimethylthiourea and dimethylsulfoxide 459 (1988) 269

Oxytetracycline

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Determination of oxytetracycline in plasma from rainbow trout using HPLC with UV detection 493 (1989) 217

Ozone

Improved HPLC method for artifact-free measurements of aldehydes in the presence of ozone using 2,4-dinitrophenylhydrazine 483 (1989) 431

P**Packed-bed column adsorption**

Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187

Packed-bed reactors

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Packing technology

Packing technology, column bed structure and chromatographic performance of 1–2- μm non-porous silicas in HPLC 465 (1989) 39

PACS-1

Extraction of butyltin species and their GC determination as chlorides in a sediment certified reference material for trace metals, PACS-1 475 (1989) 373

Paeonol

Simple method for the determination of paeonol in human and rabbit plasma by HPLC using solid-phase extraction and UV detection 489 (1989) 432

Pamidronate disodium

Determination of the bisphosphonate pamidronate disodium in urine by pre-column derivatization with fluorescamine, HPLC and fluorescence detection 489 (1989) 446

Panaxxytriol

Determination of panaxytriol, a new type of tumour growth inhibitor from Panax ginseng, by capillary GC 481 (1989) 368

Pancreatic stone protein

Purification of the pancreatic stone protein by HPLC 493 (1989) 164

Pantothenic acid

Determination of optical purity by HPLC on chiral stationary phases: pantothenic acid and related compounds 474 (1989) 405

Papaveraldinium

Indirect detection of inorganic anions by HPLC: use of papaveraldinium as an UV absorbing agent 478 (1989) 131

Papaverine

Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384

Paracelsin peptides

Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135

Paracetamol

Simultaneous HPLC determination of propoxyphene and acetaminophen in pharmaceutical preparations 455 (1988) 279

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Utility of solution electrochemistry MS for investigating the formation and detection of biologically important conjugates of acetaminophen 474 (1989) 245

Paraffins

Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139

Paraquat

High-sensitivity HPLC analysis of diquat and paraquat with confirmation 479 (1989) 153

GC determination of diquat and paraquat in crops 479 (1989) 243

Rapid quantification of paraquat and diquat in serum and urine using HPLC with automated sample pretreatment 481 (1989) 434

Parathion-methyl

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163

Parsol 1789

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

Parsol MCX

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

Partial molar free energies of mixing

Solubility parameters of GC mixed stationary phases 457 (1988) 55

Partial molar volume

Effect of the partial molar volume of the solute in the stationary phase on retention in SFC 459 (1988) 183

Particle beam-type interface

Particle beam LC-electron impact MS of dyes 482 (1989) 75

Particle size

- Contemporary LC column design 468 (1989) 99
- Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85
- Preparative packing utility as a function of particle size 484 (1989) 267

Partition coefficients

- Contribution of electronic effects to the lipophilicity determined by comparison of values of $\log P$ obtained by HPLC and calculation 452 (1988) 227
- Correlations between octanol-water partition coefficients and reversed-phase HPLC capacity factors. Chlorobiphenyls and alkylbenzenes 454 (1988) 37
- Determination of partition coefficients by headspace GC 455 (1988) 45
- Modeling octanol-water partition coefficients by reversed-phase LC 461 (1989) 177
- Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21
- Some factors in solute partitioning between water and micelles or polymeric micelle analogues 463 (1989) 73
- Partition of hydrophobic compounds between two liquid phases of similar hydrophobicity 464 (1989) 49
- Prediction of alkane-water partition coefficients using a C_{18} derivatized polystyrene-divinylbenzene stationary phase 464 (1989) 400
- Use of centrifugal partition chromatography for assessing partition coefficients in various solvent systems 469 (1989) 91
- Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115
- Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1
- Rapid headspace GC method for the determination of liquid/gas partition coefficients 491 (1989) 271
- Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and $\log P$ values 498 (1990) 179
- Limiting activity coefficients and gas-liquid partition coefficients of alkylbenzenes in hydro-organic solvents 500 (1990) 215

Partitioning

- Studies of adsorption and partition effects in LC with mixed mobile phases 452 (1988) 131
- Partition of hydrophobic compounds between two liquid phases of similar hydrophobicity 464 (1989) 49
- Analysis of density-fractionated rat red blood cells of different ages by partitioning in two-polymer aqueous phase systems 479 (1989) 307

Partition models

- Study of partition models in reversed-phase LC based on measured mobile phase solute activity coefficients 499 (1990) 373

Patulin

- Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

PCF 39

- HPLC evaluation of PCF 39, a new immunomodulator agent 465 (1989) 95

PD117302

- HPLC assay of k -opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481

Peak, mathematical modelling

- Mathematical modelling of the peak in LC 469 (1989) 29

Peak-area measurements

- Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 482 (1989) 207

Peak asymmetry

- Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 457 (1988) 1

- Correction of the resolution function for non-ideal peaks 458 (1988) 355

Peak capacity

- Optimization of basic parameters in temperature-programmed GC separations of multi-component samples within a given time 463 (1989) 235

Peak compression

- Belt-speed programming, a new technique for peak compression in LC-MS and supercritical-

fluid chromatography–mass spectrometry with moving-belt interfaces 474 (1989) 275

Peak distortion

Injection of eluents in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Peak excess

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Peak height

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Comparison of manual and exponentially modified gaussian based methods for the determination of the peak heights of selected-ion current profiles acquired in a mass spectral drug assay 472 (1989) 250

Peak homogeneity

Artificial intelligence techniques for peak homogeneity validation in LC 465 (1989) 59

Peak overlap

Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77

Peak profiles

see Elution band profiles

Peak recognition

Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335

Peak skew

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Peak splitting

Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121

Peak tailing

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

Effects of peak tailing on computer optimisation procedures for HPLC. II. An optimisation routine for tailed peaks 459 (1988) 79

Optimization strategies for solutes exhibiting peak tailing. Comparison of two approaches 485 (1989) 501

Peak tracking

Selection of mobile phase parameters and their optimization in reversed-phase LC (Review) 485 (1989) 27

Recent advances in fuzzy peak tracking in HPLC 485 (1989) 557

Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569

Strategy for peak tracking in LC on the basis of a multivariate analysis of spectral data 499 (1990) 499

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Pectin

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Peltier thermoelectric devices

Use of Peltier thermoelectric devices to control column temperature in high-performance capillary electrophoresis 480 (1989) 111

Penicillamine

Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359

Determination of penicillamine, penicillamine disulfide and penicillamine–glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341

Penicillamine disulphide

Determination of penicillamine, penicillamine disulfide and penicillamine–glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341

Penicillamine–glutathione mixed disulphide

Determination of penicillamine, penicillamine disulfide and penicillamine–glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341

Penicillin G

Development of an analytical method for penicillin G in bovine milk by LC with UV-visible detection and confirmation by MS detection 490 (1989) 101

Penicillin N

On-line HPLC for the determination of cephalosporin C and by-products in complex fermentation broths 499 (1990) 609

Pentaerythritoltetranitrate

Packed-column SFC separation of highly explosive compounds 467 (1989) 423

Pentafluorobenzenesulphonates

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

Pentafluorobenzoic anhydride

Pentafluorobenzoic anhydride as a derivatizing agent for alcohols and hydroxy fatty acid methyl esters detected by electron capture in GC 466 (1989) 251

Pentafluorobenzoyloxime acetates

GC determination of glycoprotein amino sugars as O-pentafluorobenzoyloxime acetates 467 (1989) 315

2-Pentafluoroethylalanine

Milligram-scale separation of optical isomers of 2-pentafluoroethylalanine and 2-trifluoromethylalanine by medium-performance reversed-phase chromatography 469 (1989) 434

Pentamethylparosaniline

HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259

Pentamidine

HPLC method for the quantification of several diamidine compounds with potential chemotherapeutic value 494 (1989) 191

1-Pentanol

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

Pentoxifylline

Determination of pentoxifylline and its 5-hydroxy metabolite in human plasma by solid-

phase extraction and HPLC with UV detection 495 (1989) 215

Pepsins

Improved separation of human pepsins from gastric juice by high-performance ion-exchange chromatography 476 (1989) 291

Heterogeneity of human pepsin 1, as shown by high-performance ion-exchange chromatography 476 (1989) 491

Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 489 (1989) 390

Peptide chain length

Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 458 (1988) 193

Peptide leukotrienes

Rapid and simple assay method to study the content and the biosynthesis of peptide leukotrienes in whole blood 491 (1989) 193

Peptide M

Scale-up methodology for the preparative purification of peptide M 459 (1988) 361

Peptide mapping

Formic acid as a milder alternative to trifluoroacetic acid and phosphoric acid in two-dimensional peptide mapping 469 (1989) 231

Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345

Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125

Peptides

Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg-Lys-Asp) 452 (1988) 317

Development of a solid-phase extraction technique for α -human atrial natriuretic peptide in human plasma 452 (1988) 469

HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129

- Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147
- On-line capillary zone electrophoresis-ion spray tandem MS for the determination of dynorphins 458 (1988) 313
- Scale-up methodology for the preparative purification of peptide M 459 (1988) 361
- Thermospray HPLC-MS characterization of biological macromolecules. I. Analysis of acid hydrolysate of peptides 463 (1989) 95
- Isotachophoretic analysis of peptides. Selection of electrolyte systems and determination of purity 470 (1989) 209
- Some new by-products in primary structure analysis with dimethylaminoazobenzene isothiocyanate as an aid in the TLC identification of residues 472 (1989) 318
- LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63
- Micropreparative separation of peptides derived from sodium dodecyl sulphate-solubilized proteins 473 (1989) 71
- Application of reversed-phase HPLC to the separation of peptides from phosphorylated and dephosphorylated casein hydrolysates 473 (1989) 189
- Optical resolution of amino acids, peptides and hydroxycarboxylic acids using a new chiral column for ligand-exchange chromatography 473 (1989) 241
- Optimisation of continuous flow fast atom bombardment MS for bioanalysis 474 (1989) 51
- Simultaneous analysis of different species involved in hex glycine hydrolysis 475 (1989) 416
- Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3
- HPLC of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase HPLC retention behaviour of peptides related to human growth hormone 476 (1989) 113
- HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125
- Retention behaviour of paracelsin peptides on reversed-phase silicas with varying *n*-alkyl chain length and ligand density 476 (1989) 135
- Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165
- Strong cation-exchange HPLC of peptides. Effect of non-specific hydrophobic interactions and linearization of peptide retention behaviour 476 (1989) 377
- HPLC monitoring of transpeptidation reactions in analogues of gonadotropin releasing hormone containing aspartic acid derivatives in position six 477 (1989) 377
- Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121
- Coupling capillary zone electrophoresis and continuous-flow fast atom bombardment MS for the analysis of peptide mixtures 480 (1989) 247
- Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311
- Capillary zone electrophoresis of peptide fragments from trypsin digestion of biosynthetic human growth hormone 480 (1989) 393
- Identification of peptides, from a peptic haemoglobin hydrolysate produced at pilot-plant scale, by HPLC and MS 481 (1989) 221
- Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391
- Synthetic peptide purification by application of linear solvent strength gradient theory 483 (1989) 131
- Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225
- Preparative reversed-phase HPLC in the synthesis of viscosin, a cyclic depsipeptide 484 (1989) 293
- Purification of synthetic peptides on a high-resolution preparative reversed-phase column 484 (1989) 299
- Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist 484 (1989) 307
- Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319

Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365

Prediction of retention times in ion-exchange chromatography 485 (1989) 533

Separation of peptides from sodium dodecyl sulphate by HPLC 487 (1989) 450

Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53

Clostridium difficile toxin B: characterization and sequence of three peptides 490 (1989) 91

Elimination of contaminating *Escherichia coli* peptides in the purification of *Escherichia coli*-derived recombinant human interferon- β 1 by zinc chelate affinity chromatography 490 (1989) 193

HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301

Separation of synthetic cardiodilatin/atrial natriuretic factor and related peptides by reversed-phase HPLC 490 (1989) 411

Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424

Biochemical applications of LC-MS 492 (1989) 189

Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431

High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585

Measurement of methionine enkephalin and leucine enkephalin in rat brain regions by HPLC with coulometric electrochemical detection 494 (1989) 67

Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87

Multi-dimensional HPLC of opioid peptides following pre-column derivatization with naphthalene-2,3-dicarboxaldehyde in the presence of cyanide ion. Preliminary results on the determination of leucine- and methionine-enkephalin-like fluorescence in the striatum region of the rat brain 496 (1989) 55

Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71

Direct LC separation of enantiomers on immobilized protein stationary phases. VIII. A comparison of a series of sorbents based on bovine serum albumin and its fragments 498 (1990) 81

Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79

Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165

Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 499 (1990) 177

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531

Peptides, protected

Separation of diastereomers of protected dipeptides by normal-phase HPLC 472 (1989) 336

Peptides, self-associating

New HPLC-based methodology for monitoring the conformational transitions of self-associating hydrophobic peptides, incorporated into liposomes 458 (1988) 105

Peptidoglycans

Two-dimensional GC with electron-capture detection used in the determination of specific peptidoglycan and lipopolysaccharide constituents of Gram-negative bacteria in infected human urine 490 (1989) 71

Peramine

Detection and measurement of the alkaloid peramine in endophyte-infected grasses 463 (1989) 133

Perchloric acid

Influence of perchloric acid on ion-pair HPLC of nucleotides 496 (1989) 441

Perfluoroalkanesulphonates

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

GC study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 499 (1990) 749

Perfluoroalkyl acrylate

Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241

Perindopril

GC-MS of perindopril and its active free metabolite, an angiotensin convertase inhibitor: choice of derivatives and ionization modes 488 (1989) 249

Periodate

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Perlolyrine

Separation and determination of 8 β -hydroxyasterolid and perlolyrine in *Codonopsis pilosula* by reversed-phase HPLC 477 (1989) 458

Permanent gases

New solid adsorbents for the separation of lower hydrocarbons and permanent gases. I. Ammonium tungstophosphate 498 (1990) 349

Permeability

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

Perovskite

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Peroxidase

Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183

Application of autofocusing in the isolation of peroxidase 474 (1989) 430

Peroxides

Damage to GC columns caused by peroxides in LC eluents for coupled LC-GC 455 (1988) 297

Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97

Peroxyoxalate chemiluminescence detection

Rhodamine labelling reagent for the determination of chlorophenols by LC with peroxyoxalate chemiluminescence detection 459 (1988) 139

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Chemiluminescence detection for HPLC of biomedical samples (Review) 492 (1989) 319

Perphenazine

Determination of perphenazine in serum by LC (in French) 487 (1989) 215

Pesticides

Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527

HPLC method for determining triazine herbicide residues in soil 454 (1988) 233

Determination of organophosphorus acids by thermospray LC-MS 454 (1988) 261

Chiral HPLC analysis of phenoxy herbicide mixtures 454 (1988) 450

Identification of organophosphorus insecticides and their hydrolysis products by liquid chromatography in combination with UV and thermospray-MS detection 455 (1988) 163

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

Selective, on-column extraction of organochlorine pesticide residues from milk 456 (1988) 143

Single-step solid matrix clean-up of vegetable extracts for organophosphorus pesticide residue determination 456 (1988) 149

Simultaneous XAD-2 resin extraction and high-resolution electron-capture GC of chlorine-containing herbicides in water samples 456 (1988) 382

- HPLC determination of carbaryl in fruit juices 457 (1988) 437
- Oxidative detection of coulometrically reduced organonitro pesticides in reversed-phase HPLC 459 (1988) 151
- HPLC and GC of dialkylphosphates, dialkylthiophosphates and dialkyldithiophosphates as their pentafluorobenzyl derivatives 462 (1989) 233
- HPLC determination of ethiofencarb and its metabolic products 462 (1989) 430
- Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448
- Automated on-line trace enrichment and determination of organic compounds in ground and tap water by HPLC 465 (1989) 410
- Application of capillary GC with mass selective detection to pesticide residue analysis 467 (1989) 85
- Determination of diisobutyl- and diisopropyl-naphthalenesulphonates in pesticide wettable powders and dispersible granules by HPLC 467 (1989) 177
- Rapid HPLC method for the determination of benctonium chloride residues in fish products; confirmation by TLC 467 (1989) 321
- Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183
- Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293
- Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351
- Large-volume spotting apparatus and its application to the semi-quantitative determination of organochlorine pesticides in tea 469 (1989) 403
- Study of alkaline hydrolysis of the insecticide alphas-methrin by isotachopheric determination of decomposition products 470 (1989) 235
- Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151
- Isolation and concentration of organophosphorus pesticides from water using a C₁₈ reversed phase 472 (1989) 365
- LC separation and behaviour of some triazines on styrene-divinylbenzene columns 472 (1989) 406
- HPLC determination of the herbicide terbutylazine and its dealkylated metabolites in soil 472 (1989) 411
- Multiresidue method for fungicide residues in fruit and vegetables 472 (1989) 416
- Analysis of dicamba in tobacco by on-line coupled LC-GC 473 (1989) 353
- Microcolumn LC-MS using moving belt and continuous flow fast atom bombardment interfaces 474 (1989) 39
- Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163
- Thermospray LC-MS of pesticides in river water using reversed-phase chromatography 474 (1989) 175
- Determination of oxine-copper in orange by GC 474 (1989) 381
- Residue analysis of the herbicides cyanazine and bentazone in sugar maize and surface water using HPLC and an on-line clean-up column-switching procedure 475 (1989) 432
- Coupled HPLC-GC for the determination of pesticide residues in biological matrices 477 (1989) 359
- Separation of pirimicarb and its metabolites by HPLC 478 (1989) 250
- High-sensitivity HPLC analysis of diquat and paraquat with confirmation 479 (1989) 153
- Supercritical fluid extraction of *s*-triazine herbicides from sediment 479 (1989) 200
- GC determination of diquat and paraquat in crops 479 (1989) 243
- Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. I. Evaluation of the system for organophosphorus pesticides 481 (1989) 27
- Conversion of a conventional packed-column gas chromatograph to accommodate megabore columns. II. Determination of organophosphorus pesticides in environmental water 481 (1989) 37
- Determination of phenoxyacid herbicides in water. Polymeric pre-column preconcentration and tetrabutylammonium ion-pair separation on a PRP-1 column 481 (1989) 275

Rapid quantification of paraquat and diquat in serum and urine using HPLC with automated sample pretreatment 481 (1989) 434

HPLC determination of phenoxyalkanoic acid herbicides using iron(II) 1,10-phenanthroline as a mobile phase additive 481 (1989) 439

LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445

HPLC separation of indandione rodenticides 481 (1989) 458

Rapid determination of seven herbicides in water or isooctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349

Development of HPLC method for fluoxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

GC-MS method to assess residues of 2-methyl-4-chlorophenoxyacetic acid in human urine 489 (1989) 404

Petroporphyrins

Computerised GC-MS and HPLC analysis of sedimentary benzoporphyrins 473 (1989) 135

pH effects

Effect of pH on the reaction of 2,4-dinitrophenylhydrazine with formaldehyde and acetaldehyde 455 (1988) 310

Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 499 (1990) 317

pH gradients

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Simple method for generation of a dynamic pH gradient in capillary zone electrophoresis 480 (1989) 271

Open-channel isoelectric focusing in thermally engendered pH gradients 480 (1989) 293

Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121

pH programming

Dynamic programming of pH—a new option in analytical capillary electrophoresis 470 (1989) 309

pH stability

Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH 467 (1989) 267

Phallotoxins

Assay for the main phallotoxins in *Amanita phalloides* Fr. by direct fluorimetry on thin-layer plates 462 (1989) 442

Pharmaceuticals

Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183

Expert system for the selection of HPLC methods for the analysis of drugs 485 (1989) 237

Expert system for the selection of initial HPLC conditions for the analysis of pharmaceuticals 485 (1989) 255

Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489

Separation of ionic drug substances by SFC 500 (1990) 469

Phase-heterogeneous zones

Phase-heterogeneous zones in capillary isotachopheresis of low-solubility bases 470 (1989) 263

Phase loading

GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355

Phase separators

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Phase-system switching

Phase-system switching as an on-line sample pretreatment in the bioanalysis of mitomycin C using supercritical fluid chromatography 454 (1988) 243

Coupled column chromatography-MS. Thermospray LC-MS and LC-tandem MS analysis of metoprolol enantiomers in plasma using phase-system switching 474 (1989) 257

Phenacetin

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Phenanthrene

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

9-Phenanthreneboronic acid

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Phenobarbital

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytoin and phenobarbitone by HPLC 496 (1989) 147

Measurement of low (sub-therapeutic) phenobarbitone levels in plasma by HPLC: application to patient compliance studies 497 (1989) 308

Phenol

Model compound sorption by the resins XAD-2, XAD-8 and diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Phenol-formaldehyde resins

Separation of prepolymers of phenol-formaldehyde resins by SFC 478 (1989) 181

Phenol glucuronides

Separation of phenols and their glucuronide and sulfate conjugates by anion-exchange LC 479 (1989) 441

Phenolic acids

The use of new chromatographic techniques for the isolation and purification of phenolic acids from *Indigofera heterantha* 466 (1989) 399

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

Phenolic compounds

Preparative separation by HPLC of an extract of oak wood and determination of the composition of each fraction 457 (1988) 431

Characterization of oakmoss products used in perfumery by HPLC 466 (1989) 301

Capillary column GC of methyl and trimethylsilyl derivatives of some naturally occurring flavonoid aglycones and other phenolics 478 (1989) 415

Phenols

Determination of phenols by LC using reductive electrochemical detection via precolumn derivatization 455 (1988) 241

GC determination of phenols in waste water-oil emulsions 462 (1989) 392

Optimization of mobile phase composition for HPLC analysis of eleven priority substituted phenols 464 (1989) 405

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Analysis of phenols from lignin depolymerization by capillary GC 467 (1989) 441

Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Separation of phenols and their glucuronide and sulfate conjugates by anion-exchange LC 479 (1989) 441

Correlation between chromatography and ^1H NMR parameters in sterically substituted phenols 483 (1989) 390

GC of simple phenols in biological fluids 497 (1989) 159

Phenol sulphates

Separation of phenols and their glucuronide and sulfate conjugates by anion-exchange LC 479 (1989) 441

Phenothiazines

Use of cyclodextrins in isotachopheresis. VII. Resolution of structurally related and chiral phenothiazines 464 (1989) 139

Phenoxyacetic acid

Analysis of vanilla essences by HPLC 462 (1989) 461

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Phenoxyalkanoic acids

Determination of phenoxyacid herbicides in water. Polymeric pre-column preconcentration and tetrabutylammonium ion-pair separation on a PRP-1 column 481 (1989) 275

HPLC determination of phenoxyalkanoic acid herbicides using iron(II) 1,10-phenanthroline as a mobile phase additive 481 (1989) 439

Phenoxybenzoic acid

Study of alkaline hydrolysis of the insecticide alphamethrine by isotachopheretic determination of decomposition products 470 (1989) 235

Phenoxypropionates

Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349

Phenprocoumon

Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149

Phentermine

Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51

Phenyl acetates

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Phenylacetic mustard

GC assay for chlorambucil and phenylacetic mustard in plasma 495 (1989) 281

L-Phenylalaninamide

Occurrence of D-amino acids in food. Detection by capillary GC and by reversed-phase HPLC with L-phenylalaninamides as chiral selectors 475 (1989) 45

Phenylalanine

Determination of phenylalanine in river water by HPLC 461 (1989) 277

Determination of plasma concentrations and ³H-specific activity of phenylalanine in plasma using HPLC 491 (1989) 410

Phenylalkanols

Injection of elutes in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Phenylbutazone

Determination of binding equilibrium constants by numerical simulation in zonal high-performance affinity chromatography 458 (1988) 13

1-Phenylethylamine

HPLC separation of enantiomers on axially chiral binaphthalene dicarboxylic acid-chiral phenylethylamine bonded to silica gel 464 (1989) 411

Phenylethylamines

π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101

Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 488 (1989) 129

1-Phenylethyl-3,5-dinitrobenzamide

Mobile phase optimization of a urea-linked chiral stationary phase for the HPLC separation of optical isomers 461 (1989) 407

4-(2'-Phenylisopropyl)phenol esters

Evaluation of 4-(2'-phenylisopropyl)phenol esters as stationary phases for GLC 483 (1989) 33

Phenylmercury salts

HPLC of mercury and phenylmercury as the N-disubstituted dithiocarbamate complexes 472 (1989) 401

1-Phenyl-3-methyl-4-benzoyl-5-pyrazolone

Reversed-phase HPLC of aluminium(III) and indium(III) with 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone 478 (1989) 408

Phenyl-naphthalenes

HPLC of alkyl-naphthalenes and phenyl-naphthalenes on alumina 498 (1990) 248

Phenylpolysiloxanes

Preparation and retention characteristics of different phenylpolysiloxane phases for reversed-phase LC 463 (1989) 345

Phenyl-Sepharose CL-4B

Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237

Phenylureas

Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163

Phenytol

Simultaneous quantitation of salivary carbamazepine, carbamazepine-10,11-epoxide, phenytol and phenobarbitone by HPLC 496 (1989) 147

Pheophorbide *a*

Reversed-phase HPTLC and column LC of metal complexes of pheophorbide *a* 457 (1988) 99

Pholedrine

Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241

Phosgene

Determination of tropospheric phosgene and other halocarbons by capillary GC 481 (1989) 373

Phosphate

Determination of phosphate and phosphite in plant material by GC-MS and ion chromatography 455 (1988) 253

Adsorbability to and desorbability from Sephadex G-15 of sodium and phosphate ions 475 (1989) 412

Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Phosphatidylcholine

HPLC determination of some polar phospholipids in serum 495 (1989) 61

Phosphatidylethanolamine

HPLC determination of some polar phospholipids in serum 495 (1989) 61

Phosphite

Determination of phosphate and phosphite in plant material by GC-MS and ion chromatography 455 (1988) 253

Phosphocellulose

Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13

Phosphoenolpyruvate

Isocratic HPLC determination of the concentration and specific radioactivity of phosphoenolpyruvate and uridine diphosphate glucose in tissue extracts 497 (1989) 69

Phosphoethanolamine

Determination of phosphoethanolamine in animal tissues by GC with flame photometric detection 494 (1989) 283

Phosphofructokinase

Purification of phosphofructokinase using transition-state analogue affinity chromatography 455 (1988) 291

Partial purification of glucose 6-phosphate dehydrogenase and phosphofructokinase from rat erythrocyte haemolysate by partitioning in aqueous two-phase systems 498 (1990) 159

Phosphoglycerate kinase

Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

Phosphoglycerate mutase

Purification of human muscle phosphoglycerate mutase by fast protein LC based on hydrophobic interactions 490 (1989) 424

Phospholipids

On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157

Two-dimensional TLC separation of phospholipid molecular species using plates with both reversed-phase and argentation zones 454 (1988) 425

In situ mineralization and determination of phosphorus in phospholipids on silica gel sintered TLC plates 454 (1988) 432

Separation of major phospholipid classes by HPLC and subsequent analysis of phospholipid-bound fatty acids using GC 469 (1989) 271

Sensitive method for the analysis of phospholipid subclasses and molecular species as 1-anthroyl derivatives of their diglycerides 491 (1989) 37

Biochemical applications of LC-MS 492 (1989) 189

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

HPLC determination of some polar phospholipids in serum 495 (1989) 61

A new rapid method for phospholipid separation by HPLC with light-scattering detection 497 (1989) 243

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Phosphonic acid angiotensin-converting enzyme inhibitor

Body fluid analysis of a phosphonic acid angiotensin-converting enzyme inhibitor using HPLC and post-column derivatization with *o*-phthaldehyde 487 (1989) 135

Phosphonoacetic acid

Anion-exchange HPLC of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 488 (1989) 463

Phosphonoformate

Determination of phosphonoformate (foscarnet) in biological fluids by ion-pair reversed-phase LC 488 (1989) 447

Phosphonolipids

Silicic acid column chromatography of phosphonolipids. X. Some phosphono analogues of 1-*O*-alkylethylene glycol 454 (1988) 420

Phosphoric acid-modified amino bonded phase

Phosphoric acid-modified amino bonded stationary phase for HPLC chemical class separation 457 (1988) 215

Phosphoric acid phenyl ester diamide

Use of HPLC in the study of metal-ion-catalysed methanolysis of phosphoric acid phenyl ester diamide (in German) 467 (1989) 304

Phosphorus

In situ mineralization and determination of phosphorus in phospholipids on silica gel sintered TLC plates 454 (1988) 432

Phosphoserine peptides

LC separation of acidic phosphoserine peptides on macroporous copoly(styrene-divinylbenzene) using amines to regulate retention 473 (1989) 63

Photochemical reaction, on-line

Enhanced UV detection in HPLC analysis of drugs by "on-line" photochemical reaction 478 (1989) 369

Photochemical reaction detection

Optimization in photochemical reaction detection. Application to HPLC-photolysis-electrochemical detection 481 (1989) 121

Photodiode array detector

Photodiode array detection in high-performance capillary electrophoresis 480 (1989) 179

Photolysis, on-line

Determination of nitrite and nitrate by reversed-phase HPLC using on-line post-column photolysis with UV absorbance and electrochemical detection 452 (1988) 295

Photometric detector

Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149

Indirect photometric detection in capillary zone electrophoresis 470 (1989) 299

Photo-thermal deflection spectroscopy

Ultra-thin electrophoretic gel densitometry using photo-thermal deflection spectroscopy 472 (1989) 331

***o*-Phthalaldehyde**

HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295

Reaction of *o*-phthalaldehyde with amino acids and glutathione. Application to HPLC determination 467 (1989) 209

Phthalates

Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

***o*-Phthalic acid**

TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428

Phylloquinone

Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291

Measurement of K vitamins in animal tissues by HPLC with fluorimetric detection 497 (1989) 131

Physostigmine

Application of a new radiometric HPLC assay to define physostigmine pharmacokinetics in guinea pigs 493 (1989) 117

Phytoalexins

Efficient clean up of non-aqueous plant extracts using reversed-phase cartridges. Applications to the determination of phytoalexins from *Brassica* spp. by HPLC 473 (1989) 293

Phytoecdysteroids

Packed column SFC and linked SFC-MS for the analysis of phytoecdysteroids from *Silene nutans* and *Silene otites* 467 (1989) 292

 π -Acid chiral stationary phases

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

Picolinic acid

Picolinic acid: a mobile phase additive for improved chromatography of metal-chelating heterocyclic acids and β -diketones 471 (1989) 437

Picric acid

The separation process in isotachopheresis. I. A 32-channel UV-photometric zone detector 463 (1989) 39

The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51

TLC decomposition of the picrates and trinitrobenzoates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452

Separation process in isotachopheresis. III.

Transient state models for a three-component system 470 (1989) 21

Pictet-Spengler condensation

Method for the identification of tetrahydropapaveroline using the Pictet-Spengler condensation reaction and HPLC 489 (1989) 399

Pindolol

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Stereoselective determination of plasma pindolol in endotoxin-pretreated rats by HPLC 494 (1989) 381

Pindone

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

HPLC separation of indandione rodenticides 481 (1989) 458

 β -Pinene

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

Pinobanksin-3-acetate

Series of novel flavanones identified by GC-MS in bud exudate of *Populus fremontii* and *Populus maximowiczii* 481 (1989) 352

Pioglitazone

Determination of pioglitazone in dog serum using solid-phase extraction and HPLC with UV (229 nm) detection 490 (1989) 377

Pipamperone

MS characterization of urinary pipamperone metabolites and HPLC assay for pipamperone plasma levels 491 (1989) 432

Piperacillin

Determination of tazobactam and piperacillin in human plasma, serum, bile and urine by gradient elution reversed-phase HPLC 496 (1989) 167

Piperine

Quantitative microscale LC of piperine in pepper and pepper extracts 471 (1989) 335

Piperonyl butoxide

Determination of pyrethroid residues on paddy rice by reversed-phase HPLC 461 (1989) 337

Determination of dihydrosafrole in piperonyl butoxide by HPLC (in French) 462 (1989) 435

 π - π Interactions

π -Acceptor amide group for LC chiral separations with special emphasis on the 3,5-dinitrobenzoyl amide 469 (1989) 101

Pirimicarb

Separation of pirimicarb and its metabolites by HPLC 478 (1989) 250

Piromidic acid

Improvement of chemical analysis of antibiotics. XVI. Simple and rapid determination of residual pyridonecarboxylic acid antibacterials in fish using a prepacked amino cartridge 477 (1989) 397

Piroxicam

Rapid analysis of piroxicam in dog, rat and human plasma by HPLC 487 (1989) 332

Rapid HPLC methods for the determination of overdose concentrations of some non-steroidal anti-inflammatory drugs in plasma or serum 495 (1989) 179

Pirprofen

HPLC determination of pirprofen and five of its metabolites in human plasma without hydrolysis and in human urine before and after chemical hydrolysis 495 (1989) 195

Plant hormones

see also Indoles and Auxines

Separation of gibberellins by normal-phase HPLC 464 (1989) 195

Plasmalogen

Separation of the molecular species of diacyl and alkenylacyl subclasses of the methyl ester of dinitrophenylethanolamine glycerophospholipid by HPLC 487 (1989) 239

Plasmas

Non-extractable stationary phases for GC cross-linked by exposure to low-temperature plasmas 473 (1989) 79

Plasmid fragments

Application of an asymmetrical flow field-flow fractionation channel to the separation and

characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Plasmids

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89

Plasminogen

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Plasminogen activator

Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375

***Plasmodium falciparum* circumsporozoite protein**

Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99

Plasticizers

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Platelet membrane proteins

Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53

Platinum-black catalyst reduction

Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291

Platinum complexes

Determination of cisplatin and related platinum complexes in plasma ultrafiltrate and urine by HPLC with on-line radioactivity detection 491 (1989) 163

Plutonium

Quantitative analysis of thorium in plutonium using reversed-phase LC and spectrophotometric detection 469 (1989) 369

Polarity

Measurement of the polarity of alkyl derivatives of diazopolyoxyethylene ethers by GC 454 (1988) 51

Influence of experimental conditions upon polarity parameters as measured by GC 457 (1988) 73

Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85

Microcomputer-aided characterization of mobile phases for normal-phase LSC based on Snyder's theory and data 477 (1989) 235

Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Polarizable liquid phases

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Poliovirus

Use of high-performance SEC for the separation of poliovirus and subviral particles 498 (1990) 105

Polyacrolein

Affinity separation with polyaldehyde microsphere beads 462 (1989) 177

Polyacrylamide

Enantiomer separation of α -substituted γ -butyrolactones on the chiral polyacrylamide resin ChiraSpher[®] 481 (1989) 387

Polyacrylamide, silica bonded

Analytical resolution of 4(5)-alkylated γ (δ)-lactones by HPLC on a silica-bonded chiral polyacrylamide sorbent. Chromatographic characterization of a stationary phase 469 (1989) 137

Polyacrylamide-based packing, ODS

Reversed-phase HPLC with a C₁₈ polyacrylamide-based packing 452 (1988) 145

Polyacrylonitrile

TLC on polyacrylonitrile. I. Effect of the *cis-trans* configuration of cobalt(III) complexes on their R_F values 481 (1989) 465

Polyaldehyde

Affinity separation with polyaldehyde microsphere beads 462 (1989) 177

Poly(alkyl methacrylate)

Polymer-based packing materials with alkyl backbones for reversed-phase LC. Performance and retention selectivity 475 (1989) 195

Polyamides

GC analysis of thermoplastic aromatic polyamides after alkali fusion 477 (1989) 53

Polyamines

Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169

Poly(A) · Poly(U)

Analysis of double-standed poly(A) · poly(U) molecules by reversed-phase HPLC 454 (1988) 195

Polyarenes

Optimization of the GC separation of five-membered ring polyarenes with an admixed BPhBT liquid crystal-Dexsil 300 stationary phase 469 (1989) 43

Polycarbonate

Analysis of polycarbonate-polydimethylsiloxane block copolymers 500 (1990) 367

Polychlorinated biphenyls

Selective enrichment procedures for the determination of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples by GPC 456 (1988) 155

Polychlorinated dibenzodioxins

Formation of polychlorinated dibenzo-*p*-dioxin from 2,4,4'-trichloro-2'-hydroxydiphenyl ether (Irgasan[®] DP300) and its chlorinated derivatives by exposure to sunlight 454 (1988) 145

GLC analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 473 (1989) 153

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Multiresidue procedures for the determination of chlorinated dibenzodioxins and dibenzofurans in a variety of foods using capillary GC-electron-capture detection 478 (1989) 349

Polychlorinated dibenzofurans

GLC analyses. XLIX. Polychlorinated dibenzo-*p*-dioxins and dibenzofurans on low-polarity NB-54 and NB-1701 capillary columns 473 (1989) 153

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Multiresidue procedures for the determination of chlorinated dibenzodioxins and dibenzofurans in a variety of foods using capillary GC-electron-capture detection 478 (1989) 349

Polycyclic aromatic sulphur heterocycles

LC determination of planar aromatic sulphur compounds in crude oil 475 (1989) 421

Polycytidines

Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321

Polydimethylsiloxane

Quantitation of polydimethylsiloxane in pharmaceutical formulations by GPC 477 (1989) 474

Analysis of polycarbonate-polydimethylsiloxane block copolymers 500 (1990) 367

Polydivinylidene difluoride membranes

Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345

Polyelectrolytes, cationic

SEC of cationic polyelectrolytes on Superose gel 463 (1989) 165

Polyether

Application of inverse GC to solid propellants 457 (1988) 354

Polyethylene

Hot TLC fractionation of polyethylene 456 (1988) 440

Polyethylene glycols

Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137

Synthesis of ATP-polyethylene glycol and ATP-dextran and their use in the purification of

phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 457 (1988) 183

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429

Observations with high-molecular-weight polyethylene glycol stationary phases in capillary GC. I. Adsorption *versus* partitioning chromatography 477 (1989) 63

Polyethylene terephthalate

High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 65

Polygalacturonase

Activity stain for polygalacturonase 455 (1988) 376

Polyglutaraldehyde

Affinity separation with polyaldehyde microsphere beads 462 (1989) 177

Polygodial

Characterisation of products formed by condensations of primary amines with polygodial, and their scope for enantiomer analyses 468 (1989) 201

Polyhydroxy compounds

Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121

Polyimide sorbents

Characterization of polyimide sorbents by using tracer pulse chromatography 498 (1990) 41

Polyions

Solution properties of polyelectrolytes. IV. Use of a new hydrophilic SEC packing for the separation of anionic and cationic polyions 461 (1989) 229

Polymeric resins

Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279

Polymers

Increasing the reliability of the identification of polymers by pyrolysis GC 454 (1988) 367

Determination of the solubility of vapours in polymers by automated headspace GC 455 (1988) 67

Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79

SEC of cationic polyelectrolytes on Superose gel 463 (1989) 165

Alkaline SEC of lignins and coal extracts using cross-linked dextran gels 467 (1989) 309

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133

Selected-ion monitoring of 4-vinyl-1-cyclohexene in acrylonitrile-butadiene-styrene polymer products and food simulants 482 (1989) 246

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Polymethylene linking bridges

Reversed-phase HPLC, a tool for the study of bichromophoric systems including polymethylene linking bridges 481 (1989) 461

Polymethylhydrosiloxane

Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ²⁹Si nuclear magnetic resonance spectroscopy 477 (1989) 3

Polymyxin B

Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175

Polynuclear aromatic hydrocarbons

Performance of graphitized carbon black cartridges in the extraction of some organic priority pollutants from water 452 (1988) 527

GC retention on carbon adsorbents coated with monolayers of polynuclear aromatic hydrocarbons 454 (1988) 73

Retention behaviour of polycyclic aromatic hydrocarbons in SFC on various chemically bonded stationary phases with carbon dioxide as a mobile phase 455 (1988) 29

Isothiocyanate as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455 (1988) 323

High-sensitivity laser-induced fluorescence-HPLC studies of polyaromatic hydrocarbons using the argon ion laser-Yeung detector cell configuration 455 (1988) 332

Selective enrichment procedures for the determination of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in environmental samples by GPC 456 (1988) 155

Design of optimized HPLC gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 459 (1988) 43

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

Hydrocarbon group type analysis of petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347

Improved enantiomeric separation of dihydrodiols of polycyclic aromatic hydrocarbons on chiral stationary phases by derivatization to O-methyl ethers 461 (1989) 377

TLC decomposition of the picrates and trinitrobenzates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452

Determination of some polynuclear aromatic hydrocarbons in new, used and regenerated oils 464 (1989) 333

Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

Capillary GC of some polycyclic aromatic compounds on several stationary phases 465 (1989) 378

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

SFC-MS of polycyclic aromatic hydrocarbons with a simple capillary direct interface 468 (1989) 115

Determination of polycyclic aromatic hydrocarbons in lubricating oil base stocks using HPLC and GC-MS 469 (1989) 241

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

Reversed-phase LC retention behaviour of dimethylphenanthrene isomers 473 (1989) 207

Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C₁₈ bonded phases 477 (1989) 277

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Investigation into the factors affecting performance in the determination of polycyclic aromatic hydrocarbons using capillary GC-MS with splitless injection 498 (1990) 11

Separation and identification of monomethylated polycyclic aromatic hydrocarbons in heavy oil 498 (1990) 25

Polynuclear aromatic hydrocarbons, nitro derivatives

Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polyaromatic hydrocarbons 485 (1989) 607

Polynucleotides

Prediction of retention times in ion-exchange chromatography 485 (1989) 533

Polyols

Quantitative determination of dicarboxylic acids and polyols in silicone-polyester resins 452 (1988) 37

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Polyoxyethylene 4-alkylphenylamines

Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines 462 (1989) 39

Polyoxyethylene glycol monoalkyl ethers

Increments of the arithmetic retention index for polyoxyethylene glycol monoalkyl ethers and their degradation products 477 (1989) 407

Polyoxyethylene glycols

Chemical degradation and analysis of polyoxyethylene glycols and ethylene oxide- α -butylene oxide block copolymers 455 (1988) 131

Polyoxyalkyleneglycols immobilized on Sepharose 6B for the sequential extraction of three enzymes from a crude extract of *Pseudomonas testosteroni* 474 (1989) 396

GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355

Polyoxyethylene monoalkyl ethers

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride 455 (1988) 119

Degradation and analysis of polyoxyethylene monoalkyl ethers in the presence of acetyl chloride and ferric chloride 469 (1989) 197

Polyoxyethylenic surfactants

Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305

Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69

Polypeptide chain length

Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363

Polypeptides

Isolation of recombinant hirudin by preparative HPLC 476 (1989) 245

Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211

Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99

Rapid chromatographic isolation and immunoblot characterization of immunoreactive fibroblast growth factor-related polypeptides from various tissues 491 (1989) 49

Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519

Polyphenols

Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139

Polysaccharides

Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73

High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

High-performance GPC of meningococcal polysaccharides 483 (1989) 406

Prediction of retention times in ion-exchange chromatography 485 (1989) 533

Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Polysiloxanes

Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary GC and SFC 473 (1989) 103

Low-temperature side-chain liquid crystalline polysiloxanes used as stationary phases for capillary GC 483 (1989) 394

Polystyrene-coated silica

Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519

Poly(styrene-divinylbenzene)

Polymer-based packing materials with alkyl backbones for reversed-phase LC. Performance and retention selectivity 475 (1989) 195

Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279

Polystyrene-divinylbenzene, C₁₈ derivatized

Prediction of alkane-water partition coefficients using a C₁₈ derivatized polystyrene-divinylbenzene stationary phase 464 (1989) 400

Polystyrene latex beads

Gradient elution in hollow-fibre flow field-flow fractionation 461 (1989) 89

Polystyrenes

Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137

Hydrolyzed macroporous glycidyl methacrylate-ethylene dimethacrylate copolymer with narrow pore size distribution. A novel packing for size-exclusion HPLC 475 (1989) 187

Polysulphide

Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442

Polyunsaturated fatty acid ethyl esters, ω -3

Preparative-scale HPLC of omega-3 polyunsaturated fatty acid esters derived from fish oil 459 (1988) 369

Polyunsaturated fatty acids

Separation of polyunsaturated fatty acid radicals by HPLC with electron spin resonance and UV detection 487 (1989) 9

Polyurethane foams

Determination of toluenediamines in polyurethane foams by HPLC with electrochemical detection 477 (1989) 387

Poly(vinyl alcohol)

Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137

Polymer-based packing materials with alkyl backbones for reversed-phase LC. Performance and retention selectivity 475 (1989) 195

Poly(vinylidene difluoride)

Dot immunobinding assay of HPLC fractions on poly(vinylidene difluoride) membranes 472 (1989) 445

Porfiromycin

LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197

Porosity

New method for measuring obstructive factors and porosity using GC instrumentation 471 (1989) 123

Porous graphitic carbon

Retention mechanisms on metallic stationary phases 461 (1989) 139

Porous organic microspheres

New porous organic microspheres for HPLC 476 (1989) 21

Porphyrinogens

Preparation, HPLC separation and characterization of hexacarboxylic porphyrinogens 461 (1989) 353

Porphyrins

Characterization and purification of iron porphyrins by HPLC and CC 462 (1989) 411

Separation of nickel(II) alkylporphyrins by reversed-phase HPLC. Methodology and application 467 (1989) 195

Isocratic ion-pair HPLC methods for the determination of uroporphyrin and coproporphyrin type II and IV isomers in human urine 468 (1989) 329

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Separation of porphyrin isomers by HPLC 493 (1989) 53

Positional isomers

Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237

Position sensitive detector

Microbore LC and refractive index gradient detection of low-nanogram and low-ppm quantities of carbohydrates 464 (1989) 83

Post-column reactors

On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157

Improved HPLC method with fluorimetric detection for the determination of glycerol using an immobilized enzyme column reactor 456 (1988) 398

Use of a post-column reaction and a spectrophotometric detector for the LC determination of water 462 (1989) 323

Post-column immobilized leucine dehydrogenase reactor for determination of branched chain

amino acids by HPLC with fluorescence detection 463 (1989) 177

Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183

Simultaneous HPLC determination of catecholamine-related compounds by post-column derivatization involving coulometric oxidation followed by fluorescence reaction 467 (1989) 237

Quantitative analysis of thorium in plutonium using reversed-phase LC and spectrophotometric detection 469 (1989) 369

Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371

Characterization of a post-column reaction-laser-induced fluorescence detector for capillary zone electrophoresis 480 (1989) 157

LC determination of N-methylcarbamate pesticides using a single-stage post-column derivatization reaction and fluorescence detection 481 (1989) 445

Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 482 (1989) 317

Fluorimetric determination of indomethacin in human serum by HPLC coupled with post-column photochemical reaction with hydrogen peroxide 491 (1989) 389

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Development of an HPLC post-column fluorogenic assay for digoxin in serum 496 (1989) 321

HPLC determination of branched-chain α -keto acids in serum using immobilized leucine dehydrogenase as post-column reactor 497 (1989) 236

Determination of D-*myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase LC with post-column ligand exchange and fluorescence detection 499 (1990) 617

Determination of inorganic anions by flow injection analysis and HPLC combined with photolytic-electrochemical detection 499 (1990) 685

Potassium

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Potassium chloride

Exchange of the cation and anion of the sample (sodium or potassium chloride) with the cation and anion of the eluent (sodium or potassium phosphate buffer) and their elution, from a Sephadex G-15 column, in separate fractions 481 (1989) 299

Potassium phosphate

Exchange of the cation and anion of the sample (sodium or potassium chloride) with the cation and anion of the eluent (sodium or potassium phosphate buffer) and their elution, from a Sephadex G-15 column, in separate fractions 481 (1989) 299

Precipitation

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Precipitation samples

Determination of organic and inorganic acids in precipitation samples 482 (1989) 381

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Pre-columns

Immunoaffinity pre-column for selective on-line sample pre-treatment in HPLC determination of 19-nortestosterone 452 (1988) 419

Recovery of organic compounds from large-volume aqueous samples using on-line LC preconcentration techniques 456 (1988) 121

Modified column system for pyrolysis capillary GC 462 (1989) 376

Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381

Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391

Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401

Trace-level determination of 3'-azido-3'-deoxythymidine in human plasma by preconcentration on a silver (I)-thiol stationary phase with on-line reversed-phase HPLC 491 (1989) 321

Preconcentration

Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165

On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335

Preconcentration, on-line

Recovery of organic compounds from large-volume aqueous samples using on-line LC preconcentration techniques 456 (1988) 121

Prednisolone

Chromatographic determination of percutaneous absorption of topical non-radiolabelled prednisolone in vivo, and preliminary application to transdermal pharmacokinetics 493 (1989) 373

Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421

Prednisone

Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421

Preparative chromatography

Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209

Preliminary applications of cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography 454 (1988) 185

- Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. III. Performance of large-bore coils in slow planetary motion 455 (1988) 151
- Large-scale purification of the chromosomal β -lactamase from *Enterobacter cloacae* P99 457 (1988) 317
- Preparative separation by HPLC of an extract of oak wood and determination of the composition of each fraction 457 (1988) 431
- Rapid isolation of thymosin β_4 from thymosin fraction 5 by preparative HPLC 459 (1988) 291
- Scale-up methodology for the preparative purification of peptide M 459 (1988) 361
- Preparative-scale HPLC of omega-3 polyunsaturated fatty acid esters derived from fish oil 459 (1988) 369
- Dioxanyl hydroperoxide in preparative LC 461 (1989) 35
- Production scale purification of biosynthetic human insulin by reversed-phase HPLC 461 (1989) 45
- Analytical performance of process-scale LC columns 461 (1989) 63
- External recycle chromatography: a practical method for preparative purifications 462 (1989) 85
- Preparative separation of the enantiomers of the cholecystokinin antagonist (3S)-(±)-N-(2,3-dihydro-1-([³H₃]methyl)-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-yl)-1H-indole-2-carboxamide by HPLC 462 (1989) 454
- Improved cross-axis synchronous flow-through coil planet centrifuge for performing counter-current chromatography. II. Studies on retention of stationary phase in short coils and preparative separations in multilayer coils 463 (1989) 317
- Ideal mixed cells model of multi-component preparative LC 464 (1989) 1
- Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103
- Study of the representation of competitive isotherms and of the intersection between adsorption isotherms 475 (1989) 1
- Improved high-speed counter-current chromatograph with three multilayer coils connected in series. I. Design of the apparatus and performance of semipreparative columns in 2,4-dinitrophenyl amino acid separation 475 (1989) 219
- Isolation of recombinant hirudin by preparative HPLC 476 (1989) 245
- Quantitative extraction of thymine-thymine dimer from a large excess of thymine by preparative LC 477 (1989) 119
- Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337
- Preparative HPLC using detection by thermospray MS 478 (1989) 429
- Isolation of off-flavour compounds in water by chromatographic sniffing and preparative GC 482 (1989) 23
- Preparative purification of *Plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 482 (1989) 99
- Preparative HPLC under isocratic conditions. I Craig simulations for heavily overloaded separations 483 (1989) 63
- Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85
- Preparative HPLC under isocratic conditions. III. The consequences of two adjacent bands having unequal column capacities 483 (1989) 95
- Gradient elution in non-linear preparative LC 484 (1989) 1
- Mass transfer effects in isocratic non-linear elution chromatography 484 (1989) 29
- Study of preparative reversed-phase chromatography by application of kinetic and equilibrium models of column overload 484 (1989) 61
- Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model 484 (1989) 83
- Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103
- Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153
- Rapid method for determining multicomponent Langmuir parameters for displacement chromatography 484 (1989) 167

- Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units 484 (1989) 187
- Scale-up and optimization in production LC 484 (1989) 211
- Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225
- Displacement chromatography on cyclodextrin-silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode 484 (1989) 237
- Displacement chromatography on cyclodextrin-silicas. II. Separation of *cis-trans* isomers in the reversed-phase mode on α -cyclodextrin-silica 484 (1989) 251
- Solid injection, a new technique for application of insoluble samples in preparative LC 484 (1989) 259
- Preparative packing utility as a function of particle size 484 (1989) 267
- Preparative reversed-phase HPLC in the synthesis of viscosin, a cyclic depsipeptide 484 (1989) 293
- Purification of synthetic peptides on a high-resolution preparative reversed-phase column 484 (1989) 299
- Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist 484 (1989) 307
- Chromatography of peptides on a multi-coil counter-current chromatograph 484 (1989) 319
- Preparative isolation of glycoproteins from plasma membranes of different rat organs 484 (1989) 327
- Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337
- Purification of radiolabeled pharmaceuticals 484 (1989) 347
- Preparative LC of hop and beer bitter acids 484 (1989) 361
- Strategy for the preparative-scale HPLC isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura* 484 (1989) 369
- Process-scale reversed-phase HPLC purification of LL-E19020 α , a growth promoting antibiotic produced by *Streptomyces lydicus* ssp. *tanzanius* 484 (1989) 381
- Preparative and automated compound class separation of Venezuelan vacuum residua by HPLC 484 (1989) 399
- Preparative HPLC under gradient conditions. I. Band broadening in gradient elution as a function of sample size 484 (1989) 409
- Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425
- Preparative HPLC under gradient conditions. III. Craig simulations for heavily overloaded separations 484 (1989) 437
- Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133
- Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377
- Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431
- Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5
- Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21
- Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 499 (1990) 37
- Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 499 (1990) 47
- Preparative-scale HPLC separation and purification of 3'-azido-3'-deoxythymidine-5'-phosphate 499 (1990) 55
- Theoretical analysis of non-linear preparative LC 500 (1990) 185
- Preparative electrophoresis**
Purification of lentil lectins using preparative electrophoresis 455 (1988) 225

Preparative isotachopheresis

Automated recycling free fluid isotachopheresis. Principle, instrumentation and first results 457 (1988) 137

Prepolymers

Separation of prepolymers of phenol-formaldehyde resins by SFC 478 (1989) 181

Preservatives

Determination of preservatives in cosmetic products. II. HPLC identification 469 (1989) 317

Pressure drop

Column pressure drop in capillary SFC 465 (1989) 169

Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347

Band broadening in HPLC separations of enantiomers with swollen microcrystalline cellulose triacetate packings. II. Influence of eluent composition, temperature and pressure 478 (1989) 87

Pressure profiles

Non-steady pressure profiles in chromatographic columns 463 (1989) 153

Pressure programming

Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85

Pressurized liquid injection

Automatic on-line pressurized liquid injection in GC 483 (1989) 111

Principal component analysis

Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 499 (1990) 333

Proanthocyanidins

Chemical reaction detection of catechins and proanthocyanidins with 4-dimethylaminocinnamaldehyde 467 (1989) 185

Probenecid

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Probucol

Automated column LC determination of probucol in human serum and lipoprotein fractions 490 (1989) 230

Procainamide

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Procaine

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Procarboxypeptidases

The separation of pancreatic procarboxypeptidases by HPLC and chromatofocusing 481 (1989) 233

Process columns

Analytical performance of process-scale LC columns 461 (1989) 63

Processing, automation

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Prochloraz

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Procion Red HE3B

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Procion Red MX5B

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Procyanidine gallates

Gallic acid esters of procyanidines of vines *Vitis vinifera*. Separation and identification by HPLC and GC (in French) 455 (1988) 406

Procyclidine

Capillary GC of trihexyphenidyl, procyclidine and cyrimine in biological fluids 494 (1989) 135

Pro Digest-LC

Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147

Reversed-phase chromatographic method development for peptide separations using the computer simulation program ProDigest-LC 485 (1989) 365

Production rate

Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209

Preparative HPLC under isocratic conditions. I. Craig simulations for heavily overloaded separations 483 (1989) 63

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Progesterone receptor

High performance affinity chromatography of human progesterone receptor 455 (1988) 434

Programmable temperature vaporizer

Programmable temperature vaporizer applications in an high-resolution GC method for the quantitation of impurities in illicit heroin 466 (1989) 384

Programmed-temperature vaporizer

Capillary GC determination of volatiles in solid matrices by direct introduction using a programmable-temperature vaporizer 483 (1989) 43

Prolamin

Normalisation of HPLC peak retention times for computerised comparison of wheat prolamin chromatograms 469 (1989) 127

Prolidase

Separation of two erythrocyte prolidase isoforms by fast protein LC; application to prolidase deficiency 493 (1989) 170

Proline

Determination of radiolabelled proline and hydroxyproline in collagen hydrolysates by HPLC with on-line radiometric detection 488 (1989) 267

Proline-containing peptides

Slow isomerization of some proline-containing peptides inducing peak splitting during reversed-phase HPLC 478 (1989) 121

Propachlor

GC determination of chloroacetamide herbicides in plants and soil 455 (1988) 391

Propadiene

Isomerisation of propyne to propadiene. Studies by GC 471 (1989) 145

1-Propanol

Limiting activity coefficients of aliphatic alcohols in phthalates 472 (1989) 163

Propellants

Application of inverse GC to solid propellants 457 (1988) 354

Propionyl-L-carnitine

Application of HPLC to the analysis of propionyl-L-carnitine by a stereospecific enzyme assay 459 (1988) 313

Propionylpromazine

Determination of residues of carazolol and a number of tranquillizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Metabolism and pharmacokinetic studies of propionylpromazine in horses 489 (1989) 313

Propoxyphene

Simultaneous HPLC determination of propoxyphene and acetaminophen in pharmaceutical preparations 455 (1988) 279

Simultaneous determination of propoxyphene and norpropoxyphene in biological samples by GC using an on-column injection technique with a fused-silica capillary column 491 (1989) 448

Propranolol

HPLC on chiral packed microbore columns with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 457 (1988) 235

Enantioselective drug monitoring of (*R*)- and (*S*)-propranolol in human plasma via derivatization with optically active (*R,R*)-*O,O*-diacetyl tartaric acid anhydride 487 (1989) 375

Stereoselective HPLC assay for propranolol enantiomers in serum 488 (1989) 407

Quantification of propranolol enantiomers in small blood samples from rats by reversed-phase HPLC after chiral derivatization 489 (1989) 333

Ion-exchange HPLC in drug assay in biological fluids. V. Propranolol and metabolites 491 (1989) 507

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (–)-menthyl chloroformate 493 (1989) 402

Determination of (*R*)- and (*S*)-propranolol in plasma by HPLC using *N*-benzoxycarbonylglycyl-L-proline as chiral selector in the mobile phase 494 (1989) 157

Propionate

Chromatographic approaches to the quality control of chiral propionate anti-inflammatory drugs and herbicides 469 (1989) 183

Propylhexedrine

Positive confirmation of identity of doping agents using GC-MS with Fourier transform IR spectrometry 489 (1989) 51

N-*n*-Propylnorapomorphine

Determination of N-*n*-propylnorapomorphine in serum and brain tissue by GC-negative ion chemical ionization MS 457 (1988) 257

3-(2-Propylphenyl)-4-methyl-4-thiazolin-2-one

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95

2-(N-Propyl-N-2-thienylethylamino)-5-hydroxytetralin

Determination of enantiomeric purity of the new D-2 dopamine agonist 2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0437) by reversed-phase HPLC after pre-column derivatization with D(+)-glucuronic acid 487 (1989) 125

Analysis of the dopamine agonist N-0437 in rat serum using reversed-phase HPLC with electrochemical detection 487 (1989) 210

Propylthiouracil

Screening and confirmation of thyreostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127

Propyne

Isomerisation of propyne to propadiene. Studies by GC 471 (1989) 145

Prostacyclin

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Prostaglandin precursors

Preparative resolution of enantiomers of prostaglandin precursors by LC on a chiral stationary phase 484 (1989) 337

Prostaglandins

Separation and molecular weight determination of prostaglandin B₁ oligomers by SEC 466 (1989) 339

Identification of reaction products from the pyridinium dichromate derivatization of prostaglandins by HPLC and direct chemical ionization MS 477 (1989) 345

Separation of ¹²⁵I-labelled prostanoid derivatives by reversed-phase HPLC 483 (1989) 419

Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283

Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 489 (1989) 263

Specific radioactivity determination of labeled eicosanoids 489 (1989) 359

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Simultaneous determination of the primary prostanoids prostaglandin E₂, prostaglandin F_{2α} and 6-oxoprostaglandin F_{1α} by immunoaffinity chromatography in combination with negative ion chemical ionization GC-tandem MS 494 (1989) 13

Quantitative profiling of 6-ketoprostaglandin F_{1α}, 2,3-dinor-6-ketoprostaglandin F_{1α}, thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1

Prostanoids, ¹²⁵I-labelled

Separation of ¹²⁵I-labelled prostanoid derivatives by reversed-phase HPLC 483 (1989) 419

Proteases

Detection of trypsin- and chymotrypsin-like proteases using *p*-nitroanilide substrates after sodium dodecyl sulphate polyacrylamide gel electrophoresis 470 (1989) 401

Protein A

Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207

Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101

Protein adsorption

Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113

Proteinases

Detection of proteolytic enzymes in fractions after LC 463 (1989) 212

Fractionation of human gastric proteinases by immobilized metal chelate (Fe^{3+}) affinity chromatography 489 (1989) 390

Protein A Superose

Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257

Protein binding

α_1 -Acid glycoprotein HPLC column (Enantiopac) as a screening tool for protein binding 487 (1989) 257

Determination of drug protein-binding by HPLC using a chemically bonded bovine albumin stationary phase 496 (1989) 291

Protein binding, drugs

Determination of highly protein bound drugs in plasma using HPLC and column switching, exemplified by the retinoids 456 (1988) 33

Protein conformation

Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159

Protein focusing dynamics

Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39

Protein G Sepharose

Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257

Protein immobilization

Protein immobilization on silica supports. A ligand density study 458 (1988) 169

Protein kinase

Microheterogeneity of the growth-associated neuronal protein B-50 (GAP-43). Contribution of phosphorylation by protein kinase C 483 (1989) 301

Protein precipitation

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Protein refolding

Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281

Proteins

Mixed-bed ion-exchange columns for protein HPLC 452 (1988) 331

Hydrophobic interaction of Alcian Blue with soluble and erythrocyte membrane proteins 452 (1988) 347

Structural characterization of recombinant consensus interferon- α 454 (1988) 205

High performance affinity chromatography of human progesterone receptor 455 (1988) 434

Co-operative cluster model for multivalent affinity interactions involving rigid matrices 457 (1988) 13

HPLC of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 457 (1988) 165

HPLC of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 457 (1988) 175

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

Elution behaviour of some proteins on fresh, acid- or base-treated Sephacryl S-200 HR 457 (1988) 205

Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 457 (1988) 393

HPLC of amino acids, peptides and proteins. LXXXVII. Comparison of retention and bandwidth properties of proteins eluted by gradient and isocratic anion-exchange chromatography 458 (1988) 27

- High-performance liquid chromatography of amino acids, peptides and proteins. LXXXVIII. Calculation of the average distance between protein solutes and the stationary phase during isocratic anion-exchange chromatography 458 (1988) 45
- Salt-binding effects in hydrophobic-interaction chromatography 458 (1988) 57
- Computer simulation of HPLC separations of peptide and protein digests for development of size-exclusion, ion-exchange and reversed-phase chromatographic methods 458 (1988) 147
- Design of optimized HPLC gradients for the separation of either small or large molecules. I. Minimizing errors in computer simulations 459 (1988) 1
- Design of optimized HPLC gradients for the separation of either small or large molecules. III. An overall strategy and its application to several examples 459 (1988) 33
- Separation of fatty acid binding protein by high-performance mixed-mode chromatography 459 (1988) 221
- Application of an asymmetrical flow field-flow fractionation channel to the separation and characterization of proteins, plasmids, plasmid fragments, polysaccharides and unicellular algae 461 (1989) 73
- HPLC separation of membrane proteins isolated from erythrocyte ghosts 462 (1989) 255
- High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329
- Use of the surfactant 3-(3-cholamidopropyl)-dimethylammonio propane sulfonate in hydrophobic interaction chromatography of proteins 464 (1989) 61
- Ion-exchange equilibria of lysozyme, myoglobin and bovine serum albumin. Effective valence and exchanger capacity 465 (1989) 137
- Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315
- HPLC separation of variants of chromosomal proteins from prokaryotes 466 (1989) 331
- Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3
- Spacer performance in the cationic isotachopheresis of proteins 470 (1989) 201
- Has immunoblotting replaced electroimmunoprecipitation? Examples from the analysis of autoantigens and transglutaminase-induced polymers of the human erythrocyte membrane 470 (1989) 351
- Isotachopheresis of proteins 470 (1989) 407
- Overpressured multi-layer chromatography 471 (1989) 375
- Capillary zone electrophoretic separations of proteins in polyethylene glycol-modified capillaries 471 (1989) 429
- Ultra-thin electrophoretic gel densitometry using photo-thermal deflection spectroscopy 472 (1989) 331
- Accuracy and precision in the determination of Stokes radii and molecular masses of proteins by gel filtration chromatography 472 (1989) 347
- Chromatographic fractionation of proteins at high organic solvent modifier concentrations 474 (1989) 418
- Isolation and purification of a fibrinogenolysin from the venom of the saw-scaled viper (*Echis carinatus*) by HPLC 474 (1989) 424
- High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 μm beads 475 (1989) 167
- High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 μm beads 475 (1989) 177
- Carrier ampholyte-mediated oxidation of proteins in isoelectric focusing 475 (1989) 283
- Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3
- Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37
- Blotting of proteins onto Immobilon membranes. *In situ* characterization and comparison with HPLC 476 (1989) 59
- Isolation of recombinant partial *gag* gene product p18 (HIV-1_{Bru}) from *Escherichia coli* 476 (1989) 99

- Sodium dodecyl sulphate-protein complexes. Changes in size or shape below the critical micelle concentration, as monitored by high performance agarose gel chromatography 476 (1989) 147
- Protein conformation changes as the result of binding to reversed-phase chromatography column materials 476 (1989) 159
- Coated silica supports for high-performance affinity chromatography of proteins 476 (1989) 195
- HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205
- Separation and purification of component proteins of the cytochrome P-450-dependent microsomal monooxygenase system by HPLC 476 (1989) 299
- Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309
- Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319
- Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345
- Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363
- HPLC of amino acids, peptides and proteins. LXXXIX. The influence of different displacer salts on the retention properties of proteins separated by gradient anion-exchange chromatography 476 (1989) 391
- Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413
- Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455
- High-performance liquid chromatofocusing and column affinity chromatography of *in vitro* ¹⁴C-glycated human serum albumin. Demonstration of a glycation-induced anionic heterogeneity 476 (1989) 467
- Comparison of ion-exchange HPLC columns for purification of Sendai virus integral membrane proteins 476 (1989) 477
- Reversed-phase LC of proteins with strong acids 476 (1989) 499
- Limitations of high-speed reversed-phase HPLC observed with integral membrane proteins 477 (1989) 131
- Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305
- Mathematical modelling of the continuous affinity-recycle extraction purification technique 478 (1989) 1
- Experimental and theoretical dynamics of isoelectric focusing. III. Transient multi-peak approach to equilibrium of proteins in simple buffers 478 (1989) 39
- Minimizing adsorption of proteins on fused silica in capillary zone electrophoresis by the addition of alkali metal salts to the buffers 478 (1989) 63
- Optimization of size-exclusion separation of proteins on a Superose column 479 (1989) 159
- Hydrophobic interaction chromatography of proteins on Separon HEMA. I. The effect of an initial salt concentration on the separation of proteins 479 (1989) 327
- Capillary zone electrophoresis and isotachopheresis-MS of polypeptides and proteins based upon an electrospray ionization interface 480 (1989) 211
- GPC combined with capillary electrophoresis for microanalysis of proteins 480 (1989) 277
- Factors affecting free zone electrophoresis and isoelectric focusing in capillary electrophoresis 480 (1989) 311
- Performance of carbohydrate-modified fused-silica capillaries for the separation of proteins by zone electrophoresis 480 (1989) 339
- High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359
- Separation of collagens by capillary zone electrophoresis 480 (1989) 371
- Sensitive resolution of *Giardia lamblia* membrane antigens 480 (1989) 421
- High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175

- High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II. Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187
- Application of free flow electrophoresis to the preparative purification of basic proteins from an *E. coli* cell extract 481 (1989) 343
- Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391
- Separation of rat liver HSP70 and HSP71 by HPLC with a hydroxylapatite column 481 (1989) 403
- Role of association on protein adsorption isotherms. β -Lactoglobulin A adsorbed on a weakly hydrophobic surface 482 (1989) 1
- Chromatographic method for the preparation of apo-cellular retinol-binding protein and apo-cellular retinoic acid-binding protein from their holo-types 482 (1989) 107
- TSK-Toyopearl gels for the preparative separation of sterol carrier protein₂ from rat liver 482 (1989) 117
- Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 482 (1989) 125
- Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133
- Determination of diffusion coefficients of proteins in beaded agarose by gel filtration 483 (1989) 221
- Determination of ion-exchange equilibrium parameters of amino acid and protein systems by an impulse response technique 483 (1989) 263
- Microheterogeneity of the growth-associated neuronal protein B-50 (GAP-43). Contribution of phosphorylation by protein kinase C 483 (1989) 301
- Preparative purification of functional bacteriorhodopsin by high performance SEC 483 (1989) 331
- High-performance hydrophobic interaction chromatography of proteins on a pellicular support based on hydrophilic resin 483 (1989) 401
- Displacement chromatography of biomolecules with large particle diameter systems 484 (1989) 225
- Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425
- Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91
- Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569
- Separation of vitamin K-dependent coagulation factors on sulphated cellulose 487 (1989) 173
- Quantitation of hemoglobins Bart's, H, Portland-I, Portland-II and Constant Spring by anion-exchange HPLC 487 (1989) 265
- Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145
- Determination of sodium azide in the presence of proteins by HPLC 488 (1989) 506
- Application of analytical isotachopheresis in the study of platelet membrane proteins in patients with chronic myeloproliferative disorders 490 (1989) 53
- High-performance ion-exchange chromatography of myosin using a DEAE-5PW column 491 (1989) 61
- Peptide and protein hydrolysis by microwave irradiation 491 (1989) 424
- Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377
- Applications of preparative HPLC to the separation and purification of peptides and proteins (Review) 492 (1989) 431
- High-performance capillary electrophoresis in the biological sciences (Review) 492 (1989) 585
- Efficient HPLC system for protein purification 493 (1989) 27
- Purification of the pancreatic stone protein by HPLC 493 (1989) 164
- Simultaneous determination of L-homoserine and L-homoserine lactone by reversed-phase LC in acid hydrolysates of proteins after cyanogen bromide treatment 493 (1989) 380

Simple apparatus for capillary zone electrophoresis and its application to protein analysis 494 (1989) 87

Purification of the isolated β -chain of adult human haemoglobin from its post-translational modification 494 (1989) 310

Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71

Application of HPLC methodology to the analysis of hemoglobins synthesized in erythroid progenitor cells 496 (1989) 83

Peculiar features of application of pH gradients formed in borate buffer with a polyhydroxy compound for separation of proteins in a free-flow electrophoretic apparatus 496 (1989) 121

Selective removal of β 2-microglobulin from human plasma by high-performance immunoaffinity chromatography 496 (1989) 194

Modelling single-component protein adsorption to the cation exchanger S Sepharose[®] FF 498 (1990) 113

Purification of core salt-extracted *E. coli* 30S ribosomal proteins by HPLC under non-denaturing conditions 498 (1990) 417

Determination of competitive adsorption isotherms for modeling large-scale separations in LC 499 (1990) 5

Thermodynamic model for electrostatic-interaction chromatography of proteins 499 (1990) 63

Reversed-phase chromatographic behavior of proteins in different unfolded states 499 (1990) 89

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

Micropellicular stationary phases for rapid protein analysis by HPLC 499 (1990) 267

Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481

Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519

Differential interaction of peptides and protein surface structures with free metal ions and surface-immobilized metal ions 500 (1990) 531

HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543

Preparative purification of human monoclonal antibody isoforms in a multi-compartment electrolyser with Immobiline membranes 500 (1990) 681

Proteolytic enzymes

Application of enzyme purification processes to proteolytic enzymes (Review) 473 (1989) 1

Proteolytic quenching

Coupling of proteolytic quenching and HPLC to enzyme reactions. Application to bovine pancreatic ribonuclease 473 (1989) 281

Pro-urokinase

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Proxiphylline

HPLC determination of (*R*)- and (*S*)-proxiphylline in human plasma 491 (1989) 355

PS-255

Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345

PS-264

Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345

Pseudoisoeugenyl-(2-methylbutyrate)

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Pseudophases

Micellar, inclusion and metal-complex enantioselective pseudophases in high-performance electromigration methods (Review) 452 (1988) 571

Pseudouridine

Simultaneous determination of pseudouridine and creatinine in untreated urine by ion-pair LC with diode-array UV detection 493 (1989) 35

Psicose

GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205

Psilocin

HPLC determination of some psychotropic indole derivatives 464 (1989) 434

Psilocybin

HPLC determination of some psychotropic indole derivatives 464 (1989) 434

Pterins

Determination of pterins in urine by HPLC on C₁₈ columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Rapid and sensitive method for HPLC analysis of pterins in biological fluids 459 (1988) 319

PU-122

Assay of a calcium antagonist (PU 122) in plasma by GC 497 (1989) 296

Pullulan

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

Pullulanases

Rapid HPLC separation of barley malt α -amylase on Cyclobond columns 469 (1989) 361

Pulsed amperometric detector

High-performance anion-exchange chromatography of homogeneous D-gluco-oligosaccharides and -polysaccharides (polymerization degree ≥ 50) with pulsed amperometric detection 464 (1989) 365

Pulsed-field gel electrophoresis

Separation of large DNA molecules by pulsed-field gel electrophoresis. A review of the basic phenomenology 470 (1989) 377

Pulsed field-gradient gel electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Purge-and-trap methods

Determination of benzenes and naphthalenes in water by purge and trap isolation and capillary column chromatography 466 (1989) 271

Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111

Purine nucleotides

Interrelationships between purine nucleotide degradation and radical formation during intestinal ischaemia and reperfusion: an application of ion-pair HPLC of nucleotides, nucleosides and nucleobases 491 (1989) 77

Purines

Resolution of the intermediates of *de novo* purine biosynthesis by ion-pair reversed-phase HPLC 455 (1988) 217

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Purines, methylated

Measurement of methylated DNA purines by reversed-phase HPLC and fluorimetric detection 455 (1988) 364

Putrescine

Polymeric benzotriazole reagent for the off-line HPLC derivatization of polyamines and related nucleophiles in biological fluids 454 (1988) 169

Identification of nicotine biosynthetic intermediates in tobacco roots by LC-MS 474 (1989) 329

Assay of ornithine decarboxylase activity by reversed-phase HPLC 496 (1989) 101

Pyrene

Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135

1-Pyrenyldiazomethane

LC determination of biotin by using 1-pyrenyldiazomethane as a pre-column fluorescent labelling reagent 456 (1988) 421

Pyrethroids

Determination of pyrethroid residues on paddy rice by reversed-phase HPLC 461 (1989) 337

Pyridine

TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331

Pyridine agarose gels

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

Pyridinium dichromate

Identification of reaction products from the pyridinium dichromate derivatization of prostaglandins by HPLC and direct chemical ionization MS 477 (1989) 345

Pyridoxal

Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226

Pyridoxamine

Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226

Pyridoxic acid

Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226

Pyridoxine

Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226

4-(2-Pyridylazo)resorcinolato (par) chelates

Separation of 4-(2-pyridylazo)resorcinolato metal chelates by micellar electrokinetic capillary chromatography 469 (1989) 175

Pyrimethamine

Simultaneous determination of pyrimethamine and mefloquine in human plasma by HPLC with UV detection 494 (1989) 219

Pyrimidines

Rapid and sensitive method for the determination of 5-fluorocytosine in human plasma by ion-pair HPLC 487 (1989) 183

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

1-(2-Pyrimidinyl)piperazine

Determination of buspirone and 1-(2-pyrimidinyl)piperazine in plasma samples by HPLC 490 (1989) 470

Pyrolysis

Increasing the reliability of the identification of polymers by pyrolysis GC 454 (1988) 367

Modified column system for pyrolysis capillary GC 462 (1989) 376

Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347

Analysis of *in situ* methylated microbial fatty acid constituents by Curie-point pyrolysis-GC-MS 468 (1989) 181

Pyrolysis products

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Pyrophosphate compounds

Identification of tabun impurities by combined capillary column GC-MS 465 (1989) 271

Pyrroles

Characterisation of products formed by condensations of primary amines with polygodial, and their scope for enantiomer analyses 468 (1989) 201

Chromatographic analysis, isolation and partial characterization of two photocatalysed reaction products of haem and quinone 490 (1989) 311

Pyrrolidonecarboxylic acid

HPLC determination of metabolic products for fermentation control of mammalian cell culture: analysis of carbohydrates, organic acids and orthophosphate using refractive index and UV detectors 497 (1989) 59

Pyrrolizidine alkaloids

Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Pyrrolizidines

Comparison of capillary GC with ¹H and ¹³C nuclear magnetic resonance spectroscopy for the quantitation of pyrrolizidine alkaloids from *Senecio vernalis* 462 (1989) 387

Pyrroloquinoline quinone

Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225

HPLC determination of pyrroloquinoline quinone with electrochemical detection and its application to bacterial samples 483 (1989) 448

Pyruvate dehydrogenase

Determination of lipoyllysine derived from enzymes by LC 490 (1989) 33

Pyruvate esters

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

Q**Quadrol**

Resolution of diastereomers of N,N,N',N'-tetrakis(2-hydroxypropyl)ethylenediamine (Quadrol) by reversed-phase HPLC 455 (1988) 183

Quaternary phosphonium resins, low-capacity

Low-capacity quaternary phosphonium resins for anion chromatography 479 (1989) 401

Quinamine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

Quinethazone

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Quinidine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

Quinine

Reversed-phase HPLC separation of some indole and quinoline alkaloids from *Cinchona* 479 (1989) 39

8-Quinolol-bonded silica

On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335

8-Quinolol silica gel

LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolol stationary phases 465 (1989) 249

Quinones

Chemical changes of organic compounds in chlorinated water. XVI. GC-MS studies of

reactions of tricyclic aromatic hydrocarbons with hypochlorite in dilute aqueous solution 466 (1989) 233

Chromatographic analysis, isolation and partial characterization of two photocatalysed reaction products of haem and quinone 490 (1989) 311

Quinonoid dihydrobiopterin

Determination of quinonoid dihydrobiopterin by HPLC and electrochemical detection 494 (1989) 77

Quinoxalinols

Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623

R**RA 642**

HPLC assay for RA 642, a compound with cardiovascular effect, in human and rabbit serum 491 (1989) 513

Racemase

Confirming chiral HPLC separations with stereospecific enzymes 468 (1989) 359

Racemization test

HPLC improvement of the Young racemization test 477 (1989) 454

Radioactivity monitor

Method for radio-capillary GC employing a modified oxidation-reduction train and flow-through detector 500 (1990) 349

Radiochromatography

Highly sensitive on-line radioassay of HPLC effluents 468 (1989) 279

Radio-gas chromatography

Radio-GC (Review) 492 (1989) 137

Radioimmunoassay

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Radiolabeled pharmaceuticals

Purification of radiolabeled pharmaceuticals 484 (1989) 347

Radiolytic synthesis

Radiolytic synthesis of high-molecular-weight alkanes for chromatographic characterization and identification purposes 475 (1989) 247

Radiometric detector

On-column radiometric detector for capillary isotachopheresis and its use in the analysis of ¹⁴C-labelled constituents 470 (1989) 139

Radionuclides

Electromigration of carrier-free radionuclides. IX. Protolysis of [¹³¹I]iodate in aqueous solutions 457 (1988) 362

Ramrod

Rapid determination of seven herbicides in water or isooctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

Random noise

Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 457 (1988) 1

Ranitidine

Simultaneous determination of ranitidine and its metabolites in human plasma and urine by HPLC 490 (1989) 175

Ranitidine oxides

Simultaneous determination of ranitidine and its metabolites in human plasma and urine by HPLC 490 (1989) 175

Reaction kinetics

Theoretical aspects of the application of head-space analysis to the investigation of reaction kinetics in solutions 454 (1988) 327

C.I. Reactive Blue 2 analogues

Design and applications of biomimetic anthraquinone dyes. II. The interaction of C.I. Reactive Blue 2 analogues bearing terminal ring modifications with horse liver alcohol dehydrogenase 455 (1988) 201

Design and applications of biomimetic anthraquinone dyes. Purification of calf intestinal alkaline phosphatase with immobilised terminal ring analogues of C.I. Reactive Blue 2 473 (1989) 227

Rebaudiosides

Simultaneous determination of stevioside, rebaudioside A and C and dulcoside A in foods by HPLC 474 (1989) 447

Recovery

Effect of mobile phase flow-rate on the recoveries and production rates in overloaded elution chromatography. A theoretical study 452 (1988) 209

Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391

Recycle gas chromatography

Practical aspects of recycle GC with capillary columns 477 (1989) 59

Recycle ion chromatography

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Recycling free fluid isotachopheresis

Automated recycling free fluid isotachopheresis. Principle, instrumentation and first results 457 (1988) 137

Recycling isoelectric focusing

Recycling isoelectric focusing and isotachopheresis 470 (1989) 369

Redox reactions

Characterization of solution-phase and gas-phase reactions in on-line electrochemistry-thermospray tandem MS 474 (1989) 231

Reduced chromatogram

Contemporary LC column design 468 (1989) 99

Reference methods

Proposed primary reference methods for the determination of some commercially important chiral aryloxypropionate herbicides in both free acid and ester forms 483 (1989) 349

Refractive index artifacts

Experimental and theoretical model of refractive index artifacts in absorbance detection 459 (1988) 119

Refractive index gradient detector

Microbore LC and refractive index gradient detection of low-nanogram and low-ppm quantities of carbohydrates 464 (1989) 83

Relative retention

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

Removable probe interface

Design and industrial applications of a removable probe interface for direct capillary SFC-MS 474 (1989) 69

Renin

Determination of renin activity in human-plasma by column-switching HPLC with fluorescence detection 490 (1989) 43

Repeller effects

Repeller effects in discharge ionization in LC and SFC-MS using a thermospray interface. II. Changes in some analyte spectra 478 (1989) 325

Repeller position

Effects of repeller position and voltage in thermospray MS 474 (1989) 139

Repeller voltage

Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

Effects of repeller position and voltage in thermospray MS 474 (1989) 139

Replenishment system

Performance of an automated injection and replenishment system for capillary electrophoresis 480 (1989) 129

Residue analysis, forensic

Molecular spectroscopy in forensic residue analysis: a general overview of reliability, applicability and cost effectiveness 489 (1989) 3

Resin acids

GC and MS determination of some resin and fatty acids in pulpmill effluents as their pentafluorobenzyl ester derivatives 498 (1990) 367

Resolution

Correction of the resolution function for non-ideal peaks 458 (1988) 355

Design of optimized HPLC gradients for the separation of either small or large molecules. II. Background and theory 459 (1988) 25

Effects of peak tailing on computer optimisation procedures for HPLC. II. An optimisation routine for tailed peaks 459 (1988) 79

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125

Response factor

Concept of response factor in capillary isotachopheresis. Determination of drugs in solution for intravenous injection 470 (1989) 105

Determination of the specific zone resistance and calculation of the response factor in isotachopheresis 470 (1989) 277

Response functions

Computer-assisted optimization with NEMROD software 485 (1989) 433

Response surface mapping

Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27

Response surface modeling

Computer-assisted optimization of an HPLC separation for chlorpromazine and thirteen metabolites 485 (1989) 585

Reversed-phase LC retention and selectivity surfaces. II. Deoxyribonucleosides 485 (1989) 617

Restrictor temperature programming

Linear velocity control in capillary SFC by restrictor temperature programming 465 (1989) 157

Retention

Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79

Retention gap techniques

Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381

Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391

Retention indices

Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31

Automated analysis of various compounds with a wide range of boiling points by capillary GC based on retention indices 454 (1988) 109

Nitroalkanes as a multidetector retention index scale for drug identification in GC 454 (1988) 345

Identification of alkylbenzenes up to C₁₂ by capillary GC and combined GC-MS. I. OV-101 as stationary phase 455 (1988) 301

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Analysis and molar mass distribution of polyoxyethylene 4-alkylphenylamines 462 (1989) 39

Precalculation of GC retention indices of linear 1-halogenoalkanes 463 (1989) 159

Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243

Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 463 (1989) 297

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

Non-linearity of the plot of log (adjusted retention time) versus carbon number for *n*-alkanes in series-coupled GC columns 471 (1989) 245

Interface adsorption and reproducibility of retention indices in glass capillary columns with dimethylpolysiloxane stationary phases cross-linked by γ -irradiation 471 (1989) 251

Thirtieth anniversary of the retention index according to Kováts in GLC (Review) 472 (1989) 1

Recent developments in the GC retention index scheme (Review) 472 (1989) 93

Interactive retention index database for compound identification in temperature-programmed capillary GC 472 (1989) 129

Some factors affecting the precision in the determination of retention indices on polar capillary columns for GC 473 (1989) 37

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75

Identification of alkylbenzenes up to C₁₂ by capillary GC and GC-MS. II. Retention indices on OV-101 columns and retention-molecular structure correlations 475 (1989) 113

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Increments of the arithmetic retention index for polyoxyethylene glycol monoalkyl ethers and their degradation products 477 (1989) 407

GC retention indices of tear gases on capillary columns 479 (1989) 165

Correlation for Kováts retention index of C₉-C₂₆ monoalkyl and polymethyl alkanes and alkenes 481 (1989) 1

SFC of barbiturates 481 (1989) 63

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71

Gradient HPLC using alkylphenone retention indices of insecticidal extracts of *Penicillium* strains 483 (1989) 153

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325

Programmed-temperature retention indices. A survey of calculation methods 498 (1990) 1

Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357

Computerized capillary GC analysis of hydrocarbon mixtures in workplace air 498 (1990) 381

Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139

GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355

Retention mapping

Method development in HPLC using retention mapping and experimental design techniques (Review) 485 (1989) 51

Retention mechanisms

Comparison of retention mechanisms of homologous series and triglycerides in non-aqueous reversed-phase LC 452 (1988) 157

Dual retention mechanism on commercial acetylcellulose as a stationary phase in planar chromatography 454 (1988) 352

Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85

Effect of sample size on retention in packed column SFC. A method for characterizing stationary phase homogeneity 459 (1988) 201

Retention mechanisms on metallic stationary phases 461 (1989) 139

Retention mechanisms in reversed-phase chromatography. Stationary phase bonding density and solute selectivity 461 (1989) 193

Retention behaviour of large polycyclic aromatic hydrocarbons in reversed-phase LC on a polymeric octadecylsilica stationary phase 461 (1989) 209

Retention behaviour of β -carbolines in normal-phase chromatography. Silica and amino phases in HPLC and TLC 471 (1989) 407

Effect of coverage density on the retention mechanism in reversed-phase HPLC 499 (1990) 305

Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 499 (1990) 333

Retention characteristics of several compound classes in reversed-phase LC with β -cyclodextrin as a mobile phase modifier 499 (1990) 395

Reversed-phase LC studies on non-ionic surfactants and related solutes 499 (1990) 469

Retention models

Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3

Study of partition models in reversed-phase LC based on measured mobile phase solute activity coefficients 499 (1990) 373

Modelling of cation retention in ion chromatography using fixed-site and dynamically coated ion-exchange columns 500 (1990) 301

Retention prediction

Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 458 (1988) 193

Computer-assisted retention prediction system for oligonucleotides in gradient anion-exchange chromatography 458 (1988) 385

Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase LC 463 (1989) 1

Calculation of programmed temperature GC characteristics from isothermal data. II. Predicted retention times and elution temperatures 463 (1989) 271

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75

Correlation of protein retention times in reversed-phase chromatography with polypeptide chain length and hydrophobicity 476 (1989) 363

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. IV. Branched and unsaturated alkylbenzenes 481 (1989) 85

Ion chromatographic elution behaviour and prediction of the retention of inorganic monovalent anions using a phosphate eluent 481 (1989) 315

Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1

Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. V. CRIPES (chromatographic retention index prediction expert system) 485 (1989) 325

Prediction of retention of metabolites in HPLC by an expert system approach 485 (1989) 349

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Prediction of retention times in ion-exchange chromatography 485 (1989) 533

Optimization of gradients in anion-exchange separations of oligonucleotides using computer-assisted retention prediction and an HPLC simulation system 485 (1989) 647

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Prediction of retention times of hydroxylated triacylglycerols in reversed-phase HPLC 498 (1990) 410

Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 500 (1990) 281

Retention processes, secondary

Performance of polymer-coated silica C₁₈ packing materials prepared from high-purity silica gel. The suppression of undesirable secondary retention processes 481 (1989) 147

Retention reproducibility

Retention reproducibility of basic drugs in HPLC on a silica column with a methanol–ammonium nitrate eluent. Batch-to-batch reproducibility of the stationary phase 455 (1988) 77

Problems with the reproducibility of retention data on capillary columns with hydrocarbon C₈₇ as the stationary phase 454 (1988) 65

Retention time

Calculation of programmed temperature GC characteristics from isothermal data. II. Predicted retention times and elution temperatures 463 (1989) 271

Prediction of retention times of hydroxylated triacylglycerols in reversed-phase HPLC 498 (1990) 410

Retention time normalisation

Normalisation of HPLC peak retention times for computerised comparison of wheat prolamin chromatograms 469 (1989) 127

Retention volumes

Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1

Retinoic acid

Separation and identification of retinoic acid photoisomers 481 (1989) 255

Retinoids

Determination of highly protein bound drugs in plasma using HPLC and column switching, exemplified by the retinoids 456 (1988) 33

Separation of carotenes on cyclodextrin-bonded phases 499 (1990) 627

Retinol-binding protein

Chromatographic method for the preparation of apo-cellular retinol-binding protein and apo-cellular retinoic acid-binding protein from their holo-types 482 (1989) 107

Retronecine

Capillary GC–Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Reversed-phase chromatography

On some nomenclature in chromatography 471 (1989) 447

Reversed-polarity chromatography

On some nomenclature in chromatography 471 (1989) 447

R_F values

Effect of the central ion of octahedral transition metal complexes on their TLC R_F values 466 (1989) 227

RGH-0205

Determination of impurity profiles in drugs and related materials. II. Detection and quantification of a diastereomeric impurity in the peptide RGH-0205 (Arg–Lys–Asp) 452 (1988) 317

Rhodamine B

HPLC determination of rhodamine B in rabbit and human plasma 491 (1989) 468

Ribitol

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Ribonuclease

Coupling of proteolytic quenching and HPLC to enzyme reactions. Application to bovine pancreatic ribonuclease 473 (1989) 281

Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281

Ribonucleosides

On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93

Ribonucleoside analysis by reversed-phase HPLC 471 (1989) 3

Ribonucleotides

Isocratic reversed-phase HPLC of ribonucleotides, deoxynucleotides, cyclic nucleotides and deoxycyclic nucleotides 461 (1989) 259

Ribosomal proteins

Peak tracking in HPLC based on normalized band areas. A ribosomal protein sample as an example 485 (1989) 569

Purification of core salt-extracted *E. coli* 30S ribosomal proteins by HPLC under non-denaturing conditions 498 (1990) 417

Rifampicin

LC-MS studies on rifampicin antibiotics 474 (1989) 317

Rifamycins

LC-MS studies on rifampicin antibiotics 474 (1989) 317

Identification and quantitation of rifamycins by reversed-phase HPLC 477 (1989) 463

Rifapentine

LC-MS studies on rifampicin antibiotics 474 (1989) 317

Rimantadine

Determination of rimantadine and its hydroxylated metabolites in human plasma and urine 497 (1989) 147

 R_M values

Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and log P values 498 (1990) 179

RNA

Separation of RNA and DNA by histone affinity HPLC 455 (1988) 401

High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299

Quantitation of 5-fluorouracil incorporation into RNA by HPLC without the use of radioactive precursors 496 (1989) 450

tRNA

Micropreparative separation of transfer ribonucleic acids by HPLC 463 (1989) 409

Microcolumn LC of small nucleic acid constituents 475 (1989) 13

High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153

Robotics

Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53

Simplified procedures for the determination of fenoldopam and its metabolites in human plasma by HPLC with electrochemical detection: comparison of manual and robotic sample preparation methods 487 (1989) 385

Robotics in biomedical chromatography and electrophoresis (Review) 492 (1989) 85

Rotating face-seal

Centrifugal counter-current partition chromatography with helical coil rotor.

Simplified counter-current chromatography with a rotating face-seal 483 (1989) 359

Rotating gel electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Roxithromycin

Micro-method for the determination of roxithromycin in human plasma and urine by HPLC using electrochemical detection 490 (1989) 115

RPC-5-like resins

Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201

RS-93522-004

Separation of the four optical isomers of a dihydropyridine calcium channel antagonist 478 (1989) 169

Rubidium

Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachopheresis 472 (1989) 441

Rule-based evaluation strategy

Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383

Run time

Preparative HPLC under isocratic conditions. II. The role of column variables 483 (1989) 85

Ruthenium clusters

HPLC of triangular ruthenium clusters containing bidentate group-15 donor ligands 483 (1989) 443

Rutin

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

S**Saccharides**

Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219

Post-column co-immobilized galactose oxidase/peroxidase reactor for fluorometric detection of saccharides in an LC system 463 (1989) 183

Saccharin

Simultaneous determination of nine food additives using HPLC 457 (1988) 333

Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463

Advances in the use of computerized GC-MS and HPLC with rapid scanning detection for clinical diagnosis 468 (1989) 43

Safrole

Separation of non-polar compounds by droplet counter-current chromatography 478 (1989) 433

Salicyl acyl glucuronide

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

Salicylamide

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Salicylhydroxamic acid

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

Salicylic acid

HPLC evaluation of salicyloyl pyridinol and systemic metabolites in biological samples 459 (1988) 325

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Direct serum injection in micellar liquid chromatography. Recovery of serum proteins and assay of hydrophilic drugs 488 (1989) 341

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428

Salicyloyl pyridinol

HPLC evaluation of salicyloyl pyridinol and systemic metabolites in biological samples 459 (1988) 325

Salicyl phenolic glucuronide

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

Salicyluric acid

HPLC method for the determination of salicylic acid and its metabolites in urine by direct injection 493 (1989) 93

Salsolinol

Determination of salsolinol by ion-exchange chromatography with glycylglycine as the post-derivatizing agent 459 (1988) 245

Determination of the enantiomeric composition of salsolinol in biological samples by HPLC with electrochemical detection 495 (1989) 205

Salt-binding effects

Salt-binding effects in hydrophobic-interaction chromatography 458 (1988) 57

Salt concentration

Hydrophobic interaction chromatography of proteins on Separon HEMA. I. The effect of an initial salt concentration on the separation of proteins 479 (1989) 327

Salt gradients

High-performance ion-exchange chromatography of oligoribonucleotides using linear and hyperbolic salt gradients 465 (1989) 325

Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 499 (1990) 141

Salting-out extraction

Determination of cadralazine in human whole blood using reversed-phase HPLC: utilizing a salting-out extraction procedure 489 (1989) 345

Salts

Interplay of hydrophobic and electrostatic interactions in biopolymer chromatography. Effect of salts on the retention of proteins 469 (1989) 3

Salutaridine

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

Sample introduction, axial

Evaluation of direct axial sample introduction for ion mobility detection after capillary GC 479 (1989) 221

Sample matrix

Effect of eluent impurities and sample matrix on quantitative analysis by ion chromatography 482 (1989) 393

Sample peaks

Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 482 (1989) 145

Sample preparation

Group fractionation of free and conjugated steroids by means of disposable silica-based anion-exchange columns 456 (1988) 175

HPLC determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation 465 (1989) 75

Automated zone-electrophoretic sample treatment for the analysis of biological samples by HPLC 465 (1989) 315

Sample preparation by means of a supported liquid membrane for the determination of chlorophenoxyalkanoic acids 471 (1989) 151

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

Sample preparation for biomedical analysis (Review) 492 (1989) 3

On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofurans residues in edible products 500 (1990) 453

Sample preparation, automation

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Robotics in biomedical chromatography and electrophoresis (Review) 492 (1989) 85

Sample processing, on-line

On-line sample processing and analysis of diol compounds in biological fluids 456 (1988) 93

Sample self-displacement

Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture 484 (1989) 153

Sample size

Sample size and retention values in HPLC of biological and synthetic polymers 458 (1988) 79

Effect of sample size on retention in packed column SFC. A method for characterizing stationary phase homogeneity 459 (1988) 201

Preparative HPLC under gradient conditions. I. Band broadening in gradient elution as a function of sample size 484 (1989) 409

Sample-solvent interactions

Inaccuracies due to sample-solvent interactions in HPLC 465 (1989) 201

Sampling

Capillary zone electrophoresis. Quantitative study of the effects of some dispersive processes on the separation efficiency 452 (1988) 601

Sampling device

Simple sampling device for capillary isotachopheresis and capillary zone electrophoresis 452 (1988) 615

Sampling systems

Determination of sensorial active trace compounds by multi-dimensional GC combined with different enrichment techniques 471 (1989) 173

Sapogenins

Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Saponification

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Saponins

HPLC analysis of naturally occurring glycosides and saponins 466 (1989) 390

Saterinone

Determination of saterinone in plasma by HPLC 497 (1989) 342

Schisanhenol

Application of analytical high-speed counter-current chromatography to the isolation of bioactive natural products 477 (1989) 434

Schisanhenol acetate

Application of analytical high-speed counter-current chromatography to the isolation of bioactive natural products 477 (1989) 434

Scoparone

Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489

Scopolamine

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Scopoletin

Application of HPLC analysis of scoparone and its metabolites in the study of cytochrome P 450 differentiation in vitro 487 (1989) 489

SE-54

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

Sedimentation field-flow fractionation

Resolution of colloidal latex aggregates by sedimentation field-flow fractionation 455 (1988) 1

Sedimentation field-flow fractionation of colloidal metal hydrosols 461 (1989) 103

Sedimentation-flotation focusing field-flow fractionation

Retention in sedimentation-flotation focusing field-flow fractionation using a step density gradient 452 (1988) 549

Sedimentation focusing field-flow fractionation

Sedimentation focusing field-flow fractionation in channels of triangular cross-section 454 (1988) 335

Segmented-stream reactors

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Selected-ion current profiles

Comparison of manual and exponentially modified gaussian based methods for the determination of the peak heights of selected-ion current profiles acquired in a mass spectral drug assay 472 (1989) 250

Selectivity

Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83

Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95

Retention mechanisms in reversed-phase chromatography. Stationary phase bonding density and solute selectivity 461 (1989) 193

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243

Practical use of an optimization strategy in reversed-phase HPLC for the separation of a limited subset of components in a reaction mixture 464 (1989) 225

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Comparison of the selectivity of cyano-bonded silica stationary phases in reversed-phase LC 464 (1989) 297

Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Comparison of solvent models for characterizing stationary phase selectivity in GC 471 (1989) 91

Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C₁₈ bonded phases 477 (1989) 277

Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383

Rationalization of the selection of the type of the organic modifier(s) for selectivity optimization in reversed-phase ion-pair chromatography 485 (1989) 403

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

Optimization of selectivity, detectability and analysis time in HPLC 499 (1990) 489

Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in GC 500 (1990) 329

Selectivity indices

Dispersion and selectivity indices of alkyl and alkenyl benzenes 452 (1988) 31

Dispersion and selectivity indices in GC. III. Alkyl, ω -chloroethyl and alkenyl benzoate and chlorobenzoate esters 462 (1989) 31

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

GLC analyses. L. Retention, dispersion and selectivity indices of polychlorinated dibenzo-*p*-dioxins and dibenzofurans 477 (1989) 327

Selenite

Determination of ⁷⁵Se-labelled selenite and metabolites in plasma and urine by HPLC with on-line radioactivity detection 496 (1989) 111

Selenium

Determination of selenium in drugs by oxygen flask combustion and ion chromatography 463 (1989) 147

Semiconductor radioisotope detector

Semiconductor radioisotope detector for capillary electrophoresis 480 (1989) 259

Sendai virus proteins

Comparison of non-ionic detergents for extraction and ion-exchange HPLC of Sendai virus integral membrane proteins 476 (1989) 319

Comparison of ion-exchange HPLC columns for purification of Sendai virus integral membrane proteins 476 (1989) 477

Senecionine

Capillary GC-Fourier transform IR spectroscopy of pyrrolizidine alkaloids of *Senecio inaequidens* DC 473 (1989) 161

Sensitivity

Effect of electrolyte and sample concentration on the relationship between sensitivity and resolution in capillary zone electrophoresis using conductivity detection 480 (1989) 285

Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125

Sensor, dual-channel

Photometric and electron-capture modes in a dual-channel sensor 457 (1988) 149

Sensorial active compounds

Determination of sensorial active trace compounds by multi-dimensional GC combined with different enrichment techniques 471 (1989) 173

Sensors

High-speed analytical sensor for in-line monitoring of dissolved analytes flowing in a tube employing a combination of limited diffusion, laminar flow and plug solvent injections 481 (1989) 111

Separation system selection

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Separon HEMA 1000

Hydrophobic interaction chromatography of proteins on Separon HEMA. I. The effect of an initial salt concentration on the separation of proteins 479 (1989) 327

Sephacryl HR

Properties, in theory and practice, of novel gel filtration media for standard LC 476 (1989) 329

Sephacryl S-200 HR

Elution behaviour of some proteins on fresh, acid- or base-treated Sephacryl S-200 HR 457 (1988) 205

Sephadex G-15

Adsorbability to and desorbability from Sephadex G-15 of sodium and phosphate ions 475 (1989) 412

Sepharose, sulphated

Sulphated Sepharose—a strong cation exchanger 472 (1989) 261

Q-Sepharose HP

Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337

Sequencing

Peptide mapping and internal sequencing of proteins electroblotted from two-dimensional gels onto polyvinylidene difluoride membranes. A chromatographic procedure for separating proteins from detergents 476 (1989) 345

Serotonin

LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491

Effect of chemically bonded alkyl chain length on the recovery of serotonin and its metabolite from urine by a solid extraction clean-up procedure 456 (1988) 219

Determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in plasma by direct injection in coupled-column LC with electrochemical detection 459 (1988) 351

Reduced variation in retention times of biogenic amines by temperature control in LC with electrochemical detection 479 (1989) 216

Microassay for N-acetyltransferase activity using HPLC with electrochemical detection 487 (1989) 287

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Simple HPLC method with electrochemical detection for the determination of indoleamines in tissue and plasma 491 (1989) 221

Highly sensitive determination of catecholamine and serotonin concentrations in plasma by LC electrochemistry 493 (1989) 157

Simultaneous determination of biogenic amines, their precursors and metabolites in a single brain of the cricket using HPLC with amperometric detection 496 (1989) 39

Serpentine

Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181

Sertraline

Automated GC-electron-capture assay for the selective serotonin uptake blocker sertraline 496 (1989) 423

Sesquiterpene hydrocarbons

SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125

Sesquiterpene lactones

Determination of molluscicidal sesquiterpene lactones from *Ambrosia maritima* (Compositae) 457 (1988) 325

Sesquiterpene olefins

Method for radio-capillary GC employing a modified oxidation-reduction train and flow-through detector 500 (1990) 349

Sialoglycoproteins

Combined lectin-affinity and metal-interaction chromatography for the separation of glycoproteins by HPLC 458 (1988) 1

Sialooligosaccharides

HPLC of sialooligosaccharides and gangliosides 488 (1989) 229

Silanediol groups

Silanediol groups of the silica gel Nucleosil: active sites involved in the chromatographic behaviour of bases 468 (1989) 67

Silanols

Role of unreacted silanols in the adsorption properties of derivatized silica 461 (1989) 243

Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31

Silica gel, chemically modified

Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 458 (1988) 255

Silica gel, iron-modified

Silanediol groups of the silica gel Nucleosil: active sites involved in the chromatographic behaviour of bases 468 (1989) 67

Silica gel, non-porous surface-coated

Polymer support synthesis. XV. Behaviour of non-porous surface-coated silica gel microbeads in oligonucleotide synthesis 476 (1989) 49

Silica gel, pH stability

Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH 467 (1989) 267

Silica gel, porous layer

Performance of porous silica layers in open-tubular columns for LC 477 (1989) 95

Silica supports

High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341

Silicate

Capillary isotachophoretic separation of phosphate, arsenate, germanate, silicate and molybdate ions using complex-forming equilibria 478 (1989) 238

Silicone-polyester resins

Quantitative determination of dicarboxylic acids and polyols in silicone-polyester resins 452 (1988) 37

Silver electrode

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Silver ion chromatography

Separation of *cis* and *trans* isomers of unsaturated fatty acids by HPLC in the silver ion mode 469 (1989) 261

Silver ion column

Separation of molecular species of triacylglycerols by HPLC with a silver ion column 454 (1988) 273

Silver-loaded thiol stationary phase

Trace-level determination of 3'-azido-3'-deoxythymidine in human plasma by preconcentration on a silver (I)-thiol stationary phase with on-line reversed-phase HPLC 491 (1989) 321

Silvex methyl ester

Rapid determination of seven herbicides in water or isooctane using C₁₈ and Florisil Sep-Pak cartridges and GC with electron-capture detection 483 (1989) 121

Silylaldonitriles

Silylaldonitrile derivatives for the determination of sugars by GC-MS 473 (1989) 125

Simplex lattice mixture design

Strategies for automated optimisation of HPLC separations incorporating diode-array detection 458 (1988) 335

Simplex optimization

Simplex optimization of HPLC separations (Review) 485 (1989) 3

Sinapic acid

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

Sisomicin

Determination of the aminoglycoside antibiotics sisomicin and netilmicin in dried blood spots on filter discs, by HPLC with pre-column derivatization and fluorimetric detection 490 (1989) 125

Size characterization

High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341

SK&F 101 926

Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 488 (1989) 456

Slurry packing

Insights into the slurry packing and bed structure of capillary LC columns 458 (1988) 267

Sodium

Isocratic elution of sodium, ammonium, potassium, magnesium and calcium ions by ion-exchange chromatography 469 (1989) 339

Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachopheresis 472 (1989) 441

Adsorbability to and desorbability from Sephadex G-15 of sodium and phosphate ions 475 (1989) 412

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Sodium azide

Determination of sodium azide in the presence of proteins by HPLC 488 (1989) 506

Sodium bisulphite

Determination of quinonoid dihydrobiopterin by HPLC and electrochemical detection 494 (1989) 77

Sodium chloride

Exchange of the cation and anion of the sample (sodium or potassium chloride) with the cation and anion of the eluent (sodium or potassium phosphate buffer) and their elution, from a Sephadex G-15 column, in separate fractions 481 (1989) 299

High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153

Sodium chromate

Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 489 (1989) 283

Sodium cyclamate

Analysis of saccharin, acesulfame-K and sodium cyclamate by high-performance ion chromatography 463 (1989) 463

Sodium dodecyl sulphate

Micropreparative separation of peptides derived from sodium dodecyl sulphate-solubilized proteins 473 (1989) 71

Sodium dodecyl sulphate-protein complexes. Changes in size or shape below the critical micelle concentration, as monitored by high performance agarose gel chromatography 476 (1989) 147

Separation of peptides from sodium dodecyl sulphate by HPLC 487 (1989) 450

Sodium monofluoroacetate

Determination of sodium monofluoroacetate in soil and biological samples as the dichloroanilide derivative 473 (1989) 251

Sodium nitrite

Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 457 (1988) 415

Sodium phosphate

Exchange of the cation and anion of the sample (sodium or potassium chloride) with the cation and anion of the eluent (sodium or potassium phosphate buffer) and their elution, from a Sephadex G-15 column, in separate fractions 481 (1989) 299

Sodium polystyrenesulphonates

Solution properties of polyelectrolytes. IV. Use of a new hydrophilic SEC packing for the separation of anionic and cationic polyions 461 (1989) 229

Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367

Sodium sulphacetamide

Quantitative determination of sulfanilamide in sodium sulfacetamide raw material and ophthalmic solutions by HPLC 478 (1989) 438

Sodium sulphide

HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295

Software

Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Drylab[®] computer simulation for HPLC method development. II. Gradient elution (Review) 485 (1989) 91

Predictive calculation methods for optimization of gradient elution using binary and ternary solvent gradients 485 (1989) 113

Computer-assisted retention prediction for HPLC in the ion-exchange mode (Review) 485 (1989) 143

Computer-aided optimization of HPLC in the pharmaceutical industry (Review) 485 (1989) 183

Predicting reversed-phase gradient elution separations by computer simulation. A comparison of two different programs 485 (1989) 421

Computer-assisted optimization with NEMROD software 485 (1989) 433

Computer-assisted selection of the optimum gradient programme in TLC 485 (1989) 517

Development of HPLC method for fluroxypyr herbicide and metabolites using computer simulation with DryLab G software 485 (1989) 581

Practical approach for HPLC method development: assaying synthetic intermediates of a leukotriene inhibitor 485 (1989) 597

Computer-assisted development of an HPLC method for fractionating selected nitro derivatives of polyaromatic hydrocarbons 485 (1989) 607

Separation of mixtures of *o*-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width 485 (1989) 657

Software, GC-FTIR coupling

GC with Fourier transform IR spectrometry for biomedical applications 492 (1989) 109

Solanidine

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

 α -Solanine

HPLC method for the simultaneous analysis of α -solanine and α -chaconine in potato plants cultured *in vitro* 462 (1989) 357

Solasodine

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Solid injection

Solid injection, a new technique for application of insoluble samples in preparative LC 484 (1989) 259

Solid-phase dispersion

Isolation of drug residues from tissues by solid phase dispersion 475 (1989) 353

Solid-phase extraction

Improved solid-phase extraction and LC with electrochemical detection of urinary catecholamines and 5-S-L-cysteinyl-L-DOPA 452 (1988) 409

Development of a solid-phase extraction technique for α -human atrial natriuretic peptide in human plasma 452 (1988) 469

Determination of Δ^9 -tetrahydrocannabinol in plasma using solid-phase extraction and HPLC with electrochemical detection 456 (1988) 83

HPLC determination of mitoxantrone in plasma utilizing non-bonded silica gel for solid-phase isolation to reduce adsorptive losses on glass during sample preparation 465 (1989) 75

Simultaneous GC of volatile and non-volatile carboxylic acids as *tert*-butyldimethylsilyl derivatives 468 (1989) 289

Isotachophoretic determination of short-chain fatty acids in drinking water after solid-phase extraction with a carbonaceous sorbent 470 (1989) 223

Multiresidue method for fungicide residues in fruit and vegetables 472 (1989) 416

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Solid-phase reactors

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Solid-phase sample preparation

Solid-phase sample preparation method for prostaglandins: integration of procedures for isolation and derivatization for GC determination 489 (1989) 263

Solubility coefficients

Determination of the solubility of vapours in polymers by automated headspace GC 455 (1988) 67

Solubility parameters

Solubility parameters of GC mixed stationary phases 457 (1988) 55

Solute characterization

Systematic procedure for the determination of the nature of the solutes prior to the selection of the mobile phase parameters for optimization of reversed-phase ion-pair chromatographic separations 478 (1989) 21

Solute focussing

Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81

Solute-solvent interactions

Solute-solvent interactions of macroporous methacrylate ion exchangers in salt form studied by GC 462 (1989) 61

Solute type identification

Rule-based approach for the determination of solute types in unknown sample mixtures as a first step of optimization parameter selection in reversed-phase ion-pair chromatography 485 (1989) 383

Solution properties at ideal dilution

Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139

Solvatochromic parameters

Retention in reversed-phase LC: solvatochromic investigation of homologous alcohol-water binary mobile phases 457 (1988) 85

Interpretation of normal-phase solvent strength scales based on linear solvation energy relationships using the solvatochromic parameters π^* , α and β 465 (1989) 123

Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279

Estimation of the reversed-phase LC lipophilicity parameter $\log k'_w$ using ET-30 solvatochromism 499 (1990) 435

Solvent composition effects

Solvent composition effects on the retention characteristics of aromatic hydroxyl compounds with silica and polar mobile phases and interpretation by the Snyder model 474 (1989) 347

Solvent delivery system

Instrumental developments in micellar electrokinetic capillary chromatography 480 (1989) 185

Solvent effects

Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81

Solvent evaporation

Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411

Solvent-generated liquid-liquid chromatography

Selection of the solid support—a crucial step for the realization of solvent generated liquid-liquid chromatography 500 (1990) 257

Solvent models

Comparison of solvent models for characterizing stationary phase selectivity in GC 471 (1989) 91

Solvent modulation

Solvent modulation in LC: optimization strategies 485 (1989) 541

Solvent non-excitation

Reversed-phase HPLC-NMR on-line coupling with solvent non-excitation 463 (1989) 355

Solvent residues

Analysis of solvent residues in pharmaceutical bulk drugs by wall-coated open tubular GC 469 (1989) 161

Solvents

Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172

Solvent selectivity effects

Solvent selectivity effects in reversed-phase HPLC of flavonoid compounds 461 (1989) 281

Solvent selectivity triangle

Considerations for using the solvent selectivity triangle approach for stationary phase characterization 452 (1988) 191

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

Solvent strength

Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83

Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95

Re-evaluation of the solvent triangle and comparison to solvatochromic based scales of solvent strength and selectivity 463 (1989) 21

Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177

Injection of elutes in solvents stronger than the mobile phase in reversed-phase LC 465 (1989) 189

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Microcomputer-aided characterization of mobile phases for normal-phase LSC based on Snyder's theory and data 477 (1989) 235

Mobile phase effects on aromatic hydroxyl compounds with an aminopropyl column and interpretation by the Snyder model 479 (1989) 5

Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in GC 500 (1990) 329

Solvent strength scales

Interpretation of normal-phase solvent strength scales based on linear solvation energy relationships using the solvatochromic parameters π^* , α and β 465 (1989) 123

Solvent systems, droplet counter-current chromatography

Physical-chemical parameters of some chloroform-containing solvent systems in droplet counter-current chromatography (in German) 498 (1990) 303

Solvent type

Selection of HPLC methods in pharmaceutical analysis. I. Optimization for selectivity in reversed-phase chromatography 454 (1988) 83

Selection of HPLC methods in pharmaceutical analysis. II. Optimization for selectivity in normal-phase systems 454 (1988) 95

Somatotropin

Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 482 (1989) 133

Sorbic acid

Simultaneous determination of nine food additives using HPLC 457 (1988) 333

Sorbitol

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

Sorbose

GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205

Sorption isotherms

Determination of the solubility of vapours in polymers by automated headspace GC 455 (1988) 67

Sorption kinetics

Chromatographic evaluation of sorption and diffusion characteristics of glucose, maltose and maltotriose in silica gels 463 (1989) 261

Sotalol

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Rapid and sensitive column LC determination of sotalol in plasma 493 (1989) 409

Spacer performance

Spacer performance in the cationic isotachopheresis of proteins 470 (1989) 201

Specific retention volumes

GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355

Specific zone resistance

Determination of the specific zone resistance and calculation of the response factor in isotachopheresis 470 (1989) 277

General mathematical model for the steady state in isotachopheresis. Calculation of the effective mobility of terminating H^+ ions and two-buffer electrolyte systems 480 (1989) 69

Spectral match factors

Automated evaluation of tryptic digest from recombinant human growth hormone using UV spectra and numeric peak information 499 (1990) 221

Spermine

Capillary zone electrophoresis of oligonucleotides. Factors affecting separation 480 (1989) 321

Sphingolipids

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Sphingomyelin

HPLC determination of some polar phospholipids in serum 495 (1989) 61

Spirolactones

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Spirolactone

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Split-flow thin-cell separation

Harnessing electrical forces for separation. Capillary zone electrophoresis, isoelectric focusing, field-flow fractionation, split-flow thin-cell continuous-separation and other techniques 480 (1989) 21

Split injection port

Study of the injection process in a gas chromatograph split injection port 454 (1988) 23

Splitting device

Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

Spotting apparatus, large-volume

Large-volume spotting apparatus and its application to the semi-quantitative determination of organochlorine pesticides in tea 469 (1989) 403

Stability constants

Stability constants of hydracid-tributyl phosphate complexes in alkane solution:

hydrochloric acid and hydrogen cyanide 468 (1989) 73

Standard chemical potential differences

Organic solutes in paraffin solvents. Influence of the size of the solvent molecule on solution data 500 (1990) 139

Stanozolol

Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23

Studies on anabolic steroids. III. Detection and characterization of stanozolol urinary metabolites in humans by GC-MS 497 (1990) 17

Static solvent effect

Comparison between the conditions for solute focussing by the static and dynamic solvent effects under ideal conditions 471 (1989) 81

Stationary phase bonding density

Retention mechanisms in reversed-phase chromatography. Stationary phase bonding density and solute selectivity 461 (1989) 193

Stationary phases, GC

Considerations for using the solvent selectivity triangle approach for stationary phase characterization 452 (1988) 191

Problems with the reproducibility of retention data on capillary columns with hydrocarbon C_{87} as the stationary phase 454 (1988) 65

Isothiocyanate as a liquid crystalline stationary phase in capillary GC for the separation of polyaromatic hydrocarbons 455 (1988) 323

Synthesis of bonded layers from cyclic organosilicons in the gas phase 456 (1988) 337

GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351

Solubility parameters of GC mixed stationary phases 457 (1988) 55

Application of metal β -diketonate polymers as selective sorbents in complex mixture analysis and for sulfur-containing compounds 463 (1989) 171

Thermodynamics of adsorption of organics on a cobalt-modified solid obtained from colloidal silica 463 (1989) 281

Heat of solution in a polyethylene glycol stationary phase of several cyclic and bicyclic compounds 463 (1989) 441

Capillary GC of some polycyclic aromatic compounds on several stationary phases 465 (1989) 378

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

Changes in retention and polarity accompanying the replacement of hydrogen by fluorine in tetraalkylammonium alkyl- and arylsulfonate salts used as stationary phases in GC 468 (1989) 261

Wall-coated adsorbent open-tubular fused-silica columns for the separation of complex pyrolysis products 468 (1989) 365

Optimization of the GC separation of five-membered ring polyarenes with an admixed BPhBT liquid crystal-Dexsil 300 stationary phase 469 (1989) 43

GC and sorption properties of macroporous methacrylate copolymers 469 (1989) 143

Use of crown ethers in GC 469 (1989) 153

Comparison of solvent models for characterizing stationary phase selectivity in GC 471 (1989) 91

Determination of the GC performance characteristics of several graphitized carbon blacks 471 (1989) 105

Characteristics of glass based packings as a support in chromatography 471 (1989) 113

Quantitative relationships between the structure of alkylbenzenes and their GC retention on stationary phases with different polarity 471 (1989) 227

Effect of repeated cross-linking of SE-54 stationary phase film on the chromatographic properties of capillary columns 471 (1989) 237

Interface adsorption and reproducibility of retention indices in glass capillary columns with dimethylpolysiloxane stationary phases cross-linked by γ -irradiation 471 (1989) 251

Non-extractable stationary phases for GC cross-linked by exposure to low-temperature plasmas 473 (1989) 79

Synthesis and structural considerations of oligoethylene oxide-containing polysiloxane stationary phases in capillary GC and SFC 473 (1989) 103

Deactivation with polymethylhydrosiloxane. A comparative study with capillary GC and solid-state ^{29}Si nuclear magnetic resonance spectroscopy 477 (1989) 3

Observations with high-molecular-weight polyethylene glycol stationary phases in capillary GC. I. Adsorption *versus* partitioning chromatography 477 (1989) 63

Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1

Evaluation of 4-(2'-phenylisopropyl)phenol esters as stationary phases for GLC 483 (1989) 33

Low-temperature side-chain liquid crystalline polysiloxanes used as stationary phases for capillary GC 483 (1989) 394

Experimental protocol for the assessment of solvent strength and selectivity of liquid phases used in GC 500 (1990) 329

GLC in qualitative analysis. XVIII. Study of the dependence of the retention behaviour of polyoxyethylene glycol columns on the nature of the support and phase loading 500 (1990) 355

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Stationary phases, LC

Analysis of short alkylsilane bonded silica gel HPLC stationary phases using hydrofluoric acid digestion and headspace analysis by capillary GC 452 (1988) 43

Interchangeable use of aqueous and organic solvents in a hydrophilic poly(vinyl alcohol) gel column 452 (1988) 137

Reversed-phase HPLC with a C_{18} polyacrylamide-based packing 452 (1988) 145

Methyl green-coated column for separation of inorganic anions by ion chromatography 452 (1988) 283

Mixed-bed ion-exchange columns for protein HPLC 452 (1988) 331

- Retention reproducibility of basic drugs in HPLC on a silica column with a methanol-ammonium nitrate eluent. Batch-to-batch reproducibility of the stationary phase 455 (1988) 77
- Ultrasound driven synthesis of reversed-phase stationary phases for LC using 4-dimethylaminopyridine as acid-acceptor 455 (1988) 95
- Gas phase silylation, a rapid method for preparation of HPLC supports 455 (1988) 105
- HPLC of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 457 (1988) 165
- HPLC of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 457 (1988) 175
- Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195
- Elution behaviour of some proteins on fresh, acid- or base-treated Sephacryl S-200 HR 457 (1988) 205
- Phosphoric acid-modified amino bonded stationary phase for HPLC chemical class separation 457 (1988) 215
- Characteristics of an avidin-conjugated column in direct LC resolution of racemic compounds 457 (1988) 227
- Strategy for the immobilization of monoclonal antibodies on solid-phase supports 458 (1988) 67
- Thermodynamics of α -lactalbumin denaturation in hydrophobic-interaction chromatography and stationary phases comparison 458 (1988) 93
- HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129
- Protein immobilization on silica supports. A ligand density study 458 (1988) 169
- Rapid high-performance affinity chromatography on micropellicular sorbents 458 (1988) 207
- Stabilization of reversed phases for LC. Application of IR spectroscopy for the study of bonded-phase stability 458 (1988) 225
- Electron spin resonance studies under dynamic mobile phase conditions on chemically modified silica 458 (1988) 255
- Insights into the slurry packing and bed structure of capillary LC columns 458 (1988) 267
- New packing and column for fast protein HPLC 458 (1988) 281
- Retention mechanisms on metallic stationary phases 461 (1989) 139
- Solution properties of polyelectrolytes. IV. Use of a new hydrophilic SEC packing for the separation of anionic and cationic polyions 461 (1989) 229
- Role of unreacted silanols in the adsorption properties of derivatized silica 461 (1989) 243
- Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305
- Hydrocarbon group type analysis of petroleum products by HPLC on organometallic donor/acceptor-bonded silica 461 (1989) 347
- Chromatographic properties of a vinyl alcohol copolymer gel column for the analysis of non-ionic surfactants 461 (1989) 365
- Preparation and use of latex-coated resins for anion chromatography 462 (1989) 165
- Affinity separation with polyaldehyde microsphere beads 462 (1989) 177
- Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219
- High-performance anion-exchange chromatography of proteins using aza-ether bonded silica-based phases 463 (1989) 329
- Preparation and retention characteristics of different phenylpolysiloxane phases for reversed-phase LC 463 (1989) 345
- Effect of the structure and density of chemically bonded C_{18} phase on the recovery of tryptophan and its metabolites from human urine 464 (1989) 73
- Factor analysis and experiment design in HPLC. VIII. Charge-transfer *versus* standard stationary phases in normal-phase HPLC 464 (1989) 237
- Comparison of the selectivity of cyano-bonded silica stationary phases in reversed-phase LC 464 (1989) 297
- Prediction of alkane-water partition coefficients using a C_{18} derivatized polystyrene-divinylbenzene stationary phase 464 (1989) 400
- Packing technology, column bed structure and chromatographic performance of 1–2- μ m non-porous silicas in HPLC 465 (1989) 39

- Protein A, hydroxyapatite and diethylaminoethyl: evaluation of three procedures for the preparative purification of monoclonal antibodies by HPLC 465 (1989) 101
- Calculation of the characteristics of the bonded layers of reversed stationary phases 465 (1989) 233
- Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241
- LC separation of positional isomers of suprofen on a cyclodextrin-bonded phase 465 (1989) 422
- Anion-cation separations on a mixed bed alumina-silica column 466 (1989) 291
- Affinity chromatography of bovine heart lactate dehydrogenase using dye ligands linked directly or spacer-mediated to bead cellulose 466 (1989) 319
- Investigation of small populations of reactive silanols on silica surfaces 467 (1989) 31
- Stability of silica packing materials towards a mixed aqueous-organic eluent at alkaline pH 467 (1989) 267
- High-performance hydroxyapatite chromatography of nucleic acids 467 (1989) 299
- High-speed size characterization of chromatographic silica by flow/hyperlayer field-flow fractionation 467 (1989) 341
- Silanediol groups of the silica gel Nucleosil: active sites involved in the chromatographic behaviour of bases 468 (1989) 67
- Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191
- Ionization of DEAE-cellulose. Dependence of pK on ionic strength 469 (1989) 111
- Chromatographic evaluation of oligomeric C_8 reversed phases for use in HPLC 471 (1989) 283
- Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321
- Aqueous SEC of anionic and non-ionic water-soluble polymers on silica gel with bonded hydrophilic groups 471 (1989) 367
- Sulphated Sepharose—a strong cation exchanger 472 (1989) 261
- HPLC of proteins on N-methylpyridinium polymer columns 472 (1989) 357
- Retention characteristics in HPLC of basic drugs and plasma extracts on an alumina column 473 (1989) 53
- Comparison of various non-polar stationary phases used for assessing lipophilicity 473 (1989) 115
- HPLC on continuous polymer beds 473 (1989) 273
- High-performance chromatofocusing of proteins on agarose columns. I. Macroporous 15–20 μm beads 475 (1989) 167
- High-performance chromatofocusing of proteins on agarose columns. II. Deformed non-porous 12–15 μm beads 475 (1989) 177
- Hydrolyzed macroporous glycidyl methacrylate-ethylene dimethacrylate copolymer with narrow pore size distribution. A novel packing for size-exclusion HPLC 475 (1989) 187
- Polymer-based packing materials with alkyl backbones for reversed-phase LC. Performance and retention selectivity 475 (1989) 195
- Ion chromatography on methacrylate ion exchangers 475 (1989) 209
- Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3
- New porous organic microspheres for HPLC 476 (1989) 21
- Evaluation of advanced silica packings for the separation of biopolymers by HPLC. VI. Design, chromatographic performance and application of non-porous silica-based anion exchangers 476 (1989) 37
- Retention behaviour of paracelsin peptides on reversed-phase silicas with varying n -alkyl chain length and ligand density 476 (1989) 135
- Efficient endotoxin removal with a new sanitizable affinity column: Affi-Prep Polymyxin 476 (1989) 175
- Coated silica supports for high-performance affinity chromatography of proteins 476 (1989) 195
- HPLC of amino acids, peptides and proteins. XCII. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes 476 (1989) 205
- Affinity chromatography of recombinant *Rhizomucor miehei* aspartic proteinase on Si-300 bacitracin 476 (1989) 227

- Comparison of protein A, protein G and copolymerized hydroxyapatite for the purification of human monoclonal antibodies 476 (1989) 257
- Crown ethers as ligands for HPLC of proteins and nucleic acids 476 (1989) 309
- Properties, in theory and practice, of novel gel filtration media for standard LC 476 (1989) 329
- Performance of porous silica layers in open-tubular columns for LC 477 (1989) 95
- Comparison of LC selectivity for polycyclic aromatic hydrocarbons on cyclodextrin and C₁₈ bonded phases 477 (1989) 277
- Column performance of Q-Sepharose HP in analytical- and preparative-scale chromatography 477 (1989) 337
- Preparation of adsorbents for affinity chromatography using TSK gel Tresyl-Toyopearl 650M 478 (1989) 159
- Chromatographic separation of the heavier lanthanoids on the spherical cation exchanger OSTION with α -hydroxy- α -methylbutyrate 478 (1989) 446
- Study of the changes in mono-, di- and trifunctional octadecyl-modified packings for reversed-phase HPLC with different eluent compositions 479 (1989) 269
- Low-capacity quaternary phosphonium resins for anion chromatography 479 (1989) 401
- Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135
- Performance of polymer-coated silica C₁₈ packing materials prepared from high-purity silica gel. The suppression of undesirable secondary retention processes 481 (1989) 147
- Preparation and characterization of adsorbents for use in high-performance liquid affinity chromatography 481 (1989) 159
- High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. I. Coating: ferric oxyhydroxide with stoichiometrically bound phosphate 481 (1989) 175
- High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II. Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187
- Preparation of several types of RPC-5-like resins and their use for the separation of oligonucleotides and mononucleotides by HPLC 481 (1989) 201
- Recovery of proteins and peptides with nanogram loads on non-porous packings 481 (1989) 391
- Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase-silica 482 (1989) 252
- Chemically suppressed anion chromatography based on macrocycle-cation complexation 482 (1989) 367
- Alumina as stationary phase for ion chromatography and column-coupling techniques 482 (1989) 401
- Dyestuff-coated HPLC resins for the ion-exchange and chelating-exchange separation of metal ions 482 (1989) 325
- Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145
- Spectroscopic investigation of the hydrolysis of γ -glycidoxypropylsilane bound to silica surfaces 483 (1989) 209
- High-performance hydrophobic interaction chromatography of proteins on a pellicular support based on hydrophilic resin 483 (1989) 401
- Preparative packing utility as a function of particle size 484 (1989) 267
- Preparation and evaluation of a polymer-coated zirconia reversed-phase chromatographic support 484 (1989) 273
- Multivariate calibration strategy for reversed-phase chromatography systems based on the characterization of stationary-mobile phase combinations with markers 485 (1989) 169
- α_1 -Acid glycoprotein HPLC column (Enantiopac) as a screening tool for protein binding 487 (1989) 257
- Biospecific interactions: their quantitative characterization and use for solute purification (Review) 492 (1989) 377
- Effect of stationary and mobile phases on hydrophobic interaction chromatography of proteins and peptides 496 (1989) 71

Relative retention and column selectivity for the common polar bonded-phase columns. The diol-silica column in normal-phase HPLC 498 (1990) 55

Modelling single-component protein adsorption to the cation exchanger S Sepharose® FF 498 (1990) 113

Comparison of phenyl- and octyl-Sepharose CL-4B in the hydrophobic interaction chromatography of simple aliphatic and aromatic compounds 498 (1990) 237

Characterization of reversed-phase HPLC stationary phases using ribonuclease A 498 (1990) 281

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2- μ m spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 499 (1990) 153

Unexpected elution behaviour of peptides with various reversed-phase columns 499 (1990) 165

Protein chromatography with pyridine- and alkylthioether-based agarose adsorbents 499 (1990) 235

New latex-bonded pellicular anion exchangers with multi-phase selectivity for HPLC separations 499 (1990) 249

Micropellicular stationary phases for rapid protein analysis by HPLC 499 (1990) 267

Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase HPLC 499 (1990) 279

Physical and chemical characterization of microporous zirconia 499 (1990) 291

Effect of coverage density on the retention mechanism in reversed-phase HPLC 499 (1990) 305

Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 499 (1990) 317

Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal

component analysis of structural descriptors of solutes 499 (1990) 333

Preparation of silicone-coated 5–25- μ m I.D. fused-silica capillary columns for open-tubular LC 499 (1990) 345

Effect of alcohol chain length, concentration and polarity on separations in HPLC using bonded cyclodextrin columns 499 (1990) 477

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Reversed-phase HPLC of proteins and polypeptides on polystyrene-coated silica supports 500 (1990) 519

HPLC of proteins on deformed non-porous agarose beads. Fast boronate affinity chromatography of haemoglobin at neutral pH 500 (1990) 543

Carbohydrates as a tool for oriented immobilization of antigens and antibodies 500 (1990) 585

Application of high-performance hydrophobic-interaction chromatography to the characterization of recombinant DNA-derived human growth hormone 500 (1990) 595

Stationary phases, SFC

Retention behaviour of polycyclic aromatic hydrocarbons in SFC on various chemically bonded stationary phases with carbon dioxide as a mobile phase 455 (1988) 29

Effect of sample size on retention in packed column SFC. A method for characterizing stationary phase homogeneity 459 (1988) 201

HPLC columns and stationary phases in SFC 477 (1989) 169

High-pressure adsorption of carbon dioxide on SFC adsorbents 479 (1989) 251

Stationary phases, TLC

Dual retention mechanism on commercial acetylcellulose as a stationary phase in planar chromatography 454 (1988) 352

Retention behaviour of some classes of pharmaceutical products on chemically modified TLC plates 475 (1989) 95

Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471

Statistical mixture design

Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27

Statistical moments

Measurement of statistical moments of resolved and overlapping chromatographic peaks 461 (1989) 149

Steam

GC of organic compounds using inorganic salts as components of the stationary liquid phase and steam as a carrier gas 456 (1988) 351

Stereochemical recognition

Stereochemical recognition of enantiomeric and diastereomeric dipeptides by HPLC on a chiral stationary phase based upon immobilized α -chymotrypsin 476 (1989) 165

Sterigmatocystins

Chromatographic and spectroscopic properties of hemiacetals of aflatoxin and sterigmatocystin metabolites 462 (1989) 269

Steroidal alkaloids

Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Characterization of novel steroidal alkaloids from tubers of *Solanum* species by combined GC-MS. Implications for potato breeding 482 (1989) 13

Steroid receptors

High performance affinity chromatography of human progesterone receptor 455 (1988) 434

Separation of two molecular forms of human estrogen receptor by hydrophobic interaction chromatography. Gradient optimization and tissue comparison 476 (1989) 455

Steroids

Studies on steroids. CCXXXVIII. Determination of bile acids in liver tissue by GC-MS with negative ion chemical ionization detection 452 (1988) 119

Use of hydroxypropyl- and hydroxyethyl-derivatized β -cyclodextrins for the TLC separation of enantiomers and diastereomers 452 (1988) 323

Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Temperature programming in HPLC 455 (1988) 327

Group fractionation of free and conjugated steroids by means of disposable silica-based anion-exchange columns 456 (1988) 175

HPLC analysis of the by-products of the synthesis of ethynylestradiol, mestranol, 17 α -hydroxyprogesterone caproate and 17 α -hydroxy-6-dehydroprogesterone acetate 456 (1988) 427

Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Packed column SFC and linked SFC-MS for the analysis of phytoecdysteroids from *Silene nutans* and *Silene otites* 467 (1989) 292

HPLC of brassinosteroids in plants with derivatization using 9-phenanthreneboronic acid 469 (1989) 424

Determination of 17-oxosteroid sulphates in serum by ion-pair extraction, prelabelling with dansylhydrazine and HPLC with fluorescence detection 474 (1989) 363

Retention behaviour of cardiac steroids using cyclodextrin in the mobile phase in HPLC 478 (1989) 339

Screening of steroids in horse urine and plasma by using electron impact and chemical ionization GC-MS 479 (1989) 233

Purification of radiolabeled pharmaceuticals 484 (1989) 347

Drylab[®] computer simulation for HPLC method development. I. Isocratic elution (Review) 485 (1989) 65

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Manual automated enrichment procedures for biological samples using lipophilic gels 488 (1989) 87

- Determination of melengestrol acetate in bovine tissues by automated coupled-column normal-phase HPLC 488 (1989) 389
- Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11
- Studies on anabolic steroids. I. Integrated methodological approach to the GC-MS analysis of anabolic steroid metabolites in urine 489 (1989) 23
- Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57
- Effective monitoring of residues of nortestosterone and its major metabolite in bovine urine and bile 489 (1989) 95
- Biotransformation of β -nortestosterone by cultured porcine hepatocytes 489 (1989) 105
- Multi-immunoaffinity chromatography: a simple and highly selective clean-up method for multi-anabolic residue analysis of meat 489 (1989) 111
- Effect of extended use of single anabolic steroids on urinary steroid excretion and metabolism 489 (1989) 121
- On-line HPLC diode array spectrophotometric analysis of steroidal hormones in illegal preparations 489 (1989) 139
- Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157
- Distinction between oral and parenteral application of 19-nortestosterone by residue analysis in kidney fat from veal calves using HPLC and enzyme immunoassay 489 (1989) 173
- Determination of hormone contaminants in milk replacers by HPLC and immunoassay 489 (1989) 181
- Application of sorbent extraction chromatography to the purification of diethylstilboestrol extracted from muscle tissue and determined by radioimmunoassay 489 (1989) 199
- Quantitative analysis of anabolics on TLC plates using image analysis techniques 489 (1989) 205
- TLC method for the detection of anabolics in fat tissues 489 (1990) 213
- Chemiluminescence immunoassay for the detection and quantification of methyltestosterone residues in muscle tissue 489 (1989) 219
- Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225
- Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235
- Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 489 (1989) 245
- Measurement of 21-hydroxycorticosteroids in human and rat sera by HPLC with fluorimetric detection 489 (1989) 364
- Ultramicro determination of 7-dehydrocholesterol in rat skin by HPLC with fluorescence detection 491 (1989) 404
- Biochemical applications of LC-MS 492 (1989) 189
- Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345
- Planar chromatographic techniques in biomedicine: current status (Review) 492 (1989) 471
- Studies on steroids. CCXXXXV. Determination of 5 β -cholestanic acids in human urine by GC-MS with negative ion chemical ionization detection 493 (1989) 245
- Separation of C-17 fatty acid esters of 17 β -estradiol by reversed-phase HPLC 493 (1989) 367
- Chromatographic determination of percutaneous absorption of topical non-radiolabelled prednisolone in vivo, and preliminary application to transdermal pharmacokinetics 493 (1989) 373
- Simultaneous measurement of prednisone, prednisolone and 6 β -hydroxyprednisolone in urine by HPLC using dexamethasone as the internal standard 493 (1989) 421
- Long-chain fatty acids and alcohols from gerbil meibomian lipids 494 (1989) 23
- Separation and quantitation of free cholesterol and cholesteryl esters in a macrophage cell line by HPLC 494 (1989) 43

Specific and sensitive quantitation of medroxyprogesterone acetate in human serum by GC-MS 495 (1989) 13

Simultaneous determination of methylprednisolone and methylprednisolone-21-[8-[methyl-(2-sulfoethyl)amino]-8-oxooctanoate] sodium salt in human urine by HPLC with UV detection 496 (1989) 245

Studies on anabolic steroids. III. Detection and characterization of stanozolol urinary metabolites in humans by GC-MS 497 (1990) 17

Rapid determination of methandrostenolone in equine urine by isotope dilution LC-tandem MS 497 (1989) 49

Steroids, fluorinated

Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241

Sterol carrier protein₂

TSK-Toyopearl gels for the preparative separation of sterol carrier protein₂ from rat liver 482 (1989) 117

Sterols

Comparison of the chromatographic properties of sterols, select additional steroids and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC-GC 471 (1989) 397

HPLC method for isolating coprostanol from sediment extracts 481 (1989) 263

Immobilized enzyme reactors for detection systems in HPLC (Review) 492 (1989) 345

Stevioside

Simultaneous determination of stevioside, rebaudioside A and C and dulcoside A in foods by HPLC 474 (1989) 447

Stilbenes

Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Stimulants

Headspace GC of stimulants in urine by in-column trifluoroacetyl derivatization method 467 (1989) 227

Stokes radius

Determination of Stokes radii of hyaluronate oligosaccharides by Sephadex gel chromatography 472 (1989) 145

Accuracy and precision in the determination of Stokes radii and molecular masses of proteins by gel filtration chromatography 472 (1989) 347

Stop-flow analysis

Use of a stop-flow technique to study on-column decomposition in SFC 479 (1989) 170

Strontium-90

Determination of mono-, bi- and trivalent cations using non-suppressed ion chromatography 482 (1989) 289

Strospeside

HPLC determination of secondary cardiac glycosides in *Digitalis purpurea* leaves 479 (1989) 319

Structure

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. II. Long term reproducibility of capacity factors and retention indices 475 (1989) 75

Structure-activity relationships

Determination of hydrophobicity parameters on polybutadiene-coated alumina and their application in quantitative structure-activity relationships analysis 458 (1988) 395

Chromatography beyond analytical chemistry 488 (1989) 25

Structure-function relationships

Bioaffinity chromatography: synergy between interactive chromatography and molecular recognition for the separation and analysis of macromolecules 488 (1989) 145

Structure-retention relationships

Correlations between octanol-water partition coefficients and reversed-phase HPLC capacity factors. Chlorobiphenyls and alkylbenzenes 454 (1988) 37

Dependence of R_F values of cobalt(III) complexes on the size of diamine chelate ligands on silica gel thin layers 454 (1988) 362

Effect of the composition of coordinated β -diketonato ligands on R_F values of transition metal complexes obtained by TLC on silica gel 456 (1988) 346

Effect of peptide chain length on peptide retention behaviour in reversed-phase chromatography 458 (1988) 193

Comparison of reversed-phase TLC and HPLC of flavonoid compounds 462 (1989) 205

Relationships between structure and retention index for N-substituted amides of aliphatic acids on a non-polar column 463 (1989) 297

Study of the lipophilic character of a series of β -carbolines 469 (1989) 121

Dispersion and selectivity indices in GC. Part II. Studies of homologous carbonyl and carboxyl compounds 471 (1989) 217

Quantitative relationships between the structure of alkylbenzenes and their GC retention on stationary phases with different polarity 471 (1989) 227

Retention behaviour of β -carbolines in normal-phase chromatography. Silica and amino phases in HPLC and TLC 471 (1989) 407

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. I. Monosubstituted aromatic compounds 475 (1989) 57

Identification of alkylbenzenes up to C_{12} by capillary GC and GC-MS. II. Retention indices on OV-101 columns and retention-molecular structure correlations 475 (1989) 113

HPLC of amino acids, peptides and proteins. XC. Investigations into the relationship between structure and reversed-phase HPLC retention behaviour of peptides related to human growth hormone 476 (1989) 113

Hydrophobic interaction chromatography of small molecules: characterization of the retention of acyl coenzyme A homologues 477 (1989) 249

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. III. Monosubstituted aliphatic compounds 481 (1989) 71

Retention prediction of analytes in reversed-phase HPLC based on molecular structure. IV. Branched and unsaturated alkylbenzenes 481 (1989) 85

TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331

TLC on polyacrylonitrile. I. Effect of the *cis-trans* configuration of cobalt(III) complexes on their R_F values 481 (1989) 465

Effect of the chelate ring size of diamine cobalt(III) complexes on their R_F values obtained by PC 481 (1989) 471

Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 482 (1989) 215

HPLC of alkyl-naphthalenes and phenyl-naphthalenes on alumina 498 (1990) 248

Correlation analysis in LC of metal chelates. I. One-dimensional retention-structure models in reversed-phase TLC 498 (1990) 337

Relationships between GC retention indices and molecular structure of aromatic hydrocarbons 498 (1990) 357

Mechanism of retention in HPLC on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 499 (1990) 333

Estimation of the reversed-phase LC lipophilicity parameter $\log k'_w$ using ET-30 solvatochromism 499 (1990) 435

Styrene

Determination of styrene and 2-vinylpyridine monomers in poly(2-vinylpyridine-styrene) 463 (1989) 127

Use of HPLC for the characterization of synthetic copolymers 499 (1990) 645

Styrene oligomers

Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85

Styryl cyanine iodides

TLC behaviour of some styryl cyanine dyes derived from pyridine 481 (1989) 331

Subcritical fluid chromatography

Resolution of π -acid racemates on π -acid chiral stationary phases in normal-phase liquid and subcritical fluid chromatographic modes. A unique reversal of elution order on changing the nature of the achiral modifier 467 (1989) 357

Substance P

HPLC determination of substance P-like arginine-containing peptide in rat brain by on-line post-column fluorescence derivatization with benzoin 490 (1989) 301

Opioid and tachykinin peptides, and their precursors and precursor-processing enzymes, in human cerebrospinal fluid 500 (1990) 395

Subtilisin

Microenvironmental contributions to the chromatographic behavior of subtilisin in hydrophobic-interaction and reversed-phase chromatography 500 (1990) 503

Subviral particles

Use of high-performance SEC for the separation of poliovirus and subviral particles 498 (1990) 105

N-Succinimidyl 3-ferrocenylpropionate

Sensitive ferrocene reagents for derivatization of amines for HPLC with electrochemical detection 487 (1989) 247

Sucrose

Developments of micro LC-MS with gradient elution. Improvements to obtain less thermal decomposition of labile compounds 474 (1989) 285

Sucrose esters

Quantitative TLC of *Nicotiana tabacum* leaf surface components 463 (1989) 429

Sudan I

Determination of Methyl Yellow, Sudan I and Sudan II in water by HPLC 465 (1989) 434

Sudan II

Determination of Methyl Yellow, Sudan I and Sudan II in water by HPLC 465 (1989) 434

Sugar alcohols

Evaluation of the liquid chromatographic separation of monosaccharides, disaccharides, trisaccharides, tetrasaccharides, deoxysaccharides and sugar alcohols with stable cyclodextrin bonded phase columns 462 (1989) 219

Sugars

see also Carbohydrates and saccharides

Silylaldonitrile derivatives for the determination of sugars by GC-MS 473 (1989) 125

Determination of sugars in polysaccharide hydrolysates by anion-exchange chromatography 473 (1989) 305

Rapid analysis of sorbitol, galactitol, mannitol and myoinositol mixtures from biological sources 490 (1989) 1

Quantitative analysis of polyols in human plasma and cerebrospinal fluid 497 (1989) 39

Electrophoretic separation of sugars and hydrolysates of polysaccharides on silylated glass-fibre paper 498 (1990) 213

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Sugars, phosphorylated

GC determination of (phosphorylated) 2-keto-3-deoxyoctonic acid, heptoses and glucosamine in bacterial lipopolysaccharides after treatment with hydrofluoric acid, methanolysis and trifluoroacetylation 487 (1989) 1

Sulbactam

Isotachophoretic determination of sulbactam in rat serum 495 (1989) 338

Sulfathiazole

Spectrometric and TLC quantification of sulfathiazole residues in honey 463 (1989) 229

Sulfinpyrazone

Selection of HPLC methods in pharmaceutical analysis. IV. Selection of most applicable separation system 464 (1989) 279

Sulpha drugs

LC separation of several classes of acidic and basic aromatic compounds on silica-bonded 8-quinolinol stationary phases 465 (1989) 249

Sulphanilamide

Quantitative determination of sulfanilamide in sodium sulfacetamide raw material and ophthalmic solutions by HPLC 478 (1989) 438

Sulphapyridine

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Sulphapyridine O-glucuronide

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Sulphasalazine

Simple rapid method for the simultaneous determination of the eight main metabolites and conjugates of sulphasalazine in human plasma, urine and faeces using dynamically modified silica 491 (1989) 175

Sulphate

Retention and separation of inorganic anions by reversed-phase ion-interaction chromatography on octadecyl silica 456 (1988) 267

Determination of trace anionic impurities in concentrated inorganic acids by recycle ion chromatography 466 (1989) 355

Precision and accuracy of ion chromatography in dry deposition measurements 482 (1989) 297

Modification of a Dionex system 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 482 (1989) 413

Separation of inorganic anions by ion chromatography on dye-coated silica gel RP-18 483 (1989) 145

Sulphatide

Gangliosides and sulphatide in human cerebrospinal fluid: quantitation with immunoaffinity techniques 496 (1989) 279

Sulphide

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Sulphite

Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442

Sulphobetaine detergent

Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87

Sulphonamides

Narrow-bore HPLC separations of 22 sulfonamides 478 (1989) 422

Sulphonic acids

GC analysis of sulphonic acids as their sulphonamide derivatives 473 (1989) 276

Sulphonium salts

Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109

Sulphonylureas

Determination of serum sulphonylureas by HPLC with fluorimetric detection 493 (1989) 222

Sulphur

Determination of the total amount sulfur in petroleum fractions by capillary GC in combination with cold trapping and a total sulfur analyzer 468 (1989) 345

Sulphur anions, inorganic

Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442

Sulphur chemiluminescence detector

SFC with sulfur chemiluminescence detection 465 (1989) 23

Sulphur-containing compounds

Application of metal β -diketonate polymers as selective sorbents in complex mixture analysis and for sulfur-containing compounds 463 (1989) 171

Improved flame photometric detector for the analysis of sulfur compounds by GC 468 (1989) 303

LC determination of planar aromatic sulphur compounds in crude oil 475 (1989) 421

Sulphur hexafluoride

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

Comparative SFC properties of carbon dioxide and sulphur hexafluoride-ammonia mixtures with packed columns 499 (1990) 637

Sulphuric acid

Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the GC determination of organochlorine compounds in some food commodities 457 (1988) 387

Sumatriptan

Development and validation of an LC-MS assay for the determination of sumatriptan in plasma 496 (1989) 137

Sun-screen agents

Determination of sun-screen agents in cosmetic products by reversed-phase HPLC. Part II 464 (1989) 428

Determination of sunscreen agents in cosmetic products by reversed-phase HPLC 482 (1989) 240

Superconductor metal oxide catalyst

Superconductor metal oxide catalyst in a chemiluminescence chromatography detector 452 (1988) 75

Supercritical fluid chromatography

Separation of α -keto acids by capillary SFC as their quinoxalinol derivatives 452 (1988) 623

Phase-system switching as an on-line sample pretreatment in the bioanalysis of mitomycin C using supercritical fluid chromatography 454 (1988) 243

Gradient elution with normal phases on silica. A comparison between HPLC and SFC 454 (1988) 253

Consecutive gradients in chromatography. Gradients under sub- and supercritical conditions including composition gradients and multiple gradients 455 (1988) 17

Retention behaviour of polycyclic aromatic hydrocarbons in SFC on various chemically bonded stationary phases with carbon dioxide as a mobile phase 455 (1988) 29

Water as a stationary phase modifier in packed-column SFC. I. Separation of free fatty acids 459 (1988) 173

Effect of the partial molar volume of the solute in the stationary phase on retention in SFC 459 (1988) 183

Use of two simultaneous detectors in capillary SFC 459 (1988) 193

Effect of sample size on retention in packed column SFC. A method for characterizing stationary phase homogeneity 459 (1988) 201

Analysis of steroids by capillary SFC with phosphorus-selective detection 461 (1989) 111

Enantiomer resolution of D- and L- α -amino acid derivatives by SFC on novel chiral diamide phases with carbon dioxide 461 (1989) 121

SFC of sesquiterpene hydrocarbons on silica packed columns with on-line Fourier transform IR detection 464 (1989) 125

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Reproducibility of packed-column SFC with helium head-pressure carbon dioxide 465 (1989) 11

Splitting control and solvent effects in SFC with fused-silica capillary columns 465 (1989) 17

Linear velocity control in capillary SFC by restrictor temperature programming 465 (1989) 157

Column pressure drop in capillary SFC 465 (1989) 169

Solvent strength and selectivity properties of supercritical carbon dioxide relative to liquid hexane 465 (1989) 177

Improved evaporative light-scattering detection for SFC with carbon dioxide-methanol mobile phases 467 (1989) 49

Determination of nitrogen compounds by SFC using nitrous oxide as the mobile phase and nitrogen-sensitive detection 467 (1989) 61

Packed column SFC and linked SFC-MS for the analysis of phytoecdysteroids from *Silene nutans* and *Silene otites* 467 (1989) 292

Packed-column SFC separation of highly explosive compounds 467 (1989) 423

SFC-MS of polycyclic aromatic hydrocarbons with a simple capillary direct interface 468 (1989) 115

Some practical aspects of column design for packed-column SFC 468 (1989) 127

Effect of pressure drop across the column on average densities and capacity factors in SFC 471 (1989) 347

Adsorption isotherms on silica for methanol and 1-hexanol modifiers from supercritical carbon dioxide 471 (1989) 357

Analysis of organic isocyanates using capillary supercritical-fluid chromatography 472 (1989) 175

Evaluation of supercritical sulfur hexafluoride as a mobile phase for polar and non-polar compounds 472 (1989) 197

Programming of pressure and mobile phase composition at constant flow-rate using a self-adjusting valve in SFC 475 (1989) 85

Supercritical-fluid extraction of aqueous samples and on-line coupling to SFC 477 (1989) 151

Multidimensional packed capillary column SFC using a flow-switching interface 477 (1989) 161

HPLC columns and stationary phases in SFC 477 (1989) 169

Separation of prepolymers of phenol-formaldehyde resins by SFC 478 (1989) 181

Effects of temperature and density on retention in capillary SFC 478 (1989) 311

Use of a stop-flow technique to study on-column decomposition in SFC 479 (1989) 170

High-pressure adsorption of carbon dioxide on SFC adsorbents 479 (1989) 251

HPLC and capillary SFC separation of vegetable carotenoids and carotenoid isomers 479 (1989) 261

SFC of barbiturates 481 (1989) 63

Packed-column SFC of benzodiazepines 483 (1989) 51

Bioanalytical applications of SFC (Review) 492 (1989) 167

Comparative SFC properties of carbon dioxide and sulphur hexafluoride-ammonia mixtures with packed columns 499 (1990) 637

Separation of ionic drug substances by SFC 500 (1990) 469

Supercritical fluid chromatography-mass spectrometry

Design and industrial applications of a removable probe interface for direct capillary SFC-MS 474 (1989) 69

SFC-MS of high-molecular-weight biopolymers. Instrumental considerations and recent progress 474 (1989) 83

Industrial applications of SFC-MS involving oligomeric materials of low volatility and thermally labile materials 474 (1989) 97

Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

Belt-speed programming, a new technique for peak compression in LC-MS and supercritical-fluid chromatography-mass spectrometry with moving-belt interfaces 474 (1989) 275

Repeller effects in discharge ionization in LC and SFC-MS using a thermospray interface. II. Changes in some analyte spectra 478 (1989) 325

Supercritical fluid extraction

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

On-line system for supercritical fluid extraction and capillary GC with electron-capture detection 474 (1989) 388

Supercritical-fluid extraction of aqueous samples and on-line coupling to SFC 477 (1989) 151

Supercritical fluid extraction of *s*-triazine herbicides from sediment 479 (1989) 200

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Supports

Selection of the solid support—a crucial step for the realization of solvent generated liquid-liquid chromatography 500 (1990) 257

Suprofen

LC separation of positional isomers of suprofen on a cyclodextrin-bonded phase 465 (1989) 422

Surface characterization

New method for surface characterization by GC 477 (1989) 291

Surface ionization detection

Studies on 1-(2-phenethyl)-4-(N-propionylanilino)piperidine (fentanyl) and related compounds. III. Effect of methyl group introduction into fentanyl on sensitivity enhancement in GC with surface ionization detection 475 (1989) 400

Surfactants

Universal detection and quantitation of surfactants by HPLC by means of the evaporative light-scattering detector 459 (1988) 91

Analytical study of non-ionic surfactants used in enhanced oil recovery. Optimization of analytical conditions in reversed-phase partition chromatography 461 (1989) 305

Chromatographic properties of a vinyl alcohol copolymer gel column for the analysis of non-ionic surfactants 461 (1989) 365

Polarographic detection of non-ionic surfactants analyzed by reversed-phase partition chromatography 465 (1989) 69

Surfactants, non-ionic

Reversed-phase LC studies on non-ionic surfactants and related solutes 499 (1990) 469

Sweetening agents

Separation of natural product sweetening agents using overpressured layer chromatography 464 (1989) 213

Synchronized accumulating radioisotope detector

Improved synchronized accumulating radioisotope detector for GC 489 (1989) 255

Radio-GC on wide-bore capillary columns equipped with a synchronized accumulating radioisotope detector 490 (1989) 21

Radio-GC (Review) 492 (1989) 137

Syringic acid

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

TLC of some metals on silica gel layers impregnated with salicylic, syringic and *o*-phthalic acid 498 (1990) 428

Syringin

HPLC separation of *E*- and *Z*-monolignols and their glucosides 479 (1989) 345

System peaks

Effects of system peaks in ion-pair reversed-phase LC for noscapine and metabolites 452 (1988) 241

Theoretical study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 1

Experimental study of system peaks and elution profiles for large concentration bands in the case of a binary eluent containing a strongly sorbed additive 461 (1989) 19

Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 482 (1989) 145

System reproducibility

Factors influencing the performance of peptide mapping by reversed-phase HPLC 499 (1990) 125

T**T-2 toxin**

Bioautographic detection of T-2 and HT-2 toxins 463 (1989) 457

Tabersonine

Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181

Tabun

Identification of tabun impurities by combined capillary column GC-MS 465 (1989) 271

Tacrine

Identification of 9-hydroxylamine-1,2,3,4-tetrahydroacridine as a hepatic microsomal metabolite of tacrine by HPLC and electrochemistry 487 (1989) 401

Determination of tacrine and its 1-hydroxy metabolite in plasma using column LC with UV detection 494 (1989) 397

"Tag-along" effect

Theoretical study of multi-component interferences in non-linear chromatography 484 (1989) 103

Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 499 (1990) 21

Tagatose

GC retention of carbohydrate trimethylsilyl ethers. III. Ketohexoses 471 (1989) 205

Tailing

see Peak tailing

Talampicillin embonate

Identification and purity determination of benzathine and embonate salts of some β -lactam antibiotics by TLC 463 (1989) 469

Tall oil

Analysis of volatiles in tall oil by GC flame-photometric detection, flame-ionization detection and MS 468 (1989) 145

Tamoxifen

Determination of 2-methyl derivatives of tamoxifen in cell culture medium using HPLC and electrochemical detection 496 (1989) 365

Tandem mass spectrometry

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Determination of methandrostenolone and its metabolites in equine plasma and urine by coupled-column LC with UV detection and confirmation by tandem MS 487 (1989) 341

Tannins

Chromatography of tannins. IV. Separation of labile oligomeric hydrolysable tannins and related polyphenols by centrifugal partition chromatography 467 (1989) 139

Taurine

Reversed-phase HPLC technique for taurine quantitation 454 (1988) 311

HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295

Determination of taurine: influence of the coil temperature on the taurine peak purity (in German) 462 (1989) 105

γ -Aminobutyric acid, glutamate, glycine and taurine analysis using reversed-phase HPLC and UV detection of dansyl chloride derivatives 487 (1989) 167

Taurodeoxycholate

Chiral separation by electrokinetic chromatography with bile salt micelles 480 (1989) 403

Taxes

Tswett's letter to Claparède on tropisms and taxes 452 (1988) 5

Tazobactam

Determination of tazobactam and piperacillin in human plasma, serum, bile and urine by gradient elution reversed-phase HPLC 496 (1989) 167

Tear fluid

Determination of cations in tear fluid samples by non-suppressed ion chromatography with indirect UV detection 482 (1989) 407

Technetium

Anion-exchange HPLC of technetium-labeled phosphonoacetic acid skeletal imaging agent preparations 488 (1989) 463

Technetium-99m amine complexes

Separation of cationic technetium-99m amine complexes on porous graphitic carbon 479 (1989) 212

Teicoplanin

HPLC determination of teicoplanin in plasma: comparison with a microbiological assay 494 (1989) 340

Temafloxacin

HPLC for the determination of three new fluoroquinolones fleroxacin, temafloxacin and A-64730, in biological fluids 491 (1989) 379

Temperature effects

Effect of temperature difference between pump and column in molecular weight determination by GPC 454 (1988) 357

HPLC of amino acids, peptides and proteins. XCI. The influence of temperature on the chromatographic behaviour of peptides related to human growth hormone 476 (1989) 125

Effects of temperature and density on retention in capillary SFC 478 (1989) 311

Temperature-induced changes in reversed-phase chromatographic surfaces. C₈ and C₉ polymeric ligands 481 (1989) 135

Physicochemical studies of biologically active peptides by low-temperature reversed-phase HPLC 499 (1990) 79

Temperature gradients

Nature of temperature gradients in capillary zone electrophoresis 466 (1989) 219

Temperature programming

Temperature programming in HPLC 455 (1988) 327

Optimization of basic parameters in temperature-programmed GC separations of multi-component samples within a given time 463 (1989) 235

Calculation of programmed temperature GC characteristics from isothermal data. II. Predicted retention times and elution temperatures 463 (1989) 271

Temperature tuning

Optimization of selectivity by tuning column temperatures for series-coupled capillary columns in dual-oven GC systems 463 (1989) 243

Tenax

Sorption of *n*-alkanes on Tenax 464 (1989) 394

Teniposide

Automated reversed-phase chromatographic analysis of etoposide and teniposide in plasma by using on-line surfactant-mediated sample clean-up and column-switching 495 (1989) 139

Tenuazonic acid

Ion-pair, anion-exchange and ligand-exchange HPLC of tenuazonic acid and 3-acetyl 5-substituted pyrrolidine-2,4-diones 464 (1989) 307

Terbutaline

Coupled-column chromatography on immobilized protein phases for direct separation and determination of drug enantiomers in plasma 473 (1989) 371

Terbutylazine

HPLC determination of the herbicide terbutylazine and its dealkylated metabolites in soil 472 (1989) 411

Terephthalates

High-performance SEC of poly- and oligoethylene terephthalate using a mixture of hexafluoroisopropanol and chloroform as the mobile phase 479 (1989) 85

Terminating electrolyte

Inverse electrolyte systems in isotachopheresis. Impact of the terminating electrolyte on the migrating zones in cationic analysis 470 (1989) 3

Terpenes

Applications of GC to the study of terpenoid metabolism 452 (1988) 61

Preconcentration and analysis of atmospheric isoprene and monoterpenes. System automation 456 (1988) 165

Determination of terpenic compounds in the essential oil from *Satureja thymbra* L. growing in Sardinia 457 (1988) 427

17 β -Testosterone

Fast detection of homogeneous chemiluminescent immunoassays with a sensitive photoplate 489 (1989) 245

Tetrabenazine

MS determination of tetrabenazine using a stable isotope-labeled analogue as an internal standard 493 (1989) 392

1,1,1,2-Tetrabromoethane

Comments on a paper describing elution order shifts of halogenated compounds 474 (1989)

Tetrabutylammonium

Use of free-flow electrophoresis for the purification of components separated by ion-pair chromatography 469 (1989) 444

Tetracaine

Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by HPLC 499 (1990) 523

Tetracyclines

HPLC as an alternative to microbiological measurements in the assay of tetracyclines 467 (1989) 430

Automated HPLC analysis of tetracycline in urine 490 (1989) 474

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

 Δ^9 -Tetrahydrocannabinol

Determination of Δ^9 -tetrahydrocannabinol in plasma using solid-phase extraction and HPLC with electrochemical detection 456 (1988) 83

Tetrahydrofuran

Effects of peak tailing on computer optimisation procedures for HPLC. I. Characteristics of tailed peaks under optimisation conditions 459 (1988) 65

Tetrahydroisoquinoline

Migration of tetrahydroisoquinoline, a possible parkinsonian neurotoxin, into monkey brain from blood as proved GC-MS 452 (1988) 85

Detection of tetrahydroisoquinoline in parkinsonian brain as an endogenous amine by use of GC-MS 491 (1989) 397

Presence of tetrahydroisoquinoline, a parkinsonism-related compound, in foods 493 (1989) 347

Tetrahydropapaveroline

Method for the identification of tetrahydropapaveroline using the Pictet-Spengler condensation reaction and HPLC 489 (1989) 399

N,N,N',N'-Tetrakis(2-hydroxypropyl)ethylenediamine

Resolution of diastereomers of N,N,N',N'-tetrakis(2-hydroxypropyl)ethylenediamine (Quadrol) by reversed-phase HPLC 455 (1988) 183

N,N,N',N-Tetrakis(2-hydroxypropyl)ethylenediamine

Quantitation of N,N,N',N-tetrakis(2-hydroxypropyl)ethylenediamine in plasma by GC 488 (1989) 369

Tetramethylnaphthalenes

Identification and analysis of tetramethylnaphthalenes in petroleum 483 (1989) 384

Tetramethylparosanine

HPLC of Gentian Violet, its demethylated metabolites, Leucogentian Violet and Methylene Blue with electrochemical detection 467 (1989) 259

2,2,6,6-Tetramethyl-4-piperidone

HPLC-electrochemical detection of singlet oxygen by reaction with 2,2,6,6-tetramethyl-4-piperidone 465 (1989) 417

Thearubigins

Separation of derivatized black tea thearubigins by HPLC 478 (1989) 217

Thebaine

HPLC analysis of the alkaloid spectrum in the roots and capsules of the species and hybrids of *Papaver* section *Oxytona* 452 (1988) 563

Theophylline

Analysis of theophylline and sodium (or potassium) anisate in pharmaceutical preparations by ultra-fast HPLC (in French) 479 (1989) 430

Capillary GC-MS determination of stable isotopically labelled and unlabelled theophylline in serum and urine and of 1,3-dimethyluric acid in urine 494 (1989) 101

Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109

Thermal desorption

Thermal desorption-capillary GC for the quantitative analysis of dimethyl sulphate, diethyl sulphate and ethylene oxide in the workplace 456 (1988) 233

Simple sample preparation for the quantitative multiple-headspace analysis of volatile components using adsorption patterns (in German) 456 (1988) 417

Thermal desorption modulation

Determination of activity coefficients of binary liquids by capillary GC with thermal desorption modulation for direct headspace sampling 478 (1989) 141

Thermal energy analyzer

Dynamic headspace method for the improved clean-up of gunshot residues prior to the detection of nitroglycerine by capillary column GC with thermal energy analysis detection 464 (1989) 178

Modification to a thermal energy analyzer with associated electronic filtering for improved GC analysis of explosives traces 483 (1989) 379

Thermodynamic parameters

Thermodynamic approach to the practical characterization of solvent strength and selectivity of commonly used stationary phases in GC 468 (1989) 235

HPLC of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 499 (1990) 103

GC study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 499 (1990) 749

Thermospray interface

Repeller effects in discharge ionization in combined LC or SFC-MS using a thermospray interface. I. Changes in the reagent gas spectrum 474 (1989) 113

Application of thermospray LC-MS and LC-tandem MS for the identification of cynomolgus monkey and human metabolites of SK&F 101468, a dopamine D₂ receptor agonist 474 (1989) 123

Effects of repeller position and voltage in thermospray MS 474 (1989) 139

Improving the ion current stability of a thermospray source by improving the control of the vaporizer temperature and solvent flow-rate 474 (1989) 145

Development of optimization strategies in thermospray LC-MS 474 (1989) 149

Thiamine

Determination of rubidium, sodium, calcium and thiamine in a pharmaceutical preparation by capillary isotachopheresis 472 (1989) 441

Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89

Thiamine phosphates

Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89

Thiamylal

Measurement of thiamylal in human plasma using reversed-phase HPLC 487 (1989) 204

Thiocarbamates

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Thiocarbohydrazide

LC determination of hydrazine, carbohydrazide and thiocarbohydrazide in aqueous solutions 464 (1989) 208

Thiochrome derivatives

Optimized determination of thiochrome derivatives of thiamine and thiamine phosphates in whole blood by reversed-phase LC with precolumn derivatization 491 (1989) 89

Thiocyanate

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Thiodiglycol polyethers

Separation of thiodiglycol polyethers and related compounds by reversed-phase HPLC 461 (1989) 293

7 α -Thiohydroxycholesterol

Synthesis of 7 α -thiohydroxycholesterol involving the resolution of epimeric thiocholesterols by HPLC 483 (1989) 454

Thiols

Effect of differing thiols on the reversed-phase HPLC behaviour of *o*-phthaldialdehyde-thiol-amino acids 454 (1988) 398

Simultaneous determination of thiols and corresponding disulphides in mixtures by HPLC with polarographic detection using a Dual-Tast Analyser 455 (1988) 336

Separation of thiols on Spheron Ara activated with 2-nitrophenylhydrazonopropandinitrile ligand 455 (1988) 344

Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 457 (1988) 111

Separation and detection of bis(alkylthio)selenides of penicillamine and glutathione by LC with electrochemical detection 465 (1989) 359

GLC-MS of mono- and dithiols as their *tert*-butyldimethylsilyl derivatives 483 (1989) 21

Study of the chromatographic behaviour and resolution of α -amino acid enantiomers by HPLC utilizing pre-column derivatization with *o*-phthaldialdehyde and new chiral thiols 483 (1989) 239

Determination of penicillamine, penicillamine disulfide and penicillamine-glutathione mixed disulfide by HPLC with electrochemical detection 491 (1989) 341

Thiol stationary phase, silver-loaded

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Thiopental

HPLC method for determining thiopental concentrations in twelve rat tissues: application to physiologic modeling of disposition of barbiturate 490 (1989) 339

6-Thiopurine

Characterization of solution-phase and gas-phase reactions in on-line electrochemistry-thermospray tandem MS 474 (1989) 231

Thioredoxin

Separation by HPLC of the ferredoxin-thioredoxin system proteins 477 (1989) 305

Thiosulphate

Electrosorptive detection based on double-layer capacitance for selected ion monitoring in ion chromatography. II. Silver 456 (1988) 307

Ion-pair chromatographic separation of inorganic sulphur anions including polysulphide 475 (1989) 442

Thiotepa

LC-thermospray MS of DNA adducts formed with mitomycin C, porfiromycin and thiotepa 474 (1989) 197

Thiouracil

Screening and confirmation of thyrostatics in urine by GC with nitrogen-phosphorus detection and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127

Thorium

Quantitative analysis of thorium in plutonium using reversed-phase LC and spectrophotometric detection 469 (1989) 369

Thromboxane B₂

Isotope dilution GC-MS for the study of eicosanoid metabolism in human blood platelets 488 (1989) 283

Specific radioactivity determination of labeled eicosanoids 489 (1989) 359

Modern HPLC radioimmunoassay strategies for the study of eicosanoids in biological samples (Review) 492 (1989) 223

Quantitative profiling of 6-ketoprostaglandin F_{1 α} , 2,3-dinor-6-ketoprostaglandin F_{1 α} , thromboxane B₂ and 2,3-dinor-thromboxane B₂ in human and rat urine by immunoaffinity extraction with GC-MS 495 (1989) 1

Measurement of plasma thromboxane B₂ by GC-MS using ¹⁸O₂-labelled thromboxane B₂ as the internal standard 496 (1989) 180

Analysis of the major urinary thromboxane metabolites, 2,3-dinor-thromboxane B₂ and 11-dehydrothromboxane B₂, by GC-MS and GC-tandem MS 497 (1990) 1

Thymidine

Measurement of deoxyguanosine/thymidine ratios in complex mixtures by HPLC for determination of the mole percentage guanine + cytosine of DNA 479 (1989) 297

Thymidylate synthase

HPLC assay for thymidylate synthase from the human malaria parasite, *Plasmodium falciparum* 487 (1989) 51

Thymine

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Quantitative extraction of thymine-thymine dimer from a large excess of thymine by preparative LC 477 (1989) 119

Thymine-thymine dimer

Quantitative extraction of thymine-thymine dimer from a large excess of thymine by preparative LC 477 (1989) 119

Thymosin β_4

Rapid isolation of thymosin β_4 from thymosin fraction 5 by preparative HPLC 459 (1988) 291

Thyreostatics

Screening and confirmation of thyreostatics in urine by GC with nitrogen-phosphorus detection

and GC-MS after sample clean-up with a mercurated affinity column 489 (1989) 127

Thyroid hormones

Analysis of term human milk concentrations of 3,5,3'-triiodo-L-thyronine by HPLC and radioimmunoassay: correlation with circulating serum levels in lactating women 487 (1989) 445

Thyrotropin-releasing hormone

Rapid separation of tritiated thyrotropin-releasing hormone and its catabolic products from mouse and human central nervous system tissues by HPLC with radioactive flow detection 487 (1989) 275

Tiemonium iodide

Reversed-phase ion-pair LC separation of weak analgesics and related drugs 465 (1989) 402

Time-delay, exponential-decay thermal field flow fractionation

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Time-delay / decay time constant

Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 499 (1990) 655

Timolol

HPLC assay for timolol in the aqueous humor of the eye 494 (1989) 368

Tioconazole

Development and optimisation of an HPLC assay for tioconazole and its potential impurities. I. Selection of separation conditions 464 (1989) 27

Tissue plasminogen activator

Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375

Titan's atmosphere

Gas chromatography of Titan's atmosphere. I. Analysis of low-molecular-weight hydrocarbons and nitriles with a PoraPLOT Q porous polymer coated open-tubular capillary column 481 (1989) 45

2,4,5-T methyl ester

Rapid determination of seven herbicides in water or isoctane using C₁₈ and Florisil Sep-Pak

cartridges and GC with electron-capture detection 483 (1989) 121

α -Tocopherol

Measurement of vitamin E in premature infants by reversed-phase HPLC 490 (1989) 432

Improved HPLC technique for the determination of hepatic α -tocopherol 495 (1989) 269

Tolbutamide

Simple HPLC method for the determination of tolbutamide and its metabolites in human plasma and urine using photodiode-array detection 490 (1989) 355

Toliprolol

Stereospecific LC analysis of racemic adrenergic drugs utilizing precolumn derivatization with (-)-menthyl chloroformate 493 (1989) 402

Tolnaftate

Separation of fungal sterols by normal-phase HPLC. Application to the evaluation of ergosterol biosynthesis inhibitors 469 (1989) 293

Toloxatone

Simple HPLC method for the measurement of tolloxatone in rabbit cerebrospinal fluid and plasma 490 (1989) 387

Toluene

Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection GC 457 (1988) 372

Simultaneous determination of benzene and toluene in the blood using head-space GC 491 (1989) 309

Toluenediamines

Determination of toluenediamines in polyurethane foams by HPLC with electrochemical detection 477 (1989) 387

Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. II. Determination of 2,4- and 2,6-toluenediamine using glass capillary GC and selected ion monitoring 479 (1989) 135

5-Tomatidenol

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Tomatidine

HPLC analysis of *Solanum* steroidal alkaloids 479 (1989) 189

Topological indices

Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s) 464 (1989) 251

Toremifene

LC-atmospheric pressure ionization MS analysis of toremifene metabolites in human urine 497 (1989) 169

Total carbonate-carbon

Determination of trace levels of total carbonate-carbon by indirect photometric ion chromatography with nitrogen purging 481 (1989) 323

"Touching-band" separations

Preparative HPLC under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples 484 (1989) 425

Toxaphene

Quantitative high-resolution GC and MS of toxaphene residues in fish samples 471 (1989) 161

Toxicological analysis

Modern chromatographic procedures in systematic toxicological analysis 488 (1989) 199

Toxin B

Clostridium difficile toxin B: characterization and sequence of three peptides 490 (1989) 91

Toxin KT28

Purification of yeast killer toxin KT28 by receptor-mediated affinity chromatography 469 (1989) 448

Toxins

Purification of yeast killer toxin KT28 by receptor-mediated affinity chromatography 469 (1989) 448

Trace analysis

General evaluation and application to trace analysis of a chiral column for ligand-exchange chromatography 461 (1989) 397

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

High boiling organic traces in drinking water. Quantitative analysis by liquid-liquid enrichment within the analytical glass capillary 477 (1989) 49

Post-column reactors for sensitive and selective detection in HPLC: categorization and applications (Review) 492 (1989) 251

Trace enrichment

Automated sequential trace enrichment of dialysates and robotics. A technique for the preparation of biological samples prior to HPLC 456 (1988) 53

Preparative LC with analytical separation quality. Interval injection/displacement reversed-phase HPLC 464 (1989) 103

Automated on-line trace enrichment and determination of organic compounds in ground and tap water by HPLC 465 (1989) 410

Determination of sensorial active trace compounds by multi-dimensional GC combined with different enrichment techniques 471 (1989) 173

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Determination of phenoxyacid herbicides in water. Polymeric pre-column preconcentration and tetrabutylammonium ion-pair separation on a PRP-1 column 481 (1989) 275

On-line combination of dialysis and column-switching LC as a fully automated sample preparation technique for biological samples. Determination of nitrofurans residues in edible products 500 (1990) 453

Trace metals

On-line preconcentration and elution of trace metals by ion chromatography 482 (1989) 335

Trace organics

Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace organics from chlorinated drinking water 454 (1988) 217

Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111

Tracer pulse chromatography

Characterization of polyimide sorbents by using tracer pulse chromatography 498 (1990) 41

Transferrin

Separation of the human transferrin isoforms by carrier-free high-performance zone electrophoresis and isoelectric focusing 480 (1989) 351

Transfer rule equations

Algorithms to correct gradient scan and transfer rule predictions of isocratic retention in reversed-phase LC 463 (1989) 1

Transformer oils

Quantitative analysis by HPLC of 2,6-di-*tert.*-butyl-*para*-cresol in transformer oils (in French) 464 (1989) 448

Transient ionic matrix

New option in capillary zone electrophoresis. Use of a transient ionic matrix (dynamic pulse) 500 (1990) 673

Transient state models

The separation process in isotachopheresis. II. Binary mixtures and transient state models 463 (1989) 51

Separation process in isotachopheresis. III. Transient state models for a three-component system 470 (1989) 21

Transition-state analogue affinity chromatography

Purification of phosphofructokinase using transition-state analogue affinity chromatography 455 (1988) 291

Transition metal complexes

Effect of the composition of coordinated β -diketonato ligands on R_F values of transition metal complexes obtained by TLC on silica gel 456 (1988) 346

Effect of the central ion of octahedral transition metal complexes on their TLC R_F values 466 (1989) 227

Transition metals

Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 499 (1990) 669

Transport detector

Novel transport detector for LC. I. Preliminary experiments 482 (1989) 53

Transport differential equation

Mathematical modelling of the peak in LC 469 (1989) 29

Transverse alternating field electrophoresis

Large DNA separation using field alternation agar gel electrophoresis (Review) 492 (1989) 615

Trenbolone

Determination of β -19-nortestosterone and its metabolite α -19-nortestosterone in biological samples at the sub parts per billion level by HPLC with on-line immunoaffinity sample pretreatment 489 (1989) 157

Enzyme immunoassay screening procedure for the synthetic anabolic estrogens and androgens diethylstilbestrol, nortestosterone, methyltestosterone and trenbolone in bovine urine 489 (1989) 235

17 β -Trenbolone

Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11

Triacetylcellulose

Example of the concentration dependence of elution order in the resolution of enantiomers on microcrystalline triacetylcellulose chiral stationary phase 462 (1989) 95

Chemometric approach to explain the LC retention of some chiral indoles on swollen microcrystalline triacetylcellulose 466 (1989) 364

Triacetylcellulose as a chiral stationary phase for HPLC 498 (1990) 257

Triacylglycerols

Identification of the more complex triacylglycerols in bovine milk fat by GC-MS using polar capillary columns 452 (1988) 93

Comparison of retention mechanisms of homologous series and triglycerides in non-aqueous reversed-phase LC 452 (1988) 157

On-line HPLC-post-column reaction-capillary GC analysis of lipids in biological samples 454 (1988) 157

Separation of molecular species of triacylglycerols by HPLC with a silver ion column 454 (1988) 273

Rapid analysis of triacylglycerols using HPLC with light scattering detection 465 (1989) 369

Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 482 (1989) 215

Three-step one-dimensional TLC separation of neutral lipids 498 (1990) 423

GLC profiling of plasma lipids using high-temperature-polarizable capillary columns 500 (1990) 427

Triacylglycerols, hydroxylated

Prediction of retention times of hydroxylated triacylglycerols in reversed-phase HPLC 498 (1990) 410

Trialkyl phosphates

Characterization of organophosphorus compounds and phenylurea herbicides by positive and negative ion thermospray LC-MS 474 (1989) 163

Triamterene

Comprehensive screening procedure for diuretics in urine by HPLC 489 (1989) 65

Triazines

HPLC method for determining triazine herbicide residues in soil 454 (1988) 233

Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 457 (1988) 195

LC separation and behaviour of some triazines on styrene-divinylbenzene columns 472 (1989) 406

Supercritical fluid extraction of *s*-triazine herbicides from sediment 479 (1989) 200

Interaction of lactate dehydrogenase with structurally related triazine dyes using affinity partitioning and affinity chromatography 483 (1989) 289

Triazolam

Capillary GC-MS method for the identification and quantification of some benzodiazepines and their unconjugated metabolites in plasma 487 (1989) 295

Tribenzopyridine-21-crown-7

Use of GC for a study of crown ethers 471 (1989) 139

Tributylphosphate

Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide 468 (1989) 73

2,3,6-Trichlorobenzoic acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

Trichloroethanol

Determination of trichloroethanol, the active metabolite of chloral hydrate, in plasma by LC 500 (1990) 655

2,4,4'-Trichloro-2'-hydroxydiphenyl ether
Formation of polychlorinated dibenzo-*p*-dioxin from 2,4,4'-trichloro-2'-hydroxydiphenyl ether (Irgasan® DP300) and its chlorinated derivatives by exposure to sunlight 454 (1988) 145

Trichloromethane

Comments on a paper describing elution order shifts of halogenated compounds 474 (1989)

2-Trichloromethylbenzimidazole

2-Trichloromethylbenzimidazole, a selective chromogenic reagent for the detection of some azines on thin-layer plates. Addendum 481 (1989) 477

2,4,5-Trichlorophenoxyacetic acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

3,5,6-Trichloro-2-pyridyloxyacetic acid

Capillary GC-MS determination of acid herbicides in soils and sediments 469 (1989) 351

1,1,2-Trichloro-1,2,2-trifluoroethane

Freon FC-133, an alternative to methylene chloride for liquid-liquid extraction of trace organics from chlorinated drinking water 454 (1988) 217

Trichomycin

Isolation of the aromatic heptaenic antibiotics trichomycin A-F by HPLC 481 (1989) 416

Trichothecenes

Bioautographic detection of T-2 and HT-2 toxins 463 (1989) 457

MS investigations on trichothecene mycotoxins. VII. LC-thermospray mass spectrometric analysis of macrocyclic trichothecenes 469 (1989) 209

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

Tricyclic antidepressants

Analysis of benzodiazepines and tricyclic antidepressants in serum using a common solid-phase clean-up and a common mobile phase 497 (1989) 201

Tridecenes

Pyrolysis GLC of N,N-dimethylalkylamine N-oxides and their mixtures 466 (1989) 347

Triethanolamine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Triethylenephosphoramidate

HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295

Triethylenethiophosphoramidate

HPLC of the antitumour agent triethylenethiophosphoramidate and its metabolite triethylenephosphoramidate with sodium sulphide, taurine and *o*-phthalaldehyde as pre-column fluorescent derivatization reagents 458 (1988) 295

N,N',N''-Triethylenethiophosphoramidate

HPLC analysis of N,N',N''-triethylenethiophosphoramidate in human plasma 495 (1989) 318

Triethylsulphonium hydroxide

Sulfonium salts as derivatizing agents. 2. Determination of theophylline in plasma by automated GC 494 (1989) 109

Trifluoroacetic acid

Reversed-phase LC of proteins with strong acids 476 (1989) 499

Trifluoroacetic anhydride-sodium iodide

Trifluoroacetic anhydride-sodium iodide as a reagent for the selective detection of nitrones and nitroxide radicals by TLC 473 (1989) 287

Trifluoroacetylacetonates

LC analysis of bromination reactions of metal trifluoroacetylacetonates 479 (1989) 181

2-Trifluoromethylalanine

Milligram-scale separation of optical isomers of 2-pentafluoroethylalanine and 2-trifluoromethylalanine by medium-performance reversed-phase chromatography 469 (1989) 434

Triglycerides

see Triacylglycerols

Trihaloacetate buffers

Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 457 (1988) 111

Trihexyphenidyl

Capillary GC of trihexyphenidyl, procyclidine and cycrimine in biological fluids 494 (1989) 135

α ,3,4-Trihydroxybenzeneacetic acid

HPLC of mixtures of catechol and its reaction products with glyoxylic acid 472 (1989) 381

3 α ,7 α ,12 α -Trihydroxy-5 β -cholestanic acid

Studies on steroids. CCXXXV. Determination of 5 β -cholestanic acids in human urine by GC-MS with negative ion chemical ionization detection 493 (1989) 245

Triiodothyronine

Analysis of term human milk concentrations of 3,5,3'-triiodo-L-thyronine by HPLC and radioimmunoassay: correlation with circulating serum levels in lactating women 487 (1989) 445

Trimetazidine

Determination of trimetazidine in biological fluids by GC-MS 490 (1989) 198

Trimethoprim

Analysis of drug residues in tissue by combined supercritical-fluid extraction-SFC-MS-MS 464 (1989) 353

Trimethylamine

Identification of methyl diethanolamine degradation products by GC and GC-MS 457 (1988) 287

Trimethylphenylammonium hydroxide

GC determination of methylphosphonic acids by methylation with trimethylphenylammonium hydroxide 467 (1989) 129

Trimetrexate

Stability of trimetrexate, a new non-classical antifolate, in infusion solutions 464 (1989) 163

Trinitrobenzates

TLC decomposition of the picrates and trinitrobenzates of polycyclic hydrocarbons and other organic compounds 463 (1989) 452

Tripeptide-bonded phase

HPLC separation of peptides on a diol-Gly-Phe-Phe tripeptide-bonded phase 458 (1988) 129

Triterpenic acids

Improved high-speed counter-current chromatograph with three multilayer coils connected in series. II. Separation of various biological samples with a semipreparative column 498 (1990) 169

Triterpenoids

Comparison of the chromatographic properties of sterols, select additional sterols and triterpenoids: gravity-flow column LC, TLC, GLC and HPLC 452 (1988) 377

Trofosfamide

Analytical and preparative HPLC separation of the enantiomers of ifosfamide, cyclophosphamide and trofosfamide and their determination in plasma 490 (1989) 133

Tropane alkaloids

Reversed-phase ion-pair HPLC separation and determination of tropane alkaloids in Chinese solanaceous plants 481 (1989) 428

Tropisms

Tswett's letter to Claparède on tropisms and taxes 452 (1988) 5

Troubleshooting

Knowledge-based expert system for troubleshooting HPLC assay methods 485 (1989) 297

Truxillic N,N-dimethylamides

Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in HPLC 457 (1988) 366

Truxinic N,N-dimethylamides

Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in HPLC 457 (1988) 366

Tryptamine

LC procedures for the analysis of compounds in the serotonergic and octoptamine pathways of lobster hemolymph 452 (1988) 491

Isolation, separation and analysis in neurochemistry: trace amines and acids as an illustrative example 488 (1989) 129

Tryptic mapping

Study of the primary structure of recombinant tissue plasminogen activator by reversed-phase HPLC tryptic mapping 463 (1989) 375

Tryptophan

LC procedures for the analysis of compounds in the serotonergic and octoptamine pathways of lobster hemolymph 452 (1988) 491

Determination of binding affinity of enantiomers to albumin by LC 456 (1988) 323

Effect of the structure and density of chemically bonded C₁₈ phase on the recovery of tryptophan and its metabolites from human urine 464 (1989) 73

Adsorption chromatography on cellulose. IV. Separation of D- and L-tryptophan and D- and L-methyltryptophan on cellulose with aqueous solvents 469 (1989) 253

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

Tryptophan decarboxylase

Purification of tryptophan decarboxylase from a *Catharanthus roseus* cell suspension culture 483 (1989) 311

TSKgel Butyl-NPR

High-performance hydrophobic interaction chromatography of proteins on a pellicular support based on hydrophilic resin 483 (1989) 401

TSKgel NPR-C₁₈

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

TSKgel NPR-DEAE

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

TSKgel NPR-SP

Fast separation of biological macromolecules on non-porous, microparticulate columns 476 (1989) 3

TSKgel Tresyl-Toyopearl 650M

Preparation of adsorbents for affinity chromatography using TSK gel Tresyl-Toyopearl 650M 478 (1989) 159

TSK-Toyopearl gels

TSK-Toyopearl gels for the preparative separation of steroid carrier protein₂ from rat liver 482 (1989) 117

Tung's dispersion equation

Chromatographic dispersion corrections utilizing the generalized exponential function 462 (1989) 3

Turbulent flow

Turbulent flow in capillary GC 477 (1989) 39

Two-dimensional chromatography

Cluster analysis in the comparison of two dimensional chromatograms 466 (1989) 371

Tyramine

Analysis of biogenic amines in the brain of the american cockroach (*Periplaneta americana*) by GC-negative ion chemical ionisation MS 490 (1989) 9

Separation of hordenine and N-methyl derivatives from germinating barley by LC with dual-electrode coulometric detection 498 (1990) 241

Tyrosines

LC procedures for the analysis of compounds in the serotonergic and octopamine pathways of lobster hemolymph 452 (1988) 491

Resolution of a coeluting chromatographic pair using Kalman filtering 469 (1989) 77

HPLC determination of *m*-tyrosine and *o*-tyrosine in rat urine 489 (1989) 377

Production of tyrosine isomers in mice by therapeutic doses of ⁶⁰Co irradiation 497 (1989) 360

U

U50488

HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481

U69593

HPLC assay of k-opioid selective benzeneacetamide derivatives (U50488, U69593 and PD 117302) in rat plasma and brain 491 (1989) 481

U-78 608

Development of a polymer-based reversed-phase HPLC stability indicating assay for U-78 608, an iron complexing monocarbam antibiotic 477 (1989) 427

UK-61 260

Analysis of a novel cardiac stimulant, UK-61 260, in human plasma by GC-MS with selected-ion monitoring 491 (1989) 439

Ultrafiltration

Sample preparation for biomedical analysis (Review) 492 (1989) 3

Automation of LC techniques for biomedical analysis (Review) 492 (1989) 59

Ultraviolet absorption detector

High-sensitivity micro UV absorption detector for HPLC 465 (1989) 227

Ultraviolet labelling agents

New UV labelling agents for HPLC determination of monocarboxylic acids 481 (1989) 211

Ultraviolet monitoring, continuous

Improved method for continuous UV monitoring in high-speed counter-current chromatography 475 (1989) 229

Undecylenic acid

Study of the influence of aqueous micellar systems on the derivatization of undecylenic acid with 4-bromomethyl-2-methoxycoumarin 456 (1988) 201

Unfolding, kinetic mechanism

Intrinsic fluorescence studies of the kinetic mechanism of unfolding of α -lactalbumin on weakly hydrophobic chromatographic surfaces 500 (1990) 481

UNIFAC group contribution method

Prediction of retention in GLC using the UNIFAC group contribution method. I. Low-molecular-weight stationary phases 483 (1989) 1

Universal calibration, GPC

Molecular weight distribution of aspen lignins from conventional GPC, universal calibration and sedimentation equilibrium 498 (1990) 93

Uracil

Totally organic stationary phase from perfluoroalkyl acrylate for LC 465 (1989) 241

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Uracil arabinoside

Determination of ^3H -labelled cytosine arabinoside and eight metabolites in cell extracts by HPLC and scintillation spectrometry 491 (1989) 331

HPLC assay for cytosine arabinoside and uracil arabinoside in cerebrospinal fluid and plasma 497 (1989) 302

Urea-formaldehyde polymer

New porous organic microspheres for HPLC 476 (1989) 21

Ureas

Determination of cholinesterase-inhibiting pesticides and some of their metabolites in cases of animal poisoning using TLC 462 (1989) 448

Uric acid

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Uricase

Purification of microbial uricase 497 (1989) 268

Uridine

Trace enrichment of pyrimidine nucleobases, 5-fluorouracil and bromacil on a silver-loaded thiol stationary phase with on-line reversed-phase HPLC 471 (1989) 321

Determination of serum cytidine deaminase activity using ion-pair reversed-phase LC 495 (1989) 105

Uridine diphosphate glucose

Isocratic HPLC determination of the concentration and specific radioactivity of phosphoenolpyruvate and uridine diphosphate glucose in tissue extracts 497 (1989) 69

Uridine 5'-triphosphate

Method for the determination of the specific activities of UTP and CTP in mouse kidney by HPLC 495 (1989) 249

Urine Protein 1

Purification and partial amino acid sequence of human urine protein 1. Evidence for homology with rabbit uteroglobin 452 (1988) 359

Urokinase

Charge heterogeneity of recombinant pro-urokinase and urinary urokinase, as revealed by isoelectric focusing in immobilized pH gradients 470 (1989) 337

Uronic acids

Electrophoresis of uronic acids, neutral sugars and hydrolysates of acidic polysaccharides on silylated glass-fibre paper in electrolytes of bivalent cations 498 (1990) 223

Uroporphyrins

Isocratic ion-pair HPLC methods for the determination of uroporphyrin and coproporphyrin type II and IV isomers in human urine 468 (1989) 329

Separation of porphyrin isomers by HPLC 493 (1989) 53

Uteroglobin

Purification and partial amino acid sequence of human urine protein 1. Evidence for homology with rabbit uteroglobin 452 (1988) 359

V**Validation**

Selection of HPLC methods in pharmaceutical analysis. III. Method validation 464 (1989) 265

Expert system for method validation in chromatography 485 (1989) 283

Validation of an amperometric HPLC determination of epinephrine in bupivacaine and epinephrine injection 498 (1990) 402

Valone

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

HPLC separation of indandione rodenticides 481 (1989) 458

Valproic acid

HPLC determination of valproic acid in plasma using a micelle-mediated pre-column derivatization 456 (1988) 191

Automated analysis procedure for valproic acid in blood, serum and brain dialysate by HPLC with bromomethylmethoxycoumarin as fluorescent label 487 (1989) 496

Vanadium complexes

Selection of conditions for the molecular size speciation of vanadium and nickel complexes in oil by SEC coupled with inductively coupled plasma-atomic emission spectrometry 462 (1989) 115

Vancomycin

Inaccuracies due to sample-solvent interactions in HPLC 465 (1989) 201

Rapid and specific method for the determination of vancomycin in plasma by HPLC on an aminopropyl column 487 (1989) 421

Vanilla compounds

Computer-assisted optimization with NEMROD software 485 (1989) 63

Vanilla essences

Analysis of vanilla essences by HPLC 462 (1989) 461

Vanillic acid

Combined monitoring of UV absorbance and fluorescence intensity as a diagnostic criterion in reversed-phase HPLC separations of natural phenolic acids 467 (1989) 149

Vanillin

Analysis of vanilla essences by HPLC 462 (1989) 461

Vanillylmandelic acid

Measurement of catecholamines, their precursor and metabolites in human urine and plasma by solid-phase extraction followed by HPLC with fluorescence derivatization 493 (1989) 15

Vaporizer temperature

Improving the ion current stability of a thermospray source by improving the control of the vaporizer temperature and solvent flow-rate 474 (1989) 145

Vapour pressure

Vapor-pressure measurement of complex hydrocarbon mixtures by headspace GC 455 (1988) 53

Vapours

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Varnish

Application of deactivated metal capillaries to the analysis of solvents in varnish 464 (1989) 172

Vasopressin antagonist, disulphide-containing octapeptide

Determination of a disulfide-containing octapeptide antagonist of vasopressin in human plasma utilizing HPLC with fluorescence detection 488 (1989) 456

Velnacrine

Determination of velnacrine in plasma and urine by HPLC 494 (1989) 347

Verapamil

Determination of the enantiomers of verapamil and norverapamil in serum using coupled achiral-chiral HPLC 497 (1989) 191

Veratroles

Dispersion and selectivity indices in GC. IV. Chlorinated aromatic compounds 468 (1989) 373

Very-long-chain fatty acids

Improved determination of very-long-chain fatty acids in plasma and cultured skin fibroblasts: applications to the diagnosis of peroxisomal disorders 494 (1989) 31

Vinblastine

Inaccuracies due to sample-solvent interactions in HPLC 465 (1989) 201

Thermospray LC-MS analysis of *Catharanthus* alkaloids 474 (1989) 181

Vinyl alcohol copolymer, ODS-modified

Selectivity of an octadecyl-modified vinyl alcohol copolymer gel for the retention of polar compounds 468 (1989) 191

Vinyl alcohol copolymer gel

Chromatographic properties of a vinyl alcohol copolymer gel column for the analysis of non-ionic surfactants 461 (1989) 365

4-Vinyl-1-cyclohexene

Selected-ion monitoring of 4-vinyl-1-cyclohexene in acrylonitrile-butadiene-styrene polymer products and food simulants 482 (1989) 246

2-Vinylpyridine

Determination of styrene and 2-vinylpyridine monomers in poly(2-vinylpyridine-styrene) 463 (1989) 127

Virginiamycin

Isolation of virginiamycin-M₁ by droplet counter-current chromatography 454 (1988) 387

Viruses

Improved separation speed and efficiency for proteins, nucleic acids and viruses in asymmetrical flow field flow fractionation 476 (1989) 413

Use of high-performance SEC for the separation of poliovirus and subviral particles 498 (1990) 105

Viscosin

Preparative reversed-phase HPLC in the synthesis of viscosin, a cyclic depsipeptide 484 (1989) 293

Vitamin B₆

Analysis of B₆ vitamers in foods using a modified HPLC method 463 (1989) 207

Analysis of vitamin B₆ vitamers in human tissue by cation-exchange HPLC 491 (1989) 226

Vitamin C

Liquid chromatographic determination of common water-soluble antioxidants in biological samples 487 (1989) 463

Anion-exchange HPLC determination of ascorbic acid and hexavalent chromium in rat lung preparations after treatment with sodium chromate in vitro and in vivo 489 (1989) 283

Determination of ascorbic acid and dehydroascorbic acid in plasma and cerebrospinal fluid by LC with electrochemical detection 497 (1989) 276

Vitamin D₃

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

Identification and determination of 1 α ,25-dihydroxyvitamin D₃ in rat skin by HPLC and radioreceptor assay 493 (1989) 63

TLC as an efficient alternative to HPLC in the assay of plasma vitamin D₃ metabolites 496 (1989) 242

Vitamin E

Measurement of vitamin E in premature infants by reversed-phase HPLC 490 (1989) 432

Improved HPLC technique for the determination of hepatic α -tocopherol 495 (1989) 269

Vitamin K

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371

Measurement of vitamin K in human liver by gradient elution HPLC using platinum-black catalyst reduction and fluorimetric detection 489 (1989) 291

Measurement of K vitamins in animal tissues by HPLC with fluorimetric detection 497 (1989) 131

Vitamins

Separation of water-soluble vitamins by micellar electrokinetic chromatography 465 (1989) 331

Vitamin U

Determination of vitamin U and its degradation products by HPLC with fluorescence detection 479 (1989) 361

Vitellogenin

Isolation of turbot (*Scophthalmus maximum*) vitellogenin by high-performance anion-exchange chromatography 478 (1989) 387

Volatile compounds

Simple sample preparation for the quantitative multiple-headspace analysis of volatile components using adsorption patterns (in German) 456 (1988) 417

Analysis of volatiles in tall oil by GC flame-photometric detection, flame-ionization detection and MS 468 (1989) 145

Method for analysis of dilute vapours in flue gases and working atmospheres 468 (1989) 339

Isolation of off-flavour compounds in water by chromatographic sniffing and preparative GC 482 (1989) 23

Capillary GC determination of volatiles in solid matrices by direct introduction using a programmable-temperature vaporizer 483 (1989) 43

Volatile fatty acids

GC-MS studies after methylation of metabolites produced by some anaerobic bacteria in spent media 493 (1989) 257

Volatile oils

Use of an inexpensive low-temperature liquid crystal stationary phase for the study of volatile oil constituents with short GC retention times 467 (1989) 272

W

Warfarin

Separation of some rodenticides and related compounds by TLC 455 (1988) 439

Analysis of warfarin and its metabolites by reversed-phase ion-pair LC with fluorescence detection 469 (1989) 281

Separation of the enantiomers of phenprocoumon and warfarin by HPLC using a chiral stationary phase. Determination of the enantiomeric ratio of phenprocoumon in human plasma and urine 493 (1989) 149

Water

Indirect method for the determination of water using headspace GC 457 (1988) 247

Water as a stationary phase modifier in packed-column SFC. I. Separation of free fatty acids 459 (1988) 173

Use of a post-column reaction and a spectrophotometric detector for the LC determination of water 462 (1989) 323

Determination of water in solid samples using headspace GC 463 (1989) 365

Modified analytical technique for the determination of trace organics in water using dynamic headspace and GC-MS 467 (1989) 111

Characterization of indirect photometry for the determination of inorganic anions in natural water by ion chromatography 469 (1989) 329

Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381

Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391

Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401

Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411

High boiling organic traces in drinking water. Quantitative analysis by liquid-liquid enrichment within the analytical glass capillary 477 (1989) 49

Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 482 (1989) 197

Chromatographic determination of water using spectrophotometric detection 482 (1989) 279

Possibilities of determination and prediction of solute capacity factors in reversed-phase systems with pure water as the mobile phase 500 (1990) 281

Water-containing solvent mixtures

Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381

Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391

Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401

Introduction of water and water-containing solvent mixtures in capillary GC. IV. Principles of concurrent solvent evaporation with co-solvent trapping 473 (1989) 411

Water-resistant deactivation

Introduction of water and water-containing solvent mixtures in capillary GC. III. Water-resistant deactivation of uncoated precolumns? 473 (1989) 401

Water vapour

Chromatographic method for studying the hygroscopic qualities of solids 457 (1988) 159

Wax esters

Determination of free and esterified sterols and of wax esters in oils and fats by coupled LC-GC 471 (1989) 397

Wettability

Introduction of water and water-containing solvent mixtures in capillary GC. I. Failure to produce water-wettable precolumns (retention gaps) 473 (1989) 381

Introduction of water and water-containing solvent mixtures in capillary GC. II. Wettability of precolumns by mixtures of organic solvents and water; retention gap techniques 473 (1989) 391

Wheat proteins

High-resolution two-dimensional electrophoresis of wheat proteins 480 (1989) 359

White spirit vapours

Computerized capillary GC analysis of hydrocarbon mixtures in workplace air 498 (1990) 381

Wide-bore columns

Potential of wide bore open tubular columns in GC analysis of drugs (Review) 494 (1989) 1

Window diagrams

Optimization of the GC separation of five-membered ring polyarenes with an admixed BPhBT liquid crystal-Dexsil 300 stationary phase 469 (1989) 43

Wines

Application of correlation chromatography to the investigation of biopolymers in wines 469 (1989) 420



XAD-2

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

XAD-8

Model compound sorption by the resins XAD-2, XAD-8 an diethylaminoethylcellulose. An useful application to flavonoids isolation 478 (1989) 225

Xanthines

Study of the lipophilic character of xanthine and adenosine derivatives. I. R_M and log P values 498 (1990) 179

Xanthopterin

Determination of pterins in urine by HPLC on C_{18} columns conditioned with cetyltrimethylammonium bromide 458 (1988) 217

Xanturenic acid

Separation of tryptophan metabolites by reversed-phase HPLC with amperometric and fluorescence detection 495 (1989) 71

Xenon-133

Chromatographic separation and purification of xenon-133 462 (1989) 191

Ximoprofen

Determination of ximoprofen in human plasma by GC 495 (1989) 275

Xylazine

Determination of residues of carazolol and a number of tranquilizers in swine kidney by HPLC with UV and fluorescence detection 464 (1989) 149

Rapid extraction and determination of xylazine in greyhound urine using HPLC 491 (1989) 519

Xylem sap

Determination of cations in xylem sap by ion-exchange HPLC with UV detection (in French) 462 (1989) 303

Xylenol orange

Photometric detection of metal cations in capillary isotachopheresis based on complex equilibria 470 (1989) 155

Xylometazoline

Determination of xylometazoline in plasma and urine by GC using a fused-silica capillary column and an electron-capture detector 487 (1989) 81

D-Xylose

Scale-up and optimization in production LC 484 (1989) 211

Y**Yangonin**

Identification of some human urinary metabolites of the intoxicating beverage kava 475 (1989) 273

Young racemization test

HPLC improvement of the Young racemization test 477 (1989) 454

Z**Zearalenol**

Sensitive analysis of the mycotoxin zearalenone and its metabolites in biological fluids by HPLC 494 (1989) 267

Zearalenone

Chromatographic methods as tools in the field of mycotoxins (Review) 477 (1989) 187

HPLC determination of zearalenone and ochratoxin A in cereals and feed 478 (1989) 269

Sensitive analysis of the mycotoxin zearalenone and its metabolites in biological fluids by HPLC 494 (1989) 267

Zeranol

Use of LC in the synthesis of isoluminol-labelled medroxyprogesterone acetate and zeranol 469 (1989) 305

Metabolism of some anabolic agents: toxicological and analytical aspects 489 (1989) 11

Application of optimization procedures for the separation of anabolic compounds by HPLC 489 (1989) 57

Profiling of free and conjugated [^3H]zeranol metabolites in pig plasma 489 (1989) 191

Multi-residue screening of bovine urine on xenobiotic oestrogens with an oestrogen radioreceptor assay 489 (1989) 225

Zinc hydroxo complexes

Determination of metal ion complexes in electroplating solutions using capillary zone electrophoresis with UV detection 480 (1989) 427

Zinc reduction

Fluorimetric determination of vitamin K₃ (menadione sodium bisulfite) in synthetic animal feed by HPLC using a post-column zinc reducer 472 (1989) 371

Zipeprol

Measurement of zipeprol in rat plasma by GC with nitrogen-phosphorus detection 493 (1989) 398

Zirconia, polymer-coated

Preparation and evaluation of a polymer-coated zirconia reversed-phase chromatographic support 484 (1989) 273

Zirconium hydroxide

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II.

Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187

Physical and chemical characterization of microporous zirconia 499 (1990) 291

Zirconium oxide

High-performance adsorption chromatography of proteins on deformed non-porous agarose beads coated with insoluble metal compounds. II.

Coating: aluminium and zirconium (hydr)oxide with stoichiometrically bound phosphate 481 (1989) 187

Zone broadening

Zone broadening due to sample injection in capillary zone electrophoresis 471 (1989) 421

Zwittergent 3-12

Potential of the sulfobetaine detergent Zwittergent 3-12 as a desorbing agent in biospecific and bioselective affinity chromatography 497 (1989) 87

Zwitterion-containing buffers

Capillary electrophoresis of proteins in buffers containing high concentrations of zwitterionic salts 480 (1989) 301

PUBLICATION SCHEDULE FOR 1990

Journal of Chromatography and Journal of Chromatography, Biomedical Applications

MONTH	J	F	M	A	M	J	J	A	S	O	N	D
Journal of Chromatography	498/1 498/2 499	500 502/1	502/2 503/1 503/2 504/1	504/2 505/1	505/2 506 507 508/1	508/2 509/1 509/2 510	511 512 513	514/1 514/2 515	516/1 516/2 517 518/1	518/2 519/1	519/2 520 521/1 521/2 522	523
Cumulative Indexes, Vols. 451-500		501										
Bibliography Section		524/1		524/2		524/3		524/4		524/5		524/6
Biomedical Applications	525/1	525/2	526/1	526/2 527/1	527/2	528/1 528/2	529/1	529/2 530/1	530/2	531 532/1	532/2 533	534

INFORMATION FOR AUTHORS

(Detailed *Instructions to Authors* were published in Vol. 522, pp. 351-354. A free reprint can be obtained by application to the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* and the section on *Biomedical Applications*: Regular research papers (Full-length papers), Review articles and Short Communications. Short Communications are usually descriptions of short investigations, or they can report minor technical improvements of previously published procedures; they reflect the same quality of research as Full-length papers, but should preferably not exceed six printed pages. For review articles, see inside front cover under Submission of Papers.

Submission. Every paper must be accompanied by a letter from the senior author, stating that he/she is submitting the paper for publication in the *Journal of Chromatography*.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper and the name and full postal address of the person to whom the proofs are to be sent. As a rule, papers should be divided into sections, headed by a caption (*e.g.*, Abstract, Introduction, Experimental, Results, Discussion, etc.). All illustrations, photographs, tables, etc., should be on separate sheets.

Introduction. Every paper must have a concise introduction mentioning what has been done before on the topic described, and stating clearly what is new in the paper now submitted.

Abstract. All articles should have an abstract of 50-100 words which clearly and briefly indicates what is new, different and significant.

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper. Each illustration should have a legend, all the legends being typed (with double spacing) together on a *separate sheet*. If structures are given in the text, the original drawings should be supplied. Coloured illustrations are reproduced at the author's expense, the cost being determined by the number of pages and by the number of colours needed. The written permission of the author and publisher must be obtained for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed in numerical sequence on a separate sheet at the end of the article. Please check a recent issue for the layout of the reference list. Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts*. Articles not yet published should be given as "in press" (journal should be specified), "submitted for publication" (journal should be specified), "in preparation" or "personal communication".

Dispatch. Before sending the manuscript to the Editor please check that the envelope contains four copies of the paper complete with references, legends and figures. One of the sets of figures must be the originals suitable for direct reproduction. Please also ensure that permission to publish has been obtained from your institute.

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections must be restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers and Short Communications will be supplied free of charge. Additional reprints can be ordered by the authors. An order form containing price quotations will be sent to the authors together with the proofs of their article.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of the journal accept no responsibility for the contents of the advertisements.

Dictionary of Analytical Chemistry

English, German, French, Polish and Russian

G. Maludzinska

The aim of this dictionary is to present the terminology used in analytical chemistry. It comprises mutually correlated terminology from the whole range of analytical chemistry with special reference to newly developed branches and techniques. It contains 2,400 English terms and their synonyms arranged in alphabetical order. Each term is followed by its definition in English and the equivalent terms in German, French, Polish and Russian. There are four bilingual alphabetical indexes to facilitate finding the foreign language equivalents of each English term.

1990 400 pages

2,400 terms

Price: US\$ 142.75 / Dfl. 250.00

ISBN 0-444-98729-0

*Distributors in the East European Countries
China, Northern Korea, Cuba, Vietnam and
Mongolia: Wydawnictwo Naukowo-Techniczne,
Warsaw, Poland*

Also of Interest.....

Dictionary of Chemistry and Chemical Technology

English-German

4th heavily revised edition

H. Gross, W. Borsdorf and J. Knepper

1989 762 pages

About 60,000 terms

Price: US\$ 171.50 / Dfl. 300.00

ISBN 0-444-98863-7

Dictionary of Chemistry and Chemical Technology

In Japanese, English and Chinese

C. Fujimori and B. Wenhuo

1989 1716 pages

About 85,000 terms

Price: US\$ 228.50 / Dfl. 400.00

ISBN 0-444-87371-6

*Co-edition with Chemical Industry Press, Beijing,
P.R. China*

ELSEVIER

ORDER FORM

Fill in this form (or a photocopy) for your order. Pre-paid orders only will be accepted.

To order or for more information please contact:

ELSEVIER SCIENCE PUBLISHERS

Attn: P. Terstall

P.O. Box 1991

1000 BZ Amsterdam, The Netherlands

in the USA/Canada:

ELSEVIER SCIENCE PUBLISHING CO. INC.

P.O. Box 862

Madison Square Station

New York, NY 10159, USA

Yes, please send me copy(ies) of **Dictionary of Analytical Chemistry**
(G. Maludzinska). Price: US\$ 142.75 / Dfl. 250.00. ISBN 0-444-98729-0

I would like to be on your mailing list (mailing code 02564)

Payment enclosed: (Bank Draft/Eurocheque/International Money Order/Personal Cheque/Postal Cheque/Official Purchase Order Form)

Charge my credit card:

MasterCard Eurocard Access VISA American Express

Card No. _____ Expiry Date _____

Name _____

Professional Address _____

Date _____ Signature _____

No postage will be added to prepaid book orders. The Dutch Guilder (Dfl.) price is definitive. US\$ price is subject to exchange rate fluctuations. Customers in The Netherlands please add 6% B.T.W. in New York State please add applicable sales tax.